

**NHANES 99+**  
**Codebook for Data Collection (1999-2000)**  
**July 2003**

**NHANES Composite International Diagnostic Interview-  
Major Depression Module (CIQMDEP)**  
**MEC Interview**  
**Person level data -- use CIDI Weights for analysis**

SEQN	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	Respondent sequence number	
English Text: Respondent sequence number		
English Instructions: < blank >		
Codes:		
WTSCI2YR	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Subsample 2 Year Mec Weight	
English Text: Adult Mental Health Subsample 2 Year Mec Weight		
English Instructions: < blank >		
Codes:		
WTSCI01	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 01	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 01		
English Instructions: < blank >		
Codes:		

WTSCI02	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 02	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 02		
English Instructions: < blank >		
Codes:		

  

WTSCI03	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 03	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 03		
English Instructions: < blank >		
Codes:		

  

WTSCI04	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 04	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 04		
English Instructions: < blank >		
Codes:		

  

WTSCI05	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 05	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 05		
English Instructions: < blank >		
Codes:		

<b>WTSCI06</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 06	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 06		
English Instructions: < blank >		
Codes:		
<b>WTSCI07</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 07	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 07		
English Instructions: < blank >		
Codes:		
<b>WTSCI08</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 08	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 08		
English Instructions: < blank >		
Codes:		
<b>WTSCI09</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 09	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 09		
English Instructions: < blank >		
Codes:		

WTSCI10	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 10	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 10		
English Instructions: < blank >		
Codes:		
WTSCI11	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 11	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 11		
English Instructions: < blank >		
Codes:		
WTSCI12	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 12	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 12		
English Instructions: < blank >		
Codes:		
WTSCI13	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 13	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 13		
English Instructions: < blank >		
Codes:		

WTSCI14	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 14	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 14		
English Instructions: < blank >		
Codes:		
WTSCI15	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 15	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 15		
English Instructions: < blank >		
Codes:		
WTSCI16	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 16	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 16		
English Instructions: < blank >		
Codes:		
WTSCI17	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 17	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 17		
English Instructions: < blank >		
Codes:		

WTSCI18	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 18	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 18		
English Instructions: < blank >		
Codes:		

  

WTSCI19	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 19	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 19		
English Instructions: < blank >		
Codes:		

  

WTSCI20	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 20	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 20		
English Instructions: < blank >		
Codes:		

  

WTSCI21	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 21	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 21		
English Instructions: < blank >		
Codes:		

WTSCI22	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 22	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 22		
English Instructions: < blank >		
Codes:		
WTSCI23	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 23	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 23		
English Instructions: < blank >		
Codes:		
WTSCI24	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 24	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 24		
English Instructions: < blank >		
Codes:		
WTSCI25	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 25	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 25		
English Instructions: < blank >		
Codes:		

<b>WTSCI26</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 26	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 26		
English Instructions: < blank >		
Codes:		
<b>WTSCI27</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 27	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 27		
English Instructions: < blank >		
Codes:		
<b>WTSCI28</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 28	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 28		
English Instructions: < blank >		
Codes:		
<b>WTSCI29</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 29	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 29		
English Instructions: < blank >		
Codes:		

WTSCI30	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 30	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 30		
English Instructions: < blank >		
Codes:		

  

WTSCI31	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 31	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 31		
English Instructions: < blank >		
Codes:		

  

WTSCI32	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 32	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 32		
English Instructions: < blank >		
Codes:		

  

WTSCI33	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 33	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 33		
English Instructions: < blank >		
Codes:		

WTSCI34	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 34	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 34		
English Instructions: < blank >		
Codes:		

  

WTSCI35	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 35	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 35		
English Instructions: < blank >		
Codes:		

  

WTSCI36	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 36	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 36		
English Instructions: < blank >		
Codes:		

  

WTSCI37	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 37	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 37		
English Instructions: < blank >		
Codes:		

WTSCI38	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 38	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 38		
English Instructions: < blank >		
Codes:		
WTSCI39	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 39	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 39		
English Instructions: < blank >		
Codes:		
WTSCI40	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 40	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 40		
English Instructions: < blank >		
Codes:		
WTSCI41	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 41	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 41		
English Instructions: < blank >		
Codes:		

<b>WTSCI42</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 42	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 42		
English Instructions: < blank >		
Codes:		
<b>WTSCI43</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 43	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 43		
English Instructions: < blank >		
Codes:		
<b>WTSCI44</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 44	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 44		
English Instructions: < blank >		
Codes:		
<b>WTSCI45</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 45	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 45		
English Instructions: < blank >		
Codes:		

<b>WTSCI46</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 46	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 46		
English Instructions: < blank >		
Codes:		
<b>WTSCI47</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 47	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 47		
English Instructions: < blank >		
Codes:		
<b>WTSCI48</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 48	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 48		
English Instructions: < blank >		
Codes:		
<b>WTSCI49</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 49	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 49		
English Instructions: < blank >		
Codes:		

WTSCI50	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 50	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 50		
English Instructions: < blank >		
Codes:		

  

WTSCI51	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 51	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 51		
English Instructions: < blank >		
Codes:		

  

WTSCI52	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 52	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 52		
English Instructions: < blank >		
Codes:		

  

CIAORDER	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
DEP_FIRS	Order in which CIDI modules are asked	
English Text: Order in which CIDI modules are asked		
English Instructions: < blank >		
Codes:		
0 = Panic, GAD, Depression		
1 = Depression, Panic, GAD		

CIQD001	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E1	Two weeks sad, empty, depress?	
English Text: In the past 12 months, have you had a period of two weeks or longer when you felt sad or depressed or empty?		
English Instructions: [THIS IS THE INTRO FOR THE 50% WHO START WITH PANIC: The next questions are about periods of being sad or depressed]		
[THIS IS THE INTRO FOR THE 50% WHO START WITH DEPRESSION AND THEN GO TO PANIC AND GAD: The next questions are about emotional problems that many people have. The first question is about periods of being sad or depressed.]		
Codes:		
1 = Yes		
2 = No ( Skip to: CIQD008 )		
7 = Refuse ( Skip to: CIQD008 )		
9 = Don't know ( Skip to: CIQD008 )		
CIQD002	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E1A	Sad, empty, depressed (SED) frequency	
English Text: Think of the two weeks during the past 12 months when this feeling was most persistent. During that two-week period, did you feel sad or depressed or empty every day, nearly every day, most days, about half the days, or less than half the days?		
English Instructions: (PROBE DK: What=s your best estimate? REPEAT RESPONSE CATEGORIES)		
Codes:		
1 = Every Day		
2 = Nearly Every Day		
3 = Most Days		
4 = About Half the Days ( Skip to: CIQD008 )		
5 = Less than Half the Days ( Skip to: CIQD008 )		
7 = Refuse ( Skip to: CIQD008 )		
9 = Don't know ( Skip to: CIQD008 )		
CIQD003	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E1B	SED duration	

English Text: And did this feeling usually last all day long, most of the day, about half the day, or less than half the day?

English Instructions: (PROBE DK: What=s your best estimate? REPEAT RESPONSE CATEGORIES)

Codes:

- 1 = All Day Long
- 2 = Most of the Day
- 3 = About Half
- 5 = Less than Half ( Skip to: CIQD008 )
- 7 = Refuse ( Skip to: CIQD008 )
- 9 = Don't know ( Skip to: CIQD008 )

CIQD004	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
EIC	Handcard C: also other problems?	

English Text: Please look at Card C. People who have periods of being sad, depressed, or empty often have other problems on this list at the same time, like changes in sleep or energy or appetite or concentration or feelings of low self-worth. During the time you were sad, depressed or empty, did you also have any of these other problems?

English Instructions: (IVR: HAND CARD C TO R.) (NOTE: COMPLEX QUESTION. READ CAREFULLY.)

Codes:

- 1 = Yes
- 2 = No ( Skip to: CIQD008 )
- 7 = Refuse ( Skip to: CIQD008 )
- 9 = Don't know ( Skip to: CIQD008 )

CIQD005	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
EIC_1	Did you lack energy?	

English Text: For the next questions, please think of the two weeks during the past 12 months when you were sad, depressed, or empty and had the largest number of these other problems. During that two-week period, did you lack energy or feel tired all the time nearly every day, even when you had not been working very hard?

English Instructions: (IF R SAYS THERE WAS NO SINGLE TWO-WEEK PERIOD THAT STANDS OUT, SAY: Then think of the most recent two weeks of this sort.)

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD006</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E1D	Did lose interest?	

English Text: During that two-week period, did you lose interest in most things like work, hobbies, and other things you usually enjoy?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD007</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E1E	Were you irritable or grouchy?	

English Text: During that two-week period, did you feel irritable or grouchy or in a bad mood most of the time?

English Instructions: < blank >

Codes:  
 1 = Yes ( Skip to: CIQD019 )  
 2 = No ( Skip to: CIQD019 )  
 7 = Refuse ( Skip to: CIQD019 )  
 9 = Don't know ( Skip to: CIQD019 )

<b>CIQD008</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E2	Past 12 mos. 2 weeks lost interest?	

English Text: In the past 12 months, have you had a period of two weeks or longer when you lost interest in most things like work, hobbies, and other things you usually enjoy?

English Instructions: < blank >

Codes:

- 1 = Yes
- 2 = No ( Skip to: CIQD014 )
- 7 = Refuse ( Skip to: CIQD014 )
- 9 = Don't know ( Skip to: CIQD014 )

CIQD009	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E2A	Loss of interest frequency	

English Text: Think of the two weeks when this loss of interest was most persistent. During that two-week period, did you lose interest in things every day, nearly every day, most days, about half the days, or less than half the days?

English Instructions: (PROBE DK: What=s your best estimate? REPEAT RESPONSE CATEGORIES).

Codes:

- 1 = Every Day
- 2 = Nearly Every Day
- 3 = Most Days
- 4 = About Half the Days ( Skip to: CIQD014 )
- 5 = Less than Half the Days ( Skip to: CIQD014 )
- 7 = Refuse ( Skip to: CIQD014 )
- 9 = Don't know ( Skip to: CIQD014 )

CIQD010	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E2B	Loss of interest duration	

English Text: And did this feeling usually last all day long, most of the day, about half the day, or less than half the day?

English Instructions: (PROBE DK: What=s your best estimate? REPEAT RESPONSE CATEGORIES).

Codes:

- 1 = All Day Long
- 2 = Most of the Day
- 3 = About half the days
- 4 = Less than half the days ( Skip to: CIQD014 )
- 7 = Refuse ( Skip to: CIQD014 )
- 9 = Don't know ( Skip to: CIQD014 )

CIQD011	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E2C	Handcard C: also other problems?	
English Text: Please look at Card C again. People who have periods of losing interest in most things often have other problems on this list at the same time. During the time that you lost interest in most things, did you also have any of these other problems?		
English Instructions: (NOTE: COMPLEX QUESTION. READ CAREFULLY.) ELSE USE THIS VERSION: (IVR: HAND CARD C TO R.) (NOTE: COMPLEX QUESTION. READ CAREFULLY.) Please look at Card C. People who have periods of losing interest in most things often have other problems on this list at the same time, like changes in sleep or energy or appetite or concentration or feelings of low self-worth. During the time that you lost interest in most things, did you also have any of these other problems?		
Codes:		
1 = Yes		
2 = No ( Skip to: CIQD014 )		
7 = Refuse ( Skip to: CIQD014 )		
9 = Don't know ( Skip to: CIQD014 )		
CIQD012	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E2C_1	Did you lack energy?	
English Text: For the next questions, please think of the two weeks during the past 12 months when you lost interest in most things and had the largest number of these other problems. During that two-week period, did you lack energy or feel tired all the time nearly every day, even when you had not been working very hard?		
English Instructions: (IF R SAYS THERE WAS NO SINGLE TWO-WEEK PERIOD THAT STANDS OUT, SAY: Then think of the most recent two weeks of this sort.)		
Codes:		
1 = Yes		
2 = No		
7 = Refuse		
9 = Don't know		
CIQD013	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E2D	Were you irritable or grouchy?	
English Text: During that two-week period, did you feel irritable or grouchy or in a bad mood most of the time?		

English Instructions: < blank >

Codes:

1 = Yes	( Skip to: CIQD019 )
2 = No	( Skip to: CIQD019 )
7 = Refuse	( Skip to: CIQD019 )
9 = Don't know	( Skip to: CIQD019 )

CIQD014	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E2_1	Two weeks irritable most of the time?	

English Text: In the past 12 months, Did you have a period of two weeks or longer when you were irritable or grouchy or in a bad mood most of the time?

English Instructions: (READ SLOWLY)

Codes:

1 = Yes	
2 = No	( Skip to: CIDDSCOR )
7 = Refuse	( Skip to: CIDDSCOR )
9 = Don't know	( Skip to: CIDDSCOR )

CIQD015	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E2_1A	Irritable frequency	

English Text: Think of the two weeks when this bad mood was most persistent. During that two-week period, did you feel irritable or grouchy or in a bad mood every day, nearly every day, most days, about half the days, or less than half the days?

English Instructions: (PROBE DK: What=s your best estimate? REPEAT RESPONSE CATEGORIES).

Codes:

1 = Every Day	
2 = Nearly Every Day	
3 = Most Days	
4 = About Half the Days	( Skip to: CIDDSCOR )
5 = Less than Half the Days	( Skip to: CIDDSCOR )
7 = Refuse	( Skip to: CIDDSCOR )
9 = Don't know	( Skip to: CIDDSCOR )

CIQD016	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E2_1B	Irritable duration	
English Text: And did this feeling usually last all day long, most of the day, about half the day, or less than half the day?		
English Instructions: (PROBE DK: What=s your best estimate? REPEAT RESPONSE CATEGORIES).		
Codes: <ul style="list-style-type: none"> <li>1 = Every Day</li> <li>2 = Nearly Every Day</li> <li>3 = Most Days</li> <li>4 = About Half the Days</li> <li>5 = Less than Half the Days ( Skip to: CIDDSCOR )</li> <li>7 = Refuse ( Skip to: CIDDSCOR )</li> <li>9 = Don't know ( Skip to: CIDDSCOR )</li> </ul>		
CIQD017	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E2_1C	Handcard C: also other problems?	
English Text: Please look at Card C again. People who have periods of being irritable or grouchy often have other problems on this list at the same time. During the time you were irritable or grouchy, did you also have any of these other problems?		
English Instructions: ELSE USE THIS VERSION: (IVR: HAND CARD C TO R.) (NOTE: COMPLEX QUESTION. READ CAREFULLY.) Please look at Card C. People who have periods of being irritable or grouchy often have other problems on this list at the same time, like changes in sleep or energy or appetite or concentration or feelings of low self-worth. During the time you were irritable or grouchy, did you also have any of these other problems?		
Codes: <ul style="list-style-type: none"> <li>1 = Yes</li> <li>2 = No ( Skip to: CIDDSCOR )</li> <li>7 = Refuse ( Skip to: CIDDSCOR )</li> <li>9 = Don't know ( Skip to: CIDDSCOR )</li> </ul>		
CIQD018	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E2_1C_1	Did you lack energy?	

English Text: For the next questions, please think of the two weeks during the past 12 months when you were irritable and had the largest number of these other problems. During that two-week period, did you lack energy or feel tired all the time nearly every day, even when you had not been working very hard?

English Instructions: (IF R SAYS THERE WAS NO SINGLE TWO-WEEK PERIOD THAT STANDS OUT, SAY: Then think of the most recent two weeks of this sort.)

Codes:

- 1 = Yes
- 2 = No
- 7 = Refuse
- 9 = Don't know

CIQD019	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E4	Did you have less appetite?	

English Text: (During that two-week period,) Did you have less appetite than usual almost every day?

English Instructions: < blank >

Codes:

- 1 = Yes
- 2 = No
- 7 = Refuse
- 9 = Don't know

CIQD020	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E5	Did you lose weight?	

English Text: (During that two-week period,) Did you lose weight without trying to?

English Instructions: (IF VOL: "On diet" OR "I tried to lose weight," CODE NO)

Codes:

- 1 = Yes ( Skip to: CIQD021 )
- 2 = No
- 7 = Refuse
- 9 = Don't know

CIQD020Z	Version Info	Node Sequence
	Version 1.0	-

English Instructions: Check Point; IF CIQD019=YES GO TO CIQD025; ELSE GO TO CIQD022

CIQD021	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E5A	Amount of weight lost	
English Text: How much weight did you lose during that two week period?		
English Instructions: (IF RESPONSE > 100, ENTER 100. IF RESPONSE = DK, ENTER 998. IF RESPONSE = REF, ENTER 999). POUNDS LOST		
Codes: 100 = 100 + 777 = Refuse 999 = Don't know		
CIQD021Z	Version Info	Node Sequence
		Version 1.0
English Instructions: Check Point; GO TO CIQD025		
CIQD022	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E6	Did you have larger appetite?	
English Text: Did you have a much larger appetite than is usual for you almost every day during that two weeks?		
English Instructions: IF VOL: IF ONLY BECAUSE PREGNANT, CODE NO IF VOL: ONLY REGAINED WEIGHT LOST, CODE NO		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		
CIQD023	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E7	Did you gain weight?	
English Text: (During that two-week period,) Did you gain weight?		
English Instructions: < blank >		

Codes:  
 1 = Yes  
 2 = No ( Skip to: CIQD025 )  
 7 = Refuse ( Skip to: CIQD025 )  
 9 = Don't know ( Skip to: CIQD025 )

<b>CIQD024</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E7A	Amount of weight gained	

English Text: How much did you gain during that two week period?

English Instructions: (IF RESPONSE > 100, ENTER 100. IF RESPONSE = DK, ENTER 998. IF RESPONSE = REF, ENTER 999). NUMBER OF POUNDS

Codes:  
 100 = 100 +  
 777 = Refuse  
 999 = Don't know

<b>CIQD025</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E8	During 2 weeks, trouble sleep?	

English Text: Did you have a lot more trouble than usual sleeping for these two weeks -- either trouble falling asleep, waking in the center of the night, or waking up too early?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No ( Skip to: CIQD028 )  
 7 = Refuse ( Skip to: CIQD028 )  
 9 = Don't know ( Skip to: CIQD028 )

<b>CIQD026</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E8_1	Frequency trouble sleeping	

English Text: Did this happen every night, nearly every night, or less often during those two weeks?

English Instructions: < blank >

Codes:

- 1 = Every night
- 2 = Nearly every night ( Skip to: CIQD028 )
- 3 = Less often ( Skip to: CIQD028 )
- 7 = Refuse ( Skip to: CIQD028 )
- 9 = Don't know ( Skip to: CIQD028 )

CIQD027	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E8A	Did you wake up 2 hours early?	

English Text: Did you wake up at least two hours before you wanted to every day during these two weeks?

English Instructions: < blank >

Codes:

- 1 = Yes
- 2 = No
- 7 = Refuse
- 9 = Don't know

CIQD028	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E9	Did you sleep too much?	

English Text: Did you sleep too much almost every day?

English Instructions: < blank >

Codes:

- 1 = Yes
- 2 = No
- 7 = Refuse
- 9 = Don't know

CIQD029	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E22	Felt bad first woke, better later?	

English Text: (During that two-week period,) Did you feel particularly bad when you first got up, but felt better later in the day?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD030</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E23	Was interest in sex less than usual?	

English Text: (During that two-week period,) Was your interest in sex a lot less than usual?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD031</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E2_4	Did you lose ability to enjoy...?	

English Text: (During that two-week period,) Did you lose the ability to enjoy having good things happen to you, like winning something or being praised or complimented?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD032</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E10	Did you talk or move more slowly?	

English Text: Did you talk or move more slowly than is normal for you almost every day during these two weeks?

English Instructions: < blank >

Codes:

1 = Yes

2 = No

7 = Refuse

9 = Don't know

( Skip to: CIQD034 )

( Skip to: CIQD034 )

( Skip to: CIQD034 )

CIQD033	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E10A	Did anyone notice...more slowly?	

English Text: Did anyone else notice that you were talking or moving slowly?

English Instructions: < blank >

Codes:

1 = Yes

2 = No

7 = Refuse

9 = Don't know

( Skip to: CIQD036 )

CIQD034	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E11	Did you have to move all the time?	

English Text: (During that two-week period,) Did you have to be moving all the time -- that is, you couldn't sit still and paced up and down or couldn't keep your hands still when sitting?

English Instructions: < blank >

Codes:

1 = Yes

2 = No

7 = Refuse

9 = Don't know

( Skip to: CIQD036 )

( Skip to: CIQD036 )

( Skip to: CIQD036 )

CIQD035	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E11A	Did anyone notice moving all the time?	

English Text: Did anyone else notice that you were moving all the time?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD036</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E12	Did you feel worthless nearly every day?	

English Text: (During that two-week period,) Did you feel worthless nearly every day?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD037</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E12A	Did you feel guilty?	

English Text: Did you feel guilty?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD037Z</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-

English Instructions: IF CIQD36 OR CIQD37 = YES, GO TO CIQD38. ELSE GO TO CIQD41.

<b>CIQD038</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E12B	Was there reason worthless or guilty?	

English Text: Was there a particular reason for feeling (worthless/or/guilty)?

English Instructions: (PROBE: Any other reason?) RECORD OPEN-ENDED RESPONSE

Codes:  
 1 = Respondent Gives Reason  
 5 = No Particular Reason ( Skip to: CIQD041 )  
 7 = Refuse ( Skip to: CIQD041 )  
 9 = Don't know ( Skip to: CIQD041 )

<b>CIQD040</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E12C	Was R worthless/guilty about depression?	

English Text: Was R worthless/guilty about depression?

English Instructions: INTERVIEWER QUERY: DID R FEEL WORTHLESS OR GUILTY ONLY ABOUT BEING IMPAIRED BY DEPRESSION?

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD041</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E13	Did you feel not as good as others?	

English Text: Did you feel that you were not as good as other people?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD042</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E14	Did you have so little confidence...?	

English Text: Did you have so little self-confidence that you wouldn't try to have your say about anything?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

CIQD043	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E15	Did you have...trouble concentrating?	

English Text: (During that two-week period,) Did you have a lot more trouble concentrating than is normal for you?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

( Skip to: CIQD045 )

CIQD044	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E15A	Unable to read...couldn't pay attention?	

English Text: Were you unable to read things that usually interest you or watch television or movies you usually like because you couldn't pay attention to them?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

CIQD045	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E16	Did thoughts come slower...?	

English Text: (During that two-week period,) Did your thoughts come much slower than usual or seem mixed up?

English Instructions: < blank >

Codes:

- 1 = Yes
- 2 = No
- 7 = Refuse
- 9 = Don't know

CIQD046	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E17	Were you unable to make up your mind...?	

English Text: (During that two-week period,) Were you unable to make up your mind about things you ordinarily have no trouble deciding about?

English Instructions: < blank >

Codes:

- 1 = Yes
- 2 = No
- 7 = Refuse
- 9 = Don't know

CIQD047	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E18	Did you think a lot about death?	

English Text: (During that two-week period,) Did you think a lot about death?

English Instructions: < blank >

Codes:

- 1 = Yes
- 2 = No
- 7 = Refuse
- 9 = Don't know

CIQD048	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E19	Did you think about committing suicide?	

English Text: Did you feel so low you thought a lot about committing suicide?

English Instructions: < blank >

Codes:

1 = Yes

2 = No

7 = Refuse

9 = Don't know

( Skip to: CIQD050Z )

CIQD049	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E19A	Did you make a suicide plan?	

English Text: Did you make a suicide plan?

English Instructions: < blank >

Codes:

1 = Yes

2 = No

7 = Refuse

9 = Don't know

CIQD050	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E20	Did you attempt suicide?	

English Text: Did you attempt suicide?

English Instructions: < blank >

Codes:

1 = Yes

2 = No

7 = Refuse

9 = Don't know

CIQD050Z	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF NONE OF THE FOLLOWING ARE TRUE: {(CIQD005 = YES) OR (CIQD006 = YES) OR (CIQD007 = YES) OR (CIQD012 = YES) OR (CIQD013 = YES) OR (CIQD018 = YES) OR (CIQD019 = YES) OR (CIQD021 >= 10) OR (CIQD022 = YES) OR (CIQD024 >= 10) OR (CIQD026 IN 1,2) OR (CIQD028 = YES) OR (CIQD029 = YES) OR (CIQD030 = YES) OR (CIQD031 = YES) OR (CIQD032 = YES) OR (CIQD034 = YES) OR (CIQD040 = NO) OR (CIQD041 = YES) OR (CIQD042 = YES) OR (CIQD043 = YES) OR (CIQD045 = YES) OR (CIQD046 = YES) OR (CIQD047 = YES) OR (CIQD048 = YES)} THEN GO TO CIDDSCOR; ELSE CONTINUE

CIQD051	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E66	No. weeks SED... past 12 mos?	
English Text: I'm going to review what you told me. You had a period of two weeks or longer when you (stem phrase)? You also had other problems at the same time. For example, you (fill with first 3 phrases endorsed on list), and had other problems you mentioned.		
English Instructions: (NOTE: COMPLEX QUESTION. READ CAREFULLY.) (IF RESPONSE = DK, ENTER 98. IF RESPONSE = REF, ENTER 99). Think about all the weeks in the past 12 months when you (stem phrase) and also had (this/these/some of these) other problem(s) nearly every day. About how many weeks of this sort out of 52 did you have in the past 12 months? NUMBER OF WEEKS		
Codes: 77 = Refuse 99 = Don't know		
CIQD051Z	Version Info	Node Sequence
	Version 1.0	-
English Instructions: IF CIQD051 LT 2 THEN GO TO CIDDSCOR; IF CIQD051 IN (2, 3, 51, 52) THEN GO TO CIQD054; IF CIQD051 IN (DK, REF) THEN GO TO CIQD053; ELSE CONTINUE		
CIQD052	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E24	Was it 1 period or 2 or more?	
English Text: Was this one period of ("NUMBER FROM CIQD051 weeks") in a row, or was it two or more periods that add up to ("NUMBER FROM CIQD051 weeks").		
English Instructions: < blank >		
Codes: 1 = One Period ( Skip to: CIQD054 ) 2 = Two or more periods ( Skip to: CIQD064 ) 7 = Refuse ( Skip to: CIQD083 ) 9 = Don't know ( Skip to: CIQD083 )		
CIQD053	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E24_1	Was it one period or two or more?	
English Text: Was this one period or was it two or more periods?		
English Instructions: < blank >		

Codes:  
 1 = One Period ( Skip to: CIQD054 )  
 2 = Two or more periods ( Skip to: CIQD064 )  
 7 = Refuse ( Skip to: CIQD083 )  
 9 = Don't know ( Skip to: CIQD083 )

CIQD054	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E24A	Is the period still going on or ended?	

English Text: Is this period still going on or has it ended?

English Instructions: < blank >

Codes:  
 1 = Still going on  
 5 = Ended  
 7 = Refuse  
 9 = Don't know

CIQD054Z	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQD054 IN (1, DK, REF) AND CIQD051 IN (52, DK, REF) THEN GO TO CIQD055; IF CIQD054 IN (1, DK, REF) AND CIQD051 IN (2-51) THEN GO TO CIQD059; IF CIQD054 = 5 AND CIQD051 IN (48-52) THEN GO TO CIQD058; IF CIQD054 = 5 AND CIQD051 IN (24-47) THEN GO TO CIQD056; IF CIQD054 =5 AND CIQD051 < 27 THEN GO TO CIQD057

CIQD055	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E24B	How long has period been going on?	

English Text: How long has this period been going on so far?

English Instructions: (IF RESPONSE = DK, ENTER 998, IF RESPONSE = REF, ENTER 999). # OF MONTHS OR YEARS

Codes:  
 777 = Refuse  
 999 = Don't know

CIQD055Z	Version Info	Node Sequence
	Version 1.0	-

English Instructions: GO TO CIQD059

CIQD056	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E24C	When did it end -- past month or more?	
English Text: When did it end -- in the past month or more than a month ago?		
English Instructions: < blank >		
Codes:		
1 = Past Month		( Skip to: CIQD059 )
2 = More than a month ago		( Skip to: CIQD058 )
7 = Refuse		( Skip to: CIQD058 )
9 = Don't know		( Skip to: CIQD058 )

  

CIQD057	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E24D	Ended past month, 6 months, more than 6?	
English Text: When did it end -- in the past month, past six months, or more than six months ago?		
English Instructions: < blank >		
Codes:		
1 = Month		( Skip to: CIQD059 )
2 = 6 Months		( Skip to: CIQD059 )
3 = More than 6 months ago		
7 = Refuse		
9 = Don't know		

  

CIQD058	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E24E	How long was period before it ended?	
English Text: How long did this period go on before it ended?		
English Instructions: #OF WEEKS OR MONTHS OR YEARS		
Codes:		
7777 = Refuse		
9999 = Don't know		

CIQD059	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E24F	Did period begin after someone died?	
English Text: Did this period begin just after someone close to you died?		
English Instructions: < blank >		
Codes:		
1 = Yes		
2 = No		( Skip to: CIQD061 )
7 = Refuse		( Skip to: CIQD061 )
9 = Don't know		( Skip to: CIQD061 )
CIQD060	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E24G	Who was it that died?	
English Text: Who was it that died?		
English Instructions: (IF NEC: Who was it that died?) IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION.		
Codes:		
1 = Spouse		( Skip to: CIQD095 )
2 = Child		( Skip to: CIQD095 )
3 = Parent/Sibling		( Skip to: CIQD095 )
4 = Other Relative		( Skip to: CIQD095 )
5 = Nonrelative		( Skip to: CIQD095 )
7 = Refuse		( Skip to: CIQD095 )
9 = Don't know		( Skip to: CIQD095 )
CIQD061	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E24H	Did period begin w_in month of baby?	
English Text: Did this period begin within a month of you having a baby?		
English Instructions: < blank >		
Codes:		
1 = Yes		( Skip to: CIQD095 )
2 = No		
7 = Refuse		
9 = Don't know		

<b>CIQD062</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E24I	Did anything else happen before period?	
English Text: Did anything else happen shortly before this period began that might have caused it to happen?		
English Instructions: < blank >		
Codes:		
1 = Yes		( Skip to: CIQD095 )
2 = No		( Skip to: CIQD095 )
7 = Refuse		( Skip to: CIQD095 )
9 = Don't know		( Skip to: CIQD095 )
<b>CIQD064</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E25	How many periods?	
English Text: How many periods?		
English Instructions: NUMBER OF PERIODS		
Codes:		
77 = Refuse		
99 = Don't know		
<b>CIQD064Z</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-
English Instructions: IF CIQD064 = 2 THEN GO TO CIQD065; IF CIQD064 > 2 THEN GO TO CIQD083		
<b>CIQD065</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E25A	No. weeks, months, years before end?	
English Text: How many weeks, months or years did the first of these periods go on before it ended?		
English Instructions: < blank >		
Codes:		
77 = Refuse		
99 = Don't know		

CIQD066	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E25B	Did 1st per begin after someone died?	
English Text: Did this first period begin just after someone close to you died?		
English Instructions: < blank >		
Codes:		
1 = Yes		
2 = No		( Skip to: CIQD068 )
7 = Refuse		( Skip to: CIQD068 )
9 = Don't know		( Skip to: CIQD068 )
CIQD067	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E25G	Who was it that died?	
English Text: Who was it that died?		
English Instructions: (IF NEC: Who was it that died?) IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION.		
Codes:		
1 = Spouse		( Skip to: CIQD071 )
2 = Child		( Skip to: CIQD071 )
3 = Parent/Sibling		( Skip to: CIQD071 )
4 = Other Relative		( Skip to: CIQD071 )
5 = Nonrelative		( Skip to: CIQD071 )
7 = Refuse		( Skip to: CIQD071 )
9 = Don't know		( Skip to: CIQD071 )
CIQD068	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E25D	Did period begin w_in month of baby?	
English Text: Did this period begin within a month of you having a baby?		
English Instructions: < blank >		
Codes:		
1 = Yes		( Skip to: CIQD071 )
2 = No		
7 = Refuse		
9 = Don't know		

<b>CIQD069</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E25E	Did anything else happen before period?	
English Text: Did anything else happen shortly before this period began that might have caused it to happen?		
English Instructions: < blank >		
Codes: 1 = Yes ( Skip to: CIQD071 ) 2 = No 7 = Refuse 9 = Don't know		
<b>CIQD071</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E25G	How much time between two periods?	
English Text: How much time went on between the end of this first period and the beginning of the second?		
English Instructions: #OF WEEKS OR MONTHS OR YEARS		
Codes: 7777 = Refuse 9999 = Don't know		
<b>CIQD071Z</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-
English Instructions: IF CIQD071 < 8 WEEKS THEN GO TO CIQD074; ELSE CONTINUE		
<b>CIQD072</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E25H	Did you feel ok two months between?	
English Text: Did you feel OK for at least two months between the two periods?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		

CIQD073	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E25I	Did you have two mos. enjoy...?	
English Text: Between these two periods, did you have at least two months when you were able to carry out your daily activities and enjoy being with other people as much as before the first period began?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		
CIQD074	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E25O	Is second period going on or ended?	
English Text: Is the second period still going on now or has it ended?		
English Instructions: < blank >		
Codes: 1 = Ended 5 = Still Going On ( Skip to: CIQD078 ) 7 = Refuse ( Skip to: CIQD078 ) 9 = Don't know ( Skip to: CIQD078 )		
CIQD075	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E25P	How long went on before ended?	
English Text: How long did it go on before it ended?		
English Instructions: # OF DAYS OR WEEKS OR MONTHS		
Codes: 7777 = Refuse 9999 = Don't know		

CIQD075Z	Version Info	Node Sequence
		Version 1.0
English Instructions: IF CIQD065-MAX(CIQD051-CIQD075,0)>0 THEN GO TO CIQD078; IF CIQD065-MAX(CIQD051-CIQD075,0)<=0 AND MAX(CIQD051-CIQD075,0)+CIQD071+CIQD075>=48 WEEKS THEN GO TO CIQD078; IF CIQD065-MAX(CIQD051-CIQD075,0)<=0 AND MAX(CIQD051-CIQD075,0)+CIQD071+CIQD075 IN (27 WEEKS-47 WEEKS) THEN GO TO CIQD076; IF CIQD065-MAX(CIQD051-CIQD075,0)<=0 AND MAX(CIQD051-CIQD075,0)+CIQD071+CIQD075 < 27 THEN GO TO CIQD077		
CIQD076	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E25Q	Did it end past mos. or more than month?	
English Text: When did it end -- in the past month or more than a month ago?		
English Instructions: < blank >		
Codes:		
1 = Past Month	( Skip to: CIQD078 )	
2 = More than a month ago	( Skip to: CIQD078 )	
7 = Refuse	( Skip to: CIQD078 )	
9 = Don't know	( Skip to: CIQD078 )	
CIQD077	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E25R	Did it end past mos, past 6 mos or more?	
English Text: When did it end -- in the past month, past six months, or more than six months ago?		
English Instructions: < blank >		
Codes:		
1 = Month		
2 = Past 6 Months		
3 = More than 6 months		
7 = Refuse		
9 = Don't know		
CIQD078	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E25J	Did 2nd period begin after someone died?	
English Text: Did this second period begin just after someone close to you died?		
English Instructions: < blank >		

Codes:  
 1 = Yes  
 2 = No ( Skip to: CIQD080 )  
 7 = Refuse ( Skip to: CIQD080 )  
 9 = Don't know ( Skip to: CIQD080 )

<b>CIQD079</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E25K	Who was it that died?	

English Text: < blank >

English Instructions: (IF NEC: Who was it that died?) IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION.

Codes:  
 1 = Spouse ( Skip to: CIQD095 )  
 2 = Child ( Skip to: CIQD095 )  
 3 = Parent/Sibling ( Skip to: CIQD095 )  
 4 = Other Relative ( Skip to: CIQD095 )  
 5 = Nonrelative ( Skip to: CIQD095 )  
 7 = Refuse ( Skip to: CIQD095 )  
 9 = Don't know ( Skip to: CIQD095 )

<b>CIQD080</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	F(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E25L	Did 2nd period begin w_in mos of baby?	

English Text: Did this second period begin within a month of you having a baby?

English Instructions: < blank >

Codes:  
 1 = Yes ( Skip to: CIQD095 )  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQD081</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
E25M	Anything else happen before 2nd period?	

English Text: Did anything else happen shortly before this second period began that might have caused it to happen?

English Instructions: < blank >

Codes:

1 = Yes	( Skip to: CIQD095 )
2 = No	( Skip to: CIQD095 )
7 = Refuse	( Skip to: CIQD095 )
9 = Don't know	( Skip to: CIQD095 )

CIQD083	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E26X	What is longest no weeks felt that way?	

English Text: In the past 12 months, what was the longest number of weeks in a row that you felt that way?

English Instructions: (RECORD FRACTIONAL RESPONSE ROUNDED TO LOWEST NUMBER OF WEEKS.) #NUMBER OF WEEKS

Codes:

77 = Refuse  
99 = Don't know

CIQD084	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E26	Is most recent of 4 periods on or ended?	

English Text: Is the most recent of these (NUMBER FROM CIQD064) periods still going on or has it ended?

English Instructions: < blank >

Codes:

1 = Still going on	( Skip to: CIQD087 )
5 = Ended	
7 = Refuse	( Skip to: CIQD087 )
9 = Don't know	( Skip to: CIQD087 )

CIQD084Z	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQD051 IN (48-52) THEN GO TO CIQD087; IF CIQD051 IN (27-47) THEN GO TO CIQD085; IF CIQD051 < 27 THEN GO TO CIQD086

CIQD085	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E26A	Ended past mos. or more than month?	
English Text: When did it end -- in the past month or more than a month ago?		
English Instructions: < blank >		
Codes:		
1 = Past Month		( Skip to: CIQD087 )
2 = More than a month ago		( Skip to: CIQD087 )
7 = Refuse		( Skip to: CIQD087 )
9 = Don't know		( Skip to: CIQD087 )

  

CIQD086	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E26B	Ended past mos, six months or more?	
English Text: When did it end -- in the past month, past six months, or more than six months ago?		
English Instructions: < blank >		
Codes:		
1 = Month		
2 = Past 6 Months		
3 = More than 6 months		
7 = Refuse		
9 = Don't know		

  

CIQD087	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E26C	In between 4 periods, ok for 2 months?	
English Text: In between any of these periods were you feeling OK for at least two months?		
English Instructions: < blank >		
Codes:		
1 = Yes, I did not feel O.K.		
2 = No, felt O.K. between episodes		( Skip to: CIQD089 )
7 = Refuse		
9 = Don't know		

CIQD088	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E26E	Between periods, 2 months activities?	
English Text: Between these periods, did you have at least two months when you were able to carry out your daily activities and enjoy being with other people as much as before the first period began?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		
CIQD089	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E26G	Did 4 periods occur after someone died?	
English Text: Think about what was going on in your life shortly before each of your periods of (being sad, depressed, or empty/losing interest in most things/being irritable) in the past 12 months. Did any of these periods occur just after someone close to you died?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		
		( Skip to: CIQD092 )
		( Skip to: CIQD092 )
		( Skip to: CIQD092 )
CIQD090	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E26H	Who was it that died?	
English Text: Who was it that died?		
English Instructions: IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION.		
Codes: 1 = Spouse 2 = Child 3 = Parent/Sibling 4 = Other Relative 5 = Nonrelative 7 = Refuse		

9 = Don't know

CIQD091	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E26I	Were all 4 periods after the death?	
English Text: Were all these periods shortly after the death of someone close to you?		
English Instructions: < blank >		
Codes: 1 = Yes ( Skip to: CIQD095 ) 2 = No 7 = Refuse 9 = Don't know		

CIQD092	Version Info	Target
	Version 1.0	F(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E26J	Did periods occur w_in mos. of baby?	
English Text: Did any of these periods in the past 12 months occur within a month of you having a baby?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		

CIQD093	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E26L	Anything else happen before periods?	
English Text: Did anything else happen shortly before any of these periods began that might have caused them to happen?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		

CIQD095	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E27	SED interfere with daily life?	
English Text: Think about how your life and activities were affected in the past 12 months by your (being sad, depressed or empty/losing interest in most things/being irritable) and other related problems. Did these problems interfere with your life or activities -- a lot, some, a little, or not at all?		
English Instructions: < blank >		
Codes: 1 = A lot 2 = Some 3 = A little 4 = Not at all 7 = Refused 9 = Don't know ( Skip to: CIQD109 )		
CIQD096	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E27A	No. days totally unable work	
English Text: About how many days in the past 12 months were you totally unable for the whole day to work and carry out your other normal activities because of (being sad, depressed or empty/losing interest in most things/being irritable) and other related problems? You can answer with any number between 0 and 365.		
English Instructions: NUMBER OF DAYS		
Codes: 777 = Refused 999 = Don't know		
CIQD096Z	Version Info	Node Sequence
		Version 1.0
English Instructions: IF CIQD096 = 0 GO TO CIQD099. IF CIQD096 = 1, GO TO CIQD097. ELSE GO TO CIQD098		
CIQD097	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E27A_1	Did day occur past 4 weeks?	
English Text: Did that day occur in the past 4 weeks?		
English Instructions: < blank >		

Codes:

1 = Yes ( Skip to: CIQD099 )  
2 = No ( Skip to: CIQD099 )  
7 = Refuse ( Skip to: CIQD099 )  
9 = Don't know ( Skip to: CIQD099 )

CIQD098	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E27A_2	No. days totally past 4 weeks	

English Text: How many of these days occurred in the past 4 weeks?

English Instructions: NUMBER OF DAYS

Codes:

77 = Refuse  
99 = Don't know

CIQD099	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E27B	No. days cutback amount/quality	

English Text: [Not counting the day(s) you were totally unable to work,] about how many (other) days in the past 12 months did you cut back either on the amount of work you got done or on the quality of your work because of these problems? (Again, you can use any number between 0 and 365.)

English Instructions: NUMBER OF DAYS

Codes:

777 = Refuse  
999 = Don't know

CIQD099Z	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQD099 = 0 GO TO CIQD103. ELSE CONTINUE

CIQD100	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E27C	Describe quantity/quality cutback	

English Text: Thinking about (that cutback day/those # FROM CIQD099 cutback days), on a scale from 0 to 100 where zero means being totally unable to work and 100 means working a full high quality day, what number describes the quantity and quality of your work during (that day/those # FROM CIQD099 days)?

English Instructions: RECORD NUMBER BETWEEN 0 AND 100

Codes:  
777 = Refuse  
999 = Don't know

CIQD100Z	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQD100 = 1 GO TO CIQD101. ELSE GO TO CIQD102

CIQD101	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E27C_1	Did cutback occur past 4 weeks?	

English Text: Did that cutback day occur in the past 4 weeks?

English Instructions: < blank >

Codes:  
1 = Yes ( Skip to: CIQD103 )  
2 = No ( Skip to: CIQD103 )  
7 = Refuse ( Skip to: CIQD103 )  
9 = Don't know ( Skip to: CIQD103 )

CIQD102	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E27C_2	No. days cutback past 4 weeks	

English Text: How many of these cutback days occurred in the past 4 weeks?

English Instructions: NUMBER OF DAYS

Codes:  
77 = Refuse  
99 = Don't know

CIQD103	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E27X	No. days extreme effort to work	

English Text: [Not counting the day(s) you were totally unable to work /(or)/(you cut back on work,] about how many (other) days in the past 12 months did it take an extreme effort to perform up to your usual level at work or at your other normal daily activities because of (being sad/losing interest/being irritable)? (Again, you can use any number between 0 and 365.)

English Instructions: NUMBER OF DAYS

Codes:  
 777 = Refuse  
 999 = Don't know

CIQD103Z	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQD103 = 0 GO TO CIQD106. IF CIQD103 = 1 GO TO CIQD104. ELSE GO TO CIQD105

CIQD104	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
E27X_1	Did extreme occur past 4 weeks?

English Text: Did that day occur in the past 4 weeks?

English Instructions: < blank >

Codes:  
 1 = Yes ( Skip to: CIQD106 )  
 2 = No ( Skip to: CIQD106 )  
 7 = Refuse ( Skip to: CIQD106 )  
 9 = Don't know ( Skip to: CIQD106 )

CIQD105	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
E27X_2	No. days extreme past 4 weeks

English Text: How many of these days occurred in the past 4 weeks?

English Instructions: NUMBER OF DAYS

Codes:  
 77 = Refuse  
 99 = Don't know

CIQD106	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
E27D	No. days interfere personal life

English Text: And about how many days in the past 12 months did (being sad/losing interest/being irritable) and other related problems seriously interfere with your personal or social life? (Again, you can use any number between 0 and 365.)

English Instructions: NUMBER OF DAYS

Codes:  
 777 = Refuse  
 999 = Don't know

CIQD106Z	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQD106 = 0 GO TO CIQD109. IF CIQD106 = 1 GO TO CIQD107. ELSE GO TO CIQD108

CIQD107	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
E27D_1	Did interfere occur past 4 weeks?

English Text: Did that day occur in the past 4 weeks?

English Instructions: < blank >

Codes:  
 1 = Yes ( Skip to: CIQD109 )  
 2 = No ( Skip to: CIQD109 )  
 7 = Refuse ( Skip to: CIQD109 )  
 9 = Don't know ( Skip to: CIQD109 )

CIQD108	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
E27D_2	No. days interfere past 4 weeks

English Text: How many of these days occurred in the past 4 weeks?

English Instructions: NUMBER OF DAYS

Codes:  
 77 = Refuse  
 99 = Don't know

CIQD109	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
E28	Did you tell MD about SED?

English Text: In the past 12 months, did you tell a doctor about (feeling sad, empty, or depressed/losing interest in most things/being irritable)?

English Instructions: < blank >

Codes:  
 1 = Yes ( Skip to: CIQDPH series )  
 2 = No  
 7 = Refuse  
 9 = Don't know

CIQDPA	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PA1	Did you tell other prof about SED?	

English Text: Did you tell other professional about SED?

English Instructions: < blank >

Codes:  
 1 = Yes ( Skip to: CIQDPD )  
 2 = No  
 7 = Refuse  
 9 = Don't know

CIQDPB	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PA2	Did you take medication for SED?	

English Text: Did you take medication for SED?

English Instructions: < blank >

Codes:  
 1 = Yes ( Skip to: CIQDPD )  
 2 = No  
 7 = Refuse  
 9 = Don't know

CIQDPC	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PA3	Did SED interfere with life?	

English Text: Did SED interfere with life?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

( Skip to: CIDDPRB )

CIQDPD	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PB1	Was SED result of phys illness?	

English Text: Was SED result of phys illness?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

CIQDPE	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PC1	Was SED result of MDA?	

English Text: Was SED result of MDA?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

( Skip to: CIDDPRB )

CIQDPF	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PC2	Was SED always result MDA?	

English Text: Was SED always result MDA?

English Instructions: < blank >

Codes:  
 1 = Yes ( Skip to: CIDDPRB )  
 2 = No ( Skip to: CIDDPRB )  
 7 = Refuse ( Skip to: CIDDPRB )  
 9 = Don't know ( Skip to: CIDDPRB )

CIQDPHA	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PD1	Doctor said nerves causing SED	

English Text: Doctor said nerves causing SED

English Instructions: < blank >

Codes:  
 1 = Doctor said nerves causing SED  
 77 = Refused  
 99 = Don't know

CIQDPHB	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PD1	Doctor said stress causing SED	

English Text: Doctor said stress causing SED

English Instructions: < blank >

Codes:  
 2 = Doctor said stress causing SED

CIQDPHC	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PD1	Doctor said anxiety causing SED	

English Text: Doctor said anxiety causing SED

English Instructions: < blank >

Codes:  
 3 = Doctor said anxiety causing SED

CIQDPHD	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E28PD1	Doctor said depression causing SED	
English Text: Doctor said depression causing SED		
English Instructions: < blank >		
Codes: 4 = Doctor said depression causing SED		

  

CIQDPHE	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E28PD1	Doctor said mental illness causing SED	
English Text: Doctor said mental illness causing SED		
English Instructions: < blank >		
Codes: 5 = Doctor said mental illness causing SED		

  

CIQDPHF	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E28PD1	Doctor said medication causing SED	
English Text: Doctor said medication causing SED		
English Instructions: < blank >		
Codes: 6 = Doctor said medication causing SED		

  

CIQDPHG	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E28PD1	Doctor said drugs causing SED	
English Text: Doctor said drugs causing SED		
English Instructions: < blank >		
Codes: 7 = Doctor said drugs causing SED		

CIQDPHH	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PD1	Doctor said alcohol causing SED	
English Text: Doctor said alcohol causing SED		
English Instructions: < blank >		
Codes: 8 = Doctor said alcohol causing SED		

  

CIQDPHI	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PD1	Doctor said physical illness causing SED	
English Text: Doctor said physical illness causing SED		
English Instructions: < blank >		
Codes: 9 = Doctor said physical illness causing SED		

  

CIQDPHJ	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PD1	Doctor said physical injury causing SED	
English Text: Doctor said physical injury causing SED		
English Instructions: < blank >		
Codes: 10 = Doctor said physical injury causing SED		

  

CIQDPHK	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PD1	Doctor gave no definite diag for SED	
English Text: Doctor gave no definite diag for SED		
English Instructions: < blank >		
Codes: 11 = Doctor gave no definite diag for SED		

CIQDPJ	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PD3	Was SED always result MDA?	
English Text: Was SED always result MDA?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		

  

CIQDPK	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PD4	Was SED result of phys illness?	
English Text: When SED was not result of MDA, was SED result of phys illness?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		

  

CIQDPN	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
E28PD8	Was SED always result of phys illness?	
English Text: Was SED always result of phys illness?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		

CIQDPO	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E28PD7	Was SED always result MDA ?	
English Text: When SED not result of phys illness, Was SED always result MDA ?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refuse 9 = Don't know		

  

CIQDPQ	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E28PD10	Anything abnormal when exam?	
English Text: Anything abnormal when exam?		
English Instructions: < blank >		
Codes: 1 = Nothing abnormal 2 = No examination 3 = Something abnormal 7 = Refused 9 = Don't know		

  

CIDDPRB	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E28PRB	General cause of problem	
English Text: General cause of problem		
English Instructions: < blank >		
Codes: 1 = No Problem 2 = Not clinically significant 3 = Medication, Drugs, or Alcohol 4 = Physical cause 5 = Psychiatric Symptom		

CIQD110	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E29	Remember age when first SED?	
English Text: Can you remember your exact age the very first time in your life you had a period lasting two weeks or longer of (being sad, depressed, or empty/losing interest in most things/being irritable) and having some of the other problems we reviewed?		
English Instructions: < blank >		
Codes:		
1 = Yes		( Skip to: CIQD112 )
2 = No		( Skip to: CIQD112 )
7 = Refuse		( Skip to: CIQD112 )
9 = Don't know		( Skip to: CIQD112 )
CIQD111	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E29A	How old were you when first SED?	
English Text: How old were you when first SED?		
English Instructions: YEARS OF AGE		
Codes:		
77 = Refuse		
CIQD111Z	Version Info	Node Sequence
		Version 1.0
English Instructions: GO TO CIDDSCOR		
CIQD112	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E29_1	About how old when first SED?	
English Text: About how old were you the first time you had a period of this sort?		
English Instructions: YEARS OF AGE		
Codes:		
77 = Refuse		
99 = Don't know		

CIQD113	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
E29_2	Earliest age period of SED	
English Text: What's the earliest age you can clearly remember a particular time when you had a period of this sort?		
English Instructions: YEARS OF AGE		
Codes: 77 = Refuse 99 = Don't know		
CIDDSOR	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
DEP	Depression Score	
English Text: Depression Score		
English Instructions: < blank >		
Codes: 1 = Positive Diagnosis 5 = Negative Diagnosis		