

**NHANES 99+**  
**Codebook for Data Collection (1999-2000)**  
**July 2003**

**NHANES Composite International Diagnostic Interview-  
Panic Disorder Module (CIQPANIC)**  
**MEC Interview**  
**Person level data -- use CIDI Weights for analysis**

<b>SEQN</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	Respondent sequence number	
English Text: Respondent sequence number		
English Instructions: < blank >		
Codes:		
<b>WTSCI2YR</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Subsample 2 Year Mec Weight	
English Text: Adult Mental Health Subsample 2 Year Mec Weight		
English Instructions: < blank >		
Codes:		
<b>WTSCI01</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 01	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 01		
English Instructions: < blank >		
Codes:		

WTSCI02	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 02	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 02		
English Instructions: < blank >		
Codes:		

  

WTSCI03	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 03	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 03		
English Instructions: < blank >		
Codes:		

  

WTSCI04	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 04	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 04		
English Instructions: < blank >		
Codes:		

  

WTSCI05	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 05	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 05		
English Instructions: < blank >		
Codes:		

WTSCI06	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 06	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 06		
English Instructions: < blank >		
Codes:		

  

WTSCI07	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 07	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 07		
English Instructions: < blank >		
Codes:		

  

WTSCI08	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 08	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 08		
English Instructions: < blank >		
Codes:		

  

WTSCI09	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 09	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 09		
English Instructions: < blank >		
Codes:		

WTSCI10	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 10	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 10		
English Instructions: < blank >		
Codes:		
WTSCI11	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 11	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 11		
English Instructions: < blank >		
Codes:		
WTSCI12	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 12	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 12		
English Instructions: < blank >		
Codes:		
WTSCI13	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 13	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 13		
English Instructions: < blank >		
Codes:		

<b>WTSCI14</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 14	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 14		
English Instructions: < blank >		
Codes:		
<b>WTSCI15</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 15	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 15		
English Instructions: < blank >		
Codes:		
<b>WTSCI16</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 16	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 16		
English Instructions: < blank >		
Codes:		
<b>WTSCI17</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 17	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 17		
English Instructions: < blank >		
Codes:		

WTSCI18	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 18	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 18		
English Instructions: < blank >		
Codes:		

  

WTSCI19	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 19	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 19		
English Instructions: < blank >		
Codes:		

  

WTSCI20	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 20	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 20		
English Instructions: < blank >		
Codes:		

  

WTSCI21	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 21	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 21		
English Instructions: < blank >		
Codes:		

WTSCI22	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 22	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 22		
English Instructions: < blank >		
Codes:		
WTSCI23	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 23	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 23		
English Instructions: < blank >		
Codes:		
WTSCI24	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 24	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 24		
English Instructions: < blank >		
Codes:		
WTSCI25	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 25	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 25		
English Instructions: < blank >		
Codes:		

WTSCI26	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 26	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 26		
English Instructions: < blank >		
Codes:		

  

WTSCI27	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 27	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 27		
English Instructions: < blank >		
Codes:		

  

WTSCI28	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 28	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 28		
English Instructions: < blank >		
Codes:		

  

WTSCI29	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 29	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 29		
English Instructions: < blank >		
Codes:		

WTSCI30	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 30	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 30		
English Instructions: < blank >		
Codes:		
WTSCI31	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 31	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 31		
English Instructions: < blank >		
Codes:		
WTSCI32	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 32	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 32		
English Instructions: < blank >		
Codes:		
WTSCI33	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 33	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 33		
English Instructions: < blank >		
Codes:		

<b>WTSCI34</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 34	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 34		
English Instructions: < blank >		
Codes:		
<b>WTSCI35</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 35	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 35		
English Instructions: < blank >		
Codes:		
<b>WTSCI36</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 36	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 36		
English Instructions: < blank >		
Codes:		
<b>WTSCI37</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 37	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 37		
English Instructions: < blank >		
Codes:		

WTSCI38	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 38	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 38		
English Instructions: < blank >		
Codes:		
WTSCI39	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 39	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 39		
English Instructions: < blank >		
Codes:		
WTSCI40	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 40	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 40		
English Instructions: < blank >		
Codes:		
WTSCI41	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 41	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 41		
English Instructions: < blank >		
Codes:		

WTSCI42	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 42	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 42		
English Instructions: < blank >		
Codes:		

  

WTSCI43	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 43	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 43		
English Instructions: < blank >		
Codes:		

  

WTSCI44	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 44	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 44		
English Instructions: < blank >		
Codes:		

  

WTSCI45	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 45	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 45		
English Instructions: < blank >		
Codes:		

<b>WTSCI46</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 46	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 46		
English Instructions: < blank >		
Codes:		
<b>WTSCI47</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 47	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 47		
English Instructions: < blank >		
Codes:		
<b>WTSCI48</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 48	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 48		
English Instructions: < blank >		
Codes:		
<b>WTSCI49</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
	CIDI Mec Weight Jack Knife Rep 49	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 49		
English Instructions: < blank >		
Codes:		

WTSCI50	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 50	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 50		
English Instructions: < blank >		
Codes:		

  

WTSCI51	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 51	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 51		
English Instructions: < blank >		
Codes:		

  

WTSCI52	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 52	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 52		
English Instructions: < blank >		
Codes:		

  

CIAORDER	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
DEP_FIRS	Order in which CIDI modules are asked	
English Text: Order in which CIDI modules are asked		
English Instructions: < blank >		
Codes:		
0 = Panic, GAD, Depression		
1 = Depression, Panic, GAD		

CIQP01	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D54	Entire life, ever fear or panic attack?	
English Text: (READ SLOWLY) In your entire lifetime, have you ever had an attack of fear or panic when all of a sudden you felt frightened, anxious or uneasy?		
English Instructions: (THIS IS THE INTRO FOR THE 50% WHO START WITH PANIC: The next questions are about emotional problems that many people have. The first question is about sudden attacks of being frightened, anxious, or very uneasy. Some people call these "panic attacks.")		
( THIS IS THE INTRO FOR THE 50% WHO START WITH DEPRESSION AND THEN GO TO PANIC AND GAD: The next questions are about different sorts of feelings. The first one is about sudden attacks of being frightened, anxious, or very uneasy. Some people call these "panic attacks."		
Codes:		
1 = Yes		( Skip to: CIQP03 )
2 = No		
7 = Refuse		
9 = Don't know		
CIQP02	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D54_1	Ever attack for no reason, out of blue?	
English Text: Another kind of attack is when all of a sudden your heart begins to race, or you feel dizzy or faint, or you can't catch your breath. I'm not talking about a heart attack or some other attack caused by physical illness or medication or drugs, but about an attack that occurs for no apparent physical reason, just out of the blue. Have you ever had an attack like this?		
English Instructions: < blank >		
Codes:		
1 = Yes		
2 = No		( Skip to: CIDPSCOR )
7 = Refuse		( Skip to: CIDPSCOR )
9 = Don't know		( Skip to: CIDPSCOR )
CIQP03	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D54A	Panic attack past 12 mos?	
English Text: Have you had an attack like this in the past 12 months?		
English Instructions: < blank >		

Codes:  
 1 = Yes  
 2 = No  
 7 = Refuse  
 9 = Don't know

<b>CIQP04</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D54D	Past 12 mos, avoided situations bc fear?	

English Text: In the past 12 months was there a month or more when you avoided certain situations or changed your everyday activities because of fear of the attacks?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No ( Skip to: CIQP06 )  
 7 = Refuse ( Skip to: CIQP06 )  
 9 = Don't know ( Skip to: CIQP06 )

<b>CIQP05</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D54D_1	How recently avoided situations bc fear?	

English Text: How recently have you avoided certain situations or changed your activities because of this fear in the past month, past six months or more than six months ago?

English Instructions: < blank >

Codes:  
 1 = Past Month ( Skip to: CIQP11 )  
 2 = Past 6 Months ( Skip to: CIQP11 )  
 3 = Over 6 Months ( Skip to: CIQP11 )  
 7 = Refused ( Skip to: CIQP11 )  
 9 = Don't know ( Skip to: CIQP11 )

<b>CIQP06</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D54B	Past 12 mos, month+ fear another?	

English Text: In the past 12 months was there a month or more when you were often concerned that you might have another attack?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No ( Skip to: CIQP08 )  
 7 = Refused ( Skip to: CIQP08 )  
 9 = Don't know ( Skip to: CIQP08 )

<b>CIQP07</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D54B_1	How recently have concern?	

English Text: How recently did you have this ongoing concern in the past month, past six months or more than six months ago?

English Instructions: < blank >

Codes:  
 1 = Past Month ( Skip to: CIQP11 )  
 2 = Past 6 Months ( Skip to: CIQP11 )  
 3 = Over 6 Months ( Skip to: CIQP11 )  
 7 = Refused ( Skip to: CIQP11 )  
 9 = Don't know ( Skip to: CIQP11 )

<b>CIQP08</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D54C	Past 12 mos, attacks lead to terrible?	

English Text: In the past 12 months was there a month or more when you were concerned that the attacks might lead to something terrible happening, like dying, losing control, or going crazy?

English Instructions: < blank >

Codes:  
 1 = Yes  
 2 = No ( Skip to: CIQP10 )  
 7 = Refused ( Skip to: CIQP10 )  
 9 = Don't know ( Skip to: CIQP10 )

<b>CIQP09</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D54C_1	How recently have concern?	

English Text: How recently did you have this ongoing concern in the past month, past six months or more than six months ago?

English Instructions: < blank >

Codes:

- |                   |                    |
|-------------------|--------------------|
| 1 = Past Month    | ( Skip to: CIQP11) |
| 2 = Past 6 Months | ( Skip to: CIQP11) |
| 3 = Over 6 Months | ( Skip to: CIQP11) |
| 7 = Refused       | ( Skip to: CIQP11) |
| 9 = Don't know    | ( Skip to: CIQP11) |

CIQP10	Version Info	Node Sequence
	Version 1.0	-

English Instructions: CHECK ITEM: IF CIQP03 = YES, CONTINUE. ELSE GO TO CIDPSCOR

CIQP11	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
D55	Ever attacks life-threatening?

English Text: Did any of your attacks ever occur when you were in a life-threatening situation?

English Instructions: < blank >

Codes:

- |                |                     |
|----------------|---------------------|
| 1 = Yes        |                     |
| 2 = No         | ( Skip to: CIQP13A) |
| 7 = Refused    |                     |
| 9 = Don't know |                     |

CIQP12	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
D55A	Ever attacks not life-threatening?

English Text: Did any of your attacks occur when you were NOT in a life-threatening situation?

English Instructions: < blank >

Codes:

- |                |  |
|----------------|--|
| 1 = Yes        |  |
| 2 = No         |  |
| 7 = Refused    |  |
| 9 = Don't know |  |

CIQP13A	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D57_1	Did your heart pound or race?	
English Text: Did your heart pound or race? (heart racing)		
English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12= (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?		
Codes: 1 = Yes 2 = No 7 = Refused 9 = Don't know		
CIQP13B	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D57_2	Did you sweat?	
English Text: Did you sweat ? (sweating)		
English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?		
Codes: 1 = Yes 2 = No 7 = Refused 9 = Don't know		
CIQP13C	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D57_3	Did you tremble or shake?	
English Text: Did you tremble or shake? (trembling)		
English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?		

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13D	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_4	Did you have dry mouth?	

English Text: Did you have dry mouth? (having dry mouth)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF))  
In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13E	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_5	Were you short of breath?	

English Text: Were you short of breath? (being short of breath)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF))  
In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13F	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_6	Feel like you were choking?	

English Text: Did you feel like you were choking? (choking)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF)  
 In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13G	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D57_7	Pain or discomfort in chest?	

English Text: Did you have pain or discomfort in your chest? (having discomfort in your chest)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF)  
 In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13H	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D57_8	Nausea or discomfort in stomach?	

English Text: Did you have pain or discomfort in your stomach? (having nausea)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF)  
 In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13I	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_9	Were you dizzy or feeling faint?	

English Text: Were you dizzy or feeling faint? (feeling dizzy)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12= (YES, DK, REF)  
 In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13J	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_10_M	Did you feel unreal?	

English Text: Did you feel that you were unreal? (feeling unreal)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF)  
 In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13K	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_10_A	Feel things around you unreal?	

English Text: Did you feel that things around you were unreal? (feeling that things around you were unreal)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12= (YES, DK, REF)  
 In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13L	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_11	Afraid you might lose control?	

English Text: Were you afraid that you might lose control of yourself or act in a crazy way?  
(fearing that you might lose control of yourself)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF))  
In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13M	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_11A	Afraid you might pass out?	

English Text: Were you afraid that you might pass out? (fearing that you might pass out)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF))  
In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13N	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_12	Afraid you might die?	

English Text: Were you afraid that you might die? (fearing that you might die)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12= (YES, DK, REF)  
 In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13O	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_13	Have hot flashes or chills?	

English Text: Did you have hot flashes or chills? (having hot flashes)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF)  
 In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13P	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D57_14	Have numbness or tingling?	

English Text: Did you have numbness or tingling? (having numbness)

English Instructions: (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF)  
 In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP13ZZ	Version Info	Node Sequence
	Version 1.0	-

English Instructions: Check Item: IF FEWER THAN TWO YES RESPONSES IN CIQP13 SERIES, GO TO CIDPSCOR. ELSE CONTINUE WITH CIQP14.

CIQP14	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
D59	No. attacks w/symptoms in lifetime?

English Text: About how many attacks (IF CIQP01 = YES: of fear or panic) when you also had some of these symptoms we just talked about have you had in your ENTIRE LIFETIME?

English Instructions: IF RESPONSE > 900, ENTER 900. IF RESPONSE = DK ENTER 9999. IF RESPONSE = REF, ENTER 7777 NUMBER OF ATTACKS

Codes:

- 900 = 900 +
- 7777 = Refused
- 9999 = Don't know

CIQP15	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
D58	Problems began suddenly, got worse?

English Text: During your attack(s), did the problems like begin suddenly and then got worse within the first few minutes of the attack?

English Instructions: (PARENTHETICAL PHRASE OF FIRST YES RESPONSE IN CIQP13 SERIES) or (PARENTHETICAL PHRASE OF SECOND YES RESPONSE IN CIQP13 SERIES)

Codes:

- 1 = Yes
  - 2 = Sometimes
  - 3 = No
  - 7 = Refused
  - 9 = Don't know
- ( Skip to: CIDPSCOR )

<b>CIQP15ZZ</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-

English Instructions: Check Item: IF CIQP14 = 1 AND CIQP03 = YES, GO TO CIQP16. IF CIQP14=1 AND CIQP03 NE YES, GO TO CIQP17. IF CIQP14 = 2 OR MORE, GO TO CIQP23. IF CIQP14 = (DK, REF) GO TO CIQP23.

<b>CIQP16</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D59_1	When did attack occur?	

English Text: When did your attack occur--in the past month, past six months, or more than six months ago?

English Instructions: < blank >

Codes:

1 = Past Month	( Skip to: CIQP20 )
2 = Past 6 Months	( Skip to: CIQP20 )
3 = Over 6 Months	( Skip to: CIQP20 )
7 = Refused	( Skip to: CIQP20 )
9 = Don't know	( Skip to: CIQP20 )

<b>CIQP17</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D59_2	Remember age when attack occurred?	

English Text: Can you remember your EXACT age when your attack occurred?

English Instructions: < blank >

Codes:

1 = Yes	( Skip to: CIQP18 )
2 = No	( Skip to: CIQP19 )
7 = Refused	( Skip to: CIQP19 )
9 = Don't know	( Skip to: CIQP19 )

<b>CIQP18</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D59_2A	Exact age when attack occurred	

English Text: Exact age when attack occurred?

English Instructions: (IF NEC: How old were you?) (IF RESPONSE = REF, ENTER 7777. YEARS OF AGE

Codes:  
 7777 = Refused  
 9999 = Don't know

CIQP18ZZ	Version Info	Node Sequence
	Version 1.0	-

English Instructions: Go to CIQP20

CIQP19	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
D59_2B	Approx age when attack occurred

English Text: ABOUT how old were you?

English Instructions: YEARS OF AGE (IF RESPONSE = DK, ENTER 9999. IF RESPONSE = REF, ENTER 7777)

Codes:  
 7777 = Refused  
 9999 = Don't know

CIQP20	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
D59_2C	Which of three situations occurred?

English Text: Attacks of this sort can occur in three different situations. The first are when they occur "out of the blue" for no reason. The second are when they occur in situations where a person has an unreasonably strong fear. For example, some people have a terrible fear of bugs or heights or being in a crowd. The third are situations where a person is in real danger, like a car accident or bank robbery. In which of these kinds of situations did your attack occur?

English Instructions: (IF NEC: out of the blue, in a situation where you had unreasonably strong fear, or in a situation of real danger)

Codes:

1 = "Out of the blue"	( Skip to: CIQP58 )
2 = A situation where R had an unreasonably	
3 = A situation of real danger	( Skip to: CIQP58 )
7777 = Refused	( Skip to: CIQP58 )
9999 = Don't know	( Skip to: CIQP58 )

CIQP21A	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Giving a speech	
English Text: Giving a speech		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 1 = Fear: Giving a speech 77 = Refused 99 = Don't know		
CIQP21B	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Party or social event	
English Text: Fear: Party or social event		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 2 = Fear: Party or social event		
CIQP21C	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Being in a crowd	
English Text: Fear: Being in a crowd		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 3 = Fear: Being in a crowd		

CIQP21D	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_2D	Fear: Meeting new people	
English Text: Fear: Meeting new people		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 4 = Fear: Meeting new people		
CIQP21E	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_2D	Fear: Being outside, away	
English Text: Fear: Being outside, away		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 5 = Fear: Being outside, away		
CIQP21F	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_2D	Fear: Travelling bus, train, car	
English Text: Fear: Travelling bus, train, car		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 6 = Fear: Travelling bus, train, car		

CIQP21G	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_2D	Fear: Crowd, standing in line	
English Text: Fear: Crowd, standing in line		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 7 = Fear: Crowd, standing in line		
CIQP21H	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_2D	Fear: Being in a public place	
English Text: Fear: Being in a public place		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 8 = Fear: Being in a public place		
CIQP21I	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_2D	Fear: Animals	
English Text: Fear: Animals		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 9 = Fear: Animals		

CIQP21J	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_2D	Fear: Heights	
English Text: Fear: Heights		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 10 = Fear: Heights		
CIQP21K	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_2D	Fear: Storms, thunder, lightening	
English Text: Fear: Storms, thunder, lightening		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 11 = Fear: Storms, thunder, lightening		
CIQP21L	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_2D	Fear: Flying	
English Text: Fear: Flying		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 12 = Fear: Flying		

CIQP21M	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Closed spaces	
English Text: Fear: Closed spaces		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 13 = Fear: Closed spaces		
CIQP21N	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Seeing blood	
English Text: Fear: Seeing blood		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 14 = Fear: Seeing blood		
CIQP21O	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Getting an injection	
English Text: Fear: Getting an injection		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 15 = Fear: Getting an injection		

CIQP21P	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Going to the dentist	
English Text: Fear: Going to the dentist		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 16 = Fear: Going to the dentist		
CIQP21Q	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Going to a hospital	
English Text: Fear: Going to a hospital		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 17 = Fear: Going to a hospital		
CIQP21R	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Other 1	
English Text: Fear: Other 1		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 18 = Fear: Other 1		

CIQP21S	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Other 2	
English Text: Fear: Other 2		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 19 = Fear: Other 2		

  

CIQP21T	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59_2D	Fear: Other 3	
English Text: Fear: Other 3		
English Instructions: (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)		
Codes: 20 = Fear: Other 3		

  

CIQP21ZZ	Version Info	Node Sequence
		Version 1.0
English Instructions: Go to CIQP58		

  

CIQP23	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D60	Exact age when attack occurred	
English Text: Can you remember your exact age the very first time you had one of these attacks?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refused 9 = Don't know		
		( Skip to: CIQP28 ) ( Skip to: CIQP28 ) ( Skip to: CIQP28 )

CIQP24	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D60A	Years of age attack occurred	
English Text: (IF NEC: How old were you?) (IF RESPONSE = REF, ENTER 99) _____ YEARS OF AGE		
English Instructions: < blank >		
Codes: 77 = Refused		

CIQP24ZZ	Version Info	Node Sequence
		Version 1.0
English Instructions: IF CIQP24 = CURRENT AGE, GO TO CIQP25 ELSE IF CIQP24 = (CURRENT AGE - 1), GO TO CIQP26. ELSE GO TO CIQP30.		

CIQP25	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D60A_1	When did attack occur?	
English Text: Was that first attack in the past month, past six months, or more than six months ago?		
English Instructions: < blank >		
Codes: 1 = Past Month ( Skip to: CIQP30 ) 2 = Past 6 Months ( Skip to: CIQP30 ) 3 = More than 6 months ( Skip to: CIQP30 ) 7 = Refused ( Skip to: CIQP30 ) 9 = Don't know ( Skip to: CIQP30 )		

CIQP26	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D60A_2	Attack in past 12 months, or more?	
English Text: Was that first attack in the past 12 months or more than 12 months ago?		
English Instructions: < blank >		
Codes: 1 = Past 12 months 2 = More than 12 months ( Skip to: CIQP30 ) 7 = Refused ( Skip to: CIQP30 ) 9 = Don't know ( Skip to: CIQP30 )		

CIQP27	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D60A_3	When did attack occur?	
English Text: Was that first attack in the past month, past six months, or more than six months ago?		
English Instructions: < blank >		
Codes:		
1 = Past Month		( Skip to: CIQP30 )
2 = Past 6 Months		( Skip to: CIQP30 )
3 = More than 6 months		( Skip to: CIQP30 )
7 = Refused		( Skip to: CIQP30 )
9 = Don't know		( Skip to: CIQP30 )
CIQP28	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D60B	Approx age when attack occurred	
English Text: About how old were you the first time?		
English Instructions: YEARS OF AGE		
Codes:		
77 = Refused		
99 = Don't know		
CIQP29	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D60C	Earliest age attack occurred	
English Text: What's the earliest age you can clearly remember a particular time when you had one of these attacks?		
English Instructions: YEARS OF AGE		
Codes:		
77 = Refused		
99 = Don't know		
CIQP30	Version Info	Node Sequence
		Version 1.0
English Instructions: IF CIQP03 = YES, GO TO CIQP32. ELSE GO TO CIQP31.		

CIQP31	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D60D	Age last time had attack	
English Text: How old were you the last time you had one of these attacks?		
English Instructions: YEARS OF AGE		
Codes: 77 = Refused 99 = Don't know		
CIQP32	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59A	No. attacks lifetime out of the blue	
English Text: Attacks of this sort can occur in three different situations. The first are when they occur "out of the blue" for no reason. The second are when they occur in situations where a person has an unreasonably strong fear. For example, some people have a terrible fear of bugs or heights or being in a crowd. The third are situations where a person is in real danger, like a car accident or a bank robbery. The next question is about how many of your (# FROM CIQP14) attacks occurred in each of these three kinds of situations. First, in your lifetime, about how many attacks have you had "out of the blue" for no reason?		
English Instructions: NUMBER OF ATTACKS		
Codes: 900 = 900 + 7777 = Refused 9999 = Don't know		
CIQP32ZZ	Version Info	Node Sequence
		Version 1.0
English Instructions: IF CIQP32 = 0 GO TO CIQP36. IF CIQP32 =1 and CIQP03 =1, GO TO CIQP33. If CIQP32(>1, DK, REF) and CIQP03 =1, GO TO CIQP34. ELSE GO TO checkpoint CIQP35.		
CIQP33	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59A_1	Out of the blue attack past 12 months?	
English Text: Did that out of the blue attack occur in the past 12 months?		
English Instructions: < blank >		

Codes:	
1 = Yes	( Skip to: CIQP35 )
2 = No	( Skip to: CIQP35 )
7 = Refused	( Skip to: CIQP35 )
9 = Don't know	( Skip to: CIQP35 )

CIQP34	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59A_2	No. attacks past 12 months?	

English Text: About how many of these (# FROM CIQP32) out of the blue attacks occurred in the past 12 months?

English Instructions: < blank >

Codes:	
900 = 900 +	
7777 = Refused	
9999 = Don't know	

CIQP35	Version Info	Node Sequence
	Version 1.0	-

English Instructions: CHECKPOINT: IF CIQP32 = CIQP14 GO TO CIQP48

CIQP36	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59B	No. attacks lifetime strong fear	

English Text: And about how many attacks in your lifetime occurred in situations where you had an unreasonably strong fear of something about the situation?

English Instructions: NUMBER OF ATTACKS

Codes:	
900 = 900 +	
7777 = Refused	
9999 = Don't know	

CIQP36ZZ	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQP36 = 0 GO TO CIQP40. IF CIQP36 =1 and CIQP03 =1, GO TO CIQP37. If CIQP36(>1, DK, REF) and CIQP03 =1, GO TO CIQP38. ELSE GO TO CIQP39.

CIQP37	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59B_1	Attack in past 12 months?	
English Text: Did that attack occur in the past 12 months?		
English Instructions: < blank >		
Codes:		
1 = Yes		( Skip to: CIQP39 )
2 = No		( Skip to: CIQP39 )
7 = Refused		( Skip to: CIQP39 )
9 = Don't know		( Skip to: CIQP39 )

CIQP38	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59B_2	No. attacks past 12 months?	
English Text: About how many of these (# FROM CIQP36) attacks occurred in the past 12 months?		
English Instructions: NUMBER OF ATTACKS		
Codes:		
900 = 900 +		
7777 = Refused		
9999 = Don't know		

CIQP39	Version Info	Node Sequence
		Version 1.0
English Instructions: IF CIQP36 = CIQP14 GO TO CIQP43		

CIQP40	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D59C	No. attacks lifetime real danger	
English Text: And how many attacks in your lifetime have you had in situations where you were in real danger?		
English Instructions: NUMBER OF ATTACKS		
Codes:		
900 = 900 +		
7777 = Refused		
9999 = Don't know		

<b>CIQP40ZZ</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-
English Instructions: IF CIQP40 = 0 GO TO CIQP43. IF CIQP40=1 and CIQP03 =1, GO TO CIQP38. IF CIQP40(>1, DK, REF) and CIQP03=1, GO TO CIQP39. ELSE GO TO CIQP43.		
<b>CIQP41</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D59C_2	Attack in past 12 months?	
English Text: Did that attack where you were in real danger occur in the past 12 months?		
English Instructions: < blank >		
Codes:		
1 = Yes		( Skip to: CIQP43 )
2 = No		( Skip to: CIQP43 )
7 = Refused		( Skip to: CIQP43 )
9 = Don't know		( Skip to: CIQP43 )
<b>CIQP42</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D59C_3	No. attacks past 12 months	
English Text: About how many of these (# FROM CIQP40) attacks where you were in real danger occurred in the past 12 months?		
English Instructions: NUMBER OF ATTACKS		
Codes:		
900 = 900 +		
7777 = Refused		
9999 = Don't know		
<b>CIQP43</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-
English Instructions: IF CIQP36 = 1 OR MORE, GO TO CIQP44. ELSE GO TO CIQP48		
<b>CIQP44A</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D59D	Strong Fear: Giving a speech	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		

English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.

Codes:

1 = Strong Fear: giving speech

77 = Refused

99 = Don't know

CIQP44B	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Party or social event	

English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)

English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.

Codes:

2 = Strong Fear: Party or social event

CIQP44C	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Being in a crowd	

English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)

English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.

Codes:

3 = Strong Fear: Being in a crowd

CIQP44D	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Meeting new people	

English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)

English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.

Codes:

4 = Strong Fear: Meeting new people

CIQP44E	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Being outside, away	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 5 = Strong Fear: Being outside, away		
CIQP44F	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Travelling bus, train, car	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 6 = Strong Fear: Travelling bus, train, car		
CIQP44G	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Crowd, standing in line	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 7 = Strong Fear: Crowd, standing in line		

CIQP44H	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Being in a public place	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 8 = Strong Fear: Being in a public place		
CIQP44I	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Animals	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 9 = Strong Fear: Animals		
CIQP44J	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Heights	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 10 = Strong Fear: Heights		

CIQP44K	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Storms, thunder, lightening	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 11 = Strong Fear: Storms, thunder, lightening		
CIQP44L	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Flying	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 12 = Strong Fear: Flying		
CIQP44M	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Closed spaces	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 13 = Strong Fear: Closed spaces		

CIQP44N	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Seeing blood	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 14 = Strong Fear: Seeing blood		
CIQP44O	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Getting an injection	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 15 = Strong Fear: Getting an injection		
CIQP44P	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Going to the dentist	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 16 = Strong Fear: Going to the dentist		

CIQP44Q	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Going to a hospital	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 17 = Strong Fear: Going to a hospital		
CIQP44R	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Other 1	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 18 = Strong Fear: Other 1		
CIQP44S	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Other 2	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 19 = Strong Fear: Other 2		

CIQP44T	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59D	Strong Fear: Other 3	
English Text: (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)		
English Instructions: FIELD CODE. RECORD MULTIPLE MENTIONS.		
Codes: 20 = Strong Fear: Other 3		
CIQP48	Version Info	Node Sequence
	Version 1.0	-
English Instructions: IF CIQP03 = NO, GO TO CIQP58 ELSE IF (CIQP33=1 or CIQP34>=1 or CIQP37=1 or CIQP38>=1) GO TO CIQP49 ELSE GO TO CIQP58		
CIQP49	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_5_1	Recency of fear or out of the blue	
English Text: How recently did you have an attack that occurred either in a frightening situation or out of the blue -- in the past month, past six months, or more than six months ago?		
English Instructions: < blank >		
Codes: 1 = Past Month 2 = Past 6 Months 3 = Over 6 Months 7 = Refused 9 = Don't know		
CIQP49ZZ	Version Info	Node Sequence
	Version 1.0	-
English Instructions: COUNT TOTAL NUMBER OF EPISODES RECORDED IN (CIQP33 + CIQP34 + CIQP37 + CIQP38); IF SUM = (0,1) GO TO CIQP58		
CIQP50	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_5_A	Past 12 months no. weeks attack	

English Text: In the past 12 months, about how many weeks out of 52 did you have at least one attack?

English Instructions: NUMBER OF WEEKS

Codes:

- 77 = Refused
- 99 = Don't know

CIQP50ZZ	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQP50= 0 or 1, GO TO CIQP58. ELSE IF (2 < CIQP50 < 52) GO TO CIQP51. ELSE IF CIQP50=52 GO TO CHECKPOINTCIQP53. ELSE IF CIQP50 = (DK,REF) GO TO CIQP52.

CIQP51	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_5_B	Single period or two+ periods?	

English Text: Was that a single period of (# OF WEEKS IN CIQP50) weeks in a row or was it two or more periods that added up to (# OF WEEKS IN CIQP50) weeks?

English Instructions: < blank >

Codes:

- 1 = All in a row ( Skip to: CIQP54 )
- 2 = 2 or more periods
- 7 = Refused ( Skip to: CIQP54 )
- 9 = Don't know ( Skip to: CIQP54 )

CIQP51ZZ	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQP50 = 2, GO TO CIQP54.

CIQP52	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_5C	Longest no. weeks in row attack	

English Text: In the past 12 months, what's the longest number of weeks in a row when you had at least one attack per week?

English Instructions: NUMBER OF WEEKS IN A ROW

Codes:

- 77 = Refused
- 99 = Don't know

<b>CIQP53</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-
English Instructions: COUNT TOTAL NUMBER OF EPISODES RECORDED IN (CIQP33 + CIQP34+ CIQP37 + CIQP38) IF SUM <= CIQP50, GO TO CIQP58. ELSE GO TO CIQP54		
<b>CIQP54</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D59_5D	Largest no. attacks any one week	
English Text: What's the largest number of attacks you had in any one week during the past 12 months?		
English Instructions: NUMBER OF ATTACKS		
Codes: 900 = 900 + 7777 = Refused 9999 = Don't know		
<b>CIQP54ZZ</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-
English Instructions: COUNT TOTAL NUMBER OF EPISODES RECORDED IN (CIQP33 + CIQP34+ CIQP37 + CIQP38) IF SUM < 4, GO TO CIQP58; IF (CIQP50>=4 AND CIQP51=1) OR (CIQP52>=4), GO TO CIQP56; IF CIQP54>=4, GO TO CIQP56; ELSE GO TO CIQP55		
<b>CIQP55</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D59_5E	Largest no. attack any four weeks	
English Text: What's the largest number of attacks you had in any four-week period during the past 12 months?		
English Instructions: NUMBER OF ATTACKS		
Codes: 900 = 900 + 7777 = Refused 9999 = Don't know		
<b>CIQP56</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-
English Instructions: IF (CIQP50 < 4 ) OR (CIQP52 < 4) OR (CIQP54 < 4) OR (CIQP55 < 16) GO TO CIQP58.		

CIQP57	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D59_5F	Four week in row and four attacks?	
English Text: In the past 12 months, did you have a period of four weeks in a row when you had at least four attacks every week?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refused 9 = Don't know		
CIQP58	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D58A	Did you tell doctor about attack?	
English Text: In the past 12 months, did you ever tell a doctor about (one of) your attack(s)?		
English Instructions: < blank >		
Codes: 1 = Yes ( Skip to: CIQPPH series ) 2 = No		
CIQPPA	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D58APA1	Did you tell other prof about attack?	
English Text: Did you tell other professional about attack?		
English Instructions: < blank >		
Codes: 1 = Yes ( Skip to: CIQPPD ) 2 = No		
CIQPPB	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D58APA2	Did you take medication for attack?	
English Text: Did you take medication for attack?		

English Instructions: < blank >

Codes:

1 = Yes

( Skip to: CIQPPD )

2 = No

CIQPPC	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D58APA3	Did attacks interfere with life?	

English Text: Did attacks interfere with life?

English Instructions: < blank >

Codes:

1 = Yes

( Skip to: CIDPPRB )

2 = No

CIQPPD	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D58APB1	Were attacks result of phys illness?	

English Text: Were attacks result of phys illness?

English Instructions: < blank >

Codes:

1 = Yes

2 = No

CIQPPE	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D58APC1	Were attacks result of MDA?	

English Text: Were attacks result of MDA?

English Instructions: < blank >

Codes:

1 = Yes

( Skip to: CIDPPRB )

2 = No

CIQPPF	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APC2	Were attacks always result MDA?	
English Text: Were attacks always result MDA?		
English Instructions: < blank >		
Codes: 1 = Yes ( Skip to: CIDPPRB ) 2 = No ( Skip to: CIDPPRB )		
CIQPPHA	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD1	Doctor said nerves causing attacks	
English Text: Doctor said nerves causing attacks		
English Instructions: < blank >		
Codes: 1 = Doctor said nerves causing attacks 77 = Refused 99 = Don't know		
CIQPPHB	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD1	Doctor said stress causing attacks	
English Text: Doctor said stress causing attacks		
English Instructions: < blank >		
Codes: 2 = Doctor said stress causing attacks		
CIQPPHC	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD1	Doctor said anxiety causing attacks	
English Text: Doctor said anxiety causing attacks		
English Instructions: < blank >		
Codes: 3 = Doctor said anxiety causing attacks		

CIQPPHD	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D58APD1	Doctor said depression causing attacks	
English Text: Doctor said depression causing attacks		
English Instructions: < blank >		
Codes: 4 = Doctor said depression causing attacks		
CIQPPHE	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D58APD1	Doc said mental illness causing attacks	
English Text: Doc said mental illness causing attacks		
English Instructions: < blank >		
Codes: 5 = Doc said mental illness causing attacks		
CIQPPHF	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D58APD1	Doctor said medication causing attacks	
English Text: Doctor said medication causing attacks		
English Instructions: < blank >		
Codes: 6 = Doctor said medication causing attacks		
CIQPPHG	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D58APD1	Doctor said drugs causing attacks	
English Text: Doctor said drugs causing attacks		
English Instructions: < blank >		
Codes: 7 = Doctor said drugs causing attacks		

CIQPPHH	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD1	Doctor said alcohol causing attacks	
English Text: Doctor said alcohol causing attacks		
English Instructions: < blank >		
Codes: 8 = Doctor said alcohol causing attacks		

  

CIQPPHI	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD1	Doctor said phys illness causing attacks	
English Text: Doctor said phys illness causing attacks		
English Instructions: < blank >		
Codes: 9 = Doctor said phys illness causing attacks		

  

CIQPPHJ	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD1	Doctor said phys injury causing attacks	
English Text: Doctor said phys injury causing attacks		
English Instructions: < blank >		
Codes: 10 = Doctor said phys injury causing attacks		

  

CIQPPHK	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD1	Doctor gave no definite diag for attacks	
English Text: Doctor gave no definite diagnosis for attacks		
English Instructions: < blank >		
Codes: 11 = Doctor gave no definite diag for attacks		

CIQPPJ	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD3	Were attacks always result MDA?	
English Text: Were attacks always result MDA?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No		

  

CIQPPK	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD4	Were attacks result of phys illness?	
English Text: When attacks were not result of MDA, Were attacks result of phys illness?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No		

  

CIQPPN	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD7	Were attacks always result phys ill?	
English Text: Were attacks always result phys ill?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No		

  

CIQPPO	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD8	Were attacks always result MDA?	
English Text: When attacks were not due to phys illness, were attacks always result MDA?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No		

CIQPPQ	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APD10	Anything abnormal when exam?	
English Text: Anything abnormal when exam?		
English Instructions: < blank >		
Codes: 1 = Nothing abnormal 2 = No examination 3 = Something abnormal		
CIDPPRB	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D58APRB	General cause of problem	
English Text: General cause of problem		
English Instructions: < blank >		
Codes: 1 = No Problem 2 = Not clinically significant 3 = Medication, Drugs, or Alcohol 4 = Physical cause 5 = Psychiatric Symptom		
CIQP59	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D62	Attacks interfere with daily life?	
English Text: There are three ways in which attacks of the sort we have been discussing can affect a person's life and activities. First, the attacks themselves can be incapacitating. Second, worry about having additional attacks can get in the way of daily activities. And, third, avoiding certain situations for fear of having additional attacks can interfere with daily activities. Think about all three of these ways in which your life and activities were affected in the past 12 months. Did these things interfere with your life or activities -- a lot, some, a little, or not at all?		
English Instructions: < blank >		

Codes:

- 1 = A lot
- 2 = Some
- 3 = A little
- 4 = Not at all
- 7 = Refused
- 9 = Don't know

( Skip to: CIDPSCOR )

CIQP60	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D62A	No. days totally unable work	

English Text: About how many days in the past 12 months were you totally unable for the whole day to work and carry out your other normal activities because of these problems? You can answer with any number between 0 and 365.

English Instructions: < blank >

Codes:

- 777 = Refused
- 999 = Don't know

CIQP60ZZ	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQP60 = 0 GO TO CIQP63. IF CIQP60 = 1, GO TO CIQP61. ELSE GO TO CIQP62

CIQP61	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D62A_1	Did totally occur past 4 weeks?	

English Text: Did that day occur in the past four weeks?

English Instructions: < blank >

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQP61ZZ	Version Info	Node Sequence
	Version 1.0	-

English Instructions: GO TO CIQP63

CIQP62	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D62A_2	No. days totally past 4 weeks	
English Text: How many of these (# FROM CIQP60) days were in the past four weeks?		
English Instructions: < blank >		
Codes: 77 = Refused 99 = Don't know		
CIQP63	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D62B	No. days cutback amount/quality	
English Text: [Not counting the day(s) you were totally unable to work,] about how many (other) days in the past 12 months did you cut back either on the amount of work you got done or on the quality of your work because of the problems associated with attacks? (Again, you can use any number between 0 and 365.)		
English Instructions: < blank >		
Codes: 777 = Refused 999 = Don't know		
CIQP63ZZ	Version Info	Node Sequence
		Version 1.0
English Instructions: IF CIQP63 = 0, GO TO CIQP67. ELSE GO TO CIQP64.		
CIQP64	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D62C	Describe quantity/quality cutback	
English Text: Thinking about (that cutback day/those # FROM CIQP63 cutback days), on a scale from 0 to 100 where zero means being totally unable to work and 100 means working a full high quality day, what number describes the quantity and quality of your work during (that day/those # FROM D62b days)? You can use any number between 0 and 100.		
English Instructions: < blank >		
Codes: 777 = Refused 999 = Don't know		

<b>CIQP64ZZ</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-
English Instructions: IF CIQP63 = 1, GO TO CIQP65. ELSE GO TO CIQP66		
<b>CIQP65</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D62C_1	Did cutback occur past 4 weeks?	
English Text: Did that cutback day occur in the past four weeks?		
English Instructions: < blank >		
Codes:		
1 = Yes		( Skip to: CIQP67 )
2 = No		( Skip to: CIQP67 )
7 = Refused		( Skip to: CIQP67 )
9 = Don't know		( Skip to: CIQP67 )
<b>CIQP66</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D62C_2	No. days cutback past 4 weeks	
English Text: How many of these (# FROM CIQP63) cutback days occurred in the past four weeks?		
English Instructions: < blank >		
Codes:		
77 = Refused		
99 = Don't know		
<b>CIQP67</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)
<b>Collection Name</b>	<b>SAS Label</b>	
D62C_3	No. days extreme effort to work	
English Text: . [Not counting the day(s) (you were totally unable to work)/(or)/(you cut back on work),] about how many (other) days in the past 12 months did it take an extreme effort to perform up to your usual level at work or at your other normal daily activities because of problems associated with attacks? (Again, you can use any number between 0 and 365.)		
English Instructions: < blank >		
Codes:		
777 = Refused		
999 = Don't know		

<b>CIQP65ZZ</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-

English Instructions: IF CIQP67 = 0 GO TO CIQP70. IF DCIQP67 = 1, GO TO CIQP68. ELSE GO TO CIQP69

<b>CIQP68</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)

<b>Collection Name</b>	<b>SAS Label</b>
------------------------	------------------

D62C_3_1	Did extreme occur past 4 weeks?
----------	---------------------------------

English Text: Did that day occur in the past four weeks?

English Instructions: < blank >

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

<b>CIQP69</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)

<b>Collection Name</b>	<b>SAS Label</b>
------------------------	------------------

D62C_3_2	No. days extreme past 4 weeks
----------	-------------------------------

English Text: How many of these (# FROM CIQP67) days occurred in the past four weeks?

English Instructions: < blank >

Codes:

- 77 = Refused
- 99 = Don't know

<b>CIQP70</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)

<b>Collection Name</b>	<b>SAS Label</b>
------------------------	------------------

D62D	No. days interfere personal life
------	----------------------------------

English Text: And about how many days in the past 12 months did these problems seriously interfere with your personal or social life? (Again, you can use any number between 0 and 365.)

English Instructions: < blank >

Codes:

- 777 = Refused
- 999 = Don't know

<b>CIQP70ZZ</b>	<b>Version Info</b>	<b>Node Sequence</b>
	Version 1.0	-

English Instructions: IF CIQP70 = 0, GO TO GAD SECTION. IFCIQP70 = 1, GO TO CIQP71. ELSE GO TO CIQP72

<b>CIQP71</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)

<b>Collection Name</b>	<b>SAS Label</b>
------------------------	------------------

D62D_1	Did interfere occur past 4 weeks?
--------	-----------------------------------

English Text: Did that day occur in the past four weeks?

English Instructions: < blank >

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9999 = Don't know

<b>CIQP72</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)

<b>Collection Name</b>	<b>SAS Label</b>
------------------------	------------------

D62D_2	No. days interfere past 4 weeks
--------	---------------------------------

English Text: How many of these (# FROM CIQP70) days occurred in the past four weeks?

English Instructions: < blank >

Codes:

- 77 = Refused
- 99 = Don't know

<b>CIDPSCOR</b>	<b>Version Info</b>	<b>Target</b>
	Version 1.0	B(20 Yrs. - 39 Yrs.)

<b>Collection Name</b>	<b>SAS Label</b>
------------------------	------------------

PDIS	Panic Score
------	-------------

English Text: Panic Score

English Instructions: < blank >

Codes:

- 1 = Positive Diagnosis
- 5 = Negative Diagnosis