

NHANES 99+
Codebook for Data Collection (1999-2000)
June 2002

Osteoporosis Section of SP Questionnaire OSQ)
Person level data -- use Interview Weights for analysis

SEQN	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Respondent sequence number	
English Text: Respondent sequence number.		
English Instructions:< blank >		
Codes:		

OSQ010a	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
-	Broken or fractured a hip	
English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . .hip?		
English Instructions:< blank >		
Codes:		
1 = Yes		(Skip to: OSQ020a)
2 = No		
7 = Refused		
9 = Don't know		

OSQ010b	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Broken or fractured a wrist	
English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . .wrist?		

English Instructions:DO NOT INCLUDE FOREARM OR HAND.

Codes:

- 1 = Yes (Skip to: OSQ020b)
- 2 = No
- 7 = Refused
- 9 = Don't know

OSQ010c	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Broken or fractured spine	

English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . .spine?

English Instructions:< blank >

Codes:

- 1 = Yes (Skip to: OSQ020c)
- 2 = No (Skip to: OSQ025)
- 7 = Refused (Skip to: OSQ025)
- 9 = Don't know (Skip to: OSQ025)

OSQ020a	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
1 - 33	# Times broken/fractured hip	

English Text: How many times {have you/has SP} broken or fractured {your/his/her} hip?

English Instructions:ENTER NUMBER OF TIMES. SKIP TO OSQ010b.

Codes:

- 7777 = Refused (Skip to: OSQ010b)
- 9999 = Don't know (Skip to: OSQ010b)

OSQ020b	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
1 - 33	# Times broken/fractured wrist	

English Text: How many times {have you/has SP} broken or fractured {your/his/her} wrist?

English Instructions:ENTER NUMBER OF TIMES. SKIP TO OSQ010c.

Codes:

7777 = Refused

(Skip to: OSQ010c)

9999 = Don't know

(Skip to: OSQ010c)

OSQ020c	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
1 - 33	# Times broken/fractured spine	

English Text: How many times {have you/has SP} broken or fractured {your/his/her} spine?

English Instructions:ENTER NUMBER OF TIMES

Codes:

7777 = Refused

9999 = Don't know

OSQ025	Version Info	Node Sequence
	Version 1.0	488

English Instructions:BOX 1. CHECK ITEM OSQ.025: IF 'YES' (CODE1) IN OSQ.010 a, b, OR c, CONTINUE WITH LOOP 1. OTHERWISE, GO TO OSQ.060.

OSQ030aa	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
1 - 120	Age when fractured hip 1st time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip {the {1st/2nd . . .} time}?

English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.

Codes:

77777 = Refused

99999 = Don't know

OSQ040aa	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	

Under/over 50 when fracd. hip 1st time

English Text: {Were you/Was SP} . . .

English Instructions: IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.

Codes:

1 = Under 50 years old, or

2 = 50 years old or older?

7 = Refused

(Skip to: OSQ025)

9 = Don't know

(Skip to: OSQ025)

OSQ050aa	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason hip fracture occurred 1st time	

English Text: Did that fracture occur . . .

English Instructions: < blank >

Codes:

1 = As a result of a fall from standing height or less,

2 = Because of a harder fall, or

3 = From a car accident or other severe trauma?

7 = Refused

9 = Don't know

OSQ030ab	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured hip 2nd time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip {the {1st/2nd . . .} time}?

English Instructions: CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.

Codes:

77777 = Refused

99999 = Don't know

OSQ040ab	Version Info	Target
----------	--------------	--------

OSQ040ab	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Under/over 50 when fracd. hip 2nd time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes: 1 = Under 50 years old, or 2 = 50 years old or older? 7 = Refused 9 = Don't know		

OSQ050ab	Version Info	Target
	Version 1.0	B(50 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Reason hip fracture occurred 2nd time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes: 1 = As a result of a fall from standing height or less, 2 = Because of a harder fall, or 3 = From a car accident or other severe trauma? 7 = Refused 9 = Don't know		

OSQ030ac	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
1 - 120	Age when fractured hip 3rd time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes: 77777 = Refused 99999 = Don't know		

OSQ040ac	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fractd. hip 3rd time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes:		
1 = Under 50 years old, or		
2 = 50 years old or older?		
7 = Refused		
9 = Don't know		

OSQ050ac	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason hip fracture occurred 3rd time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes:		
1 = As a result of a fall from standing height or less,		
2 = Because of a harder fall, or		
3 = From a car accident or other severe trauma?		
7 = Refused		
9 = Don't know		

OSQ030ba	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured wrist 1st time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes:		

77777 = Refused
 99999 = Don't know

OSQ040ba	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fractd. wrist 1st time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes:		
1 = Under 50 years old, or		
2 = 50 years old or older?		
7 = Refused		
9 = Don't know		

OSQ050ba	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason wrist fracture occurred 1st time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes:		
1 = As a result of a fall from standing height or less,		
2 = Because of a harder fall, or		
3 = From a car accident or other severe trauma?		
7 = Refused		
9 = Don't know		

OSQ030bb	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured wrist 2nd time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO		

NOT DISPLAY "THE {1ST/2ND . . . } TIME". ENTER AGE IN YEARS.

Codes:

77777 = Refused

99999 = Don't know

OSQ040bb	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fracd. wrist 2nd time	

English Text: {Were you/Was SP} . . .

English Instructions: IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.

Codes:

1 = Under 50 years old, or

2 = 50 years old or older?

7 = Refused

9 = Don't know

OSQ050bb	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason wrist fracture occurred 2nd time	

English Text: Did that fracture occur . . .

English Instructions: < blank >

Codes:

1 = As a result of a fall from standing height or less,

2 = Because of a harder fall, or

3 = From a car accident or other severe trauma?

7 = Refused

9 = Don't know

OSQ030bc	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured wrist 3rd time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?

English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.

Codes:

77777 = Refused

99999 = Don't know

OSQ040bc	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fracd. wrist 3rd time	

English Text: {Were you/Was SP} . . .

English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.

Codes:

1 = Under 50 years old, or

2 = 50 years old or older?

7 = Refused

9 = Don't know

OSQ050bc	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason wrist fracture occurred 3rd time	

English Text: Did that fracture occur . . .

English Instructions:< blank >

Codes:

1 = As a result of a fall from standing height or less,

2 = Because of a harder fall, or

3 = From a car accident or other severe trauma?

7 = Refused

9 = Don't know

OSQ030bd	Version Info	Target
		Version 1.0

Hard Edits	SAS Label
1 - 120	Age when fractured wrist 4th time
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?	
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.	
Codes: 77777 = Refused 99999 = Don't know	

OSQ040bd	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Under/over 50 when fractd. wrist 4th time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes: 1 = Under 50 years old, or 2 = 50 years old or older? 7 = Refused 9 = Don't know		

OSQ050bd	Version Info	Target
	Version 1.0	B(50 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Reason wrist fracture occurred 4th time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes: 1 = As a result of a fall from standing height or less, 2 = Because of a harder fall, or 3 = From a car accident or other severe trauma? 7 = Refused 9 = Don't know		

OSQ030be	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured wrist 5th time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes: 77777 = Refused 99999 = Don't know		

OSQ040be	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fracd. wrist 5th time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes: 1 = Under 50 years old, or 2 = 50 years old or older? 7 = Refused 9 = Don't know		

OSQ050be	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason wrist fracture occurred 5th time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes: 1 = As a result of a fall from standing height or less, 2 = Because of a harder fall, or 3 = From a car accident or other severe trauma? 7 = Refused		

9 = Don't know

OSQ030bf	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
1 - 120	Age when fractured wrist 6th time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . . } time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . . } TIME". ENTER AGE IN YEARS.		
Codes: 77777 = Refused 99999 = Don't know		

OSQ040bf	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Under/over 50 when fracd. wrist 6th time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes: 1 = Under 50 years old, or 2 = 50 years old or older? 7 = Refused 9 = Don't know		

OSQ050bf	Version Info	Target
	Version 1.0	B(50 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Reason wrist fracture occurred 6th time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes: 1 = As a result of a fall from standing height or less, 2 = Because of a harder fall, or		

3 = From a car accident or other severe trauma?
 7 = Refused
 9 = Don't know

OSQ030bg	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured wrist 7th time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . . } time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . . } TIME". ENTER AGE IN YEARS.		
Codes: 77777 = Refused 99999 = Don't know		

OSQ040bg	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fracd. wrist 7th time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes: 1 = Under 50 years old, or 2 = 50 years old or older? 7 = Refused 9 = Don't know		

OSQ050bg	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason wrist fracture occurred 7th time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes:		

- 1 = As a result of a fall from standing height or less,
- 2 = Because of a harder fall, or
- 3 = From a car accident or other severe trauma?
- 7 = Refused
- 9 = Don't know

OSQ030bh	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured wrist 8th time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes: 77777 = Refused 99999 = Don't know		

OSQ040bh	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fracd. wrist 8th time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes: 1 = Under 50 years old, or 2 = 50 years old or older? 7 = Refused 9 = Don't know		

OSQ050bh	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason wrist fracture occurred 8th time	
English Text: Did that fracture occur . . .		

English Instructions:< blank >

Codes:

- 1 = As a result of a fall from standing height or less,
- 2 = Because of a harder fall, or
- 3 = From a car accident or other severe trauma?
- 7 = Refused
- 9 = Don't know

OSQ030bi	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
1 - 120	Age when fractured wrist 9th time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes:		
77777 = Refused		
99999 = Don't know		

OSQ040bi	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Under/over 50 when fracd. wrist 9th time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes:		
1 = Under 50 years old, or		
2 = 50 years old or older?		
7 = Refused		
9 = Don't know		

OSQ050bi	Version Info	Target
	Version 1.0	B(50 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	

Reason wrist fracture occurred 9th time
English Text: Did that fracture occur . . .
English Instructions:< blank >
Codes: 1 = As a result of a fall from standing height or less, 2 = Because of a harder fall, or 3 = From a car accident or other severe trauma? 7 = Refused 9 = Don't know

OSQ030bj	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
1 - 120	Age when fractured wrist 10th time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes: 77777 = Refused 99999 = Don't know		

OSQ040bj	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Under/over 50 when fracd. wrist 10th time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes: 1 = Under 50 years old, or 2 = 50 years old or older? 7 = Refused 9 = Don't know		

OSQ050bj	Version Info	Target
-----------------	---------------------	---------------

OSQ050bj	Version 1.0	B(50 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Reason wrist fracture occurred 10th time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes:		
1 = As a result of a fall from standing height or less,		
2 = Because of a harder fall, or		
3 = From a car accident or other severe trauma?		
7 = Refused		
9 = Don't know		

OSQ030ca	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
1 - 120	Age when fractured spine 1st time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes:		
77777 = Refused		
99999 = Don't know		

OSQ040ca	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Under/over 50 when fracd. spine 1st time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes:		
1 = Under 50 years old, or		
2 = 50 years old or older?		
7 = Refused		
9 = Don't know		

OSQ050ca	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason spine fracture occurred 1st time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes:		
1 = As a result of a fall from standing height or less,		
2 = Because of a harder fall, or		
3 = From a car accident or other severe trauma?		
7 = Refused		
9 = Don't know		

OSQ030cb	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured spine 2nd time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes:		
77777 = Refused		
99999 = Don't know		

OSQ040cb	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fracd. spine 2nd time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes:		
1 = Under 50 years old, or		
2 = 50 years old or older?		

7 = Refused
9 = Don't know

OSQ050cb	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason spine fracture occurred 2nd time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes:		
1 = As a result of a fall from standing height or less,		
2 = Because of a harder fall, or		
3 = From a car accident or other severe trauma?		
7 = Refused		
9 = Don't know		

OSQ030cc	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured spine 3rd time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes:		
77777 = Refused		
99999 = Don't know		

OSQ040cc	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fracd. spine 3rd time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.		
Codes:		

- 1 = Under 50 years old, or
- 2 = 50 years old or older?
- 7 = Refused
- 9 = Don't know

OSQ050cc	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason spine fracture occurred 3rd time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes:		
1 = As a result of a fall from standing height or less,		
2 = Because of a harder fall, or		
3 = From a car accident or other severe trauma?		
7 = Refused		
9 = Don't know		

OSQ030cd	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured spine 4th time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes:		
77777 = Refused		
99999 = Don't know		

OSQ040cd	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fracd. spine 4th time	
English Text: {Were you/Was SP} . . .		
English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT		

INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.

Codes:

- 1 = Under 50 years old, or
- 2 = 50 years old or older?
- 7 = Refused
- 9 = Don't know

OSQ050cd	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Reason spine fracture occurred 4th time	
English Text: Did that fracture occur . . .		
English Instructions:< blank >		
Codes:		
<ul style="list-style-type: none"> 1 = As a result of a fall from standing height or less, 2 = Because of a harder fall, or 3 = From a car accident or other severe trauma? 7 = Refused 9 = Don't know 		

OSQ030ce	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
1 - 120	Age when fractured spine 5th time	
English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine {the {1st/2nd . . .} time}?		
English Instructions:CAPI INSTRUCTION: IF ONLY BROKE HIP, WRIST OR SPINE 1 TIME, DO NOT DISPLAY "THE {1ST/2ND . . .} TIME". ENTER AGE IN YEARS.		
Codes:		
<ul style="list-style-type: none"> 77777 = Refused 99999 = Don't know 		

OSQ040ce	Version Info	Target
		Version 1.0
Hard Edits	SAS Label	
	Under/over 50 when fracd. spine 5th time	

English Text: {Were you/Was SP} . . .

English Instructions:IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.

Codes:

- 1 = Under 50 years old, or
- 2 = 50 years old or older?
- 7 = Refused
- 9 = Don't know

OSQ050ce	Version Info	Target
	Version 1.0	B(50 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Reason spine fracture occurred 5th time	

English Text: Did that fracture occur . . .

English Instructions:< blank >

Codes:

- 1 = As a result of a fall from standing height or less,
- 2 = Because of a harder fall, or
- 3 = From a car accident or other severe trauma?
- 7 = Refused
- 9 = Don't know

OSQ060	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Ever told had osteoporosis/brittle bones	

English Text: Has a doctor ever told {you/SP} that {you/s/he} had osteoporosis, sometimes called thin or brittle bones?

English Instructions:< blank >

Codes:

- 1 = Yes
- 2 = No (End of Section)
- 7 = Refused (End of Section)
- 9 = Don't know (End of Section)

Version Info	Target
--------------	--------

OSQ070	Version Info	Target
	Version 1.0	B(20 Yrs. - 120 Yrs.)
Hard Edits	SAS Label	
	Ever treated for osteoporosis	
English Text: {Were you/Was SP} treated for osteoporosis?		
English Instructions:< blank >		
Codes: 1 = Yes 2 = No 7 = Refused 9 = Don't know		