

**National Health and Nutrition Examination Survey
Codebook for Data Production (2001-2002)**

**Periodontal-Mandibular Section of the Oral Health Examination (OHXPRL_B)
Person level data -- use Examination Weights for analysis**

June 2005

SEQN	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Respondent sequence number
English Text: Respondent sequence number.	
English Instructions:	

OHAEXSTS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Overall Oral Health Exam Status
English Text: Overall Oral Health Exam Status	
English Instructions:	
Codes:	Skip To Values:
1= Complete	
2= Partial	
3= Not done	

OHASCST4	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Periodontal Status Code
English Text: Periodontal Status Code	
English Instructions:	
Codes:	Skip To Values:
1= Complete	
2= Partial	
3= Not done	

OHD18CJM	Target
	B(13 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #18 FGM/CEJ
English Text: Loss of Attachment: Lower left 2nd molar (2M) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD18PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #18 PD
English Text: Loss of Attachment: Lower left 2nd molar (2M) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD18LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #18 calculated LA
English Text: Loss of Attachment: Lower left 2nd molar (2M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD18CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #18 FGM/CEJ
English Text: Loss of Attachment: Lower left 2nd molar (2M) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

--	--

OHD18PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #18 PD
English Text: Loss of Attachment: Lower left 2nd molar (2M) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD18LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #18 calculated LA
English Text: Loss of Attachment: Lower left 2nd molar (2M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD18CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #18 FGM/CEJ
English Text: Loss of Attachment: Lower left 2nd molar (2M) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD18PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #18 PD
English Text: Loss of Attachment: Lower left 2nd molar (2M) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Cannot be assessed

OHD18LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #18 calculated LA
English Text: Loss of Attachment: Lower left 2nd molar (2M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD19CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #19 FGM/CEJ
English Text: Loss of Attachment: Lower left 1st molar (1M) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD19PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #19 PD
English Text: Loss of Attachment: Lower left 1st molar (1M) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD19LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #19 calculated LA
English Text: Loss of Attachment: Lower left 1st molar (1M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Calculation cannot be determined

OHD19CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #19 FGM/CEJ
English Text: Loss of Attachment: Lower left 1st molar (1M) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD19PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #19 PD
English Text: Loss of Attachment: Lower left 1st molar (1M) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD19LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #19 calculated LA
English Text: Loss of Attachment: Lower left 1st molar (1M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD19CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #19 FGM/CEJ
English Text: Loss of Attachment: Lower left 1st molar (1M) distal - FGM to CEJ measurement (mm)	

English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD19PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #19 PD
English Text: Loss of Attachment: Lower left 1st molar (1M) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD19LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #19 calculated LA
English Text: Loss of Attachment: Lower left 1st molar (1M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD20CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #20 FGM/CEJ
English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD20PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #20 PD
English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to sulcus base (pocket depth) (mm)	

English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD20LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #20 calculated LA
English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD20CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #20 FGM/CEJ
English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD20PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #20 PD
English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD20LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label

0 to 24	LOA: mesial #20 calculated LA
English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD20CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #20 FGM/CEJ
English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD20PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #20 PD
English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD20LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #20 calculated LA
English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD21CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label

-12 to 12	LOA: mid-facial #21 FGM/CEJ
English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD21PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #21 PD
English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD21LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #21 calculated LA
English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD21CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #21 FGM/CEJ
English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD21PCS	Target

	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #21 PD
English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD21LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #21 calculated LA
English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD21CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #21 FGM/CEJ
English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD21PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #21 PD
English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Cannot be assessed

OHD21LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #21 calculated LA
English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD22CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #22 FGM/CEJ
English Text: Loss of Attachment: Lower left cuspid (C) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD22PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #22 PD
English Text: Loss of Attachment: Lower left cuspid (C) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD22LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #22 calculated LA
English Text: Loss of Attachment: Lower left cuspid (C) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Calculation cannot be determined

OHD22CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #22 FGM/CEJ
English Text: Loss of Attachment: Lower left cuspid (C) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD22PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #22 PD
English Text: Loss of Attachment: Lower left cuspid (C) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD22LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #22 calculated LA
English Text: Loss of Attachment: Lower left cuspid (C) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD22CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #22 FGM/CEJ
English Text: Loss of Attachment: Lower left cuspid (C) distal - FGM to CEJ measurement (mm)	
English Instructions:	

Codes:

99= Cannot be assessed

Skip To Values:

OHD22PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #22 PD
English Text: Loss of Attachment: Lower left cuspid (C) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD22LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #22 calculated LA
English Text: Loss of Attachment: Lower left cuspid (C) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD23CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #23 FGM/CEJ
English Text: Loss of Attachment: Lower left lateral incisor (LI) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD23PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #23 PD
English Text: Loss of Attachment: Lower left lateral incisor (LI) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	

Codes:

99= Cannot be assessed

Skip To Values:

OHD23LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #23 calculated LA
English Text: Loss of Attachment: Lower left lateral incisor (LI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Calculation cannot be determined	

OHD23CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #23 FGM/CEJ
English Text: Loss of Attachment: Lower left lateral incisor (LI) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD23PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #23 PD
English Text: Loss of Attachment: Lower left lateral incisor (LI) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD23LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #23 calculated LA
English Text: Loss of Attachment: Lower left lateral incisor (LI) mesio-facial - Level of attachment	

calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD23CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #23 FGM/CEJ
English Text: Loss of Attachment: Lower left lateral incisor (LI) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD23PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #23 PD
English Text: Loss of Attachment: Lower left lateral incisor (LI) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD23LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #23 calculated LA
English Text: Loss of Attachment: Lower left lateral incisor (LI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD24CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #24 FGM/CEJ
English Text: Loss of Attachment: Lower left central incisor (CI) mid-facial - FGM to CEJ	

measurement (mm)
English Instructions:
Codes: Skip To Values: 99= Cannot be assessed

OHD24PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #24 PD
English Text: Loss of Attachment: Lower left central incisor (CI) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: Skip To Values: 99= Cannot be assessed	

OHD24LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #24 calculated LA
English Text: Loss of Attachment: Lower left central incisor (CI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: Skip To Values: 99= Calculation cannot be determined	

OHD24CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #24 FGM/CEJ
English Text: Loss of Attachment: Lower left central incisor (CI) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: Skip To Values: 99= Cannot be assessed	

OHD24PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label

0 to 12	LOA: mesial #24 PD
English Text: Loss of Attachment: Lower left central incisor (CI) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD24LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #24 calculated LA
English Text: Loss of Attachment: Lower left central incisor (CI) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD24CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #24 FGM/CEJ
English Text: Loss of Attachment: Lower left central incisor (CI) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD24PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #24 PD
English Text: Loss of Attachment: Lower left central incisor (CI) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD24LAD	Target

	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #24 calculated LA
English Text: Loss of Attachment: Lower left central incisor (CI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD31CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #31 FGM/CEJ
English Text: Loss of Attachment: Lower right 2nd molar (2M) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD31PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #31 PD
English Text: Loss of Attachment: Lower right 2nd molar (2M) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD31LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #31 calculated LA
English Text: Loss of Attachment: Lower right 2nd molar (2M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD31CJS	Target

	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #31 FGM/CEJ
English Text: Loss of Attachment: Lower right 2nd molar (2M) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD31PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #31 PD
English Text: Loss of Attachment: Lower right 2nd molar (2M) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD31LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #31 calculated LA
English Text: Loss of Attachment: Lower right 2nd molar (2M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD31CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #31 FGM/CEJ
English Text: Loss of Attachment: Lower right 2nd molar (2M) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD31PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #31 PD
English Text: Loss of Attachment: Lower right 2nd molar (2M) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD31LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #31 calculated LA
English Text: Loss of Attachment: Lower right 2nd molar (2M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD30CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #30 FGM/CEJ
English Text: Loss of Attachment: Lower right 1st molar (1M) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD30PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #30 PD
English Text: Loss of Attachment: Lower right 1st molar (1M) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

--	--

OHD30LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #30 calculated LA
English Text: Loss of Attachment: Lower right 1st molar (1M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD30CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #30 FGM/CEJ
English Text: Loss of Attachment: Lower right 1st molar (1M) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD30PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #30 PD
English Text: Loss of Attachment: Lower right 1st molar (1M) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD30LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #30 calculated LA
English Text: Loss of Attachment: Lower right 1st molar (1M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Calculation cannot be determined

OHD30CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #30 FGM/CEJ
English Text: Loss of Attachment: Lower right 1st molar (1M) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD30PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #30 PD
English Text: Loss of Attachment: Lower right 1st molar (1M) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD30LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #30 calculated LA
English Text: Loss of Attachment: Lower right 1st molar (1M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD29CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #29 FGM/CEJ
English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Cannot be assessed

OHD29PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #29 PD
English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD29LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #29 calculated LA
English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD29CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #29 FGM/CEJ
English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD29PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #29 PD
English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mesio-facial -	

FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD29LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #29 calculated LA
English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD29CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #29 FGM/CEJ
English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD29PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #29 PD
English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD29LAD	Target
	B(13 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
0 to 24	LOA: distal #29 calculated LA
English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD28CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #28 FGM/CEJ
English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD28PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #28 PD
English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD28LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #28 calculated LA
English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD28CJS	Target
	B(13 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
-12 to 12	LOA: mesial #28 FGM/CEJ
English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD28PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #28 PD
English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD28LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #28 calculated LA
English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD28CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #28 FGM/CEJ
English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD28PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #28 PD
English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD28LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #28 calculated LA
English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD27CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #27 FGM/CEJ
English Text: Loss of Attachment: Lower right cuspid (C) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD27PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #27 PD
English Text: Loss of Attachment: Lower right cuspid (C) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

--	--

OHD27LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #27 calculated LA
English Text: Loss of Attachment: Lower right cuspid (C) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD27CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #27 FGM/CEJ
English Text: Loss of Attachment: Lower right cuspid (C) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD27PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #27 PD
English Text: Loss of Attachment: Lower right cuspid (C) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD27LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #27 calculated LA
English Text: Loss of Attachment: Lower right cuspid (C) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Calculation cannot be determined

OHD27CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #27 FGM/CEJ
English Text: Loss of Attachment: Lower right cuspid (C) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD27PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #27 PD
English Text: Loss of Attachment: Lower right cuspid (C) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD27LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #27 calculated LA
English Text: Loss of Attachment: Lower right cuspid (C) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD26CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #26 FGM/CEJ
English Text: Loss of Attachment: Lower right lateral incisor (LI) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD26PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #26 PD
English Text: Loss of Attachment: Lower right lateral incisor (LI) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD26LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #26 calculated LA
English Text: Loss of Attachment: Lower right lateral incisor (LI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD26CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #26 FGM/CEJ
English Text: Loss of Attachment: Lower right lateral incisor (LI) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD26PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #26 PD
English Text: Loss of Attachment: Lower right lateral incisor (LI) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	

Codes:

99= Cannot be assessed

Skip To Values:

OHD26LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #26 calculated LA
English Text: Loss of Attachment: Lower right lateral incisor (LI) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Calculation cannot be determined	

OHD26CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #26 FGM/CEJ
English Text: Loss of Attachment: Lower right lateral incisor (LI) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD26PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #26 PD
English Text: Loss of Attachment: Lower right lateral incisor (LI) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD26LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #26 calculated LA
English Text: Loss of Attachment: Lower right lateral incisor (LI) distal - Calculation of : (FGM to	

CEJ measurement) - (FGM to sulcus base measurement) (mm)

English Instructions:

OHD25CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #25 FGM/CEJ
English Text: Loss of Attachment: Lower right central incisor (CI) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD25PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #25 PD
English Text: Loss of Attachment: Lower right central incisor (CI) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD25LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #25 calculated LA
English Text: Loss of Attachment: Lower right central incisor (CI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD25CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #25 FGM/CEJ
English Text: Loss of Attachment: Lower right central incisor (CI) mesio-facial - FGM to CEJ	

measurement (mm)				
English Instructions:				
<table border="0"> <tr> <td>Codes:</td> <td>Skip To Values:</td> </tr> <tr> <td>99= Cannot be assessed</td> <td></td> </tr> </table>	Codes:	Skip To Values:	99= Cannot be assessed	
Codes:	Skip To Values:			
99= Cannot be assessed				

OHD25PCS	Target				
	B(13 Yrs. to 150 Yrs.)				
Hard Edits	SAS Label				
0 to 12	LOA: mesial #25 PD				
English Text: Loss of Attachment: Lower right central incisor (CI) mesio-facial - FGM to sulcus base (pocket depth) (mm)					
English Instructions:					
<table border="0"> <tr> <td>Codes:</td> <td>Skip To Values:</td> </tr> <tr> <td>99= Cannot be assessed</td> <td></td> </tr> </table>		Codes:	Skip To Values:	99= Cannot be assessed	
Codes:	Skip To Values:				
99= Cannot be assessed					

OHD25LAS	Target				
	B(13 Yrs. to 150 Yrs.)				
Hard Edits	SAS Label				
0 to 24	LOA: mesial #25 calculated LA				
English Text: Loss of Attachment: Lower right central incisor (CI) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)					
English Instructions:					
<table border="0"> <tr> <td>Codes:</td> <td>Skip To Values:</td> </tr> <tr> <td>99= Calculation cannot be determined</td> <td></td> </tr> </table>		Codes:	Skip To Values:	99= Calculation cannot be determined	
Codes:	Skip To Values:				
99= Calculation cannot be determined					

OHD25CJD	Target				
	B(13 Yrs. to 150 Yrs.)				
Hard Edits	SAS Label				
-12 to 12	LOA: distal #25 FGM/CEJ				
English Text: Loss of Attachment: Lower right central incisor (CI) distal - FGM to CEJ measurement (mm)					
English Instructions:					
<table border="0"> <tr> <td>Codes:</td> <td>Skip To Values:</td> </tr> <tr> <td>99= Cannot be assessed</td> <td></td> </tr> </table>		Codes:	Skip To Values:	99= Cannot be assessed	
Codes:	Skip To Values:				
99= Cannot be assessed					

OHD25PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label

0 to 12	LOA: distal #25 PD
English Text: Loss of Attachment: Lower right central incisor (CI) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD25LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #25 calculated LA
English Text: Loss of Attachment: Lower right central incisor (CI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHX18BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #18
English Text: Periodontal bleeding from probing: Lower left 2nd molar-distal site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX18BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #18
English Text: Periodontal bleeding from probing: Lower left 2nd molar-midfacial site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX18BPS	Target

	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #18
English Text: Periodontal bleeding from probing: Lower left 2nd molar-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX19BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #19
English Text: Periodontal bleeding from probing: Lower left 1st molar-distal site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX19BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #19
English Text: Periodontal bleeding from probing: Lower left 1st molar-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX19BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #19
English Text: Periodontal bleeding from probing: Lower left 1st molar-mesial site	
English Instructions:	

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX20BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #20
English Text: Periodontal bleeding from probing: Lower left 2nd bicuspid-distal site	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Can not be assessed 	

OHX20BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #20
English Text: Periodontal bleeding from probing: Lower left 2nd bicuspid-midfacial site	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed 	

OHX20BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #20
English Text: Periodontal bleeding from probing: Lower left 2nd bicuspid-mesial site	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed 	

OHX21BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #21
English Text: Periodontal bleeding from probing: Lower left 1st bicuspid-distal site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX21BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #21
English Text: Periodontal bleeding from probing: Lower left 1st bicuspid-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Can not be assessed	

OHX21BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #21
English Text: Periodontal bleeding from probing: Lower left 1st bicuspid-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX22BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #22
English Text: Periodontal bleeding from probing: Lower left cuspid-distal site	

English Instructions:**Codes:**

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:**OHX22BPM****Target**

B(13 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

BOP: midfacial #22

English Text: Periodontal bleeding from probing: Lower left cuspid-midfacial site**English Instructions:****Codes:**

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:**OHX22BPS****Target**

B(13 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

BOP: mesial #22

English Text: Periodontal bleeding from probing: Lower left cuspid-mesial site**English Instructions:****Codes:**

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:**OHX23BPD****Target**

B(13 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

BOP: distal #23

English Text: Periodontal bleeding from probing: Lower left lateral incisor-distal site**English Instructions:****Codes:**

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX23BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #23
English Text: Periodontal bleeding from probing: Lower left lateral incisor-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX23BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #23
English Text: Periodontal bleeding from probing: Lower left lateral incisor-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX24BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #24
English Text: Periodontal bleeding from probing: Lower left central incisor-distal site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX24BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #24

English Text: Periodontal bleeding from probing: Lower left central incisor-midfacial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX24BPS

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: mesial #24

English Text: Periodontal bleeding from probing: Lower left central incisor-mesial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX31BPD

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: distal #31

English Text: Periodontal bleeding from probing: Lower right 2nd molar-distal site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX31BPM

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: midfacial #31

English Text: Periodontal bleeding from probing: Lower right 2nd molar-midfacial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing

Skip To Values:

9= Cannot be assessed

OHX31BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #31
English Text: Periodontal bleeding from probing: Lower right 2nd molar-mesial site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX30BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #30
English Text: Periodontal bleeding from probing: Lower right 1st molar-distal site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX30BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #30
English Text: Periodontal bleeding from probing: Lower right 1st molar-midfacial site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX30BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label

BOP: mesial #30

English Text: Periodontal bleeding from probing: Lower right 1st molar-mesial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX29BPD

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: distal #29

English Text: Periodontal bleeding from probing: Lower right 2nd bicuspid-distal site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX29BPM

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: midfacial #29

English Text: Periodontal bleeding from probing: Lower right 2nd bicuspid-midfacial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX29BPS

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: mesial #29

English Text: Periodontal bleeding from probing: Lower right 2nd bicuspid-mesial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing

Skip To Values:

2= No evidence of bleeding following the probing
 9= Cannot be assessed

OHX28BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #28
English Text: Periodontal bleeding from probing: Lower right 1st bicuspid-distal site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	

OHX28BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #28
English Text: Periodontal bleeding from probing: Lower right 1st bicuspid-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	

OHX28BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #28
English Text: Periodontal bleeding from probing: Lower right 1st bicuspid-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	

OHX27BPD	Target
	B(13 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
	BOP: distal #27
English Text: Periodontal bleeding from probing: Lower right cuspid-distal site	
English Instructions:	
Codes: 1= Bleeding is detected following the probe 2= No evidence of bleeding following the probing 9= Can not be assessed	Skip To Values:

OHX27BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #27
English Text: Periodontal bleeding from probing: Lower right cuspid-midfacial site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX27BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #27
English Text: Periodontal bleeding from probing: Lower right cuspid-mesial site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX26BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #26
English Text: Periodontal bleeding from probing: Lower right lateral incisor-distal site	
English Instructions:	
Codes:	Skip To Values:

1= Bleeding is detected following the probing
 2= No evidence of bleeding following the probing
 9= Cannot be assessed

OHX26BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #26
English Text: Periodontal bleeding from probing: Lower right lateral incisor-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX26BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #26
English Text: Periodontal bleeding from probing: Lower right lateral incisor-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX25BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #25
English Text: Periodontal bleeding from probing: Lower right central incisor-distal site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

	Target
--	---------------

OHX25BPM	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #25
English Text: Periodontal bleeding from probing: Lower right central incisor-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX25BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #25
English Text: Periodontal bleeding from probing: Lower right central incisor-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	