

**National Health and Nutrition Examination Survey
Codebook for Data Production (2001-2002)**

**Periodontal-Maxillary Section of the Oral Health Examination (OHXPRU_B)
Person level data -- use Examination Weights for analysis**

June 2005

SEQN	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Respondent sequence number
English Text: Respondent sequence number.	
English Instructions:	

OHAEXSTS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Overall Oral Health Exam Status
English Text: Overall Oral Health Exam Status	
English Instructions:	
Codes:	Skip To Values:
1= Complete	
2= Partial	
3= Not done	

OHASCST4	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Periodontal Status Code
English Text: Periodontal Status Code	
English Instructions:	
Codes:	Skip To Values:
1= Complete	
2= Partial	
3= Not done	

OHD02CJM	Target
	B(13 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #2 FGM/CEJ
English Text: Loss of Attachment: Upper right 2nd molar (2M) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD02PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #2 PD
English Text: Loss of Attachment: Upper right 2nd molar (2M) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD02LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #2 calculated LA
English Text: Loss of Attachment: Upper right 2nd molar (2M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD02CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #2 FGM/CEJ
English Text: Loss of Attachment: Upper right 2nd molar (2M) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

--	--

OHD02PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #2 PD
English Text: Loss of Attachment: Upper right 2nd molar (2M) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD02LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #2 calculated LA
English Text: Loss of Attachment: Upper right 2nd molar (2M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD02CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #2 FGM/CEJ
English Text: Loss of Attachment: Upper right 2nd molar (2M) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD02PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #2 PD
English Text: Loss of Attachment: Upper right 2nd molar (2M) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Cannot be assessed

OHD02LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #2 calculated LA
English Text: Loss of Attachment: Upper right 2nd molar (2M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD03CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA:mid-facial #3 FGM/CEJ
English Text: Loss of Attachment: Upper right 1st molar (1M) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD03PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #3 PD
English Text: Loss of Attachment: Upper right 1st molar (1M) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD03LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #3 calculated LA
English Text: Loss of Attachment: Upper right 1st molar (1M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Calculation cannot be determined

OHD03CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #3 FGM/CEJ
English Text: Loss of Attachment: Upper right 1st molar (1M) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD03PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #3 PD
English Text: Loss of Attachment: Upper right 1st molar (1M) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD03LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #3 calculated LA
English Text: Loss of Attachment: Upper right 1st molar (1M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD03CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #3 FGM/CEJ
English Text: Loss of Attachment: Upper right 1st molar (1M) distal - FGM to CEJ measurement (mm)	

English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD03PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #3 PD

English Text: Loss of Attachment: Upper right 1st molar (1M) distal - FGM to sulcus base (pocket depth) (mm)

English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD03LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #3 calculated LA

English Text: Loss of Attachment: Upper right 1st molar (1M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)

English Instructions:

OHD04CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #4 FGM/CEJ

English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to CEJ measurement (mm)

English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD04PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #4 PD

English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to sulcus base (pocket depth) (mm)

English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD04LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #4 calculated LA
English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD04CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #4 FGM/CEJ
English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD04PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #4 PD
English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD04LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label

0 to 24	LOA: mesial #4 calculated LA
English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD04CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #4 FGM/CEJ
English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD04PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #4 PD
English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD04LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #4 calculated LA
English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD05CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label

-12 to 12	LOA: mid-facial #5 FGM/CEJ
English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD05PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #5 PD
English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD05LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #5 calculated LA
English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD05CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #5 FGM/CEJ
English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD05PCS	Target

	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #5 PD
English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD05LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #5 calculated LA
English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD05CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #5 FGM/CEJ
English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD05PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #5 PD
English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Cannot be assessed

OHD05LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #5 calculated LA
English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD06CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #6 FGM/CEJ
English Text: Loss of Attachment: Upper right cuspid (C) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD06PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #6 PD
English Text: Loss of Attachment: Upper right cuspid (C) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD06LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #6 calculated LA
English Text: Loss of Attachment: Upper right cuspid (C) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Calculation cannot be determined

OHD06CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #6 FGM/CEJ
English Text: Loss of Attachment: Upper right cuspid (C) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD06PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #6 PD
English Text: Loss of Attachment: Upper right cuspid (C) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD06LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #6 calculated LA
English Text: Loss of Attachment: Upper right cuspid (C) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD06CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #6 FGM/CEJ
English Text: Loss of Attachment: Upper right cuspid (C) distal - FGM to CEJ measurement (mm)	
English Instructions:	

Codes:

99= Cannot be assessed

Skip To Values:

OHD06PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #6 PD
English Text: Loss of Attachment: Upper right cuspid (C) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD06LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #6 calculated LA
English Text: Loss of Attachment: Upper right cuspid (C) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD07CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #7 FGM/CEJ
English Text: Loss of Attachment: Upper right lateral incisor (LI) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD07PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #7 PD
English Text: Loss of Attachment: Upper right lateral incisor (LI) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	

Codes:

99= Cannot be assessed

Skip To Values:

OHD07LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #7 calculated LA
English Text: Loss of Attachment: Upper right lateral incisor (LI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Calculation cannot be determined	

OHD07CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #7 FGM/CEJ
English Text: Loss of Attachment: Upper right lateral incisor (LI) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD07PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #7 PD
English Text: Loss of Attachment: Upper right lateral incisor (LI) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD07LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #7 calculated LA
English Text: Loss of Attachment: Upper right lateral incisor (LI) mesio-facial - Level of attachment	

calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD07CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #7 FGM/CEJ
English Text: Loss of Attachment: Upper right lateral incisor (LI) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD07PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #7 PD
English Text: Loss of Attachment: Upper right lateral incisor (LI) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD07LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #7 calculated LA
English Text: Loss of Attachment: Upper right lateral incisor (LI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD08CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #8 FGM/CEJ
English Text: Loss of Attachment: Upper right central incisor (CI) mid-facial - FGM to CEJ	

measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD08PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #8 PD
English Text: Loss of Attachment: Upper right central incisor (CI) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD08LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #8 calculated LA
English Text: Loss of Attachment: Upper right central incisor (CI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD08CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #8 FGM/CEJ
English Text: Loss of Attachment: Upper right central incisor (CI) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD08PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label

0 to 12	LOA: mesial #8 PD
English Text: Loss of Attachment: Upper right central incisor (CI) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD08LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #8 calculated LA
English Text: Loss of Attachment: Upper right central incisor (CI) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD08CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #8 FGM/CEJ
English Text: Loss of Attachment: Upper right central incisor (CI) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD08PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #8 PD
English Text: Loss of Attachment: Upper right central incisor (CI) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD08LAD	Target

	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #8 calculated LA
English Text: Loss of Attachment: Upper right central incisor (CI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD15CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #15 FGM/CEJ
English Text: Loss of Attachment: Upper left 2nd molar (2M) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD15PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #15 PD
English Text: Loss of Attachment: Upper left 2nd molar (2M) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD15LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #15 calculated LA
English Text: Loss of Attachment: Upper left 2nd molar (2M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD15CJS	Target

	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #15 FGM/CEJ
English Text: Loss of Attachment: Upper left 2nd molar (2M) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD15PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #15 PD
English Text: Loss of Attachment: Upper left 2nd molar (2M) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD15LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #15 calculated LA
English Text: Loss of Attachment: Upper left 2nd molar (2M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD15CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #15 FGM/CEJ
English Text: Loss of Attachment: Upper left 2nd molar (2M) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD15PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #15 PD
English Text: Loss of Attachment: Upper left 2nd molar (2M) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD15LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #15 calculated LA
English Text: Loss of Attachment: Upper left 2nd molar (2M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD14CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #14 FGM/CEJ
English Text: Loss of Attachment: Upper left 1st molar (1M) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD14PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #14 PD
English Text: Loss of Attachment: Upper left 1st molar (1M) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

--	--

OHD14LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #14 calculated LA
English Text: Loss of Attachment: Upper left 1st molar (1M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD14CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #14 FGM/CEJ
English Text: Loss of Attachment: Upper left 1st molar (1M) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD14PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #14 PD
English Text: Loss of Attachment: Upper left 1st molar (1M) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD14LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #14 calculated LA
English Text: Loss of Attachment: Upper left 1st molar (1M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Calculation cannot be determined

OHD14CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #14 FGM/CEJ
English Text: Loss of Attachment: Upper left 1st molar (1M) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD14PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #14 PD
English Text: Loss of Attachment: Upper left 1st molar (1M) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD14LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #14 calculated LA
English Text: Loss of Attachment: Upper left 1st molar (1M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD13CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #13 FGM/CEJ
English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD13PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #13 PD
English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD13LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #13 calculated LA
English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD13CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #13 FGM/CEJ
English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD13PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #13 PD
English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	

Codes:

99= Cannot be assessed

Skip To Values:

OHD13LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #13 calculated LA
English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Calculation cannot be determined	

OHD13CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #13 FGM/CEJ
English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD13PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #13 PD
English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes:	Skip To Values:
99= Cannot be assessed	

OHD13LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #13 calculated LA

English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)

English Instructions:

OHD12CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #12 FGM/CEJ

English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mid-facial - FGM to CEJ measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

OHD12PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #12 PD

English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mid-facial - FGM to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

OHD12LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #12 calculated LA

English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

OHD12CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #12 FGM/CEJ

English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD12PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #12 PD
English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD12LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #12 calculated LA
English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD12CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #12 FGM/CEJ
English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD12PCD	Target
	B(13 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
0 to 12	LOA: distal #12 PD
English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD12LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #12 calculated LA
English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD11CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #11 FGM/CEJ
English Text: Loss of Attachment: Upper left cuspid (C) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD11PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #11 PD
English Text: Loss of Attachment: Upper left cuspid (C) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD11LAM	Target
	B(13 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
0 to 24	LOA: mid-facial #11 calculated LA
English Text: Loss of Attachment: Upper left cuspid (C) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD11CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #11 FGM/CEJ
English Text: Loss of Attachment: Upper left cuspid (C) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD11PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #11 PD
English Text: Loss of Attachment: Upper left cuspid (C) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD11LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #11 calculated LA
English Text: Loss of Attachment: Upper left cuspid (C) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

--	--

OHD11CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #11 FGM/CEJ
English Text: Loss of Attachment: Upper left cuspid (C) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD11PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #11 PD
English Text: Loss of Attachment: Upper left cuspid (C) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD11LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #11 calculated LA
English Text: Loss of Attachment: Upper left cuspid (C) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHD10CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #10 FGM/CEJ
English Text: Loss of Attachment: Upper left lateral incisor (LI) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD10PCM	Target

	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #10 PD
English Text: Loss of Attachment: Upper left lateral incisor (LI) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD10LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #10 calculated LA
English Text: Loss of Attachment: Upper left lateral incisor (LI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD10CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #10 FGM/CEJ
English Text: Loss of Attachment: Upper left lateral incisor (LI) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD10PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #10 PD
English Text: Loss of Attachment: Upper left lateral incisor (LI) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD10LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #10 calculated LA
English Text: Loss of Attachment: Upper left lateral incisor (LI) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD10CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #10 FGM/CEJ
English Text: Loss of Attachment: Upper left lateral incisor (LI) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD10PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #10 PD
English Text: Loss of Attachment: Upper left lateral incisor (LI) distal - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD10LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #10 calculated LA
English Text: Loss of Attachment: Upper left lateral incisor (LI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

--	--

OHD09CJM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mid-facial #9 FGM/CEJ
English Text: Loss of Attachment: Upper left central incisor (CI) mid-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD09PCM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mid-facial #9 PD
English Text: Loss of Attachment: Upper left central incisor (CI) mid-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD09LAM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mid-facial #9 calculated LA
English Text: Loss of Attachment: Upper left central incisor (CI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD09CJS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: mesial #9 FGM/CEJ
English Text: Loss of Attachment: Upper left central incisor (CI) mesio-facial - FGM to CEJ measurement (mm)	
English Instructions:	
Codes:	Skip To Values:

99= Cannot be assessed

OHD09PCS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: mesial #9 PD
English Text: Loss of Attachment: Upper left central incisor (CI) mesio-facial - FGM to sulcus base (pocket depth) (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD09LAS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: mesial #9 calculated LA
English Text: Loss of Attachment: Upper left central incisor (CI) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)	
English Instructions:	
Codes: 99= Calculation cannot be determined	Skip To Values:

OHD09CJD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
-12 to 12	LOA: distal #9 FGM/CEJ
English Text: Loss of Attachment: Upper left central incisor (CI) distal - FGM to CEJ measurement (mm)	
English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD09PCD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 12	LOA: distal #9 PD
English Text: Loss of Attachment: Upper left central incisor (CI) distal - FGM to sulcus base (pocket depth) (mm)	

English Instructions:	
Codes: 99= Cannot be assessed	Skip To Values:

OHD09LAD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 24	LOA: distal #9 calculated LA
English Text: Loss of Attachment: Upper left central incisor (CI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)	
English Instructions:	

OHX02BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #2
English Text: Periodontal bleeding from probing: Upper right 2nd molar-distal site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX02BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #2
English Text: Periodontal bleeding from probing: Upper right 2nd molar-midfacial site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX02BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #2

English Text: Periodontal bleeding from probing: Upper right 2nd molar-mesial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX03BPD

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: distal #3

English Text: Periodontal bleeding from probing: Upper right 1st molar-distal site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX03BPM

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: midfacial #3

English Text: Periodontal bleeding from probing: Upper right 1st molar-midfacial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX03BPS

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: mesial #3

English Text: Periodontal bleeding from probing: Upper right 1st molar-mesial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing

Skip To Values:

9= Cannot be assessed

OHX04BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #4
English Text: Periodontal bleeding from probing: Upper right 2nd bicuspid-distal site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX04BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #4
English Text: Periodontal bleeding from probing: Upper right 2nd bicuspid-midfacial site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX04BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #4
English Text: Periodontal bleeding from probing: Upper right 2nd bicuspid-mesial site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX05BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label

BOP: distal #5

English Text: Periodontal bleeding from probing: Upper right 1st bicuspid-distal site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX05BPM

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: midfacial #5

English Text: Periodontal bleeding from probing: Upper right 1st bicuspid-midfacial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX05BPS

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: mesial #5

English Text: Periodontal bleeding from probing: Upper right 1st bicuspid-mesial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX06BPD

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: distal #6

English Text: Periodontal bleeding from probing: Upper right cuspid-distal site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing

Skip To Values:

2= No evidence of bleeding following the probing
 9= Cannot be assessed

OHX06BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #6
English Text: Periodontal bleeding from probing: Upper right cuspid-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	

OHX06BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #6
English Text: Periodontal bleeding from probing: Upper right cuspid-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	

OHX07BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #7
English Text: Periodontal bleeding from probing: Upper right lateral incisor-distal site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	

OHX07BPM	Target
	B(13 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
	BOP: midfacial #7
English Text: Periodontal bleeding from probing: Upper right lateral incisor-midfacial site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX07BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #7
English Text: Periodontal bleeding from probing: Upper right lateral incisor-mesial site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX08BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #8
English Text: Periodontal bleeding from probing: Upper right central incisor-distal site	
English Instructions:	
Codes: 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	Skip To Values:

OHX08BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #8
English Text: Periodontal bleeding from probing: Upper right central incisor-midfacial site	
English Instructions:	
Codes:	Skip To Values:

1= Bleeding is detected following the probing
 2= No evidence of bleeding following the probing
 9= Cannot be assessed

OHX08BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #8
English Text: Periodontal bleeding from probing: Upper right central incisor-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX15BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #15
English Text: Periodontal bleeding from probing: Upper left 2nd molar-distal site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX15BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #15
English Text: Periodontal bleeding from probing: Upper left 2nd molar-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

	Target
--	---------------

OHX15BPS	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #15
English Text: Periodontal bleeding from probing: Upper left 2nd molar-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	

OHX14BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #14
English Text: Periodontal bleeding from probing: Upper left 1st molar-distal site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed	

OHX14BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #14
English Text: Periodontal bleeding from probing: Upper left 1st molar-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 3= Cannot be assessed	

OHX14BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #14
English Text: Periodontal bleeding from probing: Upper left 1st molar-mesial site	
English Instructions:	

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX13BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #13
English Text: Periodontal bleeding from probing: Upper left 2nd bicuspid-distal site	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed 	

OHX13BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #13
English Text: Periodontal bleeding from probing: Upper left 2nd bicuspid-midfacial site	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed 	

OHX13BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #13
English Text: Periodontal bleeding from probing: Upper left 2nd bicuspid-mesial site	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 1= Bleeding is detected following the probing 2= No evidence of bleeding following the probing 9= Cannot be assessed 	

OHX12BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #12
English Text: Periodontal bleeding from probing: Upper left 1st bicuspid-distal site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX12BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #12
English Text: Periodontal bleeding from probing: Upper left 1st bicuspid-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX12BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #12
English Text: Periodontal bleeding from probing: Upper left 1st bicuspid-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX11BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #11
English Text: Periodontal bleeding from probing: Upper left cuspid-distal site	

English Instructions:**Codes:**

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:**OHX11BPM****Target**

B(13 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

BOP: midfacial #11

English Text: Periodontal bleeding from probing: Upper left cuspid-midfacial site**English Instructions:****Codes:**

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:**OHX11BPS****Target**

B(13 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

BOP: mesial #11

English Text: Periodontal bleeding from probing: Upper left cuspid-mesial site**English Instructions:****Codes:**

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:**OHX10BPD****Target**

B(13 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

BOP: distal #10

English Text: Periodontal bleeding from probing: Upper left lateral incisor-distal site**English Instructions:****Codes:**

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values:

OHX10BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #10
English Text: Periodontal bleeding from probing: Upper left lateral incisor-midfacial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX10BPS	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: mesial #10
English Text: Periodontal bleeding from probing: Upper left lateral incisor-mesial site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX09BPD	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: distal #9
English Text: Periodontal bleeding from probing: Upper left central incisor-distal site	
English Instructions:	
Codes:	Skip To Values:
1= Bleeding is detected following the probing	
2= No evidence of bleeding following the probing	
9= Cannot be assessed	

OHX09BPM	Target
	B(13 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	BOP: midfacial #9

English Text: Periodontal bleeding from probing: Upper left central incisor-midfacial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Can not be assessed

Skip To Values:

OHX09BPS

Target

B(13 Yrs. to 150 Yrs.)

Hard Edits

SAS Label

BOP: mesial #9

English Text: Periodontal bleeding from probing: Upper left central incisor-mesial site

English Instructions:

Codes:

- 1= Bleeding is detected following the probing
- 2= No evidence of bleeding following the probing
- 9= Cannot be assessed

Skip To Values: