

**National Health and Nutrition
Examination Survey 2003-2004**

**Documentation, Codebook,
and Frequencies**

**MEC Exam Component:
NHANES Composite International
Diagnostic Interview-
Major Depression Module**

**Survey Years:
2003 to 2004**

**SAS Export File:
CIQDEP_C.XPT**



August 2006

NHANES 2003–2004 Data Documentation

Questionnaire Section: Composite Diagnostic Interview Schedule (CIQ_C)

Years of Coverage: 2003–2004

First Published: August 2006

Last Revised: N/A

Component Description

An NHANES version of three modules from the automated version of the World Health Organization Composite International Diagnostic Interview, Version 2.1 (CIDI-Auto 2.1) was administered during the face-to-face portion of the Mobile Examination Center (MEC) interview. The CIDI is a comprehensive, fully standardized interview that is used to assess mental disorders and provide diagnoses according to definitions and criteria of the tenth revision of the International Classification of Diseases (ICD-10, World Health Organization 1992, 1993) and the fourth edition of the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders (DSM-IV, 1994). The CIDI is especially suitable for large epidemiological studies because it can be administered by lay interviewers, does not require outside informants or medical records, and does not assume the presence of a current disorder. It is used in both clinical and research settings.

The NHANES CIDI, developed as a computer-administered version, consisted of three diagnostic modules that addressed diagnoses present in the past 12 months. These modules were Panic Disorder, Generalized Anxiety Disorder, and Depressive Disorders. Additional questions were added to measure both the quality and quantity of impairment, and to assess risk factors such as physical illness and life events. These additional questions were placed at the end of each module. The modules were administered in either English or Spanish by a trained interviewer who followed guidelines instituted by the CIDI Training Centers. These guidelines are included in the MEC Interviewer Manual, Chapter 6.

Eligible Sample

The instrument was administered to a half-sample of examination participants, ages 20 - 39 years. Proxies were ineligible, as were persons who required interpreters (i.e., non-English or Spanish speakers).

Interview Setting and Mode of Administration

MEC private face-to-face interview.

For more information, the Interviewer Procedure Manuals, Exam Manuals, and Survey Questionnaires can be found on the NHANES website.

Quality Assurance & Quality Control

N/A

Data Processing and Editing

Questionnaire interview responses were entered by the interviewer on a desktop computer and then uploaded to the NHANES computerized database in the same manner as other sections of the MEC interview. In this public release data file, variables are included for responses to all questions to the instruments except for checkpoints and questions requiring text entries. All of the questions from the original instrument were renamed to be consistent with NHANES naming conventions. The coding patterns for the traditional CIDI response categories (1 = no, 5 = yes) were also modified. Both the original question names and the new NHANES names can be found in the corresponding codebook. NHANES CIDI modules can be distinguished by the pre-fix for the variable names as follows:

CIQPAN: Generalized Panic Disorder

CIQGAD: Generalized Anxiety Disorder

CIQDEP: Major Depressive Disorders

Analytic Notes

Special examination sample weights were developed for the half-sample that was eligible for the interview. Because of small samples sizes, it is recommended that the data from the 2-year files (1999-2000, 2001-2002, and 2003-2004) be combined and that 6-year weights be used for all analyses. For an estimate for the 6-years 1999-2004, a 6-year weight variable can be created by taking 2/3 of the 4 year weight for each sampled person in 1999-2002 and 1/3 of the 2 year weight for each sampled person in 2003-04. For more information on weighting, please see the NHANES analytic guidelines.

Abbreviations frequently found in the codebooks and on variables labels:

WTA = worried, tense, or anxious

SED = sad, empty, or depressed

MDA = medication, drugs or alcohol

The NHANES CIDI questions were developed in accordance with the ICD-10 and DSM-IV criteria for three diagnoses. As part of the final data preparation effort, responses to the questions were evaluated using a computer algorithm, first to assess each criterion, and then to combine

criteria into diagnoses. The diagnostic algorithms were constructed criterion by criterion, and all criteria had to be met for a diagnosis to be positive. If all of the criteria for a diagnosis were positive, the diagnosis was considered to be present for the past 12 months. The algorithms, written in SAS code, are found in the CIDI Appendices.

The “diagnostic score” variables are found at the end of each module. They are named as follows: CIDPSCOR for Panic, CIDGSCOR for GAD, and CIDGSCOR for Depression. A value of “1” indicates a positive diagnosis, and a value of “5” indicates a negative diagnosis.

Please refer to the Analytic Guidelines for further details on the use of sample weights and other analytic issues at http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical_guidelines.htm.

References N/A

Locator Record

Title: Composite Diagnostic Interview Schedule (CIQ_C)

Contact Number: 1-866-441-NCHS

Years of Content: 2003–2004

First Published: August 2006

Revised: N/A

Access Constraints: None

Use Constraints: None

Geographic Coverage: National

Subject: Composite Diagnostic Interview Schedule

Record Source: NHANES 2003–2004

Survey Methodology: NHANES 2003–2004 is a stratified multistage probability sample of the civilian non-institutionalized population of the U.S.

Medium: NHANES Web site; SAS transport files.

NHANES 2003-2004 Data Documentation
August 2006
NHANES Composite International Diagnostic Interview -
Major Depression Module (CIQDEP_C)
Data Appendices
Survey Years Included in this File: 2003-2004

The following algorithms were used to determine the major depression score variable.

```
libname nh5 xport 'C:\nhanes\ciqdep_c.xpt';

data ciqdep_c;
  set nh5.ciqdep_c;
  if n(of CIQD:)=0 then return;

/* Major Depression*/

/* A. Five (or more) of the following symptoms have been present
   during the same 2-week period and represent a change from previous
   functioning; at least one of the symptoms is either:
*/

  depacnt=0;
/* (1) Depressed mood */
  if (CIQD001=1 and CIQD002 in(1,2) and CIQD003 in(1,2)) or
     (CIQD014=1 and CIQD015 in(1,2) and CIQD016 in(1,2))
     then depacnt=depacnt+1;

/* (2) Markedly diminished interest */
  if CIQD006=1 or (CIQD008=1 and CIQD009 in(1,2)
     and CIQD010 in(1,2)) or CIQD031=1
     then depacnt=depacnt+1;

  if depacnt>0 then do;

/* (3) significant appetite/weight change */
  if CIQD019=1 or 10<=CIQD021<777 or CIQD022=1
     or 10<=CIQD024<777
     then depacnt=depacnt+1;

/* (4) Insomnia or Hypersomnia */
  if CIQD026 in(1,2) or CIQD027=1 or CIQD028=1
     then depacnt=depacnt+1;

/* (5) Psychomotor agitation or retardation */
  if CIQD033=1 or CIQD035=1
     then depacnt=depacnt+1;

/* (6) Fatigue or loss of energy */
  if CIQD005=1 or CIQD012=1 or CIQD018=1
     then depacnt=depacnt+1;

/* (7) Worthlessness of guilt */
  if (CIQD036=1 or CIQD037=1 or CIQD041=1)
     and CIQD040^=1
```

```

        then depacnt=depacnt+1;

/* (8) Diminished ability to think or concentrate or indecisiveness */
if CIQD042=1 or CIQD043=1 or CIQD044=1
    or CIQD045=1 or CIQD046=1
    then depacnt=depacnt+1;

/* (9) Recurrent thoughts of death, suicidal ideation, plan or attempt */
if CIQD047=1 or CIQD048=1 or CIQD049=1 or CIQD050=1
    then depacnt=depacnt+1;
end;
if depacnt >=5
    then depa=1;
    else depa=5;

/* C. The symptoms cause clinically significant distress or
impairment.
*/

cntdepc=0;
if CIQD096 not in(777,999,..)
    then cntdepc=cntdepc+CIQD096;
if CIQD099 not in(777,999,..)
    then cntdepc=cntdepc+CIQD099;
if CIQD103 not in(777,999,..)
    then cntdepc=cntdepc+CIQD103;
if CIQD106 not in(777,999,..)
    then cntdepc=cntdepc+CIQD106;

if CIQD095=1 or CIQD095=2 or cntdepc>=6
    then depc=1;
    else depc=5;

/* D. The symptoms are not due to the direct physiological effects of a
substance or general medical condition.
*/
if CIDDPRB in(3 4)
    then depd=5;
    else depd=1;

/* E. Symptoms are not better accounted for by bereavement.
Bereavement depression does not count if it lasts 2 months or less
or is not characterized by marked impairment, suicidal ideation,
or psychomotor retardation.

If respondent answers "don't know" to a bereavement question we are
assuming the period of depression in question did not begin just after
someone close died. If respondent refuses to answer a bereavement
question, we are assuming the period of depression in question did begin
just after someone close died.
*/
if depc=1 or CIQD048=1 or CIQD033=1
    or CIQD049=1 or CIQD050=1 or CIQD036=1
    then override=1;
    else override=5;

```

```

/* Single episode */
  if CIQD052=1 or CIQD053=1 then do;
    if CIQD059 in(2,9)
      then depe=1;
    else if CIQD059 in(1,7) and (8 < CIQD051 <=52 or override=1)
      then depe=1;
    else depe=5;
  end;

/* Two episodes */
  else if (CIQD052=2 or CIQD053=2) and CIQD064=2 then do;
    if CIQD066 in(2,9) or CIQD078 in(2,9)
      then depe=1;
    else if (CIQD065*7>56 or CIQD075>56) or override=1
      then depe=1;
    else depe=5;
  end;

/* More than 2 episodes */
  else if (CIQD052 in(7,9) or CIQD053 in(7,9)) or
    (CIQD052=2 or CIQD053=2 and CIQD064 >=3) then do;
    if CIQD091 in(2,9) then depe=1;
    else if CIQD083*7>60.8 or override=1 then depe=1;
    else depe=5;
  end;
  else depe=5;

/* Major Depression Diagnosis */
  if depa=1 and depc=1 and depd=1 and depe=1
    then dep=1;
  else dep=5;

  ciddscor=dep;

run;

```

**National Health and Nutrition Examination Survey
Codebook for Data Production (2003-2004)**

**NHANES Composite International Diagnostic
Interview-
Major Depression Module (CIQDEP_C)
Person Level Data**

August 2006



| | |
|--|----------------------------|
| SEQN | Target |
| | B(20 Yrs. to 39 Yrs.) |
| Hard Edits | SAS Label |
| | Respondent sequence number |
| English Text: Respondent sequence number. | |
| English Instructions: | |

| | | | | |
|---|----------------------------------|--------------|-------------------|---------------------|
| WTSCI2YR | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CIDI Subsample 2 year MEC Weight | | | |
| English Text: CIDI Subsample 2 year MEC Weight | | | | |
| English Instructions: | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 5216.6934328 to 300649.07751 | Range of Values | 712 | 712 | |
| . | Missing | 138 | 850 | |

| | | | | |
|--|------------------------|---------------------------------------|-------------------|---------------------|
| CIAORDER | | Target | | |
| | | B(20 Yrs. to 39 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| | | Order in which CIDI modules are asked | | |
| English Text: Order in which CIDI modules are asked | | | | |
| English Instructions: | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 | Panic, GAD, Depression | 373 | 373 | |
| 1 | Depression, Panic, GAD | 321 | 694 | |
| . | Missing | 156 | 850 | |

| CIQD001 | Target | | | |
|---|----------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Two weeks sad, empty, depressed? | | | |
| English Text: In the past 12 months, have you had a period of two weeks or longer when you felt sad or depressed or empty? | | | | |
| English Instructions: [THIS IS THE INTRO FOR THE 50% WHO START WITH PANIC: The next questions are about periods of being sad or depressed] | | | | |
| [THIS IS THE INTRO FOR THE 50% WHO START WITH DEPRESSION AND THEN GO TO PANIC AND GAD: The next questions are about emotional problems that many people have. The first question is about periods of being sad or depressed.] (Collection name = E1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 135 | 135 | |
| 2 | No | 556 | 691 | CIQD008 |
| 7 | Refuse | 0 | 691 | CIQD008 |
| 9 | Don't know | 0 | 691 | CIQD008 |
| . | Missing | 159 | 850 | |

| CIQD002 | Target | | | |
|---|---------------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Sad, empty, depressed (SED) frequency | | | |
| English Text: Think of the two weeks during the past 12 months when this feeling was most persistent. During that two-week period, did you feel sad or depressed or empty every day, nearly every day, most days, about half the days, or less than half the days? | | | | |
| English Instructions: (PROBE DK: What=s your best estimate? REPEAT RESPONSE CATEGORIES) (Collection name = E1A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Every Day | 26 | 26 | |
| 2 | Nearly Every Day | 32 | 58 | |
| 3 | Most Days | 35 | 93 | |
| 4 | About Half the Days | 35 | 128 | CIQD008 |
| 5 | Less than Half the Days | 7 | 135 | CIQD008 |
| 7 | Refuse | 0 | 135 | CIQD008 |
| 9 | Don't know | 0 | 135 | CIQD008 |
| . | Missing | 715 | 850 | |

| CIQD003 | Target | | | |
|--|-----------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | SED duration | | | |
| English Text: And did this feeling usually last all day long, most of the day, about half the day, or less than half the day? | | | | |
| English Instructions: (PROBE DK: What's your best estimate? REPEAT RESPONSE CATEGORIES) (Collection name = E1B) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | All Day Long | 27 | 27 | |
| 2 | Most of the Day | 26 | 53 | |
| 3 | About Half | 29 | 82 | |
| 4 | Less than Half | 11 | 93 | CIQD008 |
| 7 | Refuse | 0 | 93 | CIQD008 |
| 9 | Don't know | 0 | 93 | CIQD008 |
| . | Missing | 757 | 850 | |

| CIQD004 | Target | | | |
|---|--------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When SED, also other problems? | | | |
| English Text: Please look at Card C. People who have periods of being sad, depressed, or empty often have other problems on this list at the same time, like changes in sleep or energy or appetite or concentration or feelings of low self-worth. During the time you were sad, depressed or empty, did you also have any of these other problems? | | | | |
| English Instructions: (IVR: HAND CARD C TO R.) (NOTE: COMPLEX QUESTION. READ CAREFULLY.) (Collection name = E1C) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 77 | 77 | |
| 2 | No | 5 | 82 | CIQD008 |
| 7 | Refuse | 0 | 82 | CIQD008 |
| 9 | Don't know | 0 | 82 | CIQD008 |
| . | Missing | 768 | 850 | |

| CIQD005 | Target | | | |
|---|--------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When SED, did you lack energy? | | | |
| English Text: For the next questions, please think of the two weeks during the past 12 months when you were sad, depressed, or empty and had the largest number of these other problems. During that two-week period, did you lack energy or feel tired all the time nearly every day, even when you had not been working very hard? | | | | |
| English Instructions: (IF R SAYS THERE WAS NO SINGLE TWO-WEEK PERIOD THAT STANDS OUT, SAY: Then think of the most recent two weeks of this sort.) (Collection name = E1C_1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 60 | 60 | |
| 2 | No | 16 | 76 | |
| 7 | Refuse | 0 | 76 | |
| 9 | Don't know | 1 | 77 | |
| . | Missing | 773 | 850 | |

| CIQD006 | Target | | | |
|--|----------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When SED, did you lose interest? | | | |
| English Text: During that two-week period, did you lose interest in most things like work, hobbies, and other things you usually enjoy? | | | | |
| English Instructions: (Collection name = E1D) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 58 | 58 | |
| 2 | No | 19 | 77 | |
| 7 | Refuse | 0 | 77 | |
| 9 | Don't know | 0 | 77 | |
| . | Missing | 773 | 850 | |

| CIQD007 | Target | | | |
|--|--|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When SED, were you irritable or grouchy? | | | |
| English Text: During that two-week period, did you feel irritable or grouchy or in a bad mood most of the time? | | | | |
| English Instructions: (Collection name = E1E) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 53 | 53 | CIQD019 |
| 2 | No | 24 | 77 | CIQD019 |
| 7 | Refuse | 0 | 77 | CIQD019 |
| 9 | Don't know | 0 | 77 | CIQD019 |
| . | Missing | 773 | 850 | |

| | | | | |
|--|-------------------------------------|--------------|-------------------|---------------------|
| CIQD008 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Past 12 mos. 2 weeks lost interest? | | | |
| English Text: In the past 12 months, have you had a period of two weeks or longer when you lost interest in most things like work, hobbies, and other things you usually enjoy? | | | | |
| English Instructions: (Collection name = E2) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 44 | 44 | |
| 2 | No | 570 | 614 | CIQD014 |
| 7 | Refuse | 0 | 614 | CIQD014 |
| 9 | Don't know | 0 | 614 | CIQD014 |
| . | Missing | 236 | 850 | |

| CIQD009 | Target | | | |
|---|----------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Loss of interest frequency | | | |
| English Text: Think of the two weeks when this loss of interest was most persistent. During that two-week period, did you lose interest in things every day, nearly every day, most days, about half the days, or less than half the days? | | | | |
| English Instructions: (PROBE DK: What's your best estimate? REPEAT RESPONSE CATEGORIES). (Collection name = E2A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Every Day | 5 | 5 | |
| 2 | Nearly Every Day | 8 | 13 | |
| 3 | Most Days | 10 | 23 | |
| 4 | About Half the Days | 14 | 37 | CIQD014 |
| 5 | Less than Half the Days | 7 | 44 | CIQD014 |
| 7 | Refuse | 0 | 44 | CIQD014 |
| 9 | Don't know | 0 | 44 | CIQD014 |
| . | Missing | 806 | 850 | |

| CIQD010 | Target | | | |
|--|---------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Loss of interest duration | | | |
| English Text: And did this feeling usually last all day long, most of the day, about half the day, or less than half the day? | | | | |
| English Instructions: (PROBE DK: What's your best estimate? REPEAT RESPONSE CATEGORIES). (Collection name = E2B) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | All Day Long | 5 | 5 | |
| 2 | Most of the Day | 7 | 12 | |
| 3 | About half the days | 5 | 17 | |
| 4 | Less than half the days | 6 | 23 | CIQD014 |
| 7 | Refuse | 0 | 23 | CIQD014 |
| 9 | Don't know | 0 | 23 | CIQD014 |
| . | Missing | 827 | 850 | |

| | | | | |
|---|--|--------------|-------------------|---------------------|
| CIQD011 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When lost interest, also other problems? | | | |
| English Text: Please look at Card C again. People who have periods of losing interest in most things often have other problems on this list at the same time. During the time that you lost interest in most things, did you also have any of these other problems? | | | | |
| English Instructions: (NOTE: COMPLEX QUESTION. READ CAREFULLY.) ELSE USE THIS VERSION: (IVR: HAND CARD C TO R.) (NOTE: COMPLEX QUESTION. READ CAREFULLY.) Please look at Card C. People who have periods of losing interest in most things often have other problems on this list at the same time, like changes in sleep or energy or appetite or concentration or feelings of low self-worth. During the time that you lost interest in most things, did you also have any of these other problems? (Collection name = E2C) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 15 | 15 | |
| 2 | No | 2 | 17 | CIQD014 |
| 7 | Refuse | 0 | 17 | CIQD014 |
| 9 | Don't know | 0 | 17 | CIQD014 |
| . | Missing | 833 | 850 | |

| CIQD012 | Target | | | |
|--|--|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When lost interest, did you lack energy? | | | |
| English Text: For the next questions, please think of the two weeks during the past 12 months when you lost interest in most things and had the largest number of these other problems. During that two-week period, did you lack energy or feel tired all the time nearly every day, even when you had not been working very hard? | | | | |
| English Instructions: (IF R SAYS THERE WAS NO SINGLE TWO-WEEK PERIOD THAT STANDS OUT, SAY: Then think of the most recent two weeks of this sort.) (Collection name = E2C_1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 10 | 10 | |
| 2 | No | 5 | 15 | |
| 7 | Refuse | 0 | 15 | |
| 9 | Don't know | 0 | 15 | |
| . | Missing | 835 | 850 | |

| CIQD013 | Target | | | |
|--|--|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When lost interest, irritable/grouchy? | | | |
| English Text: During that two-week period, did you feel irritable or grouchy or in a bad mood most of the time? | | | | |
| English Instructions: (Collection name = E2D) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 12 | 12 | CIQD019 |
| 2 | No | 3 | 15 | CIQD019 |
| 7 | Refuse | 0 | 15 | CIQD019 |
| 9 | Don't know | 0 | 15 | CIQD019 |
| . | Missing | 835 | 850 | |

| CIQD014 | Target | | | |
|--|---------------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Two weeks irritable most of the time? | | | |
| English Text: In the past 12 months, Did you have a period of two weeks or longer when you were irritable or grouchy or in a bad mood most of the time? | | | | |
| English Instructions: (READ SLOWLY) (Collection name = E2_1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 69 | 69 | |
| 2 | No | 530 | 599 | CIDDSCOR |
| 7 | Refuse | 0 | 599 | CIDDSCOR |
| 9 | Don't know | 0 | 599 | CIDDSCOR |
| . | Missing | 251 | 850 | |

| CIQD015 | Target | | | |
|--|-------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Irritable frequency | | | |
| English Text: Think of the two weeks when this bad mood was most persistent. During that two-week period, did you feel irritable or grouchy or in a bad mood every day, nearly every day, most days, about half the days, or less than half the days? | | | | |
| English Instructions: (PROBE DK: What's your best estimate? REPEAT RESPONSE CATEGORIES). (Collection name = E2_1A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Every Day | 1 | 1 | |
| 2 | Nearly Every Day | 13 | 14 | |
| 3 | Most Days | 15 | 29 | |
| 4 | About Half the Days | 24 | 53 | CIDDSCOR |
| 5 | Less than Half the Days | 16 | 69 | CIDDSCOR |
| 7 | Refuse | 0 | 69 | CIDDSCOR |
| 9 | Don't know | 0 | 69 | CIDDSCOR |
| . | Missing | 781 | 850 | |

| CIQD016 | Target | | | |
|--|-------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Irritable duration | | | |
| English Text: And did this feeling usually last all day long, most of the day, about half the day, or less than half the day? | | | | |
| English Instructions: (PROBE DK: What's your best estimate? REPEAT RESPONSE CATEGORIES). (Collection name = E2_1B) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Every Day | 3 | 3 | |
| 2 | Nearly Every Day | 6 | 9 | |
| 3 | Most Days | 16 | 25 | |
| 4 | About Half the Days | 4 | 29 | |
| 5 | Less than Half the Days | 0 | 29 | CIDDSCOR |
| 7 | Refuse | 0 | 29 | CIDDSCOR |
| 9 | Don't know | 0 | 29 | CIDDSCOR |
| . | Missing | 821 | 850 | |

| | | | | |
|--|--------------------------------------|--------------|-------------------|---------------------|
| CIQD017 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When irritable, also other problems? | | | |
| English Text: Please look at Card C again. People who have periods of being irritable or grouchy often have other problems on this list at the same time. During the time you were irritable or grouchy, did you also have any of these other problems? | | | | |
| English Instructions: ELSE USE THIS VERSION: (IVR: HAND CARD C TO R.) (NOTE: COMPLEX QUESTION. READ CAREFULLY.) Please look at Card C. People who have periods of being irritable or grouchy often have other problems on this list at the same time, like changes in sleep or energy or appetite or concentration or feelings of low self-worth. During the time you were irritable or grouchy, did you also have any of these other problems? (Collection name = E2_1C) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 22 | 22 | |
| 2 | No | 3 | 25 | CIDDSCOR |
| 7 | Refuse | 0 | 25 | CIDDSCOR |
| 9 | Don't know | 0 | 25 | CIDDSCOR |
| . | Missing | 825 | 850 | |

| CIQD018 | Target | | | |
|---|--------------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When irritable, did you lack energy? | | | |
| <p>English Text: For the next questions, please think of the two weeks during the past 12 months when you were irritable and had the largest number of these other problems. During that two-week period, did you lack energy or feel tired all the time nearly every day, even when you had not been working very hard?</p> | | | | |
| <p>English Instructions: (IF R SAYS THERE WAS NO SINGLE TWO-WEEK PERIOD THAT STANDS OUT, SAY: Then think of the most recent two weeks of this sort.) (Collection name = E2_1C_1)</p> | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 12 | 12 | |
| 2 | No | 10 | 22 | |
| 7 | Refuse | 0 | 22 | |
| 9 | Don't know | 0 | 22 | |
| . | Missing | 828 | 850 | |

| CIQD019 | Target | | | |
|---|-----------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you have less appetite? | | | |
| English Text: (During that two-week period,) Did you have less appetite than usual almost every day? | | | | |
| English Instructions: (Collection name = E4) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 73 | 73 | |
| 2 | No | 41 | 114 | |
| 7 | Refuse | 0 | 114 | |
| 9 | Don't know | 0 | 114 | |
| . | Missing | 736 | 850 | |

| CIQD020 | Target | | | |
|---|-----------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you lose weight? | | | |
| English Text: (During that two-week period,) Did you lose weight without trying to? | | | | |
| English Instructions: (IF VOL: "On diet" OR "I tried to lose weight," CODE NO) (Collection name = E5) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 51 | 51 | CIQD021 |
| 2 | No | 61 | 112 | |
| 7 | Refuse | 0 | 112 | |
| 9 | Don't know | 2 | 114 | |
| . | Missing | 736 | 850 | |

| | |
|--|-----------------------|
| CIQD020Z | Target |
| | B(20 Yrs. to 39 Yrs.) |
| Hard Edits | SAS Label |
| | CHECK ITEM |
| English Text: | |
| English Instructions: Check Point; IF CIQD019=YES GO TO CIQD025; ELSE GO TO CIQD022 | |

| | |
|---|-----------------------|
| CIQD021 | Target |
| | B(20 Yrs. to 39 Yrs.) |
| Hard Edits | SAS Label |
| | Amount of weight lost |
| English Text: How much weight did you lose during that two week period? | |
| English Instructions: (IF RESPONSE > 100, ENTER 100.) POUNDS LOST (Collection name = E5A) | |

| Code or Value | Description | Count | Cumulative | Skip to Item |
|----------------------|--------------------|--------------|-------------------|---------------------|
| 1 to 26 | Range of Values | 49 | 49 | |
| 100 | 100 + | 0 | 49 | |
| 777 | Refuse | 0 | 49 | |
| 999 | Don't know | 2 | 51 | |
| . | Missing | 799 | 850 | |

| | |
|---|-----------------------|
| CIQD021Z | Target |
| | B(20 Yrs. to 39 Yrs.) |
| Hard Edits | SAS Label |
| | CHECK ITEM |
| English Text: | |
| English Instructions: Check Point; GO TO CIQD025 | |

| | |
|---|---------------------------------|
| CIQD022 | Target |
| | B(20 Yrs. to 39 Yrs.) |
| Hard Edits | SAS Label |
| | Did you have a larger appetite? |
| English Text: Did you have a much larger appetite than is usual for you almost every day during that two weeks? | |
| English Instructions: IF VOL: IF ONLY BECAUSE PREGNANT, CODE NO IF VOL: ONLY REGAINED WEIGHT LOST, CODE NO (Collection name = E6) | |

| Code or Value | Description | Count | Cumulative | Skip to Item |
|----------------------|--------------------|--------------|-------------------|---------------------|
| 1 | Yes | 16 | 16 | |
| 2 | No | 19 | 35 | |
| 7 | Refuse | 0 | 35 | |
| 9 | Don't know | 0 | 35 | |
| . | Missing | 815 | 850 | |

| CIQD023 | Target | | | |
|--|-----------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you gain weight? | | | |
| English Text: (During that two-week period,) Did you gain weight? | | | | |
| English Instructions: (Collection name = E7) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 12 | 12 | |
| 2 | No | 20 | 32 | CIQD025 |
| 7 | Refuse | 0 | 32 | CIQD025 |
| 9 | Don't know | 3 | 35 | CIQD025 |
| . | Missing | 815 | 850 | |

| CIQD024 | Target | | | |
|--|-------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Amount of weight gained | | | |
| English Text: How much did you gain during that two week period? | | | | |
| English Instructions: (IF RESPONSE > 100, ENTER 100.) NUMBER OF POUNDS (Collection name = E7A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 2 to 10 | Range of Values | 12 | 12 | |
| 100 | 100 + | 0 | 12 | |
| 777 | Refuse | 0 | 12 | |
| 999 | Don't know | 0 | 12 | |
| . | Missing | 838 | 850 | |

| | | | | |
|---|--------------------------------|--------------|-------------------|---------------------|
| CIQD025 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | During 2 weeks, trouble sleep? | | | |
| English Text: Did you have a lot more trouble than usual sleeping for these two weeks -- either trouble falling asleep, waking in the middle of the night, or waking up too early? | | | | |
| English Instructions: (Collection name = E8) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 81 | 81 | |
| 2 | No | 33 | 114 | CIQD028 |
| 7 | Refuse | 0 | 114 | CIQD028 |
| 9 | Don't know | 0 | 114 | CIQD028 |
| . | Missing | 736 | 850 | |

| CIQD026 | Target | | | |
|---|----------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Frequency trouble sleeping | | | |
| English Text: Did this happen every night, nearly every night, or less often during those two weeks? | | | | |
| English Instructions: (Collection name = E8_1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Every night | 23 | 23 | |
| 2 | Nearly every night | 46 | 69 | CIQD028 |
| 3 | Less often` | 12 | 81 | CIQD028 |
| 7 | Refuse | 0 | 81 | CIQD028 |
| 9 | Don't know | 0 | 81 | CIQD028 |
| . | Missing | 769 | 850 | |

| CIQD027 | | Target | | |
|--|--------------------|--------------------------------|-------------------|---------------------|
| | | B(20 Yrs. to 39 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| | | Did you wake up 2 hours early? | | |
| English Text: Did you wake up at least two hours before you wanted to every day during these two weeks? | | | | |
| English Instructions: (Collection name = E8A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 18 | 18 | |
| 2 | No | 5 | 23 | |
| 7 | Refuse | 0 | 23 | |
| 9 | Don't know | 0 | 23 | |
| . | Missing | 827 | 850 | |

| CIQD028 | | Target | | |
|---|--------------------|-------------------------|-------------------|---------------------|
| | | B(20 Yrs. to 39 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| | | Did you sleep too much? | | |
| English Text: Did you sleep too much almost every day? | | | | |
| English Instructions: (Collection name = E9) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 34 | 34 | |
| 2 | No | 80 | 114 | |
| 7 | Refuse | 0 | 114 | |
| 9 | Don't know | 0 | 114 | |
| . | Missing | 736 | 850 | |

| | | | | |
|--|------------------------------------|--------------|-------------------|---------------------|
| CIQD029 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Felt bad first woke, better later? | | | |
| English Text: (During that two-week period,) Did you feel particularly bad when you first got up, but felt better later in the day? | | | | |
| English Instructions: (Collection name = E22) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 66 | 66 | |
| 2 | No | 47 | 113 | |
| 7 | Refuse | 0 | 113 | |
| 9 | Don't know | 1 | 114 | |
| . | Missing | 736 | 850 | |

| CIQD030 | Target | | | |
|---|--------------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Was interest in sex less than usual? | | | |
| English Text: (During that two-week period,) Was your interest in sex a lot less than usual? | | | | |
| English Instructions: (Collection name = E23) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 83 | 83 | |
| 2 | No | 30 | 113 | |
| 7 | Refuse | 0 | 113 | |
| 9 | Don't know | 1 | 114 | |
| . | Missing | 736 | 850 | |

| CIQD031 | Target | | | |
|--|------------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Lose ability to enjoy good things? | | | |
| English Text: (During that two-week period,) Did you lose the ability to enjoy having good things happen to you, like winning something or being praised or complimented? | | | | |
| English Instructions: (Collection name = E2_4) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 76 | 76 | |
| 2 | No | 37 | 113 | |
| 7 | Refuse | 0 | 113 | |
| 9 | Don't know | 1 | 114 | |
| . | Missing | 736 | 850 | |

| CIQD032 | Target | | | |
|---|-----------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you talk or move more slowly? | | | |
| English Text: Did you talk or move more slowly than is normal for you almost every day during these two weeks? | | | | |
| English Instructions: (Collection name = E10) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 51 | 51 | |
| 2 | No | 63 | 114 | CIQD034 |
| 7 | Refuse | 0 | 114 | CIQD034 |
| 9 | Don't know | 0 | 114 | CIQD034 |
| . | Missing | 736 | 850 | |

| CIQD033 | Target | | | |
|---|----------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did anyone notice...more slowly? | | | |
| English Text: Did anyone else notice that you were talking or moving slowly? | | | | |
| English Instructions: (Collection name = E10A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 37 | 37 | CIQD036 |
| 2 | No | 14 | 51 | CIQD036 |
| 7 | Refuse | 0 | 51 | CIQD036 |
| 9 | Don't know | 0 | 51 | CIQD036 |
| . | Missing | 799 | 850 | |

| CIQD034 | Target | | | |
|---|------------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you have to move all the time? | | | |
| English Text: (During that two-week period,) Did you have to be moving all the time -- that is, you couldn't sit still and paced up and down or couldn't keep your hands still when sitting? | | | | |
| English Instructions: (Collection name = E11) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 26 | 26 | |
| 2 | No | 37 | 63 | CIQD036 |
| 7 | Refuse | 0 | 63 | CIQD036 |
| 9 | Don't know | 0 | 63 | CIQD036 |
| . | Missing | 787 | 850 | |

| CIQD035 | Target | | | |
|--|--|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did anyone notice moving all the time? | | | |
| English Text: Did anyone else notice that you were moving all the time? | | | | |
| English Instructions: (Collection name = E11A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 15 | 15 | |
| 2 | No | 10 | 25 | |
| 7 | Refuse | 0 | 25 | |
| 9 | Don't know | 1 | 26 | |
| . | Missing | 824 | 850 | |

| CIQD036 | Target | | | |
|--|--|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you feel worthless nearly every day? | | | |
| English Text: (During that two-week period,) Did you feel worthless nearly every day? | | | | |
| English Instructions: (Collection name = E12) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 48 | 48 | |
| 2 | No | 66 | 114 | |
| 7 | Refuse | 0 | 114 | |
| 9 | Don't know | 0 | 114 | |
| . | Missing | 736 | 850 | |

| | | | | |
|--|-----------------------|--------------|-------------------|---------------------|
| CIQD037 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you feel guilty? | | | |
| English Text: Did you feel guilty? | | | | |
| English Instructions: (Collection name = E12A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 56 | 56 | |
| 2 | No | 58 | 114 | |
| 7 | Refuse | 0 | 114 | |
| 9 | Don't know | 0 | 114 | |
| . | Missing | 736 | 850 | |

| | | | | |
|---|-----------------------|--|--|--|
| CIQD037Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD036 OR CIQD037 = YES, GO TO CIQD038. ELSE GO TO CIQD041 | | | | |

| CIQD038 | Target | | | |
|--|---------------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Was there reason worthless or guilty? | | | |
| English Text: Was there a particular reason for feeling (worthless/or/guilty)? | | | | |
| English Instructions: (PROBE: Any other reason?) RECORD OPEN-ENDED RESPONSE (Collection name = E12B) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Respondent Gives Reason | 54 | 54 | |
| 5 | No Particular Reason | 21 | 75 | CIQD041 |
| 7 | Refuse | 0 | 75 | CIQD041 |
| 9 | Don't know | 0 | 75 | CIQD041 |
| . | Missing | 775 | 850 | |

| CIQD040 | | Target | | |
|---|--------------------|--|-------------------|---------------------|
| | | B(20 Yrs. to 39 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| | | Was R worthless/guilty about depression? | | |
| English Text: Was R worthless/guilty about depression? | | | | |
| English Instructions: INTERVIEWER QUERY: DID R FEEL WORTHLESS OR GUILTY ONLY ABOUT BEING IMPAIRED BY DEPRESSION? (Collection name = E12C) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 8 | 8 | |
| 2 | No | 46 | 54 | |
| 7 | Refuse | 0 | 54 | |
| 9 | Don't know | 0 | 54 | |
| . | Missing | 796 | 850 | |

| CIQD041 | | Target | | |
|--|--------------------|-------------------------------------|-------------------|---------------------|
| | | B(20 Yrs. to 39 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| | | Did you feel not as good as others? | | |
| English Text: Did you feel that you were not as good as other people? | | | | |
| English Instructions: (Collection name = E13) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 60 | 60 | |
| 2 | No | 54 | 114 | |
| 7 | Refuse | 0 | 114 | |
| 9 | Don't know | 0 | 114 | |
| . | Missing | 736 | 850 | |

| CIQD042 | Target | | | |
|--|---------------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you have so little confidence...? | | | |
| English Text: Did you have so little self-confidence that you wouldn't try to have your say about anything? | | | | |
| English Instructions: (Collection name = E14) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 43 | 43 | |
| 2 | No | 71 | 114 | |
| 7 | Refuse | 0 | 114 | |
| 9 | Don't know | 0 | 114 | |
| . | Missing | 736 | 850 | |

| CIQD043 | Target | | | |
|---|---------------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you have...trouble concentrating? | | | |
| English Text: (During that two-week period,) Did you have a lot more trouble concentrating than is normal for you? | | | | |
| English Instructions: (Collection name = E15) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 88 | 88 | |
| 2 | No | 26 | 114 | CIQD045 |
| 7 | Refuse | 0 | 114 | |
| 9 | Don't know | 0 | 114 | |
| . | Missing | 736 | 850 | |

| | | | | |
|--|--|--------------|-------------------|---------------------|
| CIQD044 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Unable to read...couldn't pay attention? | | | |
| English Text: Were you unable to read things that usually interest you or watch television or movies you usually like because you couldn't pay attention to them? | | | | |
| English Instructions: (Collection name = E15A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 48 | 48 | |
| 2 | No | 39 | 87 | |
| 7 | Refuse | 0 | 87 | |
| 9 | Don't know | 1 | 88 | |
| . | Missing | 762 | 850 | |

| CIQD045 | Target | | | |
|---|------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did thoughts come slower...? | | | |
| English Text: (During that two-week period,) Did your thoughts come much slower than usual or seem mixed up? | | | | |
| English Instructions: (Collection name = E16) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 63 | 63 | |
| 2 | No | 50 | 113 | |
| 7 | Refuse | 0 | 113 | |
| 9 | Don't know | 1 | 114 | |
| . | Missing | 736 | 850 | |

| CIQD046 | Target | | | |
|--|--|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Were you unable to make up your mind...? | | | |
| English Text: (During that two-week period,) Were you unable to make up your mind about things you ordinarily have no trouble deciding about? | | | | |
| English Instructions: (Collection name = E17) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 59 | 59 | |
| 2 | No | 53 | 112 | |
| 7 | Refuse | 0 | 112 | |
| 9 | Don't know | 2 | 114 | |
| . | Missing | 736 | 850 | |

| CIQD047 | Target | | | |
|--|----------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you think a lot about death? | | | |
| English Text: (During that two-week period,) Did you think a lot about death? | | | | |
| English Instructions: (Collection name = E18) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 36 | 36 | |
| 2 | No | 78 | 114 | |
| 7 | Refuse | 0 | 114 | |
| 9 | Don't know | 0 | 114 | |
| . | Missing | 736 | 850 | |

| CIQD048 | Target | | | |
|--|---|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you think about committing suicide? | | | |
| English Text: Did you feel so low you thought a lot about committing suicide? | | | | |
| English Instructions: (Collection name = E19) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 22 | 22 | |
| 2 | No | 92 | 114 | CIQD050Z |
| 7 | Refuse | 0 | 114 | |
| 9 | Don't know | 0 | 114 | |
| . | Missing | 736 | 850 | |

| CIQD049 | Target | | | |
|--|------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you make a suicide plan? | | | |
| English Text: Did you make a suicide plan? | | | | |
| English Instructions: (Collection name = E19A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 3 | 3 | |
| 2 | No | 19 | 22 | |
| 7 | Refuse | 0 | 22 | |
| 9 | Don't know | 0 | 22 | |
| . | Missing | 828 | 850 | |

| CIQD050 | Target | | | |
|---|--------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you attempt suicide? | | | |
| English Text: Did you attempt suicide? | | | | |
| English Instructions: (Collection name = E20) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 2 | 2 | |
| 2 | No | 20 | 22 | |
| 7 | Refuse | 0 | 22 | |
| 9 | Don't know | 0 | 22 | |
| . | Missing | 828 | 850 | |

| | | | | |
|--|-----------------------|--|--|--|
| CIQD050Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF NONE OF THE FOLLOWING ARE TRUE: {(CIQD005 = YES) OR (CIQD006 = YES) OR (CIQD007 = YES) OR (CIQD012 = YES) OR (CIQD013 = YES) OR (CIQD018 = YES) OR (CIQD019 = YES) OR (CIQD021 >= 10) OR (CIQD022 = YES) OR (CIQD024 >= 10) OR (CIQD026 IN 1,2) OR (CIQD028 = YES) OR (CIQD029 = YES) OR (CIQD030 = YES) OR (CIQD031 = YES) OR (CIQD032 = YES) OR (CIQD034 = YES) OR (CIQD040 = NO) OR (CIQD041 = YES) OR (CIQD042 = YES) OR (CIQD043 = YES) OR (CIQD045 = YES) OR (CIQD046 = YES) OR (CIQD047 = YES) OR (CIQD048 = YES)} THEN GO TO CIDDSCOR; ELSE CONTINUE | | | | |

| | | | | |
|---|-------------------------------|--------------|-------------------|---------------------|
| CIQD051 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | No. weeks SED... past 12 mos? | | | |
| English Text: I'm going to review what you told me. You had a period of two weeks or longer when you (stem phrase)?You also had other problems at the same time. For example, you (fill with first 3 phrases endorsed on list), and had other problems you mentioned. | | | | |
| English Instructions: (NOTE: COMPLEX QUESTION. READ CAREFULLY.) Think about all the weeks in the past 12 months when you (stem phrase) and also had (this/these/some of these)other problem(s) nearly every day. About how many weeks of this sort out of 52 did you have in the past 12 months? NUMBER OF WEEKS (Collection name = E66) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 2 to 52 | Range of Values | 111 | 111 | |
| 77 | Refuse | 0 | 111 | |
| 99 | Don't know | 3 | 114 | |
| . | Missing | 736 | 850 | |

| | | | | |
|--|-----------------------|--|--|--|
| CIQD051Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD051 LT 2 THEN GO TO CIDDSCOR; IF CIQD051 IN (2, 3, 51, 52) THEN GO TO CIQD054; IF CIQD051 IN (DK, REF) THEN GO TO CIQD053; ELSE CONTINUE | | | | |

| | | | | |
|---|-------------------------------|--------------|-------------------|---------------------|
| CIQD052 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Was it 1 period or 2 or more? | | | |
| English Text: Was this one period of ("NUMBER FROM CIQD051 weeks") in a row, or was it two or more periods that add up to ("NUMBER FROM CIQD051 weeks"). | | | | |
| English Instructions: (Collection name = E24) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | One Period | 22 | 22 | CIQD054 |
| 2 | Two or more periods | 51 | 73 | CIQD064 |
| 7 | Refuse | 0 | 73 | CIQD083 |
| 9 | Don't know | 0 | 73 | CIQD083 |
| . | Missing | 777 | 850 | |

| | | | | |
|---|-----------------------------------|--------------|-------------------|---------------------|
| CIQD053 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Was it one period or two or more? | | | |
| English Text: Was this one period or was it two or more periods? | | | | |
| English Instructions: (Collection name = E24_1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | One Period | 1 | 1 | |
| 2 | Two or more periods | 1 | 2 | CIQD064 |
| 7 | Refuse | 0 | 2 | CIQD083 |
| 9 | Don't know | 1 | 3 | CIQD083 |
| . | Missing | 847 | 850 | |

| | | | | |
|---|--|--------------|-------------------|---------------------|
| CIQD054 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Is the period still going on or ended? | | | |
| English Text: Is this period still going on or has it ended? | | | | |
| English Instructions: (Collection name = E24A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Still going on | 20 | 20 | |
| 5 | Ended | 41 | 61 | |
| 7 | Refuse | 0 | 61 | |
| 9 | Don't know | 0 | 61 | |
| . | Missing | 789 | 850 | |

| | | | | |
|---|-----------------------|--|--|--|
| CIQD054Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD054 IN (1, DK, REF) AND CIQD051 IN (52, DK, REF) THEN GO TO CIQD055; IF CIQD054 IN (1, DK, REF) AND CIQD051 IN (2-51) THEN GO TO CIQD059; IF CIQD054 = 5 AND CIQD051 IN (48-52) THEN GO TO CIQD058; IF CIQD054 = 5 AND CIQD051 IN (27-47) THEN GO TO CIQD056; IF CIQD054 =5 AND CIQD051 < 27 THEN GO TO CIQD057 | | | | |

| | | | | |
|--|------------------------------------|--------------|-------------------|---------------------|
| CIQD055 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | How long has period been going on? | | | |
| English Text: How long has this period been going on so far? | | | | |
| English Instructions: (IF RESPONSE = DK, ENTER 998, IF RESPONSE = REF, ENTER 999). # OF MONTHS OR YEARS (Collection name = E24B) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 72 to 180 | Range of Values | 4 | 4 | |
| 777 | Refuse | 0 | 4 | |
| 999 | Don't know | 0 | 4 | |
| . | Missing | 846 | 850 | |

| | | | | |
|--|-----------------------|--|--|--|
| CIQD055Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: GO TO CIQD059 | | | | |

| | | | | |
|---|--|--------------|-------------------|---------------------|
| CIQD056 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When did it end -- past month or more? | | | |
| English Text: When did it end -- in the past month or more than a month ago? | | | | |
| English Instructions: (Collection name = E24C) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Past Month | 0 | 0 | CIQD059 |
| 2 | More than a month ago | 1 | 1 | CIQD058 |
| 7 | Refuse | 0 | 1 | CIQD058 |
| 9 | Don't know | 0 | 1 | CIQD058 |
| . | Missing | 849 | 850 | |

| | | | | |
|--|--|--------------|-------------------|---------------------|
| CIQD057 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Ended past month, 6 months, more than 6? | | | |
| English Text: When did it end -- in the past month, past six months, or more than six months ago? | | | | |
| English Instructions: (Collection name = E24D) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Month | 12 | 12 | CIQD059 |
| 2 | 6 Months | 14 | 26 | CIQD059 |
| 3 | More than 6 months ago | 12 | 38 | |
| 7 | Refuse | 0 | 38 | |
| 9 | Don't know | 0 | 38 | |
| . | Missing | 812 | 850 | |

| | | | | |
|---|----------------------------------|--------------|-------------------|---------------------|
| CIQD058 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | How long period before it ended? | | | |
| English Text: How long did this period go on before it ended? (Answer has been converted to weeks) | | | | |
| English Instructions: #OF WEEKS OR MONTHS OR YEARS (Collection name = E24E) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 to 48 | Range of Values | 15 | 15 | |
| 7777 | Refuse | 0 | 15 | |
| 9999 | Don't know | 0 | 15 | |
| . | Missing | 835 | 850 | |

| | | | | |
|--|--------------------------------------|--------------|-------------------|---------------------|
| CIQD059 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did period begin after someone died? | | | |
| English Text: Did this period begin just after someone close to you died? | | | | |
| English Instructions: (Collection name = E24F) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 16 | 16 | |
| 2 | No | 45 | 61 | CIQD061 |
| 7 | Refuse | 0 | 61 | CIQD061 |
| 9 | Don't know | 0 | 61 | CIQD061 |
| . | Missing | 789 | 850 | |

| CIQD060 | Target | | | |
|--|-----------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Who was it that died? | | | |
| English Text: Who was it that died? | | | | |
| English Instructions: (IF NEC: Who was it that died?) IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION. (Collection name = E24G) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Spouse | 0 | 0 | CIQD095 |
| 2 | Child | 2 | 2 | CIQD095 |
| 3 | Parent/Sibling | 7 | 9 | CIQD095 |
| 4 | Other Relative | 5 | 14 | CIQD095 |
| 5 | Nonrelative | 2 | 16 | CIQD095 |
| 7 | Refuse | 0 | 16 | CIQD095 |
| 9 | Don't know | 0 | 16 | CIQD095 |
| . | Missing | 834 | 850 | |

| CIQD061 | Target | | | |
|---|--------------------------------------|-------|------------|--------------|
| | F(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did period begin w_in month of baby? | | | |
| English Text: Did this period begin within a month of you having a baby? | | | | |
| English Instructions: (Collection name = E24H) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 3 | 3 | CIQD095 |
| 2 | No | 42 | 45 | |
| 7 | Refuse | 0 | 45 | |
| 9 | Don't know | 0 | 45 | |
| . | Missing | 805 | 850 | |

| CIQD062 | Target | | | |
|---|---|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did anything else happen before period? | | | |
| English Text: Did anything else happen shortly before this period began that might have caused it to happen? | | | | |
| English Instructions: (Collection name = E24I) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 24 | 24 | CIQD095 |
| 2 | No | 18 | 42 | CIQD095 |
| 7 | Refuse | 0 | 42 | CIQD095 |
| 9 | Don't know | 0 | 42 | CIQD095 |
| . | Missing | 808 | 850 | |

| | | | | |
|---|-----------------------|--------------|-------------------|---------------------|
| CIQD064 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | How many periods? | | | |
| English Text: How many periods? | | | | |
| English Instructions: NUMBER OF PERIODS (Collection name = E25) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 2 to 10 | Range of Values | 49 | 49 | |
| 77 | Refuse | 1 | 50 | |
| 99 | Don't know | 2 | 52 | |
| . | Missing | 798 | 850 | |

| | | | | |
|---|-----------------------|--|--|--|
| CIQD064Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD064 = 2 THEN GO TO CIQD065; IF CIQD064 > 2 THEN GO TO CIQD083 | | | | |

| | | | | |
|--|-----------------------------|--------------|-------------------|---------------------|
| CIQD065 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Number of weeks before end? | | | |
| English Text: How many weeks, months or years did the first of these periods go on before it ended? (Answers has been converted to weeks) | | | | |
| English Instructions: (Collection name = E25A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 2 to 20 | Range of Values | 13 | 13 | |
| 77 | Refuse | 0 | 13 | |
| 99 | Don't know | 0 | 13 | |
| . | Missing | 837 | 850 | |

| | | | | |
|--|---------------------------------------|--------------|-------------------|---------------------|
| CIQD066 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did 1st per begin after someone died? | | | |
| English Text: Did this first period begin just after someone close to you died? | | | | |
| English Instructions: (Collection name = E25B) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 4 | 4 | |
| 2 | No | 9 | 13 | CIQD068 |
| 7 | Refuse | 0 | 13 | CIQD068 |
| 9 | Don't know | 0 | 13 | CIQD068 |
| . | Missing | 837 | 850 | |

| CIQD067 | Target | | | |
|--|-----------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Who was it that died? | | | |
| English Text: Who was it that died? | | | | |
| English Instructions: (IF NEC: Who was it that died?) IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION. (Collection name = E25G) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Spouse | 0 | 0 | CIQD071 |
| 2 | Child | 0 | 0 | CIQD071 |
| 3 | Parent/Sibling | 0 | 0 | CIQD071 |
| 4 | Other Relative | 4 | 4 | CIQD071 |
| 5 | Nonrelative | 0 | 4 | CIQD071 |
| 7 | Refuse | 0 | 4 | CIQD071 |
| 9 | Don't know | 0 | 4 | CIQD071 |
| . | Missing | 846 | 850 | |

| CIQD068 | Target | | | |
|---|--------------------------------------|-------|------------|--------------|
| | F(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did period begin w_in month of baby? | | | |
| English Text: Did this period begin within a month of you having a baby? | | | | |
| English Instructions: (Collection name = E25D) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 1 | 1 | CIQD071 |
| 2 | No | 8 | 9 | |
| 7 | Refuse | 0 | 9 | |
| 9 | Don't know | 0 | 9 | |
| . | Missing | 841 | 850 | |

| CIQD069 | Target | | | |
|---|---|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did anything else happen before period? | | | |
| English Text: Did anything else happen shortly before this period began that might have caused it to happen? | | | | |
| English Instructions: (Collection name = E25E) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 3 | 3 | |
| 2 | No | 5 | 8 | |
| 7 | Refuse | 0 | 8 | |
| 9 | Don't know | 0 | 8 | |
| . | Missing | 842 | 850 | |

| | | | | |
|---|-------------------------------|--------------|-------------------|---------------------|
| CIQD071 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | How long between two periods? | | | |
| English Text: How much time went on between the end of this first period and the beginning of the second? (Answer has been converted to weeks) | | | | |
| English Instructions: #OF WEEKS OR MONTHS OR YEARS (Collection name = E25G) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 7 to 180 | Range of Values | 12 | 12 | |
| 7777 | Refuse | 0 | 12 | |
| 9999 | Don't know | 1 | 13 | |
| . | Missing | 837 | 850 | |

| | | | | |
|---|-----------------------|--|--|--|
| CIQD071Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD071 < 8 WEEKS THEN GO TO CIQD074; ELSE CONTINUE | | | | |

| CIQD072 | Target | | | |
|---|-------------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you feel ok two months between? | | | |
| English Text: Did you feel OK for at least two months between the two periods? | | | | |
| English Instructions: (Collection name = E25H) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 7 | 7 | |
| 2 | No | 0 | 7 | |
| 7 | Refuse | 0 | 7 | |
| 9 | Don't know | 0 | 7 | |
| . | Missing | 843 | 850 | |

| CIQD073 | Target | | | |
|--|---------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you have two mos. enjoy...? | | | |
| English Text: Between these two periods, did you have at least two months when you were able to carry out your daily activities and enjoy being with other people as much as before the first period began? | | | | |
| English Instructions: (Collection name = E25I) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 6 | 6 | |
| 2 | No | 1 | 7 | |
| 7 | Refuse | 0 | 7 | |
| 9 | Don't know | 0 | 7 | |
| . | Missing | 843 | 850 | |

| CIQD074 | Target | | | |
|---|-------------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Is second period going on or ended? | | | |
| English Text: Is the second period still going on now or has it ended? | | | | |
| English Instructions: (Collection name = E25O) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Still going on | 8 | 8 | |
| 5 | Ended | 5 | 13 | CIQD078 |
| 7 | Refuse | 0 | 13 | CIQD078 |
| 9 | Don't know | 0 | 13 | CIQD078 |
| . | Missing | 837 | 850 | |

| CIQD075 | Target | | | |
|--|--------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | How long went on before ended? | | | |
| English Text: How long did it go on before it ended? (Answer has been converted to weeks) | | | | |
| English Instructions: # OF DAYS OR WEEKS OR MONTHS (Collection name = E25P) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 7 to 30 | Range of Values | 8 | 8 | |
| 7777 | Refuse | 0 | 8 | |
| 9999 | Don't know | 0 | 8 | |
| . | Missing | 842 | 850 | |

| | |
|---|-----------------------|
| CIQD075Z | Target |
| | B(20 Yrs. to 39 Yrs.) |
| Hard Edits | SAS Label |
| | CHECK ITEM |
| English Text: | |
| English Instructions: IF CIQD065-MAX(CIQD051-CIQD075,0)>0 THEN GO TO CIQD078; IF CIQD065-MAX(CIQD051-CIQD075,0)<=0 AND MAX(CIQD051-CIQD075,0)+CIQD071+CIQD075>=48 WEEKS THEN GO TO CIQD078; IF CIQD065-MAX(CIQD051-CIQD075,0)<=0 AND MAX(CIQD051-CIQD075,0)+CIQD071+CIQD075 IN (27 WEEKS-47 WEEKS) THEN GO TO CIQD076; IF CIQD065-MAX(CIQD051-CIQD075,0)<=0 AND MAX(CIQD051-CIQD075,0)+CIQD071+CIQD075 < 27 THEN GO TO CIQD077 | |

| CIQD076 | Target | | | |
|---|--|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did it end past mos. or more than month? | | | |
| English Text: When did it end -- in the past month or more than a month ago? | | | | |
| English Instructions: (Collection name = E25Q) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Past Month | 1 | 1 | CIQD078 |
| 2 | More than a month ago | 1 | 2 | CIQD078 |
| 7 | Refuse | 0 | 2 | CIQD078 |
| 9 | Don't know | 0 | 2 | CIQD078 |
| . | Missing | 848 | 850 | |

| CIQD077 | Target | | | |
|--|--|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did it end past mos, past 6 mos or more? | | | |
| English Text: When did it end -- in the past month, past six months, or more than six months ago? | | | | |
| English Instructions: (Collection name = E25R) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Month | 1 | 1 | |
| 2 | Past 6 Months | 2 | 3 | |
| 3 | More than 6 months | 0 | 3 | |
| 7 | Refuse | 0 | 3 | |
| 9 | Don't know | 0 | 3 | |
| . | Missing | 847 | 850 | |

| | | | | |
|---|--|--------------|-------------------|---------------------|
| CIQD078 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did 2nd period begin after someone died? | | | |
| English Text: Did this second period begin just after someone close to you died? | | | | |
| English Instructions: (Collection name = E25J) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 0 | 0 | |
| 2 | No | 13 | 13 | CIQD080 |
| 7 | Refuse | 0 | 13 | CIQD080 |
| 9 | Don't know | 0 | 13 | CIQD080 |
| . | Missing | 837 | 850 | |

| CIQD079 | Target | | | |
|--|-----------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Who was it that died? | | | |
| English Text: < blank > | | | | |
| English Instructions: (IF NEC: Who was it that died?) IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION. (Collection name = E25K) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Spouse | 0 | 0 | CIQD095 |
| 2 | Child | 0 | 0 | CIQD095 |
| 3 | Parent/Sibling | 0 | 0 | CIQD095 |
| 4 | Other Relative | 0 | 0 | CIQD095 |
| 5 | Nonrelative | 0 | 0 | CIQD095 |
| 7 | Refuse | 0 | 0 | CIQD095 |
| 9 | Don't know | 0 | 0 | CIQD095 |
| . | Missing | 850 | 850 | |

| | | | | |
|--|--|--------------|-------------------|---------------------|
| CIQD080 | Target | | | |
| | F(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did 2nd period begin w_in a mon of baby? | | | |
| English Text: Did this second period begin within a month of you having a baby? | | | | |
| English Instructions: (Collection name = E25L) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 0 | 0 | CIQD095 |
| 2 | No | 6 | 6 | |
| 7 | Refuse | 0 | 6 | |
| 9 | Don't know | 0 | 6 | |
| . | Missing | 844 | 850 | |

| | | | | |
|--|---|--------------|-------------------|---------------------|
| CIQD081 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Anything else happen before 2nd period? | | | |
| English Text: Did anything else happen shortly before this second period began that might have caused it to happen? | | | | |
| English Instructions: (Collection name = E25M) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 5 | 5 | CIQD095 |
| 2 | No | 8 | 13 | CIQD095 |
| 7 | Refuse | 0 | 13 | CIQD095 |
| 9 | Don't know | 0 | 13 | CIQD095 |
| . | Missing | 837 | 850 | |

| | | | | |
|---|---|--------------|-------------------|---------------------|
| CIQD083 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | What is longest no weeks felt that way? | | | |
| English Text: In the past 12 months, what was the longest number of weeks in a row that you felt that way? | | | | |
| English Instructions: (RECORD FRACTIONAL RESPONSE ROUNDED TO LOWEST NUMBER OF WEEKS.) #NUMBER OF WEEKS (Collection name = E26X) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 to 12 | Range of Values | 37 | 37 | |
| 77 | Refuse | 1 | 38 | |
| 99 | Don't know | 2 | 40 | |
| . | Missing | 810 | 850 | |

| | | | | |
|--|--|--------------|-------------------|---------------------|
| CIQD084 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Is most recent of 4 periods on or ended? | | | |
| English Text: Is the most recent of these (NUMBER FROM CIQD064) periods still going on or has it ended? | | | | |
| English Instructions: (Collection name = E26) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Still going on | 16 | 16 | CIQD087 |
| 5 | Ended | 24 | 40 | |
| 7 | Refuse | 0 | 40 | CIQD087 |
| 9 | Don't know | 0 | 40 | CIQD087 |
| . | Missing | 810 | 850 | |

| | | | | |
|---|-----------------------|--|--|--|
| CIQD085Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD051 IN (48-52) THEN GO TO CIQD087; IF CIQD051 IN (27-47) THEN GO TO CIQD085; IF CIQD051 < 27 THEN GO TO CIQD086 | | | | |

| | | | | |
|---|-------------------------------------|--------------|-------------------|---------------------|
| CIQD085 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Ended past mos. or more than month? | | | |
| English Text: When did it end -- in the past month or more than a month ago? | | | | |
| English Instructions: (Collection name = E26A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Past Month | 2 | 2 | CIQD087 |
| 2 | More than a month ago | 0 | 2 | CIQD087 |
| 7 | Refuse | 0 | 2 | CIQD087 |
| 9 | Don't know | 0 | 2 | CIQD087 |
| . | Missing | 848 | 850 | |

| CIQD086 | Target | | | |
|--|-------------------------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Ended past mos, six months or more? | | | |
| English Text: When did it end -- in the past month, past six months, or more than six months ago? | | | | |
| English Instructions: (Collection name = E26B) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Month | 13 | 13 | |
| 2 | Past 6 Months | 6 | 19 | |
| 3 | More than 6 months | 3 | 22 | |
| 7 | Refuse | 0 | 22 | |
| 9 | Don't know | 0 | 22 | |
| . | Missing | 828 | 850 | |

| CIQD087 | Target | | | |
|---|--|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | In between 4 periods, ok for 2 months? | | | |
| English Text: In between any of these periods were you feeling OK for at least two months? | | | | |
| English Instructions: (Collection name = E26C) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes, I did not feel O.K. | 29 | 29 | |
| 2 | No, felt O.K. between episodes | 10 | 39 | CIQD089 |
| 7 | Refuse | 0 | 39 | |
| 9 | Don't know | 1 | 40 | |
| . | Missing | 810 | 850 | |

| CIQD088 | Target | | | |
|--|---------------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Between periods, 2 months activities? | | | |
| English Text: Between these periods, did you have at least two months when you were able to carry out your daily activities and enjoy being with other people as much as before the first period began? | | | | |
| English Instructions: (Collection name = E26E) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 28 | 28 | |
| 2 | No | 1 | 29 | |
| 7 | Refuse | 0 | 29 | |
| 9 | Don't know | 1 | 30 | |
| . | Missing | 820 | 850 | |

| CIQD089 | Target | | | |
|--|---|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did 4 periods occur after someone died? | | | |
| English Text: Think about what was going on in your life shortly before each of your periods of (being sad, depressed, or empty/losing interest in most things/being irritable) in the past 12 months. Did any of these periods occur just after someone close to you died? | | | | |
| English Instructions: (Collection name = E26G) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 8 | 8 | |
| 2 | No | 32 | 40 | CIQD092 |
| 7 | Refuse | 0 | 40 | CIQD092 |
| 9 | Don't know | 0 | 40 | CIQD092 |
| . | Missing | 810 | 850 | |

| CIQD090 | Target | | | |
|--|-----------------------|--------------|-------------------|---------------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Who was it that died? | | | |
| English Text: Who was it that died? | | | | |
| English Instructions: IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION. (Collection name = E26H) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Spouse | 1 | 1 | |
| 2 | Child | 0 | 1 | |
| 3 | Parent/Sibling | 1 | 2 | |
| 4 | Other Relative | 5 | 7 | |
| 5 | Nonrelative | 1 | 8 | |
| 7 | Refuse | 0 | 8 | |
| 9 | Don't know | 0 | 8 | |
| . | Missing | 842 | 850 | |

| | | | | |
|--|-------------------------------------|--------------|-------------------|---------------------|
| CIQD091 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Were all 4 periods after the death? | | | |
| English Text: Were all these periods shortly after the death of someone close to you? | | | | |
| English Instructions: (Collection name = E26I) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 3 | 3 | CIQD095 |
| 2 | No | 5 | 8 | |
| 7 | Refuse | 0 | 8 | |
| 9 | Don't know | 0 | 8 | |
| . | Missing | 842 | 850 | |

| | | | | |
|--|--------------------------------------|--------------|-------------------|---------------------|
| CIQD092 | Target | | | |
| | F(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did periods occur w_in mos. of baby? | | | |
| English Text: Did any of these periods in the past 12 months occur within a month of you having a baby? | | | | |
| English Instructions: (Collection name = E26J) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 4 | 4 | |
| 2 | No | 20 | 24 | |
| 7 | Refuse | 0 | 24 | |
| 9 | Don't know | 0 | 24 | |
| . | Missing | 826 | 850 | |

| CIQD093 | Target | | | |
|--|--------------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Anything else happen before periods? | | | |
| English Text: Did anything else happen shortly before any of these periods began that might have caused them to happen? | | | | |
| English Instructions: (Collection name = E26L) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 21 | 21 | |
| 2 | No | 16 | 37 | |
| 7 | Refuse | 0 | 37 | |
| 9 | Don't know | 0 | 37 | |
| . | Missing | 813 | 850 | |

| CIQD095 | Target | | | |
|---|--------------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | SED interfere with daily life? | | | |
| English Text: Think about how your life and activities were affected in the past 12 months by your (being sad, depressed or empty/losing interest in most things/being irritable) and other related problems. Did these problems interfere with your life or activities -- a lot, some, a little, or not at all? | | | | |
| English Instructions: (Collection name = E27) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | A lot | 33 | 33 | |
| 2 | Some | 45 | 78 | |
| 3 | A little | 27 | 105 | |
| 4 | Not at all | 8 | 113 | CIQD109 |
| 7 | Refused | 0 | 113 | |
| 9 | Don't know | 1 | 114 | |
| . | Missing | 736 | 850 | |

| | | | | |
|---|------------------------------|--------------|-------------------|---------------------|
| CIQD096 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | No. days totally unable work | | | |
| English Text: About how many days in the past 12 months were you totally unable for the whole day to work and carry out your other normal activities because of (being sad, depressed or empty/losing interest in most things/being irritable) and other related problems? You can answer with any number between 0 and 365. | | | | |
| English Instructions: NUMBER OF DAYS (Collection name = E27A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 to 365 | Range of Values | 104 | 104 | |
| 777 | Refused | 0 | 104 | |
| 999 | Don't know | 2 | 106 | |
| . | Missing | 744 | 850 | |

| | | | | |
|--|-----------------------|--|--|--|
| CIQD096Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD096 = 0 GO TO CIQD099. IF CIQD096 = 1, GO TO CIQD097. ELSE GO TO CIQD098 | | | | |

| | | | | |
|--|-----------------------------|--------------|-------------------|---------------------|
| CIQD097 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did day occur past 4 weeks? | | | |
| English Text: Did that day occur in the past 4 weeks? | | | | |
| English Instructions: (Collection name = E27A_1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 2 | 2 | CIQD099 |
| 2 | No | 1 | 3 | CIQD099 |
| 7 | Refuse | 0 | 3 | CIQD099 |
| 9 | Don't know | 0 | 3 | CIQD099 |
| . | Missing | 847 | 850 | |

| | | | | |
|---|-------------------------------|--------------|-------------------|---------------------|
| CIQD098 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | No. days totally past 4 weeks | | | |
| English Text: How many of these days occurred in the past 4 weeks? | | | | |
| English Instructions: NUMBER OF DAYS (Collection name = E27A_2) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 to 99 | Range of Values | 38 | 38 | |
| 777 | Refuse | 0 | 38 | |
| 999 | Don't know | 0 | 38 | |
| . | Missing | 812 | 850 | |

| | | | | |
|---|---------------------------------|--------------|-------------------|---------------------|
| CIQD099 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | No. days cutback amount/quality | | | |
| English Text: [Not counting the day(s) you were totally unable to work,] about how many (other) days in the past 12 months did you cut back either on the amount of work you got done or on the quality of your work because of these problems? (Again, you can use any number between 0 and 365.) | | | | |
| English Instructions: NUMBER OF DAYS (Collection name = E27B) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 to 265 | Range of Values | 99 | 99 | |
| 777 | Refuse | 0 | 99 | |
| 999 | Don't know | 4 | 103 | |
| . | Missing | 747 | 850 | |

| | | | | |
|--|-----------------------|--|--|--|
| CIQD099Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD099 = 0 GO TO CIQD103. ELSE CONTINUE | | | | |

| | | | | |
|--|-----------------------------------|--------------|-------------------|---------------------|
| CIQD100 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Describe quantity/quality cutback | | | |
| English Text: Thinking about (that cutback day/those # FROM CIQD099 cutback days), on a scale from 0 to 100 where zero means being totally unable to work and 100 means working a full high quality day, what number describes the quantity and quality of your work during (that day/those # FROM CIQD099 days)? | | | | |
| English Instructions: RECORD NUMBER BETWEEN 0 AND 100 (Collection name = E27C) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 to 100 | Range of Values | 58 | 58 | |
| 777 | Refuse | 0 | 58 | |
| 999 | Don't know | 2 | 60 | |
| . | Missing | 790 | 850 | |

| | | | | |
|---|-----------------------|--|--|--|
| CIQD100Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD100 = 1 GO TO CIQD101. ELSE GO TO CIQD102 | | | | |

| | | | | |
|--|---------------------------------|--------------|-------------------|---------------------|
| CIQD101 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did cutback occur past 4 weeks? | | | |
| English Text: Did that cutback day occur in the past 4 weeks? | | | | |
| English Instructions: (Collection name = E27C_1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 0 | 0 | CIQD103 |
| 2 | No | 1 | 1 | CIQD103 |
| 7 | Refuse | 0 | 1 | CIQD103 |
| 9 | Don't know | 0 | 1 | CIQD103 |
| . | Missing | 849 | 850 | |

| | | | | |
|---|-------------------------------|--------------|-------------------|---------------------|
| CIQD102 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | No. days cutback past 4 weeks | | | |
| English Text: How many of these cutback days occurred in the past 4 weeks? | | | | |
| English Instructions: NUMBER OF DAYS (Collection name = E27C_2) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 to 20 | Range of Values | 25 | 25 | |
| 77 | Refuse | 0 | 25 | |
| 99 | Don't know | 1 | 26 | |
| . | Missing | 824 | 850 | |

| | | | | |
|---|---------------------------------|--------------|-------------------|---------------------|
| CIQD103 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | No. days extreme effort to work | | | |
| English Text: [Not counting the day(s) you were totally unable to work /(or)/(you cut back on work,] about how many (other) days in the past 12 months did it take an extreme effort to perform up to your usual level at work or at your other normal daily activities because of (being sad/losing interest/being irritable)? (Again, you can use any number between 0 and 365.) | | | | |
| English Instructions: NUMBER OF DAYS (Collection name = E27X) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 to 280 | Range of Values | 100 | 100 | |
| 777 | Refuse | 0 | 100 | |
| 999 | Don't know | 2 | 102 | |
| . | Missing | 748 | 850 | |

| | | | | |
|---|-----------------------|--|--|--|
| CIQD103Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD103 = 0 GO TO CIQD106. IF CIQD103 = 1 GO TO CIQD104. ELSE GO TO CIQD105 | | | | |

| | | | | |
|--|---------------------------------|--------------|-------------------|---------------------|
| CIQD104 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did extreme occur past 4 weeks? | | | |
| English Text: Did that day occur in the past 4 weeks? | | | | |
| English Instructions: (Collection name = E27X_1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 0 | 0 | CIQD106 |
| 2 | No | 0 | 0 | CIQD106 |
| 7 | Refuse | 0 | 0 | CIQD106 |
| 9 | Don't know | 0 | 0 | CIQD106 |
| . | Missing | 850 | 850 | |

| | | | | |
|---|-------------------------------|--------------|-------------------|---------------------|
| CIQD105 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | No. days extreme past 4 weeks | | | |
| English Text: How many of these days occurred in the past 4 weeks? | | | | |
| English Instructions: NUMBER OF DAYS (Collection name = E27X_2) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 to 28 | Range of Values | 20 | 20 | |
| 77 | Refuse | 0 | 20 | |
| 99 | Don't know | 1 | 21 | |
| . | Missing | 829 | 850 | |

| | | | | |
|---|----------------------------------|--------------|-------------------|---------------------|
| CIQD106 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | No. days interfere personal life | | | |
| English Text: And about how many days in the past 12 months did (being sad/losing interest/being irritable) and other related problems seriously interfere with your personal or social life? (Again, you can use any number between 0 and 365.) | | | | |
| English Instructions: NUMBER OF DAYS (Collection name = E27D) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 to 365 | Range of Values | 104 | 104 | |
| 777 | Refuse | 0 | 104 | |
| 999 | Don't know | 2 | 106 | |
| . | Missing | 744 | 850 | |

| | | | | |
|---|-----------------------|--|--|--|
| CIQD106Z | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | CHECK ITEM | | | |
| English Text: | | | | |
| English Instructions: IF CIQD106 = 0 GO TO CIQD109. IF CIQD106 = 1 GO TO CIQD107. ELSE GO TO CIQD108 | | | | |

| | | | | |
|--|-----------------------------------|--------------|-------------------|---------------------|
| CIQD107 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did interfere occur past 4 weeks? | | | |
| English Text: Did that day occur in the past 4 weeks? | | | | |
| English Instructions: (Collection name = E27D_1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 0 | 0 | CIQD109 |
| 2 | No | 0 | 0 | CIQD109 |
| 7 | Refuse | 0 | 0 | CIQD109 |
| 9 | Don't know | 0 | 0 | CIQD109 |
| . | Missing | 850 | 850 | |

| | | | | |
|---|---------------------------------|--------------|-------------------|---------------------|
| CIQD108 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | No. days interfere past 4 weeks | | | |
| English Text: How many of these days occurred in the past 4 weeks? | | | | |
| English Instructions: NUMBER OF DAYS (Collection name = E27D_2) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 to 28 | Range of Values | 79 | 79 | |
| 77 | Refuse | 0 | 79 | |
| 99 | Don't know | 1 | 80 | |
| . | Missing | 770 | 850 | |

| CIQD109 | | Target | | |
|--|--------------------|----------------------------|-------------------|---------------------|
| | | B(20 Yrs. to 39 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| | | Did you tell MD about SED? | | |
| English Text: In the past 12 months, did you tell a doctor about (feeling sad, empty, or depressed/losing interest in most things/being irritable)? | | | | |
| English Instructions: (Collection name = E28) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 36 | 36 | CIQDPHA |
| 2 | No | 77 | 113 | |
| 7 | Refuse | 0 | 113 | |
| 9 | Don't know | 0 | 113 | |
| . | Missing | 737 | 850 | |

| CIQDPA | | Target | | |
|--|--------------------|------------------------------------|-------------------|---------------------|
| | | B(20 Yrs. to 39 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| | | Did you tell other prof about SED? | | |
| English Text: Did you tell other professional about being sad, empty, or depressed? | | | | |
| English Instructions: (Collection name = E28PA1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 5 | 5 | CIQDPD |
| 2 | No | 72 | 77 | |
| 7 | Refuse | 0 | 77 | |
| 9 | Don't know | 0 | 77 | |
| . | Missing | 773 | 850 | |

| | | | | |
|--|----------------------------------|--------------|-------------------|---------------------|
| CIQDPB | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did you take medication for SED? | | | |
| English Text: Did you take medication for being sad, empty, or depressed? | | | | |
| English Instructions: (Collection name = E28PA2) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 1 | 1 | CIQDPD |
| 2 | No | 71 | 72 | |
| 7 | Refuse | 0 | 72 | |
| 9 | Don't know | 0 | 72 | |
| . | Missing | 778 | 850 | |

| | | | | |
|--|------------------------------|--------------|-------------------|---------------------|
| CIQDPC | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Did SED interfere with life? | | | |
| English Text: Did being sad, empty, or depressed interfere with life? | | | | |
| English Instructions: (Collection name = E28PA3) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 12 | 12 | |
| 2 | No | 59 | 71 | CIDDPRB |
| 7 | Refuse | 0 | 71 | CIDDPRB |
| 9 | Don't know | 0 | 71 | CIDDPRB |
| . | Missing | 779 | 850 | |

| | | | | |
|---|-------------------------------------|--------------|-------------------|---------------------|
| CIQDPD | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Was SED result of physical illness? | | | |
| English Text: Was being sad, empty, or depressed result of physical illness? | | | | |
| English Instructions: (Collection name = E28PB1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 2 | 2 | CIQDPN |
| 2 | No | 16 | 18 | |
| 7 | Refuse | 0 | 18 | |
| 9 | Don't know | 0 | 18 | |
| . | Missing | 832 | 850 | |

| | | | | |
|--|------------------------|--------------|-------------------|---------------------|
| CIQDPE | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Was SED result of MDA? | | | |
| English Text: Was being sad, empty, or depressed result of medicine, drugs, or alcohol? | | | | |
| English Instructions: (Collection name = E28PC1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 1 | 1 | |
| 2 | No | 15 | 16 | CIDDPRB |
| 7 | Refuse | 0 | 16 | CIDDPRB |
| 9 | Don't know | 0 | 16 | CIDDPRB |
| . | Missing | 834 | 850 | |

| | | | | |
|--|----------------------------|--------------|-------------------|---------------------|
| CIQDPF | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Was SED always result MDA? | | | |
| English Text: Was being sad, empty, or depressed always result of medicine, drugs, alcohol? | | | | |
| English Instructions: (Collection name = E28PC2) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 1 | 1 | CIDDPRB |
| 2 | No | 0 | 1 | CIDDPRB |
| 7 | Refuse | 0 | 1 | CIDDPRB |
| 9 | Don't know | 0 | 1 | CIDDPRB |
| . | Missing | 849 | 850 | |

| | | | | |
|--|--------------------------------|--------------|-------------------|---------------------|
| CIQDPHA | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Doctor said nerves causing SED | | | |
| English Text: Doctor said nerves causing being sad, empty, or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Doctor said nerves causing SED | 2 | 2 | |
| 77 | Refused | 2 | 4 | |
| 99 | Don't know | 2 | 6 | |
| . | Missing | 844 | 850 | |

| | | | | |
|---|--------------------------------|--------------|-------------------|---------------------|
| CIQDPHB | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Doctor said stress causing SED | | | |
| English Text: Doctor said stress causing being sad, empty or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 2 | Doctor said stress causing SED | 5 | 5 | |
| . | Missing | 845 | 850 | |

| | | | | |
|--|---------------------------------|--------------|-------------------|---------------------|
| CIQDPHC | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Doctor said anxiety causing SED | | | |
| English Text: Doctor said anxiety causing being sad, empty or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 3 | Doctor said anxiety causing SED | 7 | 7 | |
| . | Missing | 843 | 850 | |

| | | | | |
|---|------------------------------------|--------------|-------------------|---------------------|
| CIQDPHD | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Doctor said depression causing SED | | | |
| English Text: Doctor said depression causing being sad, empty or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 4 | Doctor said depression causing SED | 21 | 21 | |
| . | Missing | 829 | 850 | |

| | | | | |
|---|--|--------------|-------------------|---------------------|
| CIQDPHE | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Doctor said mental illness causing SED | | | |
| English Text: Doctor said mental illness causing being sad, empty or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 5 | Doctor said mental illness causing SED | 1 | 1 | |
| . | Missing | 849 | 850 | |

| | | | | |
|---|------------------------------------|--------------|-------------------|---------------------|
| CIQDPHF | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Doctor said medication causing SED | | | |
| English Text: Doctor said medication causing being sad, empty or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 6 | Doctor said medication causing SED | 1 | 1 | |
| . | Missing | 849 | 850 | |

| | | | | |
|--|-------------------------------|--------------|-------------------|---------------------|
| CIQDPHG | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Doctor said drugs causing SED | | | |
| English Text: Doctor said drugs causing being sad, empty or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 7 | Doctor said drugs causing SED | 0 | 0 | |
| . | Missing | 850 | 850 | |

| | | | | |
|--|---------------------------------|--------------|-------------------|---------------------|
| CIQDPHH | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Doctor said alcohol causing SED | | | |
| English Text: Doctor said alcohol causing being sad, empty or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 8 | Doctor said alcohol causing SED | 0 | 0 | |
| . | Missing | 850 | 850 | |

| | | | | |
|---|--|--------------|-------------------|---------------------|
| CIQDPHI | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Doctor said physical illness causing SED | | | |
| English Text: Doctor said physical illness causing being sad, empty or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 9 | Doctor said physical illness causing SED | 1 | 1 | |
| . | Missing | 849 | 850 | |

| | | | | |
|--|---|---|-------------------|---------------------|
| CIQDPHJ | | Target | | |
| | | B(20 Yrs. to 39 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| | | Doctor said physical injury causing SED | | |
| English Text: Doctor said physical injury causing being sad, empty or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 10 | Doctor said physical injury causing SED | 2 | 2 | |
| . | Missing | 848 | 850 | |

| | | | | |
|--|---|--------------------------------------|-------------------|---------------------|
| CIQDPHK | | Target | | |
| | | B(20 Yrs. to 39 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| | | Doctor gave no definite diag for SED | | |
| English Text: Doctor gave no definite diagnosis for being sad, empty or depressed | | | | |
| English Instructions: (Collection name = E28PD1) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 11 | Doctor gave no definite diagnosis for SED | 3 | 3 | |
| . | Missing | 847 | 850 | |

| | |
|--|-----------------------|
| CIQDPHZZ | Target |
| | B(20 Yrs. to 39 Yrs.) |
| Hard Edits | SAS Label |
| | CHECK ITEM |
| English Text: | |
| <p>English Instructions: IF ANY OF CIQDPHA - CIQDPHE SELECTED THEN SKIP TO CIDDPRB; ELSE IF ANY OF CIQDPHI - CIQDPHH SELECTED THEN SKIP TO CIQDPJ; ELSE IF ANY OF CIQDPHI - CIQDPHJ SELECTED THEN SKIP TO CIQDPN; ELSE IF CIQDPHK SELECTED THEN SKIP TO CIQDPQ; ELSE IF REFUSED OR DON'T KNOW THEN SKIP TO CIDDPRB.</p> | |

| CIQDPJ | Target | | | |
|--|----------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Was SED always result MDA? | | | |
| English Text: Was being sad, empty or depressed always result of medicine, drugs, or alcohol? | | | | |
| English Instructions: (Collection name = E28PD3) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 1 | 1 | CIDDPRB |
| 2 | No | 0 | 1 | |
| 7 | Refuse | 0 | 1 | |
| 9 | Don't know | 0 | 1 | |
| . | Missing | 849 | 850 | |

| | | | | |
|---|---------------------------------|--------------|-------------------|---------------------|
| CIQDPK | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Was SED result of phys illness? | | | |
| English Text: When being sad, empty, or depressed was not result of medicine, drugs, or alcohol, was being sad, empty, or depressed always the result of physical illness? | | | | |
| English Instructions: (Collection name = E28PD4) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 0 | 0 | CIDDPRB |
| 2 | No | 0 | 0 | CIDDPRB |
| 7 | Refuse | 0 | 0 | CIDDPRB |
| 9 | Don't know | 0 | 0 | CIDDPRB |
| . | Missing | 850 | 850 | |

| | | | | |
|---|------------------------------|--------------|-------------------|---------------------|
| CIQDPQ | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Anything abnormal when exam? | | | |
| English Text: Anything abnormal when exam? | | | | |
| English Instructions: (Collection name = E28PD10) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Nothing abnormal | 4 | 4 | CIDDPRB |
| 2 | No examination | 1 | 5 | CIDDPRB |
| 5 | Something abnormal | 0 | 5 | |
| 7 | Refused | 0 | 5 | CIDDPRB |
| 9 | Don't know | 2 | 7 | CIDDPRB |
| . | Missing | 843 | 850 | |

| | | | | |
|--|--|--------------|-------------------|---------------------|
| CIQDPN | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Was SED always result of phys illness? | | | |
| English Text: Was being sad, empty, or depressed always result of physical illness? | | | | |
| English Instructions: (Collection name = E28PD8) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 0 | 0 | CIDDPRB |
| 2 | No | 1 | 1 | |
| 7 | Refuse | 0 | 1 | |
| 9 | Don't know | 0 | 1 | |
| . | Missing | 849 | 850 | |

| | | | | |
|---|---|--------------|-------------------|---------------------|
| CIQDPO | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | When not ill, was SED always result MDA ? | | | |
| English Text: When being sad, empty, or depressed not result of physical illness, was being sad, empty, or depressed always result of medicine, drugs, or alcohol? | | | | |
| English Instructions: (Collection name = E28PD7) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 2 | 2 | |
| 2 | No | 1 | 3 | |
| 7 | Refuse | 0 | 3 | |
| 9 | Don't know | 0 | 3 | |
| . | Missing | 847 | 850 | |

| | | | | |
|--|-------------------------------|--------------|-------------------|---------------------|
| CIDDPRB | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | General cause of problem | | | |
| English Text: General cause of problem | | | | |
| English Instructions: (Collection name = E28PRB) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | No Problem | 0 | 0 | |
| 2 | Not clinically significant | 59 | 59 | |
| 3 | Medication, Drugs, or Alcohol | 2 | 61 | |
| 4 | Physical cause | 2 | 63 | |
| 5 | Psychiatric Symptom | 50 | 113 | |
| . | Missing | 737 | 850 | |

| | | | | |
|--|------------------------------|--------------|-------------------|---------------------|
| CIQD110 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Remember age when first SED? | | | |
| English Text: Can you remember your exact age the very first time in your life you had a period lasting two weeks or longer of (being sad, depressed, or empty/losing interest in most things/being irritable) and having some of the other problems we reviewed? | | | | |
| English Instructions: (Collection name = E29) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 85 | 85 | |
| 2 | No | 20 | 105 | CIQD112 |
| 7 | Refuse | 0 | 105 | CIQD112 |
| 9 | Don't know | 8 | 113 | CIQD112 |
| . | Missing | 737 | 850 | |

| | | | | |
|---|----------------------------------|--------------|-------------------|---------------------|
| CIQD111 | Target | | | |
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | How old were you when first SED? | | | |
| English Text: How old were you when first SED? | | | | |
| English Instructions: YEARS OF AGE (Collection name = E29A) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 2 to 39 | Range of Values | 85 | 85 | |
| 77 | Refuse | 0 | 85 | |
| . | Missing | 765 | 850 | |

| | |
|---|-----------------------|
| CIQD111Z | Target |
| | B(20 Yrs. to 39 Yrs.) |
| Hard Edits | SAS Label |
| | CHECK ITEM |
| English Text: | |
| English Instructions: GO TO CIDDSCOR | |

| | |
|---|-------------------------------|
| CIQD112 | Target |
| | B(20 Yrs. to 39 Yrs.) |
| Hard Edits | SAS Label |
| | About how old when first SED? |
| English Text: About how old were you the first time you had a period of this sort? | |
| English Instructions: YEARS OF AGE (Collection name = E29_1) | |

| Code or Value | Description | Count | Cumulative | Skip to Item |
|----------------------|--------------------|--------------|-------------------|---------------------|
| 7 to 37 | Range of Values | 22 | 22 | |
| 77 | Refuse | 2 | 24 | |
| 99 | Don't know | 4 | 28 | |
| . | Missing | 822 | 850 | |

| CIQD113 | Target | | | |
|---|----------------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Earliest age period of SED | | | |
| English Text: What's the earliest age you can clearly remember a particular time when you had a period of this sort? | | | | |
| English Instructions: YEARS OF AGE (Collection name = E29_2) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 7 to 37 | Range of Values | 23 | 23 | |
| 77 | Refuse | 0 | 23 | |
| 99 | Don't know | 5 | 28 | |
| . | Missing | 822 | 850 | |

| CIDDSCOR | Target | | | |
|---|-----------------------|-------|------------|--------------|
| | B(20 Yrs. to 39 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Depression Score | | | |
| English Text: Depression Score | | | | |
| English Instructions: (Collection name = DEP) | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Positive Diagnosis | 50 | 50 | |
| 5 | Negative Diagnosis | 641 | 691 | |
| . | Missing | 159 | 850 | |