

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
All codes	36,120	14,721	21,398	2,018	10,480	9,686	13,935	8,085	8,004	13,273	6,758
001-139	1,265	606	659	110	190	345	621	268	272	520	205
003	*8	*	*	*	*	*	*	*	*	*	*
003.0	*6	*	*	*	*	*	*	*	*	*	*
008	186	72	113	25	22	46	94	43	45	63	35
008.4	102	38	64	*	*8	26	66	26	28	30	18
008.45	100	37	63	*	*7	25	66	26	27	30	18
008.6	*8	*	*	*7	*	*	*	*	*	*	*
008.61	*5	*	*	*5	-	-	*	*	*	*	-
008.8	74	30	44	16	14	18	27	15	15	28	16
009	24	10	13	*	*	10	*7	*6	*	12	*
009.0	16	*8	*9	*	*	*7	*6	*	*	*9	*
009.1	*6	*	*	*	*	*	*	*	*	*	*
011	*6	*	*	-	*	*	*	*	*	*	-
034	10	*	*5	*	*	*	*	*	*	*	*
034.0	*9	*	*	*	*	*	*	*	*	*	*
038	718	343	375	13	64	197	444	156	160	306	97
038.0	29	16	13	*	*	*8	18	*5	*8	*9	*8
038.1	61	34	27	*	*6	16	39	16	15	27	*
038.10	11	*5	*6	-	*	*	*8	*	*	*6	*
038.11	14	*9	*6	-	*	*5	*9	*	*5	*6	*
038.12	25	14	11	*	*	*6	17	*6	*5	13	*
038.19	10	*6	*	-	*	*	*5	*	*	*	*
038.2	18	*7	11	*	*	*8	*7	*	*	*8	*
038.4	117	45	73	*	11	26	80	29	24	47	17
038.40	13	*	*8	*	*	*	*9	*5	*	*	*
038.42	62	18	44	*	*6	13	42	14	14	23	11
038.43	*7	*5	*	-	*	*	*	*	*	*	*
038.49	32	15	17	*	*	*6	23	*8	*7	15	*
038.8	13	*	*9	*	*	*	*6	*	*	*5	*
038.9	475	234	241	*8	44	134	288	101	104	208	62
041	16	11	*5	*6	*5	*	*	*	*	*5	*8
041.1	*7	*5	*	*	*	*	*	*	*	*	*
042	39	29	10	-	23	16	*	*9	*7	20	*
046	*6	*6	*	-	-	*	*	*	*	*	-
047	27	10	17	*9	12	*	*	*	*5	11	*8
047.9	22	*7	15	*	12	*	*	*	*	10	*5
053	17	*7	10	*	*	*	11	*	*5	*5	*
053.9	*9	*	*5	*	*	*	*5	*	*	*	*
054	*7	*	*	*	*	*	*	*	*	*	*
070	35	23	12	*	*8	23	*	*5	*6	13	11
070.4	*5	*	*	-	*	*5	*	*	*	*	*
070.5	*9	*6	*	*	*	*6	*	*	*	*	*
070.54	*7	*6	*	-	*	*	*	*	*	*	*
070.7	13	*9	*	-	*	*9	*	*	*	*	*
070.70	*8	*5	*	-	*	*	*	*	*	*	*
070.71	*5	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
079	62	31	32	31	14	*6	11	15	10	27	11
079.9	58	28	30	28	14	*6	10	12	*9	26	11
079.99	58	28	30	28	14	*6	10	12	*9	26	11
112	41	16	25	*8	*	*8	22	*6	*8	16	11
112.0	12	*7	*6	*6	*	*	*	*	*	*	*
112.2	*7	*	*6	-	*	*	*5	*	*	*	*
112.4	*6	*	*	-	*	*	*	*	*	*	-
112.8	12	*7	*	-	*	*	*8	*	*	*5	*
112.84	11	*7	*	-	*	*	*7	*	*	*5	*
135	*7	*	*6	*	*	*	*	*	*	*	-
140-239	1,724	713	1,010	35	239	703	747	373	363	635	353
141	*9	*7	*	-	*	*5	*	*	*	*	*
142	*5	*	*	-	-	*	*	*	*	*	*
142.0	*5	*	*	-	-	*	*	*	*	*	*
150	18	13	*	-	*	*8	*7	*	*	12	*
150.9	*9	*7	*	-	*	*	*	-	*	*8	*
151	20	12	*8	-	*	*8	11	*7	*	*8	*
151.0	*5	*	*	-	*	*	*	*	*	*	*
151.9	*5	*	*	-	*	*	*	*	*	*	*
153	111	43	68	-	*5	38	68	24	23	46	18
153.1	*7	*	*6	-	-	*	*	*	*	*	*
153.2	*8	*	*5	-	*	*5	*	*	*	*	*
153.3	24	11	12	-	*	*7	15	*6	*8	*6	*
153.4	24	*8	16	-	*	*6	17	*5	*	10	*
153.6	16	*6	10	-	*	*	*9	*	*	*5	*
153.9	21	*7	13	-	*	*8	12	*	*	15	*
154	53	35	18	-	*	25	25	12	13	20	*8
154.0	18	14	*	-	*	*8	*9	*6	*	*7	*
154.1	32	20	13	-	*	14	15	*7	*9	12	*
155	27	15	11	*	*	13	*9	*7	*	*9	*7
155.0	18	11	*7	*	*	11	*6	*6	*	*7	*
155.1	*5	*	*	-	*	*	*	*	*	*	*
156	13	*	*9	-	-	*	*8	*	*	*6	*
156.0	*7	*	*5	-	-	*	*	*	*	*	*
157	48	23	25	-	*	14	31	20	10	14	*
157.0	24	13	12	-	*	*7	15	11	*5	*6	*
157.8	10	*	*5	-	*	*	*7	*	*	*	*
157.9	10	*	*7	-	*	*	*6	*	*	*	*
158	*7	*	*	*	*	*	*	*	*	*	*
161	*6	*	*	-	*	*	*	*	*	*	*
162	164	84	79	-	*	60	101	42	39	61	23
162.2	10	*	*8	-	*	*	*6	*	*	*	*
162.3	52	29	24	-	*	17	35	16	13	17	*8
162.4	*6	*	*	-	-	*	*	*	*	*	*
162.5	28	15	13	-	*	*8	19	10	*6	*7	*
162.8	13	*5	*7	-	*	*7	*5	*	*	*6	*
162.9	54	30	24	-	*	21	33	*6	14	26	*8

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
171	12	*8	*	-	*	*	*8	*7	*	*	*
173	*5	*	*	-	*	*	*	*	*	*	*
174	88	-	88	-	13	42	34	20	16	32	20
174.4	10	-	10	-	*	*	*	*	*	*	*
174.8	24	-	24	-	*	11	10	12	*	*	*
174.9	43	-	43	-	*	21	18	*	10	18	11
180	12	-	12	-	*5	*	*	*	*	*6	*
180.9	10	-	10	-	*	*	*	*	*	*	*
182	35	-	35	-	*	19	14	12	*9	11	*
182.0	35	-	35	-	*	19	14	12	*9	11	*
183	24	-	24	*	*	*6	16	*	*	12	*
183.0	23	-	23	*	*	*6	16	*	*	11	*
185	102	102	-	-	*	57	44	13	21	23	44
188	36	30	*6	-	*	*8	27	*6	10	13	*7
188.8	11	*8	*	-	*	*	*8	*	*	*	*
188.9	10	*8	*	-	-	*	*8	*	*	*5	*
189	58	34	23	*	*	23	29	*6	14	19	19
189.0	49	28	21	*	*	23	22	*	13	16	16
189.2	*6	*	*	-	*	*	*5	*	*	*	*
191	43	16	27	*	*9	22	*8	*6	17	16	*
191.1	*9	*	*5	-	*	*	*	*	*	*	*
191.2	*6	*	*	*	*	*	*	*	*	*	*
191.3	*8	*	*5	-	*	*6	*	*	*	*	*
191.9	*9	*	*7	*	*	*6	*	*	*	*	*
193	27	*6	21	-	10	12	*5	*8	*	*7	*9
196	16	*6	10	-	*	*8	*7	*	*	*5	*
196.0	*8	*	*	-	*	*	*	*	*	*	*
197	102	41	61	*	10	38	52	21	23	40	19
197.0	29	10	19	*	*	*8	16	*8	*	14	*
197.6	22	*8	15	*	*	*9	*9	*	*5	*8	*5
197.7	35	16	19	*	*	17	16	*5	10	14	*6
197.8	*5	*	*	-	-	*	*	*	*	*	*
198	96	45	51	*	10	38	48	22	22	41	12
198.3	37	18	19	*	*5	13	18	10	11	11	*5
198.5	39	21	18	*	*	16	19	*7	*7	22	*
198.8	10	*	*9	-	*	*	*6	*	*	*	*
198.89	*9	*	*8	-	*	*	*6	*	*	*	*
199	*7	*	*	-	*	*	*	*	*	*	*
200	11	*9	*	-	*	*8	*	*	*	*	*5
200.2	*5	*5	-	-	-	*5	-	-	-	*	*
201	*7	*	*	*	*6	*	*	*	*	*	*
201.9	*6	*	*	*	*6	*	*	*	*	*	*
202	28	14	15	*	*	*9	17	*7	*8	*8	*5
202.8	26	12	14	-	*	*8	15	*6	*7	*8	*
202.80	14	*7	*8	-	*	*6	*6	*	*6	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
202.83	*7	*	*	-	-	*	*5	*	*	*	*
203	25	14	10	-	*	*9	15	*	*	12	*7
203.0	25	14	10	-	*	*9	15	*	*	12	*7
203.00	23	13	10	-	*	*8	15	*	*	12	*6
204	30	17	13	14	*	*	12	*6	*5	*7	12
204.0	18	*7	11	14	*	*	*	*	*	*	11
204.00	*6	*	*	*	*	*	*	*	*	*	*
204.01	11	*	*8	10	*	-	*	*	*	*	*9
204.1	11	10	*	-	-	*	10	*	*	*	*
204.10	10	*9	*	-	-	*	*8	*	*	*	*
205	16	*9	*7	*	*	*	*9	*	*	*8	*
205.0	11	*6	*5	*	*	*	*6	*	*	*5	*
205.00	10	*5	*	*	*	*	*5	*	*	*5	*
205.1	*5	*	*	-	*	*	*	*	*	*	*
205.10	*5	*	*	-	*	*	*	*	*	*	*
209	13	*	11	-	*	*5	*5	*	*	*8	*
211	51	26	25	*	*5	12	31	15	11	17	*9
211.1	*5	*	*	-	*	*	*	*	*	*	*
211.3	35	19	16	*	*	*9	21	*9	*8	14	*
218	178	-	178	*	81	93	*	34	34	68	42
218.0	16	-	16	-	*7	10	-	*	*	*9	*
218.1	38	-	38	*	16	22	*	10	*7	12	*9
218.2	12	-	12	-	*	*7	-	*	*	*	*
218.9	112	-	112	-	54	54	*	16	23	43	30
220	30	-	30	*	13	12	*	*	*7	17	*
225	27	*7	19	*	*	12	12	10	*6	*	*6
225.2	20	*	15	-	*	10	*9	*9	*	*	*
227	16	*6	10	-	*	*9	*	*	*	*6	*
227.3	*8	*	*	-	*	*	*	*	*	*	*
233	19	*	18	-	*5	11	*	*	*	*7	*
233.0	10	-	10	-	*	*6	*	*	*	*	*
233.1	*8	-	*8	-	*	*	*	*	*	*	*
235	*8	*	*	-	*	*	*5	*	*	*	*
236	*7	*	*	-	*	*	*	*	*	*	*
237	*7	*	*	*	*	*	*	*	*	*	*
238	13	*8	*5	*	*	*	10	*	*	*6	*
238.7	11	*7	*	*	*	*	10	*	*	*	*
238.75	*8	*5	*	-	*	*	*7	*	*	*	*
239	16	*9	*7	-	*	*6	*8	*	*	*8	*
239.6	*5	*	*	-	*	*	*	*	*	*	*
240-279	1,865	750	1,115	132	394	621	719	451	352	676	386
241	26	*6	20	-	*	14	*8	*7	*	11	*
241.0	*7	*	*6	-	*	*	*	*	*	*	*
241.1	17	*	14	-	*	*9	*7	*	*	*9	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
242	12	*	10	-	*6	*	*	*	*	*	*
244	31	*6	25	*	*6	11	12	*	*8	13	*8
244.9	28	*6	23	*	*5	10	12	*	*7	13	*6
246	*7	*	*	-	*	*	*	*	*	*	*
250	688	313	375	23	169	256	240	166	130	245	147
250.0	185	70	115	*8	33	65	79	32	29	79	45
250.00	115	41	74	*	14	44	57	23	14	46	32
250.01	11	*6	*5	*6	*	*	*	*	*	*	*
250.02	54	21	33	*	11	21	22	*8	10	27	*9
250.1	147	70	77	15	86	36	11	24	39	52	32
250.12	41	19	21	*	17	18	*5	*9	*9	11	12
250.13	101	48	53	14	65	17	*5	15	28	39	19
250.2	18	*9	*9	*	*	10	*	*6	*	*8	*
250.20	*7	*	*	*	*	*	*	*	*	*	*
250.22	*9	*	*	-	*	*6	*	*	*	*	*
250.4	25	12	13	-	*	11	*9	*8	*5	*6	*6
250.40	15	*6	*8	-	*	*5	*7	*	*	*	*
250.42	*6	*	*	-	*	*	*	*	*	*	*
250.6	92	38	55	-	23	41	29	28	14	35	16
250.60	54	22	32	-	*8	24	21	18	*9	17	*9
250.61	*7	*	*5	-	*6	*	*	*	*	*	*
250.62	23	12	11	-	*	13	*7	*7	*	*9	*
250.63	*8	*	*6	-	*6	*	*	*	*	*5	*
250.7	41	22	18	-	*	19	21	14	*6	12	*8
250.70	31	17	14	-	*	13	18	10	*5	10	*6
250.72	*8	*5	*	-	-	*6	*	*	*	*	*
250.8	162	87	75	*	15	64	82	49	31	47	36
250.80	115	61	53	*	*7	43	64	35	18	32	30
250.81	10	*	*6	*	*	*	*	*	*	*	*
250.82	33	19	13	-	*	14	15	*9	10	12	*
250.9	*9	*	*7	-	*	*6	*	*	*	*	*
250.92	*7	*	*5	-	*	*	*	*	*	*	*
251	10	*5	*	*	*	*	*5	*	*	*	*
251.1	*5	*	*	*	*	*	*	*	*	*	*
252	*8	*	*5	-	*	*	*	*	*	*	*
252.0	*7	*	*	-	*	*	*	*	*	*	*
252.01	*5	*	*	-	*	*	*	*	*	*	*
253	24	13	12	*	*	*5	14	*	*9	*7	*6
253.6	20	10	11	*	*	*5	14	*	*7	*6	*5
255	11	*	*7	*	*	*	*	*	*	*6	*
255.4	*7	*	*	-	*	*	*	*	*	*	*
255.41	*7	*	*	-	*	*	*	*	*	*	*
263	19	*7	12	-	*	*8	10	*	*	*7	*
263.9	18	*6	12	-	*	*8	*9	*	*	*6	*
266	*5	*	*	-	*	*	*	*	*	*	*
266.2	*5	*	*	-	*	*	*	*	*	*	*
270	10	*	*8	*7	*	*	*	*	-	*7	*
270.3	*6	*	*6	*6	-	-	-	-	-	*	*
272	59	27	32	-	*8	33	17	20	*6	18	14
272.0	21	*8	13	-	*	12	*7	*8	*	*6	*6
272.4	32	17	16	-	*	19	10	11	*	10	*7

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
274	20	15	*5	-	*	*8	11	*6	*	*6	*5
274.0	12	*9	*	-	*	*5	*6	*	*	*	*
274.9	*7	*5	*	-	*	*	*	*	*	*	*
275	34	14	20	*	*	12	16	*7	*7	15	*
275.0	*6	*	*	*	-	*	*	*	*	*	-
275.4	24	*7	17	-	*	*8	15	*	*6	11	*
275.42	14	*	*9	-	-	*	*9	*	*	*8	*
275.49	*6	*	*	-	-	*	*	*	*	*	*
276	644	253	391	84	85	150	326	146	132	237	130
276.0	23	*8	15	*	*	*	16	*6	*6	*6	*
276.1	155	60	95	*	10	33	107	30	30	50	45
276.2	25	*9	15	*	*9	*7	*	*	*	*9	11
276.5	318	126	193	71	34	63	150	78	68	121	51
276.50	10	*	*7	-	*	*	*	*	*	*6	*
276.51	305	121	184	71	32	59	143	77	67	112	49
276.6	16	*5	11	-	*	*7	*6	*	*	10	*
276.7	36	17	18	-	*5	11	19	12	*9	*8	*7
276.8	60	24	36	*	18	23	19	13	*7	30	10
276.9	*8	*	*7	-	*	*	*	*	*	*	*
277	20	12	*8	*5	*9	*	*	*	*9	*6	*
277.0	14	*8	*6	*	*9	*	-	*	*7	*	*
277.02	11	*7	*	*	*7	*	-	*	*6	*	-
278	198	54	144	*	81	92	23	61	26	78	34
278.0	193	52	140	*	79	89	22	60	25	75	33
278.00	18	*9	10	*	*5	*9	*	*	*	*6	*8
278.01	174	44	131	-	74	80	20	58	23	69	25
280-289	576	230	346	54	119	139	263	141	116	210	110
280	88	27	61	*	18	23	45	25	17	36	11
280.0	39	10	29	-	10	10	18	11	*6	15	*6
280.9	48	17	31	*	*8	12	26	13	10	21	*
281	*9	*	*6	*	*	*	*5	*	*	*6	*
281.9	*6	*	*	*	*	*	*	*	*	*	*
282	86	40	46	23	55	*6	*	21	18	35	13
282.4	14	*	*9	*8	*	*	*	*	*	*	*7
282.42	*5	*	*	*	*	*	-	*	*	*	-
282.49	*8	*	*8	*7	*	-	*	*	*	*	*7
282.6	69	35	35	14	50	*	*	18	15	32	*
282.62	62	30	32	*9	48	*	-	16	14	27	*
283	*8	*	*	*	*	*	*	*	*	*	*
284	40	20	20	*	*	13	21	*7	*6	15	12
284.1	24	10	15	*	*	10	10	*5	*	*9	*6
284.8	14	*9	*	-	*	*	10	*	*	*	*6
284.89	13	*9	*	-	*	*	10	*	*	*	*6
285	197	69	128	*	10	52	134	51	42	69	35
285.1	74	23	51	-	*	19	51	20	14	22	18
285.2	41	12	29	*	*	13	27	12	*9	15	*
285.21	12	*	*7	-	*	*	*8	*	*	*	*
285.22	11	*	*9	*	*	*	*7	*	*	*	*
285.29	17	*	12	-	*	*6	12	*	*5	*7	*
285.9	79	34	45	*	*6	18	53	16	18	31	13

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
286	11	*5	*5	*	*	*	*	*	*	*	*6
287	43	18	25	*6	*7	15	14	*7	*7	*9	19
287.3	17	*6	11	*	*	*6	*	*	*	*	*7
287.31	14	*5	*9	*	*	*	*	*	*	*	*6
287.5	21	10	11	*	*	*9	*7	*	*	*	12
288	74	35	40	10	13	19	32	22	16	26	10
288.0	51	26	25	*7	*	17	24	16	11	17	*6
288.00	36	19	18	*	*	12	18	13	*8	13	*
288.03	13	*7	*6	*	*	*	*	*	*	*	*
288.6	20	*6	13	*	*6	*	*9	*	*	*9	*
288.60	18	*6	12	*	*6	*	*8	*	*	*9	*
289	20	*9	11	*8	*5	*	*	*	*5	*9	*
289.8	*6	*	*	-	*	*	*	*	*	*	*
289.81	*6	*	*	-	*	*	*	*	*	*	*
290-319	2,125	1,130	995	125	1,068	665	267	530	601	679	315
290	15	*7	*8	-	-	*	14	*	*	*	*
290.4	*6	*	*	-	-	*	*6	*	*	*	*
291	182	137	45	*	77	94	11	68	51	32	31
291.0	34	29	*	-	11	21	*	12	*7	*8	*8
291.8	140	102	38	*	62	70	*8	52	44	22	22
291.81	135	98	37	*	58	68	*8	51	40	22	22
291.89	*6	*	*	-	*	*	*	*	*	*	*
292	90	57	33	*	56	23	11	30	32	19	10
292.0	56	36	21	*	40	14	*	18	22	10	*7
292.8	29	19	*9	-	15	*6	*8	10	*9	*7	*
292.81	11	*6	*	-	*	*	*7	*	*	*	*
292.84	14	12	*	-	12	*	*	*7	*	*	*
293	10	*	*6	*	*	*	*7	*	*	*6	*
293.0	*8	*	*	-	-	*	*7	*	*	*	*
294	47	23	24	-	*	*	43	14	12	11	10
294.8	42	20	22	-	*	*	39	10	11	10	10
295	292	163	129	*	151	119	21	65	77	111	40
295.3	89	56	33	-	41	40	*8	13	28	37	12
295.30	39	24	14	-	18	18	*	*	13	16	*
295.32	26	16	10	-	14	12	*	*	*7	10	*6
295.34	22	14	*8	-	*9	10	*	*	*6	10	*
295.6	*8	*6	*	-	*	*	*	*	*	*	*
295.7	157	77	80	*	83	63	11	43	39	55	20
295.70	117	60	57	*	63	48	*6	29	33	41	13
295.72	*6	*	*	-	*	*	-	*	*	*	*
295.74	34	15	19	-	18	11	*5	13	*	11	*6
295.9	30	18	12	-	19	*9	*	*6	*6	12	*6
295.90	26	16	10	-	17	*7	*	*	*	10	*6
296	822	365	457	72	431	241	78	153	268	315	86
296.2	148	64	84	15	70	44	19	23	54	63	*9
296.20	77	32	45	*9	38	25	*	11	33	27	*6
296.22	*6	*	*	*	*	*	*	*	*	*	-
296.23	36	17	19	*	20	*9	*	*	14	16	*
296.24	28	13	14	*	*9	*8	*8	*5	*5	17	*
296.3	235	93	141	*8	118	81	28	42	80	80	33
296.30	45	17	29	*	22	17	*	*8	19	12	*7

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
296.32	24	*7	17	*	11	*9	*	*	*8	*8	*
296.33	118	48	69	*	64	39	12	22	43	37	16
296.34	46	21	26	*	19	16	*9	*8	10	22	*6
296.4	48	21	26	*	27	12	*7	11	18	11	*7
296.40	17	*8	*9	*	*8	*5	*	*	*6	*	*
296.43	*7	*	*	*	*5	*	*	*	*	*	*
296.44	22	*9	12	*	13	*5	*	*	*8	*5	*
296.5	91	39	52	*	51	30	*7	11	32	31	17
296.50	54	26	27	*	30	15	*5	*6	18	19	10
296.53	16	*8	*9	*	12	*	-	*	*7	*	*
296.54	17	*	12	*	*7	*9	*	*	*6	*7	*
296.6	66	29	37	*9	34	17	*6	*6	17	39	*
296.60	42	21	21	*7	22	10	*	*	*9	27	*
296.63	*7	*	*	*	*	*	-	*	*	*	-
296.64	15	*	11	*	*7	*5	*	*	*	*8	*
296.7	18	*8	10	*	*8	*6	*	*	*6	*8	*
296.8	116	52	64	11	65	33	*8	23	36	48	10
296.80	89	41	48	10	49	24	*6	16	27	39	*6
296.89	27	11	16	*	16	*9	*	*7	*8	*9	*
296.9	99	58	41	22	58	16	*	35	24	36	*
296.90	94	55	39	21	55	15	*	33	23	34	*
298	86	48	39	*	39	23	22	20	27	23	16
298.9	84	46	38	*	38	21	22	20	27	22	15
299	*9	*6	*	*	*5	*	-	*	*	*	*
300	67	26	41	*	31	21	12	19	10	23	15
300.0	36	15	21	*	15	*9	*9	*9	*5	11	10
300.00	24	*9	15	*	*8	*8	*7	*5	*	*8	*7
300.01	*6	*	*	-	*	*	*	*	*	*	*
300.02	*6	*	*	-	*	*	*	*	*	*	*
300.1	*9	*	*6	*	*	*	*	*	*	*	*
300.11	*7	*	*	*	*	*	*	*	*	*	*
300.4	18	*7	11	*	*9	*7	*	*6	*	*7	*
301	*9	*	*6	*	*8	*	-	*	*	*	*
303	77	54	24	*	30	42	*6	17	23	21	16
303.0	37	25	12	-	12	20	*	*5	17	10	*
303.00	17	11	*6	-	*	10	*	*	10	*5	*
303.01	19	13	*6	-	*7	10	*	*	*7	*	*
303.9	41	29	12	*	17	21	*	12	*7	11	11
303.90	15	*9	*6	-	*6	*8	*	*	*	*	*6
303.91	21	16	*	*	11	*9	*	*7	*	*8	*
304	41	29	12	*	29	10	*	13	*6	16	*6
304.0	19	14	*5	-	14	*	*	*5	*	*8	*
304.00	12	*9	*	-	10	*	*	*	*	*	*
304.01	*8	*	*	-	*	*	*	*	*	*	*
304.2	*6	*	*	-	*	*	-	*	*	*	-
304.7	*8	*7	*	-	*6	*	*	*5	*	*	*
305	94	60	35	*	55	32	*	20	19	30	25
305.0	40	24	16	*	24	12	*	*5	12	*9	14
305.00	32	19	13	*	19	*9	*	*	10	*8	11
305.01	*7	*5	*	*	*	*	*	*	*	*	*
305.1	25	15	*9	-	13	*9	*	*7	*	*7	*7
305.2	*8	*5	*	*	*5	*	-	*	*	*6	*
305.20	*6	*	*	*	*	*	-	*	*	*6	*
305.6	15	12	*	-	*8	*7	-	*7	*	*6	*
305.60	*7	*5	*	-	*	*	-	*	*	*	*
305.61	*7	*6	*	-	*	*	-	*5	-	*	-

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
307	16	*	11	*	*9	*	*	*5	*	*5	*
309	67	30	38	*8	46	11	*	14	20	12	22
309.0	12	*6	*5	*	*7	*	*	*	*5	*	*
309.2	16	*6	10	*	10	*	*	*	*6	*	*
309.28	15	*5	10	*	10	*	*	*	*5	*	*
309.4	14	*8	*6	*	10	*	-	*	*	*	*6
309.8	19	*5	13	*	14	*	*	*	*	*	*6
309.81	18	*5	13	*	13	*	*	*	*	*	*6
310	23	11	12	-	*	*6	15	15	*	*	*
310.1	15	*8	*7	-	-	*	13	13	-	*	*
310.2	*5	*	*	-	*	*	*	*	*	*	*
311	111	56	55	*5	66	35	*6	37	27	31	16
312	15	12	*	*	12	*	*	*6	*	*5	*
312.3	*9	*7	*	*	*7	*	*	*	*	*	*
312.34	*5	*	*	*	*	*	-	*	*	*	*
313	*7	*	*	*	*	-	-	*	*	*	-
313.8	*7	*	*	*	*	-	-	*	*	*	-
313.81	*5	*	*	*	*	-	-	*	*	*	-
314	17	14	*	12	*	*	*	*5	*8	*	*
314.0	17	14	*	12	*	*	*	*5	*8	*	*
314.01	15	12	*	11	*	*	*	*5	*8	*	*
317	*7	*7	-	-	*7	-	-	*7	-	-	-
320-389	1,009	446	563	113	241	299	355	319	185	301	204
323	*7	*	*6	*	*	*	*	*	*	*	*
324	11	*6	*	*	*	*	*	*	*	*	*
324.0	*9	*6	*	*	*	*	*	*	*	*	*
327	21	16	*	*	*7	*9	*	*7	*	*	*7
327.2	16	11	*	*	*	*9	*	*	*	*	*7
327.23	16	11	*	*	*	*9	*	*	*	*	*7
331	96	43	53	*6	*	11	75	22	22	30	23
331.0	55	25	30	-	-	*	52	13	14	20	*9
331.4	20	*7	13	*	*	*6	*	*	*	*	*9
331.5	12	*	*7	-	*	*	12	*	*	*	*6
331.8	*5	*	*	-	-	*	*5	*	*	*	*
331.82	*5	*	*	-	-	*	*	*	*	*	*
332	20	14	*6	-	*	*	17	*6	*	*7	*
332.0	19	14	*6	-	*	*	17	*6	*	*6	*
333	21	*9	12	*	*	11	*5	*7	*5	*8	*
333.0	*5	*	*	-	-	*	*	*	*	*	-
333.9	*9	*	*7	*	*	*6	*	*	*	*5	*
333.90	*8	*	*6	-	*	*5	*	*	*	*	-
336	*7	*	*6	-	*	*	*	*	*	*	-
338	89	32	57	*	27	32	28	32	16	23	18
338.1	42	14	28	*	13	12	15	17	*8	*7	*9
338.18	25	*9	16	*	10	11	*	*7	*5	*7	*6

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
338.19	15	*	10	-	*	*	10	10	*	*	*
338.2	23	*6	17	*	*7	10	*6	11	*	*	*5
338.29	20	*6	14	*	*6	10	*	*9	*	*	*
338.3	20	10	10	-	*	*9	*7	*	*	10	*
340	37	13	24	-	12	24	*	*8	*7	12	10
342	65	39	26	-	*	23	39	58	*	*	*
342.9	65	39	26	-	*	22	39	58	*	*	*
342.90	59	34	25	-	*	19	36	52	*	*	*
343	*9	*6	*	*6	*	*	*	*	*	*	*6
343.2	*6	*	*	*	*	*	-	*	-	*	*5
344	40	20	20	*	*9	18	10	19	*	*6	12
344.0	13	*7	*5	*	*	*6	*	*	*	*	*5
344.00	*9	*	*	*	*	*5	*	*	*	*	*
344.1	21	11	10	*	*5	10	*6	11	*	*	*7
345	200	99	101	43	56	61	40	56	46	67	31
345.1	19	10	10	*	*9	*	*	*5	*	*7	*
345.10	15	*8	*7	*	*6	*	*	*	*	*6	*
345.3	26	14	13	*9	*	*9	*	*7	*	*9	*5
345.4	14	*6	*8	*	*5	*	*	*	*	*	*
345.40	11	*6	*5	*	*	*	*	*	*	*	*
345.5	14	*	12	*	*	*	*	*	*	*5	*
345.50	12	*	10	*	*	*	*	*	*	*	*
345.9	113	60	53	21	31	38	24	32	26	39	16
345.90	107	57	50	18	28	38	23	28	26	37	16
345.91	*6	*	*	*	*	*	*	*	*	*	-
346	62	*8	53	*	37	17	*	*9	14	22	17
346.8	*9	*	*8	*	*	*	*	*	*	*	*
346.80	*6	*	*5	*	*	*	*	*	*	*	*
346.9	40	*5	34	*	25	10	*	*6	*9	14	10
346.90	25	*	21	*	14	*8	*	*5	*5	*8	*6
346.91	*8	*	*7	-	*6	*	*	*	*	*	*
348	94	46	49	11	22	18	43	16	18	44	17
348.1	12	*7	*6	*	*5	*	*	*	*	*6	*
348.2	*9	*	*7	*	*8	-	-	*	*	*	*
348.3	51	26	25	*	*	12	33	*7	*9	30	*5
348.30	21	*9	13	*	*	*5	16	*	*	16	*
348.31	15	*9	*6	-	*	*	11	*	*	*7	*
348.39	15	*9	*6	*	*	*	*7	*	*	*7	*
348.4	*7	*	*	*	*	*	*	*	*	*	*
348.8	*5	*	*	*	*	*	*	-	*	*	*
348.9	*6	*	*	*	*	*	*	*	*	*	*
349	19	*	14	*	*6	*	*8	*5	*	*7	*
349.0	*6	*	*5	*	*5	*	*	*	*	*	-
349.8	10	*	*6	-	*	*	*6	*	*	*	*
349.82	*7	*	*	-	*	*	*	*	*	*	-
350	*5	*	*	-	*	*	*	*	*	*	*
350.1	*5	*	*	-	*	*	*	*	*	*	*
351	*8	*	*5	*	*	*	*	*	*	*	*
351.0	*8	*	*5	*	*	*	*	*	*	*	*
355	*6	*	*	-	*	*	*	*	*	*	*
357	12	*	*7	*	*	*	*	*6	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
357.8	*6	*	*	-	*	*	*	*	*	*	*
357.81	*6	*	*	-	*	*	*	*	*	*	*
358	*9	*	*	-	*	*	*	*	*	*	*
358.0	*9	*	*	-	*	*	*	*	*	*	*
358.01	*8	*	*	-	*	*	*	*	*	*	*
359	15	*	12	*	*	*6	*	*	*	*	*6
366	*8	*	*6	*	-	*	*	*8	-	-	-
366.8	*8	*	*6	*	-	*	*	*8	-	-	-
368	*6	*	*	-	*	*	*	*	*	*	*
377	*7	*	*	*	*	*	*	*	*	*	*
377.3	*6	*	*	*	*	*	*	*	*	*	*
382	17	10	*7	15	*	*	*	*	*	10	*
382.9	17	10	*7	15	*	*	*	*	*	10	*
383	*6	*	*	*	*	-	*	*	*	*	*
386	33	13	19	-	*	10	19	*9	*8	10	*6
386.1	22	10	12	-	*	*7	12	*7	*	*7	*
386.11	13	*6	*7	-	*	*	*8	*	*	*6	*
386.12	*8	*	*	-	*	*	*	*	*	*	*
386.3	*8	*	*5	-	*	*	*6	*	*	*	*
386.30	*8	*	*5	-	*	*	*6	*	*	*	*
389	*6	*	*	*	*	*	*	*5	*	*	*
390-459	6,165	3,230	2,935	35	412	1,896	3,823	1,473	1,394	2,347	952
396	17	*8	*9	-	*	*	12	*	*	*5	*
396.3	*7	*6	*	-	*	*	*	*	*	*	*
398	12	*	*8	-	*	*	10	*	*	*	*
398.9	12	*	*8	-	*	*	10	*	*	*	*
398.91	12	*	*8	-	*	*	10	*	*	*	*
401	372	161	210	*	35	155	179	86	52	155	79
401.0	34	15	20	-	*	16	14	*9	*	15	*6
401.1	*7	*	*	-	*	*	-	*	-	*	-
401.9	331	144	187	*	28	135	165	73	48	137	73
402	37	16	21	-	*	12	21	*9	*7	20	*
402.0	*5	*	*	-	*	*	*	*	*	*	*
402.9	31	12	19	-	*	11	18	*7	*6	17	*
402.90	*8	*	*	-	*	*	*	*	*	*	*
402.91	23	*9	14	-	*	*6	16	*	*5	13	*
403	123	60	64	-	26	35	62	29	22	55	18
403.0	25	*9	16	-	*7	*7	11	*6	*	14	*
403.00	14	*6	*8	-	*	*	*7	*	*	*7	*
403.01	11	*	*8	-	*	*	*	*	*	*7	*
403.9	99	50	48	-	19	28	52	23	20	41	15
403.90	42	23	19	-	*6	*7	29	*9	*8	18	*7
403.91	57	27	29	-	13	22	22	13	12	23	*9
404	47	23	24	-	*	12	31	12	*9	19	*7
404.0	*8	*	*	-	*	*	*	*	*	*	*
404.01	*5	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
404.9	38	20	18	-	*	*7	28	*9	*7	16	*6
404.91	30	16	14	-	*	*5	24	*8	*	14	*
404.93	*6	*	*	-	*	*	*	*	*	*	*
410	634	370	265	-	38	205	390	138	158	252	86
410.0	12	*7	*5	-	*	*6	*6	*	*	*7	*
410.01	12	*7	*5	-	*	*6	*6	*	*	*7	*
410.1	45	30	15	-	*5	16	23	13	13	15	*
410.11	45	29	15	-	*5	16	23	13	13	15	*
410.2	14	*9	*6	-	*	*	*9	*	*	*6	*
410.21	14	*9	*6	-	*	*	*9	*	*	*6	*
410.3	*8	*6	*	-	-	*	*	*	*	*	*
410.31	*8	*6	*	-	-	*	*	*	*	*	*
410.4	59	42	17	-	*	25	30	11	11	26	11
410.41	59	42	17	-	*	25	30	11	11	26	11
410.5	*8	*	*5	-	*	*	*	*	*	*	*
410.51	*8	*	*5	-	*	*	*	*	*	*	*
410.7	424	231	193	-	21	126	276	98	101	170	55
410.71	422	231	191	-	21	126	274	98	99	170	55
410.9	58	39	19	-	*	19	35	*8	22	19	10
410.91	49	32	18	-	*	14	32	*	21	16	10
410.92	*7	*6	*	-	-	*	*	*	*	*	-
411	49	29	20	-	*	25	19	12	*8	20	*8
411.1	44	26	18	-	*	22	18	11	*7	17	*8
412	20	11	*9	-	*	10	*7	*	*	14	*
413	34	19	15	-	*	10	21	18	*	10	*
413.9	31	19	12	-	*	*7	21	18	*	*7	*
414	800	504	296	-	24	330	447	204	201	294	101
414.0	766	479	287	-	23	317	427	199	195	283	89
414.00	82	47	35	-	*	34	46	18	21	32	11
414.01	653	413	240	-	21	267	365	172	166	237	78
414.02	28	17	11	-	*	13	14	*8	*7	12	*
414.1	*8	*5	*	-	*	*	*	*	*	*	*6
414.8	23	17	*6	-	*	*8	14	*	*6	*9	*5
415	159	71	88	-	27	59	73	39	37	53	30
415.1	158	70	87	-	27	59	72	39	37	52	30
415.11	*9	*	*5	-	*	*	*	*	*	*	*
415.19	148	66	82	-	25	54	69	36	35	50	27
416	23	*9	14	*	*	*6	13	*8	*	*	*6
416.8	18	*7	11	*	*	*6	*8	*5	*	*	*6
420	11	*7	*	*	*	*	*	*	*	*	*
420.9	11	*7	*	*	*	*	*	*	*	*	*
420.90	*6	*	*	*	*	*	*	*	*	*	*
421	11	*	*6	*	*	*	*6	*	*	*7	*
421.0	11	*	*6	*	*	*	*6	*	*	*7	*
423	26	12	14	-	*5	10	10	*6	*9	*8	*
423.9	16	*6	*9	-	*	*6	*6	*	*	*6	*
424	92	52	40	*	*	20	67	38	18	25	11
424.0	27	*9	18	-	*	*9	17	*7	*6	*9	*6
424.1	60	40	21	*	*	11	46	28	12	15	*6
425	52	37	15	*	*8	23	20	11	14	19	*9
425.4	45	32	13	*	*7	19	19	*9	12	18	*6

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
426	69	40	28	*	*7	*8	51	16	12	20	20
426.0	33	19	14	*	*	*	27	*7	*	12	10
426.1	20	10	10	*	*	*	16	*6	*5	*	*
426.13	11	*5	*6	*	*	*	*8	*	*	*	*
426.7	*7	*6	*	*	*	*	*	*	*	*	*
427	790	385	405	*	57	186	544	212	155	290	132
427.0	23	10	13	-	*	*9	*9	*6	*5	*8	*
427.1	60	41	19	-	*6	23	31	15	15	18	12
427.3	467	238	229	*	24	114	328	137	90	177	63
427.31	406	207	200	-	22	97	288	127	77	152	50
427.32	61	32	29	*	*	17	41	10	13	25	13
427.4	*6	*	*	-	*	*	*	*	*	*	*
427.41	*6	*	*	-	*	*	*	*	*	*	*
427.5	11	*8	*	*	*	*	*9	*	*	*	*
427.6	*8	*5	*	*	*	*	*5	*	*	*	*
427.69	*7	*5	*	*	*	*	*	*	*	*	*
427.8	205	76	129	*	18	35	151	47	41	74	44
427.81	67	24	43	-	*	*8	57	18	12	28	10
427.89	138	52	86	*	15	28	94	29	29	46	34
427.9	*7	*	*	-	*	*	*6	*	*	*	*
428	1,094	531	563	11	44	271	768	232	267	433	162
428.0	468	229	240	11	19	124	314	83	118	198	70
428.2	299	173	126	-	15	88	196	75	68	119	37
428.20	27	18	*9	-	*	*8	19	*	*6	12	*
428.21	54	29	24	-	*	19	33	16	13	21	*
428.22	30	16	15	-	*	*7	23	*	*7	13	*6
428.23	188	110	78	-	12	55	122	50	42	72	24
428.3	233	76	157	-	*6	40	187	58	60	80	35
428.30	50	16	34	-	*	*9	39	*8	15	19	*7
428.31	43	12	31	-	*	*6	36	13	10	18	*
428.32	24	*6	18	-	*	*6	17	*7	*	12	*
428.33	115	41	74	-	*	19	95	30	32	30	24
428.4	89	52	37	*	*	18	68	16	21	34	18
428.40	*7	*	*	*	*	*	*	*	*	*	*
428.41	17	11	*6	-	-	*6	11	*	*	*9	*
428.42	11	*7	*	-	*	*	*8	*	*	*	*
428.43	55	31	24	-	*	*8	44	*9	15	17	13
429	*9	*	*6	-	*	*	*7	*	*	*	*
430	26	12	15	-	*8	11	*7	*8	*8	*8	*
431	85	45	40	*	*6	25	53	22	19	26	18
432	38	22	16	*	*	10	24	*9	10	*9	*9
432.1	30	18	11	*	*	*9	19	*7	*8	*6	*9
432.9	*8	*	*	-	*	*	*5	*	*	*	*
433	136	78	58	-	*	31	104	31	33	53	19
433.1	125	73	53	-	*	29	95	28	31	49	17
433.10	109	63	46	-	*	26	83	24	27	44	14
433.11	17	10	*6	-	*	*	13	*	*	*6	*
434	384	170	213	*	18	98	267	75	91	155	63
434.0	*8	*	*	-	*	*	*6	*	*	*	*
434.01	*8	*	*	-	*	*	*6	*	*	*	*
434.1	52	19	33	-	*	12	38	15	*9	16	13
434.11	49	18	30	-	*	12	34	12	*9	15	13
434.9	324	146	177	*	16	84	223	59	81	137	47
434.90	*7	*	*	-	-	*	*6	*	-	*6	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
434.91	317	143	174	*	16	83	217	59	81	131	46
435	188	84	104	-	10	63	115	49	46	72	21
435.8	*7	*	*	-	*	*5	*	*	*	*	*
435.9	178	81	97	-	10	57	111	45	41	70	20
437	48	21	27	*	*	24	23	19	*9	15	*6
437.1	*6	*	*	-	-	*	*5	*	*	*	*
437.2	10	*	*	-	*	*6	*	*	*	*	*
437.3	19	*7	13	-	*	14	*5	*9	*	*6	*
437.7	*6	*	*	-	*	*	*	*	*	*	*
438	66	35	30	-	*	12	53	20	*8	24	14
438.1	*6	*	*	-	-	*	*	*	*	*	-
438.2	35	14	21	-	*	*	30	10	*	11	10
438.20	32	12	21	-	*	*	29	10	*	10	*9
438.8	25	18	*7	-	*	*6	19	*7	*	10	*
438.89	22	15	*7	-	*	*6	16	*6	*	*9	*
440	142	86	56	-	*	46	93	33	35	59	15
440.1	*5	*	*	-	-	*	*	*	*	*	*
440.2	126	76	50	-	*	39	85	30	32	52	12
440.20	10	*6	*	-	*	*	*8	*	*	*	*
440.21	45	27	18	-	*	16	28	*9	12	19	*
440.22	18	*9	*9	-	*	*	13	*7	*	*6	*
440.23	19	13	*6	-	-	*5	14	*	*5	10	*
440.24	31	20	12	-	*	10	20	11	*6	11	*
440.3	*9	*7	*	-	*	*	*	*	*	*	*
440.31	*5	*	*	-	*	*	*	*	*	*	*
441	84	62	22	-	*	20	62	12	22	31	18
441.0	18	12	*6	-	*	*9	*8	*	*	*	*7
441.01	*7	*	*	-	*	*	*	*	*	*	*
441.02	*7	*7	*	-	-	*	*	*	*	*	*
441.2	10	*6	*	-	*	*	*7	*	*	*	*
441.4	48	38	*9	-	-	*8	39	*7	16	17	*8
442	12	*8	*	-	*	*6	*5	*	*	*	*
443	35	25	11	*	*	19	15	*9	14	11	*
443.9	31	22	10	-	*	17	15	*9	12	10	*
444	32	18	14	-	*	11	19	*8	10	*9	*6
444.2	19	10	*8	-	*	*6	12	*	*5	*6	*
444.22	16	*9	*8	-	*	*6	*9	*	*5	*6	*
444.8	10	*6	*	-	*	*	*7	*	*	*	*
444.81	*5	*	*	-	-	*	*	*	*	*	-
446	15	*6	*8	*	*	*	*7	*	*	*6	*
447	*8	*	*6	*	*	*	*	*	*	*	*
451	*8	*	*	-	*	*	*	*	*	*	*
453	167	87	80	*	26	56	84	38	42	66	21
453.4	145	77	68	-	22	49	75	34	35	56	21
453.40	27	14	13	-	*	10	14	*	*9	12	*
453.41	78	43	35	-	10	24	44	23	17	26	12
453.42	41	20	21	-	*9	15	17	*6	10	18	*7
453.8	18	*7	11	*	*	*6	*9	*	*	*9	*
455	36	22	14	-	*8	10	17	*9	*	10	12
455.2	23	15	*9	-	*6	*9	*9	*	*	*8	*8

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
457	*8	*	*5	-	*	*	*	*	*	*	*
458	120	61	59	*	*5	31	83	19	27	55	19
458.0	57	31	26	-	*	10	45	*6	13	27	11
458.2	19	11	*8	-	*	*6	12	*6	*	*7	*
458.29	16	*9	*7	-	*	*5	11	*	*	*7	*
458.9	41	17	24	*	*	14	25	*6	10	19	*6
459	22	11	11	-	*	*7	12	*8	*6	*6	*
459.8	13	*7	*6	-	*	*5	*7	*5	*	*	*
459.81	13	*7	*6	-	*	*5	*7	*5	*	*	*
460-519	3,616	1,671	1,945	533	406	919	1,758	786	795	1,360	675
461	15	*6	*9	*	*	*	*	*5	*	*7	*
461.9	*6	*	*	*	*	*	*	*	*	*	-
462	11	*6	*	*	*6	*	*	*5	*	*	*
463	*7	*	*	*	*	*	*	*	*	*	*
464	20	12	*9	16	*	*	*	*6	*	*7	*
464.4	13	*9	*	13	-	-	-	*	*	*	*
465	39	19	20	21	*9	*	*7	10	*6	*9	14
465.9	39	19	20	21	*9	*	*7	10	*6	*9	14
466	159	87	73	108	*9	13	29	30	25	63	42
466.0	53	18	35	*	*9	13	29	12	*9	25	*7
466.1	106	69	37	105	-	*	*	18	16	38	35
466.11	67	45	22	66	-	-	*	12	11	22	22
466.19	39	24	15	39	-	*	*	*5	*	16	13
473	14	*5	*9	*	*	*8	*	*	*	*	*
473.9	*9	*	*6	*	*	*5	*	*	*	*	*
474	14	*9	*	12	*	-	*	*	*	*	*7
474.0	*5	*	*	*	*	-	-	*	*	*	*
474.1	*9	*6	*	*9	*	-	*	*	*	*	*
474.10	*6	*	*	*6	*	-	-	*	-	*	*
475	17	*7	*9	*	10	*	*	*	*	*6	*7
478	18	11	*8	*6	*	*6	*	*	*	*6	*9
478.2	*6	*	*	*	*	*	*	*	*	*	*
480	31	13	18	17	*	*	*6	*	*	*8	14
480.1	*8	*	*6	*6	-	-	*	*	*	*	*
480.9	19	10	*9	10	*	*	*	*	*	*6	*9
481	25	12	13	*	*	*9	12	*	*	10	*6
482	108	51	57	*8	10	28	62	23	27	40	19
482.1	14	*6	*8	*	*	*	10	*	*	*7	*
482.3	10	*	*5	*	*	*	*	*	*	*	*
482.30	*6	*	*	*	*	*	*	*	*	*	-
482.4	35	16	19	*	*	*7	25	*	10	15	*6
482.42	26	14	12	*	*	*5	19	*	*5	12	*
482.8	13	*7	*6	-	*	*	*8	*	*	*	*
482.83	*7	*	*	-	*	*	*5	*	*	*	*
482.9	27	15	12	*7	*	*9	10	11	*6	*	*5

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
483	11	*	*8	*6	*	*	*	*	*	*	*
483.0	*7	*	*	*	*	*	*	*	*	*	*
485	*9	*	*	*	*	*	*7	*	*	*	*
486	961	454	506	119	109	214	518	192	257	349	162
487	81	38	42	30	15	21	14	12	17	24	27
487.0	29	10	18	*8	*6	*8	*7	*	*8	*7	*9
487.1	50	27	23	22	*9	13	*6	*8	*9	16	17
490	28	11	17	*	*	*7	19	*5	*5	15	*
491	620	266	355	*	15	197	407	143	150	261	67
491.2	619	265	354	*	15	197	407	142	150	260	67
491.20	11	*	*7	-	*	*	*8	*	*	*6	*
491.21	500	213	286	*	13	158	328	117	125	206	52
491.22	108	48	60	-	*	37	71	23	24	48	13
492	15	12	*	-	*	*7	*7	*	*	*5	*
492.8	11	*8	*	-	-	*	*6	*	*	*	*
493	479	192	288	135	97	132	115	120	90	175	94
493.0	31	22	*8	26	*	*	*	*	*	*	22
493.00	10	*9	*	*9	*	*	*	-	*	*	*9
493.02	16	12	*	14	*	*	*	*	*	*	12
493.1	10	*	*7	*6	*	*	-	*	*	*	*6
493.12	*6	*	*	*	*	*	-	*	*	*	*
493.2	170	51	119	*	23	68	79	45	36	55	34
493.20	14	*	12	-	*	*	*7	*6	*	*7	-
493.21	*6	*	*	-	*	*	*	*	*	*	*
493.22	150	47	102	*	18	62	69	39	34	46	31
493.9	269	115	154	103	70	61	35	69	52	115	32
493.90	56	22	34	18	*8	15	14	14	*9	28	*5
493.91	51	25	25	33	*8	*6	*	14	*9	23	*
493.92	162	68	95	52	53	40	17	41	35	64	22
494	*9	*	*5	*	-	*	*6	*	*	*	*
496	66	25	40	*	*	25	40	20	10	19	17
507	178	100	77	*	12	25	139	48	33	72	25
507.0	177	100	77	*	12	25	139	48	33	71	25
510	14	*9	*	*	*	*5	*5	*	*	*	*
510.9	12	*8	*	*	*	*	*	*	*	*	*
511	95	43	52	*	10	29	53	32	19	29	15
511.8	26	10	16	-	*5	*8	13	11	*	*8	*
511.81	19	*5	14	-	*	*6	10	*8	*	*5	*
511.89	*8	*5	*	-	*	*	*	*	*	*	*
511.9	65	31	34	*	*	19	38	19	14	21	12
512	49	28	21	*	13	16	20	11	16	13	10
512.1	22	13	*9	-	*	*8	13	*	*7	*	*6
512.8	25	14	11	*	11	*8	*6	*6	*8	*8	*
513	*8	*	*	*	*	*	*	-	*	*	*
513.0	*8	*	*	*	*	*	*	-	*	*	*
514	*7	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
515	36	15	21	*	*	11	23	*5	*8	13	10
516	*9	*	*	*	*	*	*	*	*	*	-
516.8	*7	*	*	*	*	*	*	*	*	*	-
518	434	199	235	26	47	124	236	77	78	181	98
518.0	18	*9	*9	*6	*	*	*6	*	*	*8	*7
518.4	*7	*	*	-	*	*	*	*	*	*	*
518.5	11	*8	*	*	*	*	*	*	*	*	*
518.8	394	177	216	17	40	114	223	73	74	164	83
518.81	280	130	151	14	32	81	153	54	50	114	62
518.82	*6	*	*	*	*	*	*	*	*	*	*
518.83	*6	*	*5	*	*	*	*5	*	*	*	*
518.84	87	38	49	*	*	27	55	14	17	41	15
518.89	13	*7	*6	*	*	*	*6	*	*	*	*
519	20	12	*8	*	*	10	*5	*	*	*9	*
519.1	11	*6	*	*	*	*8	*	*	*	*7	*
519.19	*8	*5	*	*	*	*8	-	*	-	*7	*
520-579	3,622	1,661	1,961	181	929	1,176	1,337	782	744	1,373	722
522	15	*9	*6	*	*8	*	*	*	*	*	*
522.5	13	*8	*	*	*8	*	*	*	*	*	*
524	11	*	*8	*	*9	*	-	*	-	*5	*
527	*7	*	*6	*	*	*	*	*	*	*	*
527.2	*6	*	*5	*	*	*	*	*	*	*	*
528	13	*6	*7	*	*	*	*	*	*	*6	*
530	221	104	117	21	42	74	85	44	44	83	50
530.0	10	*	*5	-	*	*	*	*	*	*	*
530.1	39	19	21	*	*9	16	14	*6	*7	19	*7
530.10	16	*8	*8	-	*	*8	*6	*	*	13	*
530.11	*8	*	*	*	*	*	*	*	*	*	*
530.19	14	*6	*8	-	*	*5	*6	*	*	*	*
530.2	12	*8	*	*	*	*	*8	*	*	*	*
530.21	*8	*6	*	*	*	*	*	*	*	*	*
530.3	*9	*	*5	*	*	*	*	*	*	*	*
530.5	*9	*	*5	-	*	*	*7	*	*	*	*
530.7	22	12	10	-	*7	*	10	*	*	10	*
530.8	117	53	64	19	20	42	36	27	25	42	24
530.81	112	50	62	19	19	39	34	27	23	39	24
531	65	30	35	-	*7	21	37	12	17	27	*9
531.4	40	21	19	-	*	12	26	*8	*9	19	*
531.40	39	21	19	-	*	11	25	*8	*9	18	*
531.9	12	*	*9	-	*	*	*6	*	*	*	*
531.90	11	*	*9	-	*	*	*5	*	*	*	*
532	54	33	21	-	*5	21	28	11	17	17	*9
532.4	34	22	12	-	*	13	19	*6	10	14	*
532.40	33	21	12	-	*	13	19	*5	10	14	*
532.5	*8	*5	*	-	*	*	*	*	*	*	*
532.50	*8	*	*	-	*	*	*	*	*	*	*
533	10	*	*7	-	*	*	*	*	*	*5	*
533.9	*6	*	*	-	*	*	*	*	*	*	*
533.90	*6	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
534	*9	*	*5	-	*	*6	*	*	*	*	*
535	123	48	75	*	30	36	55	41	19	46	17
535.0	17	*8	*9	*	*	*	*7	*6	*	*7	*
535.00	13	*6	*7	*	*	*	*	*	*	*7	*
535.1	*8	*	*5	*	*	*	*	*	*	*	*
535.10	*5	*	*	*	*	*	*	*	*	*	*
535.3	*8	*5	*	-	*	*	*	*	*	*	*
535.4	39	14	25	*	10	*8	21	14	*5	14	*6
535.40	22	*6	16	*	*8	*	10	*7	*	10	*
535.41	17	*8	*9	-	*	*	11	*8	*	*	*
535.5	48	15	32	*	11	16	19	14	*9	19	*6
535.50	32	10	22	*	10	11	10	10	*6	13	*
535.51	15	*5	10	*	*	*	*8	*	*	*6	*
536	83	28	55	*	23	32	25	19	15	34	15
536.2	23	13	10	*	12	*8	*	*	*	13	*
536.3	22	*	19	*	*9	10	*	*	*	*8	*6
536.4	32	10	22	*	*	11	19	10	*6	11	*5
536.41	13	*	10	*	*	*	*9	*	*	*6	*
536.42	13	*	*8	*	*	*6	*6	*	*	*	*
536.49	*6	*	*	*	*	*	*	*	*	*	*
536.8	*5	*	*	-	*	*	*	*	*	*	*
537	44	22	22	*	*6	13	21	14	11	15	*
537.0	16	10	*6	*	*	*6	*	*	*	*7	*
537.8	25	11	13	-	*	*7	16	11	*7	*5	*
537.83	14	*5	*9	-	-	*	11	*6	*	*	*
537.84	*5	*	*	-	-	*	*	*	*	*	*
537.89	*5	*	*	-	*	*	*	*	*	*	*
540	279	154	125	60	145	52	22	57	40	90	92
540.0	41	25	16	14	13	*9	*	*7	*8	14	12
540.1	30	16	13	*6	13	*8	*	*6	*	*7	12
540.9	208	113	95	39	120	36	13	44	27	69	68
541	10	*5	*	*	*7	*	*	*	*	*	*
543	*5	*	*	*	*	*	*	*	*	*	*
550	34	30	*	*	*7	*8	16	*8	*	14	*8
550.1	19	17	*	*	*	*	10	*	*	10	*
550.10	13	11	*	-	*	*	*8	*	*	*8	*
550.9	14	12	*	*	*	*	*6	*6	*	*	*
550.90	*9	*9	*	*	*	*	*	*5	*	*	*
552	81	33	49	*	15	37	29	13	19	35	14
552.1	14	11	*	-	*	10	*	*	*	*	*
552.2	54	18	36	*	10	24	20	*8	10	27	*9
552.20	*9	*	*8	-	*	*5	*	*	*	*6	*
552.21	38	15	23	*	*6	18	13	*5	*7	19	*7
552.29	*7	*	*6	-	*	*	*	*	*	*	*
552.8	*6	*	*	-	*	*	*	*	*	*	*
553	99	42	56	*	20	34	41	21	22	38	17
553.1	*7	*	*	*	*	*5	*	*	*	*	*
553.2	70	32	38	*	16	25	27	15	17	28	10
553.20	12	*	*9	*	*	*	*	*	*	*7	*
553.21	53	27	26	*	11	20	22	12	14	20	*7
553.3	20	*7	13	*	*	*	13	*	*	*9	*
555	63	26	37	*	37	16	10	15	16	27	*5
555.0	14	*6	*8	-	10	*	*	*	*	*5	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
555.1	12	*	*8	*	*5	*	*	*	*	*	*
555.2	*5	*	*	*	*	*	*	*	*	*	*
555.9	32	14	18	*	18	*9	*	*5	*7	17	*
556	36	21	15	*	16	10	*7	12	*7	10	*7
556.6	*9	*5	*	*	*	*	*	*	*	*	*
556.9	19	11	*8	*	*7	*7	*	*7	*	*5	*
557	75	22	53	*	*6	19	51	19	15	26	16
557.0	24	*9	15	*	*	*5	17	*6	*	*7	*8
557.1	*6	*	*	-	*	*	*	*	*	*	*
557.9	46	11	34	-	*	12	30	12	11	17	*6
558	141	54	88	21	31	38	51	34	27	62	19
558.9	137	53	85	19	31	37	50	32	25	62	18
560	331	152	179	11	52	105	163	69	76	129	57
560.0	*6	*5	*	*	*	*	*	*	*	*	*
560.1	54	24	29	*	*7	15	29	*6	13	21	13
560.2	10	*6	*	*	*	*	*9	*	*	*7	*
560.3	24	*9	15	*	*	*	15	*8	*5	*9	*
560.39	23	*9	14	*	*	*	14	*8	*	*8	*
560.8	98	41	57	*	18	27	53	24	24	38	13
560.81	70	26	44	*	11	19	39	17	15	27	11
560.89	28	15	13	-	*7	*7	14	*7	*9	11	*
560.9	138	65	72	*	21	57	57	29	31	52	26
562	283	108	174	-	49	90	144	62	62	105	54
562.1	278	106	172	-	47	90	141	61	61	103	52
562.10	24	*6	18	-	*	10	10	*	*	10	*7
562.11	193	73	120	-	41	73	79	47	45	68	34
562.12	51	23	28	-	*	*6	42	10	11	23	*7
562.13	11	*	*6	-	*	*	10	*	*	*	*
564	77	36	41	11	20	20	25	13	17	30	16
564.0	55	29	26	11	*9	15	20	11	14	17	13
564.00	43	23	21	*8	*8	11	17	*8	11	13	11
564.09	11	*6	*6	*	*	*	*	*	*	*	*
564.1	13	*	*9	*	*8	*	*	*	*	*7	*
564.8	*6	*	*	*	*	*	*	*	*	*	-
565	*6	*	*	-	*	*	*	*	*	*	*
566	19	16	*	*	12	*	*	*5	*	*9	*
567	27	12	14	*	*	14	*7	*6	*6	10	*
567.2	18	*8	10	*	*	*9	*6	*	*	*7	*
567.22	13	*6	*7	*	*	*6	*	*	*	*	*
568	20	*	16	*	*7	*6	*7	*	*	*9	*
568.0	12	*	10	-	*	*	*	*	*	*5	*
568.8	*9	*	*6	*	*	*	*	*	*	*	*
568.89	*6	*	*	*	*	*	*	*	*	*	-
569	125	57	68	*	16	40	67	37	24	48	16
569.1	*5	*	*5	-	*	*	*	*	*	*	*
569.3	28	12	16	-	*	10	16	*9	*	11	*
569.4	10	*6	*	-	*	*	*	*	*	*5	*
569.49	*7	*	*	-	*	*	*	*	*	*	*
569.6	31	18	13	*	*7	13	11	13	*5	*9	*
569.62	*5	*	*	*	*	*	*	*	*	*	-
569.69	22	12	10	*	*	*8	*9	10	*	*	*
569.8	46	18	29	*	*6	10	31	11	*9	19	*7

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
569.81	*9	*5	*	*	*	*	*5	*	*	*	*
569.82	*7	*	*	-	*	*	*	*	*	*	*
569.83	*9	*	*5	-	*	*	*6	*	*	*	*
569.85	15	*	11	-	*	*	13	*6	*	*6	*
569.89	*6	*	*	*	*	*	*	*	*	*5	*
570	*8	*	*	-	*	*	*	*	*	*	*
571	101	67	33	*	14	63	24	21	17	43	18
571.1	13	*8	*	-	*	*8	*	*	*	*	*
571.2	45	37	*8	-	*6	32	*7	*8	*9	20	*8
571.5	34	18	16	-	*	20	13	11	*	16	*
572	77	46	32	-	*	51	22	15	13	29	21
572.0	*8	*	*	-	*	*	*	*	*	*	*
572.2	48	26	22	-	*	31	12	*6	*8	20	14
572.3	11	*9	*	-	*	*7	*	*	*	*	*5
572.4	*6	*	*	-	-	*	*	*	*	*	-
573	11	*	*6	*	*	*	*	*	*	*	*
574	370	128	242	*6	120	120	123	72	70	148	80
574.0	137	49	88	*	45	40	49	29	25	62	21
574.00	129	45	84	*	43	39	44	27	24	58	21
574.01	*8	*	*	-	*	*	*	*	*	*	*
574.1	84	30	54	*	29	28	25	20	16	26	21
574.10	81	30	51	*	29	26	25	19	16	26	19
574.2	54	15	38	*	18	22	12	*	12	23	14
574.20	52	15	37	*	17	21	12	*	12	22	14
574.3	*7	*	*	-	*	*	*	*	*	*	*
574.30	*6	*	*	-	*	*	*	*	*	*	*
574.4	*5	*	*	-	*	*	*	*	*	*	*
574.5	25	*6	19	-	*6	*7	12	*5	*	10	*6
574.50	15	*	13	-	*	*	*8	*	*	*6	*6
574.51	10	*	*6	-	*	*	*	*	*	*	*
574.6	18	*9	10	-	*	*6	*7	*	*	*9	*
574.60	14	*7	*7	-	*	*5	*6	*	*	*6	*
574.7	19	*9	10	*	*7	*8	*	*	*	*6	*8
574.70	14	*7	*8	*	*6	*5	*7	*	*	*	*7
574.8	13	*	*8	-	*	*	*	*	*	*6	*
574.80	12	*	*8	-	*	*	*	*	*	*	*
574.9	*9	*	*5	-	*	*	*	*	*	*	*
574.90	*7	*	*	-	*	*	*	*	*	*	*
575	84	34	49	*	28	30	24	18	17	32	17
575.0	38	17	21	*	10	15	13	*7	10	10	11
575.1	34	11	23	*	12	12	*9	*9	*	18	*
575.10	*7	*	*	*	*	*	*	*	*	*	*
575.11	21	*	16	-	11	*7	*	*	*	14	*
575.12	*7	*	*	-	*	*	*	*	*	*	*
575.8	*8	*	*	*	*	*	*	*	*	*	*
576	35	13	22	*	*6	10	18	*8	*9	11	*7
576.1	*8	*	*	*	*	*	*	*	*	*	*
576.2	17	*6	11	*	*	*6	10	*	*	*	*
576.8	*9	*	*5	*	*	*	*	*	*	*	*
577	324	178	146	*	136	116	67	61	72	114	77
577.0	279	155	124	*	120	93	61	55	65	97	62
577.1	35	17	18	*	14	16	*	*	*6	11	14
577.2	*6	*	*	-	*	*5	*	*	*	*	*
578	218	108	110	*	23	61	131	44	53	86	35

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
578.0	23	14	*9	*	*	*8	*8	*	*7	*7	*
578.1	56	29	27	*	*6	16	32	*8	15	21	12
578.9	139	65	74	*	12	37	91	31	32	58	19
579	13	*	11	*6	*	*	*	*	*	*	*6
579.3	*8	*	*8	*6	*	*	*	*	-	*	*6
580-629	2,141	735	1,406	67	453	551	1,070	432	480	860	369
581	*6	*	*	*	*	*	*	*	*	*	*
584	469	238	231	*	26	125	316	94	99	192	84
584.5	22	12	10	*	*	*7	13	*5	*5	*7	*5
584.9	447	226	221	*	23	117	303	88	94	185	79
585	72	40	32	*	11	26	34	13	*8	29	22
585.4	*9	*	*6	-	*	*	*8	*	*	*	*
585.6	56	33	23	*	10	25	21	*7	*7	23	19
590	132	30	102	12	45	38	37	34	27	49	23
590.1	55	12	43	*	19	15	18	13	13	18	12
590.10	54	12	43	*	19	15	18	13	13	18	11
590.8	74	18	56	10	23	22	19	21	14	29	11
590.80	74	18	56	10	23	22	19	21	14	29	11
591	17	*9	*8	*	*6	*	*	*	*	*5	*7
592	146	79	67	*	55	53	37	33	37	60	16
592.0	49	22	28	*	22	18	*9	12	*9	20	*8
592.1	97	57	39	*	33	35	28	21	28	40	*8
593	39	16	23	*7	*	10	17	*7	11	15	*6
593.4	*9	*	*5	*	*	*	*	*	*	*	*
593.7	*7	*	*	*6	*	*	-	*	*	*	*
593.70	*6	*	*	*6	*	-	-	*	*	*	*
593.8	*6	*	*	*	*	*	*	*	*	*	*
593.9	*9	*	*7	*	*	*	*6	*	*	*6	*
595	22	13	*9	*	*	*	16	*	*7	*8	*
595.0	*5	*	*	-	*	*	*	*	*	*	*
595.8	*5	*	*	-	-	*	*	*	*	*	-
595.82	*5	*	*	-	-	*	*	*	*	*	-
595.9	10	*	*5	*	*	*	*7	*	*	*	*
596	18	13	*	*	*	*	11	*	*	10	*
596.5	*6	*	*	*	*	*	*	*	*	*	*
596.54	*6	*	*	*	*	*	*	*	*	*	*
599	609	185	424	24	44	86	454	142	124	253	90
599.0	575	161	414	23	40	77	435	132	117	244	82
599.7	24	20	*	*	*	*5	16	*8	*	*6	*6
599.70	11	10	*	-	*	*	*6	*	*	*	*
599.71	13	10	*	*	*	*	11	*	*	*	*
600	61	61	-	-	*	11	50	13	19	22	*7
600.0	51	51	-	-	*	*8	42	11	17	18	*5
600.00	*7	*7	-	-	*	*	*5	*	*	*	*
600.01	44	44	-	-	*	*7	37	*8	16	16	*
600.9	*7	*7	-	-	-	*	*5	*	*	*	*
600.91	*7	*7	-	-	-	*	*5	*	*	*	*
601	*6	*6	-	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
604	*7	*7	-	*	*	*	*	*	*	*	*
604.9	*6	*6	-	*	*	*	*	*	*	*	*
604.90	*6	*6	-	*	*	*	*	*	*	*	-
608	13	13	-	*	*	*	*	*	*	*6	*
608.4	*9	*9	-	*	*	*	*	*	*	*	-
611	27	*	27	*	14	10	*	*6	*	10	*8
611.0	19	*	19	*	11	*5	*	*	*	*8	*5
611.1	*6	*	*5	*	*	*	*	*	*	*	*
614	34	-	34	-	25	*8	*	*6	*7	17	*
614.6	11	-	11	-	*9	*	*	*	*	*6	*
614.9	*8	-	*8	-	*6	*	*	*	*	*	*
616	11	-	11	*	*	*	*	*	*	*	*
616.4	*7	-	*7	*	*	*	*	*	*	*	*
617	43	-	43	-	30	13	-	*6	17	12	*9
617.0	30	-	30	-	21	*9	-	*	11	*8	*8
618	122	-	122	-	18	48	55	19	34	47	22
618.0	28	-	28	-	*	12	14	*	*6	14	*5
618.01	17	-	17	-	*	*6	10	*	*	*8	*
618.04	*8	-	*8	-	*	*	*	*	*	*	*
618.1	13	-	13	-	*	*5	*	*	*	*5	*
618.2	14	-	14	-	*6	*5	*	*	*	*	*
618.3	*7	-	*7	-	-	*	*	*	*	*	*
618.4	27	-	27	-	*	*9	13	*6	*9	*8	*
618.5	25	-	25	-	*	11	14	*	*7	15	*
618.8	*5	-	*5	-	*	*	*	*	*	*	*
619	*7	-	*7	-	*	*5	*	*	*	*	*
620	65	-	65	*	47	14	*	10	14	21	19
620.0	*6	-	*6	-	*	*	-	*	*	*	*
620.1	11	-	11	-	10	*	-	*	*	*	*
620.2	36	-	36	*	25	*8	*	*7	*7	13	10
620.5	*6	-	*6	*	*5	*	-	*	*	*	*
621	14	-	14	-	*	10	*	*	*	*	*
621.3	*8	-	*8	-	*	*5	*	*	*	*	*
622	*9	-	*9	-	*	*	*	*	*	*	*
622.1	*8	-	*8	-	*	*	*	*	*	*	*
625	41	-	41	*	25	11	*	*5	13	16	*7
625.3	10	-	10	*	10	*	-	*	*	*	*
625.6	13	-	13	-	*	*6	*	*	*6	*	*
625.9	14	-	14	*	11	*	-	*	*	*7	*
626	104	-	104	*	68	35	*	13	26	48	16
626.2	80	-	80	*	53	26	-	10	22	37	12
626.8	18	-	18	-	12	*6	*	*	*	*8	*
626.9	*5	-	*5	-	*	*	-	-	*	*	*
627	13	-	13	-	*	*8	*	*	*	*	*
627.1	*9	-	*9	-	-	*6	*	*	*	*	*
630-679	502	-	502	*	497	*	-	118	116	183	86

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of first-listed diagnoses in thousands												
632	17	-	17	-	17	-	-	*	*6	*6	*	
633	18	-	18	-	18	*	-	*	*6	*6	*	
633.1	15	-	15	-	15	-	-	*	*	*6	*	
633.10	15	-	15	-	15	-	-	*	*	*6	*	
634	14	-	14	-	14	-	-	*	*	*	*	
634.9	*8	-	*8	-	*8	-	-	*	*	*	*	
641	12	-	12	-	12	-	-	*	*	*	*	
641.9	*5	-	*5	-	*5	-	-	*	*	*	-	
641.93	*5	-	*5	-	*5	-	-	*	*	*	-	
642	35	-	35	*	34	*	-	10	*9	13	*	
642.0	*6	-	*6	-	*6	-	-	*	*	*	*	
642.03	*6	-	*6	-	*6	-	-	*	*	*	*	
642.3	*6	-	*6	-	*6	*	-	*	*	*	*	
642.33	*6	-	*6	-	*5	*	-	*	*	*	*	
642.4	12	-	12	*	11	*	-	*	*	*	*	
642.43	*9	-	*9	-	*8	*	-	*	*	*	*	
643	33	-	33	-	33	*	-	*	*	18	*6	
643.0	12	-	12	-	12	-	-	*	*	*6	*	
643.03	12	-	12	-	12	-	-	*	*	*6	*	
643.1	13	-	13	-	13	*	-	*	*	*6	*	
643.13	13	-	13	-	13	*	-	*	*	*6	*	
643.2	*5	-	*5	-	*5	-	-	-	*	*	*	
643.23	*5	-	*5	-	*5	-	-	-	*	*	*	
644	84	-	84	*	83	*	-	12	24	30	18	
644.0	77	-	77	*	76	*	-	11	23	27	17	
644.03	77	-	77	*	76	*	-	11	23	27	17	
644.1	*7	-	*7	-	*7	-	-	*	*	*	*	
644.13	*7	-	*7	-	*7	-	-	*	*	*	*	
646	56	-	56	*	55	-	-	*8	10	22	15	
646.6	29	-	29	*	28	-	-	*	*6	11	*8	
646.63	27	-	27	*	27	-	-	*	*	11	*8	
646.8	24	-	24	-	24	-	-	*	*	11	*5	
646.83	20	-	20	-	20	-	-	*	*	10	*	
647	*7	-	*7	-	*6	*	-	*	*	*	*	
648	112	-	112	*	111	*	-	30	26	42	14	
648.0	12	-	12	-	12	-	-	*	*	*7	*	
648.03	12	-	12	-	12	-	-	*	*	*7	*	
648.2	*8	-	*8	-	*8	-	-	*	*	*	-	
648.23	*5	-	*5	-	*5	-	-	*	*	*	-	
648.4	12	-	12	-	12	-	-	*	*5	*	*	
648.43	*8	-	*8	-	*8	-	-	*	*	*	*	
648.6	*6	-	*6	-	*6	-	-	*	*	*	*	
648.8	*6	-	*6	-	*6	-	-	*	*	*	*	
648.83	*6	-	*6	-	*6	-	-	*	*	*	*	
648.9	64	-	64	*	63	*	-	20	12	20	12	
648.93	62	-	62	*	61	*	-	20	11	19	12	
649	16	-	16	*	16	-	-	*5	*6	*	*	
649.7	13	-	13	*	13	-	-	*	*6	*	*	
649.73	13	-	13	*	13	-	-	*	*6	*	*	
654	13	-	13	-	13	-	-	*8	*	*	*	
654.5	*6	-	*6	-	*6	-	-	*	*	*	*	
654.53	*6	-	*6	-	*6	-	-	*	*	*	*	

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
658	10	-	10	-	10	-	-	*	*	*	*
658.1	*5	-	*5	-	*5	-	-	*	*	*	-
658.13	*5	-	*5	-	*5	-	-	*	*	*	-
659	11	-	11	-	11	-	-	*8	*	*	*
670	11	-	11	-	11	-	-	*	*	*	*
670.0	11	-	11	-	11	-	-	*	*	*	*
670.04	11	-	11	-	11	-	-	*	*	*	*
674	12	-	12	*	12	-	-	*	*	*5	*
680-709	796	411	385	74	217	246	259	201	166	275	153
681	28	17	11	*	*6	13	*7	*8	*6	10	*
681.0	16	*8	*8	*	*	*7	*	*5	*	*	*
681.00	15	*8	*6	*	*	*6	*	*5	*	*	*
681.1	12	*8	*	*	*	*6	*	*	*	*5	*
681.10	10	*6	*	*	*	*	*	*	*	*5	*
682	600	310	290	52	174	182	193	153	126	208	113
682.0	54	25	30	*8	25	12	*9	11	12	17	14
682.1	21	14	*7	*6	*8	*7	*	*	*	*8	*6
682.2	65	36	28	*9	20	22	13	11	12	30	12
682.3	68	39	30	*	26	20	19	17	17	19	15
682.4	29	20	*8	*	14	*7	*6	*9	*	11	*5
682.5	32	13	20	*7	13	*7	*6	*7	*	13	*9
682.6	277	132	145	13	59	90	116	79	64	89	45
682.7	42	25	18	*	*7	14	20	11	10	18	*
682.8	*8	*6	*	*	*	*	*	*	*	*	*
684	*6	*	*	*6	-	-	*	*	*	*	*
692	*8	*	*	*5	*	*	*	*	*	*	*
692.9	*7	*	*	*	*	*	*	*	*	*	*
693	16	*6	10	*	*	*6	*5	*	*	*	*
693.0	16	*6	10	*	*	*6	*5	*	*	*	*
698	*8	*	*	-	*	*	*	*	*	*	*
698.9	*6	*	*	-	*	*	*	*	*	*	*
707	89	49	40	*	14	32	43	22	17	36	13
707.0	53	30	23	*	*8	22	24	14	10	22	*7
707.03	26	15	11	*	*	*7	14	*	*5	11	*5
707.05	*6	*	*	-	*	*	*	*	*	*	*
707.07	12	*6	*6	-	-	*7	*	*7	*	*	*
707.1	27	15	11	*	*	*9	14	*	*6	10	*6
707.10	*6	*	*	-	*	*	*	*	*	*	*
707.15	*7	*	*	*	*	*	*	*	*	*	*
707.19	*6	*	*	-	*	*	*	*	*	*	*
707.2	*8	*	*	-	*	*	*	*	*	*	*
707.23	*6	*	*	-	*	*	*	*	*	*	*
708	*6	*	*	*	*	*	*	*	*	*	*
708.0	*5	*	*	*	*	*	*	*	*	*	*
710-739	2,235	959	1,276	30	284	914	1,007	519	520	753	443
710	22	*	19	*	*9	*6	*	*	*	*8	*9
710.0	19	*	17	*	*9	*	*	*	*	*7	*8

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
711	23	13	11	*	*6	*6	*8	*	*5	*7	*8
711.0	21	13	*9	*	*5	*6	*7	*	*5	*5	*8
711.06	11	*6	*	*	*	*	*	*	*	*	*
714	25	*8	17	*	*	13	10	*9	*	*7	*6
714.0	20	*5	15	-	*	*9	10	*7	*	*5	*
715	959	388	572	*	22	432	506	225	215	333	186
715.1	112	49	63	-	*	46	63	15	12	42	43
715.11	*9	*	*	-	-	*	*6	*	*	*	*7
715.15	33	17	15	-	*	14	17	*7	*	14	10
715.16	68	26	43	-	*	29	39	*8	10	25	26
715.2	*6	*	*	-	*	*	*	*	*	*	*
715.3	612	245	367	-	12	275	325	176	161	186	90
715.31	19	*8	11	-	*	*8	10	*	*	*5	*6
715.35	187	92	95	-	*7	84	96	65	50	51	22
715.36	401	144	257	-	*	179	218	107	106	130	58
715.37	*5	*	*	-	*	*	*	*	*	*	*
715.9	225	88	137	*	*6	105	114	33	39	103	50
715.90	12	*	11	-	*	*	*9	*5	*	*	*
715.91	17	10	*7	-	*	*7	*9	*	*	*5	*8
715.95	59	31	28	-	*	29	29	*7	15	23	15
715.96	130	45	85	*	*	64	62	15	21	71	23
716	27	11	16	*	*	10	13	*	*9	*9	*6
716.1	*8	*	*5	-	*	*	*	*	*	*	*
716.9	17	*7	10	*	*	*6	11	*	*8	*	*6
716.96	*7	*	*	-	*	*	*	-	*	*	*
717	*5	*	*	-	*	*	*	*	*	*	*
718	12	*	*8	*	*	*5	*	*	*	*	*7
719	35	15	19	*	*	15	16	13	*8	10	*
719.4	23	*8	15	-	*	*9	11	*9	*5	*6	*
719.41	*7	*	*	-	*	*	*	*	*	*	*
719.45	*7	*	*6	-	*	*	*7	*	*	*	*
719.46	*6	*	*	-	*	*	*	*	*	*	*
721	113	52	60	-	25	44	44	15	42	34	22
721.0	27	14	12	-	*6	13	*8	*5	*9	*8	*
721.1	25	13	12	-	*5	11	*8	*	*9	*9	*
721.3	55	23	32	-	14	17	24	*6	21	14	14
722	358	174	183	*	105	167	84	76	86	120	76
722.0	61	28	32	-	20	36	*	16	*8	23	13
722.1	140	73	66	-	54	55	31	32	38	41	28
722.10	138	72	66	-	54	53	31	32	38	40	28
722.4	29	10	19	-	*	19	*6	*	*	*9	14
722.5	86	41	45	-	20	39	27	11	24	34	17
722.52	84	39	45	-	19	39	26	11	24	32	17
722.7	24	15	*9	*	*	11	*8	*9	*7	*6	*
722.71	15	11	*	-	*	*8	*	*6	*	*	*
722.73	*5	*	*	*	*	*	*	*	*	*	*
722.8	*7	*	*	-	*	*	*	*	*	*	*
722.83	*6	*	*	-	*	*	*	*	*	*	*
722.9	*9	*	*7	*	*	*	*	*	*	*	*
722.93	*7	*	*	*	*	*	*	*	*	*	*
723	36	14	21	-	*6	14	15	13	*8	10	*
723.0	17	*9	*8	-	*	*7	*9	*5	*6	*	*
723.1	10	*	*7	-	*	*	*	*6	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
723.4	*6	*	*	-	*	*	*	*	*	*	*
724	161	78	82	*	17	44	100	39	46	59	17
724.0	102	55	47	-	*	25	73	25	28	37	11
724.02	98	51	47	-	*	25	69	24	28	36	10
724.2	24	10	13	*	*	*8	10	*	*8	*9	*
724.4	14	*6	*8	-	*	*	10	*5	*	*5	*
724.5	17	*6	11	-	*5	*6	*6	*	*5	*6	*
726	25	15	11	*	*	*7	13	*7	*	10	*
726.3	*7	*7	*	-	*	*	*	*	*	*	*
726.33	*7	*7	*	-	*	*	*	*	*	*	*
726.6	*7	*	*	*	*	*	*	*	*	*	*
726.65	*6	*	*	*	*	*	*	*	*	*	*
727	17	10	*7	*	*	*	*8	*	*	*	*
727.0	*7	*	*	*	*	*	*	*	*	*	*
728	52	26	26	*	10	15	26	15	*8	14	16
728.8	46	24	23	*	*7	15	25	14	*7	13	12
728.88	37	20	18	-	*6	10	22	13	*	10	*9
729	56	23	33	*	15	20	20	19	*9	17	11
729.1	12	*	10	*	*	*	*7	*	*	*	*
729.5	15	*8	*7	*	*	*8	*	*7	*	*	*
729.8	20	*8	11	*	*8	*6	*6	*6	*	*5	*6
729.89	16	*8	*8	*	*6	*	*	*	*	*	*6
729.9	*6	*	*	*	*	*	*	*	*	*	-
730	57	34	24	*	*8	28	17	14	10	27	*6
730.0	11	*8	*	*	*	*	*	*	*	*	*
730.1	12	*7	*5	*	*	*5	*	*	*	*5	*
730.17	*7	*	*	*	*	*	*	*	*	*	*
730.2	35	19	16	*	*	19	*8	*8	*6	17	*
730.27	21	11	10	*	*	12	*6	*5	*	10	*
730.28	*7	*	*	*	*	*	*	*	*	*	*
732	*5	*	*	*	*	-	-	*	*	*	*
733	155	52	104	*	21	43	88	37	35	51	32
733.0	*7	*	*6	-	-	*	*	*5	*	*	*
733.00	*7	*	*6	-	-	*	*	*5	*	*	*
733.1	73	17	56	*	*	*8	62	14	18	25	16
733.13	52	12	40	-	*	*6	46	10	14	16	11
733.14	*6	*	*5	-	*	*	*5	*	*	*	*
733.15	*5	*	*	*	-	*	*	*	*	*	*
733.4	27	13	14	-	*7	12	*8	*5	*6	10	*5
733.42	19	10	*9	-	*	*9	*6	*	*6	*7	*
733.6	18	*6	12	*	*	*8	*	*6	*	*6	*
733.8	23	12	11	*	*7	*7	*8	*	*5	*7	*7
733.82	20	*9	10	-	*7	*7	*6	*	*	*6	*5
733.9	*7	*	*	*	*	*	*	*	*	*	*
736	12	*6	*7	*	*	*	*6	*6	*	*	*
737	24	*6	18	*	*6	10	*6	*	*8	*7	*
737.3	20	*	16	*	*6	*7	*5	*	*8	*6	*
737.30	17	*	14	*	*	*6	*	*	*6	*5	*
738	47	18	29	*	*7	25	15	*7	11	14	15
738.1	*6	*	*	*	*	*	*	*	*	*	*
738.19	*6	*	*	*	*	*	*	*	*	*	*
738.4	40	15	24	-	*	23	14	*6	10	12	12

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
740-759	183	98	85	99	37	33	13	30	37	55	61
741	*6	*5	*	*	*	-	-	-	*	*	*
741.0	*6	*5	*	*	*	-	-	-	*	*	*
742	11	*	*6	*5	*	*	*	*	*	*	*
745	22	11	11	13	*	*	*	*	*	*8	*7
745.5	13	*6	*7	*	*	*	*	*	*	*	*
746	13	*8	*6	*6	*	*	*	*	*	*	*
747	17	*6	10	11	*	*	*	*	*	*	*5
747.8	*5	*	*	*	*	*	*	*	*	*	-
749	*6	*	*	*6	-	-	-	*	*	*	*
750	16	11	*5	16	-	*	*	*	*	*	*6
750.5	14	10	*	14	-	-	-	*	*	*	*5
751	12	*6	*6	*6	*	*	*	*	*	*7	*
753	15	10	*5	*8	*	*	*	*	*	*	*
753.1	*7	*5	*	*	*	*	*	*	*	*	*
754	10	*7	*	*7	*	*	-	*	*	*	*
755	*6	*	*	*	*	*	-	*	*	*	*
755.6	*6	*	*	*	*	*	-	*	*	*	*
755.63	*5	*	*	*	*	*	-	*	-	*	*
756	27	14	14	*7	*6	12	*	*5	*7	10	*6
756.1	18	*8	10	*	*	12	*	*	*	*7	*
756.12	15	*5	*9	*	*	11	*	*	*	*6	*
759	*9	*	*	*7	*	*	*	*	*	*	*
759.8	*5	*	*	*	*	*	*	*	*	*	*
760-779	177	102	74	177	*	-	-	22	31	67	56
765	17	*8	*9	17	-	-	-	*	*	*8	*5
765.1	16	*7	*8	16	-	-	-	*	*	*7	*
769	14	*9	*	14	-	-	-	*	*	*9	*
770	37	22	15	37	*	-	-	*	*	15	13
770.6	*8	*	*	*8	*	-	-	*	*	*	*
770.8	18	10	*7	18	-	-	-	*	*	*9	*
770.89	*8	*6	*	*8	-	-	-	*	*	*	*
771	14	*9	*6	14	-	-	-	*	*	*	*7
771.8	12	*8	*	12	-	-	-	*	*	*	*6
771.81	*7	*	*	*7	-	-	-	*	*	*	*
774	37	19	17	37	-	-	-	*6	*9	12	10
774.2	*8	*	*	*8	-	-	-	*	*	*	*
774.6	28	16	12	28	-	-	-	*	*7	10	*6
775	*9	*6	*	*9	-	-	-	*	*	*	*6
775.5	*7	*	*	*7	-	-	-	*	-	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
777	*5	*	*	*5	-	-	-	*	*	*	*
778	*6	*	*	*6	-	-	-	*	*	*	*
778.4	*5	*	*	*5	-	-	-	*	*	*	*
779	26	13	12	26	-	-	-	*	*	11	*8
779.3	*6	*	*	*6	-	-	-	*	*	*	*
779.8	16	*9	*7	16	-	-	-	*	*	*7	*6
779.89	16	*8	*7	16	-	-	-	*	*	*7	*5
780-799	184	86	98	39	57	52	37	25	18	85	56
780	39	20	19	18	*	*7	10	*7	*	14	13
780.2	*7	*	*	*	*	*	*	*	*	*5	*
780.3	13	*8	*	*9	*	*	*	*	*	*	*5
780.39	11	*7	*	*7	*	*	*	*	*	*	*
780.6	*8	*	*	*7	*	*	-	*	*	*	*
780.60	*7	*	*	*6	*	*	-	*	*	*	-
780.9	*5	*	*	*	*	-	*	*	-	*	*
786	37	20	18	*	*9	16	*8	*6	*	21	*9
786.5	33	16	17	*	*9	16	*7	*6	*	18	*7
786.50	15	*8	*7	*	*	*7	*	*	*	10	*
786.59	16	*8	*9	*	*	*8	*	*	*	*8	*
787	*9	*	*	*	*	*	*	*	*	*	*
787.0	*8	*	*	*	*	*	*	*	*	*	*
789	25	*9	16	*	14	*	*	*9	*	*8	*6
789.0	23	*9	14	*	14	*	*	*8	*	*8	*6
789.00	*7	*	*	*	*	*	*	*	-	*	*
799	63	29	33	*8	21	21	12	*	*7	35	19
799.9	59	27	32	*5	21	20	12	*	*7	34	16
800-999	3,046	1,471	1,575	154	801	844	1,247	685	698	1,069	594
800	14	11	*	*7	*	*	*	*	*	*	*6
800.2	*9	*6	*	*	*	*	*	*	*	*	*
801	43	31	12	*	23	*7	*9	*6	11	13	13
801.0	13	10	*	*	*7	*	*	*	*	*	*
801.01	*9	*7	*	*	*	*	*	*	*	*	*
801.2	19	13	*6	*	*9	*	*5	*	*	*6	*8
801.21	*5	*	*	*	*	-	*	*	*	*	*
801.26	*7	*	*	*	*	*	*	-	*	*	*
802	41	31	10	*	22	*9	*8	11	*6	12	12
802.2	15	11	*	*	*9	*	*	*	*	*8	*
802.4	*7	*5	*	-	*	*	*	*	*	*	*
802.6	*5	*	*	*	*	*	*	*	*	*	*
805	125	56	69	*	28	25	72	24	29	45	27
805.0	33	24	10	*	10	*7	16	*7	*8	12	*7
805.01	*6	*	*	-	*	*	*	*	*	*	*
805.02	*9	*5	*	-	*	*	*5	*	*	*	*
805.06	*7	*7	*	-	*6	*	*	*	*	*	-
805.2	27	*9	18	*	*6	*5	15	*	*5	11	*8
805.4	56	21	35	*	11	10	35	13	13	21	10
805.6	*7	*	*6	-	*	*	*6	*	*	*	*
806	11	*8	*	*	*	*	*7	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
806.0	*7	*6	*	*	*	*	*7	*	*	*	*
807	58	32	26	*	12	17	29	12	11	17	18
807.0	52	28	24	*	10	15	27	12	11	15	14
807.01	*9	*	*	-	*	*	*	*	*	*	*
807.02	12	*5	*6	-	*	*	*9	*	*	*	*
807.03	*8	*	*	-	*	*	*6	*	*	*	*
807.04	*5	*	*	-	*	*	*	*	*	*	*
807.05	*7	*	*	*	*	*	*	*	*	*	*
807.09	*6	*	*	-	*	*	*	*	*	*	*
807.2	*6	*	*	-	*	*	*	*	*	*	*
808	66	19	47	*	*9	11	44	15	12	24	15
808.0	15	*9	*6	-	*6	*5	*	*6	*	*	*
808.2	39	*5	33	*	*	*	36	*6	*9	13	11
808.4	*6	*	*	*	*	*	*	*	*	*	*
808.8	*6	*	*6	*	*	*	*	*	*	*	-
810	*7	*	*	*	*	*	*	*	*	*	*
810.0	*7	*	*	*	*	*	*	*	*	*	*
812	69	19	51	*9	*8	14	37	16	14	28	12
812.0	42	*9	34	-	*	*8	32	*9	*9	20	*
812.00	11	*	*9	-	*	*	*9	*	*	*6	*
812.01	14	*	12	-	*	*	11	*	*	*7	*
812.09	12	*	*9	-	*	*	*8	*	*	*6	*
812.2	*8	*	*6	-	*	*	*	*	*	*	-
812.21	*8	*	*5	-	*	*	*	*	*	*	-
812.4	14	*5	*9	*9	*	*	*	*	*	*	*5
812.41	*9	*	*6	*7	*	*	*	*	*	*	*
813	52	24	28	*8	*7	17	21	11	10	20	11
813.0	*9	*	*6	*	*	*	*	*	*	*	*
813.2	*8	*6	*	*	*	*	*	*	*	*	*
813.23	*6	*	*	*	*	*	*	*	*	*	*
813.4	27	11	16	*	*	11	12	*6	*	11	*7
813.42	14	*	*9	*	*	*7	*5	*	*	*8	*
813.44	*9	*	*	*	*	*	*	*	*	*	*
816	*7	*	*	*	*	*	*	*	*	*	*
816.1	*7	*	*	-	*	*	*	*	*	*	*
820	279	75	205	*	*5	27	246	50	67	115	47
820.0	68	18	50	*	*	*6	60	12	16	26	14
820.03	*8	*	*	*	*	*	*6	*	*	*	*
820.09	57	14	43	-	*	*	52	*9	14	22	13
820.2	137	36	101	*	*	12	123	24	35	57	21
820.20	11	*	*8	-	*	*	*8	*	*	*	*
820.21	111	29	83	-	*	*6	105	21	27	46	16
820.22	15	*	11	*	*	*	*9	*	*	*6	*
820.8	73	20	52	-	*	*9	62	13	16	31	12
821	67	38	30	*8	22	12	25	12	16	30	*8
821.0	36	25	11	*7	16	*	*8	*8	*7	15	*6
821.00	*8	*7	*	*	*	*	*	*	-	*7	*
821.01	28	18	*9	*	14	*	*5	*8	*7	*7	*6
821.2	27	*9	18	*	*	*6	16	*	*8	14	*
821.21	*6	*	*	-	*	*	*	-	*	*	-
821.23	13	*	10	*	*	*	*9	*	*	*7	*
822	*9	*	*6	-	*	*	*6	*	*	*	*
822.0	*9	*	*6	-	*	*	*5	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
863	*7	*5	*	*	*5	*	*	*	*	*	*
864	12	*9	*	*	*9	*	*	*	*	*	*
864.0	*6	*	*	*	*	*	-	*	*	*	*
864.1	*7	*5	*	*	*5	*	*	*	*	*	*
865	19	15	*	*	10	*	*	*	*5	*8	*
865.0	16	13	*	*	*8	*	*	*	*	*7	*
867	*9	*8	*	-	*	*	*7	*	*	*	*
867.0	*7	*7	-	-	*	*	*7	*	*	*	*
868	*7	*6	*	*	*6	*	*	*	*	*	*
873	22	14	*8	*	*8	*	*7	*	*	*6	*7
873.0	*6	*	*	*	*	*	*	*	*	*	*
873.4	*9	*	*	*	*	*	*	*	*	*	*
879	*7	*	*	*	*	*	*	*	*	*5	*
881	*9	*6	*	*	*7	*	*	*	*	*	*
891	14	*8	*6	*	*7	*	*	*5	*	*	*
891.0	*5	*	*	*	*	*	*	*	*	*	*
891.1	*7	*	*	*	*	*	*	*	*	*	*
920	10	*	*6	*	*	*	*7	*	*	*	*
922	12	*6	*7	*	*	*	*6	*6	*	*	*
922.2	*5	*	*	*	*	*	*	*	*	*	*
924	21	*	19	*	*	*	16	10	*	*6	*
924.0	11	*	11	-	*	*	*9	*	*	*5	*
924.01	*9	*	*8	-	*	*	*7	*	*	*	*
924.1	*6	*	*5	-	-	*	*5	*	*	*	*
927	*5	*5	-	*	*	*	-	*	*	*	*
935	11	*8	*	*	*	*	*	*	*	*	*
935.1	*8	*6	*	*	*	*	*	*	*	*	*
941	*6	*	*	*	*	*	*	*	*	*	*
942	*7	*	*	*	*	*	*	*	*	*	-
945	*6	*	*	*	*	*	*	*	*	*	*
959	28	14	14	*7	10	*	*7	12	*6	*7	*
959.0	18	*8	10	*	*	*	*6	*5	*5	*	*
959.01	16	*8	*9	*	*	*	*6	*5	*	*	*
959.9	*7	*	*	*	*	*	-	*	*	*	-
962	*8	*	*	*	*	*	*	*	*	*	*
962.3	*8	*	*	*	*	*	*	*	*	*	*
965	96	36	60	*	50	31	10	21	22	35	19
965.0	43	20	23	*	15	20	*8	*7	10	18	*7
965.00	14	*	*9	-	*	*8	*	*	*	*7	*
965.01	*6	*	*	-	*	*	-	*	*	*	*
965.09	18	*9	*9	*	*	*8	*	*	*	*8	*
965.1	*6	*	*	*	*5	*	-	*	*	*	*
965.4	35	12	23	*	27	*6	*	*8	*6	13	*8
965.8	*5	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
966	10	*	*5	*	*	*	*	*	*	*	*
966.3	*7	*	*	*	*	*	*	*	*	*	*
967	17	*	12	-	*7	*6	*	*	*	*8	*6
967.8	*9	*	*7	-	*	*	*	*	*	*	*
967.9	*6	*	*	-	*	*	*	*	*	*	*
969	84	33	51	*	52	26	*	15	26	23	20
969.0	24	*8	16	*	15	*8	*	*	*7	*	*9
969.3	18	10	*8	*	14	*	*	*	*	*	*
969.4	34	12	22	*	20	10	*	*	13	12	*5
970	17	*8	*9	-	*9	*8	*	*	*6	*	*
970.8	16	*8	*9	-	*9	*8	*	*	*6	*	*
971	*5	*	*	-	*	*	*	*	*	*	*
972	13	*	*9	*	*	*7	*	*	*	*6	*
972.6	*6	*	*	*	*	*	*	*	*	*	*
977	*6	*	*	*	*	*	*	*	*	*	*
980	*6	*	*	*	*	*	*	*	*	*	*
989	*7	*	*	*	*	*	*	*	*	*	*
992	*5	*	*	*	*	*	*	*	*	*	*
994	*7	*7	*	*	*	*	*	*	*	*	*
995	39	15	24	*	11	14	10	12	*8	12	*6
995.0	*6	*	*	*	*	*	*	*	*	*	*
995.1	17	*7	10	*	*	*7	*6	*	*	*5	*
996	583	288	295	21	70	223	268	141	140	219	84
996.0	27	13	14	*	*	*	19	*8	*6	11	*
996.01	13	*5	*8	*	*	*	11	*5	*	*6	*
996.04	13	*6	*6	-	*	*	*7	*	*	*	*
996.1	13	*8	*5	*	*	*	*6	*	*	*	*
996.2	23	*9	14	10	*	*5	*	*	*	14	*
996.3	15	*8	*8	*	*	*5	*7	*5	*	*6	*
996.39	12	*6	*6	*	*	*5	*6	*	*	*	*
996.4	122	50	72	*	*6	46	69	26	27	44	24
996.41	26	11	15	-	*	*9	16	*8	*	*8	*6
996.42	25	*6	19	-	*	*8	16	*	*8	*9	*
996.43	15	*7	*8	-	*	*5	*9	*	*	*6	*
996.44	*6	*	*5	-	*	*	*	*	*	*	*
996.46	*5	*	*	-	*	*	*	*	*	*	*
996.47	14	*7	*7	-	*	*6	*6	*	*	*5	*
996.49	26	13	13	*	*	12	11	*	*7	*9	*
996.5	22	*9	13	*	*	*9	*6	*5	*9	*7	*
996.59	13	*5	*8	*	*	*5	*	*	*5	*	*
996.6	192	102	89	*	26	75	88	46	43	78	25
996.61	10	*6	*	-	*	*	*5	*	*	*	*
996.62	46	23	23	*	*9	18	19	10	*9	21	*6
996.63	*6	*5	*	*	*	*	*	*	*	*	*
996.64	41	24	18	-	*	*8	31	12	13	14	*
996.65	*8	*6	*	-	*	*	*	*	*	*	*
996.66	43	22	22	-	*	20	22	15	*9	15	*5
996.67	16	10	*6	*	*6	*5	*	*	*	*7	*
996.69	17	*5	12	*	*	10	*	*	*	*9	*
996.7	138	71	67	*	17	53	66	37	37	40	23

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
996.72	32	19	12	-	*	11	19	*8	12	*9	*
996.73	30	15	15	-	*	10	16	*8	*8	*8	*7
996.74	28	18	*9	*	*	11	12	10	*6	10	*
996.76	*6	*	*	*	*	*	*5	*	*	*	-
996.77	13	*	10	-	*	*5	*7	*	*	*	*
996.78	20	10	10	*	*	10	*	*6	*	*	*7
996.79	*5	*	*	*	*	*	*	*	*	*	*
996.8	32	19	13	*	*7	21	*	10	*6	15	*
996.81	17	*9	*8	*	*	10	*	*	*6	*7	*
997	115	57	58	*	29	44	39	31	30	33	21
997.0	*6	*	*	*	*	*	*	*	*	*	*
997.1	12	*5	*7	*	*	*	*6	*	*	*	*
997.2	*9	*6	*	-	*	*	*	*	*	*	*
997.3	*8	*5	*	*	*	*	*	*	*	*	*
997.39	*7	*	*	*	*	*	*	*	*	*	*
997.4	48	19	30	*	16	21	10	10	13	15	11
997.5	*7	*6	*	-	*	*	*	*	*	*	*
997.6	22	12	10	-	*	*7	10	*7	*6	*	*
997.62	10	*7	*	-	*	*	*	*	*	*	*
997.69	11	*	*7	-	*	*	*6	*	*	*	*
998	291	137	155	*6	77	107	102	69	70	110	42
998.1	72	37	36	*	16	23	31	14	17	29	12
998.11	39	25	14	*	*7	14	16	*5	*9	16	*9
998.12	27	10	17	-	*7	*7	13	*7	*7	11	*
998.13	*6	*	*	-	*	*	*	*	*	*	*
998.2	*7	*	*	*	*	*	*	*	*	*	*
998.3	26	13	13	*	*	11	11	*	*	13	*
998.31	*9	*5	*	*	*	*	*5	*	*	*	*
998.32	13	*	*8	-	*	*7	*	*	*	*7	*
998.5	159	72	87	*	44	62	50	39	41	57	22
998.51	*7	*	*6	-	*	*	*	*	*	*	*
998.59	152	70	82	*	42	60	47	37	40	55	19
998.6	14	*5	*9	-	*8	*	*	*6	*	*5	*
998.8	12	*6	*6	*	*	*6	*	*	*	*	*
998.83	*8	*	*	*	*	*	*	*	*	*	*
999	55	30	25	*5	14	16	20	13	13	21	*9
999.3	48	29	19	*5	13	15	15	12	11	16	*8
999.31	42	26	16	*5	10	14	13	12	10	16	*
999.39	*7	*	*	*	*	*	*	*	*	*	*
V01-V89	4,887	421	4,466	60	4,136	281	411	927	1,116	1,827	1,017
V07	15	*7	*8	*	*6	*6	*	12	-	*	*
V07.8	*9	*	*6	*	*	*	*	*7	-	*	-
V07.9	*5	*	*	-	*	*	-	*5	-	-	-
V10	18	*5	12	*	*	*7	*8	*7	*	*8	*
V10.3	*7	-	*7	-	-	*	*	*	*	*	-
V10.4	*7	*	*	*	-	*	*	*	*	*	*
V12	12	*7	*5	-	*	*8	*	*	*	*6	*
V12.5	*8	*6	*	-	*	*6	*	*	*	*	*
V15	11	*6	*	*	*	*	*	*	*	*5	*
V15.8	*9	*5	*	-	*	*	*	*	*	*	*
V17	*5	*	*	*	*	*	-	*	*	*	*
V27	4,005	-	4,005	*	3,990	11	-	675	945	1,522	863

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
V27.0	3,461	-	3,461	*	3,453	*6	-	598	777	1,362	724
V27.1	20	-	20	-	20	-	-	*	*	*9	*
V27.2	55	-	55	-	54	*	-	15	14	16	10
V27.9	464	-	464	-	459	*	-	59	148	132	124
V42	*6	*	*	*	*	*	*	*	*	*	*
V43	*9	*	*8	-	*	*	*	*7	-	*	-
V43.6	*6	-	*6	-	*	*	*	*	-	*	-
V43.65	*5	-	*5	-	*	*	*	*	-	*	-
V44	*6	*	*	-	*	*	*6	*	*	*	-
V45	61	29	32	*	*7	17	36	29	*	22	*6
V45.0	*5	*	*	-	-	*	*5	*	*	*	*
V45.7	*8	*	*7	-	*	*7	*	*	*	*5	-
V45.71	*6	-	*6	-	*	*5	*	*	*	*	-
V45.8	43	22	21	*	*5	*9	28	27	*	11	*
V45.81	10	*6	*	-	*	*	*7	*	*	*7	-
V45.82	10	*8	*	-	-	*	*9	*7	*	*	-
V45.89	22	*8	14	*	*	*5	13	18	*	*	*
V46	*5	*	*	*	*	*	*	-	*	*	*
V52	*7	*	*	*6	*	-	*	*	-	*6	*
V52.8	*7	*	*	*6	*	-	-	*	-	*6	-
V53	11	*7	*	*	-	*	*7	*	*	*	*
V53.3	*9	*5	*	*	-	*	*7	*	*	*	*
V54	16	10	*6	*	*	*6	*9	12	-	*	*
V54.1	10	*6	*	-	-	*	*7	*9	-	*	*
V54.17	*7	*6	*	-	-	*	*5	*7	-	-	-
V55	54	29	24	*	*9	23	17	11	10	29	*
V55.2	23	12	11	*	*	*9	*8	*7	*	10	*
V55.3	23	15	*8	*	*6	10	*6	*	*	14	*
V56	10	*7	*	-	*	*	*	-	*	*7	*
V56.0	10	*7	*	-	*	*	*	-	*	*7	*
V57	361	169	192	*	26	87	247	71	89	117	84
V57.1	15	14	*	-	-	*6	*9	11	*	*	*
V57.8	341	150	190	*	26	79	235	56	89	114	82
V57.89	339	149	189	*	26	77	234	54	89	114	82
V58	163	82	81	18	27	65	54	42	41	55	25
V58.0	*9	*	*	-	*	*	*	*7	*	*	*
V58.1	119	61	58	18	24	49	29	32	31	37	20
V58.11	117	61	56	18	23	48	29	30	30	37	19
V58.6	17	*5	12	-	*	*7	10	*	*	15	*
V58.69	*9	*	*6	-	-	*	*	-	*	*8	*
V58.8	10	*5	*5	*	*	*	*8	*	*9	*	*
V58.89	*9	*	*	*	*	*	*8	-	*8	*	-
V59	*8	*	*	-	*5	*	*	*	*	*	-
V59.4	*7	*	*	-	*	*	*	*	*	*	-
V62	18	*9	*9	*	10	*8	*	*8	*	*8	*
V62.8	18	*9	*9	*	10	*8	*	*8	*	*8	*
V62.84	18	*9	*9	*	10	*8	*	*8	*	*8	*
V70	18	12	*6	*	14	*	*	11	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*[§] (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
V70.7	*8	*	*	-	*7	*	*	*	*	*	*
V85	16	*5	11	-	*6	*7	*	*	*	*9	*
V85.4	13	*	*8	-	*	*6	*	-	*	*8	*

* Figure does not meet standards of reliability or precision.

- Quantity zero.

§ U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services. Official version *International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition*. DHHS Pub No. (PHS) 06-1260. available at: <http://www.cdc.gov/nchs/icd/icd9cm.htm>

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates between 5,000 and 9,000 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of *National Hospital Discharge Survey: 2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165*. http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf