

Number, rate, and standard error of deaths for discharges from short-stay hospitals, by age and selected first-listed diagnosis: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Diagnostic groups and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

First-listed diagnosis and ICD-9-CM code	All ages	Under 65 years	65 years and over	All ages	Under 65 years	65 years and over
All conditions \1	715	190	525	2.0	0.9	3.9
Septicemia	038	132	40	16.3	13.9	17.6
Heart disease	391-392.0, 393-398, 402, 404, 410-416, 420-429	117	23	3.1	1.7	4.0
Acute myocardial infarction	410	45	*	7.6	*	10.3
Congestive heart failure	428.0, 428.2-428.4	30	*	3.0	*	3.6
Cardiac dysrhythmias	427	24	*	3.1	*	3.4
Respiratory failure	518.81, 518.83, 518.84	61	16	45	16.5	11.1
Malignant neoplasms	140-209.36, 209.70-209.75, 209.79, 230-234	53	17	36	4.5	2.9
Malignant neoplasm on trachea, bronchus, and lung	162, 176.4, 197.0, 197.3, 209.21	*9	*	*6	*5.2	*
Cerebrovascular disease	430-438	48	*17	31	4.7	*4.8
Pneumonia	480-486	37	*	28	3.3	*
Pneumonitis due to solids and liquids	507	28	*	27	13.6	*
Nephritis, nephrotic syndrome and nephrosis	580-589	21	*	20	3.5	*
Fractures, all sites \2	800-829	*9	*	*6	*0.9	*
Fracture of neck of femur	820	*5	*	*5	*1.6	*
Standard error						
All conditions \1	84.2	24.2	63.1	0.2	0.1	0.5
Septicemia	038	17.8	6.6	13.7	2.2	2.3
Heart disease	391-392.0, 393-398, 402, 404, 410-416, 420-429	16.6	4.6	14.2	0.4	0.3
Acute myocardial infarction	410	7.7	*	6.7	1.3	*
Congestive heart failure	428.0, 428.2-428.4	6.4	*	5.8	0.6	*
Cardiac dysrhythmias	427	5.9	*	4.7	0.8	*
Respiratory failure	518.81, 518.83, 518.84	10.0	3.5	8.4	2.7	2.4
Malignant neoplasms	140-209.36, 209.70-209.75, 209.79, 230-234	9.0	3.1	7.2	0.8	0.5
Malignant neoplasm on trachea, bronchus, and lung	162, 176.4, 197.0, 197.3, 209.21	*2.1	*	*1.8	*1.2	*
Cerebrovascular disease	430-438	7.1	*3.7	5.1	0.7	*1.1
Pneumonia	480-486	7.6	*	5.5	0.7	*
Pneumonitis due to solids and liquids	507	6.1	*	6.0	2.9	*
Nephritis, nephrotic syndrome and nephrosis	580-589	5.6	*	5.5	0.9	*
Fractures, all sites \2	800-829	*2.1	*	*1.5	*0.2	*
Fracture of neck of femur	820	*1.2	*	*1.2	*0.4	*

* Figure does not meet standards of reliability or precision. Estimates preceded by the asterisk should be used with caution.

\1 Includes data for deaths not shown in table.

\2 Excludes fractures coded as 733.1, pathologic fracture.

SOURCE: CDC/NCHS National Hospital Discharge Survey, 2010.

More information about survey methodology can be found at:

[ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHDS/NHDS_2010_Documentation.pdf](http://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHDS/NHDS_2010_Documentation.pdf).