

Female File :: Section E :: Open interval questions (EH)

WYNOTUSE(4343-4343)

Variable Type : Raw

EH-1 : Is the reason you are not using a method of birth control now because you, yourself, want to become pregnant as soon as possible?

value	label	Total
.	INAPPLICABLE	11400
1	Yes	395
5	No	478
9	Don't know	6
Total		12279

Universe : Applicable if R is not currently pregnant (currpreg = 5) and R had sex in month of interview (EC-8 MONSX through MONSX48 corresponding to cmintvw = 1) and R is not sterilized nor sterile [(rstrstat ne 1 or 2) and (ED-6 METHX1 through METHX192 corresponding to cmintvw ne 6)] and R did not use a method in month of interview (currmeth1 = 1)

HPPREGQ(4344-4344)

Variable Type : Raw

EH-2 : And your partner, does he want you to become pregnant as soon as possible?

value	label	Total
.	INAPPLICABLE	11400
1	Yes	443
5	No	413
6	(If volunteered:) no current partner	17
9	Don't know	6
Total		12279

Universe : Applicable if R is not currently pregnant (currpreg = 5) and R had sex in month of interview (EC-8 MONSX through MONSX48 corresponding to cmintvw = 1) and R is not sterilized nor sterile [(rstrstat ne 1 or 2) and (ED-6 METHX1 through METHX192 corresponding to cmintvw ne 6)] and R did not use a method in month of interview (currmeth1 = 1)

DURTRY(4345-4346)

Variable Type : Raw

EH-2n : How long have you been trying to become pregnant? (NUMBER)

value	label	Total
.	INAPPLICABLE	11884
0-34	0-34	371
95	not trying to get pregnant	18
98	Refused	1
99	Don't know	5
Total		12279

Universe : Applicable if R is trying to become pregnant (EH-1 WYNOTUSE = 1)

DURTRYM(4347-4347)

Variable Type : Raw

EH-2p : (How long have you been trying to become pregnant?) (UNIT-MONTHS OR YEARS)

value	label	Total
.	INAPPLICABLE	11884
1	Months	229
2	Years	160
9	Don't know	6
	Total	12279

Universe : Applicable if R is trying to become pregnant (EH-1 WYNOTUSE = 1)

WHYNOUSING1(4348-4349)

Variable Type : Raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (1st mention)

value	label	Total
.	INAPPLICABLE	12084
1	You do not expect to have sex	34
2	You do not think you can get pregnant	64
3	You don't really mind if you get pregnant	37
4	You are worried about the side effects of birth control	29
5	Your male partner does not want you to use a birth control method	2
7	(IF VOLUNTEERED:)Respondent is using a method	4
8	You could not get a method	8
9	You are not taking, or using, your method consistently	13
98	Refused	1
99	Don't know	3
	Total	12279

Universe : Applicable if QuestYear >= 3 (asked starting in Year 3) and R is not trying to become pregnant or does not know or refused to report whether she is trying to become pregnant (EH-1 WYNOTUSE = 5, dk, rf) and R's partner does not want her to become pregnant or she doesn't know or refused to report whether he wants her to become pregnant (EH-2 HPPREGQ = 5, dk, rf)

WHYNOUSING2(4350-4350)

Variable Type : Raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (2nd mention)

value	label	Total
.	INAPPLICABLE	12241
1	You do not expect to have sex	2
2	You do not think you can get pregnant	5
3	You don't really mind if you get pregnant	13
4	You are worried about the side effects of birth control	9
5	Your male partner does not want you to use a birth control method	3
6	Your male partner himself does not want to use a birth control method	2
8	You could not get a method	3
9	You are not taking, or using, your method consistently	1
	Total	12279

Universe : Applicable if QuestYear >= 3 (asked starting in Year 3) and R reported more than 1 reason she is not currently using birth control (see EH-2c WHYNOUSING1)

WHYNOUSING3(4351-4351)

Variable Type : Raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (3rd mention)

value label	Total
. INAPPLICABLE	12270
4 You are worried about the side effects of birth control	4
5 Your male partner does not want you to use a birth control method	1
6 Your male partner himself does not want to use a birth control method	2
8 You could not get a method	1
9 You are not taking, or using, your method consistently	1
Total	12279

Universe : Applicable if QuestYear >= 3 (asked starting in Year 3) and R reported more than 3 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)

WHYNOUSING4(4352-4352)

Variable Type : Raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (4th mention)

value label	Total
. INAPPLICABLE	12277
5 Your male partner does not want you to use a birth control method	1
6 Your male partner himself does not want to use a birth control method	1
Total	12279

Universe : Applicable if QuestYear >= 3 (asked starting in Year 3) and R reported more than 4 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)

WHYNOUSING5(4353-4353)

Variable Type : Raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (5th mention)

value label	Total
. INAPPLICABLE	12277
6 Your male partner himself does not want to use a birth control method	1
8 You could not get a method	1
Total	12279

Universe : Applicable if QuestYear >= 3 (asked starting in Year 3) and R reported more than 5 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)

MAINNOUSE(4354-4354)

Variable Type : Raw

EH-2d : Which one of these is the main reason that you are not using birth control?

value label	Total
. INAPPLICABLE	12241
1 You do not expect to have sex	3
2 You do not think you can get pregnant	16
3 You don't really mind if you get pregnant	7
4 You are worried about the side effects of birth control	9
5 Your male partner does not want you to use a birth control method	2
9 You are not taking, or using, your method consistently	1

Total

12279

Universe : Applicable if QuestYear >= 3 (asked starting in Year 3) and R reported more than 1 reason she is not currently using birth control (see EH-2c WHYNOUSING1)

cmethprs(4355-4355)

Variable Type : Computed

Description : Whether [drug/device] method used in month before interview was prescription or non-prescription (Computed in Flow Check E-92) - 1st Method

value	label	Total
.	INAPPLICABLE	8748
0	1st meth was nonprescription	1364
1	1st meth was prescription	2167
Total		12279

Universe : Year 1 and Year 2 (QuestYear <= 2): Applicable if the method(s) R used in the month before interview was a drug or device (any of Istmonmeth1 - Istmonmeth4 = 3,4,6,8,9,12,13,14,15,16,17,18,19,20,24, 25, or 26)

Year 3 (QuestYear >= 3): Applicable if the method(s) R used in the month before interview was a drug or device except for emergency contraception (any of Istmonmeth1 - Istmonmeth4 = 3,4,6,8,9,12,13,14,15,16,17,18,19,24, 25, or 26)

cmethprs2(4356-4356)

Variable Type : Computed

Description : Whether [drug/device] method used in month before interview was prescription or non-prescription (Computed in Flow Check E-92) - 2nd Method

value	label	Total
.	INAPPLICABLE	11786
0	1st meth was nonprescription	399
1	1st meth was prescription	94
Total		12279

Universe : Applicable if more than 1 drug / device method was used in the month before interview (see cmethprs)

cmethprs3(4357-4357)

Variable Type : Computed

Description : Whether [drug/device] method used in month before interview was prescription or non-prescription (Computed in Flow Check E-92) - 3rd Method

value	label	Total
.	INAPPLICABLE	12206
0	1st meth was nonprescription	65
1	1st meth was prescription	8
Total		12279

Universe : Applicable if more than 2 drug / device methods were used in the month before interview (see cmethprs)

cmethprs4(4358-4358)

Variable Type : Computed

Description : Whether [drug/device] method used in month before interview was prescription or

non-prescription (Computed in Flow Check E-92) - 4th Method

value	label	Total
.	INAPPLICABLE	12221
0	1st meth was nonprescription	58
	Total	12279

Universe : Applicable if more than 3 drug / device methods were used in the month before interview (see cmethprs)

cmethprs5(4359-4359)

Variable Type : Computed

Description : Whether [drug/device] method used in month before interview was prescription or non-prescription (Computed in Flow Check E-92) - 5th Method

value	label	Total
.	INAPPLICABLE	12235
0	1st meth was nonprescription	44
	Total	12279

Universe : Applicable if more than 4 drug / device methods were used in the month before interview (see cmethprs)

PLACCUR(4360-4361)

Variable Type : Raw

EH-3 : Please look at Card 36. You may already have told me, but where did you get the [prescription for the Pill / condom / sterilizing operation / prescription for Depo-Provera / prescription for the implant / prescription for diaphragms / female condom / foam / jelly or cream / prescription for the cervical cap / suppository / the sponge / prescription for the IUD / prescription for emergency contraception / prescription for Lunelle / prescription for the contraceptive patch/the contraceptive ring] you used last month? - 1st method

value	label	Total
.	INAPPLICABLE	8764
1	Private doctor's office	1427
2	HMO facility	53
3	Community health clinic, community clinic, public health clinic	334
4	Family planning or Planned Parenthood clinic	325
5	Employer or company clinic	9
6	School or school-based clinic	43
7	Hospital outpatient clinic	51
8	Hospital emergency room	1
9	Hospital regular room	20
10	Urgent care center, urgi-care, or walk-in facility	7
11	Friend	29
12	Partner or spouse	325
13	Drug store	796
14	Mail order/Internet	14
20	Some other place	79
98	Refused	1
99	Don't know	1
	Total	12279

Universe : Year 1 and Year 2 (QuestYear <= 2): Applicable if the method(s) R used in the month before interview was a drug or device (any of Istmonmeth1 - Istmonmeth4 = 3,4,6,8,9,12,13,14,15,16,17,18,19,20,24, 25, or 26)

Year 3 (QuestYear >= 3): Applicable if the method(s) R used in the month before interview was a drug or device except for emergency contraception (any of Istmonmeth1 - Istmonmeth4 =

3,4,6,8,9,12,13,14,15,16,17,18,19,24, 25, or 26)

PLACEC(4362-4363)

Variable Type : Raw

EH-3a : Please look at card 36. Earlier you reported using emergency contraception within the past two years. Where did you get the emergency contraception (the last time you used it)?

value	label	Total
.	INAPPLICABLE	12266
1	Private doctor's office	1
4	Family planning or Planned Parenthood clinic	2
13	Drug store	9
20	Some other place	1
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2):

Year 2 (QuestYear = 2): Applicable if R used emergency contraception in the 24 months before interview (any of ED-6 METHXx corresponding to each month within cmintw - 24 = 20) and clinic database was not already invoked (EH-3 PLACCUR ne 4,6,7,8,9, or 10)

Year 3 (QuestYear >= 3): Applicable if R used emergency contraception in the 24 months before interview (any of ED-6 METHXx corresponding to each month within cmintw - 24 = 20)

PLACCUR2(4364-4365)

Variable Type : Raw

EH-3 : Please look at Card 36. You may already have told me, but where did you get the [prescription for the Pill / condom / sterilizing operation / prescription for Depo-Provera / prescription for the implant / prescription for diaphragms / female condom / foam / jelly or cream / prescription for the cervical cap / suppository / the sponge / prescription for the IUD / prescription for emergency contraception / prescription for Lunelle / prescription for the contraceptive patch/the contraceptive ring] you used last month? - 2nd method

value	label	Total
.	INAPPLICABLE	11835
1	Private doctor's office	64
2	HMO facility	5
3	Community health clinic, community clinic, public health clinic	32
4	Family planning or Planned Parenthood clinic	28
5	Employer or company clinic	1
6	School or school-based clinic	5
7	Hospital outpatient clinic	2
9	Hospital regular room	2
11	Friend	4
12	Partner or spouse	86
13	Drug store	200
14	Mail order/Internet	3
20	Some other place	11
98	Refused	1
	Total	12279

Universe : Applicable if R used at least 2 drug/device methods in month prior to interview (see EH-3 PLACCUR)

PLACEC2(4366-4367)

Variable Type : Raw

EH-3a : Please look at card 36. Earlier you reported using emergency contraception within the past two years. Where did you get the emergency contraception (the last time you used it)?

value label	Total	
.	INAPPLICABLE	12272
3	Community health clinic, community clinic, public health clinic	1
4	Family planning or Planned Parenthood clinic	4
13	Drug store	2
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2):

Year 2 (QuestYear = 2): Applicable if R used emergency contraception in the 24 months before interview (any of ED-6 METHXx corresponding to each month within cmintvw - 24 = 20) and clinic database was not already invoked (EH-3 PLACCUR ne 4,6,7,8,9, or 10)

Year 3 (QuestYear >= 3): Applicable if R used emergency contraception in the 24 months before interview (any of ED-6 METHXx corresponding to each month within cmintvw - 24 = 20)

PLACCUR3(4368-4369)

Variable Type : Raw

EH-3 : Please look at Card 36. You may already have told me, but where did you get the [prescription for the Pill / condom / sterilizing operation / prescription for Depo-Provera / prescription for the implant / prescription for diaphragms / female condom / foam / jelly or cream / prescription for the cervical cap / suppository / the sponge / prescription for the IUD / prescription for emergency contraception / prescription for Lunelle / prescription for the contraceptive patch/the contraceptive ring] you used last month? - 3rd method

value label	Total	
.	INAPPLICABLE	12260
1	Private doctor's office	4
3	Community health clinic, community clinic, public health clinic	1
4	Family planning or Planned Parenthood clinic	4
12	Partner or spouse	2
13	Drug store	8
	Total	12279

Universe : Applicable if R used at least 3 drug/device, nonprescription methods in month prior to interview (see EH-3 PLACCUR)

PLACEC3(4370-4370)

Variable Type : Raw

EH-3a : Please look at card 36. Earlier you reported using emergency contraception within the past two years. Where did you get the emergency contraception (the last time you used it)? (3rd mention)

value label	Total	
.	INAPPLICABLE	12278
4	Family planning or Planned Parenthood clinic	1
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2):

Year 2 (QuestYear = 2): Applicable if R used emergency contraception in the 24 months before interview (any of ED-6 METHXx corresponding to each month within cmintvw - 24 = 20) and clinic database was not already invoked (EH-3 PLACCUR ne 4,6,7,8,9, or 10)

Year 3 (QuestYear >= 3): Applicable if R used emergency contraception in the 24 months before interview (any of ED-6 METHXx corresponding to each month within cmintvw - 24 = 20)

PLACCUR4(4371-4372)

Variable Type : Raw

EH-3 : Please look at Card 36. You may already have told me, but where did you get the [prescription for the Pill / condom / sterilizing operation / prescription for Depo-Provera / prescription for the implant / prescription for diaphragms / female condom / foam / jelly or cream / prescription for the cervical cap / suppository / the

sponge / prescription for the IUD / prescription for emergency contraception / prescription for Lunelle / prescription for the contraceptive patch/the contraceptive ring] you used last month? - 4th method

value	label	Total
.	INAPPLICABLE	12276
13	Drug store	3
	Total	12279

Universe : Applicable if R used at least 4 drug/device, nonprescription methods in month prior to interview (see EH-3 PLACCUR)

PLACEC4(4373-4373)

Variable Type : Raw

EH-3a : Please look at card 36. Earlier you reported using emergency contraception within the past two years. Where did you get the emergency contraception (the last time you used it)? (4th mention)

value	label	Total
.	INAPPLICABLE	12278
4	Family planning or Planned Parenthood clinic	1
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2):

Year 2 (QuestYear = 2): Applicable if R used emergency contraception in the 24 months before interview (any of ED-6 METHXx corresponding to each month within cmintvw - 24 = 20) and clinic database was not already invoked (EH-3 PLACCUR ne 4,6,7,8,9, or 10)

Year 3 (QuestYear >= 3): Applicable if R used emergency contraception in the 24 months before interview (any of ED-6 METHXx corresponding to each month within cmintvw - 24 = 20)