TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
UNITED STATES -	2,391,399	27,937	5,249	3,474	4,121	13,778	16,878	17,703	23,363	36,804	52,452	68,120
WHITE------MALE----	1,005,335	10,197	2,084	1,376	1,852	7,222	8,981	9,015	11,534	17,792	25,122	32,778
FEMALE--	1,056,013	7,870	1,606	1,074	1,191	3,133	3,016	3,554	5,297	9,232	13,461	18,117
ALL OTHER--MALE----	170,125	5,449	891	588	676	2,558	3,653	3,527	4,200	5,889	8,315	10,525
FEMALE--	159,926	4,421	668	436	402	865	1,228	1,607	2,332	3,891	5,554	6,700
BLACK---MALE----	145,703	4,897	746	519	577	2,157	3,191	3,073	3,650	5,171	7,396	9,392
FEMALE--	139,361	3,925	565	361	332	692	1,026	1,371	2,021	3,492	4,982	5,912
ALABAMA ----------	44,806	606	121	86	98	338	414	407	486	736	1,151	1,392
WHITE------MALE----	16,577	167	30	21	42	140	163	157	179	278	481	571
FEMALE--	17,046	121	28	19	25	77	68	83	115	176	233	288
ALL OTHER--MALE----	5,626	193	37	22	15	84	131	104	130	163	237	332
FEMALE--	5,557	125	26	24	16	37	52	63	62	119	200	201
BLACK---MALE----	5,576	192	36	21	15	83	130	102	128	162	235	330
FEMALE--	5,504	124	25	24	16	35	52	63	61	119	197	197
ALASKA ----------	2,708	57	17	11	7	54	42	64	74	105	123	148
WHITE------MALE----	1,114	12	5	1	3	16	18	24	32	49	54	61
FEMALE--	798	19	2	4	2	5	7	6	8	19	31	41
ALL OTHER--MALE----	428	15	6	4	2	24	11	22	23	22	24	26
FEMALE--	368	11	4	2	-	9	6	12	11	15	14	20
BLACK---MALE----	37	2	-	-	-	2	1	2	2	2	2	3
FEMALE--	34	2	-	-	-	1	-	-	1	1	2	3
ARIZONA ----------	40,050	548	108	54	81	269	371	380	477	721	961	1,218
WHITE------MALE----	19,714	259	45	26	40	162	218	239	268	397	536	708
FEMALE--	17,553	183	34	17	22	51	69	65	112	190	270	346
ALL OTHER--MALE----	1,539	57	19	6	7	44	65	51	71	84	107	107
FEMALE--	1,244	49	10	5	12	12	19	25	26	50	48	57
BLACK---MALE----	561	29	4	3	1	12	19	16	17	28	24	35
FEMALE--	433	23	3	1	2	4	7	4	7	10	14	14
ARKANSAS ----------	27,925	292	63	43	66	175	219	210	261	393	575	761
WHITE------MALE----	11,944	117	26	21	33	105	111	100	137	198	283	360
FEMALE--	11,855	81	15	12	16	37	42	44	56	99	150	190
ALL OTHER--MALE----	2,070	54	13	7	11	24	46	40	47	58	88	128
FEMALE--	2,056	40	9	3	6	9	20	26	21	38	54	83
BLACK---MALE----	2,037	53	13	7	11	23	44	40	46	55	88	125
FEMALE--	2,019	39	9	2	6	8	19	25	21	38	53	81
CALIFORNIA ----------	229,380	2,800	602	364	447	1,320	1,782	1,864	2,493	3,791	5,436	7,421
WHITE------MALE----	96,971	1,166	262	146	216	739	1,087	1,070	1,416	2,054	2,793	3,759
FEMALE--	99,155	940	199	128	123	282	315	388	573	947	1,449	2,082
ALL OTHER--MALE----	17,514	370	80	45	55	222	289	283	333	469	719	934
FEMALE--	15,740	324	61	45	53	77	91	123	171	321	475	646
BLACK---MALE----	9,219	239	44	26	32	123	194	182	203	312	474	602
FEMALE--	8,796	218	37	25	27	39	51	71	103	216	309	399

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
UNITED STATES -	84,854	104,884	134,095	186,695	265,905	338,349	360,241	330,903	213,991	83,334	17,913	356
WHITE------MALE----	41,130	51,133	65,404	91,520	128,922	155,859	151,591	115,599	57,211	16,329	2,471	213
FEMALE--	24,986	32,743	44,302	65,740	101,255	143,842	175,197	186,951	140,226	59,813	13,349	58
ALL OTHER--MALE----	11,226	12,308	13,879	16,009	18,469	18,994	14,526	10,932	5,300	1,782	365	64
FEMALE--	7,512	8,700	10,510	13,426	17,259	19,654	18,927	17,421	11,254	5,410	1,728	21
BLACK---MALE----	9,906	10,751	12,018	13,862	15,732	15,873	11,966	8,828	4,167	1,462	311	58
FEMALE--	6,549	7,608	9,099	11,599	14,929	17,054	16,308	15,218	9,934	4,819	1,546	19
ALABAMA ----------	1,765	2,204	2,837	3,833	5,011	6,258	6,214	5,715	3,500	1,319	315	-
WHITE------MALE----	740	961	1,289	1,766	2,227	2,554	2,202	1,616	770	187	36	-
FEMALE--	446	602	758	1,183	1,611	2,417	2,802	2,997	2,052	792	153	-
ALL OTHER--MALE----	353	386	469	466	596	637	520	443	202	84	22	-
FEMALE--	226	255	321	418	577	650	690	659	476	256	104	-
BLACK---MALE----	348	385	466	457	595	632	517	434	202	84	22	-
FEMALE--	223	252	314	413	572	647	683	656	472	255	104	-
ALASKA ----------	162	195	198	236	305	300	266	196	116	28	4	-
WHITE------MALE----	85	103	88	107	147	109	110	60	26	3	1	-
FEMALE--	37	44	58	62	88	110	86	87	64	16	2	-
ALL OTHER--MALE----	26	21	23	41	37	38	26	22	11	3	1	-
FEMALE--	14	27	29	26	33	43	44	27	15	6	-	-
BLACK---MALE----	1	2	4	6	4	1	-	2	1	-	-	-
FEMALE--	1	4	1	1	6	2	5	2	1	1	-	-
ARIZONA ----------	1,442	1,780	2,341	3,263	4,568	5,789	6,135	5,150	3,109	1,014	230	41
WHITE------MALE----	786	983	1,282	1,819	2,471	3,051	2,968	2,126	1,020	238	39	33
FEMALE--	486	602	840	1,225	1,869	2,512	2,932	2,843	1,970	736	172	7
ALL OTHER--MALE----	97	113	117	119	115	112	105	70	53	15	4	1
FEMALE--	73	82	102	100	113	114	130	111	66	25	15	-
BLACK---MALE----	35	52	44	48	48	42	51	29	21	2	-	1
FEMALE--	26	29	31	34	39	48	51	51	21	11	3	-
ARKANSAS ----------	973	1,283	1,648	2,263	3,132	3,893	4,197	3,860	2,492	963	161	2
WHITE------MALE----	491	668	867	1,151	1,593	1,784	1,752	1,316	633	175	22	1
FEMALE--	292	394	521	779	1,128	1,647	1,955	2,090	1,548	655	104	-
ALL OTHER--MALE----	119	116	142	166	208	232	236	180	111	34	9	1
FEMALE--	71	105	118	167	203	230	254	274	200	99	26	-
BLACK---MALE----	117	115	139	164	206	228	234	177	108	34	9	1
FEMALE--	70	102	116	159	198	228	250	272	198	99	26	-
CALIFORNIA ----------	8,630	10,038	12,623	17,166	24,693	32,491	34,241	31,081	20,177	8,127	1,712	81
WHITE------MALE----	4,310	4,833	5,864	8,081	11,509	14,560	14,385	10,999	5,704	1,699	259	60
FEMALE--	2,584	3,244	4,276	6,193	9,421	13,580	15,949	16,840	12,645	5,695	1,291	11
ALL OTHER--MALE----	1,017	1,144	1,467	1,533	1,995	2,279	1,843	1,449	732	220	28	8
FEMALE--	719	817	1,016	1,359	1,768	2,072	2,064	1,793	1,096	513	134	2
BLACK---MALE----	665	679	853	820	988	1,057	815	555	247	92	12	5
FEMALE--	424	509	599	769	929	1,113	1,061	937	591	289	79	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
COLORADO ----------	27,114	416	78	51	55	226	228	285	333	538	732	905
WHITE------MALE----	12,780	195	45	25	25	130	153	174	196	314	450	524
FEMALE--	12,953	164	20	20	24	73	57	78	109	172	216	295
ALL OTHER--MALE----	712	30	4	3	2	15	16	24	18	34	38	50
FEMALE--	669	27	9	3	4	8	2	9	10	18	28	36
BLACK---MALE----	526	25	2	2	2	10	12	18	11	29	29	44
FEMALE--	487	22	7	2	2	8	2	7	6	16	15	25
CONNECTICUT ----------	29,446	265	35	30	41	95	159	156	235	407	504	723
WHITE------MALE----	12,872	120	23	12	22	63	96	86	124	209	254	378
FEMALE--	14,467	85	9	14	8	22	33	22	57	113	149	213
ALL OTHER--MALE----	1,093	27	1	2	7	9	27	35	31	40	57	81
FEMALE--	1,014	33	2	2	4	1	3	13	23	45	44	51
BLACK---MALE----	1,008	25	1	2	7	9	26	32	29	38	53	80
FEMALE--	936	32	2	2	4	1	3	11	21	43	42	44
DELAWARE ----------	6,666	79	15	8	9	25	35	54	54	123	176	186
WHITE------MALE----	2,750	18	4	3	2	12	17	30	27	60	78	89
FEMALE--	2,802	12	4	3	3	7	5	8	13	24	35	46
ALL OTHER--MALE----	592	36	2	-	1	4	9	9	11	19	30	31
FEMALE--	522	13	5	2	3	2	4	7	3	20	33	20
BLACK---MALE----	571	36	1	-	1	3	9	8	11	17	30	31
FEMALE--	503	12	5	2	3	2	4	7	3	19	31	19
DISTRICT OF COLUMBIA ---	6,076	113	14	8	5	58	66	75	102	148	239	302
WHITE------MALE----	611	8	-	1	1	2	-	4	15	18	19	24
FEMALE--	645	4	1	-	-	2	2	3	3	2	9	12
ALL OTHER--MALE----	2,498	52	6	6	3	44	52	57	54	86	134	171
FEMALE--	2,322	49	7	1	1	10	12	11	30	42	77	95
BLACK---MALE----	2,468	50	6	6	3	44	52	57	54	85	133	169
FEMALE--	2,297	48	7	1	1	9	12	9	29	42	76	95
FLORIDA ----------	163,224	1,452	329	186	212	674	909	1,088	1,455	2,383	3,319	4,083
WHITE------MALE----	73,812	435	109	73	81	315	461	569	713	1,150	1,661	2,127
FEMALE--	71,683	390	98	45	62	168	156	212	310	590	815	1,066
ALL OTHER--MALE----	9,239	353	71	42	45	133	208	195	255	333	493	515
FEMALE--	8,490	274	51	26	24	58	84	112	177	310	350	375
BLACK---MALE----	8,910	342	70	41	40	123	197	190	247	316	479	502
FEMALE--	8,190	269	48	26	23	56	80	110	172	307	339	355
GEORGIA ----------	62,028	1,040	171	131	155	481	537	665	845	1,270	1,784	2,245
WHITE------MALE----	22,110	241	53	34	52	204	245	244	302	429	649	862
FEMALE--	22,773	194	41	27	33	88	80	113	147	241	352	416
ALL OTHER--MALE----	8,757	341	49	41	50	135	161	199	265	358	484	580
FEMALE--	8,388	264	28	29	20	54	51	109	131	242	299	387
BLACK---MALE----	8,555	331	46	39	50	130	154	185	254	349	476	569
FEMALE--	8,227	252	26	28	19	53	49	105	130	236	298	380

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
COLORADO ----------	995	1,193	1,469	2,047	2,772	3,655	3,882	3,609	2,469	963	210	3
WHITE------MALE----	565	658	805	1,111	1,433	1,852	1,783	1,376	698	232	33	3
FEMALE--	342	457	567	810	1,194	1,639	1,979	2,138	1,721	711	167	-
ALL OTHER--MALE----	46	45	58	65	72	89	46	37	16	3	1	-
FEMALE--	42	33	39	61	73	75	74	58	34	17	9	-
BLACK---MALE----	36	35	43	52	56	53	31	24	9	2	1	-
FEMALE--	33	22	28	43	51	51	53	45	29	14	6	-
CONNECTICUT ----------	919	1,162	1,390	1,920	3,070	4,161	4,936	4,634	3,074	1,252	277	1
WHITE------MALE----	486	620	750	969	1,563	2,024	2,179	1,732	868	250	43	1
FEMALE--	301	392	472	750	1,298	1,918	2,566	2,731	2,128	961	225	-
ALL OTHER--MALE----	77	94	83	127	107	105	78	71	23	10	1	-
FEMALE--	55	56	85	74	102	114	113	100	55	31	8	-
BLACK---MALE----	72	90	77	117	94	95	66	61	23	10	1	-
FEMALE--	50	53	78	61	92	105	107	97	52	29	7	-
DELAWARE ----------	240	284	390	588	862	995	998	822	484	201	38	-
WHITE------MALE----	125	122	185	263	408	445	416	287	125	32	2	-
FEMALE--	56	84	119	202	329	418	487	453	318	147	29	-
ALL OTHER--MALE----	33	44	47	76	65	81	40	32	15	6	1	-
FEMALE--	26	34	39	47	60	51	55	50	26	16	6	-
BLACK---MALE----	33	41	46	73	63	77	39	31	14	6	1	-
FEMALE--	25	32	39	45	58	47	53	49	26	16	6	-
DISTRICT OF COLUMBIA ---	344	331	386	455	614	789	726	661	370	207	57	6
WHITE------MALE----	30	32	40	42	66	85	90	72	40	21	-	1
FEMALE--	14	20	23	32	36	64	91	137	95	75	19	1
ALL OTHER--MALE----	187	175	209	218	256	305	227	160	67	20	5	4
FEMALE--	113	104	114	163	256	335	318	292	168	91	33	-
BLACK---MALE----	185	174	207	217	254	299	223	157	65	19	5	4
FEMALE--	110	104	111	161	253	335	314	291	166	91	32	-
FLORIDA ----------	5,095	6,397	8,497	12,291	18,244	24,098	25,951	23,791	15,731	5,794	1,194	51
WHITE------MALE----	2,591	3,247	4,298	6,407	9,395	12,005	12,101	9,463	4,974	1,410	200	27
FEMALE--	1,460	1,981	2,745	4,347	7,025	10,118	12,251	12,945	9,962	4,058	869	10
ALL OTHER--MALE----	610	695	863	860	1,002	989	678	520	260	82	28	9
FEMALE--	434	474	591	677	822	986	921	863	535	244	97	5
BLACK---MALE----	587	677	834	829	958	947	658	507	250	80	27	9
FEMALE--	414	453	559	658	781	945	895	837	523	241	94	5
GEORGIA ----------	2,862	3,441	4,168	5,369	6,768	8,065	8,276	7,414	4,414	1,591	330	6
WHITE------MALE----	1,113	1,403	1,762	2,370	2,883	3,133	2,915	2,028	936	211	39	2
FEMALE--	695	884	1,117	1,533	2,244	3,134	3,723	3,867	2,615	1,031	198	-
ALL OTHER--MALE----	664	673	727	811	814	855	685	529	243	73	16	4
FEMALE--	390	481	562	655	827	943	953	990	620	276	77	-
BLACK---MALE----	648	655	710	793	803	834	677	523	239	72	15	3
FEMALE--	380	466	549	644	803	924	944	981	614	270	76	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
HAWAII ----------	8,270	120	15	6	9	36	46	63	94	125	191	264
WHITE------MALE----	1,295	8	2	-	1	2	9	11	12	30	43	68
FEMALE--	994	11	-	1	2	1	2	7	6	7	17	17
ALL OTHER--MALE----	3,421	55	7	2	5	21	22	30	51	60	94	118
FEMALE--	2,560	46	6	3	1	12	13	15	25	28	37	61
BLACK---MALE----	45	7	1	1	-	2	1	-	3	1	5	2
FEMALE--	23	1	-	-	-	-	1	1	2	-	2	2
IDAHO ----------	9,579	134	29	24	33	96	80	70	87	145	163	233
WHITE------MALE----	4,836	67	17	10	20	66	51	49	57	79	93	132
FEMALE--	4,595	60	12	13	13	24	21	18	27	60	62	90
ALL OTHER--MALE----	92	6	-	1	-	4	6	2	2	5	3	9
FEMALE--	56	1	-	-	-	2	2	1	1	1	5	2
BLACK---MALE----	18	2	-	1	-	1	1	-	-	1	2	1
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	-
ILLINOIS ----------	108,436	1,550	256	142	158	673	821	861	1,040	1,590	2,324	3,139
WHITE------MALE----	43,251	506	83	39	54	309	394	395	431	694	945	1,364
FEMALE--	47,323	371	84	44	46	136	120	148	206	359	541	734
ALL OTHER--MALE----	9,336	392	47	29	33	192	245	237	254	332	497	636
FEMALE--	8,526	281	42	30	25	36	62	81	149	205	341	405
BLACK---MALE----	8,784	371	47	28	32	184	240	231	248	322	478	613
FEMALE--	8,059	259	38	28	24	34	60	72	144	197	329	386
INDIANA ----------	55,303	686	142	89	101	339	369	407	498	742	1,032	1,452
WHITE------MALE----	24,225	313	69	36	50	192	204	222	287	408	556	791
FEMALE--	26,500	212	49	35	39	93	83	96	133	210	306	445
ALL OTHER--MALE----	2,388	93	16	9	10	49	64	65	55	69	112	132
FEMALE--	2,190	68	8	9	2	5	18	24	23	55	58	84
BLACK---MALE----	2,317	92	16	9	9	49	64	61	48	66	111	129
FEMALE--	2,122	66	8	9	2	5	17	23	23	54	58	83
IOWA ----------	28,411	215	47	33	37	154	155	133	182	267	393	518
WHITE------MALE----	13,152	107	28	16	18	95	99	87	102	165	231	309
FEMALE--	14,770	82	10	14	18	50	48	34	66	94	139	186
ALL OTHER--MALE----	247	13	5	1	-	5	6	10	9	4	15	11
FEMALE--	242	13	4	2	1	4	2	2	5	4	8	12
BLACK---MALE----	201	12	4	1	-	4	3	7	4	3	11	9
FEMALE--	185	12	4	-	1	-	1	2	3	3	5	7
KANSAS ----------	24,472	283	62	28	52	148	181	163	178	306	402	596
WHITE------MALE----	10,994	141	28	15	25	81	114	90	105	177	222	304
FEMALE--	12,071	93	20	7	23	39	36	44	55	92	140	206
ALL OTHER--MALE----	728	26	9	4	3	23	20	21	13	23	23	50
FEMALE--	679	23	5	2	1	5	11	8	5	14	17	36
BLACK---MALE----	624	21	9	3	3	21	17	18	12	20	18	44
FEMALE--	572	20	5	2	-	4	10	4	4	13	15	32

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
HAWAII ----------	314	373	481	620	959	1,183	1,230	1,063	711	294	73	-
WHITE------MALE----	63	76	84	114	156	190	199	129	76	20	2	-
FEMALE--	29	35	39	56	112	148	176	164	106	50	8	-
ALL OTHER--MALE----	134	165	205	254	424	484	475	438	278	85	14	-
FEMALE--	88	97	153	196	267	361	380	332	251	139	49	-
BLACK---MALE----	2	4	4	4	-	3	3	1	-	1	-	-
FEMALE--	1	1	1	3	2	3	2	1	-	-	-	-
IDAHO ----------	310	381	492	722	918	1,342	1,518	1,497	892	345	67	1
WHITE------MALE----	173	224	288	435	541	708	774	635	312	90	14	1
FEMALE--	126	150	195	273	367	624	731	849	573	255	52	-
ALL OTHER--MALE----	8	6	3	7	9	7	8	3	3	-	-	-
FEMALE--	3	1	6	7	1	3	5	10	4	-	1	-
BLACK---MALE----	1	-	-	2	2	2	2	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	1	2	-	-	-
ILLINOIS ----------	3,548	4,700	6,028	8,153	11,874	15,077	16,415	15,356	9,826	4,017	885	3
WHITE------MALE----	1,599	2,138	2,728	3,782	5,609	6,710	6,781	5,263	2,536	755	136	-
FEMALE--	976	1,400	1,910	2,747	4,301	6,320	8,001	8,765	6,517	2,945	651	1
ALL OTHER--MALE----	573	683	786	876	1,010	991	727	491	221	68	15	1
FEMALE--	400	479	604	748	954	1,056	906	837	552	249	83	1
BLACK---MALE----	549	653	734	824	935	918	664	434	199	66	13	1
FEMALE--	375	438	572	714	898	997	852	788	535	238	80	1
INDIANA ----------	1,934	2,364	3,182	4,495	6,414	7,945	8,309	7,501	4,923	1,971	404	4
WHITE------MALE----	1,039	1,266	1,615	2,313	3,230	3,731	3,543	2,611	1,296	392	59	2
FEMALE--	651	822	1,228	1,729	2,660	3,677	4,321	4,519	3,406	1,470	315	1
ALL OTHER--MALE----	138	163	188	253	288	266	183	133	64	31	6	1
FEMALE--	106	113	151	200	236	271	262	238	157	78	24	-
BLACK---MALE----	133	160	183	244	279	261	179	127	60	30	6	1
FEMALE--	103	109	145	190	227	263	257	229	153	74	24	-
IOWA ----------	695	923	1,308	1,950	2,818	3,951	4,741	4,584	3,369	1,557	381	-
WHITE------MALE----	419	552	741	1,108	1,608	2,118	2,204	1,796	980	314	55	-
FEMALE--	252	337	531	792	1,156	1,794	2,483	2,756	2,368	1,237	323	-
ALL OTHER--MALE----	12	18	20	25	28	19	25	12	9	-	-	-
FEMALE--	12	16	16	25	26	20	29	20	12	6	3	-
BLACK---MALE----	10	16	17	20	25	18	20	9	8	-	-	-
FEMALE--	8	13	12	19	19	18	24	15	10	6	3	-
KANSAS ----------	698	926	1,253	1,641	2,581	3,330	3,657	3,712	2,797	1,220	258	-
WHITE------MALE----	394	511	644	906	1,389	1,661	1,660	1,434	809	245	39	-
FEMALE--	231	336	493	632	1,046	1,509	1,850	2,173	1,890	947	209	-
ALL OTHER--MALE----	41	42	69	58	76	74	66	48	31	4	4	-
FEMALE--	32	37	47	45	70	86	81	57	67	24	6	-
BLACK---MALE----	30	37	56	51	64	66	55	43	28	4	4	-
FEMALE--	27	29	38	38	55	71	68	47	60	24	6	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
KENTUCKY ----------	39,321	411	59	54	67	233	226	280	375	559	819	1,081
WHITE------MALE----	18,111	209	29	26	38	147	148	174	233	344	440	602
FEMALE--	18,478	138	20	19	24	60	48	67	109	157	282	352
ALL OTHER--MALE----	1,337	30	7	5	3	20	21	28	14	35	54	70
FEMALE--	1,395	34	3	4	2	6	9	11	19	23	43	57
BLACK---MALE----	1,307	30	6	5	3	20	21	26	14	33	53	69
FEMALE--	1,373	33	3	4	2	5	9	11	19	23	43	53
LOUISIANA ----------	41,238	621	125	70	117	336	422	408	549	798	1,124	1,418
WHITE------MALE----	14,030	129	30	20	43	138	155	157	193	287	376	486
FEMALE--	14,335	99	23	12	19	58	43	64	74	157	208	271
ALL OTHER--MALE----	6,612	200	43	23	32	107	163	130	177	241	351	417
FEMALE--	6,261	193	29	15	23	33	61	57	105	113	189	244
BLACK---MALE----	6,520	198	43	23	32	105	160	126	173	238	345	412
FEMALE--	6,177	188	29	15	21	31	60	57	102	111	188	239
MAINE ----------	12,261	66	12	10	20	68	56	49	93	125	184	258
WHITE------MALE----	5,731	32	10	6	14	42	34	33	64	77	123	171
FEMALE--	6,427	30	2	4	5	24	21	15	27	46	61	83
ALL OTHER--MALE----	57	2	-	-	1	1	-	1	1	1	-	3
FEMALE--	46	2	-	-	-	1	1	-	1	1	-	1
BLACK---MALE----	23	2	-	-	-	1	-	-	-	1	-	3
FEMALE--	7	1	-	-	-	-	1	-	-	-	-	-
MARYLAND ----------	43,089	601	84	59	70	293	347	396	533	916	1,187	1,440
WHITE------MALE----	14,931	138	17	23	19	105	118	122	171	277	383	482
FEMALE--	16,310	88	21	6	13	47	41	53	90	139	179	281
ALL OTHER--MALE----	6,272	200	27	16	27	123	158	157	180	307	400	435
FEMALE--	5,576	175	19	14	11	18	30	64	92	193	225	242
BLACK---MALE----	5,966	192	23	16	26	121	157	154	175	298	388	423
FEMALE--	5,327	163	18	13	10	17	27	62	88	190	219	234
MASSACHUSETTS ----------	55,840	417	65	42	58	176	237	273	431	684	1,014	1,244
WHITE------MALE----	24,684	171	25	22	32	95	137	166	252	388	585	695
FEMALE--	28,605	158	23	14	18	52	56	73	121	211	307	417
ALL OTHER--MALE----	1,336	45	8	4	3	26	31	29	34	49	79	87
FEMALE--	1,215	43	9	2	5	3	13	5	24	36	43	45
BLACK---MALE----	1,071	40	3	2	2	23	24	22	30	44	66	76
FEMALE--	995	40	6	2	5	2	10	2	19	30	36	33
MICHIGAN ----------	87,232	1,077	201	125	136	447	628	665	826	1,299	2,021	2,684
WHITE------MALE----	35,681	377	82	39	56	223	285	301	378	595	941	1,204
FEMALE--	38,118	253	59	37	41	94	108	112	175	319	500	679
ALL OTHER--MALE----	6,972	253	33	32	31	91	188	191	172	234	368	496
FEMALE--	6,461	194	27	17	8	39	47	61	101	151	212	305
BLACK---MALE----	6,620	244	31	32	30	85	178	181	161	225	348	480
FEMALE--	6,104	186	27	17	6	34	38	58	94	141	202	292

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
KENTUCKY ----------	1,475	1,952	2,545	3,389	4,553	5,640	5,627	5,160	3,373	1,205	235	3
WHITE------MALE----	820	1,101	1,412	1,874	2,412	2,706	2,393	1,849	861	256	36	1
FEMALE--	509	690	930	1,269	1,838	2,609	2,940	3,046	2,332	867	172	-
ALL OTHER--MALE----	86	97	118	133	156	156	141	96	47	18	1	1
FEMALE--	60	64	85	113	147	169	153	169	133	64	26	1
BLACK---MALE----	84	90	117	132	152	152	140	94	47	17	1	1
FEMALE--	59	61	83	113	143	169	150	168	132	64	25	1
LOUISIANA ----------	1,743	2,112	2,565	3,495	4,777	5,632	5,388	5,003	3,079	1,201	255	-
WHITE------MALE----	615	752	996	1,397	1,888	2,150	1,886	1,465	650	191	26	-
FEMALE--	380	516	637	981	1,549	2,009	2,254	2,409	1,725	715	132	-
ALL OTHER--MALE----	434	509	536	596	686	686	519	448	212	82	20	-
FEMALE--	314	335	396	521	654	787	729	681	492	213	77	-
BLACK---MALE----	429	499	522	588	676	679	516	445	210	81	20	-
FEMALE--	308	329	390	517	646	780	723	668	486	213	76	-
MAINE ----------	375	446	671	980	1,432	1,766	1,934	1,791	1,307	494	124	-
WHITE------MALE----	214	254	398	534	810	885	895	679	350	89	17	-
FEMALE--	158	185	261	435	606	866	1,027	1,108	953	404	106	-
ALL OTHER--MALE----	2	5	8	7	7	7	7	1	3	-	-	-
FEMALE--	1	2	4	4	9	8	5	3	1	1	1	-
BLACK---MALE----	-	1	4	3	1	2	4	-	1	-	-	-
FEMALE--	-	-	2	2	-	-	-	-	1	-	-	-
MARYLAND ----------	1,739	2,065	2,464	3,463	4,703	6,105	6,187	5,307	3,519	1,328	257	26
WHITE------MALE----	647	755	956	1,384	1,920	2,418	2,274	1,588	870	231	24	9
FEMALE--	372	492	634	1,036	1,572	2,379	2,832	2,850	2,131	872	180	2
ALL OTHER--MALE----	466	493	497	567	616	662	434	296	138	51	9	13
FEMALE--	254	325	377	476	595	646	647	573	380	174	44	2
BLACK---MALE----	448	469	462	530	574	632	398	278	131	49	9	13
FEMALE--	244	310	362	448	562	619	615	555	357	168	44	2
MASSACHUSETTS ----------	1,630	2,034	2,531	3,946	5,856	8,019	9,401	8,691	5,966	2,523	602	-
WHITE------MALE----	921	1,141	1,362	2,175	3,132	3,955	4,189	3,129	1,540	495	77	-
FEMALE--	577	745	990	1,541	2,428	3,783	4,953	5,353	4,304	1,973	508	-
ALL OTHER--MALE----	81	78	114	134	144	148	110	83	35	11	3	-
FEMALE--	51	70	65	96	152	133	149	126	87	44	14	-
BLACK---MALE----	68	65	87	104	113	114	90	63	24	8	3	-
FEMALE--	41	57	54	78	125	105	121	110	69	39	11	-
MICHIGAN ----------	3,220	3,957	4,882	6,880	9,874	12,585	13,297	11,732	7,289	2,831	571	5
WHITE------MALE----	1,477	1,826	2,312	3,262	4,632	5,607	5,430	4,076	1,949	552	76	1
FEMALE--	922	1,251	1,666	2,436	3,768	5,378	6,552	6,583	4,734	2,015	435	1
ALL OTHER--MALE----	487	494	500	626	755	788	576	392	182	68	13	2
FEMALE--	334	386	404	556	719	812	739	681	424	196	47	1
BLACK---MALE----	464	465	467	591	716	751	549	372	173	63	12	2
FEMALE--	320	368	376	510	670	777	703	639	412	187	46	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
MINNESOTA ----------	38,537	408	77	71	60	216	201	186	306	480	649	899
WHITE------MALE----	17,892	179	36	29	33	121	108	105	186	258	372	540
FEMALE--	19,326	131	24	26	16	68	53	43	73	154	211	288
ALL OTHER--MALE----	719	54	5	12	8	21	26	29	26	38	44	46
FEMALE--	600	44	12	4	3	6	14	9	21	30	22	25
BLACK---MALE----	404	41	2	5	1	12	12	16	18	16	31	32
FEMALE--	294	21	6	-	1	3	6	5	8	20	8	19
MISSISSIPPI ----------	28,185	433	92	59	79	245	290	292	335	516	776	910
WHITE------MALE----	9,434	93	24	21	26	94	93	98	116	165	254	321
FEMALE--	9,320	60	16	13	17	41	34	42	53	94	119	154
ALL OTHER--MALE----	4,799	152	33	14	28	71	119	99	107	155	230	254
FEMALE--	4,632	128	19	11	8	39	44	53	59	102	173	181
BLACK---MALE----	4,740	152	32	14	28	69	117	99	106	153	227	248
FEMALE--	4,578	123	19	11	8	39	43	52	57	101	173	180
MISSOURI ----------	55,931	585	87	67	96	378	347	382	482	831	1,101	1,382
WHITE------MALE----	23,880	218	35	26	45	219	180	199	250	434	536	724
FEMALE--	26,032	148	31	20	28	86	59	81	115	241	313	378
ALL OTHER--MALE----	3,073	129	8	12	14	59	84	71	82	104	149	158
FEMALE--	2,946	90	13	9	9	14	24	31	35	52	103	122
BLACK---MALE----	2,960	127	8	12	14	59	81	66	76	99	142	150
FEMALE--	2,838	86	13	9	9	12	22	28	32	50	101	116
MONTANA ----------	8,128	72	16	13	19	70	63	50	57	96	169	195
WHITE------MALE----	3,834	29	7	5	13	35	32	33	28	58	94	109
FEMALE--	3,832	26	6	4	4	25	12	9	14	22	48	55
ALL OTHER--MALE----	275	9	3	2	2	9	15	6	11	10	17	21
FEMALE--	187	8	-	2	-	1	4	2	4	6	10	10
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
NEBRASKA ----------	15,579	163	29	25	24	111	91	80	114	189	245	304
WHITE------MALE----	7,128	75	19	17	10	77	62	49	68	106	150	176
FEMALE--	7,832	53	6	8	12	25	16	21	30	71	67	99
ALL OTHER--MALE----	292	16	2	-	1	7	9	4	8	8	16	16
FEMALE--	327	19	2	-	1	2	4	6	8	4	12	13
BLACK---MALE----	229	9	1	-	1	7	8	4	6	4	13	10
FEMALE--	239	15	2	-	1	2	3	4	5	4	8	9
NEVADA ----------	15,082	193	50	25	21	94	121	150	188	331	400	554
WHITE------MALE----	7,613	91	21	14	8	55	73	86	109	188	243	317
FEMALE--	6,082	62	17	9	7	21	23	35	49	88	96	159
ALL OTHER--MALE----	728	21	6	-	3	14	15	23	21	31	32	48
FEMALE--	659	19	6	2	3	4	10	6	9	24	29	30
BLACK---MALE----	479	14	3	-	3	9	11	15	16	24	24	38
FEMALE--	425	15	3	-	2	2	5	2	5	12	23	22

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
MINNESOTA ----------	1,027	1,409	1,775	2,479	3,746	5,071	6,240	6,342	4,523	1,900	470	2
WHITE------MALE----	593	795	997	1,451	2,128	2,692	2,977	2,463	1,374	388	67	-
FEMALE--	350	533	686	933	1,500	2,244	3,173	3,806	3,115	1,497	402	-
ALL OTHER--MALE----	55	51	44	53	53	70	32	34	12	4	1	1
FEMALE--	29	30	48	42	65	65	58	39	22	11	-	1
BLACK---MALE----	30	26	27	29	26	42	12	16	5	3	1	1
FEMALE--	14	13	23	21	30	26	26	23	15	5	-	1
MISSISSIPPI ----------	1,147	1,488	1,796	2,420	3,255	3,675	3,706	3,508	2,160	813	190	-
WHITE------MALE----	430	604	744	974	1,330	1,381	1,238	919	403	89	17	-
FEMALE--	210	331	420	645	989	1,267	1,497	1,621	1,181	433	83	-
ALL OTHER--MALE----	318	313	346	433	451	493	439	396	224	106	18	-
FEMALE--	189	240	286	368	485	534	532	572	352	185	72	-
BLACK---MALE----	310	307	340	427	450	484	438	392	224	105	18	-
FEMALE--	183	235	281	361	474	528	531	570	352	185	72	-
MISSOURI ----------	1,807	2,329	3,102	4,502	6,097	7,743	8,364	8,143	5,449	2,179	477	1
WHITE------MALE----	969	1,224	1,564	2,258	3,054	3,646	3,521	2,865	1,431	410	71	1
FEMALE--	526	738	1,102	1,706	2,351	3,420	4,243	4,744	3,711	1,624	367	-
ALL OTHER--MALE----	195	213	233	281	348	333	248	224	92	29	7	-
FEMALE--	117	154	203	257	344	344	352	310	215	116	32	-
BLACK---MALE----	189	206	223	272	332	325	238	218	89	27	7	-
FEMALE--	109	145	193	247	329	334	346	299	210	116	32	-
MONTANA ----------	275	328	429	624	868	1,142	1,301	1,161	804	312	63	1
WHITE------MALE----	137	177	241	355	468	598	595	475	264	69	11	1
FEMALE--	107	113	155	222	356	504	672	663	527	237	51	-
ALL OTHER--MALE----	21	24	18	22	27	23	17	13	2	3	-	-
FEMALE--	10	14	15	25	17	17	17	10	11	3	1	-
BLACK---MALE----	1	-	1	2	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	2	-	-	-
NEBRASKA ----------	404	543	755	1,120	1,588	2,075	2,511	2,447	1,807	767	187	-
WHITE------MALE----	231	328	397	616	884	1,107	1,139	914	520	157	26	-
FEMALE--	139	169	294	456	641	898	1,318	1,488	1,272	593	156	-
ALL OTHER--MALE----	17	21	35	28	33	27	16	14	4	9	1	-
FEMALE--	17	25	29	20	30	43	38	31	11	8	4	-
BLACK---MALE----	15	16	29	25	26	19	11	12	4	8	1	-
FEMALE--	14	14	17	15	21	34	28	25	10	6	2	-
NEVADA ----------	666	879	1,185	1,526	1,957	2,225	2,024	1,432	763	241	50	7
WHITE------MALE----	378	494	661	887	1,053	1,147	947	551	227	54	4	5
FEMALE--	217	282	391	500	743	921	956	796	493	175	42	-
ALL OTHER--MALE----	35	61	75	69	92	75	57	33	11	4	-	2
FEMALE--	36	42	58	70	69	82	64	52	32	8	4	-
BLACK---MALE----	23	36	49	46	59	46	39	14	7	1	-	2
FEMALE--	25	31	31	45	43	53	42	33	23	4	4	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
NEW HAMPSHIRE ----------	9,537	82	16	10	12	38	56	48	76	100	181	227
WHITE------MALE----	4,544	44	8	6	10	26	37	37	45	64	109	145
FEMALE--	4,929	34	8	4	2	10	16	11	29	36	70	81
ALL OTHER--MALE----	35	1	-	-	-	-	3	-	1	-	1	1
FEMALE--	29	3	-	-	-	2	-	-	1	-	1	-
BLACK---MALE----	13	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	12	1	-	-	-	1	-	-	-	-	1	-
NEW JERSEY ----------	73,981	766	134	72	74	228	345	415	687	1,153	1,617	1,986
WHITE------MALE----	30,124	228	52	26	28	107	156	184	305	481	674	906
FEMALE--	33,583	213	26	24	21	55	69	78	134	267	401	477
ALL OTHER--MALE----	5,277	182	29	17	15	44	86	108	140	231	313	371
FEMALE--	4,997	143	27	5	10	22	34	45	108	174	229	232
BLACK---MALE----	4,801	165	28	17	15	41	79	98	133	219	295	352
FEMALE--	4,595	134	25	5	10	19	28	43	99	165	218	213
NEW MEXICO ----------	13,676	188	33	33	37	153	149	142	202	305	380	500
WHITE------MALE----	6,518	82	17	14	14	95	89	76	116	165	222	273
FEMALE--	5,923	66	9	8	16	19	24	36	44	78	104	153
ALL OTHER--MALE----	700	24	6	6	6	27	24	19	32	41	32	58
FEMALE--	535	16	1	5	1	12	12	11	10	21	22	16
BLACK---MALE----	145	10	1	1	-	2	3	3	6	3	3	10
FEMALE--	104	1	-	-	1	1	-	-	1	6	-	1
NEW YORK ----------	159,927	1,627	288	192	231	662	873	1,006	1,520	2,305	3,412	4,510
WHITE------MALE----	63,588	559	105	63	91	321	441	476	673	1,018	1,471	2,022
FEMALE--	71,222	450	80	58	61	129	140	207	301	559	800	1,106
ALL OTHER--MALE----	12,506	339	59	43	50	151	222	207	350	435	657	852
FEMALE--	12,611	279	44	28	29	61	70	116	196	293	484	530
BLACK---MALE----	10,893	309	50	41	43	137	206	188	321	392	602	776
FEMALE--	11,366	259	39	23	25	53	63	105	178	279	445	493
NORTH CAROLINA ---------	69,600	1,038	148	117	109	412	612	584	734	1,185	1,618	2,135
WHITE------MALE----	26,090	332	48	41	49	193	279	270	309	479	674	856
FEMALE--	27,336	228	42	28	20	95	87	91	151	233	333	454
ALL OTHER--MALE----	8,156	274	30	27	28	92	168	140	176	296	359	533
FEMALE--	8,018	204	28	21	12	32	78	83	98	177	252	292
BLACK---MALE----	7,749	258	26	23	25	84	150	128	161	281	340	508
FEMALE--	7,647	183	24	18	11	27	72	76	91	172	239	285
NORTH DAKOTA ----------	6,103	52	17	3	9	38	46	31	40	54	96	113
WHITE------MALE----	2,934	24	10	1	5	17	31	20	23	27	52	62
FEMALE--	2,955	15	2	1	4	13	6	5	11	22	35	45
ALL OTHER--MALE----	111	7	2	-	-	6	7	2	4	5	6	3
FEMALE--	103	6	3	1	-	2	2	4	2	-	3	3
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
NEW HAMPSHIRE ----------	333	392	515	764	1,059	1,334	1,476	1,368	968	392	90	-
WHITE------MALE----	196	222	296	453	596	729	654	524	273	55	15	-
FEMALE--	131	168	211	303	459	597	815	841	691	337	75	-
ALL OTHER--MALE----	4	1	7	4	3	2	5	1	1	-	-	-
FEMALE--	2	1	1	4	1	6	2	2	3	-	-	-
BLACK---MALE----	1	1	3	1	1	-	2	-	1	-	-	-
FEMALE--	2	-	-	2	-	2	1	-	2	-	-	-
NEW JERSEY ----------	2,548	3,071	3,823	5,674	8,341	10,757	11,801	10,682	6,742	2,535	522	8
WHITE------MALE----	1,169	1,429	1,719	2,711	3,977	4,929	4,956	3,764	1,754	483	84	2
FEMALE--	766	931	1,231	1,985	3,195	4,703	5,970	6,199	4,539	1,890	407	2
ALL OTHER--MALE----	372	419	504	528	623	539	343	272	105	30	2	4
FEMALE--	241	292	369	450	546	586	532	447	344	132	29	-
BLACK---MALE----	333	363	459	480	581	486	300	236	90	26	2	3
FEMALE--	224	260	342	412	496	539	481	405	323	128	26	-
NEW MEXICO ----------	525	588	767	1,095	1,466	1,833	1,917	1,716	1,142	409	88	8
WHITE------MALE----	288	313	424	601	781	919	900	668	353	92	13	3
FEMALE--	163	217	266	388	575	805	910	950	725	298	65	4
ALL OTHER--MALE----	46	36	42	50	69	63	54	34	26	2	2	1
FEMALE--	28	22	35	56	41	46	53	64	38	17	8	-
BLACK---MALE----	12	9	12	17	23	11	14	2	3	-	-	-
FEMALE--	9	6	5	8	12	6	10	19	11	4	3	-
NEW YORK ----------	5,835	7,054	8,898	12,132	17,696	22,080	24,038	22,825	15,136	6,201	1,382	24
WHITE------MALE----	2,601	3,154	4,006	5,584	8,244	9,747	9,776	7,864	3,986	1,204	168	14
FEMALE--	1,643	2,080	2,803	4,184	6,702	9,421	11,891	13,024	10,022	4,480	1,076	5
ALL OTHER--MALE----	936	1,023	1,171	1,252	1,323	1,362	959	655	329	106	22	3
FEMALE--	655	797	918	1,112	1,427	1,550	1,412	1,282	799	411	116	2
BLACK---MALE----	841	908	1,018	1,095	1,134	1,131	800	525	262	90	21	3
FEMALE--	605	737	839	985	1,283	1,391	1,233	1,136	711	373	109	2
NORTH CAROLINA ---------	2,796	3,399	4,369	5,984	8,097	9,867	9,937	8,784	5,299	1,957	411	8
WHITE------MALE----	1,154	1,481	1,979	2,667	3,495	4,141	3,623	2,570	1,109	293	41	7
FEMALE--	682	856	1,291	1,868	2,821	3,817	4,506	4,755	3,398	1,320	259	1
ALL OTHER--MALE----	607	611	631	795	926	898	740	504	235	69	17	-
FEMALE--	353	451	468	654	855	1,011	1,068	955	557	275	94	-
BLACK---MALE----	582	580	603	759	880	855	711	483	229	66	17	-
FEMALE--	331	424	439	622	811	978	1,025	918	540	268	93	-
NORTH DAKOTA ----------	139	209	279	394	593	805	974	1,045	759	326	81	-
WHITE------MALE----	83	122	157	226	356	445	483	454	244	76	16	-
FEMALE--	40	74	99	151	215	335	478	581	509	249	65	-
ALL OTHER--MALE----	8	6	14	8	12	10	4	1	5	1	-	-
FEMALE--	8	7	9	9	10	15	9	9	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
OHIO ----------	108,517	1,244	192	131	137	529	594	625	851	1,382	2,143	2,753
WHITE------MALE----	45,942	466	75	65	76	299	371	304	440	712	1,074	1,335
FEMALE--	50,688	380	73	41	40	131	92	158	210	393	618	848
ALL OTHER--MALE----	6,000	226	28	13	8	72	91	108	139	170	241	349
FEMALE--	5,887	172	16	12	13	27	40	55	62	107	210	221
BLACK---MALE----	5,853	222	25	13	8	69	86	108	136	166	237	343
FEMALE--	5,736	166	15	10	12	25	40	54	58	103	206	218
OKLAHOMA ----------	34,700	417	98	50	63	235	267	259	339	500	751	964
WHITE------MALE----	14,923	179	38	21	34	114	145	148	178	241	391	472
FEMALE--	15,822	129	36	20	14	64	52	60	95	149	225	291
ALL OTHER--MALE----	1,999	65	16	3	11	42	52	35	39	65	83	114
FEMALE--	1,956	44	8	6	4	15	18	16	27	45	52	87
BLACK---MALE----	1,136	43	8	1	4	30	29	17	22	34	52	61
FEMALE--	1,155	29	4	4	2	8	10	6	12	28	39	53
OREGON ----------	29,422	261	49	42	53	134	158	188	236	379	547	813
WHITE------MALE----	13,937	131	27	22	35	83	107	126	148	232	327	513
FEMALE--	14,579	106	20	20	15	38	35	44	69	117	183	252
ALL OTHER--MALE----	522	11	2	-	2	10	13	15	15	24	26	34
FEMALE--	384	13	-	-	1	3	3	3	4	6	11	14
BLACK---MALE----	225	2	-	-	-	5	4	6	7	7	14	20
FEMALE--	148	4	-	-	1	1	1	1	-	4	5	4
PENNSYLVANIA ----------	130,283	1,058	183	151	142	546	747	693	969	1,542	2,273	2,994
WHITE------MALE----	55,527	400	76	62	71	299	416	375	475	772	1,176	1,469
FEMALE--	62,142	302	62	58	39	136	147	147	237	435	616	883
ALL OTHER--MALE----	6,362	170	27	19	22	90	154	121	176	196	287	388
FEMALE--	6,252	186	18	12	10	21	30	50	81	139	194	254
BLACK---MALE----	6,116	166	24	18	22	87	152	115	167	188	280	373
FEMALE--	6,009	177	16	9	9	19	27	45	75	135	184	237
RHODE ISLAND ----------	9,708	71	12	15	10	30	40	41	63	143	163	198
WHITE------MALE----	4,280	35	5	6	5	17	23	25	36	69	103	113
FEMALE--	5,036	19	5	7	4	6	10	9	18	58	48	70
ALL OTHER--MALE----	208	8	1	1	-	5	5	6	6	12	8	8
FEMALE--	184	9	1	1	1	2	2	1	3	4	4	7
BLACK---MALE----	165	5	1	1	-	4	3	4	6	8	8	5
FEMALE--	151	7	1	1	1	2	2	1	3	3	4	6
SOUTH CAROLINA ---------	36,053	563	94	50	79	244	312	324	406	673	972	1,327
WHITE------MALE----	12,671	115	27	10	27	117	124	118	160	246	358	455
FEMALE--	12,827	120	24	11	14	36	47	47	59	133	185	252
ALL OTHER--MALE----	5,483	182	29	19	27	63	105	105	122	174	252	387
FEMALE--	5,072	146	14	10	11	28	36	54	65	120	177	233
BLACK---MALE----	5,429	178	29	19	27	63	105	105	122	171	247	387
FEMALE--	5,026	144	14	10	11	28	35	54	64	116	173	229

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
OHIO ----------	3,576	4,511	6,104	8,683	13,065	16,207	16,866	14,986	9,519	3,646	771	2
WHITE------MALE----	1,810	2,243	3,036	4,296	6,290	7,567	7,095	5,149	2,469	666	104	-
FEMALE--	1,173	1,562	2,231	3,250	5,270	7,089	8,538	8,871	6,420	2,700	599	1
ALL OTHER--MALE----	337	414	462	643	774	762	541	357	193	59	12	1
FEMALE--	256	292	375	494	731	789	692	609	437	221	56	-
BLACK---MALE----	331	401	445	625	760	741	529	351	185	59	12	1
FEMALE--	249	285	361	481	709	764	676	601	431	216	56	-
OKLAHOMA ----------	1,200	1,594	2,043	2,777	3,797	4,824	4,996	4,817	3,248	1,222	234	5
WHITE------MALE----	611	824	1,082	1,368	1,901	2,270	2,124	1,635	859	252	32	4
FEMALE--	371	537	668	1,049	1,497	2,082	2,462	2,816	2,169	864	171	1
ALL OTHER--MALE----	121	134	176	204	216	229	158	139	65	22	10	-
FEMALE--	97	99	117	156	183	243	252	227	155	84	21	-
BLACK---MALE----	65	73	103	104	120	125	92	89	40	19	5	-
FEMALE--	54	52	56	83	110	142	158	135	102	54	14	-
OREGON ----------	1,036	1,156	1,490	2,056	3,155	4,310	4,757	4,439	2,854	1,069	240	-
WHITE------MALE----	589	650	829	1,119	1,681	2,177	2,297	1,711	857	237	39	-
FEMALE--	395	450	604	849	1,361	2,032	2,368	2,653	1,956	814	198	-
ALL OTHER--MALE----	41	40	27	50	57	61	41	31	15	7	-	-
FEMALE--	11	16	30	38	56	40	51	44	26	11	3	-
BLACK---MALE----	21	20	7	26	20	30	15	12	7	2	-	-
FEMALE--	6	4	11	9	20	11	25	20	16	5	-	-
PENNSYLVANIA ----------	3,883	4,991	6,451	9,741	15,098	19,842	21,791	19,603	12,146	4,502	925	12
WHITE------MALE----	1,949	2,538	3,269	4,919	7,612	9,344	9,254	6,884	3,159	870	133	5
FEMALE--	1,234	1,649	2,269	3,629	6,031	8,916	11,253	11,672	8,383	3,329	711	4
ALL OTHER--MALE----	434	459	528	648	745	774	531	339	164	73	15	2
FEMALE--	266	345	385	545	710	808	753	708	440	230	66	1
BLACK---MALE----	413	431	503	629	725	754	504	321	158	70	14	2
FEMALE--	257	332	368	519	689	771	726	692	431	225	65	1
RHODE ISLAND ----------	284	336	454	643	1,090	1,413	1,615	1,575	1,054	366	89	3
WHITE------MALE----	162	172	238	353	586	700	718	549	270	83	10	2
FEMALE--	99	132	186	261	455	676	856	1,004	761	277	74	1
ALL OTHER--MALE----	12	19	17	18	29	18	18	6	7	3	1	-
FEMALE--	11	13	13	11	20	19	23	16	16	3	4	-
BLACK---MALE----	9	16	14	15	20	13	16	6	7	3	1	-
FEMALE--	10	6	13	8	18	15	17	13	14	3	3	-
SOUTH CAROLINA ---------	1,657	1,983	2,539	3,241	4,220	5,109	4,786	4,073	2,364	843	192	2
WHITE------MALE----	628	809	1,062	1,366	1,746	1,995	1,623	1,066	478	125	16	-
FEMALE--	345	458	657	899	1,351	1,878	2,086	2,153	1,442	521	109	-
ALL OTHER--MALE----	423	421	476	566	576	559	474	344	124	46	8	1
FEMALE--	261	295	344	410	547	677	603	510	320	151	59	1
BLACK---MALE----	416	415	471	561	574	552	468	342	122	46	8	1
FEMALE--	257	294	340	406	542	675	599	507	318	150	59	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
SOUTH DAKOTA ----------	6,953	94	10	8	22	62	53	47	52	91	123	160
WHITE------MALE----	3,197	31	5	3	7	38	31	18	23	43	63	92
FEMALE--	3,274	36	3	4	11	9	3	16	10	25	34	40
ALL OTHER--MALE----	271	18	-	-	1	12	15	8	10	12	17	18
FEMALE--	211	9	2	1	3	3	4	5	9	11	9	10
BLACK---MALE----	11	3	-	-	-	-	-	-	-	1	1	1
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
TENNESSEE ----------	53,765	599	125	90	109	360	427	493	571	949	1,330	1,705
WHITE------MALE----	22,435	196	50	35	42	197	211	260	263	459	658	812
FEMALE--	22,877	146	36	20	36	85	93	104	150	236	321	444
ALL OTHER--MALE----	4,203	134	23	20	17	61	91	97	96	158	207	265
FEMALE--	4,250	123	16	15	14	17	32	32	62	96	144	184
BLACK---MALE----	4,135	130	22	20	17	59	90	96	92	155	202	260
FEMALE--	4,193	121	16	15	14	17	32	32	61	96	141	177
TEXAS ----------	146,858	2,164	459	324	368	1,153	1,397	1,376	1,747	2,714	3,804	4,792
WHITE------MALE----	63,428	902	208	153	171	676	850	794	989	1,462	1,976	2,366
FEMALE--	63,907	728	170	100	127	293	291	293	406	663	1,027	1,381
ALL OTHER--MALE----	9,857	302	45	44	46	126	184	183	223	351	495	626
FEMALE--	9,666	232	36	27	24	58	72	106	129	238	306	419
BLACK---MALE----	9,209	287	42	42	39	118	167	170	209	328	468	591
FEMALE--	9,044	215	32	22	21	55	66	99	122	219	282	384
UTAH ----------	12,058	224	50	28	29	126	173	128	183	251	305	389
WHITE------MALE----	5,950	132	26	20	18	85	109	80	112	159	191	226
FEMALE--	5,734	80	20	7	9	31	46	36	59	75	99	137
ALL OTHER--MALE----	218	7	2	-	1	8	15	10	8	11	12	17
FEMALE--	156	5	2	1	1	2	3	2	4	6	3	9
BLACK---MALE----	46	-	-	-	-	1	2	2	5	-	4	5
FEMALE--	27	2	-	-	-	-	-	-	-	1	-	3
VERMONT ----------	4,993	38	4	10	7	26	27	31	35	64	90	114
WHITE------MALE----	2,412	19	3	6	4	16	21	27	28	35	60	70
FEMALE--	2,559	19	1	4	2	9	3	4	7	28	29	42
ALL OTHER--MALE----	13	-	-	-	1	-	-	-	-	1	1	1
FEMALE--	9	-	-	-	-	1	3	-	-	-	-	1
BLACK---MALE----	5	-	-	-	1	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	1	3	-	-	-	-	-
VIRGINIA ----------	55,320	693	110	63	91	304	375	419	550	917	1,276	1,636
WHITE------MALE----	20,851	220	35	18	32	136	166	171	233	364	530	702
FEMALE--	22,071	167	34	17	29	53	50	73	106	212	307	355
ALL OTHER--MALE----	6,381	166	23	16	18	89	120	133	130	211	253	349
FEMALE--	6,017	140	18	12	12	26	39	42	81	130	186	230
BLACK---MALE----	6,063	159	22	14	16	85	110	128	125	201	238	336
FEMALE--	5,705	129	18	12	12	21	37	39	77	126	177	214

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
SOUTH DAKOTA ----------	207	237	322	447	686	865	1,083	1,084	781	423	96	-
WHITE------MALE----	110	133	186	248	384	483	510	440	229	102	18	-
FEMALE--	55	68	107	143	263	348	534	626	547	315	77	-
ALL OTHER--MALE----	22	21	17	33	21	17	18	6	2	3	-	-
FEMALE--	20	15	12	23	18	17	21	12	3	3	1	-
BLACK---MALE----	-	-	1	2	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
TENNESSEE ----------	2,141	2,742	3,467	4,563	5,952	7,454	7,507	7,014	4,268	1,592	298	9
WHITE------MALE----	1,078	1,365	1,819	2,265	2,901	3,322	2,986	2,181	1,023	271	36	5
FEMALE--	609	844	1,082	1,565	2,189	3,162	3,641	3,990	2,808	1,110	204	2
ALL OTHER--MALE----	250	319	335	394	427	441	368	297	141	52	8	2
FEMALE--	204	214	231	339	435	529	512	546	296	159	50	-
BLACK---MALE----	247	314	327	387	422	438	362	293	140	52	8	2
FEMALE--	197	210	227	331	428	522	510	543	294	159	50	-
TEXAS ----------	5,858	7,151	8,780	11,960	16,420	19,863	19,895	18,885	12,079	4,675	975	19
WHITE------MALE----	2,921	3,646	4,492	5,876	7,956	9,270	8,217	6,390	3,090	892	115	16
FEMALE--	1,776	2,252	2,889	4,311	6,349	8,392	9,782	10,736	7,920	3,304	715	2
ALL OTHER--MALE----	647	784	756	977	1,059	1,076	791	664	343	113	21	1
FEMALE--	514	469	643	796	1,056	1,125	1,105	1,095	726	366	124	-
BLACK---MALE----	608	721	705	904	999	993	729	627	331	110	20	1
FEMALE--	471	433	600	740	997	1,049	1,036	1,034	688	359	120	-
UTAH ----------	408	427	601	857	1,199	1,541	1,876	1,695	1,135	364	67	2
WHITE------MALE----	247	224	338	479	634	819	880	705	340	108	17	1
FEMALE--	139	174	240	356	531	689	954	967	785	251	48	1
ALL OTHER--MALE----	19	16	10	13	15	18	18	10	6	1	1	-
FEMALE--	3	13	13	9	19	15	24	13	4	4	1	-
BLACK---MALE----	7	2	1	2	3	3	2	4	2	1	-	-
FEMALE--	-	2	2	2	2	2	6	3	1	1	-	-
VERMONT ----------	185	196	278	395	573	712	770	702	489	211	36	-
WHITE------MALE----	120	125	161	223	316	391	339	278	121	41	8	-
FEMALE--	63	70	114	170	257	319	431	422	367	170	28	-
ALL OTHER--MALE----	1	1	2	2	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
VIRGINIA ----------	2,100	2,721	3,389	4,766	6,395	8,105	8,057	7,097	4,331	1,578	341	6
WHITE------MALE----	895	1,226	1,524	2,101	2,734	3,327	3,009	2,155	980	258	34	1
FEMALE--	570	741	984	1,465	2,208	3,191	3,642	3,805	2,745	1,091	226	-
ALL OTHER--MALE----	394	430	477	643	797	795	640	462	180	42	12	1
FEMALE--	241	324	404	557	656	792	766	675	426	187	69	4
BLACK---MALE----	363	401	456	618	762	757	607	445	169	39	11	1
FEMALE--	217	304	381	532	619	759	718	645	413	185	67	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 9

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
WASHINGTON ----------	43,865	400	90	69	76	257	308	295	412	646	934	1,202
WHITE------MALE----	20,330	173	45	33	50	154	189	188	242	385	503	668
FEMALE--	20,782	146	34	25	16	51	62	57	111	186	296	387
ALL OTHER--MALE----	1,532	40	7	8	7	40	41	33	38	54	73	94
FEMALE--	1,221	41	4	3	3	12	16	17	21	21	62	53
BLACK---MALE----	664	22	4	5	5	10	28	15	15	19	38	51
FEMALE--	484	28	1	2	1	4	5	5	7	8	35	25
WEST VIRGINIA ----------	21,049	154	23	20	35	112	124	129	149	256	406	486
WHITE------MALE----	9,940	90	9	9	15	78	95	89	86	176	227	306
FEMALE--	10,391	55	13	11	19	32	21	35	57	68	147	151
ALL OTHER--MALE----	323	2	1	-	-	2	3	4	4	8	19	17
FEMALE--	395	7	-	-	1	-	5	1	2	4	13	12
BLACK---MALE----	319	2	1	-	-	2	3	4	4	8	19	16
FEMALE--	383	7	-	-	1	-	4	1	2	4	13	9
WISCONSIN ----------	46,672	459	110	63	83	256	313	249	325	515	743	1,040
WHITE------MALE----	21,748	192	50	26	35	141	195	141	180	277	397	581
FEMALE--	22,768	150	32	23	28	69	56	52	97	146	233	335
ALL OTHER--MALE----	1,157	64	14	7	14	34	46	39	32	58	71	77
FEMALE--	999	53	14	7	6	12	16	17	16	34	42	47
BLACK---MALE----	929	57	11	5	9	26	39	28	25	48	57	66
FEMALE--	791	47	10	6	5	4	9	15	12	30	33	41
WYOMING ----------	4,042	42	3	19	12	45	39	24	33	66	94	121
WHITE------MALE----	2,009	26	1	9	11	29	30	14	19	40	41	76
FEMALE--	1,928	13	2	8	1	13	8	7	10	19	45	44
ALL OTHER--MALE----	59	3	-	1	-	3	1	2	4	4	7	1
FEMALE--	46	-	-	1	-	-	-	1	-	3	1	-
BLACK---MALE----	10	1	-	-	-	-	-	-	-	-	4	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
WASHINGTON ----------	1,528	1,809	2,318	3,253	4,657	6,311	6,872	6,469	4,006	1,568	382	3
WHITE------MALE----	795	950	1,246	1,760	2,388	3,057	3,230	2,640	1,225	360	46	3
FEMALE--	559	683	872	1,227	1,996	2,899	3,384	3,629	2,679	1,163	320	-
ALL OTHER--MALE----	116	113	116	143	153	189	130	84	33	17	3	-
FEMALE--	58	63	84	123	120	166	128	116	69	28	13	-
BLACK---MALE----	62	63	54	57	64	79	35	26	7	3	2	-
FEMALE--	21	19	28	50	37	59	53	50	27	11	8	-
WEST VIRGINIA ----------	700	893	1,306	1,776	2,604	3,200	3,257	2,887	1,748	637	147	-
WHITE------MALE----	426	550	724	973	1,356	1,583	1,452	1,063	459	142	32	-
FEMALE--	248	322	544	751	1,163	1,504	1,700	1,738	1,236	470	106	-
ALL OTHER--MALE----	17	11	22	28	38	50	49	32	8	6	2	-
FEMALE--	9	10	16	24	47	63	56	54	45	19	7	-
BLACK---MALE----	17	11	21	28	37	50	48	32	8	6	2	-
FEMALE--	8	10	16	23	45	60	55	54	45	19	7	-
WISCONSIN ----------	1,325	1,728	2,281	3,330	5,014	6,380	7,690	7,253	5,065	2,010	440	-
WHITE------MALE----	761	1,000	1,308	1,856	2,810	3,336	3,634	2,779	1,564	427	58	-
FEMALE--	427	582	809	1,282	1,972	2,849	3,885	4,377	3,432	1,561	371	-
ALL OTHER--MALE----	83	84	86	99	132	93	76	24	17	6	1	-
FEMALE--	54	62	78	93	100	102	95	73	52	16	10	-
BLACK---MALE----	65	66	68	81	106	75	62	15	16	4	-	-
FEMALE--	42	50	62	76	81	81	69	52	44	14	8	-
WYOMING ----------	156	179	230	328	419	537	608	541	365	151	29	1
WHITE------MALE----	96	109	139	165	239	296	285	214	127	37	5	1
FEMALE--	53	64	87	149	169	231	311	321	236	113	24	-
ALL OTHER--MALE----	4	4	3	7	4	5	4	1	-	1	-	-
FEMALE--	3	2	1	7	7	5	8	5	2	-	-	-
BLACK---MALE----	-	1	2	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	1	-	3	3	4	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 10

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
UNITED STATES -	59,984	562	236	143	114	139	341	999	2,386	3,772	4,635	4,510
WHITE------MALE----	22,301	218	97	48	37	50	101	302	892	1,571	1,860	1,844
FEMALE--	20,221	136	63	43	31	43	60	147	282	442	565	669
ALL OTHER--MALE----	10,179	113	46	24	28	23	75	322	759	1,135	1,511	1,430
FEMALE--	7,283	95	30	28	18	23	105	228	453	624	699	567
BLACK---MALE----	9,396	102	40	23	23	21	68	307	735	1,086	1,450	1,361
FEMALE--	6,694	86	23	22	14	19	97	225	439	610	671	541
ALABAMA ----------	1,092	18	5	2	5	2	7	20	40	57	63	61
WHITE------MALE----	323	5	2	2	2	-	2	4	7	14	24	15
FEMALE--	335	2	1	-	-	-	1	2	3	5	8	9
ALL OTHER--MALE----	237	8	1	-	1	2	1	5	25	28	22	26
FEMALE--	197	3	1	-	2	-	3	9	5	10	9	11
BLACK---MALE----	235	8	1	-	1	2	1	5	24	28	22	26
FEMALE--	195	3	1	-	2	-	3	9	5	10	9	11
ALASKA ----------	61	-	3	-	-	-	2	1	2	6	7	6
WHITE------MALE----	22	-	2	-	-	-	1	1	1	2	3	2
FEMALE--	14	-	-	-	-	-	1	-	-	1	2	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	10	-	1	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	789	21	1	2	3	1	6	12	24	50	53	55
WHITE------MALE----	436	10	-	2	1	-	3	8	16	33	33	38
FEMALE--	249	9	-	-	-	1	1	3	4	4	11	6
ALL OTHER--MALE----	55	2	1	-	-	-	1	1	4	8	8	6
FEMALE--	49	-	-	-	2	-	1	-	-	5	1	5
BLACK---MALE----	21	2	1	-	-	-	1	-	2	4	1	3
FEMALE--	14	-	-	-	-	-	1	-	-	2	1	1
ARKANSAS ----------	702	3	2	-	2	1	5	8	16	23	29	32
WHITE------MALE----	269	1	-	-	2	1	4	-	9	12	11	14
FEMALE--	260	2	1	-	-	-	1	-	1	2	7	5
ALL OTHER--MALE----	93	-	1	-	-	-	-	5	3	7	7	10
FEMALE--	80	-	-	-	-	-	-	3	3	2	4	3
BLACK---MALE----	93	-	1	-	-	-	-	5	3	7	7	10
FEMALE--	80	-	-	-	-	-	-	3	3	2	4	3
CALIFORNIA ----------	4,443	53	20	17	9	17	26	105	238	384	493	530
WHITE------MALE----	2,211	23	7	7	1	8	13	66	156	251	295	316
FEMALE--	1,204	19	9	5	4	6	8	13	30	53	49	90
ALL OTHER--MALE----	658	5	2	3	3	1	4	20	39	56	109	88
FEMALE--	370	6	2	2	1	2	1	6	13	24	40	36
BLACK---MALE----	422	4	1	3	2	1	3	15	34	46	89	72
FEMALE--	225	5	1	2	-	1	1	5	12	22	29	29

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 10

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)												
UNITED STATES -	3,577	2,909	2,831	3,845	5,005	6,379	6,471	5,976	3,560	1,356	236	2
WHITE------MALE----	1,551	1,162	1,122	1,555	1,994	2,564	2,414	1,816	843	241	19	-
FEMALE--	644	705	867	1,322	1,905	2,642	3,087	3,286	2,206	917	159	-
ALL OTHER--MALE----	951	675	503	529	553	527	430	331	157	50	5	2
FEMALE--	431	367	339	439	553	646	540	543	354	148	53	-
BLACK---MALE----	883	610	451	462	490	450	373	282	127	45	5	2
FEMALE--	390	335	289	380	483	568	490	495	325	139	53	-
ALABAMA ----------	53	54	54	73	97	128	127	107	74	35	10	-
WHITE------MALE----	22	15	19	25	28	51	32	35	14	4	1	-
FEMALE--	11	14	15	23	34	48	57	44	44	13	1	-
ALL OTHER--MALE----	15	17	12	14	20	11	11	11	4	3	-	-
FEMALE--	5	8	8	11	15	18	27	17	12	15	8	-
BLACK---MALE----	15	17	12	13	20	11	11	11	4	3	-	-
FEMALE--	5	7	8	11	15	18	27	17	11	15	8	-
ALASKA ----------	5	4	4	3	5	1	5	3	4	-	-	-
WHITE------MALE----	2	2	1	1	1	-	1	1	1	-	-	-
FEMALE--	2	1	1	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	1	2	1	1	-	-	-
FEMALE--	1	-	1	-	1	-	1	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	65	37	58	69	68	87	80	63	25	8	1	-
WHITE------MALE----	45	22	30	37	37	41	36	32	10	2	-	-
FEMALE--	9	11	17	27	24	38	38	28	12	5	1	-
ALL OTHER--MALE----	5	2	5	1	1	3	3	1	2	1	-	-
FEMALE--	6	2	6	4	6	5	3	2	1	-	-	-
BLACK---MALE----	1	1	2	1	-	1	-	-	1	-	-	-
FEMALE--	2	1	-	1	3	2	-	-	-	-	-	-
ARKANSAS ----------	33	35	39	54	69	91	94	90	49	25	2	-
WHITE------MALE----	12	16	19	26	27	37	38	29	6	5	-	-
FEMALE--	11	10	6	16	28	35	41	48	28	16	2	-
ALL OTHER--MALE----	9	5	8	4	7	9	8	5	4	1	-	-
FEMALE--	1	4	6	8	7	10	7	8	11	3	-	-
BLACK---MALE----	9	5	8	4	7	9	8	5	4	1	-	-
FEMALE--	1	4	6	8	7	10	7	8	11	3	-	-
CALIFORNIA ----------	405	305	204	257	307	339	291	248	136	54	5	-
WHITE------MALE----	228	155	81	116	115	132	110	79	35	17	-	-
FEMALE--	63	67	66	84	122	142	133	123	78	35	5	-
ALL OTHER--MALE----	77	58	28	28	36	32	25	28	14	2	-	-
FEMALE--	37	25	29	29	34	33	23	18	9	-	-	-
BLACK---MALE----	55	35	12	4	15	6	10	11	3	1	-	-
FEMALE--	23	15	16	15	16	13	11	7	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
COLORADO ----------	533	5	4	-	1	2	1	5	17	44	44	41
WHITE------MALE----	283	4	4	-	-	1	1	4	13	31	34	29
FEMALE--	201	-	-	-	-	1	-	-	3	10	3	5
ALL OTHER--MALE----	27	1	-	-	-	-	-	-	1	2	6	4
FEMALE--	22	-	-	-	1	-	-	1	-	1	1	3
BLACK---MALE----	23	-	-	-	-	-	-	-	1	2	6	3
FEMALE--	15	-	-	-	1	-	-	1	-	1	-	2
CONNECTICUT ----------	845	2	1	-	5	2	1	12	30	49	56	49
WHITE------MALE----	318	-	-	-	1	-	1	3	12	21	20	17
FEMALE--	352	2	-	-	2	1	-	2	8	6	11	8
ALL OTHER--MALE----	105	-	1	-	2	-	-	6	7	9	15	19
FEMALE--	70	-	-	-	-	1	-	1	3	13	10	5
BLACK---MALE----	102	-	1	-	2	-	-	6	6	9	15	19
FEMALE--	70	-	-	-	-	1	-	1	3	13	10	5
DELAWARE ----------	209	4	1	-	-	-	1	2	4	14	22	17
WHITE------MALE----	61	1	-	-	-	-	-	-	-	4	7	4
FEMALE--	59	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	54	3	-	-	-	-	1	1	4	6	8	10
FEMALE--	35	-	-	-	-	-	-	1	-	4	6	2
BLACK---MALE----	53	3	-	-	-	-	1	1	4	5	8	10
FEMALE--	35	-	-	-	-	-	-	1	-	4	6	2
DISTRICT OF COLUMBIA ---	457	2	1	-	-	1	4	13	33	47	59	55
WHITE------MALE----	48	-	-	-	-	-	-	1	3	6	7	4
FEMALE--	9	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	253	1	1	-	-	-	-	9	19	26	36	42
FEMALE--	147	1	-	-	-	-	4	3	10	15	16	9
BLACK---MALE----	252	1	1	-	-	-	-	9	19	26	36	42
FEMALE--	146	1	-	-	-	-	4	3	10	15	16	9
FLORIDA ----------	4,104	36	12	12	9	6	30	110	252	373	433	341
WHITE------MALE----	1,604	5	5	3	1	1	7	33	79	143	164	159
FEMALE--	1,149	11	2	3	5	-	1	8	24	29	36	43
ALL OTHER--MALE----	776	12	3	2	-	1	6	29	74	103	154	90
FEMALE--	575	8	2	4	3	4	16	40	75	98	79	49
BLACK---MALE----	763	12	3	2	-	1	6	28	74	102	154	87
FEMALE--	569	8	2	4	3	4	16	40	75	98	79	49
GEORGIA ----------	2,264	25	8	8	3	5	16	68	140	187	216	183
WHITE------MALE----	538	5	2	2	1	2	3	11	30	41	49	36
FEMALE--	520	3	1	1	-	-	1	5	6	8	17	9
ALL OTHER--MALE----	715	5	4	2	1	3	5	31	79	95	108	98
FEMALE--	491	12	1	3	1	-	7	21	25	43	42	40
BLACK---MALE----	709	5	4	2	1	3	5	31	79	95	108	95
FEMALE--	481	12	1	3	1	-	7	21	25	42	42	40

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)												
COLORADO ----------	43	19	22	41	44	58	54	45	30	12	1	-
WHITE------MALE----	21	8	10	23	20	26	23	19	10	2	-	-
FEMALE--	15	10	8	14	22	29	28	24	18	10	1	-
ALL OTHER--MALE----	5	-	2	2	-	2	1	1	-	-	-	-
FEMALE--	2	1	2	2	2	1	2	1	2	-	-	-
BLACK---MALE----	5	-	2	2	-	-	1	1	-	-	-	-
FEMALE--	2	1	-	-	2	-	2	1	2	-	-	-
CONNECTICUT ----------	43	41	33	53	56	95	114	111	62	28	2	-
WHITE------MALE----	18	19	17	20	24	45	45	30	18	7	-	-
FEMALE--	7	10	11	21	26	45	60	75	36	19	2	-
ALL OTHER--MALE----	13	10	4	6	3	1	2	2	4	1	-	-
FEMALE--	5	2	1	6	3	4	7	4	4	1	-	-
BLACK---MALE----	13	10	4	6	2	-	2	2	4	1	-	-
FEMALE--	5	2	1	6	3	4	7	4	4	1	-	-
DELAWARE ----------	13	11	11	10	17	26	15	22	14	3	2	-
WHITE------MALE----	6	4	5	4	4	8	4	5	4	1	-	-
FEMALE--	1	2	3	-	6	11	9	12	10	1	1	-
ALL OTHER--MALE----	4	4	-	3	2	3	1	2	-	1	1	-
FEMALE--	2	1	3	3	5	4	1	3	-	-	-	-
BLACK---MALE----	4	4	-	3	2	3	1	2	-	1	1	-
FEMALE--	2	1	3	3	5	4	1	3	-	-	-	-
DISTRICT OF COLUMBIA ---	42	28	23	21	18	36	29	27	11	7	-	-
WHITE------MALE----	3	3	3	3	-	3	6	4	1	1	-	-
FEMALE--	-	-	-	-	3	1	-	2	1	-	-	-
ALL OTHER--MALE----	29	20	16	9	9	18	10	3	5	-	-	-
FEMALE--	10	5	4	9	6	14	13	18	4	6	-	-
BLACK---MALE----	29	20	16	9	9	18	10	3	4	-	-	-
FEMALE--	10	5	3	9	6	14	13	18	4	6	-	-
FLORIDA ----------	255	204	208	224	279	373	366	306	195	69	11	-
WHITE------MALE----	123	92	76	89	126	165	165	111	43	14	-	-
FEMALE--	30	38	54	77	96	172	169	161	135	49	6	-
ALL OTHER--MALE----	69	51	54	41	36	16	15	13	4	2	1	-
FEMALE--	33	23	24	17	21	20	17	21	13	4	4	-
BLACK---MALE----	67	51	54	41	33	14	14	13	4	2	1	-
FEMALE--	33	23	23	17	21	19	16	20	11	4	4	-
GEORGIA ----------	149	121	103	148	150	207	214	185	85	30	12	1
WHITE------MALE----	37	31	28	38	47	63	54	36	19	2	1	-
FEMALE--	19	22	26	44	43	79	92	86	38	15	5	-
ALL OTHER--MALE----	66	43	27	36	28	25	23	24	10	1	-	1
FEMALE--	27	25	22	30	32	40	45	39	18	12	6	-
BLACK---MALE----	66	41	27	36	27	25	23	24	10	1	-	1
FEMALE--	27	24	22	29	31	38	45	38	16	11	6	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 12

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
HAWAII ----------	250	2	-	1	1	2	2	-	6	6	15	14
WHITE------MALE----	37	-	-	-	-	-	1	-	1	3	3	7
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	108	-	-	-	1	1	-	-	3	2	8	6
FEMALE--	86	2	-	1	-	1	1	-	2	1	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	125	-	-	-	-	-	-	1	1	4	3	8
WHITE------MALE----	66	-	-	-	-	-	-	-	1	3	1	3
FEMALE--	54	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2,894	30	13	8	4	7	14	33	92	139	171	188
WHITE------MALE----	919	14	4	2	4	2	3	10	29	46	48	49
FEMALE--	996	6	6	4	-	3	2	6	8	16	21	19
ALL OTHER--MALE----	579	6	2	-	-	2	3	11	36	55	76	92
FEMALE--	400	4	1	2	-	-	6	6	19	22	26	28
BLACK---MALE----	559	5	2	-	-	1	3	11	36	55	75	90
FEMALE--	390	4	1	1	-	-	6	6	19	21	26	28
INDIANA ----------	1,174	16	5	2	2	2	1	6	29	34	43	53
WHITE------MALE----	488	7	2	1	-	1	1	2	20	20	24	20
FEMALE--	533	6	2	1	2	1	-	2	4	2	9	17
ALL OTHER--MALE----	89	3	1	-	-	-	-	2	4	8	9	10
FEMALE--	64	-	-	-	-	-	-	-	1	4	1	6
BLACK---MALE----	88	3	1	-	-	-	-	2	4	8	9	10
FEMALE--	61	-	-	-	-	-	-	-	1	4	1	6
IOWA ----------	382	5	1	1	-	1	-	1	11	10	14	14
WHITE------MALE----	190	3	-	-	-	-	-	1	7	7	10	9
FEMALE--	180	1	1	-	-	-	-	-	3	2	3	3
ALL OTHER--MALE----	8	-	-	1	-	-	-	-	1	1	1	1
FEMALE--	4	1	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	8	-	-	1	-	-	-	-	1	1	1	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
KANSAS ----------	430	8	3	-	-	-	1	5	10	14	19	20
WHITE------MALE----	196	3	2	-	-	-	-	2	8	7	12	9
FEMALE--	200	2	1	-	-	-	1	1	2	3	6	5
ALL OTHER--MALE----	23	1	-	-	-	-	-	2	-	4	1	4
FEMALE--	11	2	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	22	1	-	-	-	-	-	2	-	4	1	4
FEMALE--	10	2	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)												
HAWAII ----------	15	16	19	21	22	31	22	31	15	8	1	-
WHITE------MALE----	4	-	2	3	1	3	2	6	1	-	-	-
FEMALE--	-	3	1	1	2	2	3	1	1	2	1	-
ALL OTHER--MALE----	7	10	8	5	10	13	11	16	6	1	-	-
FEMALE--	4	3	8	12	9	13	6	8	7	5	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	11	6	7	6	16	14	19	14	10	5	-	-
WHITE------MALE----	8	5	5	4	9	9	9	5	2	2	-	-
FEMALE--	2	1	2	2	6	5	10	9	8	3	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	129	137	152	181	266	330	344	352	200	86	18	-
WHITE------MALE----	50	45	45	69	106	113	128	104	34	11	3	-
FEMALE--	15	32	52	50	89	123	152	189	129	63	11	-
ALL OTHER--MALE----	43	42	33	35	31	46	29	22	9	5	1	-
FEMALE--	21	18	22	27	40	48	35	37	28	7	3	-
BLACK---MALE----	43	41	32	33	27	44	26	20	9	5	1	-
FEMALE--	21	17	22	26	40	47	32	36	27	7	3	-
INDIANA ----------	57	43	60	87	134	164	156	151	88	37	4	-
WHITE------MALE----	26	18	32	40	65	63	65	50	26	5	-	-
FEMALE--	24	17	15	32	52	78	82	92	61	30	4	-
ALL OTHER--MALE----	4	6	6	9	11	9	4	3	-	-	-	-
FEMALE--	3	2	7	6	6	14	5	6	1	2	-	-
BLACK---MALE----	4	6	6	8	11	9	4	3	-	-	-	-
FEMALE--	2	2	6	6	5	14	5	6	1	2	-	-
IOWA ----------	12	14	16	27	33	55	61	43	40	20	3	-
WHITE------MALE----	9	6	8	15	10	32	33	18	16	6	-	-
FEMALE--	3	7	6	12	22	23	28	25	24	14	3	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS ----------	25	15	28	24	42	42	67	49	34	23	1	-
WHITE------MALE----	14	7	18	14	18	17	31	19	9	6	-	-
FEMALE--	9	6	7	9	22	21	33	30	24	17	1	-
ALL OTHER--MALE----	1	1	2	1	-	3	3	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	-	-	1	-	-	-
BLACK---MALE----	1	1	2	1	-	3	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
KENTUCKY ----------	838	7	3	1	1	2	1	6	17	28	43	42
WHITE------MALE----	373	6	1	1	1	2	1	2	6	14	22	25
FEMALE--	365	-	2	-	-	-	-	1	9	5	9	9
ALL OTHER--MALE----	54	1	-	-	-	-	-	3	1	6	8	6
FEMALE--	46	-	-	-	-	-	-	-	1	3	4	2
BLACK---MALE----	51	1	-	-	-	-	-	3	1	6	8	6
FEMALE--	45	-	-	-	-	-	-	-	1	3	4	2
LOUISIANA ----------	1,385	14	6	1	3	4	11	35	85	98	118	106
WHITE------MALE----	378	5	1	-	-	2	1	3	13	30	46	38
FEMALE--	335	1	1	1	-	1	-	4	9	10	7	6
ALL OTHER--MALE----	372	3	2	-	2	-	3	15	39	47	49	43
FEMALE--	300	5	2	-	1	1	7	13	24	11	16	19
BLACK---MALE----	371	3	2	-	2	-	3	15	38	47	49	43
FEMALE--	296	5	2	-	1	1	7	13	24	11	16	18
MAINE ----------	189	-	-	-	-	-	3	2	4	6	4	11
WHITE------MALE----	82	-	-	-	-	-	2	-	1	5	3	8
FEMALE--	103	-	-	-	-	-	-	1	2	-	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MARYLAND ----------	1,886	13	3	5	5	3	11	28	82	154	187	157
WHITE------MALE----	431	3	1	1	-	1	1	3	12	17	22	28
FEMALE--	474	2	-	-	-	-	3	3	7	3	7	12
ALL OTHER--MALE----	588	3	-	4	5	2	3	9	35	85	113	92
FEMALE--	393	5	2	-	-	-	4	13	28	49	45	25
BLACK---MALE----	575	3	-	4	5	2	3	9	35	85	112	92
FEMALE--	382	5	1	-	-	-	4	13	27	49	44	24
MASSACHUSETTS ----------	1,471	5	5	1	3	4	10	10	33	66	93	83
WHITE------MALE----	671	3	2	-	2	1	2	5	16	34	56	50
FEMALE--	650	1	3	1	1	2	2	3	9	19	14	18
ALL OTHER--MALE----	82	1	-	-	-	1	3	1	2	7	19	11
FEMALE--	68	-	-	-	-	-	3	1	6	6	4	4
BLACK---MALE----	75	1	-	-	-	1	2	1	2	7	19	11
FEMALE--	56	-	-	-	-	-	2	1	6	6	4	4
MICHIGAN ----------	1,841	14	7	3	4	1	11	25	50	76	102	125
WHITE------MALE----	587	6	3	1	1	-	3	6	19	24	40	43
FEMALE--	650	4	2	-	-	-	2	4	5	6	8	18
ALL OTHER--MALE----	344	2	-	1	3	-	4	9	21	33	37	45
FEMALE--	260	2	2	1	-	1	2	6	5	13	17	19
BLACK---MALE----	335	2	-	1	2	-	3	9	20	32	37	45
FEMALE--	250	2	2	1	-	1	1	6	5	12	15	17

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)												
KENTUCKY ----------	41	36	45	62	86	106	107	111	66	20	7	-
WHITE------MALE----	19	21	24	32	44	57	43	30	17	4	1	-
FEMALE--	16	10	18	22	34	39	57	73	44	12	5	-
ALL OTHER--MALE----	5	2	3	5	3	4	2	4	-	1	-	-
FEMALE--	1	3	-	3	5	6	5	4	5	3	1	-
BLACK---MALE----	4	1	3	5	2	4	2	4	-	1	-	-
FEMALE--	1	2	-	3	5	6	5	4	5	3	1	-
LOUISIANA ----------	74	59	61	66	111	157	130	124	84	31	7	-
WHITE------MALE----	29	16	19	16	29	47	33	26	18	6	-	-
FEMALE--	9	10	14	17	33	55	49	55	33	18	2	-
ALL OTHER--MALE----	27	19	13	19	25	17	23	16	7	3	-	-
FEMALE--	9	14	15	14	24	38	25	27	26	4	5	-
BLACK---MALE----	27	19	13	19	25	17	23	16	7	3	-	-
FEMALE--	9	14	15	14	23	38	24	26	26	4	5	-
MAINE ----------	7	3	14	13	14	21	30	32	19	4	2	-
WHITE------MALE----	4	3	9	7	6	8	16	8	-	1	1	-
FEMALE--	3	-	5	6	8	13	14	24	19	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	114	81	71	117	140	198	200	172	103	33	9	-
WHITE------MALE----	20	16	17	32	39	74	65	45	30	2	2	-
FEMALE--	16	16	22	36	40	65	81	85	52	21	3	-
ALL OTHER--MALE----	57	33	21	27	32	18	29	10	6	3	1	-
FEMALE--	21	16	11	22	29	41	25	32	15	7	3	-
BLACK---MALE----	56	32	21	24	29	17	29	8	5	3	1	-
FEMALE--	21	15	11	20	27	41	23	32	15	7	3	-
MASSACHUSETTS ----------	66	54	63	97	126	188	232	169	112	46	5	-
WHITE------MALE----	37	27	32	50	62	82	102	64	31	12	1	-
FEMALE--	19	24	24	40	46	90	120	101	76	33	4	-
ALL OTHER--MALE----	7	-	5	3	9	6	5	2	-	-	-	-
FEMALE--	3	3	2	4	9	10	5	2	5	1	-	-
BLACK---MALE----	6	-	3	2	8	5	5	2	-	-	-	-
FEMALE--	2	3	2	4	6	6	3	2	4	1	-	-
MICHIGAN ----------	92	97	69	113	190	218	271	210	123	33	7	-
WHITE------MALE----	31	35	25	42	59	80	76	58	32	3	-	-
FEMALE--	20	30	24	33	70	87	135	106	68	24	4	-
ALL OTHER--MALE----	30	18	12	22	34	25	23	16	8	1	-	-
FEMALE--	11	14	8	16	27	26	37	30	15	5	3	-
BLACK---MALE----	30	18	12	22	31	24	23	16	7	1	-	-
FEMALE--	11	13	8	15	26	26	37	29	15	5	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
MINNESOTA ----------	495	9	2	4	2	2	4	2	25	20	25	36
WHITE------MALE----	236	5	1	-	-	2	1	1	11	12	13	22
FEMALE--	195	1	-	3	2	-	1	1	5	3	5	7
ALL OTHER--MALE----	37	1	-	1	-	-	-	-	7	4	4	6
FEMALE--	27	2	1	-	-	-	2	-	2	1	3	1
BLACK---MALE----	25	-	-	-	-	-	-	-	6	3	3	4
FEMALE--	11	1	-	-	-	-	1	-	-	1	1	1
MISSISSIPPI ----------	721	10	4	3	-	2	4	25	24	36	56	41
WHITE------MALE----	180	1	1	2	-	1	1	3	3	6	13	14
FEMALE--	182	1	-	-	-	-	-	1	-	5	6	5
ALL OTHER--MALE----	202	1	3	1	-	-	2	14	15	18	23	17
FEMALE--	157	7	-	-	-	1	1	7	6	7	14	5
BLACK---MALE----	201	1	3	1	-	-	2	14	15	18	23	17
FEMALE--	156	6	-	-	-	1	1	7	6	7	14	5
MISSOURI ----------	1,079	11	7	3	1	2	5	13	34	58	65	69
WHITE------MALE----	438	5	4	1	-	-	1	3	22	31	27	36
FEMALE--	393	2	1	1	-	-	1	3	2	3	12	8
ALL OTHER--MALE----	152	4	-	-	1	1	1	4	7	18	19	18
FEMALE--	96	-	2	1	-	1	2	3	3	6	7	7
BLACK---MALE----	144	4	-	-	1	1	1	4	7	18	18	15
FEMALE--	95	-	2	1	-	1	2	3	3	6	7	7
MONTANA ----------	118	-	-	-	-	-	1	1	2	6	5	5
WHITE------MALE----	49	-	-	-	-	-	-	1	-	4	2	1
FEMALE--	56	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	2	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	194	3	4	1	-	1	-	-	5	16	5	6
WHITE------MALE----	99	1	4	-	-	1	-	-	3	11	3	3
FEMALE--	69	2	-	1	-	-	-	-	2	1	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
NEVADA ----------	495	6	5	-	-	1	1	10	14	35	32	26
WHITE------MALE----	249	2	2	-	-	-	-	5	8	23	17	17
FEMALE--	160	-	3	-	-	1	1	2	-	2	4	1
ALL OTHER--MALE----	55	3	-	-	-	-	-	2	3	9	6	6
FEMALE--	31	1	-	-	-	-	-	1	3	1	5	2
BLACK---MALE----	42	1	-	-	-	-	-	1	3	7	5	6
FEMALE--	23	1	-	-	-	-	-	-	3	1	5	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)												
MINNESOTA ----------	32	27	21	32	49	49	54	61	22	14	3	-
WHITE------MALE----	20	15	7	16	23	27	22	28	7	2	1	-
FEMALE--	4	8	11	14	24	17	30	31	14	12	2	-
ALL OTHER--MALE----	6	3	1	1	1	-	1	-	1	-	-	-
FEMALE--	2	1	2	1	1	5	1	2	-	-	-	-
BLACK---MALE----	5	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	2	-	-	-	-
MISSISSIPPI ----------	41	36	38	68	52	69	77	71	46	15	3	-
WHITE------MALE----	7	6	10	18	19	29	24	10	9	3	-	-
FEMALE--	7	12	9	22	13	15	30	32	19	4	1	-
ALL OTHER--MALE----	19	12	12	14	8	12	12	12	6	1	-	-
FEMALE--	8	6	7	14	12	13	11	17	12	7	2	-
BLACK---MALE----	18	12	12	14	8	12	12	12	6	1	-	-
FEMALE--	8	6	7	14	12	13	11	17	12	7	2	-
MISSOURI ----------	53	46	52	74	95	133	125	121	73	34	5	-
WHITE------MALE----	29	16	21	35	41	60	50	37	14	4	1	-
FEMALE--	13	14	17	27	37	55	57	67	48	23	2	-
ALL OTHER--MALE----	9	11	9	8	13	6	11	7	3	2	-	-
FEMALE--	2	5	5	4	4	12	7	10	8	5	2	-
BLACK---MALE----	9	11	9	8	13	5	10	5	3	2	-	-
FEMALE--	2	5	5	3	4	12	7	10	8	5	2	-
MONTANA ----------	4	10	6	7	8	17	17	17	11	-	1	-
WHITE------MALE----	-	4	4	3	2	11	6	7	3	-	1	-
FEMALE--	2	5	-	4	6	6	10	10	8	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	9	6	6	18	27	19	33	17	10	7	1	-
WHITE------MALE----	4	5	2	8	14	7	22	7	4	-	-	-
FEMALE--	3	-	2	9	11	7	8	8	5	7	1	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	2	1	2	-	-	4	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	2	1	1	-	-	3	2	1	1	-	-	-
NEVADA ----------	25	29	32	43	62	65	45	35	17	7	4	1
WHITE------MALE----	18	15	18	18	31	37	14	17	5	2	-	-
FEMALE--	4	9	7	18	25	22	27	15	11	5	3	-
ALL OTHER--MALE----	2	5	7	2	2	4	2	1	-	-	-	1
FEMALE--	1	-	-	5	4	2	2	2	1	-	1	-
BLACK---MALE----	1	3	7	2	2	1	2	-	-	-	-	1
FEMALE--	-	-	-	3	3	1	1	1	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 15

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
NEW HAMPSHIRE ----------	119	-	1	1	1	-	1	1	3	5	3	7
WHITE------MALE----	54	-	-	-	1	-	1	1	1	2	2	6
FEMALE--	63	-	1	1	-	-	-	-	2	3	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3,072	10	9	8	5	4	10	40	113	205	253	235
WHITE------MALE----	982	2	2	4	1	-	4	10	31	48	64	76
FEMALE--	1,133	1	2	1	2	1	2	6	22	26	33	23
ALL OTHER--MALE----	535	4	3	3	1	1	1	14	26	75	103	92
FEMALE--	422	3	2	-	1	2	3	10	34	56	53	44
BLACK---MALE----	521	4	3	3	1	1	-	14	26	74	101	92
FEMALE--	415	3	2	-	1	2	3	10	34	56	52	44
NEW MEXICO ----------	279	9	2	3	1	1	1	1	10	11	21	19
WHITE------MALE----	136	6	1	-	1	-	-	-	6	9	12	12
FEMALE--	109	2	1	1	-	-	-	1	2	-	5	4
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	2	2	3	2
FEMALE--	15	-	-	2	-	1	1	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5,600	29	30	9	10	10	30	96	260	442	630	594
WHITE------MALE----	2,007	13	12	-	3	5	3	17	88	165	228	203
FEMALE--	1,681	3	4	4	2	2	7	22	41	88	96	87
ALL OTHER--MALE----	1,145	9	10	3	4	2	10	36	69	114	182	212
FEMALE--	767	4	4	2	1	1	10	21	62	75	124	92
BLACK---MALE----	1,086	9	8	3	3	2	9	35	68	111	179	202
FEMALE--	730	4	3	2	1	1	9	21	59	75	123	91
NORTH CAROLINA ---------	1,852	17	5	7	1	7	20	30	76	123	130	155
WHITE------MALE----	531	3	3	1	1	3	6	7	16	33	31	38
FEMALE--	536	5	1	1	-	-	2	3	6	10	14	16
ALL OTHER--MALE----	441	4	1	1	-	2	4	9	36	51	55	79
FEMALE--	344	5	-	4	-	2	8	11	18	29	30	22
BLACK---MALE----	429	3	1	1	-	2	4	8	35	49	54	78
FEMALE--	339	5	-	4	-	2	8	11	18	29	30	22
NORTH DAKOTA ----------	65	-	1	-	-	-	1	1	-	2	-	3
WHITE------MALE----	25	-	1	-	-	-	1	1	-	-	-	3
FEMALE--	35	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)												
NEW HAMPSHIRE ----------	7	5	6	14	13	16	17	11	4	3	-	-
WHITE------MALE----	5	1	1	7	6	10	5	4	-	1	-	-
FEMALE--	2	4	4	7	7	5	12	7	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	170	129	103	164	262	303	336	384	225	90	14	-
WHITE------MALE----	53	45	38	63	111	120	132	116	45	15	2	-
FEMALE--	31	27	28	63	108	134	164	232	151	64	12	-
ALL OTHER--MALE----	59	31	21	21	22	23	13	13	7	2	-	-
FEMALE--	27	26	16	17	21	26	27	23	22	9	-	-
BLACK---MALE----	57	30	19	20	22	21	12	12	7	2	-	-
FEMALE--	27	25	16	16	21	24	27	22	21	9	-	-
NEW MEXICO ----------	24	14	12	26	26	25	27	25	16	5	-	-
WHITE------MALE----	15	8	3	14	8	17	9	10	4	1	-	-
FEMALE--	7	4	9	10	15	7	15	12	10	4	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	2	1	2	-	-	-
FEMALE--	1	1	-	1	2	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
NEW YORK ----------	476	325	228	306	362	476	464	431	274	105	13	-
WHITE------MALE----	187	120	85	123	157	190	175	148	66	18	1	-
FEMALE--	69	42	72	87	114	204	228	241	180	80	8	-
ALL OTHER--MALE----	148	111	44	58	43	36	27	15	10	2	-	-
FEMALE--	72	52	27	38	48	46	34	27	18	5	4	-
BLACK---MALE----	146	105	41	51	39	30	22	14	7	2	-	-
FEMALE--	71	48	27	36	41	42	30	22	16	4	4	-
NORTH CAROLINA ---------	96	83	96	126	189	190	201	151	104	39	6	-
WHITE------MALE----	28	26	37	44	61	60	72	34	19	7	1	-
FEMALE--	14	19	24	41	64	75	74	78	58	27	4	-
ALL OTHER--MALE----	37	18	21	20	27	24	22	19	9	2	-	-
FEMALE--	17	20	14	21	37	31	33	20	18	3	1	-
BLACK---MALE----	37	17	20	20	26	24	22	19	9	-	-	-
FEMALE--	17	20	13	21	35	31	32	19	18	3	1	-
NORTH DAKOTA ----------	3	2	3	7	4	13	9	6	6	2	2	-
WHITE------MALE----	1	1	1	3	2	7	3	1	-	-	-	-
FEMALE--	1	1	1	3	1	5	6	5	6	2	2	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
OHIO ----------	2,338	22	8	8	3	3	5	30	56	86	93	122
WHITE------MALE----	886	10	3	5	2	2	2	13	25	50	39	50
FEMALE--	1,003	5	3	3	1	-	2	7	9	10	9	32
ALL OTHER--MALE----	249	2	1	-	-	-	1	5	16	22	31	29
FEMALE--	200	5	1	-	-	1	-	5	6	4	14	11
BLACK---MALE----	243	2	1	-	-	-	1	5	16	22	31	28
FEMALE--	194	4	1	-	-	1	-	5	6	4	13	11
OKLAHOMA ----------	718	5	1	-	-	4	1	10	25	41	47	45
WHITE------MALE----	308	4	-	-	-	1	-	3	16	22	33	18
FEMALE--	299	-	1	-	-	3	-	3	3	8	11	17
ALL OTHER--MALE----	55	-	-	-	-	-	-	4	4	8	1	4
FEMALE--	56	1	-	-	-	-	1	-	2	3	2	6
BLACK---MALE----	37	-	-	-	-	-	-	3	3	6	1	3
FEMALE--	33	-	-	-	-	-	1	-	1	2	2	6
OREGON ----------	428	4	2	1	-	5	-	5	17	24	29	45
WHITE------MALE----	211	2	1	-	-	1	-	2	16	17	20	35
FEMALE--	187	2	1	1	-	4	-	2	-	3	7	7
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	1	4	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3,720	30	5	8	6	4	19	31	85	134	183	181
WHITE------MALE----	1,297	12	2	3	2	2	8	8	23	47	64	64
FEMALE--	1,599	9	1	3	3	2	5	11	12	14	20	30
ALL OTHER--MALE----	461	5	2	-	-	-	4	6	28	43	68	63
FEMALE--	363	4	-	2	1	-	2	6	22	30	31	24
BLACK---MALE----	449	5	1	-	-	-	4	6	28	43	66	62
FEMALE--	348	4	-	1	-	-	-	6	22	30	31	22
RHODE ISLAND ----------	182	-	-	-	-	1	-	-	2	16	13	16
WHITE------MALE----	89	-	-	-	-	-	-	-	2	7	8	12
FEMALE--	74	-	-	-	-	1	-	-	-	4	4	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
SOUTH CAROLINA ---------	1,032	8	5	-	3	2	7	24	63	79	79	89
WHITE------MALE----	268	2	2	-	-	-	1	4	4	20	21	25
FEMALE--	269	2	2	-	2	2	1	1	2	6	5	6
ALL OTHER--MALE----	296	3	-	-	1	-	2	12	36	33	33	41
FEMALE--	199	1	1	-	-	-	3	7	21	20	20	17
BLACK---MALE----	293	3	-	-	1	-	2	12	36	33	32	41
FEMALE--	197	1	1	-	-	-	3	7	21	20	20	17

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)												
OHIO ----------	89	82	101	173	236	325	317	299	202	66	12	-
WHITE------MALE----	38	36	39	77	98	130	120	73	52	22	-	-
FEMALE--	22	26	38	65	85	149	168	185	134	38	12	-
ALL OTHER--MALE----	18	7	14	19	27	27	11	10	6	3	-	-
FEMALE--	11	13	10	12	26	19	18	31	10	3	-	-
BLACK---MALE----	17	7	13	17	27	26	11	10	6	3	-	-
FEMALE--	11	13	8	12	25	18	18	31	10	3	-	-
OKLAHOMA ----------	31	35	36	49	75	73	87	98	37	16	2	-
WHITE------MALE----	13	19	16	24	35	29	35	29	9	2	-	-
FEMALE--	8	11	11	18	29	32	44	62	25	11	2	-
ALL OTHER--MALE----	6	3	5	2	5	5	1	4	2	1	-	-
FEMALE--	4	2	4	5	6	7	7	3	1	2	-	-
BLACK---MALE----	3	2	1	1	4	4	1	4	-	1	-	-
FEMALE--	3	2	-	2	2	5	3	2	1	1	-	-
OREGON ----------	31	19	21	28	33	43	34	50	28	8	1	-
WHITE------MALE----	16	14	11	10	14	15	10	18	9	-	-	-
FEMALE--	11	3	8	13	18	27	23	29	19	8	1	-
ALL OTHER--MALE----	3	2	2	3	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	2	1	1	-	2	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	161	151	153	241	361	495	535	509	324	95	9	-
WHITE------MALE----	54	53	63	90	155	209	196	148	82	12	-	-
FEMALE--	32	43	55	102	151	212	284	315	213	74	8	-
ALL OTHER--MALE----	53	33	22	25	28	37	26	11	6	1	-	-
FEMALE--	22	22	13	24	27	37	29	35	23	8	1	-
BLACK---MALE----	50	32	22	25	28	36	24	10	6	1	-	-
FEMALE--	22	22	13	21	27	34	28	34	23	7	1	-
RHODE ISLAND ----------	13	10	9	14	12	16	28	17	6	8	1	-
WHITE------MALE----	7	4	3	8	9	8	10	7	2	2	-	-
FEMALE--	4	1	4	4	3	7	18	10	4	6	1	-
ALL OTHER--MALE----	1	4	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	4	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	73	47	60	68	77	98	97	97	38	13	5	-
WHITE------MALE----	23	12	17	20	23	38	28	19	6	3	-	-
FEMALE--	13	9	17	19	32	25	46	51	22	5	1	-
ALL OTHER--MALE----	27	15	16	12	12	20	16	13	2	2	-	-
FEMALE--	10	11	10	17	10	15	7	14	8	3	4	-
BLACK---MALE----	27	15	16	12	12	19	16	12	2	2	-	-
FEMALE--	9	11	9	17	10	15	7	14	8	3	4	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
SOUTH DAKOTA ----------	103	2	-	-	-	-	-	-	1	2	7	2
WHITE------MALE----	40	1	-	-	-	-	-	-	1	1	3	1
FEMALE--	46	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,148	13	7	3	3	5	6	33	50	94	89	83
WHITE------MALE----	419	5	3	2	2	2	2	7	11	37	40	34
FEMALE--	402	6	2	-	-	2	1	6	3	11	7	17
ALL OTHER--MALE----	196	2	2	1	-	1	2	14	21	29	29	25
FEMALE--	131	-	-	-	1	-	1	6	15	17	13	7
BLACK---MALE----	195	2	2	1	-	1	2	14	21	28	29	25
FEMALE--	131	-	-	-	1	-	1	6	15	17	13	7
TEXAS ----------	4,143	52	14	13	9	15	44	96	210	304	383	334
WHITE------MALE----	1,792	20	5	6	3	8	13	36	105	178	207	151
FEMALE--	1,359	13	3	4	4	2	10	11	19	32	55	66
ALL OTHER--MALE----	594	12	3	1	1	2	10	28	62	63	90	80
FEMALE--	398	7	3	2	1	3	11	21	24	31	31	37
BLACK---MALE----	562	10	2	1	1	2	10	28	61	60	87	77
FEMALE--	376	6	1	1	1	3	11	21	24	31	30	34
UTAH ----------	224	7	5	-	-	1	2	2	3	14	9	23
WHITE------MALE----	95	3	3	-	-	-	1	1	3	9	5	12
FEMALE--	114	4	1	-	-	1	1	1	-	5	3	7
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
VERMONT ----------	89	2	1	1	-	-	-	-	3	5	4	3
WHITE------MALE----	47	2	1	-	-	-	-	-	3	3	2	1
FEMALE--	41	-	-	1	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,612	12	5	3	4	2	7	19	56	66	102	80
WHITE------MALE----	500	5	3	-	1	-	2	4	17	20	28	26
FEMALE--	524	1	2	2	-	1	-	3	7	6	10	10
ALL OTHER--MALE----	319	4	-	-	1	1	2	7	22	30	44	29
FEMALE--	269	2	-	1	2	-	3	5	10	10	20	15
BLACK---MALE----	310	4	-	-	-	1	1	7	22	30	43	29
FEMALE--	256	2	-	1	2	-	3	5	10	10	20	15

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)												
SOUTH DAKOTA ----------	3	6	9	7	9	12	15	15	7	6	-	-
WHITE------MALE----	1	4	3	3	4	3	8	3	2	2	-	-
FEMALE--	-	-	4	1	3	8	5	11	5	4	-	-
ALL OTHER--MALE----	1	2	1	1	1	-	2	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	56	47	76	83	96	115	99	118	52	16	4	-
WHITE------MALE----	28	17	33	37	32	43	34	38	9	3	-	-
FEMALE--	14	20	30	32	47	46	49	59	37	9	4	-
ALL OTHER--MALE----	11	7	9	6	5	14	8	7	2	1	-	-
FEMALE--	3	3	4	8	12	12	8	14	4	3	-	-
BLACK---MALE----	11	7	9	6	5	14	8	7	2	1	-	-
FEMALE--	3	3	4	8	12	12	8	14	4	3	-	-
TEXAS ----------	236	221	206	251	316	400	357	362	218	90	12	-
WHITE------MALE----	133	103	103	116	124	166	149	105	49	11	1	-
FEMALE--	38	56	60	91	139	179	163	209	140	57	8	-
ALL OTHER--MALE----	43	45	28	31	23	24	16	21	6	5	-	-
FEMALE--	22	17	15	13	30	31	29	27	23	17	3	-
BLACK---MALE----	42	41	26	24	23	22	14	20	6	5	-	-
FEMALE--	20	17	14	12	28	29	27	24	22	17	3	-
UTAH ----------	16	5	11	8	23	20	35	23	13	3	1	-
WHITE------MALE----	9	2	7	4	9	6	10	7	4	-	-	-
FEMALE--	5	2	4	4	12	13	23	16	8	3	1	-
ALL OTHER--MALE----	2	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT ----------	7	3	10	8	6	12	9	7	5	3	-	-
WHITE------MALE----	5	1	7	3	4	6	4	4	1	-	-	-
FEMALE--	2	2	3	5	2	6	5	3	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	82	81	92	124	149	205	184	172	123	37	7	-
WHITE------MALE----	34	31	30	39	48	67	67	45	27	6	-	-
FEMALE--	14	20	22	40	52	88	66	88	64	22	6	-
ALL OTHER--MALE----	19	19	22	25	26	23	19	14	10	2	-	-
FEMALE--	15	11	18	20	23	27	32	25	22	7	1	-
BLACK---MALE----	19	17	21	23	25	23	19	14	10	2	-	-
FEMALE--	13	11	18	19	21	24	29	23	22	7	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
WASHINGTON ----------	739	7	4	2	2	2	3	8	19	44	54	57
WHITE------MALE----	356	4	3	2	1	-	2	4	12	30	29	36
FEMALE--	283	2	1	-	1	2	1	2	2	6	10	11
ALL OTHER--MALE----	56	-	-	-	-	-	-	1	2	6	10	9
FEMALE--	44	1	-	-	-	-	-	1	3	2	5	1
BLACK---MALE----	29	-	-	-	-	-	-	1	2	2	8	4
FEMALE--	12	-	-	-	-	-	-	-	-	-	3	-
WEST VIRGINIA ----------	382	3	2	-	-	-	2	5	4	9	6	17
WHITE------MALE----	166	2	1	-	-	-	2	3	3	5	3	9
FEMALE--	198	-	-	-	-	-	-	2	-	2	2	6
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	1	1	2
FEMALE--	8	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	10	-	1	-	-	-	-	-	-	1	1	2
FEMALE--	8	1	-	-	-	-	-	-	1	1	-	-
WISCONSIN ----------	626	8	3	1	3	1	3	8	10	24	23	24
WHITE------MALE----	289	4	1	-	2	-	-	3	3	11	11	15
FEMALE--	275	4	-	-	-	1	1	1	5	4	5	4
ALL OTHER--MALE----	35	-	-	-	1	-	1	4	2	7	6	3
FEMALE--	27	-	2	1	-	-	1	-	-	2	1	2
BLACK---MALE----	26	-	-	-	1	-	1	3	2	4	5	3
FEMALE--	23	-	2	1	-	-	1	-	-	2	1	2
WYOMING ----------	47	-	-	-	-	1	-	-	-	2	2	2
WHITE------MALE----	21	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	25	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)												
WASHINGTON ----------	57	37	31	55	56	85	85	59	41	20	11	-
WHITE------MALE----	37	19	14	24	27	39	38	21	10	4	-	-
FEMALE--	11	13	14	19	24	36	40	32	31	15	10	-
ALL OTHER--MALE----	8	3	-	4	2	4	5	1	-	-	1	-
FEMALE--	1	2	3	8	3	6	2	5	-	1	-	-
BLACK---MALE----	2	3	-	1	2	1	2	-	-	-	1	-
FEMALE--	-	-	-	3	-	1	1	3	-	1	-	-
WEST VIRGINIA ----------	11	13	17	30	50	52	63	60	25	8	5	-
WHITE------MALE----	7	8	10	14	24	25	19	20	9	1	1	-
FEMALE--	4	5	6	14	25	25	43	39	14	7	4	-
ALL OTHER--MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	2	-	-	-
WISCONSIN ----------	18	18	31	49	63	84	92	86	49	25	3	-
WHITE------MALE----	9	10	13	26	34	48	35	41	18	5	-	-
FEMALE--	4	7	10	21	26	33	56	42	29	20	2	-
ALL OTHER--MALE----	2	-	3	1	2	1	1	-	1	-	-	-
FEMALE--	3	1	5	1	1	2	-	3	1	-	1	-
BLACK---MALE----	1	-	1	1	2	-	1	-	1	-	-	-
FEMALE--	2	1	4	1	-	1	-	3	1	-	1	-
WYOMING ----------	4	2	1	5	4	4	1	9	5	4	1	-
WHITE------MALE----	2	1	1	2	2	1	-	5	1	2	-	-
FEMALE--	1	1	-	3	2	3	1	4	4	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infectious diseases (A00-A09)												
UNITED STATES -	1,169	21	9	3	1	1	6	3	3	2	8	11
WHITE------MALE----	421	12	4	1	1	1	3	2	3	1	4	3
FEMALE--	659	4	4	-	-	-	1	1	-	1	1	5
ALL OTHER--MALE----	37	3	1	2	-	-	1	-	-	-	1	2
FEMALE--	52	2	-	-	-	-	1	-	-	-	2	1
BLACK---MALE----	29	3	-	2	-	-	1	-	-	-	1	1
FEMALE--	50	2	-	-	-	-	1	-	-	-	2	1
ALABAMA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	7	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	116	1	1	-	-	-	1	-	-	-	3	-
WHITE------MALE----	50	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	61	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)												
UNITED STATES -	16	16	37	72	116	178	226	216	149	61	14	-
WHITE------MALE----	8	9	15	31	49	77	87	54	43	12	1	-
FEMALE--	6	5	15	35	57	87	125	155	99	46	12	-
ALL OTHER--MALE----	2	1	4	2	2	5	5	1	3	1	1	-
FEMALE--	-	1	3	4	8	9	9	6	4	2	-	-
BLACK---MALE----	1	1	1	2	1	5	5	-	3	1	1	-
FEMALE--	-	1	3	4	8	9	8	5	4	2	-	-
ALABAMA ----------	1	-	2	1	-	5	-	3	3	-	1	-
WHITE------MALE----	1	-	-	-	-	2	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	1	2	4	2	2	-	-	-
WHITE------MALE----	-	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	1	-	-	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	3	4	11	16	10	18	27	14	5	-	-
WHITE------MALE----	1	1	2	6	8	5	9	9	4	2	-	-
FEMALE--	-	2	2	5	8	5	8	17	9	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infectious diseases (A00-A09)												
COLORADO ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	57	2	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	11	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)												
COLORADO ----------	-	-	1	2	5	3	1	1	-	-	-	-
WHITE------MALE----	-	-	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	2	1	2	3	3	4	4	1	-	-
WHITE------MALE----	-	-	-	-	2	1	1	1	4	-	-	-
FEMALE--	1	-	1	1	-	2	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	2	-	3	1	-	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
FLORIDA ----------	1	-	3	2	7	7	9	13	10	2	-	-
WHITE------MALE----	1	-	2	1	1	5	5	3	3	-	-	-
FEMALE--	-	-	1	1	6	1	3	8	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
GEORGIA ----------	1	-	1	1	-	2	2	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infectious diseases (A00-A09)												
HAWAII ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	42	1	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	17	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	11	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)												
HAWAII ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	1	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	2	5	3	7	8	5	6	2	-
WHITE------MALE----	1	-	-	1	3	1	3	1	1	4	1	-
FEMALE--	-	-	-	-	2	1	4	7	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
INDIANA ----------	1	-	1	1	2	7	4	5	1	-	-	-
WHITE------MALE----	-	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	1	-	1	-	1	5	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	2	1	2	-	2	2	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	1	1	3	1	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infectious diseases (A00-A09)												
KENTUCKY ----------	17	2	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	9	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	9	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	33	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	56	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	25	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	31	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)												
KENTUCKY	1	-	1	1	-	3	2	3	3	-	-	-
WHITE--MALE	1	-	-	-	-	3	1	1	1	-	-	-
FEMALE	-	-	1	1	-	-	1	2	2	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	1	1	-	-	3	-	1	1	-	-
WHITE--MALE	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	2	1	1	2	-	1	-
WHITE--MALE	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	1	2	-	1	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	1	1	1	1	7	8	7	5	-	-	-
WHITE--MALE	-	1	-	-	-	3	1	1	3	-	-	-
FEMALE	-	-	1	1	1	3	7	4	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	2	1	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	2	1	-	-	-
MASSACHUSETTS	-	2	4	2	2	4	20	9	7	4	-	-
WHITE--MALE	-	2	3	1	1	1	9	3	2	1	-	-
FEMALE	-	-	-	1	1	3	10	6	5	3	-	-
ALL OTHER--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	1	3	4	6	7	6	2	-	-	-
WHITE--MALE	-	-	-	1	-	4	-	-	1	-	-	-
FEMALE	-	-	1	1	3	2	6	6	1	-	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	1	-	-	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infectious diseases (A00-A09)												
MINNESOTA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	7	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	35	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)												
MINNESOTA	-	-	1	1	4	2	1	6	1	1	-	-
WHITE--MALE	-	-	-	-	1	2	-	1	1	-	-	-
FEMALE	-	-	1	1	3	-	1	5	-	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	3	1	1	1	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
MISSOURI	-	2	-	4	2	7	6	8	3	2	-	-
WHITE--MALE	-	-	-	2	-	5	4	-	-	-	-	-
FEMALE	-	-	-	2	2	2	2	8	3	2	-	-
ALL OTHER--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	1	1	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	1	-	2	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infectious diseases (A00-A09)												
NEW HAMPSHIRE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	55	-	1	-	-	-	1	-	-	-	-	1
WHITE------MALE----	15	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	70	2	2	1	-	-	1	1	-	-	-	1
WHITE------MALE----	23	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	1	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	3	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
NORTH CAROLINA ---------	29	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)												
NEW HAMPSHIRE ----------	-	1	-	-	1	1	1	1	2	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	1	2	3	12	15	8	6	4	-	-
WHITE------MALE----	-	-	-	-	2	3	5	3	-	-	-	-
FEMALE--	1	-	1	2	1	9	9	5	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
NEW MEXICO ----------	1	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	2	5	7	10	10	12	10	4	1	-
WHITE------MALE----	-	1	1	2	2	5	2	4	4	-	-	-
FEMALE--	-	-	1	3	4	3	7	8	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	4	6	7	4	1	4	1	-	-
WHITE------MALE----	-	-	-	1	4	3	3	-	-	1	-	-
FEMALE--	-	-	-	2	1	4	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infectious diseases (A00-A09)												
OHIO ----------	128	2	-	-	1	-	-	-	1	-	-	1
WHITE------MALE----	36	1	-	-	1	-	-	-	1	-	-	1
FEMALE--	83	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	105	2	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	41	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)												
OHIO ----------	1	2	2	5	14	20	26	23	19	8	3	-
WHITE------MALE----	1	2	-	2	5	4	9	3	4	2	-	-
FEMALE--	-	-	1	3	7	14	16	19	14	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	1	1	-	-	-	-
OKLAHOMA ----------	1	1	1	-	-	2	4	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	1	5	6	6	-	-	-
WHITE------MALE----	-	-	-	-	1	-	2	2	3	-	-	-
FEMALE--	-	-	-	-	-	1	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	2	6	14	14	26	20	14	5	-	-
WHITE------MALE----	-	-	1	3	8	7	11	5	4	-	-	-
FEMALE--	1	-	1	3	5	7	14	15	10	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	-	1	1	-	1	1	1	2	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	-	3	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infectious diseases (A00-A09)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	14	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	50	2	1	1	-	-	-	1	-	-	2	1
WHITE------MALE----	17	2	1	1	-	-	-	1	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
UTAH ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	18	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)												
SOUTH DAKOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	2	-	2	2	2	4	-	-	-
WHITE------MALE----	-	-	1	1	-	2	1	-	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	-	1	1	4	3	10	9	4	6	3	1	-
WHITE------MALE----	-	-	1	1	1	3	5	-	-	-	-	-
FEMALE--	-	1	-	2	1	5	3	3	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
UTAH ----------	-	-	-	-	2	-	3	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	1	5	5	3	2	-	-	-	-
WHITE------MALE----	-	-	-	-	2	3	2	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infectious diseases (A00-A09)												
WASHINGTON ----------	31	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	20	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)												
WASHINGTON ----------	-	1	-	1	1	4	5	6	3	6	3	-
WHITE------MALE----	-	-	-	-	1	2	1	2	1	1	-	-
FEMALE--	-	1	-	1	-	1	4	4	2	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	2	1	-	2	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	2	1	1	2	4	6	-	3	-	-
WHITE------MALE----	-	-	1	1	-	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	3	-	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholera (A00)												
UNITED STATES -	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholera (A00)												
UNITED STATES -	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholera (A00)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholera (A00)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholera (A00)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholera (A00)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholera (A00)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholera (A00)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholera (A00)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholera (A00)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholera (A00)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholera (A00)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholera (A00)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholera (A00)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholera (A00)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholera (A00)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholera (A00)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholera (A00)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other intestinal infectious diseases (A01-A08)												
UNITED STATES -	1,072	21	8	3	1	1	5	3	3	2	5	10
WHITE------MALE----	393	12	4	1	1	1	3	2	3	1	3	3
FEMALE--	600	4	3	-	-	-	1	1	-	1	1	4
ALL OTHER--MALE----	35	3	1	2	-	-	1	-	-	-	1	2
FEMALE--	44	2	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	27	3	-	2	-	-	1	-	-	-	1	1
FEMALE--	42	2	-	-	-	-	-	-	-	-	-	1
ALABAMA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	6	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	109	1	-	-	-	-	1	-	-	-	3	-
WHITE------MALE----	50	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	54	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
UNITED STATES -	14	16	32	63	102	160	211	198	142	59	13	-
WHITE------MALE----	7	9	13	27	42	72	84	52	40	12	1	-
FEMALE--	6	5	13	30	51	76	114	140	95	44	11	-
ALL OTHER--MALE----	1	1	4	2	2	5	4	1	3	1	1	-
FEMALE--	-	1	2	4	7	7	9	5	4	2	-	-
BLACK---MALE----	-	1	1	2	1	5	4	-	3	1	1	-
FEMALE--	-	1	2	4	7	7	8	4	4	2	-	-
ALABAMA ----------	-	-	1	1	-	4	-	3	2	-	1	-
WHITE------MALE----	-	-	-	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	1	2	4	2	2	-	-	-
WHITE------MALE----	-	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	1	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	3	4	9	16	9	17	25	14	5	-	-
WHITE------MALE----	1	1	2	6	8	5	9	9	4	2	-	-
FEMALE--	-	2	2	3	8	4	7	15	9	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other intestinal infectious diseases (A01-A08)												
COLORADO ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	51	2	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	10	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
COLORADO ----------	-	-	1	2	5	3	1	1	-	-	-	-
WHITE------MALE----	-	-	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	2	1	2	3	3	4	4	1	-	-
WHITE------MALE----	-	-	-	-	2	1	1	1	4	-	-	-
FEMALE--	1	-	1	1	-	2	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	2	-	2	1	-	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
FLORIDA ----------	1	-	3	2	5	6	8	12	9	2	-	-
WHITE------MALE----	1	-	2	1	1	4	5	3	3	-	-	-
FEMALE--	-	-	1	1	4	1	3	7	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
GEORGIA ----------	-	-	1	1	-	2	2	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other intestinal infectious diseases (A01-A08)												
HAWAII ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	38	1	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	15	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	10	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
HAWAII ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	1	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	1	4	3	6	7	5	6	2	-
WHITE------MALE----	1	-	-	-	2	1	3	1	1	4	1	-
FEMALE--	-	-	-	-	2	1	3	6	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
INDIANA ----------	1	-	1	1	2	7	3	4	1	-	-	-
WHITE------MALE----	-	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	1	-	1	-	1	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	2	1	2	-	2	2	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	1	1	3	1	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other intestinal infectious diseases (A01-A08)												
KENTUCKY ----------	17	2	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	9	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	4	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	27	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	56	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	25	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	29	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
KENTUCKY	1	-	1	1	-	3	2	3	3	-	-	-
WHITE--MALE	1	-	-	-	-	3	1	1	1	-	-	-
FEMALE	-	-	1	1	-	-	1	2	2	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	1	-	-	-	2	-	1	-	-	-
WHITE--MALE	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	2	1	1	2	-	1	-
WHITE--MALE	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	1	2	-	1	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	1	-	1	-	7	6	5	5	-	-	-
WHITE--MALE	-	1	-	-	-	3	-	1	3	-	-	-
FEMALE	-	-	-	1	-	3	6	3	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	1	1	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	1	1	-	-	-
MASSACHUSETTS	-	2	4	2	2	4	20	9	7	4	-	-
WHITE--MALE	-	2	3	1	1	1	9	3	2	1	-	-
FEMALE	-	-	-	1	1	3	10	6	5	3	-	-
ALL OTHER--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	1	3	4	6	6	5	2	-	-	-
WHITE--MALE	-	-	-	1	-	4	-	-	1	-	-	-
FEMALE	-	-	1	1	3	2	5	5	1	-	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	1	-	-	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other intestinal infectious diseases (A01-A08)												
MINNESOTA ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	30	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
MINNESOTA ----------	-	-	-	1	4	2	1	5	1	1	-	-
WHITE------MALE----	-	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	-	1	3	-	1	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MISSOURI ----------	-	2	-	3	2	6	4	7	3	2	-	-
WHITE------MALE----	-	-	-	2	-	5	3	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	7	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other intestinal infectious diseases (A01-A08)												
NEW HAMPSHIRE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	49	-	1	-	-	-	1	-	-	-	-	1
WHITE------MALE----	14	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	62	2	2	1	-	-	-	1	-	-	-	1
WHITE------MALE----	22	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	1	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	3	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
NEW HAMPSHIRE ----------	-	1	-	-	1	1	1	-	2	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	1	2	3	11	14	6	5	3	-	-
WHITE------MALE----	-	-	-	-	2	3	4	3	-	-	-	-
FEMALE--	1	-	1	2	1	8	9	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	1	5	7	8	8	11	9	4	1	-
WHITE------MALE----	-	1	-	2	2	5	2	4	4	-	-	-
FEMALE--	-	-	1	3	4	2	5	7	5	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	3	5	3	4	1	4	1	-	-
WHITE------MALE----	-	-	-	1	3	2	3	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other intestinal infectious diseases (A01-A08)												
OHIO ----------	123	2	-	-	1	-	-	-	1	-	-	1
WHITE------MALE----	35	1	-	-	1	-	-	-	1	-	-	1
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	102	2	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	39	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	8	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
OHIO ----------	1	2	2	4	13	19	26	22	18	8	3	-
WHITE------MALE----	1	2	-	1	5	4	9	3	4	2	-	-
FEMALE--	-	-	1	3	7	13	16	18	13	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	-
OKLAHOMA ----------	1	1	1	-	-	2	4	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	1	5	6	5	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	2	2	-	-	-
FEMALE--	-	-	-	-	-	1	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	2	6	12	14	25	20	14	5	-	-
WHITE------MALE----	-	-	1	3	6	7	11	5	4	-	-	-
FEMALE--	1	-	1	3	5	7	13	15	10	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	-	1	1	-	1	1	-	2	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	-	1	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other intestinal infectious diseases (A01-A08)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	14	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	47	2	1	1	-	-	-	1	-	-	1	1
WHITE------MALE----	16	2	1	1	-	-	-	1	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	14	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	2	-	2	2	2	4	-	-	-
WHITE------MALE----	-	-	1	1	-	2	1	-	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	-	1	1	4	1	10	9	4	6	3	1	-
WHITE------MALE----	-	-	1	1	-	3	5	-	-	-	-	-
FEMALE--	-	1	-	2	-	5	3	3	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
UTAH ----------	-	-	-	-	1	-	3	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	1	4	3	3	1	-	-	-	-
WHITE------MALE----	-	-	-	-	2	2	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other intestinal infectious diseases (A01-A08)												
WASHINGTON ----------	30	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	18	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
WASHINGTON ----------	-	1	-	1	1	4	5	6	3	6	2	-
WHITE------MALE----	-	-	-	-	1	2	1	2	1	1	-	-
FEMALE--	-	1	-	1	-	1	4	4	2	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	2	1	-	2	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	2	1	-	1	4	6	-	3	-	-
WHITE------MALE----	-	-	1	1	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	3	-	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhoid fever (A01.0)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhoid fever (A01.0)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhoid fever (A01.0)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhoid fever (A01.0)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhoid fever (A01.0)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhoid fever (A01.0)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhoid fever (A01.0)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhoid fever (A01.0)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhoid fever (A01.0)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhoid fever (A01.0)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhoid fever (A01.0)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhoid fever (A01.0)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhoid fever (A01.0)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhoid fever (A01.0)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhoid fever (A01.0)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhoid fever (A01.0)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhoid fever (A01.0)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhoid fever (A01.0)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
UNITED STATES -	38	3	-	-	-	-	2	-	-	-	2	-
WHITE------MALE----	16	2	-	-	-	-	1	-	-	-	1	-
FEMALE--	16	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
UNITED STATES -	2	1	2	2	5	8	4	4	2	1	-	-
WHITE------MALE----	2	-	1	1	2	2	2	1	1	-	-	-
FEMALE--	-	1	-	-	2	5	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALABAMA ----------	-	-	-	1	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
COLORADO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
HAWAII ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
HAWAII ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
KENTUCKY ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
KENTUCKY ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	1	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
OHIO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
OHIO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	2	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis (A03)												
UNITED STATES -	6	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Shigellosis (A03)												
UNITED STATES -	-	-	-	-	1	-	-	1	1	2	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis (A03)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Shigellosis (A03)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis (A03)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Shigellosis (A03)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis (A03)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Shigellosis (A03)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis (A03)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Shigellosis (A03)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis (A03)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Shigellosis (A03)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	1	-	-	-	1	2	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis (A03)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Shigellosis (A03)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis (A03)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Shigellosis (A03)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis (A03)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Shigellosis (A03)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other bacterial food-borne intoxications (A05)												
UNITED STATES -	12	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other bacterial food-borne intoxications (A05)												
UNITED STATES -	2	-	-	2	1	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other bacterial food-borne intoxications (A05)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other bacterial food-borne intoxications (A05)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other bacterial food-borne intoxications (A05)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other bacterial food-borne intoxications (A05)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other bacterial food-borne intoxications (A05)												
KENTUCKY ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other bacterial food-borne intoxications (A05)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other bacterial food-borne intoxications (A05)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other bacterial food-borne intoxications (A05)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other bacterial food-borne intoxications (A05)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other bacterial food-borne intoxications (A05)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other bacterial food-borne intoxications (A05)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other bacterial food-borne intoxications (A05)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other bacterial food-borne intoxications (A05)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other bacterial food-borne intoxications (A05)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other bacterial food-borne intoxications (A05)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other bacterial food-borne intoxications (A05)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Amebiasis (A06)												
UNITED STATES -	4	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Amebiasis (A06)												
UNITED STATES -	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Amebiasis (A06)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Amebiasis (A06)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Amebiasis (A06)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Amebiasis (A06)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Amebiasis (A06)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Amebiasis (A06)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Amebiasis (A06)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Amebiasis (A06)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Amebiasis (A06)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Amebiasis (A06)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Amebiasis (A06)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Amebiasis (A06)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Amebiasis (A06)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Amebiasis (A06)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Amebiasis (A06)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Amebiasis (A06)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infections due to other specified organisms (A04,A07-A08)												
UNITED STATES -	1,012	12	7	2	1	1	3	3	3	2	2	10
WHITE------MALE----	362	6	3	-	1	1	2	2	3	1	1	3
FEMALE--	578	2	3	-	-	-	1	1	-	1	-	4
ALL OTHER--MALE----	29	2	1	2	-	-	-	-	-	-	1	2
FEMALE--	43	2	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	23	2	-	2	-	-	-	-	-	-	1	1
FEMALE--	41	2	-	-	-	-	-	-	-	-	-	1
ALABAMA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	102	1	-	-	-	-	1	-	-	-	2	-
WHITE------MALE----	46	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	51	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
UNITED STATES -	10	15	29	59	95	150	207	193	139	56	13	-
WHITE------MALE----	3	9	11	24	38	70	82	51	38	12	1	-
FEMALE--	6	4	13	30	49	69	113	136	94	41	11	-
ALL OTHER--MALE----	1	1	3	1	1	5	3	1	3	1	1	-
FEMALE--	-	1	2	4	7	6	9	5	4	2	-	-
BLACK---MALE----	-	1	1	1	1	5	3	-	3	1	1	-
FEMALE--	-	1	2	4	7	6	8	4	4	2	-	-
ALABAMA ----------	-	-	1	-	-	2	-	3	2	-	1	-
WHITE------MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	1	2	3	2	2	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	1	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	3	4	8	15	7	16	24	14	5	-	-
WHITE------MALE----	1	1	2	5	7	5	8	9	4	2	-	-
FEMALE--	-	2	2	3	8	2	7	14	9	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infections due to other specified organisms (A04,A07-A08)												
COLORADO ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	45	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	9	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
COLORADO ----------	-	-	-	2	5	3	1	1	-	-	-	-
WHITE------MALE----	-	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	2	1	2	3	3	4	4	1	-	-
WHITE------MALE----	-	-	-	-	2	1	1	1	4	-	-	-
FEMALE--	1	-	1	1	-	2	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	2	-	2	1	-	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
FLORIDA ----------	-	-	2	2	5	5	8	12	9	1	-	-
WHITE------MALE----	-	-	1	1	1	4	5	3	3	-	-	-
FEMALE--	-	-	1	1	4	-	3	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
GEORGIA ----------	-	-	1	1	-	1	2	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infections due to other specified organisms (A04,A07-A08)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	37	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	15	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	10	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	1	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	1	4	3	6	7	5	6	2	-
WHITE------MALE----	1	-	-	-	2	1	3	1	1	4	1	-
FEMALE--	-	-	-	-	2	1	3	6	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
INDIANA ----------	1	-	1	1	2	7	3	4	1	-	-	-
WHITE------MALE----	-	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	1	-	1	-	1	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	2	1	2	-	2	2	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	1	1	3	1	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infections due to other specified organisms (A04,A07-A08)												
KENTUCKY ----------	13	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	4	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	27	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	56	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	25	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	29	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
KENTUCKY ----------	-	-	1	1	-	3	2	2	3	-	-	-
WHITE------MALE----	-	-	-	-	-	3	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	-	-	2	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	2	1	1	1	-	1	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	1	-	7	6	5	5	-	-	-
WHITE------MALE----	-	1	-	-	-	3	-	1	3	-	-	-
FEMALE--	-	-	-	1	-	3	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
MASSACHUSETTS ----------	-	2	4	2	2	4	20	9	7	4	-	-
WHITE------MALE----	-	2	3	1	1	1	9	3	2	1	-	-
FEMALE--	-	-	-	1	1	3	10	6	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	3	4	6	6	5	2	-	-	-
WHITE------MALE----	-	-	-	1	-	4	-	-	1	-	-	-
FEMALE--	-	-	1	1	3	2	5	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infections due to other specified organisms (A04,A07-A08)												
MINNESOTA ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
MINNESOTA ----------	-	-	-	1	4	2	1	5	1	1	-	-
WHITE------MALE----	-	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	-	1	3	-	1	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MISSOURI ----------	-	2	-	3	1	6	4	6	3	2	-	-
WHITE------MALE----	-	-	-	2	-	5	3	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	6	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infections due to other specified organisms (A04,A07-A08)												
NEW HAMPSHIRE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	48	-	1	-	-	-	1	-	-	-	-	1
WHITE------MALE----	14	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	56	1	2	1	-	-	-	1	-	-	-	1
WHITE------MALE----	19	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	1	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	3	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
NEW HAMPSHIRE ----------	-	1	-	-	1	1	1	-	2	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	1	2	3	11	13	6	5	3	-	-
WHITE------MALE----	-	-	-	-	2	3	4	3	-	-	-	-
FEMALE--	1	-	1	2	1	8	9	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	1	5	6	8	8	10	8	2	1	-
WHITE------MALE----	-	1	-	2	1	5	2	4	3	-	-	-
FEMALE--	-	-	1	3	4	2	5	6	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	3	4	3	4	1	4	1	-	-
WHITE------MALE----	-	-	-	1	2	2	3	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infections due to other specified organisms (A04,A07-A08)												
OHIO ----------	122	2	-	-	1	-	-	-	1	-	-	1
WHITE------MALE----	34	1	-	-	1	-	-	-	1	-	-	1
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	97	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	37	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	8	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
OHIO ----------	-	2	2	4	13	19	26	22	18	8	3	-
WHITE------MALE----	-	2	-	1	5	4	9	3	4	2	-	-
FEMALE--	-	-	1	3	7	13	16	18	13	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	-
OKLAHOMA ----------	-	1	1	-	-	1	4	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	1	5	6	5	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	2	2	-	-	-
FEMALE--	-	-	-	-	-	1	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	2	6	10	13	25	20	14	5	-	-
WHITE------MALE----	-	-	1	3	5	7	11	5	4	-	-	-
FEMALE--	1	-	1	3	4	6	13	15	10	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	1	1	-	1	1	-	2	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	-	1	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infections due to other specified organisms (A04,A07-A08)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	42	1	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	12	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	13	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	1	-	2	2	2	4	-	-	-
WHITE------MALE----	-	-	1	-	-	2	1	-	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	-	1	1	4	1	9	9	4	6	3	1	-
WHITE------MALE----	-	-	1	1	-	3	5	-	-	-	-	-
FEMALE--	-	1	-	2	-	4	3	3	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
UTAH ----------	-	-	-	-	1	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	1	4	2	3	1	-	-	-	-
WHITE------MALE----	-	-	-	-	2	1	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intestinal infections due to other specified organisms (A04,A07-A08)												
WASHINGTON ----------	29	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	18	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
WASHINGTON ----------	-	1	-	1	1	4	5	6	2	6	2	-
WHITE------MALE----	-	-	-	-	1	2	1	2	-	1	-	-
FEMALE--	-	1	-	1	-	1	4	4	2	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	2	1	-	2	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	2	1	-	1	4	6	-	3	-	-
WHITE------MALE----	-	-	1	1	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	3	-	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
UNITED STATES -	96	-	1	-	-	-	1	-	-	-	3	1
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	59	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	2	-
ALABAMA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
UNITED STATES -	2	-	5	8	14	18	15	18	7	2	1	-
WHITE------MALE----	1	-	2	3	7	5	3	2	3	-	-	-
FEMALE--	-	-	2	5	6	11	11	15	4	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	-	-	-
ALABAMA ----------	1	-	1	-	-	1	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	2	-	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
COLORADO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA	-	-	-	-	2	1	1	1	1	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	2	-	-	1	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA	1	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	1	1	-	1	1	-	-	-	-
WHITE--MALE	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	1	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	1	-	-	1	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	1	-	1	-	2	2	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	1	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
MINNESOTA ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	1	-	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	8	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
NORTH CAROLINA ---------	8	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	1	1	2	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	1	-	-	2	2	1	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	1	1	4	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
OHIO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
OHIO	-	-	-	1	1	1	-	1	1	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	1	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	2	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	2	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
SOUTH DAKOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	1	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diarrhea and gastroenteritis of presumed infectious origin (A09)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
UNITED STATES -	930	2	2	1	2	1	10	3	16	25	32	51
WHITE------MALE----	348	-	-	-	1	1	3	1	3	9	10	21
FEMALE--	216	1	-	-	-	-	1	1	-	3	3	4
ALL OTHER--MALE----	236	-	2	-	1	-	-	-	7	11	13	21
FEMALE--	130	1	-	1	-	-	6	1	6	2	6	5
BLACK---MALE----	159	-	2	-	-	-	-	-	4	8	11	17
FEMALE--	86	1	-	1	-	-	4	1	4	2	4	3
ALABAMA ----------	16	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	21	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	157	-	-	-	1	1	4	1	4	1	11	10
WHITE------MALE----	58	-	-	-	1	1	3	1	1	1	5	5
FEMALE--	32	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	2	-	4	1
FEMALE--	27	-	-	-	-	-	-	-	1	-	2	3
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
UNITED STATES -	55	67	63	70	103	134	119	115	41	16	1	1
WHITE------MALE----	25	27	25	33	40	42	49	43	9	6	-	-
FEMALE--	2	10	11	15	20	43	38	44	15	5	-	-
ALL OTHER--MALE----	20	21	23	16	27	29	17	15	7	5	-	1
FEMALE--	8	9	4	6	16	20	15	13	10	-	1	-
BLACK---MALE----	17	15	17	11	18	17	8	6	3	4	-	1
FEMALE--	5	7	1	4	10	14	11	8	5	-	1	-
ALABAMA ----------	-	1	1	2	3	-	3	3	1	-	-	-
WHITE------MALE----	-	1	-	1	2	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	4	1	4	1	1	4	-	1	-	-
WHITE------MALE----	2	-	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	1	2	4	2	1	-	1	-	-
WHITE------MALE----	-	-	-	1	2	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA ----------	3	13	14	12	14	30	17	12	9	-	-	-
WHITE------MALE----	-	7	6	7	3	8	4	3	2	-	-	-
FEMALE--	1	3	4	2	2	7	5	4	2	-	-	-
ALL OTHER--MALE----	-	2	3	1	8	10	5	3	1	-	-	-
FEMALE--	2	1	1	2	1	5	3	2	4	-	-	-
BLACK---MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	4	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
COLORADO ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	5	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	69	-	-	1	-	-	1	-	1	4	3	4
WHITE------MALE----	28	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	8	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	8	-	-	1	-	-	1	-	-	-	-	-
GEORGIA ----------	37	-	-	-	-	-	-	-	1	3	1	2
WHITE------MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
COLORADO ----------	-	-	1	-	1	2	2	2	-	-	-	-
WHITE------MALE----	-	-	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	2	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
FLORIDA ----------	5	5	8	5	7	4	13	3	3	2	-	-
WHITE------MALE----	2	3	1	3	1	4	6	-	-	1	-	-
FEMALE--	-	-	-	2	2	-	5	3	1	1	-	-
ALL OTHER--MALE----	2	1	7	-	2	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	-	2	-	-	-
BLACK---MALE----	2	1	7	-	2	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	-	2	-	-	-
GEORGIA ----------	6	3	1	3	4	5	2	3	2	-	-	1
WHITE------MALE----	2	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	2	2	-	-	-	-
ALL OTHER--MALE----	3	3	1	1	-	1	-	1	1	-	-	1
FEMALE--	1	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	3	2	1	1	-	1	-	1	1	-	-	1
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
HAWAII ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	38	-	-	-	-	-	-	1	1	1	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
INDIANA ----------	13	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
HAWAII ----------	-	-	-	-	1	1	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	3	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	4	2	4	5	6	3	4	-	3	1	-
WHITE------MALE----	2	1	-	2	2	2	1	2	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	3	2	1	2	2	1	1	-	2	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	1	-
BLACK---MALE----	-	3	2	1	1	1	1	1	-	2	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	1	-
INDIANA ----------	-	2	1	3	2	-	1	2	-	1	-	-
WHITE------MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	1	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
KENTUCKY ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	23	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	20	-	-	-	-	-	1	-	-	-	2	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	27	-	-	-	-	-	1	1	-	1	2	4
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	5	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
KENTUCKY ----------	2	-	-	1	-	2	2	5	1	1	-	-
WHITE------MALE----	1	-	-	1	-	1	1	3	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	4	1	1	2	2	7	1	2	-	-	-	-
WHITE------MALE----	1	1	1	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	4	1	2	-	4	1	1	-	1	-	-
WHITE------MALE----	-	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	3	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	3	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MASSACHUSETTS ----------	-	1	-	1	1	4	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	1	-	-	2	7	1	4	1	-	-	-
WHITE------MALE----	1	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
MINNESOTA ----------	6	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	15	-	1	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	19	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	7	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
MINNESOTA ----------	1	-	1	-	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	1	1	2	1	1	1	2	1	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
MISSOURI ----------	1	3	-	1	3	2	3	5	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	2	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	1	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	25	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	11	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	61	-	-	-	1	-	-	-	2	2	4	5
WHITE------MALE----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	1	-	-	-	1	1	3	4
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	20	-	-	-	-	-	-	-	1	1	3	4
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
NORTH CAROLINA ---------	23	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	1	-	-	5	9	5	1	1	-	-
WHITE------MALE----	-	-	1	-	-	3	4	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
NEW MEXICO ----------	-	1	1	1	1	1	1	1	2	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	5	4	9	6	5	5	5	6	1	-	-
WHITE------MALE----	-	-	1	5	2	4	1	2	2	1	-	-
FEMALE--	-	2	1	1	-	-	3	3	2	-	-	-
ALL OTHER--MALE----	1	2	2	3	4	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	1	2	2	3	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
NORTH CAROLINA ---------	-	-	1	1	7	2	1	5	1	1	-	-
WHITE------MALE----	-	-	1	1	1	1	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	4	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	4	1	-	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
OHIO ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	15	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	37	1	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	17	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
OHIO ----------	-	3	-	1	2	4	8	9	2	1	-	-
WHITE------MALE----	-	1	-	1	1	1	2	5	-	-	-	-
FEMALE--	-	1	-	-	1	3	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
OKLAHOMA ----------	1	1	2	1	1	-	3	1	1	-	-	-
WHITE------MALE----	1	1	1	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	1	1	2	9	6	5	4	2	1	-	-
WHITE------MALE----	1	-	1	-	5	1	3	2	2	-	-	-
FEMALE--	-	1	-	1	3	3	1	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
RHODE ISLAND ----------	1	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	2	-	2	2	4	3	-	-	1	-	-
WHITE------MALE----	2	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	2	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	23	-	-	-	-	-	-	-	-	2	2	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	91	-	1	-	-	-	1	-	2	5	2	6
WHITE------MALE----	43	-	-	-	-	-	-	-	1	4	1	3
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	17	-	1	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	14	-	1	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	1	-	1	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	20	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
SOUTH DAKOTA ----------	-	1	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	1	3	2	3	9	-	-	-	-
WHITE------MALE----	-	-	1	-	3	1	1	3	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
TEXAS ----------	7	9	7	8	12	11	10	9	1	-	-	-
WHITE------MALE----	5	3	4	2	6	4	4	5	1	-	-	-
FEMALE--	-	1	1	4	4	5	4	3	-	-	-	-
ALL OTHER--MALE----	1	3	2	2	2	1	1	1	-	-	-	-
FEMALE--	1	2	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	3	2	1	2	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	1	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	4	2	2	2	3	3	3	-	-	-
WHITE------MALE----	-	-	-	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
WASHINGTON ----------	9	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
WASHINGTON ----------	1	2	-	1	-	1	1	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	1	-	1	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
UNITED STATES -	764	1	1	-	1	-	8	2	12	19	26	38
WHITE------MALE----	296	-	-	-	-	-	2	-	2	6	9	17
FEMALE--	176	-	-	-	-	-	1	1	-	2	3	3
ALL OTHER--MALE----	190	-	1	-	1	-	-	-	6	9	9	15
FEMALE--	102	1	-	-	-	-	5	1	4	2	5	3
BLACK---MALE----	126	-	1	-	-	-	-	-	3	7	7	13
FEMALE--	73	1	-	-	-	-	4	1	4	2	4	2
ALABAMA ----------	16	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	18	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	119	-	-	-	-	-	3	-	2	-	8	5
WHITE------MALE----	43	-	-	-	-	-	2	-	-	-	4	3
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	2	-	3	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
UNITED STATES -	38	53	56	58	81	112	104	100	36	16	1	1
WHITE------MALE----	19	21	24	27	34	36	43	41	9	6	-	-
FEMALE--	1	6	10	11	15	34	32	38	14	5	-	-
ALL OTHER--MALE----	13	18	20	14	22	24	17	11	4	5	-	1
FEMALE--	5	8	2	6	10	18	12	10	9	-	1	-
BLACK---MALE----	11	13	16	9	13	14	8	4	2	4	-	1
FEMALE--	3	7	-	4	7	12	9	7	5	-	1	-
ALABAMA ----------	-	1	1	2	3	-	3	3	1	-	-	-
WHITE------MALE----	-	1	-	1	2	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	4	1	3	1	1	3	-	1	-	-
WHITE------MALE----	2	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	1	2	3	2	1	-	1	-	-
WHITE------MALE----	-	-	-	1	2	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA ----------	2	10	12	7	11	27	15	9	8	-	-	-
WHITE------MALE----	-	6	5	3	3	8	4	3	2	-	-	-
FEMALE--	-	2	4	1	-	5	4	3	2	-	-	-
ALL OTHER--MALE----	-	2	2	1	7	9	5	1	1	-	-	-
FEMALE--	2	-	1	2	1	5	2	2	3	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	4	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
COLORADO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	60	-	-	-	-	-	1	-	1	4	3	4
WHITE------MALE----	22	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
GEORGIA ----------	31	-	-	-	-	-	-	-	1	3	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
COLORADO ----------	-	-	1	-	1	1	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA ----------	3	5	8	5	5	2	11	3	3	2	-	-
WHITE------MALE----	1	3	1	3	-	2	4	-	-	1	-	-
FEMALE--	-	-	-	2	2	-	5	3	1	1	-	-
ALL OTHER--MALE----	2	1	7	-	2	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	2	-	-	-
BLACK---MALE----	2	1	7	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	2	-	-	-
GEORGIA ----------	5	3	1	3	2	5	2	1	1	-	-	1
WHITE------MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	2	1	-	-	-	-
ALL OTHER--MALE----	3	3	1	1	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	3	2	1	1	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
HAWAII ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	32	-	-	-	-	-	-	1	1	1	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
INDIANA ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
HAWAII ----------	-	-	-	-	-	1	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	3	2	3	5	4	3	2	-	3	1	-
WHITE------MALE----	2	-	-	1	2	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	3	2	1	2	2	1	-	-	2	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	1	-
BLACK---MALE----	-	3	2	1	1	1	1	-	-	2	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	1	-
INDIANA ----------	-	2	1	2	2	-	1	2	-	1	-	-
WHITE------MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	1	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
KENTUCKY ----------	14	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	20	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	23	-	-	-	-	-	-	1	-	1	2	4
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
KENTUCKY ----------	1	-	-	1	-	2	2	5	1	1	-	-
WHITE------MALE----	1	-	-	1	-	1	1	3	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	3	1	1	1	2	6	1	2	-	-	-	-
WHITE------MALE----	1	1	1	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	1	2	-	4	1	1	-	1	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MASSACHUSETTS ----------	-	1	-	1	-	3	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	1	-	-	2	5	1	4	1	-	-	-
WHITE------MALE----	1	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
MINNESOTA ----------	5	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	15	-	1	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	17	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
MINNESOTA ----------	1	-	-	-	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	1	1	2	1	1	1	2	1	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
MISSOURI ----------	-	3	-	1	3	2	2	5	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	21	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	7	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	47	-	-	-	1	-	-	-	1	1	2	3
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
NORTH CAROLINA ---------	19	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	1	-	-	4	8	3	1	1	-	-
WHITE------MALE----	-	-	1	-	-	3	4	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEW MEXICO ----------	-	1	1	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	3	4	8	3	4	5	5	6	1	-	-
WHITE------MALE----	-	-	1	4	2	4	1	2	2	1	-	-
FEMALE--	-	1	1	1	-	-	3	3	2	-	-	-
ALL OTHER--MALE----	-	1	2	3	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	2	2	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
NORTH CAROLINA ---------	-	-	1	1	5	2	-	4	1	1	-	-
WHITE------MALE----	-	-	1	1	1	1	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	1	-	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
OHIO ----------	28	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	30	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
OHIO ----------	-	2	-	1	2	3	8	9	2	1	-	-
WHITE------MALE----	-	1	-	1	1	-	2	5	-	-	-	-
FEMALE--	-	-	-	-	1	3	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
OKLAHOMA ----------	1	1	1	1	1	-	3	1	-	-	-	-
WHITE------MALE----	1	1	1	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	1	2	7	5	4	4	2	1	-	-
WHITE------MALE----	1	-	1	-	3	1	2	2	2	-	-	-
FEMALE--	-	-	-	1	3	2	1	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
RHODE ISLAND ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	2	-	1	2	3	3	-	-	1	-	-
WHITE------MALE----	2	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	22	-	-	-	-	-	-	-	-	2	2	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	72	-	-	-	-	-	1	-	2	3	2	3
WHITE------MALE----	34	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	1	-	1	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	16	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
SOUTH DAKOTA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	1	2	2	3	9	-	-	-	-
WHITE------MALE----	-	-	1	-	2	1	1	3	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
TEXAS ----------	4	7	6	6	11	9	9	8	1	-	-	-
WHITE------MALE----	2	2	4	2	6	3	4	5	1	-	-	-
FEMALE--	-	1	1	2	3	5	3	2	-	-	-	-
ALL OTHER--MALE----	1	2	1	2	2	1	1	1	-	-	-	-
FEMALE--	1	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	1	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	4	2	1	1	2	2	3	-	-	-
WHITE------MALE----	-	-	-	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
WASHINGTON ----------	8	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
WASHINGTON ----------	1	2	-	1	-	1	1	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	1	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
UNITED STATES -	166	1	1	1	1	1	2	1	4	6	6	13
WHITE------MALE----	52	-	-	-	1	1	1	1	1	3	1	4
FEMALE--	40	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	46	-	1	-	-	-	-	-	1	2	4	6
FEMALE--	28	-	-	1	-	-	1	-	2	-	1	2
BLACK---MALE----	33	-	1	-	-	-	-	-	1	1	4	4
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	1
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	38	-	-	-	1	1	1	1	2	1	3	5
WHITE------MALE----	15	-	-	-	1	1	1	1	1	1	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
UNITED STATES -	17	14	7	12	22	22	15	15	5	-	-	-
WHITE------MALE----	6	6	1	6	6	6	6	2	-	-	-	-
FEMALE--	1	4	1	4	5	9	6	6	1	-	-	-
ALL OTHER--MALE----	7	3	3	2	5	5	-	4	3	-	-	-
FEMALE--	3	1	2	-	6	2	3	3	1	-	-	-
BLACK---MALE----	6	2	1	2	5	3	-	2	1	-	-	-
FEMALE--	2	-	1	-	3	2	2	1	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	3	2	5	3	3	2	3	1	-	-	-
WHITE------MALE----	-	1	1	4	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
COLORADO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	9	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
GEORGIA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
COLORADO ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	-	-	-	2	2	2	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	2	-	-	2	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
HAWAII ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	1	-	1	-	2	-	2	-	-	-	-
WHITE------MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
MINNESOTA	-	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	1	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	14	-	-	-	-	-	-	-	1	1	2	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
NEW MEXICO ----------	-	-	-	-	1	-	-	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	2	-	1	3	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	2	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
OHIO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	5	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	7	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
OHIO ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	1	-	-	2	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	19	-	1	-	-	-	-	-	-	2	-	3
WHITE------MALE----	9	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
SOUTH DAKOTA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	2	1	2	1	2	1	1	-	-	-	-
WHITE------MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	1	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
UNITED STATES -	32,714	344	123	62	48	64	111	129	207	366	556	804
WHITE------MALE----	11,279	130	51	25	15	24	44	44	75	129	207	284
FEMALE--	14,664	86	39	22	16	25	25	35	66	104	154	229
ALL OTHER--MALE----	3,099	72	19	6	8	8	18	22	38	68	112	160
FEMALE--	3,672	56	14	9	9	7	24	28	28	65	83	131
BLACK---MALE----	2,795	63	14	5	7	8	13	18	36	63	105	145
FEMALE--	3,365	52	9	4	6	5	19	27	24	60	78	122
ALABAMA ----------	722	14	2	1	1	-	3	4	-	8	15	22
WHITE------MALE----	198	3	-	1	-	-	2	-	-	2	4	4
FEMALE--	271	1	-	-	-	-	1	-	-	1	5	5
ALL OTHER--MALE----	105	8	1	-	-	-	-	-	-	1	5	5
FEMALE--	148	2	1	-	1	-	-	4	-	4	1	8
BLACK---MALE----	104	8	1	-	-	-	-	-	-	1	5	5
FEMALE--	146	2	1	-	1	-	-	4	-	4	1	8
ALASKA ----------	29	-	1	-	-	-	2	1	-	-	1	2
WHITE------MALE----	9	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	9	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	386	8	-	1	2	-	1	1	1	5	13	6
WHITE------MALE----	180	4	-	1	1	-	1	-	-	1	5	3
FEMALE--	156	4	-	-	-	-	-	1	-	1	5	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	30	-	-	-	1	-	-	-	-	2	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	496	1	2	-	1	-	3	1	2	4	9	11
WHITE------MALE----	170	-	-	-	1	-	3	-	2	-	3	3
FEMALE--	214	1	1	-	-	-	-	-	-	2	3	3
ALL OTHER--MALE----	51	-	1	-	-	-	-	1	-	1	1	4
FEMALE--	61	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	51	-	1	-	-	-	-	1	-	1	1	4
FEMALE--	61	-	-	-	-	-	-	-	-	1	2	1
CALIFORNIA ----------	982	19	9	5	4	4	6	4	15	16	30	32
WHITE------MALE----	359	5	2	1	-	3	1	1	7	7	16	12
FEMALE--	450	9	5	2	2	1	3	1	7	7	7	10
ALL OTHER--MALE----	98	2	1	1	1	-	2	2	1	1	5	8
FEMALE--	75	3	1	1	1	-	-	-	-	1	2	2
BLACK---MALE----	48	1	-	1	1	-	1	-	1	-	4	7
FEMALE--	40	2	-	1	-	-	-	-	-	1	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
UNITED STATES -	1,030	1,259	1,629	2,531	3,592	4,958	5,295	5,097	3,114	1,193	202	-
WHITE------MALE----	380	449	614	1,000	1,414	1,969	1,941	1,536	724	206	18	-
FEMALE--	326	427	578	915	1,389	2,046	2,527	2,788	1,933	804	130	-
ALL OTHER--MALE----	173	204	244	318	388	420	361	280	135	41	4	-
FEMALE--	151	179	193	298	401	523	466	493	322	142	50	-
BLACK---MALE----	158	184	228	291	354	372	328	248	114	37	4	-
FEMALE--	135	166	176	264	372	474	432	458	299	133	50	-
ALABAMA ----------	28	30	36	59	82	99	115	94	66	34	9	-
WHITE------MALE----	12	8	12	19	21	39	26	28	12	4	1	-
FEMALE--	7	8	13	19	28	35	55	40	40	13	-	-
ALL OTHER--MALE----	5	9	6	12	19	9	10	9	4	2	-	-
FEMALE--	4	5	5	9	14	16	24	17	10	15	8	-
BLACK---MALE----	5	9	6	11	19	9	10	9	4	2	-	-
FEMALE--	4	4	5	9	14	16	24	17	9	15	8	-
ALASKA ----------	2	3	2	2	3	1	3	3	3	-	-	-
WHITE------MALE----	-	1	-	1	1	-	1	1	1	-	-	-
FEMALE--	2	1	1	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	21	14	37	43	43	57	58	49	20	5	1	-
WHITE------MALE----	11	5	19	22	22	25	24	25	9	2	-	-
FEMALE--	4	7	10	17	17	26	30	21	8	3	1	-
ALL OTHER--MALE----	2	-	3	1	1	2	2	1	2	-	-	-
FEMALE--	4	2	5	3	3	4	2	2	1	-	-	-
BLACK---MALE----	-	-	2	1	-	1	-	-	1	-	-	-
FEMALE--	1	1	-	1	1	2	-	-	-	-	-	-
ARKANSAS ----------	13	24	27	44	53	75	80	78	43	23	2	-
WHITE------MALE----	5	9	12	19	22	29	29	24	5	4	-	-
FEMALE--	6	9	4	14	21	30	36	42	25	15	2	-
ALL OTHER--MALE----	2	2	6	4	5	7	8	5	3	1	-	-
FEMALE--	-	4	5	7	5	9	7	7	10	3	-	-
BLACK---MALE----	2	2	6	4	5	7	8	5	3	1	-	-
FEMALE--	-	4	5	7	5	9	7	7	10	3	-	-
CALIFORNIA ----------	38	46	44	63	88	142	140	143	88	42	4	-
WHITE------MALE----	17	18	18	28	29	57	56	46	22	13	-	-
FEMALE--	14	18	20	22	43	62	63	69	54	27	4	-
ALL OTHER--MALE----	2	7	3	6	7	11	12	16	8	2	-	-
FEMALE--	5	3	3	7	9	12	9	12	4	-	-	-
BLACK---MALE----	2	4	1	1	2	5	7	7	2	1	-	-
FEMALE--	2	1	3	4	6	5	5	6	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
COLORADO ----------	285	3	3	-	1	2	1	2	1	10	6	11
WHITE------MALE----	126	3	3	-	-	1	1	1	-	3	4	7
FEMALE--	139	-	-	-	-	1	-	-	1	6	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	11	-	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	1	-	-	1	-	1	-	-
CONNECTICUT ----------	512	2	-	-	2	1	1	2	8	6	4	7
WHITE------MALE----	186	-	-	-	1	-	1	-	3	2	2	3
FEMALE--	264	2	-	-	1	-	-	-	3	2	1	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	2	-	1	2
FEMALE--	35	-	-	-	-	1	-	1	-	2	-	1
BLACK---MALE----	25	-	-	-	-	-	-	1	2	-	1	2
FEMALE--	35	-	-	-	-	1	-	1	-	2	-	1
DELAWARE ----------	114	4	1	-	-	-	-	-	-	-	3	2
WHITE------MALE----	36	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	46	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	16	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	150	-	-	-	-	1	-	-	-	2	3	2
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	69	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	57	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	68	-	-	-	-	-	-	-	-	-	1	1
FLORIDA ----------	1,607	27	7	5	2	-	4	6	5	11	16	39
WHITE------MALE----	617	5	4	2	1	-	-	3	3	3	7	14
FEMALE--	741	8	1	3	1	-	-	-	2	3	4	14
ALL OTHER--MALE----	112	9	1	-	-	-	-	1	-	2	2	6
FEMALE--	137	5	1	-	-	-	4	2	-	3	3	5
BLACK---MALE----	108	9	1	-	-	-	-	1	-	2	2	4
FEMALE--	132	5	1	-	-	-	4	2	-	3	3	5
GEORGIA ----------	1,192	16	4	3	1	3	2	3	7	15	27	29
WHITE------MALE----	301	4	1	1	-	1	1	1	2	6	7	9
FEMALE--	424	2	-	1	-	-	-	1	1	3	6	5
ALL OTHER--MALE----	200	3	3	1	1	2	-	-	3	4	7	8
FEMALE--	267	7	-	-	-	-	1	1	1	2	7	7
BLACK---MALE----	198	3	3	1	1	2	-	-	3	4	7	8
FEMALE--	260	7	-	-	-	-	1	1	1	2	7	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
COLORADO ----------	19	11	13	26	26	37	42	37	25	8	1	-
WHITE------MALE----	8	5	5	16	9	15	19	16	9	1	-	-
FEMALE--	8	6	7	10	16	20	20	19	14	7	1	-
ALL OTHER--MALE----	1	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	2	1	2	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	2	1	2	-	-	-
CONNECTICUT ----------	12	15	21	37	42	78	98	97	54	23	2	-
WHITE------MALE----	6	9	9	13	18	37	36	25	14	7	-	-
FEMALE--	2	5	9	14	18	37	54	66	33	14	2	-
ALL OTHER--MALE----	2	1	2	4	3	1	2	2	3	1	-	-
FEMALE--	2	-	1	6	3	3	6	4	4	1	-	-
BLACK---MALE----	2	1	2	4	2	-	2	2	3	1	-	-
FEMALE--	2	-	1	6	3	3	6	4	4	1	-	-
DELAWARE ----------	2	6	5	8	14	21	14	18	12	3	1	-
WHITE------MALE----	-	3	3	4	3	6	3	5	4	1	-	-
FEMALE--	1	1	1	-	5	9	9	8	8	1	1	-
ALL OTHER--MALE----	1	1	-	2	1	3	1	2	-	1	-	-
FEMALE--	-	1	1	2	5	3	1	3	-	-	-	-
BLACK---MALE----	1	1	-	2	1	3	1	2	-	1	-	-
FEMALE--	-	1	1	2	5	3	1	3	-	-	-	-
DISTRICT OF COLUMBIA ---	4	8	9	14	14	29	25	22	11	6	-	-
WHITE------MALE----	-	-	1	3	-	3	5	3	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	2	4	6	5	7	13	8	3	5	-	-	-
FEMALE--	2	4	2	6	6	12	12	14	4	5	-	-
BLACK---MALE----	2	4	6	5	7	13	8	3	4	-	-	-
FEMALE--	2	4	1	6	6	12	12	14	4	5	-	-
FLORIDA ----------	49	53	76	113	167	271	267	250	165	64	10	-
WHITE------MALE----	17	20	29	44	91	120	118	91	32	13	-	-
FEMALE--	16	17	25	47	50	126	124	130	120	45	5	-
ALL OTHER--MALE----	9	9	12	12	15	9	9	10	3	2	1	-
FEMALE--	7	7	10	10	11	16	16	19	10	4	4	-
BLACK---MALE----	9	9	12	12	14	8	9	10	3	2	1	-
FEMALE--	7	7	10	10	11	15	15	18	8	4	4	-
GEORGIA ----------	48	61	69	114	120	186	197	165	81	29	12	-
WHITE------MALE----	10	16	19	32	33	57	48	32	18	2	1	-
FEMALE--	13	14	20	40	37	69	82	74	37	14	5	-
ALL OTHER--MALE----	15	17	14	22	24	23	23	20	9	1	-	-
FEMALE--	10	14	16	20	26	37	44	39	17	12	6	-
BLACK---MALE----	15	16	14	22	23	23	23	20	9	1	-	-
FEMALE--	10	13	16	19	26	35	44	38	16	11	6	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
HAWAII ----------	174	2	-	1	1	1	-	-	2	-	3	4
WHITE------MALE----	14	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	73	-	-	-	1	-	-	-	-	-	-	3
FEMALE--	71	2	-	1	-	1	-	-	1	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	73	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,894	16	7	4	3	4	7	6	16	17	33	43
WHITE------MALE----	576	8	3	2	3	2	1	1	4	6	5	7
FEMALE--	806	4	3	1	-	1	2	3	3	6	12	10
ALL OTHER--MALE----	237	2	1	-	-	1	1	1	6	-	8	13
FEMALE--	275	2	-	1	-	-	3	1	3	5	8	13
BLACK---MALE----	228	2	1	-	-	1	1	1	6	-	8	13
FEMALE--	265	2	-	-	-	-	3	1	3	4	8	13
INDIANA ----------	861	10	3	1	1	1	-	1	5	5	9	22
WHITE------MALE----	323	4	1	-	-	1	-	-	2	2	4	5
FEMALE--	445	4	1	1	1	-	-	1	3	1	5	11
ALL OTHER--MALE----	46	2	1	-	-	-	-	-	-	-	-	3
FEMALE--	47	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	46	2	1	-	-	-	-	-	-	-	-	3
FEMALE--	46	-	-	-	-	-	-	-	-	2	-	3
IOWA ----------	263	3	-	-	-	1	-	-	2	4	4	4
WHITE------MALE----	125	2	-	-	-	-	-	-	2	3	2	2
FEMALE--	134	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	286	5	-	-	-	-	1	2	1	5	2	4
WHITE------MALE----	119	2	-	-	-	-	-	-	1	2	1	2
FEMALE--	152	2	-	-	-	-	1	1	-	2	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
HAWAII ----------	5	9	11	17	18	29	20	27	15	8	1	-
WHITE------MALE----	-	-	-	2	-	3	2	4	1	-	-	-
FEMALE--	-	1	1	1	2	2	3	1	1	2	1	-
ALL OTHER--MALE----	3	6	5	4	8	13	9	14	6	1	-	-
FEMALE--	2	2	5	10	8	11	6	8	7	5	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	3	4	2	12	10	13	11	7	4	-	-
WHITE------MALE----	3	2	3	2	7	8	5	3	2	2	-	-
FEMALE--	2	1	1	-	5	2	8	8	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	43	76	109	139	209	281	299	316	182	70	14	-
WHITE------MALE----	13	24	28	47	83	92	112	98	30	5	2	-
FEMALE--	9	23	41	43	70	102	131	163	115	55	9	-
ALL OTHER--MALE----	11	18	25	27	23	43	26	18	9	3	1	-
FEMALE--	10	11	15	22	33	44	30	37	28	7	2	-
BLACK---MALE----	11	17	25	26	21	42	23	17	9	3	1	-
FEMALE--	10	10	15	21	33	43	27	36	27	7	2	-
INDIANA ----------	28	32	43	66	108	144	131	131	83	35	2	-
WHITE------MALE----	10	14	22	26	51	56	57	41	22	5	-	-
FEMALE--	16	13	11	29	44	68	65	81	60	28	2	-
ALL OTHER--MALE----	2	3	5	7	9	7	4	3	-	-	-	-
FEMALE--	-	2	5	4	4	13	5	6	1	2	-	-
BLACK---MALE----	2	3	5	7	9	7	4	3	-	-	-	-
FEMALE--	-	2	4	4	4	13	5	6	1	2	-	-
IOWA ----------	6	7	11	18	20	40	53	36	36	16	2	-
WHITE------MALE----	4	3	6	10	5	22	31	15	15	3	-	-
FEMALE--	2	4	3	8	15	18	22	21	21	13	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS ----------	11	9	20	14	34	33	50	45	28	21	1	-
WHITE------MALE----	5	3	11	8	14	14	24	19	7	6	-	-
FEMALE--	5	5	6	5	19	18	24	26	20	15	1	-
ALL OTHER--MALE----	1	1	2	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	1	1	2	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
KENTUCKY ----------	600	3	3	1	1	1	-	1	5	11	10	11
WHITE------MALE----	249	3	1	1	1	1	-	-	2	4	5	6
FEMALE--	295	-	2	-	-	-	-	1	3	5	4	4
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	1	1	-
LOUISIANA ----------	750	10	3	-	2	2	4	5	6	8	12	16
WHITE------MALE----	175	3	-	-	-	1	-	-	2	1	5	3
FEMALE--	256	1	-	-	-	1	-	3	2	1	4	4
ALL OTHER--MALE----	131	3	2	-	1	-	2	-	1	6	2	4
FEMALE--	188	3	1	-	1	-	2	2	1	-	1	5
BLACK---MALE----	130	3	2	-	1	-	2	-	-	6	2	4
FEMALE--	186	3	1	-	1	-	2	2	1	-	1	5
MAINE ----------	124	-	-	-	-	-	2	-	1	1	-	2
WHITE------MALE----	44	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	78	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MARYLAND ----------	1,027	4	2	2	1	2	3	2	6	14	15	31
WHITE------MALE----	288	2	-	1	-	1	-	-	-	2	3	8
FEMALE--	382	-	-	-	-	-	2	-	-	3	3	9
ALL OTHER--MALE----	172	1	-	1	1	1	1	1	4	4	7	11
FEMALE--	185	1	2	-	-	-	-	1	2	5	2	3
BLACK---MALE----	164	1	-	1	1	1	1	1	4	4	7	11
FEMALE--	182	1	1	-	-	-	-	1	2	5	2	3
MASSACHUSETTS ----------	949	3	5	-	1	2	3	2	1	13	9	18
WHITE------MALE----	392	2	2	-	-	-	1	2	-	5	3	7
FEMALE--	492	-	3	-	1	2	1	-	-	5	4	8
ALL OTHER--MALE----	31	1	-	-	-	-	-	-	1	1	2	1
FEMALE--	34	-	-	-	-	-	1	-	-	2	-	2
BLACK---MALE----	27	1	-	-	-	-	-	-	1	1	2	1
FEMALE--	28	-	-	-	-	-	-	-	-	2	-	2
MICHIGAN ----------	1,213	11	6	1	1	1	6	8	9	11	19	39
WHITE------MALE----	379	5	3	-	-	-	3	2	4	3	5	16
FEMALE--	500	3	2	-	-	-	2	2	2	1	3	8
ALL OTHER--MALE----	160	1	-	-	1	-	1	2	3	3	6	9
FEMALE--	174	2	1	1	-	1	-	2	-	4	5	6
BLACK---MALE----	156	1	-	-	1	-	-	2	3	3	6	9
FEMALE--	169	2	1	1	-	1	-	2	-	3	4	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
KENTUCKY ----------	21	22	30	50	71	88	94	93	59	18	7	-
WHITE------MALE----	12	14	14	26	36	45	38	21	15	3	1	-
FEMALE--	8	5	13	17	28	34	52	64	39	11	5	-
ALL OTHER--MALE----	1	1	3	5	3	4	2	4	-	1	-	-
FEMALE--	-	2	-	2	4	5	2	4	5	3	1	-
BLACK---MALE----	1	1	3	5	2	4	2	4	-	1	-	-
FEMALE--	-	2	-	2	4	5	2	4	5	3	1	-
LOUISIANA ----------	28	26	34	42	82	130	113	115	76	29	7	-
WHITE------MALE----	10	6	8	8	19	38	27	23	15	6	-	-
FEMALE--	6	7	8	8	26	43	43	51	29	17	2	-
ALL OTHER--MALE----	6	3	6	14	20	15	21	16	6	3	-	-
FEMALE--	6	10	12	12	17	34	22	25	26	3	5	-
BLACK---MALE----	6	3	6	14	20	15	21	16	6	3	-	-
FEMALE--	6	10	12	12	17	34	21	24	26	3	5	-
MAINE ----------	3	1	10	7	11	16	25	25	15	4	1	-
WHITE------MALE----	2	1	5	3	3	7	14	5	-	1	1	-
FEMALE--	1	-	5	4	8	9	11	20	15	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	36	36	48	89	112	167	173	157	87	31	9	-
WHITE------MALE----	7	7	14	26	29	58	63	41	22	2	2	-
FEMALE--	12	10	16	30	34	55	62	77	46	20	3	-
ALL OTHER--MALE----	13	10	11	17	26	17	27	10	5	3	1	-
FEMALE--	4	9	7	16	23	37	21	29	14	6	3	-
BLACK---MALE----	13	10	11	16	23	16	27	8	4	3	1	-
FEMALE--	4	8	7	15	23	37	21	29	14	6	3	-
MASSACHUSETTS ----------	23	33	41	69	103	148	186	148	99	37	5	-
WHITE------MALE----	11	11	22	33	50	63	83	59	28	9	1	-
FEMALE--	8	19	15	32	40	73	98	85	66	28	4	-
ALL OTHER--MALE----	2	-	4	2	8	4	3	2	-	-	-	-
FEMALE--	2	3	-	2	5	8	2	2	5	-	-	-
BLACK---MALE----	2	-	3	1	7	3	3	2	-	-	-	-
FEMALE--	1	3	-	2	4	6	2	2	4	-	-	-
MICHIGAN ----------	36	46	43	88	150	171	237	185	109	30	6	-
WHITE------MALE----	14	11	15	33	48	63	68	54	29	3	-	-
FEMALE--	13	20	15	25	49	66	114	91	59	22	3	-
ALL OTHER--MALE----	8	8	7	18	30	21	22	14	6	-	-	-
FEMALE--	1	7	6	12	23	21	33	26	15	5	3	-
BLACK---MALE----	8	8	7	18	28	21	22	14	5	-	-	-
FEMALE--	1	7	6	12	23	21	33	25	15	5	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
MINNESOTA ----------	250	5	1	4	1	-	2	1	6	3	1	10
WHITE------MALE----	112	3	1	-	-	-	-	-	3	2	1	6
FEMALE--	119	1	-	3	1	-	-	1	3	-	-	3
ALL OTHER--MALE----	9	1	-	1	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI ----------	446	7	1	2	-	1	1	2	1	3	14	12
WHITE------MALE----	127	-	1	2	-	1	-	1	1	1	4	6
FEMALE--	139	1	-	-	-	-	-	1	-	1	3	1
ALL OTHER--MALE----	81	1	-	-	-	-	1	-	-	1	3	4
FEMALE--	99	5	-	-	-	-	-	-	-	-	4	1
BLACK---MALE----	80	1	-	-	-	-	1	-	-	1	3	4
FEMALE--	99	5	-	-	-	-	-	-	-	-	4	1
MISSOURI ----------	678	5	4	1	1	1	3	3	3	11	18	17
WHITE------MALE----	256	1	3	1	-	-	-	1	3	8	6	5
FEMALE--	289	1	1	-	-	-	1	1	-	1	3	5
ALL OTHER--MALE----	72	3	-	-	1	1	1	-	-	-	5	4
FEMALE--	61	-	-	-	-	-	1	1	-	2	4	3
BLACK---MALE----	70	3	-	-	1	1	1	-	-	-	5	3
FEMALE--	60	-	-	-	-	-	1	1	-	2	4	3
MONTANA ----------	77	-	-	-	-	-	-	1	-	-	4	3
WHITE------MALE----	30	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	115	1	2	-	-	-	-	-	1	2	-	3
WHITE------MALE----	52	-	2	-	-	-	-	-	-	1	-	1
FEMALE--	46	1	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	306	2	4	-	-	-	-	2	1	4	5	7
WHITE------MALE----	135	-	1	-	-	-	-	1	1	2	2	4
FEMALE--	132	-	3	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	23	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	16	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
MINNESOTA ----------	9	8	10	17	28	31	38	43	17	12	3	-
WHITE------MALE----	6	4	1	10	14	18	16	19	6	1	1	-
FEMALE--	1	2	8	6	13	10	20	23	11	11	2	-
ALL OTHER--MALE----	1	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	3	1	1	-	-	-	-
BLACK---MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MISSISSIPPI ----------	14	21	26	51	42	57	70	63	40	15	3	-
WHITE------MALE----	2	3	6	16	13	27	23	10	7	3	-	-
FEMALE--	3	8	7	14	13	11	27	26	18	4	1	-
ALL OTHER--MALE----	3	7	8	10	6	9	9	12	6	1	-	-
FEMALE--	6	3	5	11	10	10	11	15	9	7	2	-
BLACK---MALE----	2	7	8	10	6	9	9	12	6	1	-	-
FEMALE--	6	3	5	11	10	10	11	15	9	7	2	-
MISSOURI ----------	25	28	38	52	71	104	95	99	65	29	5	-
WHITE------MALE----	14	11	13	22	27	52	39	32	14	3	1	-
FEMALE--	6	11	13	20	29	39	42	53	41	20	2	-
ALL OTHER--MALE----	4	5	8	6	11	5	8	5	3	2	-	-
FEMALE--	1	1	4	4	4	8	6	9	7	4	2	-
BLACK---MALE----	4	5	8	6	11	4	8	5	3	2	-	-
FEMALE--	1	1	4	3	4	8	6	9	7	4	2	-
MONTANA ----------	2	4	4	7	5	12	11	14	9	-	1	-
WHITE------MALE----	-	2	2	3	1	6	3	6	2	-	1	-
FEMALE--	2	2	-	4	4	6	7	8	7	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	2	2	9	19	15	25	15	10	5	1	-
WHITE------MALE----	1	2	-	2	11	5	16	7	4	-	-	-
FEMALE--	1	-	-	6	6	5	7	6	5	5	1	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	1	-	-	-	-
FEMALE--	1	-	2	-	-	4	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	3	2	1	1	-	-	-
NEVADA ----------	3	17	22	28	54	56	43	30	17	7	4	-
WHITE------MALE----	2	6	10	12	25	33	13	16	5	2	-	-
FEMALE--	1	8	6	12	24	18	26	11	11	5	3	-
ALL OTHER--MALE----	-	3	6	1	2	3	2	1	-	-	-	-
FEMALE--	-	-	-	3	3	2	2	2	1	-	1	-
BLACK---MALE----	-	1	6	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	3	3	1	1	1	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
NEW HAMPSHIRE ----------	72	-	-	-	1	-	-	-	1	2	-	1
WHITE------MALE----	28	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,803	8	2	3	1	2	4	8	12	18	20	33
WHITE------MALE----	610	2	-	3	-	-	2	6	3	5	8	14
FEMALE--	898	-	1	-	1	1	-	-	4	5	7	6
ALL OTHER--MALE----	126	4	1	-	-	1	1	2	2	4	2	6
FEMALE--	169	2	-	-	-	-	1	-	3	4	3	7
BLACK---MALE----	122	4	1	-	-	1	-	2	2	4	2	6
FEMALE--	166	2	-	-	-	-	1	-	3	4	3	7
NEW MEXICO ----------	147	7	2	2	-	-	1	-	1	-	2	4
WHITE------MALE----	63	5	1	-	-	-	-	-	-	-	2	1
FEMALE--	70	1	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	2	-	-	1	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2,362	19	14	2	2	2	6	6	11	24	31	49
WHITE------MALE----	848	9	6	-	1	2	2	2	4	5	12	20
FEMALE--	1,097	2	3	1	1	-	1	1	3	7	6	8
ALL OTHER--MALE----	179	5	3	1	-	-	2	2	2	6	6	8
FEMALE--	238	3	2	-	-	-	1	1	2	6	7	13
BLACK---MALE----	158	5	2	1	-	-	1	1	2	6	6	6
FEMALE--	214	3	2	-	-	-	-	1	2	6	7	12
NORTH CAROLINA ---------	1,070	8	3	4	-	3	5	5	8	16	15	29
WHITE------MALE----	326	2	2	1	-	2	3	2	1	5	4	12
FEMALE--	412	3	1	1	-	-	1	1	3	2	2	6
ALL OTHER--MALE----	152	2	-	1	-	-	1	1	2	4	5	7
FEMALE--	180	1	-	1	-	1	-	1	2	5	4	4
BLACK---MALE----	146	1	-	1	-	-	1	1	2	3	5	7
FEMALE--	177	1	-	1	-	1	-	1	2	5	4	4
NORTH DAKOTA ----------	40	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	14	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
NEW HAMPSHIRE ----------	3	3	4	10	10	10	13	10	2	2	-	-
WHITE------MALE----	2	-	1	4	5	6	5	3	-	1	-	-
FEMALE--	1	3	3	6	5	3	8	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	49	59	62	112	212	247	288	354	212	83	14	-
WHITE------MALE----	12	18	27	46	90	95	111	106	45	15	2	-
FEMALE--	16	23	19	47	87	113	144	215	139	58	12	-
ALL OTHER--MALE----	12	7	8	10	17	18	10	12	7	2	-	-
FEMALE--	9	11	8	9	18	21	23	21	21	8	-	-
BLACK---MALE----	11	6	8	10	17	17	10	12	7	2	-	-
FEMALE--	9	11	8	8	18	20	23	21	20	8	-	-
NEW MEXICO ----------	9	6	5	13	18	19	22	20	13	3	-	-
WHITE------MALE----	5	4	1	8	5	13	6	8	4	-	-	-
FEMALE--	3	1	4	4	12	6	13	11	9	3	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW YORK ----------	68	90	116	168	259	359	402	381	249	93	11	-
WHITE------MALE----	26	34	39	71	116	145	149	130	58	16	1	-
FEMALE--	21	24	53	57	89	159	202	213	168	71	7	-
ALL OTHER--MALE----	8	17	11	18	21	27	20	12	9	1	-	-
FEMALE--	13	15	13	22	33	28	31	26	14	5	3	-
BLACK---MALE----	6	17	10	17	19	24	16	12	6	1	-	-
FEMALE--	12	13	13	20	30	25	27	21	13	4	3	-
NORTH CAROLINA ---------	37	50	68	89	134	154	178	134	90	35	5	-
WHITE------MALE----	11	16	26	35	45	46	62	29	16	5	1	-
FEMALE--	11	11	20	26	49	59	64	72	52	25	3	-
ALL OTHER--MALE----	6	9	13	15	16	21	21	18	8	2	-	-
FEMALE--	9	14	9	13	24	28	31	15	14	3	1	-
BLACK---MALE----	6	8	13	15	15	21	21	18	8	-	-	-
FEMALE--	9	14	8	13	23	28	30	15	14	3	1	-
NORTH DAKOTA ----------	2	-	2	4	3	11	5	4	4	2	1	-
WHITE------MALE----	-	-	1	2	2	6	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	4	4	4	4	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
OHIO ----------	1,583	16	4	6	1	2	2	12	10	15	22	46
WHITE------MALE----	576	9	1	3	-	1	1	5	3	9	8	13
FEMALE--	749	3	1	3	1	-	-	2	5	4	4	22
ALL OTHER--MALE----	123	1	1	-	-	-	1	2	1	1	5	8
FEMALE--	135	3	1	-	-	1	-	3	1	1	5	3
BLACK---MALE----	120	1	1	-	-	-	1	2	1	1	5	7
FEMALE--	132	2	1	-	-	1	-	3	1	1	4	3
OKLAHOMA ----------	449	4	1	-	-	1	-	3	2	10	11	9
WHITE------MALE----	169	4	-	-	-	-	-	-	-	6	5	4
FEMALE--	223	-	1	-	-	1	-	2	1	2	5	5
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	211	3	2	1	-	4	-	2	1	3	5	7
WHITE------MALE----	78	2	1	-	-	-	-	1	1	1	4	5
FEMALE--	126	1	1	1	-	4	-	1	-	2	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2,656	19	3	1	5	2	12	8	14	19	41	55
WHITE------MALE----	915	7	1	-	1	1	7	1	6	5	17	22
FEMALE--	1,325	7	1	1	3	1	3	6	3	4	9	14
ALL OTHER--MALE----	189	1	1	-	-	-	1	1	3	7	9	9
FEMALE--	227	4	-	-	1	-	1	-	2	3	6	10
BLACK---MALE----	185	1	-	-	-	-	1	1	3	7	9	9
FEMALE--	218	4	-	-	-	-	-	-	2	3	6	9
RHODE ISLAND ----------	94	-	-	-	-	1	-	-	-	1	3	3
WHITE------MALE----	40	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	49	-	-	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	521	5	3	-	-	2	3	3	5	5	7	16
WHITE------MALE----	135	1	1	-	-	-	1	2	-	1	3	5
FEMALE--	199	1	1	-	-	2	1	-	1	2	1	2
ALL OTHER--MALE----	94	2	-	-	-	-	-	-	1	1	1	6
FEMALE--	93	1	1	-	-	-	1	1	3	1	2	3
BLACK---MALE----	92	2	-	-	-	-	-	-	1	1	1	6
FEMALE--	93	1	1	-	-	-	1	1	3	1	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
OHIO ----------	47	52	70	127	181	249	245	241	173	54	8	-
WHITE------MALE----	18	23	28	57	76	103	95	59	46	18	-	-
FEMALE--	14	21	30	47	63	108	125	145	112	31	8	-
ALL OTHER--MALE----	7	2	6	14	23	24	10	10	5	2	-	-
FEMALE--	8	6	6	9	19	14	15	27	10	3	-	-
BLACK---MALE----	7	2	6	12	23	24	10	10	5	2	-	-
FEMALE--	8	6	6	9	19	13	15	27	10	3	-	-
OKLAHOMA ----------	14	15	22	37	55	56	70	88	35	15	1	-
WHITE------MALE----	5	5	8	21	25	22	28	25	9	2	-	-
FEMALE--	3	6	10	11	22	26	37	57	23	10	1	-
ALL OTHER--MALE----	2	2	3	-	5	4	-	4	2	1	-	-
FEMALE--	4	2	1	5	3	4	5	2	1	2	-	-
BLACK---MALE----	-	1	1	-	4	3	-	4	-	1	-	-
FEMALE--	3	2	-	2	1	3	3	2	1	1	-	-
OREGON ----------	10	7	14	15	22	29	25	35	19	7	-	-
WHITE------MALE----	2	5	9	5	8	9	7	14	4	-	-	-
FEMALE--	7	2	5	7	13	20	18	19	15	7	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	68	92	118	189	285	423	466	454	289	85	8	-
WHITE------MALE----	22	30	48	67	119	184	163	130	74	10	-	-
FEMALE--	22	32	45	84	122	175	252	281	187	66	7	-
ALL OTHER--MALE----	15	15	16	21	20	31	23	9	6	1	-	-
FEMALE--	9	15	9	17	24	33	28	34	22	8	1	-
BLACK---MALE----	15	15	16	21	20	30	22	8	6	1	-	-
FEMALE--	9	15	9	16	24	31	27	33	22	7	1	-
RHODE ISLAND ----------	3	3	2	9	8	13	25	13	4	6	-	-
WHITE------MALE----	1	2	-	3	6	7	10	5	-	2	-	-
FEMALE--	1	-	2	4	2	5	15	8	4	4	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	24	22	34	44	58	74	81	86	33	12	4	-
WHITE------MALE----	3	6	10	12	18	27	21	17	4	3	-	-
FEMALE--	8	5	11	12	24	19	39	44	20	5	1	-
ALL OTHER--MALE----	6	6	9	8	8	16	15	12	2	1	-	-
FEMALE--	7	5	4	12	8	12	6	13	7	3	3	-
BLACK---MALE----	6	6	9	8	8	15	15	11	2	1	-	-
FEMALE--	7	5	4	12	8	12	6	13	7	3	3	-

Zoonotic and other bacterial diseases (A20-A49)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
SOUTH DAKOTA ----------	71	1	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	602	9	2	1	1	2	4	6	4	11	13	18
WHITE------MALE----	192	3	1	1	-	-	2	2	1	1	4	6
FEMALE--	287	4	1	-	-	1	1	1	1	6	3	7
ALL OTHER--MALE----	52	2	-	-	-	1	1	1	-	3	3	1
FEMALE--	71	-	-	-	1	-	-	2	2	1	3	4
BLACK---MALE----	52	2	-	-	-	1	1	1	-	3	3	1
FEMALE--	71	-	-	-	1	-	-	2	2	1	3	4
TEXAS ----------	2,084	41	7	6	5	10	8	8	18	32	51	70
WHITE------MALE----	762	17	2	3	2	6	3	5	9	16	25	24
FEMALE--	951	10	2	1	2	2	2	1	5	9	17	17
ALL OTHER--MALE----	162	8	1	-	1	1	1	-	3	3	9	13
FEMALE--	209	6	2	2	-	1	2	2	1	4	-	16
BLACK---MALE----	148	6	-	-	1	1	1	-	3	3	8	12
FEMALE--	195	6	-	1	-	1	2	2	1	4	-	14
UTAH ----------	123	5	3	-	-	1	2	1	-	1	2	9
WHITE------MALE----	43	2	1	-	-	-	1	-	-	-	-	3
FEMALE--	73	3	1	-	-	1	1	1	-	1	2	6
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	52	1	-	1	-	-	-	-	-	1	-	-
WHITE------MALE----	22	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,128	7	1	2	2	1	5	5	7	11	27	21
WHITE------MALE----	339	1	1	-	-	-	2	2	3	5	8	4
FEMALE--	444	1	-	2	-	1	-	1	2	2	5	7
ALL OTHER--MALE----	153	3	-	-	-	-	1	1	1	3	5	4
FEMALE--	192	2	-	-	2	-	2	1	1	1	9	6
BLACK---MALE----	149	3	-	-	-	-	-	1	1	3	5	4
FEMALE--	185	2	-	-	2	-	2	1	1	1	9	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
SOUTH DAKOTA ----------	3	3	5	4	8	8	12	13	7	4	-	-
WHITE------MALE----	1	2	1	2	4	2	7	3	2	2	-	-
FEMALE--	-	-	4	-	3	6	3	9	5	2	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	19	21	39	57	68	92	79	95	42	15	4	-
WHITE------MALE----	8	6	18	26	22	26	26	31	5	3	-	-
FEMALE--	8	11	14	23	32	42	41	47	32	8	4	-
ALL OTHER--MALE----	1	1	4	3	4	12	8	4	2	1	-	-
FEMALE--	2	3	3	5	10	12	4	13	3	3	-	-
BLACK---MALE----	1	1	4	3	4	12	8	4	2	1	-	-
FEMALE--	2	3	3	5	10	12	4	13	3	3	-	-
TEXAS ----------	60	96	100	157	211	312	286	322	189	85	10	-
WHITE------MALE----	29	43	42	71	82	128	110	89	44	11	1	-
FEMALE--	17	33	37	57	95	139	137	192	117	53	6	-
ALL OTHER--MALE----	9	12	10	18	16	18	14	16	5	4	-	-
FEMALE--	5	8	11	11	18	27	25	25	23	17	3	-
BLACK---MALE----	9	11	9	14	16	16	13	16	5	4	-	-
FEMALE--	5	8	11	10	17	25	23	23	22	17	3	-
UTAH ----------	5	2	5	6	12	14	26	16	10	2	1	-
WHITE------MALE----	2	1	4	3	6	4	7	6	3	-	-	-
FEMALE--	3	-	1	3	5	9	17	10	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT ----------	3	2	5	4	5	12	5	5	5	3	-	-
WHITE------MALE----	1	-	3	1	3	6	4	2	1	-	-	-
FEMALE--	2	2	2	3	2	6	1	3	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	41	51	67	105	120	182	162	151	117	37	6	-
WHITE------MALE----	15	17	23	32	36	58	60	41	25	6	-	-
FEMALE--	10	14	18	35	43	81	58	76	61	22	5	-
ALL OTHER--MALE----	6	12	14	22	23	18	17	11	10	2	-	-
FEMALE--	10	8	12	16	18	25	27	23	21	7	1	-
BLACK---MALE----	6	12	14	20	22	18	17	11	10	2	-	-
FEMALE--	10	8	12	15	18	22	25	22	21	7	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
WASHINGTON ----------	352	4	3	1	1	2	2	-	4	7	11	7
WHITE------MALE----	140	3	2	1	-	-	2	-	1	3	2	3
FEMALE--	171	1	1	-	1	2	-	-	-	2	4	4
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	24	-	-	-	-	-	-	-	3	1	2	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	292	3	1	-	-	-	1	1	-	-	5	8
WHITE------MALE----	121	2	1	-	-	-	1	-	-	-	3	4
FEMALE--	163	-	-	-	-	-	-	1	-	-	1	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	405	3	1	-	2	1	1	-	4	1	1	6
WHITE------MALE----	184	-	1	-	2	-	-	-	-	-	-	4
FEMALE--	199	3	-	-	-	1	1	-	4	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	36	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
WASHINGTON ----------	11	14	15	29	35	55	57	40	34	13	7	-
WHITE------MALE----	5	7	6	13	16	24	26	14	9	3	-	-
FEMALE--	6	6	8	11	15	24	25	21	25	9	6	-
ALL OTHER--MALE----	-	1	-	1	1	4	4	1	-	-	1	-
FEMALE--	-	-	1	4	3	3	2	4	-	1	-	-
BLACK---MALE----	-	1	-	-	1	1	2	-	-	-	1	-
FEMALE--	-	-	-	1	-	-	1	3	-	1	-	-
WEST VIRGINIA ----------	3	7	13	25	38	46	57	51	21	8	4	-
WHITE------MALE----	3	4	6	12	18	23	15	19	8	1	1	-
FEMALE--	-	3	6	12	19	22	41	32	12	7	3	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
WISCONSIN ----------	10	11	18	35	46	62	75	68	39	18	3	-
WHITE------MALE----	5	7	6	17	26	36	29	32	15	4	-	-
FEMALE--	2	4	6	16	17	24	46	33	23	14	2	-
ALL OTHER--MALE----	1	-	2	1	2	1	-	-	1	-	-	-
FEMALE--	2	-	4	1	1	1	-	3	-	-	1	-
BLACK---MALE----	-	-	1	1	2	-	-	-	1	-	-	-
FEMALE--	1	-	4	1	-	-	-	3	-	-	1	-
WYOMING ----------	4	2	-	4	3	3	1	7	5	3	1	-
WHITE------MALE----	2	1	-	2	1	1	-	4	1	2	-	-
FEMALE--	1	1	-	2	2	2	1	3	4	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Plague (A20)												
UNITED STATES -	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Plague (A20)												
UNITED STATES -	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Plague (A20)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Plague (A20)												
COLORADO ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Plague (A20)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Plague (A20)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Plague (A20)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Plague (A20)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Plague (A20)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Plague (A20)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Plague (A20)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Plague (A20)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Plague (A20)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Plague (A20)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Plague (A20)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Plague (A20)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Plague (A20)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Plague (A20)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Brucellosis (A23)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Brucellosis (A23)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Brucellosis (A23)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Brucellosis (A23)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Brucellosis (A23)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Brucellosis (A23)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Brucellosis (A23)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Brucellosis (A23)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Brucellosis (A23)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Brucellosis (A23)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Brucellosis (A23)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Brucellosis (A23)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Brucellosis (A23)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Brucellosis (A23)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Brucellosis (A23)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Brucellosis (A23)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Brucellosis (A23)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Brucellosis (A23)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tetanus (A33-A35)												
UNITED STATES -	7	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tetanus (A33-A35)												
UNITED STATES -	-	1	1	-	-	3	-	1	-	-	-	-
WHITE------MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tetanus (A33-A35)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tetanus (A33-A35)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tetanus (A33-A35)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tetanus (A33-A35)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tetanus (A33-A35)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tetanus (A33-A35)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tetanus (A33-A35)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tetanus (A33-A35)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tetanus (A33-A35)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tetanus (A33-A35)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tetanus (A33-A35)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tetanus (A33-A35)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tetanus (A33-A35)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	4	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tetanus (A33-A35)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	1	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tetanus (A33-A35)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tetanus (A33-A35)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diphtheria (A36)												
UNITED STATES -	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diphtheria (A36)												
UNITED STATES -	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diphtheria (A36)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diphtheria (A36)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diphtheria (A36)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diphtheria (A36)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diphtheria (A36)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diphtheria (A36)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diphtheria (A36)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diphtheria (A36)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diphtheria (A36)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diphtheria (A36)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diphtheria (A36)												
OHIO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diphtheria (A36)												
OHIO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diphtheria (A36)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diphtheria (A36)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diphtheria (A36)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diphtheria (A36)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
UNITED STATES -	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Whooping cough (A37)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Whooping cough (A37)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Whooping cough (A37)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Whooping cough (A37)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
MINNESOTA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Whooping cough (A37)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Whooping cough (A37)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Whooping cough (A37)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Whooping cough (A37)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Whooping cough (A37)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
UNITED STATES -	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
UNITED STATES -	-	-	-	1	1	1	-	-	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	1	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
UNITED STATES -	227	32	30	13	12	28	11	11	12	12	15	11
WHITE------MALE----	79	14	17	5	4	8	5	4	2	2	4	1
FEMALE--	105	16	9	5	4	12	4	2	6	6	7	9
ALL OTHER--MALE----	22	-	2	2	2	5	1	4	2	1	2	-
FEMALE--	21	2	2	1	2	3	1	1	2	3	2	1
BLACK---MALE----	20	-	2	1	2	5	1	3	2	1	2	-
FEMALE--	19	2	2	1	2	2	1	1	2	3	2	1
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	3	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	3	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	32	6	4	2	1	2	3	1	3	1	3	2
WHITE------MALE----	11	1	1	-	-	1	-	1	2	-	2	-
FEMALE--	18	5	3	1	-	1	2	-	1	1	1	2
ALL OTHER--MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningococcal infection (A39)												
UNITED STATES -	6	3	1	9	-	7	6	3	4	1	-	-
WHITE------MALE----	2	-	-	5	-	2	2	-	1	1	-	-
FEMALE--	3	3	1	4	-	5	3	3	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	2	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
COLORADO ----------	5	1	1	-	1	2	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	3	1	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	19	4	4	1	2	-	-	-	1	1	-	3
WHITE------MALE----	8	2	3	1	1	-	-	-	-	-	-	-
FEMALE--	9	2	-	-	1	-	-	-	1	-	-	3
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
GEORGIA ----------	4	-	-	-	-	2	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningococcal infection (A39)												
COLORADO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA	-	1	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
HAWAII ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	9	-	3	1	-	1	1	-	1	-	1	-
WHITE------MALE----	5	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	4	-	1	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	1	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	1	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningococcal infection (A39)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
KENTUCKY ----------	5	-	2	1	1	1	-	-	-	-	-	-
WHITE------MALE----	4	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	-	1	-	1	-	-	1	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	1	-	-	1	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	8	1	-	1	-	2	1	-	1	-	1	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	1	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	1	-	1	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS ----------	3	-	-	-	1	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN ----------	5	1	2	-	-	1	-	-	-	-	1	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningococcal infection (A39)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
MINNESOTA ----------	4	-	-	2	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI ----------	2	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningococcal infection (A39)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	1	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
NEW HAMPSHIRE ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	-	1	-	-	1	1	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	14	2	2	-	1	-	-	1	1	3	-	1
WHITE------MALE----	5	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NORTH CAROLINA ---------	3	2	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningococcal infection (A39)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
OHIO ----------	10	1	2	2	-	-	-	1	1	-	1	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	1	-	1	-
BLACK---MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	1	-	1	-
OKLAHOMA ----------	4	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	6	1	-	-	-	2	-	-	-	1	-	1
WHITE------MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	2	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	11	-	1	-	-	1	-	-	-	-	2	1
WHITE------MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND ----------	2	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	-	1	-	-	2	-	1	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningococcal infection (A39)												
OHIO	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	2	-	-	-	-	1	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	1	-	-	-	2	1	1	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	4	1	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	13	-	1	-	2	4	1	-	-	-	2	-
WHITE------MALE----	4	-	1	-	-	2	-	-	-	-	1	-
FEMALE--	7	-	-	-	1	1	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningococcal infection (A39)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
WASHINGTON ----------	4	-	2	-	1	-	-	-	-	-	1	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	1	-	-	-	1	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningococcal infection (A39)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
UNITED STATES -	30,680	283	87	47	30	32	89	106	169	314	498	731
WHITE------MALE----	10,489	106	32	18	10	14	35	37	65	109	185	256
FEMALE--	13,798	58	28	17	10	12	18	29	51	85	131	201
ALL OTHER--MALE----	2,906	69	16	4	4	3	15	16	29	61	105	150
FEMALE--	3,487	50	11	8	6	3	21	24	24	59	77	124
BLACK---MALE----	2,623	61	11	4	3	3	11	14	27	56	99	136
FEMALE--	3,203	46	6	3	4	2	17	23	21	54	73	115
ALABAMA ----------	691	14	2	1	1	-	2	4	-	8	15	21
WHITE------MALE----	188	3	-	1	-	-	1	-	-	2	4	4
FEMALE--	261	1	-	-	-	-	1	-	-	1	5	5
ALL OTHER--MALE----	98	8	1	-	-	-	-	-	-	1	5	4
FEMALE--	144	2	1	-	1	-	-	4	-	4	1	8
BLACK---MALE----	97	8	1	-	-	-	-	-	-	1	5	4
FEMALE--	142	2	1	-	1	-	-	4	-	4	1	8
ALASKA ----------	27	-	1	-	-	-	1	1	-	-	1	2
WHITE------MALE----	8	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	9	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	346	4	-	1	2	-	-	-	1	5	12	5
WHITE------MALE----	159	3	-	1	1	-	-	-	-	1	4	2
FEMALE--	139	1	-	-	-	-	-	-	-	1	5	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	29	-	-	-	1	-	-	-	-	2	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	475	-	2	-	1	-	3	1	2	4	9	11
WHITE------MALE----	162	-	-	-	1	-	3	-	2	-	3	3
FEMALE--	208	-	1	-	-	-	-	-	-	2	3	3
ALL OTHER--MALE----	46	-	1	-	-	-	-	1	-	1	1	4
FEMALE--	59	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	46	-	1	-	-	-	-	1	-	1	1	4
FEMALE--	59	-	-	-	-	-	-	-	-	1	2	1
CALIFORNIA ----------	756	12	5	3	2	2	1	2	7	11	18	18
WHITE------MALE----	275	4	1	1	-	2	1	-	2	4	11	8
FEMALE--	353	3	2	1	1	-	-	1	4	5	2	5
ALL OTHER--MALE----	68	2	1	1	-	-	-	1	1	1	3	4
FEMALE--	60	3	1	-	1	-	-	-	-	1	2	1
BLACK---MALE----	30	1	-	1	-	-	-	-	1	-	2	3
FEMALE--	29	2	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
UNITED STATES -	954	1,178	1,536	2,352	3,398	4,686	5,024	4,854	2,984	1,133	195	-
WHITE------MALE----	351	418	565	917	1,330	1,858	1,837	1,443	690	195	18	-
FEMALE--	299	395	550	852	1,312	1,941	2,399	2,667	1,856	762	125	-
ALL OTHER--MALE----	162	195	234	301	371	394	337	269	127	41	3	-
FEMALE--	142	170	187	282	385	493	451	475	311	135	49	-
BLACK---MALE----	147	175	219	275	339	350	306	240	107	37	3	-
FEMALE--	127	158	170	249	360	450	419	442	289	126	49	-
ALABAMA ----------	26	29	34	57	79	91	108	91	65	34	9	-
WHITE------MALE----	12	8	12	19	20	36	22	27	12	4	1	-
FEMALE--	6	7	12	18	28	33	52	39	40	13	-	-
ALL OTHER--MALE----	5	9	5	11	17	8	10	9	3	2	-	-
FEMALE--	3	5	5	9	14	14	24	16	10	15	8	-
BLACK---MALE----	5	9	5	10	17	8	10	9	3	2	-	-
FEMALE--	3	4	5	9	14	14	24	16	9	15	8	-
ALASKA ----------	2	3	2	2	3	1	2	3	3	-	-	-
WHITE------MALE----	-	1	-	1	1	-	1	1	1	-	-	-
FEMALE--	2	1	1	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	20	13	34	39	39	51	49	46	19	5	1	-
WHITE------MALE----	10	5	17	19	20	22	21	23	8	2	-	-
FEMALE--	4	6	10	16	15	24	24	20	8	3	1	-
ALL OTHER--MALE----	2	-	2	1	1	2	2	1	2	-	-	-
FEMALE--	4	2	5	3	3	3	2	2	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-
ARKANSAS ----------	12	22	27	38	52	71	77	77	41	23	2	-
WHITE------MALE----	4	8	12	17	21	27	29	23	5	4	-	-
FEMALE--	6	9	4	12	21	30	35	42	23	15	2	-
ALL OTHER--MALE----	2	2	6	3	5	5	6	5	3	1	-	-
FEMALE--	-	3	5	6	5	9	7	7	10	3	-	-
BLACK---MALE----	2	2	6	3	5	5	6	5	3	1	-	-
FEMALE--	-	3	5	6	5	9	7	7	10	3	-	-
CALIFORNIA ----------	29	36	38	51	73	109	112	110	82	31	4	-
WHITE------MALE----	14	12	15	23	23	45	46	33	20	10	-	-
FEMALE--	9	15	18	18	37	49	51	58	51	19	4	-
ALL OTHER--MALE----	1	6	2	5	6	5	9	11	7	2	-	-
FEMALE--	5	3	3	5	7	10	6	8	4	-	-	-
BLACK---MALE----	1	3	1	-	2	2	6	4	2	1	-	-
FEMALE--	2	1	3	2	5	4	3	3	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
COLORADO ----------	264	2	2	-	-	-	1	2	1	8	6	10
WHITE------MALE----	118	2	2	-	-	-	1	1	-	2	4	6
FEMALE--	127	-	-	-	-	-	-	-	1	5	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	1	-	1	-	-
CONNECTICUT ----------	490	1	-	-	2	1	1	1	8	5	3	7
WHITE------MALE----	173	-	-	-	1	-	1	-	3	2	1	3
FEMALE--	257	1	-	-	1	-	-	-	3	1	1	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	35	-	-	-	-	1	-	1	-	2	-	1
BLACK---MALE----	23	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	35	-	-	-	-	1	-	1	-	2	-	1
DELAWARE ----------	103	3	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	15	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	138	-	-	-	-	-	-	-	-	2	3	2
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	53	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	64	-	-	-	-	-	-	-	-	-	1	1
FLORIDA ----------	1,498	23	3	4	-	-	3	5	2	7	14	32
WHITE------MALE----	573	3	1	1	-	-	-	3	1	1	5	12
FEMALE--	687	6	1	3	-	-	-	-	1	3	4	9
ALL OTHER--MALE----	108	9	-	-	-	-	-	1	-	1	2	6
FEMALE--	130	5	1	-	-	-	3	1	-	2	3	5
BLACK---MALE----	105	9	-	-	-	-	-	1	-	1	2	4
FEMALE--	125	5	1	-	-	-	3	1	-	2	3	5
GEORGIA ----------	1,137	15	4	3	-	1	2	3	5	14	26	27
WHITE------MALE----	283	4	1	1	-	-	1	1	2	5	6	8
FEMALE--	404	1	-	1	-	-	-	1	-	3	6	4
ALL OTHER--MALE----	193	3	3	1	-	1	-	-	2	4	7	8
FEMALE--	257	7	-	-	-	-	1	1	1	2	7	7
BLACK---MALE----	191	3	3	1	-	1	-	-	2	4	7	8
FEMALE--	250	7	-	-	-	-	1	1	1	2	7	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
COLORADO ----------	17	9	13	24	25	34	41	35	25	8	1	-
WHITE------MALE----	7	4	5	15	9	15	19	16	9	1	-	-
FEMALE--	7	5	7	9	15	17	19	17	14	7	1	-
ALL OTHER--MALE----	1	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	2	1	2	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	2	1	2	-	-	-
CONNECTICUT ----------	10	15	20	35	40	77	92	93	54	23	2	-
WHITE------MALE----	4	9	9	12	16	37	32	22	14	7	-	-
FEMALE--	2	5	8	13	18	36	53	65	33	14	2	-
ALL OTHER--MALE----	2	1	2	4	3	1	1	2	3	1	-	-
FEMALE--	2	-	1	6	3	3	6	4	4	1	-	-
BLACK---MALE----	2	1	2	4	2	-	1	2	3	1	-	-
FEMALE--	2	-	1	6	3	3	6	4	4	1	-	-
DELAWARE ----------	1	6	5	6	12	19	14	18	12	3	-	-
WHITE------MALE----	-	3	3	2	3	4	3	5	4	1	-	-
FEMALE--	-	1	1	-	5	9	9	8	8	1	-	-
ALL OTHER--MALE----	1	1	-	2	-	3	1	2	-	1	-	-
FEMALE--	-	1	1	2	4	3	1	3	-	-	-	-
BLACK---MALE----	1	1	-	2	-	3	1	2	-	1	-	-
FEMALE--	-	1	1	2	4	3	1	3	-	-	-	-
DISTRICT OF COLUMBIA ---	4	7	8	13	14	24	25	19	11	6	-	-
WHITE------MALE----	-	-	1	3	-	3	5	1	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	2	3	5	5	7	11	8	3	5	-	-	-
FEMALE--	2	4	2	5	6	10	12	13	4	5	-	-
BLACK---MALE----	2	3	5	5	7	11	8	3	4	-	-	-
FEMALE--	2	4	1	5	6	10	12	13	4	5	-	-
FLORIDA ----------	46	49	70	106	156	254	254	239	159	62	10	-
WHITE------MALE----	16	19	26	39	86	112	113	90	32	13	-	-
FEMALE--	15	14	22	45	46	119	116	121	114	43	5	-
ALL OTHER--MALE----	9	9	12	12	14	8	9	10	3	2	1	-
FEMALE--	6	7	10	10	10	15	16	18	10	4	4	-
BLACK---MALE----	9	9	12	12	14	7	9	10	3	2	1	-
FEMALE--	6	7	10	10	10	14	15	17	8	4	4	-
GEORGIA ----------	45	59	66	109	116	176	189	160	77	28	12	-
WHITE------MALE----	10	15	18	31	31	53	46	32	16	1	1	-
FEMALE--	12	13	20	37	37	65	78	70	37	14	5	-
ALL OTHER--MALE----	14	17	14	22	23	23	22	20	8	1	-	-
FEMALE--	9	14	14	19	25	35	43	38	16	12	6	-
BLACK---MALE----	14	16	14	22	22	23	22	20	8	1	-	-
FEMALE--	9	13	14	18	25	33	43	37	15	11	6	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
HAWAII ----------	167	2	-	1	1	-	-	-	2	-	3	4
WHITE------MALE----	14	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	72	-	-	-	1	-	-	-	-	-	-	3
FEMALE--	65	2	-	1	-	-	-	-	1	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	67	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,826	16	4	3	2	3	4	4	13	17	31	43
WHITE------MALE----	550	8	1	1	2	2	-	1	3	6	5	7
FEMALE--	775	4	2	1	-	-	-	2	2	6	11	10
ALL OTHER--MALE----	231	2	1	-	-	1	1	1	5	-	7	13
FEMALE--	270	2	-	1	-	-	3	-	3	5	8	13
BLACK---MALE----	222	2	1	-	-	1	1	1	5	-	7	13
FEMALE--	260	2	-	-	-	-	3	-	3	4	8	13
INDIANA ----------	795	8	3	-	1	-	-	1	5	4	8	21
WHITE------MALE----	299	3	1	-	-	-	-	-	2	2	4	5
FEMALE--	411	3	1	-	1	-	-	1	3	1	4	10
ALL OTHER--MALE----	42	2	1	-	-	-	-	-	-	-	-	3
FEMALE--	43	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	42	2	1	-	-	-	-	-	-	-	-	3
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	3
IOWA ----------	248	2	-	-	-	1	-	-	2	4	4	4
WHITE------MALE----	116	1	-	-	-	-	-	-	2	3	2	2
FEMALE--	128	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	268	4	-	-	-	-	1	-	1	3	1	4
WHITE------MALE----	111	1	-	-	-	-	-	-	1	1	-	2
FEMALE--	143	2	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
HAWAII ----------	5	9	11	17	18	26	20	25	14	8	1	-
WHITE------MALE----	-	-	-	2	-	3	2	4	1	-	-	-
FEMALE--	-	1	1	1	2	2	3	1	1	2	1	-
ALL OTHER--MALE----	3	6	5	4	8	13	9	13	6	1	-	-
FEMALE--	2	2	5	10	8	8	6	7	6	5	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	2	3	2	12	10	12	8	7	4	-	-
WHITE------MALE----	3	2	3	2	7	8	5	3	2	2	-	-
FEMALE--	2	-	-	-	5	2	7	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	40	73	107	137	203	271	284	310	178	69	14	-
WHITE------MALE----	13	23	27	46	80	86	108	97	28	4	2	-
FEMALE--	8	22	40	43	68	100	121	158	113	55	9	-
ALL OTHER--MALE----	10	17	25	26	23	42	26	18	9	3	1	-
FEMALE--	9	11	15	22	32	43	29	37	28	7	2	-
BLACK---MALE----	10	16	25	25	21	41	23	17	9	3	1	-
FEMALE--	9	10	15	21	32	42	26	36	27	7	2	-
INDIANA ----------	27	30	38	61	99	137	120	118	80	33	1	-
WHITE------MALE----	9	12	19	23	46	56	54	36	22	5	-	-
FEMALE--	16	13	9	28	41	63	59	73	57	27	1	-
ALL OTHER--MALE----	2	3	5	6	8	7	2	3	-	-	-	-
FEMALE--	-	2	5	4	4	11	5	6	1	1	-	-
BLACK---MALE----	2	3	5	6	8	7	2	3	-	-	-	-
FEMALE--	-	2	4	4	4	11	5	6	1	1	-	-
IOWA ----------	5	4	11	16	20	38	48	36	35	16	2	-
WHITE------MALE----	3	2	6	9	5	20	29	15	14	3	-	-
FEMALE--	2	2	3	7	15	18	19	21	21	13	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS ----------	9	9	18	14	33	31	49	42	28	20	1	-
WHITE------MALE----	5	3	9	8	14	13	23	18	7	6	-	-
FEMALE--	3	5	6	5	18	17	24	24	20	14	1	-
ALL OTHER--MALE----	1	1	2	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	1	1	2	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
KENTUCKY ----------	571	2	1	-	-	-	-	1	5	9	10	10
WHITE------MALE----	232	2	-	-	-	-	-	-	2	4	5	6
FEMALE--	284	-	1	-	-	-	-	1	3	3	4	3
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	-
LOUISIANA ----------	708	10	1	-	1	2	4	4	5	7	10	15
WHITE------MALE----	164	3	-	-	-	1	-	-	2	1	5	3
FEMALE--	242	1	-	-	-	1	-	3	1	1	2	4
ALL OTHER--MALE----	126	3	1	-	1	-	2	-	1	5	2	4
FEMALE--	176	3	-	-	-	-	2	1	1	-	1	4
BLACK---MALE----	125	3	1	-	1	-	2	-	-	5	2	4
FEMALE--	174	3	-	-	-	-	2	1	1	-	1	4
MAINE ----------	116	-	-	-	-	-	1	-	-	-	-	2
WHITE------MALE----	42	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MARYLAND ----------	978	3	2	1	1	-	2	1	3	14	13	30
WHITE------MALE----	278	2	-	1	-	-	-	-	-	2	3	8
FEMALE--	368	-	-	-	-	-	1	-	-	3	2	8
ALL OTHER--MALE----	158	1	-	-	1	-	1	-	2	4	6	11
FEMALE--	174	-	2	-	-	-	-	1	1	5	2	3
BLACK---MALE----	150	1	-	-	1	-	1	-	2	4	6	11
FEMALE--	171	-	1	-	-	-	-	1	1	5	2	3
MASSACHUSETTS ----------	885	1	4	-	-	2	3	2	1	11	8	17
WHITE------MALE----	362	1	1	-	-	-	1	2	-	5	3	7
FEMALE--	464	-	3	-	-	2	1	-	-	4	3	7
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	30	-	-	-	-	-	1	-	-	1	-	2
BLACK---MALE----	25	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	2
MICHIGAN ----------	1,142	9	4	1	1	-	5	8	9	10	18	35
WHITE------MALE----	360	5	2	-	-	-	2	2	4	2	5	13
FEMALE--	464	1	1	-	-	-	2	2	2	1	3	7
ALL OTHER--MALE----	150	1	-	-	1	-	1	2	3	3	5	9
FEMALE--	168	2	1	1	-	-	-	2	-	4	5	6
BLACK---MALE----	146	1	-	-	1	-	-	2	3	3	5	9
FEMALE--	163	2	1	1	-	-	-	2	-	3	4	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
KENTUCKY ----------	18	21	29	49	65	87	93	89	57	18	7	-
WHITE------MALE----	9	14	13	25	32	44	37	20	15	3	1	-
FEMALE--	8	4	13	17	26	34	52	61	38	11	5	-
ALL OTHER--MALE----	1	1	3	5	3	4	2	4	-	1	-	-
FEMALE--	-	2	-	2	4	5	2	4	4	3	1	-
BLACK---MALE----	1	1	3	5	2	4	2	4	-	1	-	-
FEMALE--	-	2	-	2	4	5	2	4	4	3	1	-
LOUISIANA ----------	24	26	33	41	78	124	108	108	73	27	7	-
WHITE------MALE----	7	6	7	8	18	35	26	21	15	6	-	-
FEMALE--	6	7	8	8	25	43	40	47	28	15	2	-
ALL OTHER--MALE----	5	3	6	13	20	14	21	16	6	3	-	-
FEMALE--	6	10	12	12	15	32	21	24	24	3	5	-
BLACK---MALE----	5	3	6	13	20	14	21	16	6	3	-	-
FEMALE--	6	10	12	12	15	32	20	23	24	3	5	-
MAINE ----------	3	1	10	7	11	14	24	25	14	3	1	-
WHITE------MALE----	2	1	5	3	3	6	14	5	-	1	1	-
FEMALE--	1	-	5	4	8	8	10	20	14	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	34	34	43	83	109	160	164	155	86	31	9	-
WHITE------MALE----	7	7	12	24	28	57	61	40	22	2	2	-
FEMALE--	12	10	15	28	32	51	61	77	45	20	3	-
ALL OTHER--MALE----	12	9	10	16	26	17	23	10	5	3	1	-
FEMALE--	3	8	6	15	23	35	19	28	14	6	3	-
BLACK---MALE----	12	9	10	15	23	16	23	8	4	3	1	-
FEMALE--	3	7	6	14	23	35	19	28	14	6	3	-
MASSACHUSETTS ----------	22	30	39	63	97	141	170	139	93	37	5	-
WHITE------MALE----	11	9	21	31	46	58	76	55	25	9	1	-
FEMALE--	7	18	14	28	39	71	90	80	65	28	4	-
ALL OTHER--MALE----	2	-	4	2	8	4	2	2	-	-	-	-
FEMALE--	2	3	-	2	4	8	2	2	3	-	-	-
BLACK---MALE----	2	-	3	1	7	3	2	2	-	-	-	-
FEMALE--	1	3	-	2	3	6	2	2	2	-	-	-
MICHIGAN ----------	35	43	42	79	141	164	226	177	102	27	6	-
WHITE------MALE----	14	11	15	30	47	61	66	50	29	2	-	-
FEMALE--	13	17	14	22	44	63	108	88	53	20	3	-
ALL OTHER--MALE----	7	8	7	16	28	19	20	14	6	-	-	-
FEMALE--	1	7	6	11	22	21	32	25	14	5	3	-
BLACK---MALE----	7	8	7	16	26	19	20	14	5	-	-	-
FEMALE--	1	7	6	11	22	21	32	24	14	5	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
MINNESOTA ----------	223	4	1	2	1	-	-	-	4	3	1	10
WHITE------MALE----	104	2	1	-	-	-	-	-	2	2	1	6
FEMALE--	105	1	-	2	1	-	-	-	2	-	-	3
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	426	6	1	1	-	1	1	1	1	1	13	11
WHITE------MALE----	119	-	1	1	-	1	-	1	1	1	3	5
FEMALE--	133	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	77	1	-	-	-	-	1	-	-	-	3	4
FEMALE--	97	5	-	-	-	-	-	-	-	-	4	1
BLACK---MALE----	76	1	-	-	-	-	1	-	-	-	3	4
FEMALE--	97	5	-	-	-	-	-	-	-	-	4	1
MISSOURI ----------	633	5	3	-	-	-	3	3	3	10	18	14
WHITE------MALE----	235	1	2	-	-	-	-	1	3	7	6	4
FEMALE--	273	1	1	-	-	-	1	1	-	1	3	3
ALL OTHER--MALE----	68	3	-	-	-	-	1	-	-	-	5	4
FEMALE--	57	-	-	-	-	-	1	1	-	2	4	3
BLACK---MALE----	66	3	-	-	-	-	1	-	-	-	5	3
FEMALE--	56	-	-	-	-	-	1	1	-	2	4	3
MONTANA ----------	73	-	-	-	-	-	-	-	-	-	4	3
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	41	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	110	1	2	-	-	-	-	-	1	2	-	3
WHITE------MALE----	51	-	2	-	-	-	-	-	-	1	-	1
FEMALE--	43	1	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	297	2	4	-	-	-	-	2	1	4	5	7
WHITE------MALE----	130	-	1	-	-	-	-	1	1	2	2	4
FEMALE--	128	-	3	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	23	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	16	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
MINNESOTA ----------	8	6	9	15	25	30	36	41	14	10	3	-
WHITE------MALE----	6	4	1	9	12	18	15	18	5	1	1	-
FEMALE--	1	1	7	5	12	9	19	22	9	9	2	-
ALL OTHER--MALE----	1	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	1	-	-	-	-
BLACK---MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MISSISSIPPI ----------	13	21	24	46	41	57	69	62	40	13	3	-
WHITE------MALE----	2	3	5	15	12	27	22	10	7	2	-	-
FEMALE--	2	8	7	12	13	11	27	26	18	4	1	-
ALL OTHER--MALE----	3	7	7	8	6	9	9	12	6	1	-	-
FEMALE--	6	3	5	11	10	10	11	14	9	6	2	-
BLACK---MALE----	2	7	7	8	6	9	9	12	6	1	-	-
FEMALE--	6	3	5	11	10	10	11	14	9	6	2	-
MISSOURI ----------	24	26	37	47	62	99	90	96	62	26	5	-
WHITE------MALE----	14	10	13	20	22	49	35	32	13	2	1	-
FEMALE--	5	10	13	18	26	38	41	50	40	19	2	-
ALL OTHER--MALE----	4	5	8	5	10	5	8	5	3	2	-	-
FEMALE--	1	1	3	4	4	7	6	9	6	3	2	-
BLACK---MALE----	4	5	8	5	10	4	8	5	3	2	-	-
FEMALE--	1	1	3	3	4	7	6	9	6	3	2	-
MONTANA ----------	2	4	4	7	4	12	10	13	9	-	1	-
WHITE------MALE----	-	2	2	3	1	6	2	5	2	-	1	-
FEMALE--	2	2	-	4	3	6	7	8	7	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	2	2	9	18	13	23	15	10	5	1	-
WHITE------MALE----	1	2	-	2	11	5	15	7	4	-	-	-
FEMALE--	1	-	-	6	5	4	6	6	5	5	1	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	1	-	-	-	-
FEMALE--	1	-	2	-	-	3	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	2	2	1	1	-	-	-
NEVADA ----------	3	16	20	27	54	56	43	27	15	7	4	-
WHITE------MALE----	2	6	9	12	25	33	13	13	4	2	-	-
FEMALE--	1	7	5	11	24	18	26	11	10	5	3	-
ALL OTHER--MALE----	-	3	6	1	2	3	2	1	-	-	-	-
FEMALE--	-	-	-	3	3	2	2	2	1	-	1	-
BLACK---MALE----	-	1	6	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	3	3	1	1	1	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
NEW HAMPSHIRE ----------	66	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,742	7	1	3	1	1	3	8	11	17	20	30
WHITE------MALE----	585	2	-	3	-	-	1	6	3	4	8	12
FEMALE--	874	-	-	-	1	1	-	-	4	5	7	5
ALL OTHER--MALE----	120	4	1	-	-	-	1	2	2	4	2	6
FEMALE--	163	1	-	-	-	-	1	-	2	4	3	7
BLACK---MALE----	116	4	1	-	-	-	-	2	2	4	2	6
FEMALE--	160	1	-	-	-	-	1	-	2	4	3	7
NEW MEXICO ----------	129	2	1	2	-	-	1	-	1	-	2	3
WHITE------MALE----	56	2	-	-	-	-	-	-	-	-	2	1
FEMALE--	60	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	2	-	-	1	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2,228	16	11	2	-	2	5	5	7	20	30	45
WHITE------MALE----	800	7	5	-	-	2	2	2	4	4	12	19
FEMALE--	1,038	2	2	1	-	-	1	1	1	6	6	7
ALL OTHER--MALE----	162	5	3	1	-	-	1	1	-	5	5	7
FEMALE--	228	2	1	-	-	-	1	1	2	5	7	12
BLACK---MALE----	142	5	2	1	-	-	-	1	-	5	5	5
FEMALE--	204	2	1	-	-	-	-	1	2	5	7	11
NORTH CAROLINA ---------	1,010	6	3	4	-	3	5	4	6	16	15	27
WHITE------MALE----	305	1	2	1	-	2	3	2	1	5	4	10
FEMALE--	389	2	1	1	-	-	1	-	2	2	2	6
ALL OTHER--MALE----	144	2	-	1	-	-	1	1	1	4	5	7
FEMALE--	172	1	-	1	-	1	-	1	2	5	4	4
BLACK---MALE----	138	1	-	1	-	-	1	1	1	3	5	7
FEMALE--	169	1	-	1	-	1	-	1	2	5	4	4
NORTH DAKOTA ----------	36	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
NEW HAMPSHIRE ----------	3	3	4	10	9	8	13	9	2	2	-	-
WHITE------MALE----	2	-	1	4	5	5	5	3	-	1	-	-
FEMALE--	1	3	3	6	4	2	8	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	46	55	62	103	204	241	281	345	208	81	14	-
WHITE------MALE----	11	16	27	41	88	94	107	101	44	15	2	-
FEMALE--	16	23	19	43	82	109	141	212	138	56	12	-
ALL OTHER--MALE----	11	5	8	10	16	18	10	12	6	2	-	-
FEMALE--	8	11	8	9	18	20	23	20	20	8	-	-
BLACK---MALE----	10	4	8	10	16	17	10	12	6	2	-	-
FEMALE--	8	11	8	8	18	19	23	20	19	8	-	-
NEW MEXICO ----------	8	6	5	12	18	18	21	16	11	2	-	-
WHITE------MALE----	5	4	1	8	5	13	6	5	4	-	-	-
FEMALE--	2	1	4	3	12	5	12	10	7	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW YORK ----------	62	85	107	160	245	343	392	359	235	86	11	-
WHITE------MALE----	23	33	35	67	112	139	145	118	54	16	1	-
FEMALE--	18	21	50	55	82	152	198	205	159	64	7	-
ALL OTHER--MALE----	8	17	10	16	20	25	18	11	8	1	-	-
FEMALE--	13	14	12	22	31	27	31	25	14	5	3	-
BLACK---MALE----	6	17	9	15	18	22	14	11	5	1	-	-
FEMALE--	12	12	12	20	28	24	27	20	13	4	3	-
NORTH CAROLINA ---------	36	43	61	84	128	146	172	132	85	29	5	-
WHITE------MALE----	11	13	22	34	42	43	61	28	15	4	1	-
FEMALE--	11	11	19	23	46	55	62	71	50	21	3	-
ALL OTHER--MALE----	6	7	11	15	16	20	21	18	6	2	-	-
FEMALE--	8	12	9	12	24	28	28	15	14	2	1	-
BLACK---MALE----	6	6	11	15	15	20	21	18	6	-	-	-
FEMALE--	8	12	8	12	23	28	27	15	14	2	1	-
NORTH DAKOTA ----------	2	-	2	4	3	10	5	4	3	1	1	-
WHITE------MALE----	-	-	1	2	2	5	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	4	4	4	3	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
OHIO ----------	1,514	11	2	4	1	1	2	10	9	14	19	44
WHITE------MALE----	546	5	1	2	-	1	1	4	3	9	7	12
FEMALE--	727	3	1	2	1	-	-	2	5	3	4	21
ALL OTHER--MALE----	115	1	-	-	-	-	1	1	1	1	5	8
FEMALE--	126	2	-	-	-	-	-	3	-	1	3	3
BLACK---MALE----	112	1	-	-	-	-	1	1	1	1	5	7
FEMALE--	123	1	-	-	-	-	-	3	-	1	2	3
OKLAHOMA ----------	421	4	1	-	-	1	-	3	2	9	6	9
WHITE------MALE----	152	4	-	-	-	-	-	-	-	5	3	4
FEMALE--	213	-	1	-	-	1	-	2	1	2	2	5
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	189	2	2	1	-	2	-	2	1	1	5	5
WHITE------MALE----	69	1	1	-	-	-	-	1	1	-	4	4
FEMALE--	114	1	1	1	-	2	-	1	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2,545	15	1	1	4	1	11	8	14	17	38	53
WHITE------MALE----	875	7	-	-	1	1	6	1	6	5	16	22
FEMALE--	1,275	5	-	1	3	-	3	6	3	3	8	14
ALL OTHER--MALE----	179	1	1	-	-	-	1	1	3	6	9	9
FEMALE--	216	2	-	-	-	-	1	-	2	3	5	8
BLACK---MALE----	175	1	-	-	-	-	1	1	3	6	9	9
FEMALE--	208	2	-	-	-	-	-	-	2	3	5	7
RHODE ISLAND ----------	84	-	-	-	-	-	-	-	-	1	3	2
WHITE------MALE----	34	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	467	4	2	-	-	-	3	2	5	4	6	14
WHITE------MALE----	119	1	-	-	-	-	1	1	-	-	2	5
FEMALE--	176	-	1	-	-	-	1	-	1	2	1	2
ALL OTHER--MALE----	87	2	-	-	-	-	-	-	1	1	1	5
FEMALE--	85	1	1	-	-	-	1	1	3	1	2	2
BLACK---MALE----	85	2	-	-	-	-	-	-	1	1	1	5
FEMALE--	85	1	1	-	-	-	1	1	3	1	2	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
OHIO ----------	45	50	65	120	176	241	236	236	168	52	8	-
WHITE------MALE----	17	23	24	54	74	98	91	59	44	17	-	-
FEMALE--	14	20	29	44	62	105	121	142	109	31	8	-
ALL OTHER--MALE----	6	2	6	13	21	24	9	9	5	2	-	-
FEMALE--	8	5	6	9	19	14	15	26	10	2	-	-
BLACK---MALE----	6	2	6	11	21	24	9	9	5	2	-	-
FEMALE--	8	5	6	9	19	13	15	26	10	2	-	-
OKLAHOMA ----------	14	14	22	33	50	52	66	85	34	15	1	-
WHITE------MALE----	5	4	8	17	22	19	26	24	9	2	-	-
FEMALE--	3	6	10	11	20	25	36	55	22	10	1	-
ALL OTHER--MALE----	2	2	3	-	5	4	-	4	2	1	-	-
FEMALE--	4	2	1	5	3	4	4	2	1	2	-	-
BLACK---MALE----	-	1	1	-	4	3	-	4	-	1	-	-
FEMALE--	3	2	-	2	1	3	2	2	1	1	-	-
OREGON ----------	10	6	13	15	20	27	25	28	17	7	-	-
WHITE------MALE----	2	5	8	5	8	8	7	10	4	-	-	-
FEMALE--	7	1	5	7	12	19	18	16	13	7	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	62	89	114	172	277	403	450	442	282	83	8	-
WHITE------MALE----	22	29	47	59	114	177	154	127	71	10	-	-
FEMALE--	20	31	43	77	119	167	246	272	183	64	7	-
ALL OTHER--MALE----	12	14	15	21	20	28	22	9	6	1	-	-
FEMALE--	8	15	9	15	24	31	28	34	22	8	1	-
BLACK---MALE----	12	14	15	21	20	27	21	8	6	1	-	-
FEMALE--	8	15	9	14	24	29	27	33	22	7	1	-
RHODE ISLAND ----------	3	3	2	8	6	11	22	13	4	6	-	-
WHITE------MALE----	1	2	-	2	5	6	8	5	-	2	-	-
FEMALE--	1	-	2	4	1	4	14	8	4	4	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	22	18	33	39	51	69	71	80	29	12	3	-
WHITE------MALE----	3	5	10	10	15	24	19	16	4	3	-	-
FEMALE--	6	4	10	11	21	19	33	41	17	5	1	-
ALL OTHER--MALE----	6	6	9	8	7	14	14	11	1	1	-	-
FEMALE--	7	3	4	10	8	12	5	12	7	3	2	-
BLACK---MALE----	6	6	9	8	7	13	14	10	1	1	-	-
FEMALE--	7	3	4	10	8	12	5	12	7	3	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
SOUTH DAKOTA ----------	63	1	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	557	7	2	1	1	-	3	4	4	9	11	16
WHITE------MALE----	175	3	1	1	-	-	1	1	1	1	3	5
FEMALE--	264	2	1	-	-	-	1	1	1	4	3	6
ALL OTHER--MALE----	50	2	-	-	-	-	1	1	-	3	3	1
FEMALE--	68	-	-	-	1	-	-	1	2	1	2	4
BLACK---MALE----	50	2	-	-	-	-	1	1	-	3	3	1
FEMALE--	68	-	-	-	1	-	-	1	2	1	2	4
TEXAS ----------	1,918	40	6	5	3	4	7	7	14	26	45	62
WHITE------MALE----	689	17	1	2	2	2	3	4	8	13	21	22
FEMALE--	881	9	2	1	1	1	1	1	3	8	15	14
ALL OTHER--MALE----	149	8	1	-	-	1	1	-	2	2	9	11
FEMALE--	199	6	2	2	-	-	2	2	1	3	-	15
BLACK---MALE----	138	6	-	-	-	1	1	-	2	2	8	11
FEMALE--	186	6	-	1	-	-	2	2	1	3	-	13
UTAH ----------	117	4	3	-	-	1	2	1	-	1	1	8
WHITE------MALE----	39	1	1	-	-	-	1	-	-	-	-	2
FEMALE--	71	3	1	-	-	1	1	1	-	1	1	6
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	45	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,092	6	-	2	2	1	5	4	6	9	26	20
WHITE------MALE----	326	1	-	-	-	-	2	1	3	4	8	4
FEMALE--	432	1	-	2	-	1	-	1	2	2	5	7
ALL OTHER--MALE----	148	2	-	-	-	-	1	1	-	3	5	3
FEMALE--	186	2	-	-	2	-	2	1	1	-	8	6
BLACK---MALE----	144	2	-	-	-	-	-	1	-	3	5	3
FEMALE--	180	2	-	-	2	-	2	1	1	-	8	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
SOUTH DAKOTA ----------	2	3	5	2	7	8	12	12	5	4	-	-
WHITE------MALE----	-	2	1	1	4	2	7	2	1	2	-	-
FEMALE--	-	-	4	-	3	6	3	9	4	2	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	18	20	37	51	63	89	74	90	38	15	4	-
WHITE------MALE----	7	6	17	22	21	24	24	30	4	3	-	-
FEMALE--	8	10	13	22	28	41	38	44	29	8	4	-
ALL OTHER--MALE----	1	1	4	2	4	12	8	4	2	1	-	-
FEMALE--	2	3	3	5	10	12	4	12	3	3	-	-
BLACK---MALE----	1	1	4	2	4	12	8	4	2	1	-	-
FEMALE--	2	3	3	5	10	12	4	12	3	3	-	-
TEXAS ----------	56	92	88	143	197	288	265	303	178	80	9	-
WHITE------MALE----	27	40	33	63	74	120	103	83	40	10	1	-
FEMALE--	15	32	35	53	90	128	125	181	111	50	5	-
ALL OTHER--MALE----	9	12	10	17	15	16	12	14	5	4	-	-
FEMALE--	5	8	10	10	18	24	25	25	22	16	3	-
BLACK---MALE----	9	11	9	14	15	15	11	14	5	4	-	-
FEMALE--	5	8	10	9	17	23	23	23	21	16	3	-
UTAH ----------	5	2	5	6	11	14	26	15	9	2	1	-
WHITE------MALE----	2	1	4	3	5	4	7	5	3	-	-	-
FEMALE--	3	-	1	3	5	9	17	10	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT ----------	3	2	5	3	4	9	5	5	5	3	-	-
WHITE------MALE----	1	-	3	1	2	3	4	2	1	-	-	-
FEMALE--	2	2	2	2	2	6	1	3	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	40	51	66	100	115	178	158	144	117	36	6	-
WHITE------MALE----	14	17	23	29	35	58	57	39	25	6	-	-
FEMALE--	10	14	17	34	41	78	58	71	61	22	5	-
ALL OTHER--MALE----	6	12	14	22	22	18	16	11	10	2	-	-
FEMALE--	10	8	12	15	17	24	27	23	21	6	1	-
BLACK---MALE----	6	12	14	20	21	18	16	11	10	2	-	-
FEMALE--	10	8	12	14	17	22	25	22	21	6	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
WASHINGTON ----------	306	4	1	1	-	2	2	-	3	6	7	5
WHITE------MALE----	121	3	1	1	-	-	2	-	1	2	2	2
FEMALE--	149	1	-	-	-	2	-	-	-	2	2	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	21	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	280	3	1	-	-	-	1	1	-	-	5	8
WHITE------MALE----	115	2	1	-	-	-	1	-	-	-	3	4
FEMALE--	157	-	-	-	-	-	-	1	-	-	1	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	382	1	1	-	2	-	1	-	3	-	-	6
WHITE------MALE----	176	-	1	-	2	-	-	-	-	-	-	4
FEMALE--	185	1	-	-	-	-	1	-	3	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	31	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
WASHINGTON ----------	9	13	13	28	30	47	49	38	30	13	5	-
WHITE------MALE----	4	6	4	13	14	19	22	13	9	3	-	-
FEMALE--	5	6	8	10	13	21	21	20	21	9	5	-
ALL OTHER--MALE----	-	1	-	1	1	4	4	1	-	-	-	-
FEMALE--	-	-	1	4	2	3	2	4	-	1	-	-
BLACK---MALE----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	-	1	-	-
WEST VIRGINIA ----------	3	6	13	22	37	44	55	50	20	8	3	-
WHITE------MALE----	3	3	6	10	18	22	14	18	8	1	1	-
FEMALE--	-	3	6	11	18	21	40	32	11	7	2	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
WISCONSIN ----------	9	10	17	33	45	62	73	64	36	16	3	-
WHITE------MALE----	4	7	5	17	25	36	29	29	13	4	-	-
FEMALE--	2	3	6	15	17	24	44	32	22	12	2	-
ALL OTHER--MALE----	1	-	2	1	2	1	-	-	1	-	-	-
FEMALE--	2	-	4	-	1	1	-	3	-	-	1	-
BLACK---MALE----	-	-	1	1	2	-	-	-	1	-	-	-
FEMALE--	1	-	4	-	-	-	-	3	-	-	1	-
WYOMING ----------	4	2	-	4	3	1	1	7	3	3	1	-
WHITE------MALE----	2	1	-	2	1	-	-	4	-	2	-	-
FEMALE--	1	1	-	2	2	1	1	3	3	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
UNITED STATES -	1,786	22	6	2	6	4	11	12	25	40	43	62
WHITE------MALE----	706	9	2	2	1	2	4	3	8	18	18	27
FEMALE--	748	7	2	-	2	1	3	4	8	13	16	19
ALL OTHER--MALE----	170	3	1	-	2	-	2	2	7	6	5	10
FEMALE--	162	3	1	-	1	1	2	3	2	3	4	6
BLACK---MALE----	151	2	1	-	2	-	1	1	7	6	4	9
FEMALE--	141	3	1	-	-	1	1	3	1	3	3	6
ALABAMA ----------	30	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	34	1	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	191	-	-	-	1	-	2	1	5	4	9	12
WHITE------MALE----	72	-	-	-	-	-	-	-	3	3	3	4
FEMALE--	77	-	-	-	1	-	1	-	2	1	4	3
ALL OTHER--MALE----	28	-	-	-	-	-	1	1	-	-	2	4
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
UNITED STATES -	70	77	90	169	193	260	265	239	125	59	6	-
WHITE------MALE----	27	30	47	78	84	108	102	93	33	10	-	-
FEMALE--	24	29	27	58	77	97	125	117	73	42	4	-
ALL OTHER--MALE----	10	9	10	17	17	25	24	11	8	-	1	-
FEMALE--	9	9	6	16	15	30	14	18	11	7	1	-
BLACK---MALE----	10	9	9	16	15	21	22	8	7	-	1	-
FEMALE--	8	8	6	15	11	24	13	16	10	7	1	-
ALABAMA ----------	2	1	2	2	3	7	7	3	1	-	-	-
WHITE------MALE----	-	-	-	-	1	3	4	1	-	-	-	-
FEMALE--	1	1	1	1	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	2	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	1	3	3	4	6	9	3	1	-	-	-
WHITE------MALE----	1	-	2	2	2	3	3	2	1	-	-	-
FEMALE--	-	1	-	1	2	2	6	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS ----------	1	2	-	6	1	4	3	1	2	-	-	-
WHITE------MALE----	1	1	-	2	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	8	9	6	9	15	33	27	33	6	11	-	-
WHITE------MALE----	3	5	3	3	6	12	9	13	2	3	-	-
FEMALE--	4	3	2	3	6	13	12	11	3	8	-	-
ALL OTHER--MALE----	1	1	1	1	1	6	3	5	1	-	-	-
FEMALE--	-	-	-	2	2	2	3	4	-	-	-	-
BLACK---MALE----	1	1	-	1	-	3	1	3	-	-	-	-
FEMALE--	-	-	-	2	1	1	2	3	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
COLORADO ----------	15	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	19	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	9	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	12	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	90	-	-	-	-	-	1	1	2	3	2	4
WHITE------MALE----	36	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	1	1	-	-	-	-
GEORGIA ----------	50	-	-	-	1	-	-	-	2	1	1	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
COLORADO ----------	2	2	-	2	1	2	1	2	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	1	2	2	1	6	4	-	-	-	-
WHITE------MALE----	2	-	-	1	2	-	4	3	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	2	1	2	-	-	-	-	1	-
WHITE------MALE----	-	-	-	2	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	1	1	-	5	-	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-
FLORIDA ----------	3	3	6	7	11	16	13	11	5	2	-	-
WHITE------MALE----	1	1	3	5	5	7	5	1	-	-	-	-
FEMALE--	1	2	3	2	4	7	8	9	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
GEORGIA ----------	2	2	3	5	4	10	8	5	4	1	-	-
WHITE------MALE----	-	1	1	1	2	4	2	-	2	1	-	-
FEMALE--	-	1	-	3	-	4	4	4	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	1	-	2	1	1	2	1	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	1	-	2	1	1	2	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
HAWAII ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	56	-	-	-	1	-	2	2	2	-	1	-
WHITE------MALE----	21	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	24	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
INDIANA ----------	62	1	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	23	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
IOWA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	15	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
HAWAII ----------	-	-	-	-	-	3	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	1	-	-	-	-	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	3	2	2	6	8	15	6	3	-	-	-
WHITE------MALE----	-	1	1	1	3	6	4	1	2	-	-	-
FEMALE--	1	1	1	-	2	-	10	5	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
INDIANA ----------	1	2	5	5	9	7	11	12	3	2	1	-
WHITE------MALE----	1	2	3	3	5	-	3	5	-	-	-	-
FEMALE--	-	-	2	1	3	5	6	7	3	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
IOWA ----------	1	3	-	2	-	2	5	-	1	-	-	-
WHITE------MALE----	1	1	-	1	-	2	2	-	1	-	-	-
FEMALE--	-	2	-	1	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	2	-	1	2	1	3	-	1	-	-
WHITE------MALE----	-	-	2	-	-	1	1	1	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
KENTUCKY ----------	24	1	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	37	-	1	-	-	-	-	-	-	1	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	7	-	-	-	-	-	1	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	41	-	-	-	-	-	-	1	2	-	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	61	2	1	-	-	-	-	-	-	1	1	1
WHITE------MALE----	30	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	66	1	-	-	-	-	1	-	-	1	-	4
WHITE------MALE----	18	-	-	-	-	-	1	-	-	1	-	3
FEMALE--	34	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
KENTUCKY ----------	3	1	1	1	6	1	1	4	2	-	-	-
WHITE------MALE----	3	-	1	1	4	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA ----------	4	-	1	1	4	6	5	7	3	2	-	-
WHITE------MALE----	3	-	1	-	1	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	4	1	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	1	2	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	1	2	-	-	-
MAINE ----------	-	-	-	-	-	2	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	2	5	5	3	7	9	2	1	-	-	-
WHITE------MALE----	-	-	2	2	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	4	1	-	1	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	4	-	-	-	-	-
FEMALE--	1	1	1	1	-	2	2	1	-	-	-	-
BLACK---MALE----	1	1	1	1	-	-	4	-	-	-	-	-
FEMALE--	1	1	1	1	-	2	2	1	-	-	-	-
MASSACHUSETTS ----------	1	3	2	5	6	7	16	9	6	-	-	-
WHITE------MALE----	-	2	1	2	4	5	7	4	3	-	-	-
FEMALE--	1	1	1	3	1	2	8	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	-	-	-
MICHIGAN ----------	1	3	1	9	9	7	11	8	7	3	-	-
WHITE------MALE----	-	-	-	3	1	2	2	4	-	1	-	-
FEMALE--	-	3	1	3	5	3	6	3	6	2	-	-
ALL OTHER--MALE----	1	-	-	2	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	2	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
MINNESOTA ----------	22	-	-	-	-	-	1	-	2	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	18	-	-	-	-	-	-	1	-	2	1	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	40	-	-	1	1	-	-	-	-	1	-	3
WHITE------MALE----	19	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
MINNESOTA ----------	1	2	1	2	3	1	2	2	3	2	-	-
WHITE------MALE----	-	-	-	1	2	-	1	1	1	-	-	-
FEMALE--	-	1	1	1	1	1	1	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	2	5	1	-	1	1	-	2	-	-
WHITE------MALE----	-	-	1	1	1	-	1	-	-	1	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
MISSOURI ----------	1	1	1	4	9	5	5	2	3	3	-	-
WHITE------MALE----	-	1	-	1	5	3	4	-	1	1	-	-
FEMALE--	1	-	-	2	3	1	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	1	-	-
MONTANA ----------	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA ----------	-	1	2	1	-	-	-	3	2	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	3	1	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
NEW HAMPSHIRE ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	55	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	24	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	15	2	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	120	1	1	-	1	-	1	-	3	1	1	3
WHITE------MALE----	43	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	53	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	2	-	1	1
FEMALE--	9	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	1	-	2	-	1	1
FEMALE--	9	1	1	-	-	-	-	-	-	-	-	1
NORTH CAROLINA ---------	57	-	-	-	-	-	-	1	1	-	-	2
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	22	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
NEW HAMPSHIRE ----------	-	-	-	-	1	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	4	-	8	8	6	7	9	4	2	-	-
WHITE------MALE----	1	2	-	5	2	1	4	5	1	-	-	-
FEMALE--	-	-	-	3	5	4	3	3	1	2	-	-
ALL OTHER--MALE----	1	2	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	1	2	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	1	-	-	-
NEW MEXICO ----------	1	-	-	1	-	1	1	4	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	4	9	8	14	16	10	22	13	7	-	-
WHITE------MALE----	2	1	4	4	4	6	4	12	4	-	-	-
FEMALE--	3	2	3	2	7	7	4	8	8	7	-	-
ALL OTHER--MALE----	-	-	1	2	1	2	2	1	1	-	-	-
FEMALE--	-	1	1	-	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	2	1	2	2	1	1	-	-	-
FEMALE--	-	1	1	-	2	1	-	1	-	-	-	-
NORTH CAROLINA ---------	1	7	7	5	6	8	6	2	5	6	-	-
WHITE------MALE----	-	3	4	1	3	3	1	1	1	1	-	-
FEMALE--	-	-	1	3	3	4	2	1	2	4	-	-
ALL OTHER--MALE----	-	2	2	-	-	1	-	-	2	-	-	-
FEMALE--	1	2	-	1	-	-	3	-	-	1	-	-
BLACK---MALE----	-	2	2	-	-	1	-	-	2	-	-	-
FEMALE--	1	2	-	1	-	-	3	-	-	1	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
OHIO ----------	58	4	-	-	-	1	-	1	-	1	2	2
WHITE------MALE----	27	4	-	-	-	-	-	1	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	-
OKLAHOMA ----------	24	-	-	-	-	-	-	-	-	-	3	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	16	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	100	4	1	-	1	-	1	-	-	2	1	1
WHITE------MALE----	36	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	46	2	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	2	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	2	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	50	1	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	21	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
OHIO ----------	1	2	4	7	5	8	8	5	5	2	-	-
WHITE------MALE----	-	-	3	3	2	5	4	-	2	1	-	-
FEMALE--	-	1	1	3	1	3	3	3	3	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	1	-	-
OKLAHOMA ----------	-	1	-	3	5	4	4	3	1	-	-	-
WHITE------MALE----	-	1	-	3	3	3	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON ----------	-	1	1	-	2	1	-	7	2	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	4	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	3	4	17	8	19	15	11	6	2	-	-
WHITE------MALE----	-	1	1	8	5	6	8	3	2	-	-	-
FEMALE--	1	1	2	7	3	8	6	8	4	2	-	-
ALL OTHER--MALE----	2	1	1	-	-	3	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	3	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	2	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	1	2	1	3	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	4	1	5	7	5	10	6	4	-	1	-
WHITE------MALE----	-	1	-	2	3	3	2	1	-	-	-	-
FEMALE--	2	1	1	1	3	-	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	1	1	-	-	-
FEMALE--	-	2	-	2	-	-	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	1	2	1	1	1	-	-	-
FEMALE--	-	2	-	2	-	-	1	1	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
SOUTH DAKOTA ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	38	1	-	-	-	-	-	1	-	1	2	2
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
TEXAS ----------	148	-	-	1	-	2	-	1	3	6	4	8
WHITE------MALE----	67	-	-	1	-	2	-	1	1	3	3	2
FEMALE--	61	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
UTAH ----------	5	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	33	1	-	-	-	-	-	1	-	2	1	1
WHITE------MALE----	12	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
SOUTH DAKOTA ----------	1	-	-	2	1	-	-	1	1	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	2	6	5	2	5	5	4	-	-	-
WHITE------MALE----	1	-	1	4	1	2	2	1	1	-	-	-
FEMALE--	-	1	1	1	4	-	3	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	4	4	11	13	14	21	21	18	11	5	1	-
WHITE------MALE----	2	3	8	8	8	7	7	6	4	1	-	-
FEMALE--	2	1	2	3	5	10	12	10	6	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	1	1	-	-
UTAH ----------	-	-	-	-	1	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	1	3	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	5	5	4	4	7	-	1	-	-
WHITE------MALE----	1	-	-	3	1	-	3	2	-	-	-	-
FEMALE--	-	-	-	1	2	3	-	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
WASHINGTON ----------	41	-	-	-	-	-	-	-	1	1	3	2
WHITE------MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	19	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
WASHINGTON ----------	2	1	2	1	5	8	8	2	4	-	1	-
WHITE------MALE----	1	1	2	-	2	5	4	1	-	-	-	-
FEMALE--	1	-	-	1	2	3	4	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	-	3	1	2	2	1	1	-	1	-
WHITE------MALE----	-	1	-	2	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	1	2	1	-	2	4	3	2	-	-
WHITE------MALE----	1	-	1	-	1	-	-	3	2	-	-	-
FEMALE--	-	1	-	1	-	-	2	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	2	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections with a predominately sexual mode of transmission (A50-A64)												
UNITED STATES -	47	2	-	-	-	2	1	-	1	1	2	3
WHITE------MALE----	11	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	18	2	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	8	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	6	1	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections with a predominately sexual mode of transmission (A50-A64)												
UNITED STATES -	2	2	3	2	4	8	6	2	2	4	-	-
WHITE------MALE----	1	1	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	3	4	-	1	3	-	-
ALL OTHER--MALE----	-	1	-	-	3	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	4	2	1	1	-	-	-
BLACK---MALE----	-	1	-	-	3	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	3	2	1	1	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections with a predominately sexual mode of transmission (A50-A64)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections with a predominately sexual mode of transmission (A50-A64)												
COLORADO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections with a predominately sexual mode of transmission (A50-A64)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections with a predominately sexual mode of transmission (A50-A64)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	1	-	-	1	1	1	1	-	-	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections with a predominately sexual mode of transmission (A50-A64)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections with a predominately sexual mode of transmission (A50-A64)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections with a predominately sexual mode of transmission (A50-A64)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections with a predominately sexual mode of transmission (A50-A64)												
MINNESOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections with a predominately sexual mode of transmission (A50-A64)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections with a predominately sexual mode of transmission (A50-A64)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections with a predominately sexual mode of transmission (A50-A64)												
OHIO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections with a predominately sexual mode of transmission (A50-A64)												
OHIO ----------	-	-	-	1	1	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections with a predominately sexual mode of transmission (A50-A64)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections with a predominately sexual mode of transmission (A50-A64)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	1	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TEXAS ----------	-	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections with a predominately sexual mode of transmission (A50-A64)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections with a predominately sexual mode of transmission (A50-A64)												
WASHINGTON ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
UNITED STATES -	33	2	-	-	-	-	-	-	1	-	1	3
WHITE------MALE----	8	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	12	2	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	1	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Syphilis (A50-A53)												
UNITED STATES -	2	1	3	2	4	6	4	2	1	1	-	-
WHITE------MALE----	1	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	2	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	4	2	1	1	-	-	-
BLACK---MALE----	-	1	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	1	1	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Syphilis (A50-A53)												
COLORADO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Syphilis (A50-A53)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	1	-	-	1	1	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Syphilis (A50-A53)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Syphilis (A50-A53)												
MINNESOTA	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	1	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Syphilis (A50-A53)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
OHIO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Syphilis (A50-A53)												
OHIO ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Syphilis (A50-A53)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TEXAS ----------	-	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Syphilis (A50-A53)												
WASHINGTON ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiovascular syphilis (A52.0)												
UNITED STATES -	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiovascular syphilis (A52.0)												
UNITED STATES -	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiovascular syphilis (A52.0)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiovascular syphilis (A52.0)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiovascular syphilis (A52.0)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiovascular syphilis (A52.0)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiovascular syphilis (A52.0)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiovascular syphilis (A52.0)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiovascular syphilis (A52.0)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiovascular syphilis (A52.0)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiovascular syphilis (A52.0)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiovascular syphilis (A52.0)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiovascular syphilis (A52.0)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiovascular syphilis (A52.0)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiovascular syphilis (A52.0)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiovascular syphilis (A52.0)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiovascular syphilis (A52.0)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiovascular syphilis (A52.0)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neurosyphilis (A52.1-A52.3)												
UNITED STATES -	16	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neurosyphilis (A52.1-A52.3)												
UNITED STATES -	1	-	1	2	3	3	2	2	-	-	-	-
WHITE------MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neurosyphilis (A52.1-A52.3)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neurosyphilis (A52.1-A52.3)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neurosyphilis (A52.1-A52.3)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neurosyphilis (A52.1-A52.3)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	1	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neurosyphilis (A52.1-A52.3)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neurosyphilis (A52.1-A52.3)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neurosyphilis (A52.1-A52.3)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neurosyphilis (A52.1-A52.3)												
MINNESOTA	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neurosyphilis (A52.1-A52.3)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neurosyphilis (A52.1-A52.3)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neurosyphilis (A52.1-A52.3)												
OHIO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neurosyphilis (A52.1-A52.3)												
OHIO ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neurosyphilis (A52.1-A52.3)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neurosyphilis (A52.1-A52.3)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neurosyphilis (A52.1-A52.3)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neurosyphilis (A52.1-A52.3)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
UNITED STATES -	15	2	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	1	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
UNITED STATES -	1	1	1	-	-	3	2	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
COLORADO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)												
WASHINGTON ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gonococcal infection (A54)												
UNITED STATES -	9	-	-	-	-	2	1	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gonococcal infection (A54)												
UNITED STATES -	-	-	-	-	-	1	1	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gonococcal infection (A54)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gonococcal infection (A54)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gonococcal infection (A54)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gonococcal infection (A54)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gonococcal infection (A54)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gonococcal infection (A54)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gonococcal infection (A54)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gonococcal infection (A54)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gonococcal infection (A54)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gonococcal infection (A54)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gonococcal infection (A54)												
OHIO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gonococcal infection (A54)												
OHIO	-	-	-	-	-	-	-	-	-	1	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gonococcal infection (A54)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gonococcal infection (A54)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gonococcal infection (A54)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gonococcal infection (A54)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections with a predominately sexual mode of transmission (A55-A64)												
UNITED STATES -	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections with a predominately sexual mode of transmission (A55-A64)												
UNITED STATES -	-	1	-	-	-	1	1	-	-	2	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections with a predominately sexual mode of transmission (A55-A64)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections with a predominately sexual mode of transmission (A55-A64)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections with a predominately sexual mode of transmission (A55-A64)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections with a predominately sexual mode of transmission (A55-A64)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections with a predominately sexual mode of transmission (A55-A64)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections with a predominately sexual mode of transmission (A55-A64)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections with a predominately sexual mode of transmission (A55-A64)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections with a predominately sexual mode of transmission (A55-A64)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections with a predominately sexual mode of transmission (A55-A64)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections with a predominately sexual mode of transmission (A55-A64)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections with a predominately sexual mode of transmission (A55-A64)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections with a predominately sexual mode of transmission (A55-A64)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections with a predominately sexual mode of transmission (A55-A64)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections with a predominately sexual mode of transmission (A55-A64)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections with a predominately sexual mode of transmission (A55-A64)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections with a predominately sexual mode of transmission (A55-A64)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
UNITED STATES -	20	-	1	-	1	-	-	-	1	1	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
UNITED STATES -	1	1	2	1	2	3	3	1	1	-	-	-
WHITE------MALE----	1	1	1	-	2	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
COLORADO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
KENTUCKY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
KENTUCKY ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
MINNESOTA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	1	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lyme disease (A69.2)												
UNITED STATES -	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lyme disease (A69.2)												
UNITED STATES -	1	-	1	1	-	1	1	1	1	-	-	-
WHITE------MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lyme disease (A69.2)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lyme disease (A69.2)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lyme disease (A69.2)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lyme disease (A69.2)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lyme disease (A69.2)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lyme disease (A69.2)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lyme disease (A69.2)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lyme disease (A69.2)												
MINNESOTA	-	-	-	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lyme disease (A69.2)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lyme disease (A69.2)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lyme disease (A69.2)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lyme disease (A69.2)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lyme disease (A69.2)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lyme disease (A69.2)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lyme disease (A69.2)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lyme disease (A69.2)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhus fever (A75)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhus fever (A75)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhus fever (A75)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhus fever (A75)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhus fever (A75)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhus fever (A75)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhus fever (A75)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhus fever (A75)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhus fever (A75)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhus fever (A75)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhus fever (A75)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhus fever (A75)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhus fever (A75)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhus fever (A75)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhus fever (A75)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhus fever (A75)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Typhus fever (A75)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Typhus fever (A75)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	13	-	1	-	1	-	-	-	1	1	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)												
UNITED STATES -	-	1	1	-	2	2	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
COLORADO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
KENTUCKY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY	-	-	-	-	1	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 325

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
UNITED STATES -	21,080	134	78	60	45	55	189	800	2,060	3,225	3,808	3,359
WHITE------MALE----	8,587	52	34	15	12	17	42	233	781	1,367	1,543	1,416
FEMALE--	3,231	31	16	15	11	12	26	94	195	306	367	366
ALL OTHER--MALE----	6,321	25	17	16	15	11	52	286	689	1,027	1,339	1,197
FEMALE--	2,941	26	11	14	7	15	69	187	395	525	559	380
BLACK---MALE----	6,013	23	17	16	14	10	50	277	670	988	1,294	1,153
FEMALE--	2,768	21	11	14	7	14	68	185	390	518	541	370
ALABAMA ----------	257	3	2	-	2	2	3	15	36	47	40	32
WHITE------MALE----	80	2	2	-	1	-	-	4	6	11	15	10
FEMALE--	34	1	-	-	-	-	-	1	2	4	3	3
ALL OTHER--MALE----	115	-	-	-	-	2	1	5	24	27	16	18
FEMALE--	28	-	-	-	1	-	2	5	4	5	6	1
BLACK---MALE----	114	-	-	-	-	2	1	5	23	27	16	18
FEMALE--	28	-	-	-	1	-	2	5	4	5	6	1
ALASKA ----------	21	-	1	-	-	-	-	-	2	5	5	4
WHITE------MALE----	11	-	1	-	-	-	-	-	1	2	3	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	269	7	-	1	-	1	3	8	21	42	37	39
WHITE------MALE----	194	3	-	1	-	-	2	7	15	32	27	29
FEMALE--	40	3	-	-	-	1	-	-	3	2	4	4
ALL OTHER--MALE----	24	1	-	-	-	-	-	1	3	5	5	4
FEMALE--	11	-	-	-	-	-	1	-	-	3	1	2
BLACK---MALE----	12	1	-	-	-	-	-	-	2	3	1	3
FEMALE--	5	-	-	-	-	-	1	-	-	2	1	-
ARKANSAS ----------	136	-	-	-	-	1	1	7	12	17	18	16
WHITE------MALE----	59	-	-	-	-	1	1	-	5	10	8	8
FEMALE--	28	-	-	-	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	35	-	-	-	-	-	-	4	3	6	5	6
FEMALE--	14	-	-	-	-	-	-	3	3	1	2	2
BLACK---MALE----	35	-	-	-	-	-	-	4	3	6	5	6
FEMALE--	14	-	-	-	-	-	-	3	3	1	2	2
CALIFORNIA ----------	2,627	24	7	8	2	7	14	85	208	347	419	438
WHITE------MALE----	1,512	13	5	5	-	2	8	56	146	234	256	277
FEMALE--	467	6	2	1	1	4	3	8	16	40	38	62
ALL OTHER--MALE----	443	2	-	2	1	-	2	15	34	54	91	72
FEMALE--	205	3	-	-	-	1	1	6	12	19	34	27
BLACK---MALE----	331	2	-	2	1	-	2	12	31	46	78	59
FEMALE--	136	3	-	-	-	1	1	5	12	18	25	23

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
UNITED STATES -	2,178	1,300	797	780	718	587	424	276	146	44	16	1
WHITE------MALE----	1,015	558	348	319	283	235	180	92	39	6	-	-
FEMALE--	229	182	162	215	250	255	200	152	98	35	14	-
ALL OTHER--MALE----	705	423	185	152	99	44	16	16	5	1	-	1
FEMALE--	229	137	102	94	86	53	28	16	4	2	2	-
BLACK---MALE----	666	391	169	128	85	33	11	13	3	1	-	1
FEMALE--	213	125	78	76	60	38	20	12	3	2	2	-
ALABAMA ----------	20	17	8	6	4	9	4	5	2	-	-	-
WHITE------MALE----	8	5	4	3	2	3	2	2	-	-	-	-
FEMALE--	2	3	-	2	2	6	1	2	2	-	-	-
ALL OTHER--MALE----	9	8	4	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	9	8	4	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	-	-	-	-
ALASKA ----------	1	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	39	16	11	11	6	11	10	4	1	1	-	-
WHITE------MALE----	31	14	6	8	5	6	6	2	-	-	-	-
FEMALE--	4	1	4	2	1	3	4	2	1	1	-	-
ALL OTHER--MALE----	2	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	13	9	8	5	10	7	4	4	4	-	-	-
WHITE------MALE----	5	6	5	3	1	3	-	2	1	-	-	-
FEMALE--	3	1	1	1	6	4	4	2	2	-	-	-
ALL OTHER--MALE----	5	2	2	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	5	2	2	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
CALIFORNIA ----------	309	200	107	117	133	94	64	25	14	5	-	-
WHITE------MALE----	184	113	45	53	48	35	21	7	4	-	-	-
FEMALE--	41	31	28	37	49	40	33	14	8	5	-	-
ALL OTHER--MALE----	63	44	16	14	16	8	4	3	2	-	-	-
FEMALE--	21	12	18	13	20	11	6	1	-	-	-	-
BLACK---MALE----	48	30	8	1	7	-	2	2	-	-	-	-
FEMALE--	15	8	8	6	8	2	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
COLORADO ----------	180	1	-	-	-	-	-	2	16	33	37	24
WHITE------MALE----	118	-	-	-	-	-	-	2	13	27	30	17
FEMALE--	37	-	-	-	-	-	-	-	2	4	2	2
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	1	2	5	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	16	-	-	-	-	-	-	-	1	2	5	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
CONNECTICUT ----------	253	-	1	-	3	1	-	10	20	42	50	40
WHITE------MALE----	103	-	-	-	-	-	-	3	8	19	17	14
FEMALE--	48	-	-	-	1	1	-	2	5	4	10	6
ALL OTHER--MALE----	70	-	1	-	2	-	-	5	4	9	14	16
FEMALE--	32	-	-	-	-	-	-	-	3	10	9	4
BLACK---MALE----	70	-	1	-	2	-	-	5	4	9	14	16
FEMALE--	32	-	-	-	-	-	-	-	3	10	9	4
DELAWARE ----------	71	-	-	-	-	-	1	2	4	13	18	14
WHITE------MALE----	17	-	-	-	-	-	-	-	-	3	5	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	35	-	-	-	-	-	1	1	4	6	7	10
FEMALE--	15	-	-	-	-	-	-	1	-	4	5	1
BLACK---MALE----	34	-	-	-	-	-	1	1	4	5	7	10
FEMALE--	15	-	-	-	-	-	-	1	-	4	5	1
DISTRICT OF COLUMBIA ---	284	1	1	-	-	-	4	12	32	44	56	52
WHITE------MALE----	29	-	-	-	-	-	-	1	3	6	7	4
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	184	1	1	-	-	-	-	8	18	23	34	40
FEMALE--	69	-	-	-	-	-	4	3	10	15	15	8
BLACK---MALE----	184	1	1	-	-	-	-	8	18	23	34	40
FEMALE--	69	-	-	-	-	-	4	3	10	15	15	8
FLORIDA ----------	2,147	6	5	5	6	5	24	101	236	349	398	289
WHITE------MALE----	840	-	1	-	-	-	7	30	74	135	149	135
FEMALE--	289	2	1	-	3	-	1	8	21	25	30	29
ALL OTHER--MALE----	613	1	2	2	-	1	5	26	72	98	145	82
FEMALE--	405	3	1	3	3	4	11	37	69	91	74	43
BLACK---MALE----	606	1	2	2	-	1	5	25	72	97	145	81
FEMALE--	404	3	1	3	3	4	11	37	69	91	74	43
GEORGIA ----------	921	5	4	5	1	1	14	61	130	162	174	144
WHITE------MALE----	192	1	1	1	1	-	2	10	27	34	35	21
FEMALE--	64	-	1	-	-	-	1	4	5	4	11	4
ALL OTHER--MALE----	474	1	1	1	-	1	5	30	74	88	96	88
FEMALE--	191	3	1	3	-	-	6	17	24	36	32	31
BLACK---MALE----	471	1	1	1	-	1	5	30	74	88	96	85
FEMALE--	190	3	1	3	-	-	6	17	24	35	32	31

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
COLORADO ----------	24	6	3	10	3	11	4	2	3	1	-	-
WHITE------MALE----	13	2	1	4	3	4	-	1	1	-	-	-
FEMALE--	7	3	-	3	-	6	4	1	2	1	-	-
ALL OTHER--MALE----	4	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	1	-	-	-	-	-	-
BLACK---MALE----	4	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	26	23	9	7	4	9	3	3	1	1	-	-
WHITE------MALE----	11	9	7	5	2	3	3	2	-	-	-	-
FEMALE--	3	4	1	1	2	5	-	1	1	1	-	-
ALL OTHER--MALE----	9	8	1	1	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	9	8	1	1	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	9	5	3	1	-	-	-	1	-	-	-	-
WHITE------MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	38	20	9	6	3	3	2	1	-	-	-	-
WHITE------MALE----	3	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	16	6	4	2	3	1	-	-	-	-	-
FEMALE--	8	1	1	2	-	-	1	1	-	-	-	-
BLACK---MALE----	27	16	6	4	2	3	1	-	-	-	-	-
FEMALE--	8	1	1	2	-	-	1	1	-	-	-	-
FLORIDA ----------	185	131	103	89	74	60	48	25	6	1	1	-
WHITE------MALE----	97	60	37	32	25	18	25	14	1	-	-	-
FEMALE--	11	16	22	23	25	35	21	9	5	1	1	-
ALL OTHER--MALE----	54	41	30	28	17	5	2	2	-	-	-	-
FEMALE--	23	14	14	6	7	2	-	-	-	-	-	-
BLACK---MALE----	52	41	30	28	15	5	2	2	-	-	-	-
FEMALE--	23	14	13	6	7	2	-	-	-	-	-	-
GEORGIA ----------	83	48	26	21	18	8	6	9	-	1	-	-
WHITE------MALE----	21	13	8	3	8	1	2	3	-	-	-	-
FEMALE--	4	7	3	3	2	5	3	6	-	1	-	-
ALL OTHER--MALE----	43	21	10	10	4	1	-	-	-	-	-	-
FEMALE--	15	7	5	5	4	1	1	-	-	-	-	-
BLACK---MALE----	43	21	10	10	4	1	-	-	-	-	-	-
FEMALE--	15	7	5	5	4	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
HAWAII ----------	56	-	-	-	-	1	1	-	4	6	11	9
WHITE------MALE----	18	-	-	-	-	-	-	-	-	3	2	7
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	25	-	-	-	-	1	-	-	3	2	7	2
FEMALE--	11	-	-	-	-	-	1	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	31	-	-	-	-	-	-	-	1	4	3	5
WHITE------MALE----	18	-	-	-	-	-	-	-	1	3	1	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	753	10	5	3	-	-	7	24	70	115	134	135
WHITE------MALE----	251	4	-	-	-	-	2	7	25	39	42	38
FEMALE--	98	2	3	2	-	-	-	2	2	7	6	7
ALL OTHER--MALE----	302	3	1	-	-	-	2	10	28	52	68	77
FEMALE--	102	1	1	1	-	-	3	5	15	17	18	13
BLACK---MALE----	295	2	1	-	-	-	2	10	28	52	67	75
FEMALE--	102	1	1	1	-	-	3	5	15	17	18	13
INDIANA ----------	213	5	2	-	1	1	-	5	24	27	33	28
WHITE------MALE----	124	3	1	-	-	-	-	2	18	18	19	13
FEMALE--	44	1	1	-	1	1	-	1	1	1	4	6
ALL OTHER--MALE----	34	1	-	-	-	-	-	2	4	6	9	6
FEMALE--	11	-	-	-	-	-	-	-	1	2	1	3
BLACK---MALE----	34	1	-	-	-	-	-	2	4	6	9	6
FEMALE--	9	-	-	-	-	-	-	-	1	2	1	3
IOWA ----------	71	1	1	1	-	-	-	1	8	6	7	10
WHITE------MALE----	42	1	-	-	-	-	-	1	4	4	6	7
FEMALE--	23	-	1	-	-	-	-	-	3	1	-	2
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	1	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
KANSAS ----------	99	2	2	-	-	-	-	2	8	8	15	15
WHITE------MALE----	51	-	1	-	-	-	-	1	7	4	11	7
FEMALE--	32	-	1	-	-	-	-	-	1	1	3	3
ALL OTHER--MALE----	11	1	-	-	-	-	-	1	-	3	1	3
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	10	1	-	-	-	-	-	1	-	3	1	3
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
HAWAII ----------	9	5	6	2	1	1	-	-	-	-	-	-
WHITE------MALE----	3	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	3	1	3	1	-	1	1	2	1	-	-
WHITE------MALE----	4	3	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	71	47	24	18	26	17	21	15	8	2	1	-
WHITE------MALE----	29	14	13	10	9	8	6	3	1	1	-	-
FEMALE--	2	6	4	3	12	8	12	11	7	1	1	-
ALL OTHER--MALE----	30	20	4	3	2	1	-	1	-	-	-	-
FEMALE--	10	7	3	2	3	-	3	-	-	-	-	-
BLACK---MALE----	30	20	4	2	1	1	-	-	-	-	-	-
FEMALE--	10	7	3	2	3	-	3	-	-	-	-	-
INDIANA ----------	23	6	9	13	9	7	10	6	1	1	2	-
WHITE------MALE----	15	3	7	10	4	4	3	3	1	-	-	-
FEMALE--	4	2	1	2	2	3	7	3	-	1	2	-
ALL OTHER--MALE----	2	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
IOWA ----------	5	5	4	5	5	7	-	3	1	-	1	-
WHITE------MALE----	4	2	2	2	4	4	-	1	-	-	-	-
FEMALE--	1	2	2	3	1	3	-	2	1	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	10	5	4	6	3	3	9	1	5	1	-	-
WHITE------MALE----	7	3	3	3	-	1	2	-	1	-	-	-
FEMALE--	3	1	1	3	2	1	6	1	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
KENTUCKY ----------	145	1	-	-	-	1	-	3	12	16	33	27
WHITE------MALE----	73	1	-	-	-	1	-	1	4	9	17	17
FEMALE--	36	-	-	-	-	-	-	-	6	-	5	4
ALL OTHER--MALE----	25	-	-	-	-	-	-	2	1	5	8	5
FEMALE--	11	-	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	24	-	-	-	-	-	-	2	1	5	8	5
FEMALE--	10	-	-	-	-	-	-	-	1	2	3	1
LOUISIANA ----------	530	3	1	1	1	2	6	29	71	87	99	80
WHITE------MALE----	171	1	-	-	-	1	1	2	10	29	38	33
FEMALE--	53	-	-	1	-	-	-	1	5	9	2	2
ALL OTHER--MALE----	217	-	-	-	1	-	1	15	34	40	45	35
FEMALE--	89	2	1	-	-	1	4	11	22	9	14	10
BLACK---MALE----	217	-	-	-	1	-	1	15	34	40	45	35
FEMALE--	88	2	1	-	-	1	4	11	22	9	14	9
MAINE ----------	39	-	-	-	-	-	1	2	3	4	3	7
WHITE------MALE----	24	-	-	-	-	-	1	-	1	4	3	6
FEMALE--	13	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	713	5	1	2	4	1	5	23	72	132	162	121
WHITE------MALE----	101	-	1	-	-	-	-	2	10	11	18	20
FEMALE--	43	1	-	-	-	-	-	2	7	-	4	3
ALL OTHER--MALE----	383	1	-	2	4	1	2	8	31	78	100	76
FEMALE--	186	3	-	-	-	-	3	11	24	43	40	22
BLACK---MALE----	381	1	-	2	4	1	2	8	31	78	100	76
FEMALE--	180	3	-	-	-	-	3	11	24	43	39	21
MASSACHUSETTS ----------	392	2	-	1	1	2	7	7	31	52	82	63
WHITE------MALE----	222	1	-	-	1	1	1	2	15	29	53	42
FEMALE--	97	1	-	1	-	-	1	3	9	14	10	9
ALL OTHER--MALE----	46	-	-	-	-	1	3	1	1	5	16	10
FEMALE--	27	-	-	-	-	-	2	1	6	4	3	2
BLACK---MALE----	43	-	-	-	-	1	2	1	1	5	16	10
FEMALE--	25	-	-	-	-	-	2	1	6	4	3	2
MICHIGAN ----------	404	2	1	2	2	-	4	13	36	56	69	69
WHITE------MALE----	141	1	-	1	1	-	-	3	14	20	29	21
FEMALE--	70	-	-	-	-	-	-	2	2	3	5	7
ALL OTHER--MALE----	148	1	-	1	1	-	3	7	16	26	26	32
FEMALE--	45	-	1	-	-	-	1	1	4	7	9	9
BLACK---MALE----	145	1	-	1	-	-	3	7	15	26	26	32
FEMALE--	43	-	1	-	-	-	1	1	4	7	9	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
KENTUCKY ----------	11	7	8	2	10	4	5	3	1	1	-	-
WHITE------MALE----	4	4	4	-	6	2	2	1	-	-	-	-
FEMALE--	3	1	4	2	4	1	2	2	1	1	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
LOUISIANA ----------	39	27	19	17	20	10	8	5	5	-	-	-
WHITE------MALE----	18	7	7	5	8	5	3	-	3	-	-	-
FEMALE--	3	3	5	6	5	4	3	3	1	-	-	-
ALL OTHER--MALE----	17	15	5	4	4	-	-	-	1	-	-	-
FEMALE--	1	2	2	2	3	1	2	2	-	-	-	-
BLACK---MALE----	17	15	5	4	4	-	-	-	1	-	-	-
FEMALE--	1	2	2	2	3	1	2	2	-	-	-	-
MAINE ----------	2	1	3	3	1	2	3	3	1	-	-	-
WHITE------MALE----	1	1	3	2	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	71	36	19	15	15	12	8	2	6	1	-	-
WHITE------MALE----	13	5	1	2	5	8	1	-	4	-	-	-
FEMALE--	2	5	5	2	2	2	4	2	2	-	-	-
ALL OTHER--MALE----	41	21	9	6	3	-	-	-	-	-	-	-
FEMALE--	15	5	4	5	5	2	3	-	-	1	-	-
BLACK---MALE----	40	21	9	5	3	-	-	-	-	-	-	-
FEMALE--	15	5	4	4	3	2	2	-	-	1	-	-
MASSACHUSETTS ----------	39	16	8	19	14	14	13	12	4	5	-	-
WHITE------MALE----	22	11	2	14	6	11	6	2	1	2	-	-
FEMALE--	11	5	4	3	4	2	5	10	3	2	-	-
ALL OTHER--MALE----	5	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	2	3	-	1	-	-	1	-	-
BLACK---MALE----	4	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	2	2	-	-	-	-	1	-	-
MICHIGAN ----------	38	27	13	11	20	13	10	8	7	2	1	-
WHITE------MALE----	11	13	6	3	8	4	3	2	1	-	-	-
FEMALE--	5	4	4	4	8	7	6	5	5	2	1	-
ALL OTHER--MALE----	17	9	3	1	3	1	-	-	1	-	-	-
FEMALE--	5	1	-	3	1	1	1	1	-	-	-	-
BLACK---MALE----	17	9	3	1	2	1	-	-	1	-	-	-
FEMALE--	5	-	-	2	1	1	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
MINNESOTA ----------	149	2	-	-	-	1	2	1	17	16	19	22
WHITE------MALE----	83	1	-	-	-	1	1	1	7	9	11	13
FEMALE--	31	-	-	-	-	-	1	-	1	3	2	3
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	7	3	4	5
FEMALE--	9	1	-	-	-	-	-	-	2	1	2	1
BLACK---MALE----	19	-	-	-	-	-	-	-	6	3	3	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1
MISSISSIPPI ----------	206	1	1	1	-	1	3	23	23	28	35	26
WHITE------MALE----	40	-	-	-	-	-	1	2	2	5	8	8
FEMALE--	22	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	105	-	1	1	-	-	1	14	15	16	19	11
FEMALE--	39	1	-	-	-	1	1	7	6	5	6	4
BLACK---MALE----	105	-	1	1	-	-	1	14	15	16	19	11
FEMALE--	38	-	-	-	-	1	1	7	6	5	6	4
MISSOURI ----------	265	5	2	1	-	1	1	9	28	44	44	42
WHITE------MALE----	136	3	1	-	-	-	-	2	18	22	21	24
FEMALE--	40	1	-	1	-	-	-	1	1	-	9	1
ALL OTHER--MALE----	64	1	-	-	-	-	-	4	7	18	12	13
FEMALE--	25	-	1	-	-	1	1	2	2	4	2	4
BLACK---MALE----	61	1	-	-	-	-	-	4	7	18	11	11
FEMALE--	25	-	1	-	-	1	1	2	2	4	2	4
MONTANA ----------	26	-	-	-	-	-	1	-	2	4	1	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	2	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	50	2	2	1	-	1	-	-	3	12	5	3
WHITE------MALE----	33	1	2	-	-	1	-	-	2	9	3	2
FEMALE--	11	1	-	1	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	159	3	1	-	-	-	1	6	12	30	24	18
WHITE------MALE----	101	1	1	-	-	-	-	4	6	21	14	12
FEMALE--	15	-	-	-	-	-	1	1	-	2	-	-
ALL OTHER--MALE----	29	1	-	-	-	-	-	1	3	7	6	4
FEMALE--	14	1	-	-	-	-	-	-	3	-	4	2
BLACK---MALE----	27	1	-	-	-	-	-	1	3	6	5	4
FEMALE--	10	1	-	-	-	-	-	-	3	-	4	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
MINNESOTA ----------	19	12	6	7	7	7	6	3	1	1	-	-
WHITE------MALE----	12	6	3	3	5	4	2	3	-	1	-	-
FEMALE--	2	4	2	3	2	3	4	-	1	-	-	-
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	22	11	10	8	4	3	1	2	3	-	-	-
WHITE------MALE----	4	1	4	1	2	-	-	-	2	-	-	-
FEMALE--	4	4	1	3	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	14	4	3	2	2	1	1	-	-	-	-	-
FEMALE--	-	2	2	2	-	1	-	1	-	-	-	-
BLACK---MALE----	14	4	3	2	2	1	1	-	-	-	-	-
FEMALE--	-	2	2	2	-	1	-	1	-	-	-	-
MISSOURI ----------	20	7	10	14	9	8	7	6	5	2	-	-
WHITE------MALE----	14	2	6	9	6	1	3	3	-	1	-	-
FEMALE--	2	1	2	4	3	4	3	2	4	1	-	-
ALL OTHER--MALE----	4	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	3	1	1	1	-	-	-
BLACK---MALE----	4	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	3	1	1	1	-	-	-
MONTANA ----------	1	4	1	-	3	3	3	1	-	-	-	-
WHITE------MALE----	-	1	1	-	1	3	2	-	-	-	-	-
FEMALE--	-	3	-	-	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	3	3	3	4	2	2	1	-	-	-	-
WHITE------MALE----	3	2	1	2	2	1	2	-	-	-	-	-
FEMALE--	-	-	2	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	20	10	8	12	7	3	1	2	-	-	-	1
WHITE------MALE----	15	7	6	6	6	1	1	-	-	-	-	-
FEMALE--	3	1	1	3	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	2	1	1	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	1	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
NEW HAMPSHIRE ----------	29	-	1	-	-	-	1	1	2	2	3	6
WHITE------MALE----	17	-	-	-	-	-	1	1	1	1	2	6
FEMALE--	11	-	1	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,063	1	5	4	4	2	5	31	100	184	229	190
WHITE------MALE----	296	-	-	1	1	-	2	3	28	42	56	57
FEMALE--	144	1	1	-	1	-	1	6	18	21	25	15
ALL OTHER--MALE----	392	-	2	3	1	-	-	12	24	70	100	83
FEMALE--	231	-	2	-	1	2	2	10	30	51	48	35
BLACK---MALE----	388	-	2	3	1	-	-	12	24	69	98	83
FEMALE--	229	-	2	-	1	2	2	10	30	51	48	35
NEW MEXICO ----------	94	-	-	1	1	1	-	1	7	11	16	13
WHITE------MALE----	56	-	-	-	1	-	-	-	4	9	8	10
FEMALE--	26	-	-	1	-	-	-	1	1	-	4	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	2	3	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2,819	6	11	6	6	6	21	83	238	402	572	518
WHITE------MALE----	996	2	5	-	1	2	1	15	80	150	208	176
FEMALE--	445	-	-	3	1	1	5	18	38	79	86	75
ALL OTHER--MALE----	907	3	5	1	3	2	7	32	64	105	172	197
FEMALE--	471	1	1	2	1	1	8	18	56	68	106	70
BLACK---MALE----	877	3	5	1	3	2	7	32	63	102	169	190
FEMALE--	464	1	1	2	1	1	8	18	55	68	105	70
NORTH CAROLINA ---------	610	5	2	3	1	3	13	25	64	104	106	110
WHITE------MALE----	157	-	1	-	1	1	2	5	15	28	26	25
FEMALE--	63	1	-	-	-	-	1	2	3	7	10	6
ALL OTHER--MALE----	264	2	1	-	-	1	3	8	32	47	47	66
FEMALE--	126	2	-	3	-	1	7	10	14	22	23	13
BLACK---MALE----	258	2	1	-	-	1	3	7	31	46	46	65
FEMALE--	124	2	-	3	-	1	7	10	14	22	23	13
NORTH DAKOTA ----------	15	-	-	-	-	-	-	1	-	2	-	2
WHITE------MALE----	6	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
NEW HAMPSHIRE ----------	3	1	2	2	1	3	-	-	-	1	-	-
WHITE------MALE----	2	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	110	62	28	35	31	19	12	7	4	-	-	-
WHITE------MALE----	38	20	8	11	11	8	8	2	-	-	-	-
FEMALE--	12	4	4	6	12	5	3	5	4	-	-	-
ALL OTHER--MALE----	44	24	11	11	5	2	-	-	-	-	-	-
FEMALE--	16	14	5	7	3	4	1	-	-	-	-	-
BLACK---MALE----	44	24	11	10	5	2	-	-	-	-	-	-
FEMALE--	16	13	5	7	3	3	1	-	-	-	-	-
NEW MEXICO ----------	12	7	4	7	6	4	2	-	-	1	-	-
WHITE------MALE----	9	3	2	3	3	3	1	-	-	-	-	-
FEMALE--	2	3	2	4	3	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	387	213	87	93	61	60	26	14	5	3	1	-
WHITE------MALE----	151	78	38	30	20	20	13	5	1	-	-	-
FEMALE--	44	14	8	15	15	22	10	7	2	2	-	-
ALL OTHER--MALE----	135	90	28	36	16	7	1	2	-	1	-	-
FEMALE--	57	31	13	12	10	11	2	-	2	-	1	-
BLACK---MALE----	135	85	26	31	15	5	1	1	-	1	-	-
FEMALE--	57	30	13	12	8	10	2	-	1	-	1	-
NORTH CAROLINA ---------	51	25	20	22	18	15	8	7	5	2	1	-
WHITE------MALE----	15	8	7	6	3	6	3	3	2	-	-	-
FEMALE--	1	3	2	8	4	6	3	1	2	2	1	-
ALL OTHER--MALE----	30	8	7	4	6	1	1	-	-	-	-	-
FEMALE--	5	6	4	4	5	2	1	3	1	-	-	-
BLACK---MALE----	30	8	6	4	6	1	1	-	-	-	-	-
FEMALE--	5	6	4	4	4	2	1	2	1	-	-	-
NORTH DAKOTA ----------	-	1	-	2	-	1	2	2	2	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
OHIO ----------	439	3	3	1	-	1	1	18	43	65	66	64
WHITE------MALE----	204	-	1	1	-	1	-	8	21	38	29	32
FEMALE--	90	2	2	-	-	-	1	5	4	6	3	7
ALL OTHER--MALE----	110	-	-	-	-	-	-	3	14	20	26	20
FEMALE--	35	1	-	-	-	-	-	2	4	1	8	5
BLACK---MALE----	109	-	-	-	-	-	-	3	14	20	26	20
FEMALE--	32	1	-	-	-	-	-	2	4	1	8	5
OKLAHOMA ----------	184	1	-	-	-	3	1	7	19	27	33	27
WHITE------MALE----	100	-	-	-	-	1	-	3	14	15	25	10
FEMALE--	46	-	-	-	-	2	-	1	2	3	6	11
ALL OTHER--MALE----	22	-	-	-	-	-	-	3	3	6	-	3
FEMALE--	16	1	-	-	-	-	1	-	-	3	2	3
BLACK---MALE----	16	-	-	-	-	-	-	2	2	4	-	2
FEMALE--	10	-	-	-	-	-	1	-	-	2	2	3
OREGON ----------	157	1	-	-	-	-	-	2	15	20	23	33
WHITE------MALE----	106	-	-	-	-	-	-	1	14	15	16	25
FEMALE--	30	1	-	-	-	-	-	-	-	1	5	5
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	1	4	2	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	742	5	1	4	-	2	5	21	68	104	133	120
WHITE------MALE----	249	2	1	2	-	1	-	6	17	36	42	40
FEMALE--	132	1	-	1	-	1	2	4	8	10	11	15
ALL OTHER--MALE----	248	2	-	-	-	-	3	5	24	31	57	53
FEMALE--	113	-	-	1	-	-	-	6	19	27	23	12
BLACK---MALE----	242	2	-	-	-	-	3	5	24	31	55	52
FEMALE--	112	-	-	1	-	-	-	6	19	27	23	12
RHODE ISLAND ----------	60	-	-	-	-	-	-	-	2	14	10	12
WHITE------MALE----	38	-	-	-	-	-	-	-	2	6	7	10
FEMALE--	12	-	-	-	-	-	-	-	-	4	2	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
SOUTH CAROLINA ---------	410	-	1	-	3	-	3	20	56	68	67	68
WHITE------MALE----	104	-	1	-	-	-	-	2	4	19	17	20
FEMALE--	45	-	-	-	2	-	-	1	1	2	4	4
ALL OTHER--MALE----	177	-	-	-	1	-	2	12	35	30	30	31
FEMALE--	84	-	-	-	-	-	1	5	16	17	16	13
BLACK---MALE----	176	-	-	-	1	-	2	12	35	30	29	31
FEMALE--	82	-	-	-	-	-	1	5	16	17	16	13

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
OHIO ----------	34	19	22	23	20	20	15	15	5	-	1	-
WHITE------MALE----	17	8	9	8	10	9	5	6	1	-	-	-
FEMALE--	5	2	5	8	7	9	10	9	4	-	1	-
ALL OTHER--MALE----	10	5	5	5	2	-	-	-	-	-	-	-
FEMALE--	2	4	3	2	1	2	-	-	-	-	-	-
BLACK---MALE----	9	5	5	5	2	-	-	-	-	-	-	-
FEMALE--	2	4	1	2	-	2	-	-	-	-	-	-
OKLAHOMA ----------	13	12	8	8	10	6	4	3	1	-	1	-
WHITE------MALE----	6	8	5	2	6	3	1	1	-	-	-	-
FEMALE--	4	3	1	5	3	1	1	1	1	-	1	-
ALL OTHER--MALE----	3	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	1	1	-	-	-	-
BLACK---MALE----	2	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
OREGON ----------	19	11	6	9	2	7	3	2	3	1	-	-
WHITE------MALE----	13	9	2	4	1	4	-	-	2	-	-	-
FEMALE--	3	-	2	4	1	2	2	2	1	1	-	-
ALL OTHER--MALE----	2	2	2	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	80	45	21	20	33	31	21	14	11	2	1	-
WHITE------MALE----	29	15	9	8	13	8	12	5	2	1	-	-
FEMALE--	5	6	3	7	14	19	7	7	9	1	1	-
ALL OTHER--MALE----	34	18	6	3	6	3	2	1	-	-	-	-
FEMALE--	12	6	3	2	-	1	-	1	-	-	-	-
BLACK---MALE----	33	17	6	3	6	3	1	1	-	-	-	-
FEMALE--	12	6	3	1	-	1	-	1	-	-	-	-
RHODE ISLAND ----------	7	4	4	2	2	1	-	1	1	-	-	-
WHITE------MALE----	4	1	2	2	2	-	-	1	1	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	33	20	20	16	9	10	8	5	2	-	1	-
WHITE------MALE----	12	5	6	5	1	5	5	1	1	-	-	-
FEMALE--	2	3	4	5	7	2	3	4	1	-	-	-
ALL OTHER--MALE----	18	7	6	3	1	1	-	-	-	-	-	-
FEMALE--	1	5	4	3	-	2	-	-	-	-	1	-
BLACK---MALE----	18	7	6	3	1	1	-	-	-	-	-	-
FEMALE--	-	5	3	3	-	2	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
SOUTH DAKOTA ----------	19	1	-	-	-	-	-	-	1	2	4	1
WHITE------MALE----	8	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	416	2	3	1	2	2	2	25	43	78	69	58
WHITE------MALE----	169	1	1	-	2	2	-	5	9	33	31	26
FEMALE--	65	1	1	-	-	-	-	5	2	4	4	6
ALL OTHER--MALE----	133	-	1	1	-	-	1	12	20	25	26	23
FEMALE--	49	-	-	-	-	-	1	3	12	16	8	3
BLACK---MALE----	132	-	1	1	-	-	1	12	20	24	26	23
FEMALE--	49	-	-	-	-	-	1	3	12	16	8	3
TEXAS ----------	1,621	6	4	6	2	4	32	83	183	257	307	226
WHITE------MALE----	833	1	2	2	-	1	9	29	93	151	168	111
FEMALE--	252	2	-	3	1	-	7	8	13	21	31	36
ALL OTHER--MALE----	376	2	1	1	-	1	8	27	56	60	80	61
FEMALE--	160	1	1	-	1	2	8	19	21	25	28	18
BLACK---MALE----	363	2	1	1	-	1	8	27	55	57	78	59
FEMALE--	154	-	1	-	1	2	8	19	21	25	27	17
UTAH ----------	70	2	1	-	-	-	-	-	3	13	7	11
WHITE------MALE----	39	1	1	-	-	-	-	-	3	9	5	7
FEMALE--	24	1	-	-	-	-	-	-	-	4	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT ----------	26	1	1	-	-	-	-	-	3	4	4	3
WHITE------MALE----	19	1	1	-	-	-	-	-	3	3	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	371	3	3	-	1	-	1	13	48	53	72	58
WHITE------MALE----	121	3	2	-	1	-	-	2	14	14	20	21
FEMALE--	42	-	1	-	-	-	-	2	5	3	5	3
ALL OTHER--MALE----	149	-	-	-	-	-	1	6	20	27	38	25
FEMALE--	59	-	-	-	-	-	-	3	9	9	9	9
BLACK---MALE----	147	-	-	-	-	-	1	6	20	27	37	25
FEMALE--	56	-	-	-	-	-	-	3	9	9	9	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
SOUTH DAKOTA ----------	-	2	2	1	-	1	1	1	-	2	-	-
WHITE------MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	33	20	23	18	17	9	5	5	1	-	-	-
WHITE------MALE----	17	10	10	8	5	5	2	2	-	-	-	-
FEMALE--	5	5	9	5	9	3	3	2	1	-	-	-
ALL OTHER--MALE----	10	5	4	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	3	2	-	-	-	-	-	-	-
BLACK---MALE----	10	5	4	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	3	2	-	-	-	-	-	-	-
TEXAS ----------	147	102	65	51	51	39	29	13	12	1	1	-
WHITE------MALE----	85	53	36	28	21	16	20	4	3	-	-	-
FEMALE--	16	16	16	17	20	20	9	5	9	1	1	-
ALL OTHER--MALE----	31	27	9	5	2	2	-	3	-	-	-	-
FEMALE--	15	6	4	1	8	1	-	1	-	-	-	-
BLACK---MALE----	30	24	9	4	2	2	-	3	-	-	-	-
FEMALE--	13	6	3	1	8	1	-	1	-	-	-	-
UTAH ----------	9	1	4	1	7	2	4	3	2	-	-	-
WHITE------MALE----	6	1	2	1	-	1	1	-	1	-	-	-
FEMALE--	1	-	2	-	6	1	3	3	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	1	2	1	-	-	2	-	-	-	-	-
WHITE------MALE----	4	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	33	21	15	10	13	8	7	10	1	-	1	-
WHITE------MALE----	16	11	5	4	4	-	2	1	1	-	-	-
FEMALE--	-	2	1	1	4	5	3	6	-	-	1	-
ALL OTHER--MALE----	13	6	5	2	2	2	-	2	-	-	-	-
FEMALE--	4	2	4	3	3	1	2	1	-	-	-	-
BLACK---MALE----	13	5	5	2	2	2	-	2	-	-	-	-
FEMALE--	3	2	4	3	1	1	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
WASHINGTON ----------	279	2	1	1	1	-	1	8	13	36	38	40
WHITE------MALE----	173	-	1	1	1	-	-	4	10	27	23	28
FEMALE--	61	1	-	-	-	-	1	2	2	4	6	6
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	1	5	6	6
FEMALE--	14	1	-	-	-	-	-	1	-	-	3	-
BLACK---MALE----	20	-	-	-	-	-	-	1	1	2	6	4
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
WEST VIRGINIA ----------	51	-	-	-	-	-	-	4	4	9	1	7
WHITE------MALE----	28	-	-	-	-	-	-	3	3	5	-	4
FEMALE--	17	-	-	-	-	-	-	1	-	2	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
WISCONSIN ----------	131	4	1	1	1	-	-	6	6	20	17	17
WHITE------MALE----	69	3	-	-	-	-	-	2	3	9	9	11
FEMALE--	33	1	-	-	-	-	-	1	1	2	1	2
ALL OTHER--MALE----	22	-	-	-	1	-	-	3	2	7	6	2
FEMALE--	7	-	1	1	-	-	-	-	-	2	1	2
BLACK---MALE----	18	-	-	-	1	-	-	3	2	4	5	2
FEMALE--	7	-	1	1	-	-	-	-	-	2	1	2
WYOMING ----------	7	-	-	-	-	1	-	-	-	2	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
WASHINGTON ----------	40	16	11	20	10	13	14	9	3	1	1	-
WHITE------MALE----	29	7	6	9	7	8	8	4	-	-	-	-
FEMALE--	3	6	3	5	2	5	6	4	3	1	1	-
ALL OTHER--MALE----	7	2	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	4	-	-	-	1	-	-	-	-
BLACK---MALE----	2	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	4	4	2	3	2	1	5	-	-	1	-
WHITE------MALE----	2	3	4	-	2	1	1	-	-	-	-	-
FEMALE--	2	1	-	2	1	1	-	4	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WISCONSIN ----------	4	5	4	6	8	8	7	7	7	2	-	-
WHITE------MALE----	3	3	4	3	5	6	2	3	3	-	-	-
FEMALE--	-	2	-	3	3	2	5	4	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	-	1	-	-	-	-	1	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rabies (A82)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rabies (A82)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rabies (A82)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rabies (A82)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rabies (A82)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rabies (A82)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rabies (A82)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rabies (A82)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rabies (A82)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rabies (A82)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rabies (A82)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rabies (A82)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rabies (A82)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rabies (A82)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rabies (A82)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rabies (A82)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rabies (A82)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rabies (A82)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
UNITED STATES -	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
UNITED STATES -	-	-	-	1	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	1	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Yellow fever (A95)												
UNITED STATES -	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Yellow fever (A95)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Yellow fever (A95)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Yellow fever (A95)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Yellow fever (A95)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Yellow fever (A95)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Yellow fever (A95)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Yellow fever (A95)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Yellow fever (A95)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Yellow fever (A95)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Yellow fever (A95)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Yellow fever (A95)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Yellow fever (A95)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Yellow fever (A95)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Yellow fever (A95)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Yellow fever (A95)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Yellow fever (A95)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Yellow fever (A95)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
UNITED STATES -	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Herpesviral (herpes simplex) infections (B00)												
UNITED STATES -	145	15	3	-	3	3	-	-	1	2	1	6
WHITE------MALE----	52	9	2	-	-	1	-	-	1	2	-	1
FEMALE--	69	-	1	-	1	2	-	-	-	-	-	3
ALL OTHER--MALE----	11	3	-	-	2	-	-	-	-	-	-	1
FEMALE--	13	3	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	11	3	-	-	2	-	-	-	-	-	-	1
FEMALE--	10	2	-	-	-	-	-	-	-	-	1	1
ALABAMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	15	2	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	7	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Herpesviral (herpes simplex) infections (B00)												
UNITED STATES -	7	7	8	13	21	22	13	9	8	2	1	-
WHITE------MALE----	3	-	3	5	8	8	2	4	2	1	-	-
FEMALE--	2	3	5	8	12	13	9	4	5	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	2	-	-	-	-	-
FEMALE--	2	2	-	-	1	-	-	1	1	-	1	-
BLACK---MALE----	-	2	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	2	-	-	1	-	-	-	1	-	1	-
ALABAMA ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	4	-	3	3	1	-	-	-	-	-
WHITE------MALE----	1	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	3	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Herpesviral (herpes simplex) infections (B00)												
COLORADO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	6	-	-	-	1	-	-	-	-	-	1	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	5	1	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Herpesviral (herpes simplex) infections (B00)												
COLORADO ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	1	1	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Herpesviral (herpes simplex) infections (B00)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	7	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	5	-	1	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Herpesviral (herpes simplex) infections (B00)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	1	-	-	2	-	2	1	-	-	-	-
WHITE--MALE	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	-	-	-	-	-	-
INDIANA	1	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	2	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Herpesviral (herpes simplex) infections (B00)												
KENTUCKY ----------	4	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Herpesviral (herpes simplex) infections (B00)												
KENTUCKY ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	-	1	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Herpesviral (herpes simplex) infections (B00)												
MINNESOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Herpesviral (herpes simplex) infections (B00)												
MINNESOTA ----------	-	-	-	1	-	1	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	2	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Herpesviral (herpes simplex) infections (B00)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	9	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Herpesviral (herpes simplex) infections (B00)												
NEW HAMPSHIRE ----------	-	-	-	2	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	1	-	1	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	-	1	1	-	1	1	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Herpesviral (herpes simplex) infections (B00)												
OHIO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	8	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Herpesviral (herpes simplex) infections (B00)												
OHIO ----------	-	-	-	-	2	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	1	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Herpesviral (herpes simplex) infections (B00)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	6	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Herpesviral (herpes simplex) infections (B00)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	1	1	2	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Herpesviral (herpes simplex) infections (B00)												
WASHINGTON ----------	3	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Herpesviral (herpes simplex) infections (B00)												
WASHINGTON ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	1	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoster (herpes zoster) (B02)												
UNITED STATES -	152	1	-	-	-	-	-	-	2	2	-	1
WHITE------MALE----	45	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	101	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoster (herpes zoster) (B02)												
UNITED STATES -	-	4	1	2	9	16	29	34	26	19	6	-
WHITE------MALE----	-	1	-	2	5	5	13	9	3	3	-	-
FEMALE--	-	2	-	-	3	11	15	24	23	15	6	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	1	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALABAMA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	1	2	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	1	1	2	-	2	2	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoster (herpes zoster) (B02)												
COLORADO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoster (herpes zoster) (B02)												
COLORADO ----------	-	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	3	4	3	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoster (herpes zoster) (B02)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoster (herpes zoster) (B02)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	1	-	-	1	-	2	1	2	2	1	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	1	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	1	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoster (herpes zoster) (B02)												
KENTUCKY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	7	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoster (herpes zoster) (B02)												
KENTUCKY ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	3	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	1	1	-	2	2	-	3	-	-
WHITE------MALE----	-	-	-	1	1	-	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN ----------	-	-	-	-	1	-	1	-	1	2	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoster (herpes zoster) (B02)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	7	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoster (herpes zoster) (B02)												
MINNESOTA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	1	-	-	1	2	1	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoster (herpes zoster) (B02)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoster (herpes zoster) (B02)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	2	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoster (herpes zoster) (B02)												
OHIO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoster (herpes zoster) (B02)												
OHIO ----------	-	-	-	-	-	-	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	1	3	2	2	-	1	-
WHITE------MALE----	-	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoster (herpes zoster) (B02)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoster (herpes zoster) (B02)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	1	-	-	2	2	2	3	-	1	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	2	3	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoster (herpes zoster) (B02)												
WASHINGTON ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoster (herpes zoster) (B02)												
WASHINGTON ----------	-	-	-	-	-	-	1	-	1	1	1	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	1	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Smallpox (B03)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Smallpox (B03)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Smallpox (B03)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Smallpox (B03)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Smallpox (B03)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Smallpox (B03)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Smallpox (B03)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Smallpox (B03)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Smallpox (B03)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Smallpox (B03)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Smallpox (B03)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Smallpox (B03)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Smallpox (B03)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Smallpox (B03)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Smallpox (B03)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Smallpox (B03)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Smallpox (B03)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Smallpox (B03)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
UNITED STATES -	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Measles (B05)												
UNITED STATES -	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Measles (B05)												
COLORADO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA	-	1	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Measles (B05)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Measles (B05)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Measles (B05)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Measles (B05)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Measles (B05)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Measles (B05)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Measles (B05)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rubella (German measles) (B06)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rubella (German measles) (B06)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rubella (German measles) (B06)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rubella (German measles) (B06)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rubella (German measles) (B06)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rubella (German measles) (B06)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rubella (German measles) (B06)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rubella (German measles) (B06)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rubella (German measles) (B06)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rubella (German measles) (B06)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rubella (German measles) (B06)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rubella (German measles) (B06)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rubella (German measles) (B06)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rubella (German measles) (B06)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rubella (German measles) (B06)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rubella (German measles) (B06)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rubella (German measles) (B06)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rubella (German measles) (B06)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 424

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
UNITED STATES -	4,853	2	3	1	2	3	11	19	69	204	518	871
WHITE------MALE----	2,436	1	2	-	1	3	4	4	37	118	301	501
FEMALE--	1,399	-	1	1	-	-	2	7	20	51	101	182
ALL OTHER--MALE----	607	1	-	-	1	-	3	5	7	21	80	150
FEMALE--	411	-	-	-	-	-	2	3	5	14	36	38
BLACK---MALE----	443	1	-	-	1	-	2	3	6	15	66	126
FEMALE--	288	-	-	-	-	-	2	3	5	10	30	35
ALABAMA ----------	63	-	-	-	-	-	-	-	1	5	11	10
WHITE------MALE----	33	-	-	-	-	-	-	-	1	-	6	8
FEMALE--	22	-	-	-	-	-	-	-	-	4	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ALASKA ----------	7	-	-	-	-	-	-	-	-	1	1	3
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	96	-	-	-	-	-	-	1	2	1	6	15
WHITE------MALE----	68	-	-	-	-	-	-	-	1	1	5	13
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	51	-	-	-	-	-	-	-	1	1	7	7
WHITE------MALE----	28	-	-	-	-	-	-	-	1	1	4	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA ----------	863	-	2	-	-	-	1	1	8	25	67	157
WHITE------MALE----	381	-	2	-	-	-	1	-	6	11	34	92
FEMALE--	269	-	-	-	-	-	-	-	2	6	14	46
ALL OTHER--MALE----	121	-	-	-	-	-	-	1	-	5	12	14
FEMALE--	92	-	-	-	-	-	-	-	-	3	7	5
BLACK---MALE----	45	-	-	-	-	-	-	-	-	2	8	8
FEMALE--	36	-	-	-	-	-	-	-	-	2	3	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
UNITED STATES -	635	438	348	427	454	389	262	145	45	5	2	-
WHITE------MALE----	371	224	160	177	177	159	126	52	17	1	-	-
FEMALE--	110	99	109	153	187	167	109	72	23	3	2	-
ALL OTHER--MALE----	116	74	33	40	32	26	6	9	3	-	-	-
FEMALE--	38	41	46	57	58	37	21	12	2	1	-	-
BLACK---MALE----	91	45	21	21	19	15	2	8	1	-	-	-
FEMALE--	27	30	24	39	34	23	15	9	1	1	-	-
ALABAMA ----------	9	6	2	4	4	5	2	3	1	-	-	-
WHITE------MALE----	4	4	2	1	2	2	1	2	-	-	-	-
FEMALE--	2	2	-	2	2	3	1	1	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	21	9	7	8	5	10	8	2	1	-	-	-
WHITE------MALE----	16	8	3	5	4	5	6	1	-	-	-	-
FEMALE--	3	1	3	2	1	3	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	6	5	2	7	3	-	2	2	-	-	-
WHITE------MALE----	3	5	5	1	1	1	-	2	1	-	-	-
FEMALE--	1	1	-	1	4	2	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA ----------	118	89	68	82	101	70	48	18	7	1	-	-
WHITE------MALE----	60	38	26	31	31	24	18	4	3	-	-	-
FEMALE--	24	22	19	30	41	29	23	10	2	1	-	-
ALL OTHER--MALE----	23	22	9	10	10	8	2	3	2	-	-	-
FEMALE--	11	7	14	11	19	9	5	1	-	-	-	-
BLACK---MALE----	12	9	2	-	1	-	1	2	-	-	-	-
FEMALE--	6	3	4	4	7	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
COLORADO ----------	61	-	-	-	-	-	-	-	-	6	6	10
WHITE------MALE----	34	-	-	-	-	-	-	-	-	4	4	8
FEMALE--	18	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	30	-	-	-	-	-	-	-	-	1	4	7
WHITE------MALE----	20	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	5	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	17	-	-	-	-	-	-	-	-	-	2	6
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	412	-	-	-	-	-	2	3	6	16	34	57
WHITE------MALE----	220	-	-	-	-	-	2	-	3	11	21	37
FEMALE--	147	-	-	-	-	-	-	1	2	3	7	15
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	-	2	5	3
FEMALE--	18	-	-	-	-	-	-	1	1	-	1	2
BLACK---MALE----	24	-	-	-	-	-	-	1	-	1	5	3
FEMALE--	17	-	-	-	-	-	-	1	1	-	1	2
GEORGIA ----------	104	-	1	-	-	-	1	-	1	7	15	16
WHITE------MALE----	40	-	-	-	-	-	-	-	1	3	6	6
FEMALE--	29	-	1	-	-	-	-	-	-	1	3	3
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	-	-	2	6
FEMALE--	18	-	-	-	-	-	-	-	-	3	4	1
BLACK---MALE----	17	-	-	-	-	-	1	-	-	-	2	6
FEMALE--	17	-	-	-	-	-	-	-	-	2	4	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
COLORADO ----------	12	4	1	9	2	7	1	2	1	-	-	-
WHITE------MALE----	5	2	1	3	2	4	-	1	-	-	-	-
FEMALE--	6	1	-	3	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	2	2	5	1	3	1	3	-	-	-	-
WHITE------MALE----	1	1	2	4	1	1	1	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	2	1	1	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	2	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
FLORIDA ----------	42	32	29	37	46	50	39	14	4	-	1	-
WHITE------MALE----	34	22	13	14	15	16	22	9	1	-	-	-
FEMALE--	2	9	13	18	22	30	16	5	3	-	1	-
ALL OTHER--MALE----	4	1	-	1	6	3	1	-	-	-	-	-
FEMALE--	2	-	3	4	3	1	-	-	-	-	-	-
BLACK---MALE----	3	1	-	1	5	3	1	-	-	-	-	-
FEMALE--	2	-	2	4	3	1	-	-	-	-	-	-
GEORGIA ----------	18	11	6	4	8	5	5	6	-	-	-	-
WHITE------MALE----	7	5	2	1	5	1	2	1	-	-	-	-
FEMALE--	4	3	2	2	-	3	2	5	-	-	-	-
ALL OTHER--MALE----	5	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	1	3	-	1	-	-	-	-	-
BLACK---MALE----	5	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	1	3	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
HAWAII ----------	24	-	-	-	-	-	-	-	-	-	2	5
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	17	-	-	-	-	-	-	-	-	1	2	5
WHITE------MALE----	10	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	133	-	-	-	-	-	1	1	2	4	12	22
WHITE------MALE----	54	-	-	-	-	-	-	-	-	4	7	9
FEMALE--	45	-	-	-	-	-	-	1	1	-	-	4
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	3	9
FEMALE--	13	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	17	-	-	-	-	-	-	-	1	-	3	7
FEMALE--	13	-	-	-	-	-	1	-	-	-	2	-
INDIANA ----------	74	-	-	-	-	-	-	-	-	1	9	12
WHITE------MALE----	40	-	-	-	-	-	-	-	-	1	5	4
FEMALE--	26	-	-	-	-	-	-	-	-	-	3	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	27	-	-	-	-	-	-	-	1	4	3	5
WHITE------MALE----	18	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
KANSAS ----------	37	-	-	-	-	-	-	-	2	1	5	5
WHITE------MALE----	16	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
HAWAII ----------	5	4	5	2	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	1	-	3	-	-	1	-	-	-	-	-
WHITE------MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	10	10	11	16	15	10	6	2	-	-	-
WHITE------MALE----	8	2	5	5	4	7	2	1	-	-	-	-
FEMALE--	-	4	3	3	9	8	5	5	2	-	-	-
ALL OTHER--MALE----	2	3	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	2	-	3	-	-	-	-	-
BLACK---MALE----	2	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	2	-	3	-	-	-	-	-
INDIANA ----------	14	2	4	10	6	2	8	4	1	1	-	-
WHITE------MALE----	10	1	3	7	3	1	2	2	1	-	-	-
FEMALE--	3	1	1	2	1	1	6	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IOWA ----------	1	3	2	2	2	3	-	1	-	-	-	-
WHITE------MALE----	1	1	-	2	2	3	-	1	-	-	-	-
FEMALE--	-	2	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	-	1	5	2	2	6	-	1	-	-	-
WHITE------MALE----	6	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	3	1	-	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
KENTUCKY ----------	51	-	-	-	-	-	-	-	-	1	10	13
WHITE------MALE----	26	-	-	-	-	-	-	-	-	1	4	10
FEMALE--	19	-	-	-	-	-	-	-	-	-	5	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	132	-	-	-	-	1	-	1	3	7	26	22
WHITE------MALE----	62	-	-	-	-	1	-	1	1	3	15	11
FEMALE--	31	-	-	-	-	-	-	-	-	3	2	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	4	5
FEMALE--	20	-	-	-	-	-	-	-	1	1	5	4
BLACK---MALE----	19	-	-	-	-	-	-	-	1	-	4	5
FEMALE--	19	-	-	-	-	-	-	-	1	1	5	3
MAINE ----------	11	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	84	-	-	-	1	-	-	-	4	2	8	18
WHITE------MALE----	29	-	-	-	-	-	-	-	1	1	3	7
FEMALE--	16	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	21	-	-	-	1	-	-	-	-	1	4	9
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	20	-	-	-	1	-	-	-	-	1	4	9
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	1
MASSACHUSETTS ----------	96	-	-	-	-	-	-	-	1	5	11	15
WHITE------MALE----	58	-	-	-	-	-	-	-	-	1	10	11
FEMALE--	26	-	-	-	-	-	-	-	1	3	-	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	118	-	-	-	-	-	1	2	3	-	16	22
WHITE------MALE----	56	-	-	-	-	-	-	-	1	-	9	13
FEMALE--	34	-	-	-	-	-	-	-	1	-	4	5
ALL OTHER--MALE----	17	-	-	-	-	-	1	1	1	-	2	3
FEMALE--	11	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	16	-	-	-	-	-	1	1	1	-	2	3
FEMALE--	9	-	-	-	-	-	-	1	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
KENTUCKY ----------	4	4	5	2	5	2	4	1	-	-	-	-
WHITE------MALE----	1	1	3	-	3	1	2	-	-	-	-	-
FEMALE--	2	1	2	2	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
LOUISIANA ----------	8	12	12	9	14	8	4	2	3	-	-	-
WHITE------MALE----	3	6	6	2	6	4	1	-	2	-	-	-
FEMALE--	3	1	3	5	5	3	2	1	1	-	-	-
ALL OTHER--MALE----	2	5	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	3	1	1	1	-	-	-	-
BLACK---MALE----	2	5	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	3	1	1	1	-	-	-	-
MAINE ----------	-	-	2	1	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	9	5	4	7	11	9	4	-	1	1	-	-
WHITE------MALE----	3	1	-	1	4	6	1	-	1	-	-	-
FEMALE--	2	1	3	2	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	2	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	3	5	2	1	-	-	1	-	-
BLACK---MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	2	3	2	1	-	-	1	-	-
MASSACHUSETTS ----------	14	7	4	8	8	10	7	5	1	-	-	-
WHITE------MALE----	8	5	-	5	4	8	4	2	-	-	-	-
FEMALE--	4	2	3	1	2	1	2	3	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
MICHIGAN ----------	15	10	7	7	13	9	5	7	1	-	-	-
WHITE------MALE----	6	7	4	2	6	3	2	2	1	-	-	-
FEMALE--	3	1	3	2	4	5	2	4	-	-	-	-
ALL OTHER--MALE----	5	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	1	1	1	1	-	-	-	-
BLACK---MALE----	5	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
MINNESOTA ----------	52	-	-	-	-	-	-	-	-	-	7	11
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	40	-	-	-	-	-	1	-	-	-	4	8
WHITE------MALE----	17	-	-	-	-	-	1	-	-	-	3	4
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	82	-	-	-	-	-	-	-	1	3	9	23
WHITE------MALE----	41	-	-	-	-	-	-	-	1	2	4	14
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	3
MONTANA ----------	13	-	-	-	-	-	1	-	1	1	1	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	19	-	-	-	-	1	-	-	-	2	2	2
WHITE------MALE----	13	-	-	-	-	1	-	-	-	1	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	46	-	-	-	-	-	-	-	1	1	3	6
WHITE------MALE----	32	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
MINNESOTA ----------	6	6	4	4	4	4	6	-	-	-	-	-
WHITE------MALE----	5	4	1	2	3	2	2	-	-	-	-	-
FEMALE--	-	-	2	1	1	2	4	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	5	5	5	2	2	-	1	1	-	-	-
WHITE------MALE----	1	1	3	1	2	-	-	-	1	-	-	-
FEMALE--	4	3	1	3	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	1	-	-	-	-
MISSOURI ----------	7	3	5	9	5	7	6	3	1	-	-	-
WHITE------MALE----	6	-	3	4	3	-	3	1	-	-	-	-
FEMALE--	-	1	1	4	2	4	2	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	3	1	1	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	3	1	1	-	-	-	-
MONTANA ----------	1	2	-	-	2	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	2	3	3	-	2	-	-	-	-	-
WHITE------MALE----	1	-	1	2	2	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	6	3	11	4	1	-	1	-	-	-	-
WHITE------MALE----	6	5	2	6	3	1	-	-	-	-	-	-
FEMALE--	2	1	1	3	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
NEW HAMPSHIRE ----------	9	-	-	-	-	-	-	-	-	-	-	4
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	120	-	-	-	-	-	-	1	3	6	10	16
WHITE------MALE----	62	-	-	-	-	-	-	-	-	3	6	12
FEMALE--	36	-	-	-	-	-	-	1	2	1	1	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	2	3	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	1	2	3	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	51	-	-	-	-	-	-	-	-	4	7	8
WHITE------MALE----	29	-	-	-	-	-	-	-	-	4	4	5
FEMALE--	20	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	364	-	-	-	-	-	-	3	3	8	36	62
WHITE------MALE----	169	-	-	-	-	-	-	1	3	4	23	32
FEMALE--	78	-	-	-	-	-	-	1	-	3	5	10
ALL OTHER--MALE----	76	-	-	-	-	-	-	1	-	1	8	17
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	61	-	-	-	-	-	-	1	-	1	7	15
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	3
NORTH CAROLINA ---------	104	1	-	-	-	-	1	-	2	6	10	23
WHITE------MALE----	53	-	-	-	-	-	-	-	1	4	3	12
FEMALE--	24	-	-	-	-	-	-	-	-	1	4	4
ALL OTHER--MALE----	15	1	-	-	-	-	-	-	-	1	-	7
FEMALE--	12	-	-	-	-	-	1	-	1	-	3	-
BLACK---MALE----	15	1	-	-	-	-	-	-	-	1	-	7
FEMALE--	11	-	-	-	-	-	1	-	1	-	3	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
NEW HAMPSHIRE ----------	2	1	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	19	11	4	16	15	10	5	3	1	-	-	-
WHITE------MALE----	13	7	2	7	5	2	4	1	-	-	-	-
FEMALE--	3	1	2	5	10	4	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	3	-	3	-	3	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	-	3	-	2	-	-	-	-	-	-
NEW MEXICO ----------	11	5	3	7	3	2	1	-	-	-	-	-
WHITE------MALE----	8	3	1	3	-	1	-	-	-	-	-	-
FEMALE--	2	2	2	4	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	58	52	19	26	35	36	16	7	3	-	-	-
WHITE------MALE----	35	21	8	7	12	11	8	4	-	-	-	-
FEMALE--	8	7	5	5	12	13	6	2	1	-	-	-
ALL OTHER--MALE----	13	13	4	8	6	4	-	1	-	-	-	-
FEMALE--	2	11	2	6	5	8	2	-	2	-	-	-
BLACK---MALE----	13	9	3	4	5	2	-	1	-	-	-	-
FEMALE--	2	10	2	6	4	7	2	-	1	-	-	-
NORTH CAROLINA ---------	16	6	2	11	9	7	6	3	1	-	-	-
WHITE------MALE----	9	5	2	5	2	6	3	-	1	-	-	-
FEMALE--	1	1	-	5	4	1	2	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	-	1	2	-	-	-	-
BLACK---MALE----	4	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	2	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
OHIO ----------	137	-	-	-	-	-	1	1	1	9	14	23
WHITE------MALE----	68	-	-	-	-	-	-	1	1	7	8	13
FEMALE--	40	-	-	-	-	-	1	-	-	1	1	4
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	67	-	-	-	-	1	-	-	-	3	10	13
WHITE------MALE----	32	-	-	-	-	1	-	-	-	2	6	3
FEMALE--	26	-	-	-	-	-	-	-	-	1	3	8
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
OREGON ----------	60	-	-	-	-	-	-	-	1	4	6	15
WHITE------MALE----	36	-	-	-	-	-	-	-	1	3	4	10
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	176	-	-	-	-	-	-	-	4	6	19	40
WHITE------MALE----	76	-	-	-	-	-	-	-	2	4	9	15
FEMALE--	57	-	-	-	-	-	-	-	2	1	4	9
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	5	11
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	5
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	3	10
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	5
RHODE ISLAND ----------	20	-	-	-	-	-	-	-	-	4	1	5
WHITE------MALE----	13	-	-	-	-	-	-	-	-	3	-	5
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	82	-	-	-	-	-	-	-	1	8	10	12
WHITE------MALE----	38	-	-	-	-	-	-	-	-	3	7	8
FEMALE--	24	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
OHIO ----------	14	10	11	10	15	10	9	8	1	-	-	-
WHITE------MALE----	7	3	2	4	10	6	4	2	-	-	-	-
FEMALE--	5	-	5	4	4	3	5	6	1	-	-	-
ALL OTHER--MALE----	1	4	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	3	2	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	4	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	3	-	1	-	1	-	-	-	-	-	-
OKLAHOMA ----------	3	8	6	6	7	4	3	2	-	-	1	-
WHITE------MALE----	1	6	3	2	5	1	1	1	-	-	-	-
FEMALE--	2	2	1	4	2	1	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON ----------	10	7	3	6	1	5	2	-	-	-	-	-
WHITE------MALE----	6	5	1	4	-	2	-	-	-	-	-	-
FEMALE--	2	-	1	1	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	2	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	15	14	7	14	21	16	10	6	3	1	-	-
WHITE------MALE----	7	6	3	4	11	4	7	2	1	1	-	-
FEMALE--	2	4	2	6	10	9	2	4	2	-	-	-
ALL OTHER--MALE----	5	3	-	2	-	3	1	-	-	-	-	-
FEMALE--	1	1	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	5	2	-	2	-	3	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	2	1	2	1	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	9	6	9	9	5	6	6	1	-	-	-	-
WHITE------MALE----	5	3	2	2	-	4	4	-	-	-	-	-
FEMALE--	2	2	2	5	4	1	2	1	-	-	-	-
ALL OTHER--MALE----	2	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
SOUTH DAKOTA ----------	8	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	127	1	-	-	1	-	-	-	2	11	14	17
WHITE------MALE----	70	1	-	-	1	-	-	-	1	8	11	9
FEMALE--	39	-	-	-	-	-	-	-	1	3	2	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	474	-	-	1	-	-	1	3	8	26	66	90
WHITE------MALE----	277	-	-	-	-	-	-	1	7	16	46	54
FEMALE--	128	-	-	1	-	-	1	1	-	7	12	19
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	2	5	12
FEMALE--	26	-	-	-	-	-	-	1	1	1	3	5
BLACK---MALE----	34	-	-	-	-	-	-	-	-	1	4	10
FEMALE--	22	-	-	-	-	-	-	1	1	1	2	4
UTAH ----------	29	-	-	-	-	-	-	-	-	3	1	3
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	9	-	-	-	-	-	-	-	1	1	-	3
WHITE------MALE----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	68	-	-	-	-	-	-	-	4	1	9	13
WHITE------MALE----	30	-	-	-	-	-	-	-	1	-	7	5
FEMALE--	16	-	-	-	-	-	-	-	2	1	1	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	-	5
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
SOUTH DAKOTA ----------	-	2	1	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	19	10	20	11	10	6	1	4	-	-	-	-
WHITE------MALE----	11	6	9	5	3	3	-	2	-	-	-	-
FEMALE--	4	3	8	3	6	3	1	1	-	-	-	-
ALL OTHER--MALE----	3	1	3	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	3	1	3	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	-	-	-	-	-
TEXAS ----------	62	42	40	30	38	32	19	9	6	1	-	-
WHITE------MALE----	40	22	23	15	15	16	15	4	3	-	-	-
FEMALE--	8	10	13	12	19	15	4	2	3	1	-	-
ALL OTHER--MALE----	11	6	2	2	-	1	-	2	-	-	-	-
FEMALE--	3	4	2	1	4	-	-	1	-	-	-	-
BLACK---MALE----	10	3	2	1	-	1	-	2	-	-	-	-
FEMALE--	2	4	1	1	4	-	-	1	-	-	-	-
UTAH ----------	5	1	2	1	5	2	4	1	1	-	-	-
WHITE------MALE----	3	1	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	2	-	4	1	3	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	7	6	6	5	7	3	2	5	-	-	-	-
WHITE------MALE----	4	3	3	3	2	-	1	1	-	-	-	-
FEMALE--	-	2	1	-	2	3	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	1	-	-	2	-	-	-	-
FEMALE--	2	-	1	1	2	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	2	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
WASHINGTON ----------	132	-	-	-	-	-	-	1	1	5	14	24
WHITE------MALE----	79	-	-	-	-	-	-	-	-	4	9	17
FEMALE--	31	-	-	-	-	-	-	1	-	1	3	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	20	-	-	-	-	-	-	1	-	-	1	5
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	28	-	-	-	-	-	-	-	-	2	3	5
WHITE------MALE----	16	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
WASHINGTON ----------	24	11	9	15	5	9	6	7	1	-	-	-
WHITE------MALE----	17	5	5	7	3	5	4	3	-	-	-	-
FEMALE--	1	4	2	3	1	4	2	3	1	-	-	-
ALL OTHER--MALE----	5	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	4	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	1	3	1	3	1	-	2	-	-	-	-
WHITE------MALE----	-	1	3	-	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	2	2	3	2	6	2	1	-	-	-	-
WHITE------MALE----	-	2	2	1	-	4	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
UNITED STATES -	14,802	14	24	38	28	31	167	763	1,966	2,981	3,251	2,440
WHITE------MALE----	5,613	3	5	6	7	7	33	226	730	1,222	1,227	897
FEMALE--	1,139	1	2	6	6	3	20	78	168	250	252	168
ALL OTHER--MALE----	5,621	6	11	14	9	8	47	278	680	1,002	1,255	1,039
FEMALE--	2,429	4	6	12	6	13	67	181	388	507	517	336
BLACK---MALE----	5,493	6	11	14	9	8	46	273	662	969	1,225	1,019
FEMALE--	2,400	4	6	12	6	13	66	179	383	504	508	331
ALABAMA ----------	177	-	-	-	2	1	3	14	35	42	29	22
WHITE------MALE----	40	-	-	-	1	-	-	4	5	11	9	2
FEMALE--	6	-	-	-	-	-	-	1	2	-	-	2
ALL OTHER--MALE----	108	-	-	-	-	1	1	5	24	26	15	18
FEMALE--	23	-	-	-	1	-	2	4	4	5	5	-
BLACK---MALE----	107	-	-	-	-	1	1	5	23	26	15	18
FEMALE--	23	-	-	-	1	-	2	4	4	5	5	-
ALASKA ----------	13	-	1	-	-	-	-	-	2	4	4	1
WHITE------MALE----	7	-	1	-	-	-	-	-	1	2	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	153	-	-	1	-	1	2	7	19	41	31	22
WHITE------MALE----	116	-	-	1	-	-	1	7	14	31	22	15
FEMALE--	12	-	-	-	-	1	-	-	2	2	4	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	3	5	4	4
FEMALE--	7	-	-	-	-	-	1	-	-	3	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	2	3	1	3
FEMALE--	5	-	-	-	-	-	1	-	-	2	1	-
ARKANSAS ----------	67	-	-	-	-	-	1	7	11	16	11	9
WHITE------MALE----	27	-	-	-	-	-	1	-	4	9	4	5
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	4	3	6	4	3
FEMALE--	11	-	-	-	-	-	-	3	3	1	2	1
BLACK---MALE----	25	-	-	-	-	-	-	4	3	6	4	3
FEMALE--	11	-	-	-	-	-	-	3	3	1	2	1
CALIFORNIA ----------	1,593	-	1	5	2	2	12	80	198	319	348	272
WHITE------MALE----	1,064	-	-	2	-	1	6	56	139	221	222	182
FEMALE--	115	-	1	1	1	-	3	6	13	34	21	12
ALL OTHER--MALE----	312	-	-	2	1	-	2	13	34	49	79	57
FEMALE--	102	-	-	-	-	1	1	5	12	15	26	21
BLACK---MALE----	282	-	-	2	1	-	2	12	31	44	70	50
FEMALE--	94	-	-	-	-	1	1	4	12	15	22	18

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
UNITED STATES -	1,467	777	372	261	137	52	18	7	5	1	1	1
WHITE------MALE----	613	305	156	103	42	22	7	2	-	-	-	-
FEMALE--	87	41	17	16	10	3	5	1	4	-	1	-
ALL OTHER--MALE----	585	341	146	108	64	17	4	4	1	1	-	1
FEMALE--	182	90	53	34	21	10	2	-	-	-	-	-
BLACK---MALE----	573	339	144	105	63	17	4	3	1	1	-	1
FEMALE--	180	90	52	34	20	10	2	-	-	-	-	-
ALABAMA ----------	10	11	5	2	-	1	-	-	-	-	-	-
WHITE------MALE----	3	1	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	8	4	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	8	4	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	18	5	3	3	-	-	-	-	-	-	-	-
WHITE------MALE----	15	4	3	3	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	3	2	2	-	-	1	-	-	-	-	-
WHITE------MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	176	101	30	25	17	3	2	-	-	-	-	-
WHITE------MALE----	117	72	17	18	8	2	1	-	-	-	-	-
FEMALE--	10	4	3	3	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	40	21	6	2	6	-	-	-	-	-	-	-
FEMALE--	9	4	4	2	1	1	-	-	-	-	-	-
BLACK---MALE----	36	21	6	1	6	-	-	-	-	-	-	-
FEMALE--	9	4	4	2	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
COLORADO ----------	104	-	-	-	-	-	-	2	15	27	31	12
WHITE------MALE----	81	-	-	-	-	-	-	2	13	23	26	8
FEMALE--	8	-	-	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	2	4	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	12	-	-	-	-	-	-	-	1	2	4	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	203	-	1	-	2	-	-	10	19	41	46	33
WHITE------MALE----	78	-	-	-	-	-	-	3	8	18	16	9
FEMALE--	30	-	-	-	1	-	-	2	4	4	8	6
ALL OTHER--MALE----	65	-	1	-	1	-	-	5	4	9	14	14
FEMALE--	30	-	-	-	-	-	-	-	3	10	8	4
BLACK---MALE----	65	-	1	-	1	-	-	5	4	9	14	14
FEMALE--	30	-	-	-	-	-	-	-	3	10	8	4
DELAWARE ----------	65	-	-	-	-	-	1	2	4	13	17	12
WHITE------MALE----	14	-	-	-	-	-	-	-	-	3	4	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	35	-	-	-	-	-	1	1	4	6	7	10
FEMALE--	14	-	-	-	-	-	-	1	-	4	5	1
BLACK---MALE----	34	-	-	-	-	-	1	1	4	5	7	10
FEMALE--	14	-	-	-	-	-	-	1	-	4	5	1
DISTRICT OF COLUMBIA ---	266	1	-	-	-	-	4	12	32	44	54	46
WHITE------MALE----	28	-	-	-	-	-	-	1	3	6	7	3
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	170	1	-	-	-	-	-	8	18	23	32	35
FEMALE--	66	-	-	-	-	-	4	3	10	15	15	8
BLACK---MALE----	170	1	-	-	-	-	-	8	18	23	32	35
FEMALE--	66	-	-	-	-	-	4	3	10	15	15	8
FLORIDA ----------	1,657	4	2	4	4	5	22	97	227	328	361	230
WHITE------MALE----	588	-	-	-	-	-	5	30	69	120	126	97
FEMALE--	107	1	-	-	1	-	1	7	19	22	23	13
ALL OTHER--MALE----	580	1	1	2	-	1	5	25	71	95	140	79
FEMALE--	382	2	1	2	3	4	11	35	68	91	72	41
BLACK---MALE----	577	1	1	2	-	1	5	24	71	95	140	78
FEMALE--	382	2	1	2	3	4	11	35	68	91	72	41
GEORGIA ----------	786	-	1	3	1	1	13	61	128	155	159	124
WHITE------MALE----	142	-	-	-	1	-	2	10	25	31	29	15
FEMALE--	24	-	-	-	-	-	1	4	5	3	8	1
ALL OTHER--MALE----	453	-	-	1	-	1	4	30	74	88	94	80
FEMALE--	167	-	1	2	-	-	6	17	24	33	28	28
BLACK---MALE----	450	-	-	1	-	1	4	30	74	88	94	77
FEMALE--	167	-	1	2	-	-	6	17	24	33	28	28

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
COLORADO ----------	11	2	2	-	1	-	1	-	-	-	-	-
WHITE------MALE----	8	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	25	17	6	-	-	3	-	-	-	-	-	-
WHITE------MALE----	10	7	5	-	-	2	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	7	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	9	7	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	9	5	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	36	20	7	5	2	2	1	-	-	-	-	-
WHITE------MALE----	3	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	16	5	3	1	2	1	-	-	-	-	-
FEMALE--	8	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	25	16	5	3	1	2	1	-	-	-	-	-
FEMALE--	8	1	-	2	-	-	-	-	-	-	-	-
FLORIDA ----------	139	95	69	43	21	4	-	2	-	-	-	-
WHITE------MALE----	61	35	24	14	6	1	-	-	-	-	-	-
FEMALE--	8	6	6	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	49	40	29	27	11	2	-	2	-	-	-	-
FEMALE--	21	14	10	2	4	1	-	-	-	-	-	-
BLACK---MALE----	49	40	29	27	10	2	-	2	-	-	-	-
FEMALE--	21	14	10	2	4	1	-	-	-	-	-	-
GEORGIA ----------	64	34	17	16	7	2	-	-	-	-	-	-
WHITE------MALE----	13	8	4	2	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	38	20	9	10	4	-	-	-	-	-	-	-
FEMALE--	13	5	4	4	1	1	-	-	-	-	-	-
BLACK---MALE----	38	20	9	10	4	-	-	-	-	-	-	-
FEMALE--	13	5	4	4	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
HAWAII ----------	29	-	-	-	-	-	1	-	4	6	9	4
WHITE------MALE----	10	-	-	-	-	-	-	-	-	3	2	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	3	2	5	1
FEMALE--	5	-	-	-	-	-	1	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	-	-	-	-	-	-	-	1	2	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	548	-	2	2	-	-	5	21	68	110	120	111
WHITE------MALE----	168	-	-	-	-	-	1	5	25	34	35	29
FEMALE--	22	-	1	1	-	-	-	1	1	7	6	3
ALL OTHER--MALE----	273	-	1	-	-	-	2	10	27	52	64	66
FEMALE--	85	-	-	1	-	-	2	5	15	17	15	13
BLACK---MALE----	272	-	1	-	-	-	2	10	27	52	63	66
FEMALE--	85	-	-	1	-	-	2	5	15	17	15	13
INDIANA ----------	111	1	-	-	-	-	-	5	24	25	23	15
WHITE------MALE----	73	1	-	-	-	-	-	2	18	17	13	9
FEMALE--	4	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	2	4	6	8	4
FEMALE--	6	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE----	28	-	-	-	-	-	-	2	4	6	8	4
FEMALE--	6	-	-	-	-	-	-	-	1	2	1	2
IOWA ----------	21	-	-	-	-	-	-	1	7	2	4	3
WHITE------MALE----	15	-	-	-	-	-	-	1	4	2	4	3
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	43	-	-	-	-	-	-	2	6	6	10	9
WHITE------MALE----	29	-	-	-	-	-	-	1	6	3	10	4
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	3	-	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	7	-	-	-	-	-	-	1	-	3	-	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
HAWAII ----------	3	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	59	30	12	4	3	1	-	-	-	-	-	-
WHITE------MALE----	21	8	7	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	16	3	2	1	1	-	-	-	-	-	-
FEMALE--	9	5	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	28	16	3	2	1	1	-	-	-	-	-	-
FEMALE--	9	5	2	-	1	-	-	-	-	-	-	-
INDIANA ----------	6	3	3	3	2	-	1	-	-	-	-	-
WHITE------MALE----	5	2	2	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	4	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
KENTUCKY ----------	76	1	-	-	-	-	-	3	12	15	22	14
WHITE------MALE----	38	1	-	-	-	-	-	1	4	8	12	7
FEMALE--	8	-	-	-	-	-	-	-	6	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	2	1	5	7	5
FEMALE--	8	-	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	22	-	-	-	-	-	-	2	1	5	7	5
FEMALE--	8	-	-	-	-	-	-	-	1	2	3	1
LOUISIANA ----------	373	-	1	-	1	1	6	28	67	78	72	58
WHITE------MALE----	100	-	-	-	-	-	1	1	9	24	22	22
FEMALE--	12	-	-	-	-	-	-	1	4	6	-	-
ALL OTHER--MALE----	196	-	-	-	1	-	1	15	33	40	41	30
FEMALE--	65	-	1	-	-	1	4	11	21	8	9	6
BLACK---MALE----	196	-	-	-	1	-	1	15	33	40	41	30
FEMALE--	65	-	1	-	-	1	4	11	21	8	9	6
MAINE ----------	17	-	-	-	-	-	1	2	3	3	2	3
WHITE------MALE----	11	-	-	-	-	-	1	-	1	3	2	2
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	592	-	-	2	1	1	5	22	67	129	152	101
WHITE------MALE----	63	-	-	-	-	-	-	2	8	10	15	12
FEMALE--	14	-	-	-	-	-	-	1	5	-	3	3
ALL OTHER--MALE----	356	-	-	2	1	1	2	8	31	77	95	67
FEMALE--	159	-	-	-	-	-	3	11	23	42	39	19
BLACK---MALE----	355	-	-	2	1	1	2	8	31	77	95	67
FEMALE--	159	-	-	-	-	-	3	11	23	42	39	19
MASSACHUSETTS ----------	257	-	-	1	1	2	7	6	30	47	71	48
WHITE------MALE----	151	-	-	-	1	1	1	2	15	28	43	31
FEMALE--	48	-	-	1	-	-	1	2	8	11	10	6
ALL OTHER--MALE----	38	-	-	-	-	1	3	1	1	4	15	9
FEMALE--	20	-	-	-	-	-	2	1	6	4	3	2
BLACK---MALE----	36	-	-	-	-	1	2	1	1	4	15	9
FEMALE--	20	-	-	-	-	-	2	1	6	4	3	2
MICHIGAN ----------	238	1	-	1	-	-	2	11	31	52	52	44
WHITE------MALE----	66	-	-	-	-	-	-	3	11	17	19	6
FEMALE--	12	-	-	-	-	-	-	2	1	2	1	2
ALL OTHER--MALE----	127	1	-	1	-	-	1	6	15	26	24	28
FEMALE--	33	-	-	-	-	-	1	-	4	7	8	8
BLACK---MALE----	126	1	-	1	-	-	1	6	14	26	24	28
FEMALE--	33	-	-	-	-	-	1	-	4	7	8	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
KENTUCKY ----------	6	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	30	14	5	7	4	-	1	-	-	-	-	-
WHITE------MALE----	15	1	1	3	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	10	4	3	4	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	14	10	4	3	4	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
MAINE ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	60	27	13	7	2	1	2	-	-	-	-	-
WHITE------MALE----	9	4	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	39	17	9	5	2	-	-	-	-	-	-	-
FEMALE--	12	5	3	1	-	-	1	-	-	-	-	-
BLACK---MALE----	38	17	9	5	2	-	-	-	-	-	-	-
FEMALE--	12	5	3	1	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	24	8	3	6	2	1	-	-	-	-	-	-
WHITE------MALE----	14	6	2	6	-	1	-	-	-	-	-	-
FEMALE--	6	2	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	23	14	3	1	-	1	-	-	2	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	12	8	3	-	-	1	-	-	1	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	12	8	3	-	-	1	-	-	1	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
MINNESOTA ----------	72	-	-	-	-	-	-	1	17	16	12	10
WHITE------MALE----	39	-	-	-	-	-	-	1	7	9	8	6
FEMALE--	9	-	-	-	-	-	-	-	1	3	-	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	7	3	3	2
FEMALE--	5	-	-	-	-	-	-	-	2	1	1	1
BLACK---MALE----	17	-	-	-	-	-	-	-	6	3	3	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	1
MISSISSIPPI ----------	156	-	1	1	-	1	2	22	23	28	30	17
WHITE------MALE----	21	-	-	-	-	-	-	2	2	5	5	3
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	101	-	1	1	-	-	1	13	15	16	19	10
FEMALE--	32	-	-	-	-	1	1	7	6	5	6	4
BLACK---MALE----	101	-	1	1	-	-	1	13	15	16	19	10
FEMALE--	32	-	-	-	-	1	1	7	6	5	6	4
MISSOURI ----------	150	-	1	-	-	1	1	9	25	39	34	19
WHITE------MALE----	76	-	1	-	-	-	-	2	15	18	17	10
FEMALE--	10	-	-	-	-	-	-	1	1	-	6	-
ALL OTHER--MALE----	53	-	-	-	-	-	-	4	7	18	10	8
FEMALE--	11	-	-	-	-	1	1	2	2	3	1	1
BLACK---MALE----	52	-	-	-	-	-	-	4	7	18	9	8
FEMALE--	11	-	-	-	-	1	1	2	2	3	1	1
MONTANA ----------	6	-	-	-	-	-	-	-	1	3	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	20	-	-	-	-	-	-	-	3	10	3	1
WHITE------MALE----	15	-	-	-	-	-	-	-	2	8	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	105	1	-	-	-	-	1	6	11	28	20	12
WHITE------MALE----	64	-	-	-	-	-	-	4	5	19	11	7
FEMALE--	5	-	-	-	-	-	1	1	-	2	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	3	7	6	4
FEMALE--	8	1	-	-	-	-	-	-	3	-	3	1
BLACK---MALE----	26	-	-	-	-	-	-	1	3	6	5	4
FEMALE--	8	1	-	-	-	-	-	-	3	-	3	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
MINNESOTA ----------	11	3	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	6	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	16	3	5	3	2	1	1	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	3	3	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	13	3	3	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MISSOURI ----------	12	3	2	1	2	-	-	-	1	-	-	-
WHITE------MALE----	8	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	11	4	5	1	2	1	1	-	-	-	-	1
WHITE------MALE----	9	2	4	-	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	1	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	1	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
NEW HAMPSHIRE ----------	12	-	-	-	-	-	1	1	2	2	3	2
WHITE------MALE----	9	-	-	-	-	-	1	1	1	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	913	-	4	4	4	2	5	30	97	177	219	172
WHITE------MALE----	222	-	-	1	1	-	2	3	28	38	50	43
FEMALE--	90	-	-	-	1	-	1	5	16	20	24	13
ALL OTHER--MALE----	381	-	2	3	1	-	-	12	23	68	97	81
FEMALE--	220	-	2	-	1	2	2	10	30	51	48	35
BLACK---MALE----	378	-	2	3	1	-	-	12	23	67	95	81
FEMALE--	220	-	2	-	1	2	2	10	30	51	48	35
NEW MEXICO ----------	29	-	-	-	-	-	-	1	7	7	7	5
WHITE------MALE----	20	-	-	-	-	-	-	-	4	5	4	5
FEMALE--	3	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2,375	1	7	6	6	5	21	80	233	389	534	455
WHITE------MALE----	797	-	2	-	1	1	1	14	77	142	185	144
FEMALE--	332	-	-	3	1	1	5	17	37	76	79	65
ALL OTHER--MALE----	824	1	4	1	3	2	7	31	64	104	164	179
FEMALE--	422	-	1	2	1	1	8	18	55	67	106	67
BLACK---MALE----	809	1	4	1	3	2	7	31	63	101	162	174
FEMALE--	419	-	1	2	1	1	8	18	54	67	105	67
NORTH CAROLINA ---------	466	1	1	3	1	1	11	24	62	98	92	85
WHITE------MALE----	93	-	-	-	1	-	2	5	14	24	22	12
FEMALE--	20	-	-	-	-	-	-	2	3	6	3	2
ALL OTHER--MALE----	243	-	1	-	-	-	3	7	32	46	47	58
FEMALE--	110	1	-	3	-	1	6	10	13	22	20	13
BLACK---MALE----	238	-	1	-	-	-	3	7	31	45	46	57
FEMALE--	110	1	-	3	-	1	6	10	13	22	20	13
NORTH DAKOTA ----------	3	-	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	88	49	23	17	12	7	3	-	-	-	-	-
WHITE------MALE----	24	13	6	3	3	5	2	-	-	-	-	-
FEMALE--	7	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	43	24	11	10	5	1	-	-	-	-	-	-
FEMALE--	14	11	5	4	3	1	1	-	-	-	-	-
BLACK---MALE----	43	24	11	10	5	1	-	-	-	-	-	-
FEMALE--	14	11	5	4	3	1	1	-	-	-	-	-
NEW MEXICO ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	320	159	64	61	20	10	2	1	-	1	-	-
WHITE------MALE----	114	56	29	21	6	4	-	-	-	-	-	-
FEMALE--	31	6	2	7	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	121	77	23	28	9	3	1	1	-	1	-	-
FEMALE--	54	20	10	5	4	3	-	-	-	-	-	-
BLACK---MALE----	121	76	22	27	9	3	1	-	-	1	-	-
FEMALE--	54	20	10	5	3	3	-	-	-	-	-	-
NORTH CAROLINA ---------	34	18	16	8	8	2	-	-	-	-	1	-
WHITE------MALE----	5	3	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	26	7	7	3	5	1	-	-	-	-	-	-
FEMALE--	3	6	4	4	3	1	-	-	-	-	-	-
BLACK---MALE----	26	7	6	3	5	1	-	-	-	-	-	-
FEMALE--	3	6	4	4	3	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
OHIO ----------	244	-	-	-	-	1	-	16	38	55	51	39
WHITE------MALE----	120	-	-	-	-	1	-	7	17	31	21	19
FEMALE--	15	-	-	-	-	-	-	4	3	4	2	2
ALL OTHER--MALE----	89	-	-	-	-	-	-	3	14	19	22	14
FEMALE--	20	-	-	-	-	-	-	2	4	1	6	4
BLACK---MALE----	89	-	-	-	-	-	-	3	14	19	22	14
FEMALE--	20	-	-	-	-	-	-	2	4	1	6	4
OKLAHOMA ----------	103	-	-	-	-	1	1	7	19	23	23	14
WHITE------MALE----	62	-	-	-	-	-	-	3	14	13	19	7
FEMALE--	16	-	-	-	-	1	-	1	2	2	3	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	3	3	5	-	2
FEMALE--	8	-	-	-	-	-	1	-	-	3	1	2
BLACK---MALE----	12	-	-	-	-	-	-	2	2	3	-	2
FEMALE--	7	-	-	-	-	-	1	-	-	2	1	2
OREGON ----------	75	-	-	-	-	-	-	2	14	16	15	16
WHITE------MALE----	61	-	-	-	-	-	-	1	13	12	10	14
FEMALE--	7	-	-	-	-	-	-	-	-	1	4	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	3	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	498	2	1	3	-	1	5	21	61	96	111	79
WHITE------MALE----	152	1	1	2	-	1	-	6	14	31	30	25
FEMALE--	35	-	-	-	-	-	2	4	6	8	7	5
ALL OTHER--MALE----	215	1	-	-	-	-	3	5	23	31	52	42
FEMALE--	96	-	-	1	-	-	-	6	18	26	22	7
BLACK---MALE----	214	1	-	-	-	-	3	5	23	31	52	42
FEMALE--	96	-	-	1	-	-	-	6	18	26	22	7
RHODE ISLAND ----------	35	-	-	-	-	-	-	-	2	10	9	7
WHITE------MALE----	21	-	-	-	-	-	-	-	2	3	7	5
FEMALE--	8	-	-	-	-	-	-	-	-	3	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
SOUTH CAROLINA ---------	307	-	-	-	2	-	3	20	55	60	57	55
WHITE------MALE----	59	-	-	-	-	-	-	2	4	16	10	11
FEMALE--	10	-	-	-	1	-	-	1	-	1	3	2
ALL OTHER--MALE----	164	-	-	-	1	-	2	12	35	28	29	29
FEMALE--	74	-	-	-	-	-	1	5	16	15	15	13
BLACK---MALE----	163	-	-	-	1	-	2	12	35	28	28	29
FEMALE--	73	-	-	-	-	-	1	5	16	15	15	13

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
OHIO ----------	20	7	8	5	2	-	-	2	-	-	-	-
WHITE------MALE----	10	5	5	2	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	1	2	3	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	1	2	3	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	9	2	-	-	2	1	-	-	1	-	-	-
WHITE------MALE----	4	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON ----------	7	3	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	7	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	61	27	13	4	9	2	1	1	-	-	-	-
WHITE------MALE----	21	8	6	3	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	29	14	6	1	6	-	1	1	-	-	-	-
FEMALE--	11	4	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	28	14	6	1	6	-	1	1	-	-	-	-
FEMALE--	11	4	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	2	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	24	11	10	7	1	2	-	-	-	-	-	-
WHITE------MALE----	7	1	4	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	5	4	2	-	1	-	-	-	-	-	-
FEMALE--	1	5	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	16	5	4	2	-	1	-	-	-	-	-	-
FEMALE--	-	5	1	2	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
SOUTH DAKOTA ----------	5	-	-	-	-	-	-	-	1	1	2	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	258	-	-	-	-	1	2	23	41	66	55	40
WHITE------MALE----	88	-	-	-	-	1	-	5	8	25	20	17
FEMALE--	10	-	-	-	-	-	-	3	1	1	2	1
ALL OTHER--MALE----	117	-	-	-	-	-	1	12	20	25	25	19
FEMALE--	43	-	-	-	-	-	1	3	12	15	8	3
BLACK---MALE----	116	-	-	-	-	-	1	12	20	24	25	19
FEMALE--	43	-	-	-	-	-	1	3	12	15	8	3
TEXAS ----------	1,072	1	-	1	-	3	27	79	174	229	239	134
WHITE------MALE----	535	-	-	-	-	1	8	28	86	134	122	57
FEMALE--	83	-	-	-	-	-	4	6	12	14	17	15
ALL OTHER--MALE----	327	1	-	1	-	1	7	27	56	57	75	49
FEMALE--	127	-	-	-	-	1	8	18	20	24	25	13
BLACK---MALE----	323	1	-	1	-	1	7	27	55	55	74	49
FEMALE--	127	-	-	-	-	1	8	18	20	24	25	13
UTAH ----------	29	-	-	-	-	-	-	-	2	10	6	8
WHITE------MALE----	23	-	-	-	-	-	-	-	2	8	4	6
FEMALE--	3	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT ----------	12	-	-	-	-	-	-	-	2	3	4	-
WHITE------MALE----	9	-	-	-	-	-	-	-	2	2	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	265	-	-	-	-	-	1	12	44	51	60	44
WHITE------MALE----	76	-	-	-	-	-	-	2	13	14	11	15
FEMALE--	9	-	-	-	-	-	-	1	3	2	3	-
ALL OTHER--MALE----	133	-	-	-	-	-	1	6	19	26	37	20
FEMALE--	47	-	-	-	-	-	-	3	9	9	9	9
BLACK---MALE----	133	-	-	-	-	-	1	6	19	26	37	20
FEMALE--	47	-	-	-	-	-	-	3	9	9	9	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	8	2	5	1	1	-	-	-	-	-	-
WHITE------MALE----	5	4	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	4	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	7	4	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	81	55	23	14	9	2	-	-	1	-	-	-
WHITE------MALE----	45	29	12	9	4	-	-	-	-	-	-	-
FEMALE--	6	3	3	2	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	20	21	6	3	2	1	-	-	-	-	-	-
FEMALE--	10	2	2	-	3	1	-	-	-	-	-	-
BLACK---MALE----	20	21	6	3	2	1	-	-	-	-	-	-
FEMALE--	10	2	2	-	3	1	-	-	-	-	-	-
UTAH ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	24	13	9	4	1	1	1	-	-	-	-	-
WHITE------MALE----	11	6	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	5	4	1	1	1	-	-	-	-	-	-
FEMALE--	1	2	3	2	-	-	-	-	-	-	-	-
BLACK---MALE----	12	5	4	1	1	1	-	-	-	-	-	-
FEMALE--	1	2	3	2	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
WASHINGTON ----------	110	-	-	-	1	-	1	7	12	30	23	16
WHITE------MALE----	78	-	-	-	1	-	-	4	10	23	14	11
FEMALE--	11	-	-	-	-	-	1	1	2	2	3	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	5	4	4
FEMALE--	3	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	12	-	-	-	-	-	-	1	-	2	4	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	21	-	-	-	-	-	-	3	4	9	-	2
WHITE------MALE----	15	-	-	-	-	-	-	3	3	5	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
WISCONSIN ----------	65	-	-	1	-	-	-	5	6	18	14	12
WHITE------MALE----	35	-	-	-	-	-	-	1	3	8	7	8
FEMALE--	5	-	-	-	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	3	2	7	5	1
FEMALE--	6	-	-	1	-	-	-	-	-	2	1	2
BLACK---MALE----	15	-	-	-	-	-	-	3	2	4	4	1
FEMALE--	6	-	-	1	-	-	-	-	-	2	1	2
WYOMING ----------	2	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
WASHINGTON ----------	10	4	1	2	2	1	-	-	-	-	-	-
WHITE------MALE----	8	2	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	1	1	2	2	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 442

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
UNITED STATES -	5,931	7	13	12	12	11	78	332	788	1,228	1,279	1,020
WHITE------MALE----	2,225	1	3	-	3	3	13	107	279	495	480	361
FEMALE--	504	-	-	1	4	-	8	35	79	117	107	73
ALL OTHER--MALE----	2,231	4	8	7	4	2	22	109	267	417	500	435
FEMALE--	971	2	2	4	1	6	35	81	163	199	192	151
BLACK---MALE----	2,169	4	8	7	4	2	22	107	258	395	487	427
FEMALE--	956	2	2	4	1	6	35	80	160	198	188	147
ALABAMA ----------	61	-	-	-	-	-	-	3	13	19	10	10
WHITE------MALE----	13	-	-	-	-	-	-	1	3	4	2	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	38	-	-	-	-	-	-	1	7	13	7	6
FEMALE--	7	-	-	-	-	-	-	1	2	2	1	-
BLACK---MALE----	38	-	-	-	-	-	-	1	7	13	7	6
FEMALE--	7	-	-	-	-	-	-	1	2	2	1	-
ALASKA ----------	4	-	1	-	-	-	-	-	-	2	-	1
WHITE------MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	76	-	-	-	-	-	1	4	12	23	18	9
WHITE------MALE----	54	-	-	-	-	-	-	4	9	16	11	6
FEMALE--	7	-	-	-	-	-	-	-	2	1	3	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	4	3	2
FEMALE--	5	-	-	-	-	-	1	-	-	2	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	4	-	-	-	-	-	1	-	-	2	1	-
ARKANSAS ----------	23	-	-	-	-	-	1	2	4	8	4	1
WHITE------MALE----	14	-	-	-	-	-	1	-	2	5	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	5	-	-	-	-	-	-	2	1	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	5	-	-	-	-	-	-	2	1	1	1	-
CALIFORNIA ----------	662	-	-	-	1	-	5	42	88	139	124	122
WHITE------MALE----	425	-	-	-	-	-	2	28	56	96	74	78
FEMALE--	57	-	-	-	-	-	2	5	10	14	8	7
ALL OTHER--MALE----	130	-	-	-	1	-	1	5	16	25	28	27
FEMALE--	50	-	-	-	-	-	-	4	6	4	14	10
BLACK---MALE----	116	-	-	-	1	-	1	4	14	22	24	24
FEMALE--	44	-	-	-	-	-	-	3	6	4	11	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
UNITED STATES -	603	255	122	83	51	26	6	3	-	-	1	1
WHITE------MALE----	255	105	54	34	14	15	3	-	-	-	-	-
FEMALE--	43	18	6	6	4	1	-	1	-	-	1	-
ALL OTHER--MALE----	235	108	42	35	23	7	3	2	-	-	-	1
FEMALE--	70	24	20	8	10	3	-	-	-	-	-	-
BLACK---MALE----	229	108	42	34	23	7	3	1	-	-	-	1
FEMALE--	69	24	20	8	9	3	-	-	-	-	-	-
ALABAMA ----------	4	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	2	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	5	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	71	36	14	11	7	1	1	-	-	-	-	-
WHITE------MALE----	48	24	7	7	3	1	1	-	-	-	-	-
FEMALE--	4	2	2	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	9	2	-	2	-	-	-	-	-	-	-
FEMALE--	5	1	3	2	1	-	-	-	-	-	-	-
BLACK---MALE----	13	9	2	-	2	-	-	-	-	-	-	-
FEMALE--	5	1	3	2	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
COLORADO ----------	38	-	-	-	-	-	-	1	5	8	10	7
WHITE------MALE----	30	-	-	-	-	-	-	1	4	7	8	4
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	92	-	-	-	1	-	-	6	8	18	21	14
WHITE------MALE----	37	-	-	-	-	-	-	1	3	8	7	5
FEMALE--	12	-	-	-	1	-	-	1	1	3	2	2
ALL OTHER--MALE----	29	-	-	-	-	-	-	4	3	4	6	6
FEMALE--	14	-	-	-	-	-	-	-	1	3	6	1
BLACK---MALE----	29	-	-	-	-	-	-	4	3	4	6	6
FEMALE--	14	-	-	-	-	-	-	-	1	3	6	1
DELAWARE ----------	21	-	-	-	-	-	1	1	-	4	7	4
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	1	1	-	2	4	3
FEMALE--	3	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	11	-	-	-	-	-	1	1	-	1	4	3
FEMALE--	3	-	-	-	-	-	-	-	-	2	1	-
DISTRICT OF COLUMBIA ---	120	1	-	-	-	-	1	6	15	24	22	22
WHITE------MALE----	13	-	-	-	-	-	-	-	2	3	3	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	75	1	-	-	-	-	-	4	8	15	9	18
FEMALE--	31	-	-	-	-	-	1	2	5	6	10	3
BLACK---MALE----	75	1	-	-	-	-	-	4	8	15	9	18
FEMALE--	31	-	-	-	-	-	1	2	5	6	10	3
FLORIDA ----------	591	1	1	2	2	1	8	42	82	132	132	80
WHITE------MALE----	203	-	-	-	-	-	-	14	22	46	48	32
FEMALE--	53	-	-	-	1	-	-	3	10	11	10	7
ALL OTHER--MALE----	214	-	1	1	-	-	2	12	28	41	53	29
FEMALE--	121	1	-	1	1	1	6	13	22	34	21	12
BLACK---MALE----	214	-	1	1	-	-	2	12	28	41	53	29
FEMALE--	121	1	-	1	1	1	6	13	22	34	21	12
GEORGIA ----------	302	-	-	-	1	1	6	27	50	62	53	60
WHITE------MALE----	56	-	-	-	1	-	2	4	9	15	10	6
FEMALE--	9	-	-	-	-	-	-	2	3	2	2	-
ALL OTHER--MALE----	179	-	-	-	-	1	2	13	30	35	32	41
FEMALE--	58	-	-	-	-	-	2	8	8	10	9	13
BLACK---MALE----	177	-	-	-	-	1	2	13	30	35	32	39
FEMALE--	58	-	-	-	-	-	2	8	8	10	9	13

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
COLORADO ----------	6	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	11	6	4	-	-	3	-	-	-	-	-	-
WHITE------MALE----	5	2	4	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	1	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	19	4	2	1	2	-	1	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	3	2	-	1	-	1	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	13	3	2	-	1	-	1	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
FLORIDA ----------	47	22	20	11	6	2	-	-	-	-	-	-
WHITE------MALE----	20	7	9	3	1	1	-	-	-	-	-	-
FEMALE--	6	2	3	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	11	8	7	3	1	-	-	-	-	-	-
FEMALE--	4	2	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	17	11	8	7	3	1	-	-	-	-	-	-
FEMALE--	4	2	-	1	2	-	-	-	-	-	-	-
GEORGIA ----------	22	10	3	4	2	1	-	-	-	-	-	-
WHITE------MALE----	3	3	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	6	2	2	1	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	14	6	2	2	1	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
HAWAII ----------	9	-	-	-	-	-	-	-	1	3	4	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	244	-	1	-	-	-	3	9	28	53	48	57
WHITE------MALE----	69	-	-	-	-	-	-	3	8	15	13	14
FEMALE--	11	-	-	-	-	-	-	1	1	4	3	1
ALL OTHER--MALE----	124	-	1	-	-	-	1	4	14	23	23	35
FEMALE--	40	-	-	-	-	-	2	1	5	11	9	7
BLACK---MALE----	124	-	1	-	-	-	1	4	14	23	23	35
FEMALE--	40	-	-	-	-	-	2	1	5	11	9	7
INDIANA ----------	46	-	-	-	-	-	-	3	13	10	8	6
WHITE------MALE----	28	-	-	-	-	-	-	1	9	6	3	4
FEMALE--	3	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	2	2	4	1
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	11	-	-	-	-	-	-	1	2	2	4	1
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	1
IOWA ----------	10	-	-	-	-	-	-	1	2	1	2	1
WHITE------MALE----	6	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	24	-	-	-	-	-	-	-	3	4	7	5
WHITE------MALE----	16	-	-	-	-	-	-	-	3	2	7	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	24	11	5	1	3	1	-	-	-	-	-	-
WHITE------MALE----	8	2	4	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	9	-	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	12	9	-	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-
INDIANA ----------	2	1	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	3	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
KENTUCKY ----------	32	-	-	-	-	-	-	1	5	7	9	6
WHITE------MALE----	17	-	-	-	-	-	-	-	-	5	5	5
FEMALE--	4	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	1	2	4	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	1	2	4	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA ----------	144	-	1	-	1	1	4	10	27	30	34	14
WHITE------MALE----	31	-	-	-	-	-	-	-	4	6	9	3
FEMALE--	4	-	-	-	-	-	-	1	-	3	-	-
ALL OTHER--MALE----	86	-	-	-	1	-	1	7	15	18	22	11
FEMALE--	23	-	1	-	-	1	3	2	8	3	3	-
BLACK---MALE----	86	-	-	-	1	-	1	7	15	18	22	11
FEMALE--	23	-	1	-	-	1	3	2	8	3	3	-
MAINE ----------	3	-	-	-	-	-	1	-	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	271	-	-	2	-	1	4	10	27	63	64	48
WHITE------MALE----	24	-	-	-	-	-	-	1	2	3	7	5
FEMALE--	6	-	-	-	-	-	-	1	1	-	2	2
ALL OTHER--MALE----	164	-	-	2	-	1	2	2	13	37	40	29
FEMALE--	77	-	-	-	-	-	2	6	11	23	15	12
BLACK---MALE----	163	-	-	2	-	1	2	2	13	37	40	29
FEMALE--	77	-	-	-	-	-	2	6	11	23	15	12
MASSACHUSETTS ----------	100	-	-	-	1	-	1	3	13	23	23	21
WHITE------MALE----	57	-	-	-	1	-	-	2	6	12	17	13
FEMALE--	21	-	-	-	-	-	-	-	5	7	2	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	10	-	-	-	-	-	1	1	2	2	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	10	-	-	-	-	-	1	1	2	2	1	1
MICHIGAN ----------	92	1	-	1	-	-	1	4	11	23	21	19
WHITE------MALE----	30	-	-	-	-	-	-	-	3	9	11	3
FEMALE--	5	-	-	-	-	-	-	1	-	2	-	1
ALL OTHER--MALE----	42	1	-	1	-	-	-	3	7	8	7	9
FEMALE--	15	-	-	-	-	-	1	-	1	4	3	6
BLACK---MALE----	41	1	-	1	-	-	-	3	6	8	7	9
FEMALE--	15	-	-	-	-	-	1	-	1	4	3	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
KENTUCKY ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	12	6	1	1	2	-	-	-	-	-	-	-
WHITE------MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	4	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	4	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	32	10	6	3	-	1	-	-	-	-	-	-
WHITE------MALE----	2	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	7	4	2	-	-	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	7	4	2	-	-	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	10	2	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
MINNESOTA ----------	29	-	-	-	-	-	-	1	8	5	4	3
WHITE------MALE----	14	-	-	-	-	-	-	1	2	3	3	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	3	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	2	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	2	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
MISSISSIPPI ----------	71	-	1	-	-	-	2	10	12	15	11	7
WHITE------MALE----	8	-	-	-	-	-	-	1	2	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	43	-	1	-	-	-	1	7	7	8	6	3
FEMALE--	18	-	-	-	-	-	1	2	3	3	4	4
BLACK---MALE----	43	-	1	-	-	-	1	7	7	8	6	3
FEMALE--	18	-	-	-	-	-	1	2	3	3	4	4
MISSOURI ----------	69	-	1	-	-	1	1	7	9	12	18	10
WHITE------MALE----	35	-	1	-	-	-	-	2	6	5	11	4
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	2	2	5	5	5
FEMALE--	9	-	-	-	-	1	1	2	1	2	1	1
BLACK---MALE----	21	-	-	-	-	-	-	2	2	5	4	5
FEMALE--	9	-	-	-	-	1	1	2	1	2	1	1
MONTANA ----------	3	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	42	-	-	-	-	-	-	2	5	12	7	4
WHITE------MALE----	31	-	-	-	-	-	-	2	2	10	4	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	2	3	-
FEMALE--	3	-	-	-	-	-	-	-	2	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	2	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
MINNESOTA ----------	4	3	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	1	1	2	2	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSOURI ----------	6	1	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	2	2	-	2	1	1	-	-	-	-	1
WHITE------MALE----	3	2	2	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
NEW HAMPSHIRE ----------	7	-	-	-	-	-	1	-	2	1	2	1
WHITE------MALE----	5	-	-	-	-	-	1	-	1	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	368	-	2	2	2	2	3	7	34	75	90	71
WHITE------MALE----	88	-	-	-	1	-	1	-	9	20	14	20
FEMALE--	40	-	-	-	-	-	1	2	7	10	12	4
ALL OTHER--MALE----	147	-	1	2	1	-	-	3	2	25	45	30
FEMALE--	93	-	1	-	-	2	1	2	16	20	19	17
BLACK---MALE----	146	-	1	2	1	-	-	3	2	24	45	30
FEMALE--	93	-	1	-	-	2	1	2	16	20	19	17
NEW MEXICO ----------	12	-	-	-	-	-	-	-	3	3	3	3
WHITE------MALE----	7	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	928	-	4	2	2	2	10	36	80	157	208	184
WHITE------MALE----	321	-	1	-	-	1	-	7	24	59	75	57
FEMALE--	139	-	-	1	1	-	1	8	16	35	33	28
ALL OTHER--MALE----	304	-	3	-	1	-	4	10	18	38	62	70
FEMALE--	164	-	-	1	-	1	5	11	22	25	38	29
BLACK---MALE----	299	-	3	-	1	-	4	10	17	37	62	68
FEMALE--	161	-	-	1	-	1	5	11	21	25	37	29
NORTH CAROLINA ---------	191	1	1	1	-	-	5	13	21	35	44	43
WHITE------MALE----	29	-	-	-	-	-	1	2	3	5	9	5
FEMALE--	11	-	-	-	-	-	-	1	1	3	2	2
ALL OTHER--MALE----	106	-	1	-	-	-	-	4	10	21	23	31
FEMALE--	45	1	-	1	-	-	4	6	7	6	10	5
BLACK---MALE----	104	-	1	-	-	-	-	4	10	20	23	30
FEMALE--	45	1	-	1	-	-	4	6	7	6	10	5
NORTH DAKOTA ----------	3	-	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	38	19	10	5	4	4	-	-	-	-	-	-
WHITE------MALE----	10	8	1	1	-	3	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	8	6	3	2	1	-	-	-	-	-	-
FEMALE--	6	3	3	1	2	-	-	-	-	-	-	-
BLACK---MALE----	18	8	6	3	2	1	-	-	-	-	-	-
FEMALE--	6	3	3	1	2	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	140	51	21	19	6	4	1	1	-	-	-	-
WHITE------MALE----	55	22	8	6	3	3	-	-	-	-	-	-
FEMALE--	13	1	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	52	25	7	9	2	1	1	1	-	-	-	-
FEMALE--	20	3	6	2	1	-	-	-	-	-	-	-
BLACK---MALE----	52	25	7	9	2	1	1	-	-	-	-	-
FEMALE--	20	3	6	2	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	15	4	3	2	-	2	-	-	-	-	1	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	2	1	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	10	2	1	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
OHIO ----------	87	-	-	-	-	-	-	7	14	22	17	19
WHITE------MALE----	41	-	-	-	-	-	-	3	4	15	8	8
FEMALE--	8	-	-	-	-	-	-	1	2	2	2	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	5	5	5	7
FEMALE--	10	-	-	-	-	-	-	2	3	-	2	3
BLACK---MALE----	28	-	-	-	-	-	-	1	5	5	5	7
FEMALE--	10	-	-	-	-	-	-	2	3	-	2	3
OKLAHOMA ----------	34	-	-	-	-	-	1	5	3	6	8	4
WHITE------MALE----	19	-	-	-	-	-	-	2	2	3	7	2
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	-	2	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
OREGON ----------	31	-	-	-	-	-	-	-	5	5	9	7
WHITE------MALE----	25	-	-	-	-	-	-	-	4	4	5	7
FEMALE--	3	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	192	2	-	1	-	1	2	7	31	28	47	29
WHITE------MALE----	67	1	-	-	-	1	-	3	8	12	11	12
FEMALE--	12	-	-	-	-	-	1	-	3	2	4	-
ALL OTHER--MALE----	81	1	-	-	-	-	1	2	14	6	26	14
FEMALE--	32	-	-	1	-	-	-	2	6	8	6	3
BLACK---MALE----	81	1	-	-	-	-	1	2	14	6	26	14
FEMALE--	32	-	-	1	-	-	-	2	6	8	6	3
RHODE ISLAND ----------	14	-	-	-	-	-	-	-	1	4	5	2
WHITE------MALE----	9	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA ---------	108	-	-	-	1	-	2	6	20	21	21	16
WHITE------MALE----	24	-	-	-	-	-	-	2	2	8	3	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	56	-	-	-	-	-	2	4	11	9	12	11
FEMALE--	25	-	-	-	-	-	-	-	7	4	5	4
BLACK---MALE----	55	-	-	-	-	-	2	4	11	9	11	11
FEMALE--	24	-	-	-	-	-	-	-	7	4	5	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
OHIO ----------	7	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	4	1	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON ----------	3	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	24	9	4	1	3	2	-	1	-	-	-	-
WHITE------MALE----	12	2	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	4	1	1	2	-	-	1	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	4	1	1	2	-	-	1	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	8	5	3	3	1	1	-	-	-	-	-	-
WHITE------MALE----	3	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	3	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	103	-	-	-	-	1	1	8	20	23	23	15
WHITE------MALE----	33	-	-	-	-	1	-	3	3	8	8	6
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	50	-	-	-	-	-	1	3	10	11	11	7
FEMALE--	16	-	-	-	-	-	-	1	7	4	3	1
BLACK---MALE----	49	-	-	-	-	-	1	3	10	10	11	7
FEMALE--	16	-	-	-	-	-	-	1	7	4	3	1
TEXAS ----------	468	1	-	1	-	-	13	36	80	90	101	62
WHITE------MALE----	235	-	-	-	-	-	4	12	42	51	56	28
FEMALE--	44	-	-	-	-	-	3	2	6	8	8	8
ALL OTHER--MALE----	133	1	-	1	-	-	3	11	22	22	30	21
FEMALE--	56	-	-	-	-	-	3	11	10	9	7	5
BLACK---MALE----	130	1	-	1	-	-	3	11	22	20	29	21
FEMALE--	56	-	-	-	-	-	3	11	10	9	7	5
UTAH ----------	9	-	-	-	-	-	-	-	1	4	1	3
WHITE------MALE----	5	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT ----------	3	-	-	-	-	-	-	-	2	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	108	-	-	-	-	-	-	5	18	26	20	17
WHITE------MALE----	30	-	-	-	-	-	-	1	5	7	5	5
FEMALE--	4	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	58	-	-	-	-	-	-	1	10	14	13	9
FEMALE--	16	-	-	-	-	-	-	2	3	3	1	3
BLACK---MALE----	58	-	-	-	-	-	-	1	10	14	13	9
FEMALE--	16	-	-	-	-	-	-	2	3	3	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	2	1	3	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	44	20	10	6	4	-	-	-	-	-	-	-
WHITE------MALE----	24	9	5	3	1	-	-	-	-	-	-	-
FEMALE--	4	3	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	6	3	2	2	-	-	-	-	-	-	-
FEMALE--	7	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	9	6	3	2	2	-	-	-	-	-	-	-
FEMALE--	7	2	1	-	1	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	8	7	4	1	1	-	1	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
WASHINGTON ----------	48	-	-	-	-	-	-	5	5	11	11	7
WHITE------MALE----	35	-	-	-	-	-	-	4	4	8	7	6
FEMALE--	4	-	-	-	-	-	-	1	1	-	2	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	3	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	7	-	-	-	-	-	-	-	2	3	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
WISCONSIN ----------	23	-	-	-	-	-	-	1	2	8	6	3
WHITE------MALE----	11	-	-	-	-	-	-	-	2	2	3	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	4	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	4	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	2
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
WASHINGTON ----------	4	2	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
UNITED STATES -	1,117	-	-	1	-	1	8	43	164	228	235	169
WHITE------MALE----	604	-	-	-	-	-	3	15	96	137	121	91
FEMALE--	71	-	-	1	-	-	2	4	8	15	15	11
ALL OTHER--MALE----	344	-	-	-	-	1	3	18	43	56	81	57
FEMALE--	98	-	-	-	-	-	-	6	17	20	18	10
BLACK---MALE----	333	-	-	-	-	1	3	17	42	54	78	54
FEMALE--	96	-	-	-	-	-	-	5	17	20	17	10
ALABAMA ----------	10	-	-	-	-	-	-	-	2	3	2	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	15	-	-	-	-	-	-	-	2	2	4	3
WHITE------MALE----	11	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	176	-	-	-	-	-	2	3	18	43	41	30
WHITE------MALE----	146	-	-	-	-	-	1	3	15	38	32	24
FEMALE--	4	-	-	-	-	-	-	-	-	4	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	1	-	3	1	9	6
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	1	-	3	1	9	5
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
UNITED STATES -	122	84	28	19	12	3	-	-	-	-	-	-
WHITE------MALE----	64	51	11	10	4	1	-	-	-	-	-	-
FEMALE--	9	2	3	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	37	21	14	6	5	2	-	-	-	-	-	-
FEMALE--	12	10	-	3	2	-	-	-	-	-	-	-
BLACK---MALE----	36	21	14	6	5	2	-	-	-	-	-	-
FEMALE--	12	10	-	3	2	-	-	-	-	-	-	-
ALABAMA ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	16	18	-	2	3	-	-	-	-	-	-	-
WHITE------MALE----	13	16	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
COLORADO ----------	17	-	-	-	-	-	-	-	1	8	7	-
WHITE------MALE----	15	-	-	-	-	-	-	-	1	8	6	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	15	-	-	-	-	-	-	-	1	3	4	3
WHITE------MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	7	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	26	-	-	-	-	-	-	-	3	4	4	5
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	2	3	2	4
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	2	3	2	4
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	1
FLORIDA ----------	114	-	-	-	-	-	1	2	15	16	28	17
WHITE------MALE----	59	-	-	-	-	-	1	1	10	10	11	11
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	2	4	11	2
FEMALE--	17	-	-	-	-	-	-	-	3	2	4	2
BLACK---MALE----	32	-	-	-	-	-	-	1	2	4	11	1
FEMALE--	17	-	-	-	-	-	-	-	3	2	4	2
GEORGIA ----------	48	-	-	-	-	-	-	3	7	9	11	6
WHITE------MALE----	15	-	-	-	-	-	-	-	1	2	5	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	3	5	4	5	3
FEMALE--	7	-	-	-	-	-	-	-	1	3	1	1
BLACK---MALE----	26	-	-	-	-	-	-	3	5	4	5	3
FEMALE--	7	-	-	-	-	-	-	-	1	3	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	3	2	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	13	12	5	1	4	-	-	-	-	-	-	-
WHITE------MALE----	8	6	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	4	3	1	2	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	3	4	3	1	2	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	2	-	-	-	-	-	-	-
GEORGIA ----------	6	2	1	3	-	-	-	-	-	-	-	-
WHITE------MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	3	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	3	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
HAWAII ----------	3	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	31	-	-	-	-	-	-	-	10	5	4	5
WHITE------MALE----	12	-	-	-	-	-	-	-	5	1	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	3	4	3	3
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	3	4	3	3
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
INDIANA ----------	11	-	-	-	-	-	-	1	5	3	1	1
WHITE------MALE----	11	-	-	-	-	-	-	1	5	3	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	5	-	-	-	-	-	-	1	1	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	2	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
KENTUCKY ----------	6	-	-	-	-	-	-	-	2	-	2	1
WHITE------MALE----	4	-	-	-	-	-	-	-	2	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	17	-	-	-	-	-	1	2	1	4	2	3
WHITE------MALE----	10	-	-	-	-	-	1	-	1	3	2	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
MAINE ----------	4	-	-	-	-	-	-	2	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	25	-	-	-	-	-	-	-	3	8	5	4
WHITE------MALE----	7	-	-	-	-	-	-	-	2	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	4	3	3
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	4	3	3
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	-
MASSACHUSETTS ----------	33	-	-	-	-	1	1	-	6	4	7	5
WHITE------MALE----	23	-	-	-	-	-	-	-	4	4	5	3
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	1	1	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN ----------	16	-	-	-	-	-	-	1	2	3	3	1
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	2	2	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	2	2	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	2	1	2	1	-	-	-	-	-	-	-
WHITE------MALE----	2	2	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
MINNESOTA ----------	8	-	-	-	-	-	-	-	1	2	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	-	-	-	-	-	-	1	-	-	3	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	17	-	-	-	-	-	-	-	5	5	2	3
WHITE------MALE----	11	-	-	-	-	-	-	-	3	2	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	3	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	2	3	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	10	-	-	-	-	-	-	1	2	1	2	1
WHITE------MALE----	5	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
MINNESOTA ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	49	-	-	-	-	-	-	1	13	7	11	7
WHITE------MALE----	17	-	-	-	-	-	-	1	6	3	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	3	2	7	3
FEMALE--	8	-	-	-	-	-	-	-	4	2	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	3	2	6	3
FEMALE--	8	-	-	-	-	-	-	-	4	2	1	1
NEW MEXICO ----------	4	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	154	-	-	1	-	-	1	3	23	30	34	22
WHITE------MALE----	60	-	-	-	-	-	-	-	7	15	12	8
FEMALE--	20	-	-	1	-	-	1	-	4	3	6	1
ALL OTHER--MALE----	54	-	-	-	-	-	-	2	9	8	11	12
FEMALE--	20	-	-	-	-	-	-	1	3	4	5	1
BLACK---MALE----	54	-	-	-	-	-	-	2	9	8	11	12
FEMALE--	20	-	-	-	-	-	-	1	3	4	5	1
NORTH CAROLINA ---------	27	-	-	-	-	-	1	3	7	2	5	4
WHITE------MALE----	13	-	-	-	-	-	-	-	5	2	3	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	2	1	-	2	1
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	8	-	-	-	-	-	1	2	1	-	2	1
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	1
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	2	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	18	16	3	3	-	-	-	-	-	-	-	-
WHITE------MALE----	6	8	2	2	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	1	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
OHIO ----------	27	-	-	-	-	-	-	3	4	5	2	4
WHITE------MALE----	19	-	-	-	-	-	-	2	4	2	1	3
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
OKLAHOMA ----------	8	-	-	-	-	-	-	-	-	1	4	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	12	-	-	-	-	-	-	-	3	2	2	3
WHITE------MALE----	10	-	-	-	-	-	-	-	3	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	34	-	-	-	-	-	-	3	2	7	7	6
WHITE------MALE----	17	-	-	-	-	-	-	1	1	4	3	3
FEMALE--	3	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	1	3	3
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	1	3	3
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
RHODE ISLAND ----------	3	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	17	-	-	-	-	-	-	1	1	3	3	4
WHITE------MALE----	4	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	10	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
OHIO ----------	4	3	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	4	1	1	2	-	-	-	-	-	-	-
WHITE------MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	18	-	-	-	-	-	-	1	3	5	4	5
WHITE------MALE----	12	-	-	-	-	-	-	-	2	3	3	4
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	89	-	-	-	-	-	1	10	10	23	20	6
WHITE------MALE----	49	-	-	-	-	-	-	5	5	12	13	2
FEMALE--	9	-	-	-	-	-	1	1	-	2	1	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	2	5	7	6	3
FEMALE--	5	-	-	-	-	-	-	2	-	2	-	-
BLACK---MALE----	26	-	-	-	-	-	-	2	5	7	6	3
FEMALE--	5	-	-	-	-	-	-	2	-	2	-	-
UTAH ----------	4	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	14	-	-	-	-	-	-	-	3	2	3	2
WHITE------MALE----	10	-	-	-	-	-	-	-	2	2	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	7	7	3	2	-	-	-	-	-	-	-	-
WHITE------MALE----	4	5	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
WASHINGTON ----------	16	-	-	-	-	-	-	1	3	7	-	2
WHITE------MALE----	13	-	-	-	-	-	-	-	3	6	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	-	-	-	-	-	-	-	-	3	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
WASHINGTON ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 460

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
UNITED STATES -	1,608	2	2	4	5	2	14	76	217	354	360	242
WHITE------MALE----	730	-	1	1	1	1	4	27	94	176	155	127
FEMALE--	107	-	-	-	1	1	2	8	16	24	22	17
ALL OTHER--MALE----	559	1	-	3	2	-	3	28	74	105	135	75
FEMALE--	212	1	1	-	1	-	5	13	33	49	48	23
BLACK---MALE----	546	1	-	3	2	-	3	27	74	102	130	74
FEMALE--	211	1	1	-	1	-	5	13	32	49	48	23
ALABAMA ----------	27	-	-	-	-	-	1	2	6	5	4	2
WHITE------MALE----	7	-	-	-	-	-	-	1	-	4	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	1	1	4	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	16	-	-	-	-	-	1	1	4	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	-	-	-	-	-	-	1	-	5	1	1
WHITE------MALE----	8	-	-	-	-	-	-	1	-	5	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	264	-	-	1	-	-	3	11	34	52	67	42
WHITE------MALE----	174	-	-	-	-	-	2	7	26	31	44	32
FEMALE--	21	-	-	-	-	-	1	-	3	9	2	2
ALL OTHER--MALE----	53	-	-	1	-	-	-	4	3	7	17	5
FEMALE--	16	-	-	-	-	-	-	-	2	5	4	3
BLACK---MALE----	46	-	-	1	-	-	-	4	3	5	15	4
FEMALE--	16	-	-	-	-	-	-	-	2	5	4	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
UNITED STATES -	148	86	40	29	17	7	1	1	1	-	-	-
WHITE------MALE----	77	32	16	9	7	2	-	-	-	-	-	-
FEMALE--	3	2	3	2	3	1	1	-	1	-	-	-
ALL OTHER--MALE----	52	42	18	13	5	2	-	1	-	-	-	-
FEMALE--	16	10	3	5	2	2	-	-	-	-	-	-
BLACK---MALE----	50	42	18	12	5	2	-	1	-	-	-	-
FEMALE--	16	10	3	5	2	2	-	-	-	-	-	-
ALABAMA ----------	1	3	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	26	16	5	4	3	-	-	-	-	-	-	-
WHITE------MALE----	16	10	3	2	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	2	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	6	2	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
COLORADO ----------	12	-	-	-	-	-	-	1	2	3	2	1
WHITE------MALE----	10	-	-	-	-	-	-	1	2	3	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	25	-	-	-	1	-	-	3	2	5	4	3
WHITE------MALE----	13	-	-	-	-	-	-	2	1	3	1	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	6	-	-	-	1	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
DELAWARE ----------	7	-	-	-	-	-	-	1	1	1	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	1	-
DISTRICT OF COLUMBIA ---	22	-	-	-	-	-	-	2	4	5	4	2
WHITE------MALE----	3	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	2	2	3	1
FEMALE--	7	-	-	-	-	-	-	1	1	2	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	2	2	3	1
FEMALE--	7	-	-	-	-	-	-	1	1	2	1	-
FLORIDA ----------	156	2	1	-	1	-	1	8	22	32	29	21
WHITE------MALE----	66	-	-	-	-	-	-	4	9	13	15	10
FEMALE--	9	-	-	-	-	-	-	2	-	2	1	1
ALL OTHER--MALE----	47	1	-	-	-	-	-	-	8	9	8	6
FEMALE--	34	1	1	-	1	-	1	2	5	8	5	4
BLACK---MALE----	47	1	-	-	-	-	-	-	8	9	8	6
FEMALE--	34	1	1	-	1	-	1	2	5	8	5	4
GEORGIA ----------	85	-	-	-	-	-	1	7	13	17	18	10
WHITE------MALE----	15	-	-	-	-	-	-	2	3	3	3	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	49	-	-	-	-	-	-	3	8	11	10	5
FEMALE--	17	-	-	-	-	-	1	2	2	2	3	3
BLACK---MALE----	49	-	-	-	-	-	-	3	8	11	10	5
FEMALE--	17	-	-	-	-	-	1	2	2	2	3	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
COLORADO ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	5	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	16	11	5	3	3	-	-	1	-	-	-	-
WHITE------MALE----	8	3	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	3	2	1	1	-	-	1	-	-	-	-
FEMALE--	1	3	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	7	3	2	1	1	-	-	1	-	-	-	-
FEMALE--	1	3	1	1	-	-	-	-	-	-	-	-
GEORGIA ----------	5	6	4	2	1	1	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
HAWAII ----------	7	-	-	-	-	-	-	-	1	2	1	2
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	55	-	-	-	-	-	-	2	6	8	13	11
WHITE------MALE----	19	-	-	-	-	-	-	-	3	3	6	1
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	2	2	7	8
FEMALE--	8	-	-	-	-	-	-	2	1	1	-	2
BLACK---MALE----	25	-	-	-	-	-	-	-	2	2	6	8
FEMALE--	8	-	-	-	-	-	-	2	1	1	-	2
INDIANA ----------	19	-	-	-	-	-	-	1	1	4	5	3
WHITE------MALE----	10	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	2	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	1	1	2	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
IOWA ----------	4	-	-	-	-	-	-	-	2	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	9	3	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	-	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
KENTUCKY ----------	8	-	-	-	-	-	-	1	-	3	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	55	-	-	-	-	-	-	3	10	11	11	8
WHITE------MALE----	21	-	-	-	-	-	-	-	1	5	5	5
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	2	4	4	5	2
FEMALE--	9	-	-	-	-	-	-	1	4	1	1	1
BLACK---MALE----	23	-	-	-	-	-	-	2	4	4	5	2
FEMALE--	9	-	-	-	-	-	-	1	4	1	1	1
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	67	-	-	-	-	-	-	3	8	13	22	10
WHITE------MALE----	11	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	3	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	42	-	-	-	-	-	-	3	4	10	12	7
FEMALE--	11	-	-	-	-	-	-	-	1	1	7	-
BLACK---MALE----	42	-	-	-	-	-	-	3	4	10	12	7
FEMALE--	11	-	-	-	-	-	-	-	1	1	7	-
MASSACHUSETTS ----------	21	-	-	-	-	-	1	-	2	4	6	4
WHITE------MALE----	13	-	-	-	-	-	-	-	1	3	2	3
FEMALE--	4	-	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	30	-	-	-	-	-	-	1	4	9	6	4
WHITE------MALE----	8	-	-	-	-	-	-	1	1	2	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	2	6	2	3
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	17	-	-	-	-	-	-	-	2	6	2	3
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
KENTUCKY ----------	1	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	1	3	3	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	4	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	3	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
MINNESOTA ----------	13	-	-	-	-	-	-	-	1	4	2	4
WHITE------MALE----	9	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	-	-	-	-	-	-	2	2	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	2	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	18	-	-	-	-	-	-	-	5	3	4	2
WHITE------MALE----	8	-	-	-	-	-	-	-	3	1	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	2	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	-	-	-	-	-	-	-	-	3	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	12	-	-	-	-	-	-	1	1	5	3	1
WHITE------MALE----	8	-	-	-	-	-	-	1	-	3	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	108	-	-	1	1	-	1	4	12	27	25	21
WHITE------MALE----	37	-	-	-	-	-	-	1	3	8	9	11
FEMALE--	11	-	-	-	1	-	-	-	2	5	3	-
ALL OTHER--MALE----	34	-	-	1	-	-	-	1	3	7	9	7
FEMALE--	26	-	-	-	-	-	1	2	4	7	4	3
BLACK---MALE----	34	-	-	1	-	-	-	1	3	7	9	7
FEMALE--	26	-	-	-	-	-	1	2	4	7	4	3
NEW MEXICO ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	142	-	-	1	-	-	-	3	11	25	37	24
WHITE------MALE----	62	-	-	-	-	-	-	-	8	13	15	11
FEMALE--	13	-	-	-	-	-	-	2	-	1	4	5
ALL OTHER--MALE----	47	-	-	1	-	-	-	1	1	9	11	6
FEMALE--	20	-	-	-	-	-	-	-	2	2	7	2
BLACK---MALE----	45	-	-	1	-	-	-	1	1	9	10	6
FEMALE--	20	-	-	-	-	-	-	-	2	2	7	2
NORTH CAROLINA ---------	39	-	-	-	1	-	1	-	6	11	5	7
WHITE------MALE----	13	-	-	-	1	-	1	-	1	5	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	4	4	4	4
FEMALE--	7	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	19	-	-	-	-	-	-	-	4	4	4	4
FEMALE--	7	-	-	-	-	-	-	-	1	2	-	1
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	7	3	2	3	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	3	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	3	-	1	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	13	14	2	6	3	3	-	-	-	-	-	-
WHITE------MALE----	4	6	-	3	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	7	2	3	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	5	7	2	2	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	-	2	1	-	-	-	-	-	-
NORTH CAROLINA ---------	2	2	-	2	2	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
OHIO ----------	38	-	-	-	-	1	-	2	7	8	12	4
WHITE------MALE----	20	-	-	-	-	1	-	1	2	6	6	2
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	4	2	6	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	4	2	6	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	12	-	-	-	-	1	-	-	4	3	2	-
WHITE------MALE----	7	-	-	-	-	-	-	-	4	1	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
OREGON ----------	15	-	-	-	-	-	-	1	4	3	1	4
WHITE------MALE----	14	-	-	-	-	-	-	-	4	3	1	4
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	47	-	1	1	-	-	1	1	1	13	11	6
WHITE------MALE----	16	-	1	1	-	-	-	-	-	4	3	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	1	5	6	4
FEMALE--	7	-	-	-	-	-	-	-	-	4	1	1
BLACK---MALE----	21	-	-	-	-	-	1	-	1	5	6	4
FEMALE--	7	-	-	-	-	-	-	-	-	4	1	1
RHODE ISLAND ----------	7	-	-	-	-	-	-	-	1	-	3	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	36	-	-	-	1	-	-	1	9	8	3	7
WHITE------MALE----	12	-	-	-	-	-	-	-	1	5	-	4
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	1	-	-	-	5	3	2	1
FEMALE--	5	-	-	-	-	-	-	-	3	-	1	1
BLACK---MALE----	16	-	-	-	1	-	-	-	5	3	2	1
FEMALE--	5	-	-	-	-	-	-	-	3	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
OHIO ----------	2	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	8	1	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	4	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	-	2	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	36	-	-	-	-	-	-	4	5	9	9	5
WHITE------MALE----	13	-	-	-	-	-	-	-	2	6	2	2
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	3	1	-	5	3
FEMALE--	6	-	-	-	-	-	-	1	1	2	2	-
BLACK---MALE----	14	-	-	-	-	-	-	3	1	-	5	3
FEMALE--	6	-	-	-	-	-	-	1	1	2	2	-
TEXAS ----------	125	-	-	-	-	-	4	9	18	32	26	14
WHITE------MALE----	69	-	-	-	-	-	1	4	10	21	10	9
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	35	-	-	-	-	-	1	4	6	4	10	3
FEMALE--	17	-	-	-	-	-	2	1	1	7	4	1
BLACK---MALE----	35	-	-	-	-	-	1	4	6	4	10	3
FEMALE--	17	-	-	-	-	-	2	1	1	7	4	1
UTAH ----------	7	-	-	-	-	-	-	-	1	2	1	2
WHITE------MALE----	7	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	29	-	-	-	-	-	-	1	5	4	9	9
WHITE------MALE----	11	-	-	-	-	-	-	-	2	1	3	5
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	2	2	3	4
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	13	-	-	-	-	-	-	1	2	2	3	4
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	11	7	2	1	-	1	-	-	-	-	-	-
WHITE------MALE----	9	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
WASHINGTON ----------	14	-	-	-	-	-	-	-	2	4	5	1
WHITE------MALE----	9	-	-	-	-	-	-	-	1	3	3	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	14	-	-	-	-	-	-	-	3	5	2	3
WHITE------MALE----	8	-	-	-	-	-	-	-	1	3	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	2	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
WASHINGTON ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
UNITED STATES -	3,433	2	6	13	9	14	39	164	407	636	734	562
WHITE------MALE----	1,039	1	1	4	2	2	9	38	117	206	221	162
FEMALE--	260	-	2	3	1	2	4	14	32	53	61	39
ALL OTHER--MALE----	1,451	1	2	3	3	4	10	70	160	237	298	272
FEMALE--	683	-	1	3	3	6	16	42	98	140	154	89
BLACK---MALE----	1,433	1	2	3	3	4	9	70	156	236	295	268
FEMALE--	676	-	1	3	3	6	15	42	98	138	153	88
ALABAMA ----------	35	-	-	-	2	-	1	4	6	9	5	5
WHITE------MALE----	6	-	-	-	1	-	-	1	1	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	4	4	3	5
FEMALE--	9	-	-	-	1	-	1	2	1	3	1	-
BLACK---MALE----	20	-	-	-	-	-	-	1	4	4	3	5
FEMALE--	9	-	-	-	1	-	1	2	1	3	1	-
ALASKA ----------	3	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	21	-	-	1	-	1	-	-	2	4	3	2
WHITE------MALE----	15	-	-	1	-	-	-	-	1	2	3	2
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	13	-	-	-	-	-	-	4	-	2	1	4
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	3	-	2	-	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	3	-	2	-	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
CALIFORNIA ----------	316	-	1	3	1	2	2	12	30	59	71	52
WHITE------MALE----	199	-	-	1	-	1	1	8	24	38	45	31
FEMALE--	25	-	1	1	1	-	-	-	-	6	7	3
ALL OTHER--MALE----	71	-	-	1	-	-	-	3	4	11	17	13
FEMALE--	21	-	-	-	-	1	1	1	2	4	2	5
BLACK---MALE----	67	-	-	1	-	-	-	3	4	11	15	12
FEMALE--	20	-	-	-	-	1	1	1	2	4	2	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
UNITED STATES -	372	216	116	87	33	9	7	2	4	1	-	-
WHITE------MALE----	119	66	50	29	7	2	1	2	-	-	-	-
FEMALE--	18	13	3	7	1	-	4	-	3	-	-	-
ALL OTHER--MALE----	174	106	44	40	21	3	1	-	1	1	-	-
FEMALE--	61	31	19	11	4	4	1	-	-	-	-	-
BLACK---MALE----	171	106	43	40	20	3	1	-	1	1	-	-
FEMALE--	60	31	18	11	4	4	1	-	-	-	-	-
ALABAMA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	2	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	44	24	7	3	2	2	1	-	-	-	-	-
WHITE------MALE----	27	15	3	3	1	1	-	-	-	-	-	-
FEMALE--	2	2	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	14	5	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	13	5	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
COLORADO ----------	11	-	-	-	-	-	-	-	2	2	3	2
WHITE------MALE----	6	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	43	-	1	-	-	-	-	-	7	9	7	10
WHITE------MALE----	14	-	-	-	-	-	-	-	3	2	5	3
FEMALE--	6	-	-	-	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	15	-	1	-	-	-	-	-	1	2	2	3
FEMALE--	8	-	-	-	-	-	-	-	1	4	-	3
BLACK---MALE----	15	-	1	-	-	-	-	-	1	2	2	3
FEMALE--	8	-	-	-	-	-	-	-	1	4	-	3
DELAWARE ----------	16	-	-	-	-	-	-	-	3	3	4	4
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	3	2	1	4
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	3	2	1	4
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	56	-	-	-	-	-	3	2	4	5	16	8
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	33	-	-	-	-	-	-	2	1	3	11	4
FEMALE--	17	-	-	-	-	-	3	-	3	2	3	3
BLACK---MALE----	33	-	-	-	-	-	-	2	1	3	11	4
FEMALE--	17	-	-	-	-	-	3	-	3	2	3	3
FLORIDA ----------	399	-	-	1	-	4	7	20	45	74	84	50
WHITE------MALE----	128	-	-	-	-	-	3	5	11	27	22	22
FEMALE--	17	-	-	-	-	-	-	-	2	5	6	-
ALL OTHER--MALE----	156	-	-	1	-	1	2	5	18	19	35	18
FEMALE--	98	-	-	-	-	3	2	10	14	23	21	10
BLACK---MALE----	155	-	-	1	-	1	2	5	18	19	35	18
FEMALE--	98	-	-	-	-	3	2	10	14	23	21	10
GEORGIA ----------	221	-	-	3	-	-	3	14	37	43	44	29
WHITE------MALE----	38	-	-	-	-	-	-	2	9	9	5	3
FEMALE--	6	-	-	-	-	-	-	1	2	-	2	1
ALL OTHER--MALE----	123	-	-	1	-	-	-	7	19	22	28	19
FEMALE--	54	-	-	2	-	-	3	4	7	12	9	6
BLACK---MALE----	123	-	-	1	-	-	-	7	19	22	28	19
FEMALE--	54	-	-	2	-	-	3	4	7	12	9	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
COLORADO ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	5	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	7	2	3	-	1	-	-	-	-	-	-
WHITE------MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
FLORIDA ----------	36	31	25	16	5	1	-	-	-	-	-	-
WHITE------MALE----	14	11	8	4	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	16	11	12	4	-	-	-	-	-	-	-
FEMALE--	7	2	5	-	-	1	-	-	-	-	-	-
BLACK---MALE----	14	16	11	12	3	-	-	-	-	-	-	-
FEMALE--	7	2	5	-	-	1	-	-	-	-	-	-
GEORGIA ----------	24	9	8	5	2	-	-	-	-	-	-	-
WHITE------MALE----	5	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	6	5	2	1	-	-	-	-	-	-	-
FEMALE--	6	1	1	3	-	-	-	-	-	-	-	-
BLACK---MALE----	13	6	5	2	1	-	-	-	-	-	-	-
FEMALE--	6	1	1	3	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
HAWAII ----------	7	-	-	-	-	-	1	-	2	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	102	-	1	1	-	-	1	6	12	15	29	15
WHITE------MALE----	29	-	-	-	-	-	1	2	4	4	7	4
FEMALE--	6	-	1	1	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	44	-	-	-	-	-	-	4	3	9	16	8
FEMALE--	23	-	-	-	-	-	-	-	5	1	4	3
BLACK---MALE----	44	-	-	-	-	-	-	4	3	9	16	8
FEMALE--	23	-	-	-	-	-	-	-	5	1	4	3
INDIANA ----------	20	-	-	-	-	-	-	-	2	4	5	3
WHITE------MALE----	13	-	-	-	-	-	-	-	1	3	4	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	8	-	-	-	-	-	-	1	2	-	1	2
WHITE------MALE----	6	-	-	-	-	-	-	1	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
HAWAII ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	7	3	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	4	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	4	1	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	2	1	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
KENTUCKY ----------	18	1	-	-	-	-	-	1	4	3	5	3
WHITE------MALE----	6	1	-	-	-	-	-	1	1	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	5	-	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	5	-	-	-	-	-	-	-	-	2	2	-
LOUISIANA ----------	62	-	-	-	-	-	1	4	17	8	11	11
WHITE------MALE----	14	-	-	-	-	-	-	-	1	3	3	4
FEMALE--	4	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	8	3	4	6
FEMALE--	16	-	-	-	-	-	1	3	6	1	4	1
BLACK---MALE----	28	-	-	-	-	-	-	1	8	3	4	6
FEMALE--	16	-	-	-	-	-	1	3	6	1	4	1
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	123	-	-	-	1	-	-	6	12	25	34	18
WHITE------MALE----	8	-	-	-	-	-	-	1	1	-	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	78	-	-	-	1	-	-	2	6	16	22	13
FEMALE--	36	-	-	-	-	-	-	3	5	9	10	3
BLACK---MALE----	78	-	-	-	1	-	-	2	6	16	22	13
FEMALE--	36	-	-	-	-	-	-	3	5	9	10	3
MASSACHUSETTS ----------	55	-	-	-	-	1	3	2	4	10	15	10
WHITE------MALE----	28	-	-	-	-	1	1	-	-	5	7	7
FEMALE--	11	-	-	-	-	-	-	2	1	3	3	-
ALL OTHER--MALE----	10	-	-	-	-	-	2	-	-	1	4	2
FEMALE--	6	-	-	-	-	-	-	-	3	1	1	1
BLACK---MALE----	9	-	-	-	-	-	1	-	-	1	4	2
FEMALE--	6	-	-	-	-	-	-	-	3	1	1	1
MICHIGAN ----------	47	-	-	-	-	-	-	2	4	7	11	10
WHITE------MALE----	10	-	-	-	-	-	-	1	2	3	3	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	-	4	6	8
FEMALE--	8	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	26	-	-	-	-	-	-	1	-	4	6	8
FEMALE--	8	-	-	-	-	-	-	-	1	-	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	2	-	2	1	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	13	6	2	3	2	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	8	4	1	3	2	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	4	1	3	2	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	5	3	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	4	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	8	1	1	1	-	-	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
MINNESOTA ----------	10	-	-	-	-	-	-	-	4	1	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	3	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	3	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI ----------	38	-	-	-	-	1	-	1	6	7	9	6
WHITE------MALE----	6	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	3	4	7	4
FEMALE--	8	-	-	-	-	1	-	1	3	1	1	-
BLACK---MALE----	24	-	-	-	-	-	-	-	3	4	7	4
FEMALE--	8	-	-	-	-	1	-	1	3	1	1	-
MISSOURI ----------	23	-	-	-	-	-	-	2	5	9	4	1
WHITE------MALE----	8	-	-	-	-	-	-	-	2	5	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	2	1	3	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	2	1	3	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	-	-	-	-	-	-	-	1	3	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	24	-	-	-	-	-	1	1	3	6	3	4
WHITE------MALE----	7	-	-	-	-	-	-	1	2	2	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	3	1	4
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	3	1	4
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
MINNESOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	1	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	2	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	218	-	-	1	1	-	1	12	17	40	50	43
WHITE------MALE----	37	-	-	1	-	-	1	-	5	3	13	5
FEMALE--	16	-	-	-	-	-	-	1	3	3	4	2
ALL OTHER--MALE----	105	-	-	-	-	-	-	7	6	19	18	26
FEMALE--	60	-	-	-	1	-	-	4	3	15	15	10
BLACK---MALE----	105	-	-	-	-	-	-	7	6	19	18	26
FEMALE--	60	-	-	-	1	-	-	4	3	15	15	10
NEW MEXICO ----------	5	-	-	-	-	-	-	1	-	1	2	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	798	1	3	1	3	3	4	27	79	123	172	153
WHITE------MALE----	223	-	1	-	-	-	1	7	20	36	50	42
FEMALE--	108	-	-	1	-	1	2	5	11	22	25	21
ALL OTHER--MALE----	309	1	1	-	2	2	1	11	28	38	59	67
FEMALE--	158	-	1	-	1	-	-	4	20	27	38	23
BLACK---MALE----	305	1	1	-	2	2	1	11	28	37	59	64
FEMALE--	158	-	1	-	1	-	-	4	20	27	38	23
NORTH CAROLINA ---------	117	-	-	1	-	1	2	5	12	32	19	19
WHITE------MALE----	17	-	-	-	-	-	-	1	1	6	4	2
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	62	-	-	-	-	-	1	1	7	16	8	15
FEMALE--	34	-	-	1	-	1	1	3	3	9	7	2
BLACK---MALE----	59	-	-	-	-	-	1	1	6	16	7	15
FEMALE--	34	-	-	1	-	1	1	3	3	9	7	2
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	23	15	5	5	3	1	1	-	-	-	-	-
WHITE------MALE----	4	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	10	1	3	2	-	-	-	-	-	-	-
FEMALE--	5	3	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	13	10	1	3	2	-	-	-	-	-	-	-
FEMALE--	5	3	1	1	1	-	1	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	103	57	31	26	8	2	1	-	-	1	-	-
WHITE------MALE----	27	14	16	9	-	-	-	-	-	-	-	-
FEMALE--	10	3	-	5	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	44	27	11	10	6	-	-	-	-	1	-	-
FEMALE--	22	13	4	2	1	2	-	-	-	-	-	-
BLACK---MALE----	44	27	11	10	6	-	-	-	-	1	-	-
FEMALE--	22	13	4	2	1	2	-	-	-	-	-	-
NORTH CAROLINA ---------	10	7	6	2	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	2	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	3	3	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	3	3	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
OHIO ----------	46	-	-	-	-	-	-	1	4	10	14	2
WHITE------MALE----	19	-	-	-	-	-	-	1	2	4	5	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	6	7	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	23	-	-	-	-	-	-	-	1	6	7	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	-
OKLAHOMA ----------	14	-	-	-	-	-	-	-	2	4	2	3
WHITE------MALE----	8	-	-	-	-	-	-	-	1	3	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	6	-	-	-	-	-	-	1	-	3	-	1
WHITE------MALE----	4	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	101	-	-	1	-	-	1	3	13	19	15	18
WHITE------MALE----	18	-	-	1	-	-	-	1	3	3	3	2
FEMALE--	7	-	-	-	-	-	-	-	-	3	-	4
ALL OTHER--MALE----	54	-	-	-	-	-	1	2	4	8	7	11
FEMALE--	22	-	-	-	-	-	-	-	6	5	5	1
BLACK---MALE----	53	-	-	-	-	-	1	2	4	8	7	11
FEMALE--	22	-	-	-	-	-	-	-	6	5	5	1
RHODE ISLAND ----------	6	-	-	-	-	-	-	-	-	4	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA ---------	80	-	-	-	-	-	1	6	15	16	17	13
WHITE------MALE----	9	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	46	-	-	-	-	-	-	4	12	9	6	7
FEMALE--	22	-	-	-	-	-	1	2	3	6	6	4
BLACK---MALE----	46	-	-	-	-	-	-	4	12	9	6	7
FEMALE--	22	-	-	-	-	-	1	2	3	6	6	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
OHIO ----------	3	3	4	3	-	-	-	2	-	-	-	-
WHITE------MALE----	-	2	2	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	16	7	4	2	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	3	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	7	1	-	1	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	7	1	-	1	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	8	1	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	53	-	-	-	-	-	-	6	6	17	7	9
WHITE------MALE----	13	-	-	-	-	-	-	1	-	4	2	2
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	3	4	7	5	5
FEMALE--	12	-	-	-	-	-	-	1	2	6	-	2
BLACK---MALE----	27	-	-	-	-	-	-	3	4	7	5	5
FEMALE--	12	-	-	-	-	-	-	1	2	6	-	2
TEXAS ----------	198	-	-	-	-	1	5	13	31	37	47	27
WHITE------MALE----	77	-	-	-	-	-	1	3	11	22	14	8
FEMALE--	13	-	-	-	-	-	-	2	2	-	3	4
ALL OTHER--MALE----	81	-	-	-	-	1	2	6	14	13	19	11
FEMALE--	27	-	-	-	-	-	2	2	4	2	11	4
BLACK---MALE----	80	-	-	-	-	1	2	6	13	13	19	11
FEMALE--	27	-	-	-	-	-	2	2	4	2	11	4
UTAH ----------	7	-	-	-	-	-	-	-	-	2	2	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	65	-	-	-	-	-	1	4	10	11	11	11
WHITE------MALE----	11	-	-	-	-	-	-	-	2	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	37	-	-	-	-	-	1	3	4	6	7	6
FEMALE--	17	-	-	-	-	-	-	1	4	3	4	4
BLACK---MALE----	37	-	-	-	-	-	1	3	4	6	7	6
FEMALE--	17	-	-	-	-	-	-	1	4	3	4	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	2	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	10	14	5	3	4	-	-	-	1	-	-	-
WHITE------MALE----	6	6	3	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	8	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	4	8	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	10	1	2	3	-	1	-	-	-	-	-	-
WHITE------MALE----	4	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
WASHINGTON ----------	21	-	-	-	1	-	1	1	2	5	2	4
WHITE------MALE----	14	-	-	-	1	-	-	-	2	5	1	2
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	11	-	-	-	-	-	-	2	-	-	4	4
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
WASHINGTON ----------	2	2	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
UNITED STATES -	2,713	3	3	8	2	3	28	148	390	535	643	447
WHITE------MALE----	1,015	1	-	1	1	1	4	39	144	208	250	156
FEMALE--	197	1	-	1	-	-	4	17	33	41	47	28
ALL OTHER--MALE----	1,036	-	1	1	-	1	9	53	136	187	241	200
FEMALE--	465	1	2	5	1	1	11	39	77	99	105	63
BLACK---MALE----	1,012	-	1	1	-	1	9	52	132	182	235	196
FEMALE--	461	1	2	5	1	1	11	39	76	99	102	63
ALABAMA ----------	44	-	-	-	-	1	1	5	8	6	8	4
WHITE------MALE----	11	-	-	-	-	-	-	1	1	-	4	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	1	-	2	7	6	3	4
FEMALE--	4	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	28	-	-	-	-	1	-	2	7	6	3	4
FEMALE--	4	-	-	-	-	-	1	1	-	-	1	-
ALASKA ----------	4	-	-	-	-	-	-	-	1	1	2	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	33	-	-	-	-	-	1	2	3	7	5	7
WHITE------MALE----	28	-	-	-	-	-	1	2	3	6	5	4
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	25	-	-	-	-	-	-	1	6	5	6	3
WHITE------MALE----	9	-	-	-	-	-	-	-	1	4	2	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	2	1	3	1
FEMALE--	4	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	1	2	1	3	1
FEMALE--	4	-	-	-	-	-	-	-	2	-	1	-
CALIFORNIA ----------	175	-	-	1	-	-	-	12	28	26	45	26
WHITE------MALE----	120	-	-	1	-	-	-	10	18	18	27	17
FEMALE--	8	-	-	-	-	-	-	1	-	1	4	-
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	8	5	8	6
FEMALE--	14	-	-	-	-	-	-	-	2	2	6	3
BLACK---MALE----	29	-	-	-	-	-	-	1	7	5	7	5
FEMALE--	13	-	-	-	-	-	-	-	2	2	5	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified human immunodeficiency virus (HIV) disease (B24)												
UNITED STATES -	222	136	66	43	24	7	4	1	-	-	-	-
WHITE------MALE----	98	51	25	21	10	2	3	-	-	-	-	-
FEMALE--	14	6	2	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	87	64	28	14	10	3	-	1	-	-	-	-
FEMALE--	23	15	11	7	3	1	1	-	-	-	-	-
BLACK---MALE----	87	62	27	13	10	3	-	1	-	-	-	-
FEMALE--	23	15	11	7	3	1	1	-	-	-	-	-
ALABAMA ----------	3	5	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	19	7	4	5	2	-	-	-	-	-	-	-
WHITE------MALE----	13	7	4	4	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
COLORADO ----------	26	-	-	-	-	-	-	-	5	6	9	2
WHITE------MALE----	20	-	-	-	-	-	-	-	5	4	7	2
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	28	-	-	-	-	-	-	1	1	6	10	3
WHITE------MALE----	10	-	-	-	-	-	-	-	1	3	3	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	2	1	-
DELAWARE ----------	14	-	-	-	-	-	-	-	-	4	4	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	1
DISTRICT OF COLUMBIA ---	42	-	-	-	-	-	-	2	6	6	8	9
WHITE------MALE----	4	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	2	5	-	7	8
FEMALE--	6	-	-	-	-	-	-	-	-	4	-	1
BLACK---MALE----	32	-	-	-	-	-	-	2	5	-	7	8
FEMALE--	6	-	-	-	-	-	-	-	-	4	-	1
FLORIDA ----------	397	1	-	1	1	-	5	25	63	74	88	62
WHITE------MALE----	132	-	-	-	-	-	1	6	17	24	30	22
FEMALE--	23	1	-	-	-	-	1	2	7	4	4	3
ALL OTHER--MALE----	130	-	-	-	-	-	1	7	15	22	33	24
FEMALE--	112	-	-	1	1	-	2	10	24	24	21	13
BLACK---MALE----	129	-	-	-	-	-	1	6	15	22	33	24
FEMALE--	112	-	-	1	1	-	2	10	24	24	21	13
GEORGIA ----------	130	-	1	-	-	-	3	10	21	24	33	19
WHITE------MALE----	18	-	-	-	-	-	-	2	3	2	6	2
FEMALE--	5	-	-	-	-	-	1	1	-	-	2	-
ALL OTHER--MALE----	76	-	-	-	-	-	2	4	12	16	19	12
FEMALE--	31	-	1	-	-	-	-	3	6	6	6	5
BLACK---MALE----	75	-	-	-	-	-	2	4	12	16	19	11
FEMALE--	31	-	1	-	-	-	-	3	6	6	6	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified human immunodeficiency virus (HIV) disease (B24)												
COLORADO ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	5	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	27	19	14	12	3	1	-	1	-	-	-	-
WHITE------MALE----	11	8	5	6	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	6	5	6	1	1	-	1	-	-	-	-
FEMALE--	7	5	4	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	6	5	6	1	1	-	1	-	-	-	-
FEMALE--	7	5	4	-	-	-	-	-	-	-	-	-
GEORGIA ----------	7	7	1	2	2	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
HAWAII ----------	3	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	116	-	-	1	-	-	1	4	12	29	26	23
WHITE------MALE----	39	-	-	-	-	-	-	-	5	11	8	8
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	62	-	-	-	-	-	1	2	5	14	15	12
FEMALE--	12	-	-	1	-	-	-	2	2	4	2	1
BLACK---MALE----	62	-	-	-	-	-	1	2	5	14	15	12
FEMALE--	12	-	-	1	-	-	-	2	2	4	2	1
INDIANA ----------	15	1	-	-	-	-	-	-	3	4	4	2
WHITE------MALE----	11	1	-	-	-	-	-	-	3	3	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified human immunodeficiency virus (HIV) disease (B24)												
HAWAII ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	7	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
KENTUCKY ----------	12	-	-	-	-	-	-	-	1	2	6	3
WHITE------MALE----	7	-	-	-	-	-	-	-	1	1	4	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA ----------	95	-	-	-	-	-	-	9	12	25	14	22
WHITE------MALE----	24	-	-	-	-	-	-	1	2	7	3	7
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	55	-	-	-	-	-	-	4	6	15	10	11
FEMALE--	14	-	-	-	-	-	-	4	3	2	1	4
BLACK---MALE----	55	-	-	-	-	-	-	4	6	15	10	11
FEMALE--	14	-	-	-	-	-	-	4	3	2	1	4
MAINE ----------	8	-	-	-	-	-	-	-	2	2	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	106	-	-	-	-	-	1	3	17	20	27	21
WHITE------MALE----	13	-	-	-	-	-	-	-	2	3	3	1
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	58	-	-	-	-	-	-	1	7	10	18	15
FEMALE--	31	-	-	-	-	-	1	2	6	7	6	4
BLACK---MALE----	58	-	-	-	-	-	-	1	7	10	18	15
FEMALE--	31	-	-	-	-	-	1	2	6	7	6	4
MASSACHUSETTS ----------	48	-	-	1	-	-	1	1	5	6	20	8
WHITE------MALE----	30	-	-	-	-	-	-	-	4	4	12	5
FEMALE--	7	-	-	1	-	-	-	-	1	-	3	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	1	4	2
FEMALE--	3	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	4	2
FEMALE--	3	-	-	-	-	-	1	-	-	1	1	-
MICHIGAN ----------	53	-	-	-	-	-	1	3	10	10	11	10
WHITE------MALE----	15	-	-	-	-	-	-	-	5	3	3	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	1	2	4	6	7	7
FEMALE--	4	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	32	-	-	-	-	-	1	2	4	6	7	7
FEMALE--	4	-	-	-	-	-	-	-	1	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified human immunodeficiency virus (HIV) disease (B24)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	4	-	1	1	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	7	3	1	-	-	1	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	4	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	3	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
MINNESOTA ----------	12	-	-	-	-	-	-	-	3	4	4	1
WHITE------MALE----	9	-	-	-	-	-	-	-	2	3	3	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	33	-	-	1	-	-	-	8	3	6	6	3
WHITE------MALE----	6	-	-	-	-	-	-	1	-	1	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	1	-	-	-	3	3	4	3	3
FEMALE--	5	-	-	-	-	-	-	4	-	1	-	-
BLACK---MALE----	22	-	-	1	-	-	-	3	3	4	3	3
FEMALE--	5	-	-	-	-	-	-	4	-	1	-	-
MISSOURI ----------	23	-	-	-	-	-	-	-	1	10	6	3
WHITE------MALE----	14	-	-	-	-	-	-	-	1	5	3	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	5	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	5	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	17	1	-	-	-	-	-	1	-	4	5	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	3	4	2
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified human immunodeficiency virus (HIV) disease (B24)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	4	-	2	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	3	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	3	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	170	-	2	-	-	-	-	6	21	28	43	30
WHITE------MALE----	43	-	-	-	-	-	-	1	5	4	12	6
FEMALE--	19	-	-	-	-	-	-	2	4	2	4	5
ALL OTHER--MALE----	75	-	1	-	-	-	-	1	9	15	18	15
FEMALE--	33	-	1	-	-	-	-	2	3	7	9	4
BLACK---MALE----	74	-	1	-	-	-	-	1	9	15	17	15
FEMALE--	33	-	1	-	-	-	-	2	3	7	9	4
NEW MEXICO ----------	7	-	-	-	-	-	-	-	2	2	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	353	-	-	1	1	-	6	11	40	54	83	72
WHITE------MALE----	131	-	-	-	1	-	-	-	18	19	33	26
FEMALE--	52	-	-	-	-	-	1	2	6	15	11	10
ALL OTHER--MALE----	110	-	-	-	-	-	2	7	8	11	21	24
FEMALE--	60	-	-	1	-	-	3	2	8	9	18	12
BLACK---MALE----	106	-	-	-	-	-	2	7	8	10	20	24
FEMALE--	60	-	-	1	-	-	3	2	8	9	18	12
NORTH CAROLINA ---------	92	-	-	1	-	-	2	3	16	18	19	12
WHITE------MALE----	21	-	-	-	-	-	-	2	4	6	5	1
FEMALE--	5	-	-	-	-	-	-	1	1	2	1	-
ALL OTHER--MALE----	48	-	-	-	-	-	1	-	10	5	10	7
FEMALE--	18	-	-	1	-	-	1	-	1	5	3	4
BLACK---MALE----	48	-	-	-	-	-	1	-	10	5	10	7
FEMALE--	18	-	-	1	-	-	1	-	1	5	3	4
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified human immunodeficiency virus (HIV) disease (B24)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	15	10	4	3	4	2	2	-	-	-	-	-
WHITE------MALE----	5	3	1	1	2	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	5	2	1	1	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	7	5	2	1	1	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	-	-	-	-	-	-
NEW MEXICO ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	46	21	7	7	3	1	-	-	-	-	-	-
WHITE------MALE----	22	6	3	1	2	-	-	-	-	-	-	-
FEMALE--	4	1	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	13	2	5	1	1	-	-	-	-	-	-
FEMALE--	5	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	15	12	1	5	1	1	-	-	-	-	-	-
FEMALE--	5	1	-	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	6	4	6	-	5	-	-	-	-	-	-	-
WHITE------MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	3	4	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
BLACK---MALE----	6	3	4	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
OHIO ----------	46	-	-	-	-	-	-	3	9	10	6	10
WHITE------MALE----	21	-	-	-	-	-	-	-	5	4	1	6
FEMALE--	3	-	-	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	2	4	4	4	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	19	-	-	-	-	-	-	2	4	4	4	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA ----------	35	-	-	-	-	-	-	2	10	9	7	5
WHITE------MALE----	23	-	-	-	-	-	-	1	7	6	5	3
FEMALE--	6	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	2	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
OREGON ----------	11	-	-	-	-	-	-	-	2	3	3	1
WHITE------MALE----	8	-	-	-	-	-	-	-	2	3	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	124	-	-	-	-	-	1	7	14	29	31	20
WHITE------MALE----	34	-	-	-	-	-	-	1	2	8	10	7
FEMALE--	10	-	-	-	-	-	1	2	2	2	2	1
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	4	11	10	10
FEMALE--	32	-	-	-	-	-	-	4	6	8	9	2
BLACK---MALE----	48	-	-	-	-	-	-	-	4	11	10	10
FEMALE--	32	-	-	-	-	-	-	4	6	8	9	2
RHODE ISLAND ----------	5	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	66	-	-	-	-	-	-	6	10	12	13	15
WHITE------MALE----	10	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	36	-	-	-	-	-	-	3	7	5	8	8
FEMALE--	19	-	-	-	-	-	-	3	3	5	3	2
BLACK---MALE----	36	-	-	-	-	-	-	3	7	5	8	8
FEMALE--	19	-	-	-	-	-	-	3	3	5	3	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified human immunodeficiency virus (HIV) disease (B24)												
OHIO ----------	4	1	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	12	6	3	-	1	-	-	-	-	-	-	-
WHITE------MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	3	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	3	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	3	3	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	48	-	-	-	-	-	1	4	7	12	12	6
WHITE------MALE----	17	-	-	-	-	-	-	1	1	4	5	3
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	2	4	5	3	3
FEMALE--	9	-	-	-	-	-	1	-	2	3	3	-
BLACK---MALE----	20	-	-	-	-	-	-	2	4	5	3	3
FEMALE--	9	-	-	-	-	-	1	-	2	3	3	-
TEXAS ----------	192	-	-	-	-	2	4	11	35	47	45	25
WHITE------MALE----	105	-	-	-	-	1	2	4	18	28	29	10
FEMALE--	13	-	-	-	-	-	-	1	3	4	3	1
ALL OTHER--MALE----	52	-	-	-	-	-	1	4	9	11	10	11
FEMALE--	22	-	-	-	-	1	1	2	5	4	3	3
BLACK---MALE----	52	-	-	-	-	-	1	4	9	11	10	11
FEMALE--	22	-	-	-	-	1	1	2	5	4	3	3
UTAH ----------	2	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	2	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	49	-	-	-	-	-	-	2	8	8	17	5
WHITE------MALE----	14	-	-	-	-	-	-	1	2	2	2	2
FEMALE--	3	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	2	4	12	1
FEMALE--	11	-	-	-	-	-	-	-	1	2	3	2
BLACK---MALE----	21	-	-	-	-	-	-	1	2	4	12	1
FEMALE--	11	-	-	-	-	-	-	-	1	2	3	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified human immunodeficiency virus (HIV) disease (B24)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	9	7	3	2	1	1	-	-	-	-	-	-
WHITE------MALE----	2	7	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	3	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
WASHINGTON ----------	11	-	-	-	-	-	-	-	-	3	5	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	9	-	-	-	-	-	-	3	2	3	-	-
WHITE------MALE----	7	-	-	-	-	-	-	3	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
WISCONSIN ----------	12	-	-	1	-	-	-	2	1	2	1	1
WHITE------MALE----	8	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified human immunodeficiency virus (HIV) disease (B24)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	1,121	101	48	21	12	18	11	17	22	36	38	40
WHITE------MALE----	437	39	25	9	4	6	5	3	11	24	15	15
FEMALE--	521	29	12	8	4	7	4	8	7	4	14	13
ALL OTHER--MALE----	80	15	6	2	3	3	2	3	2	4	4	7
FEMALE--	83	18	5	2	1	2	-	3	2	4	5	5
BLACK---MALE----	64	13	6	2	2	2	2	1	2	4	3	7
FEMALE--	66	14	5	2	1	1	-	3	2	4	2	3
ALABAMA ----------	13	3	2	-	-	1	-	1	-	-	-	-
WHITE------MALE----	6	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	18	7	-	-	-	-	1	-	-	-	-	2
WHITE------MALE----	9	3	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	11	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	145	22	4	3	-	4	1	3	2	3	4	7
WHITE------MALE----	57	11	3	3	-	1	1	-	1	2	-	1
FEMALE--	68	6	1	-	-	3	-	1	1	-	3	4
ALL OTHER--MALE----	9	2	-	-	-	-	-	1	-	-	-	1
FEMALE--	11	3	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	3	-	-	-	-	-	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
UNITED STATES -	69	73	68	76	96	108	102	80	62	17	6	-
WHITE------MALE----	28	28	29	31	50	41	32	24	17	1	-	-
FEMALE--	30	36	31	38	38	61	62	51	43	16	5	-
ALL OTHER--MALE----	4	5	5	4	3	-	4	3	1	-	-	-
FEMALE--	7	4	3	3	5	6	4	2	1	-	1	-
BLACK---MALE----	2	4	3	2	3	-	3	2	1	-	-	-
FEMALE--	5	3	2	3	5	5	2	2	1	-	1	-
ALABAMA ----------	1	-	1	-	-	1	1	1	1	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	2	1	-	1	-	2	1	-	1	-	-
WHITE------MALE----	-	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	1	1	2	3	1	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA ----------	14	10	5	10	11	17	11	7	5	2	-	-
WHITE------MALE----	6	3	1	4	8	7	1	3	1	-	-	-
FEMALE--	7	5	3	4	3	9	8	4	4	2	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
COLORADO ----------	11	1	-	-	-	-	-	-	1	-	-	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	16	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	60	2	3	1	1	-	-	1	3	5	2	1
WHITE------MALE----	26	-	1	-	-	-	-	-	2	4	2	1
FEMALE--	24	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	4	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	4	1	-	1	-	-	-	1	-	-	-	-
GEORGIA ----------	23	3	2	2	-	-	-	-	1	-	-	2
WHITE------MALE----	8	1	1	1	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	3	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
COLORADO ----------	1	-	-	1	-	2	2	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	4	1	1	2	3	2	-	1	-	-	-
WHITE------MALE----	-	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	1	3	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	4	5	8	7	2	5	5	-	1	-	-
WHITE------MALE----	2	3	-	3	4	-	1	3	-	-	-	-
FEMALE--	1	1	3	5	3	2	3	2	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	2	3	1	3	1	1	2	-	-	-	-
WHITE------MALE----	-	-	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	2	1	1	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
HAWAII ----------	3	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	55	9	3	1	-	-	1	2	-	1	2	2
WHITE------MALE----	23	3	-	-	-	-	1	2	-	1	-	-
FEMALE--	21	2	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	3	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	1	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	2	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	1	1	-	-	-	-	-	-	-	1	-
INDIANA ----------	23	3	1	-	1	1	-	-	-	1	1	1
WHITE------MALE----	8	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	1	1	-	1	1	-	-	-	1	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	20	1	1	1	-	-	-	-	-	-	-	2
WHITE------MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	1	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	13	2	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
HAWAII ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	1	-	1	-	-	1	1	1	-	-
WHITE------MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	5	2	3	4	1	7	7	4	-	-	-
WHITE------MALE----	-	3	1	3	3	1	3	1	1	-	-	-
FEMALE--	1	1	1	-	1	-	4	5	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	1	2	-	1	4	1	2	-	-	1	-
WHITE------MALE----	-	-	2	-	1	2	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	2	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	1	2	2	3	3	-	1	1	-	-	-
WHITE------MALE----	2	1	2	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	1	1	-	3	-	2	1	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
KENTUCKY ----------	12	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	16	2	-	1	-	-	-	-	1	2	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	8	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MAINE ----------	9	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	32	5	1	-	1	-	-	1	1	1	2	2
WHITE------MALE----	7	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	12	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	1	-	-	-	-	-	1	-
FEMALE--	9	3	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	4	1	-	-	1	-	-	-	-	-	1	-
FEMALE--	7	3	-	-	-	-	-	-	-	1	-	1
MASSACHUSETTS ----------	25	2	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	38	-	1	1	2	-	1	-	-	3	1	3
WHITE------MALE----	14	-	-	1	1	-	-	-	-	2	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	1	-	-	-	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
KENTUCKY ----------	1	-	2	-	4	1	1	-	1	1	-	-
WHITE------MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	2	1	-	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	1	2	1	1	1	1	1	-	-	-
WHITE------MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	3	2	1	2	2	2	1	3	-	-	-
WHITE------MALE----	1	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	3	2	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	1	3	1	3	3	5	3	2	-	-
WHITE------MALE----	-	-	-	1	-	2	1	-	1	-	-	-
FEMALE--	1	-	1	2	-	1	1	5	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN ----------	-	3	3	2	6	3	4	1	3	-	1	-
WHITE------MALE----	-	1	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	2	1	1	4	2	3	1	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
MINNESOTA ----------	20	2	-	-	-	1	2	-	-	-	-	1
WHITE------MALE----	12	1	-	-	-	1	1	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	-	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	24	5	1	1	-	-	-	-	1	1	1	-
WHITE------MALE----	15	3	-	-	-	-	-	-	1	1	-	-
FEMALE--	7	1	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MONTANA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	10	2	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	5	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	1	1	-	-	-	-	-	-	1	1	-
WHITE------MALE----	5	1	1	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	2	3	1	2	1	2	-	2	1	-	-	-
WHITE------MALE----	1	2	1	1	-	1	-	2	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	1	3	3	2	1	-	1	1	1	-	-
WHITE------MALE----	-	1	2	3	1	1	-	1	-	1	-	-
FEMALE--	1	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	1	-	-	-	2	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	1	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
NEW HAMPSHIRE ----------	5	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	26	1	1	-	-	-	-	-	-	1	-	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	14	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	12	-	-	1	1	1	-	-	-	-	2	-
WHITE------MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	69	3	4	-	-	1	-	-	2	5	2	1
WHITE------MALE----	26	1	3	-	-	1	-	-	-	4	-	-
FEMALE--	30	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	7	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	7	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
NORTH CAROLINA ---------	30	1	1	-	-	2	1	1	-	-	4	2
WHITE------MALE----	9	-	1	-	-	1	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	1	-	-	-	3	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
NEW HAMPSHIRE ----------	-	-	1	-	1	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	2	1	2	4	1	3	4	1	-	-	-
WHITE------MALE----	1	-	-	1	3	1	2	1	-	-	-	-
FEMALE--	2	2	1	1	1	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	2	-	-	3	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	3	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	9	2	4	5	6	11	7	4	2	1	-	-
WHITE------MALE----	2	1	1	2	2	3	5	-	1	-	-	-
FEMALE--	5	1	1	2	2	8	2	4	1	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	1	3	-	5	1	2	3	2	-	-
WHITE------MALE----	1	-	-	1	-	-	-	2	1	-	-	-
FEMALE--	-	-	1	2	-	4	1	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
NORTH DAKOTA ----------	-	1	-	-	-	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
OHIO ----------	49	3	3	1	-	-	-	1	4	1	1	2
WHITE------MALE----	13	-	1	1	-	-	-	-	3	-	-	-
FEMALE--	29	2	2	-	-	-	-	1	1	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	1	1
OKLAHOMA ----------	13	1	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	18	1	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	50	2	-	1	-	1	-	-	3	1	3	-
WHITE------MALE----	15	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	28	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	17	-	1	-	1	-	-	-	-	-	-	1
WHITE------MALE----	5	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
OHIO ----------	-	2	3	8	1	8	4	3	3	-	1	-
WHITE------MALE----	-	-	2	2	-	2	-	1	1	-	-	-
FEMALE--	-	2	-	4	1	5	4	2	2	-	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
OKLAHOMA ----------	1	2	2	2	-	1	1	1	-	-	-	-
WHITE------MALE----	1	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	1	3	1	1	1	1	2	2	-	-	-
WHITE------MALE----	-	1	1	-	1	1	-	-	2	-	-	-
FEMALE--	1	-	1	1	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	4	1	2	2	10	5	5	6	1	-	-
WHITE------MALE----	1	1	-	1	-	3	1	2	1	-	-	-
FEMALE--	2	1	1	1	2	6	4	2	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
RHODE ISLAND ----------	1	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	3	1	-	3	2	1	1	2	-	1	-
WHITE------MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
SOUTH DAKOTA ----------	5	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	26	1	3	1	1	1	-	2	-	1	-	-
WHITE------MALE----	9	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	13	1	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
TEXAS ----------	56	3	4	4	2	1	4	1	1	2	2	2
WHITE------MALE----	18	-	2	2	-	-	1	-	-	1	-	-
FEMALE--	28	2	-	2	1	-	2	1	1	-	2	2
ALL OTHER--MALE----	4	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	6	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	5	-	1	-	1	1	-	-	-	-	-	-
UTAH ----------	10	2	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	29	3	3	-	1	-	-	1	-	1	3	1
WHITE------MALE----	15	3	2	-	1	-	-	-	-	-	2	1
FEMALE--	10	-	1	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
SOUTH DAKOTA ----------	-	-	1	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	1	1	5	2	4	-	1	-	-	-
WHITE------MALE----	1	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	1	1	1	3	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS ----------	2	3	1	6	3	3	8	2	2	-	-	-
WHITE------MALE----	-	2	1	3	2	-	4	-	-	-	-	-
FEMALE--	1	1	-	3	-	3	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
UTAH ----------	1	-	2	-	2	-	-	1	-	-	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	2	-	-	3	1	3	3	1	-	1	-
WHITE------MALE----	1	2	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	3	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
WASHINGTON ----------	30	2	-	1	-	-	-	-	-	1	1	-
WHITE------MALE----	14	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	31	4	1	-	1	-	-	1	-	-	-	-
WHITE------MALE----	18	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
WASHINGTON ----------	6	-	1	3	3	3	6	2	1	-	-	-
WHITE------MALE----	4	-	-	1	2	2	3	1	-	-	-	-
FEMALE--	2	-	1	2	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	2	-	1	-	-	1	3	-	-	1	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WISCONSIN ----------	1	2	1	-	3	2	3	5	6	1	-	-
WHITE------MALE----	1	-	1	-	3	2	1	3	3	-	-	-
FEMALE--	-	2	-	-	-	-	2	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
UNITED STATES -	4,024	59	23	17	17	16	24	64	98	152	228	282
WHITE------MALE----	1,645	24	8	7	8	6	9	22	29	65	95	118
FEMALE--	1,426	12	3	6	4	6	7	16	21	27	39	64
ALL OTHER--MALE----	477	13	7	-	3	3	3	14	25	29	46	50
FEMALE--	476	10	5	4	2	1	5	12	23	31	48	50
BLACK---MALE----	391	13	7	-	1	2	3	12	25	27	39	45
FEMALE--	416	10	3	3	1	-	5	12	21	29	45	45
ALABAMA ----------	79	1	1	1	1	-	1	1	4	2	8	5
WHITE------MALE----	29	-	-	1	1	-	-	-	1	1	5	-
FEMALE--	23	-	1	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	19	1	-	-	-	-	1	-	1	1	2	2
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	19	1	-	-	-	-	1	-	1	1	2	2
ALASKA ----------	8	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	100	5	1	-	1	-	2	3	2	3	2	8
WHITE------MALE----	47	3	-	-	-	-	-	1	1	-	1	5
FEMALE--	40	1	-	-	-	-	1	2	1	1	1	1
ALL OTHER--MALE----	8	1	1	-	-	-	1	-	-	2	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	-	2
BLACK---MALE----	4	1	1	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	51	-	-	-	1	-	1	-	2	2	2	5
WHITE------MALE----	30	-	-	-	1	-	-	-	2	2	-	3
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	555	8	3	4	2	5	1	15	11	19	30	48
WHITE------MALE----	231	5	-	1	-	2	-	8	2	9	16	21
FEMALE--	191	2	1	2	1	1	1	4	7	6	4	16
ALL OTHER--MALE----	73	1	1	-	1	1	-	3	2	1	8	7
FEMALE--	60	-	1	1	-	1	-	-	-	3	2	4
BLACK---MALE----	35	1	1	-	-	1	-	3	2	-	4	6
FEMALE--	36	-	1	1	-	-	-	-	-	2	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
UNITED STATES -	295	264	300	389	470	511	398	269	107	38	3	-
WHITE------MALE----	121	117	117	170	206	238	155	91	28	11	-	-
FEMALE--	80	81	99	141	188	208	192	146	59	24	3	-
ALL OTHER--MALE----	51	25	47	41	34	29	31	18	7	1	-	-
FEMALE--	43	41	37	37	42	36	20	14	13	2	-	-
BLACK---MALE----	41	18	36	30	29	23	21	14	4	1	-	-
FEMALE--	37	36	31	32	33	30	17	11	13	2	-	-
ALABAMA ----------	4	6	7	5	8	15	5	2	2	-	-	-
WHITE------MALE----	1	1	3	2	3	7	2	1	-	-	-	-
FEMALE--	2	3	1	2	4	5	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	2	-	1	2	2	-	2	-	-	-
BLACK---MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	2	-	1	2	2	-	2	-	-	-
ALASKA ----------	1	-	1	1	-	-	2	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	7	6	13	14	16	7	4	2	1	-	-
WHITE------MALE----	1	3	4	5	7	9	3	3	1	-	-	-
FEMALE--	1	3	2	8	5	7	3	1	1	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ARKANSAS ----------	6	2	4	3	4	5	6	5	2	1	-	-
WHITE------MALE----	2	1	2	3	2	4	6	2	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	2	1	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	1	-	-	-
CALIFORNIA ----------	53	43	35	54	56	62	51	41	11	2	1	-
WHITE------MALE----	26	16	10	22	27	27	20	14	3	2	-	-
FEMALE--	7	13	12	18	20	28	23	19	5	-	1	-
ALL OTHER--MALE----	11	5	6	7	5	3	4	5	2	-	-	-
FEMALE--	9	9	7	7	4	4	4	3	1	-	-	-
BLACK---MALE----	5	1	3	2	3	-	1	2	-	-	-	-
FEMALE--	6	6	5	4	1	1	2	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
COLORADO ----------	45	1	1	-	-	-	-	1	-	1	1	6
WHITE------MALE----	26	1	1	-	-	-	-	1	-	1	-	5
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	53	-	-	-	-	-	-	-	1	1	2	2
WHITE------MALE----	18	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
DELAWARE ----------	14	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	16	1	-	-	-	-	-	1	1	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	223	1	-	1	1	1	-	3	10	9	16	9
WHITE------MALE----	98	-	-	1	-	1	-	-	2	3	7	6
FEMALE--	76	-	-	-	1	-	-	-	1	-	2	-
ALL OTHER--MALE----	28	1	-	-	-	-	-	2	1	2	5	2
FEMALE--	21	-	-	-	-	-	-	1	6	4	2	1
BLACK---MALE----	27	1	-	-	-	-	-	2	1	2	5	2
FEMALE--	21	-	-	-	-	-	-	1	6	4	2	1
GEORGIA ----------	102	4	-	-	1	-	-	4	2	7	14	8
WHITE------MALE----	32	-	-	-	-	-	-	-	-	1	7	5
FEMALE--	20	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	26	1	-	-	-	-	-	1	2	2	5	1
FEMALE--	24	2	-	-	1	-	-	3	-	3	2	2
BLACK---MALE----	26	1	-	-	-	-	-	1	2	2	5	1
FEMALE--	23	2	-	-	1	-	-	3	-	3	2	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
COLORADO ----------	-	2	3	3	9	5	4	3	2	3	-	-
WHITE------MALE----	-	1	2	1	5	5	1	1	-	1	-	-
FEMALE--	-	1	-	1	3	-	3	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	4	3	-	8	8	3	9	7	2	3	-	-
WHITE------MALE----	1	1	-	2	2	3	5	2	-	-	-	-
FEMALE--	1	1	-	5	6	-	3	5	2	3	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE ----------	1	-	3	1	2	3	1	-	1	-	-	-
WHITE------MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	4	1	1	2	-	4	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	4	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	3	-	-	-	-
BLACK---MALE----	-	-	4	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	3	-	-	-	-
FLORIDA ----------	15	15	18	15	24	31	28	15	11	-	-	-
WHITE------MALE----	6	9	7	9	8	18	11	3	7	-	-	-
FEMALE--	3	5	6	4	13	10	16	11	4	-	-	-
ALL OTHER--MALE----	4	-	5	1	2	1	1	1	-	-	-	-
FEMALE--	2	1	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	4	-	5	1	2	-	1	1	-	-	-	-
FEMALE--	2	1	-	1	1	2	-	-	-	-	-	-
GEORGIA ----------	11	9	6	9	8	5	7	7	-	-	-	-
WHITE------MALE----	4	2	1	2	5	3	2	-	-	-	-	-
FEMALE--	2	1	2	1	2	1	5	4	-	-	-	-
ALL OTHER--MALE----	4	2	2	3	-	-	-	3	-	-	-	-
FEMALE--	1	4	1	3	1	1	-	-	-	-	-	-
BLACK---MALE----	4	2	2	3	-	-	-	3	-	-	-	-
FEMALE--	1	4	1	3	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
HAWAII ----------	14	-	-	-	-	-	1	-	-	-	1	1
WHITE------MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	161	3	1	1	1	3	-	2	5	5	3	8
WHITE------MALE----	60	1	1	-	1	-	-	2	-	1	1	3
FEMALE--	62	-	-	1	-	2	-	-	3	2	2	2
ALL OTHER--MALE----	23	1	-	-	-	1	-	-	2	2	-	1
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	21	1	-	-	-	-	-	-	2	2	-	1
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	2
INDIANA ----------	65	1	-	1	-	-	1	-	-	2	1	2
WHITE------MALE----	30	-	-	1	-	-	1	-	-	-	1	2
FEMALE--	25	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	34	-	-	-	-	-	-	-	1	-	2	-
WHITE------MALE----	16	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	33	1	1	-	-	-	-	1	1	1	2	1
WHITE------MALE----	20	1	1	-	-	-	-	1	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
HAWAII ----------	1	2	1	2	1	-	2	2	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	2	1	3	4	1	-	-	-	-	-
WHITE------MALE----	-	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	10	17	17	20	22	13	9	5	5	-	-
WHITE------MALE----	5	6	4	8	9	10	6	-	2	-	-	-
FEMALE--	3	3	7	4	4	10	4	7	3	5	-	-
ALL OTHER--MALE----	2	1	2	4	3	-	2	2	-	-	-	-
FEMALE--	1	-	4	1	4	2	1	-	-	-	-	-
BLACK---MALE----	2	1	1	4	3	-	2	2	-	-	-	-
FEMALE--	1	-	4	1	4	2	1	-	-	-	-	-
INDIANA ----------	5	3	6	4	13	6	10	7	3	-	-	-
WHITE------MALE----	1	1	2	2	8	1	4	3	3	-	-	-
FEMALE--	3	2	2	1	4	2	6	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	1	-	-	-	-	-	-
IOWA ----------	1	2	1	4	6	6	5	3	1	2	-	-
WHITE------MALE----	1	1	-	3	-	4	1	2	-	2	-	-
FEMALE--	-	1	1	1	5	2	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	1	3	3	4	2	6	1	1	1	-	-
WHITE------MALE----	1	1	3	2	4	1	3	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
KENTUCKY ----------	59	1	-	-	-	-	-	2	-	1	-	3
WHITE------MALE----	30	1	-	-	-	-	-	1	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	71	1	1	-	-	-	1	1	6	2	6	10
WHITE------MALE----	20	1	-	-	-	-	-	1	-	-	3	2
FEMALE--	18	-	1	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	3	-	2	4
FEMALE--	17	-	-	-	-	-	1	-	1	2	1	4
BLACK---MALE----	16	-	-	-	-	-	-	-	3	-	2	4
FEMALE--	17	-	-	-	-	-	1	-	1	2	1	4
MAINE ----------	16	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	91	4	-	-	-	-	2	3	3	8	8	5
WHITE------MALE----	27	1	-	-	-	-	1	1	1	4	1	-
FEMALE--	27	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	23	1	-	-	-	-	-	-	-	3	4	5
FEMALE--	14	1	-	-	-	-	-	1	2	1	3	-
BLACK---MALE----	21	1	-	-	-	-	-	-	-	3	3	5
FEMALE--	13	1	-	-	-	-	-	1	1	1	3	-
MASSACHUSETTS ----------	64	-	-	-	1	-	-	-	1	1	2	1
WHITE------MALE----	29	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN ----------	166	1	-	-	1	-	-	3	5	8	12	11
WHITE------MALE----	54	-	-	-	-	-	-	1	1	1	5	5
FEMALE--	52	1	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	27	-	-	-	1	-	-	-	2	3	4	2
FEMALE--	33	-	-	-	-	-	-	2	1	2	3	2
BLACK---MALE----	27	-	-	-	1	-	-	-	2	3	4	2
FEMALE--	31	-	-	-	-	-	-	2	1	2	2	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
KENTUCKY ----------	6	7	6	8	4	8	4	7	2	-	-	-
WHITE------MALE----	1	3	6	5	1	5	1	4	-	-	-	-
FEMALE--	5	4	-	2	2	3	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
LOUISIANA ----------	3	5	6	4	7	9	4	2	2	1	-	-
WHITE------MALE----	-	2	2	2	2	3	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	6	1	1	2	-	-	-
ALL OTHER--MALE----	1	1	2	-	1	-	2	-	-	-	-	-
FEMALE--	2	2	1	-	2	-	-	-	-	1	-	-
BLACK---MALE----	1	1	2	-	1	-	2	-	-	-	-	-
FEMALE--	2	2	1	-	2	-	-	-	-	1	-	-
MAINE ----------	2	1	1	3	2	1	1	1	-	-	-	-
WHITE------MALE----	1	1	1	2	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	4	2	10	11	8	10	5	4	-	-	-
WHITE------MALE----	-	-	1	3	5	5	-	3	1	-	-	-
FEMALE--	2	1	-	3	3	3	8	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	3	2	-	2	-	1	-	-	-
FEMALE--	2	2	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	2	-	2	-	1	-	-	-
FEMALE--	2	2	-	1	1	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	2	10	6	6	17	11	-	2	-	-	-
WHITE------MALE----	4	2	5	2	5	6	3	-	-	-	-	-
FEMALE--	-	-	5	3	1	10	7	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	16	23	12	11	14	21	16	7	4	1	-	-
WHITE------MALE----	5	10	4	5	3	7	4	2	1	-	-	-
FEMALE--	2	6	4	3	9	8	9	3	2	-	-	-
ALL OTHER--MALE----	4	1	2	2	-	2	1	1	1	1	-	-
FEMALE--	5	6	2	1	2	4	2	1	-	-	-	-
BLACK---MALE----	4	1	2	2	-	2	1	1	1	1	-	-
FEMALE--	5	6	2	1	1	4	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
MINNESOTA ----------	70	1	1	-	1	1	-	-	1	1	5	4
WHITE------MALE----	33	1	-	-	-	1	-	-	-	1	1	3
FEMALE--	31	-	-	-	1	-	-	-	1	-	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	47	1	1	-	-	-	-	-	-	5	6	2
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	14	1	-	-	-	-	-	-	-	2	3	-
BLACK---MALE----	9	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	14	1	-	-	-	-	-	-	-	2	3	-
MISSOURI ----------	77	-	1	1	-	-	1	1	2	3	3	10
WHITE------MALE----	26	-	-	-	-	-	1	-	1	1	-	7
FEMALE--	36	-	-	-	-	-	-	1	1	2	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	6	-	1	1	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	6	-	1	1	-	-	-	-	-	-	1	-
MONTANA ----------	10	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	27	-	-	-	-	-	-	-	1	2	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
NEVADA ----------	19	1	-	-	-	1	-	2	1	-	3	-
WHITE------MALE----	8	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
MINNESOTA ----------	3	7	3	6	10	8	8	8	2	-	-	-
WHITE------MALE----	2	5	3	3	3	3	3	4	-	-	-	-
FEMALE--	-	2	-	3	6	4	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MISSISSIPPI ----------	3	3	1	7	5	5	4	3	1	-	-	-
WHITE------MALE----	1	1	-	1	3	1	1	-	-	-	-	-
FEMALE--	-	-	1	4	-	1	2	3	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	2	2	-	-	1	-	-	-
BLACK---MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	2	2	-	-	1	-	-	-
MISSOURI ----------	7	4	3	3	9	12	13	3	-	1	-	-
WHITE------MALE----	1	2	2	2	5	2	1	1	-	-	-	-
FEMALE--	5	1	1	1	3	8	9	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	1	-	-
MONTANA ----------	1	2	-	-	-	1	2	1	1	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	1	1	6	3	2	5	1	-	2	-	-
WHITE------MALE----	-	1	1	4	-	1	4	-	-	-	-	-
FEMALE--	2	-	-	2	3	1	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	1	1	1	1	3	-	2	-	-	-	-
WHITE------MALE----	1	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
NEW HAMPSHIRE ----------	10	-	-	1	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	126	1	1	1	-	-	-	1	1	3	3	10
WHITE------MALE----	52	-	1	-	-	-	-	1	-	1	-	4
FEMALE--	48	-	-	1	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	16	1	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	16	1	-	-	-	-	-	-	1	1	1	2
NEW MEXICO ----------	23	1	-	-	-	-	-	-	2	-	3	-
WHITE------MALE----	12	1	-	-	-	-	-	-	2	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	282	2	3	-	1	2	1	6	8	14	23	21
WHITE------MALE----	118	-	1	-	1	1	-	-	4	9	8	6
FEMALE--	85	1	-	-	-	1	1	2	-	2	4	3
ALL OTHER--MALE----	31	1	1	-	-	-	-	2	2	2	1	3
FEMALE--	48	-	1	-	-	-	-	2	2	1	10	9
BLACK---MALE----	28	1	1	-	-	-	-	2	2	2	1	2
FEMALE--	43	-	-	-	-	-	-	2	1	1	10	9
NORTH CAROLINA ---------	119	4	-	-	-	1	2	-	4	3	7	12
WHITE------MALE----	29	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	44	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	21	-	-	-	-	1	-	-	2	-	2	6
FEMALE--	25	2	-	-	-	-	1	-	2	2	2	4
BLACK---MALE----	21	-	-	-	-	1	-	-	2	-	2	6
FEMALE--	25	2	-	-	-	-	1	-	2	2	2	4
NORTH DAKOTA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
NEW HAMPSHIRE ----------	1	-	-	2	1	2	2	-	-	-	-	-
WHITE------MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	9	8	11	15	16	20	12	10	2	2	-	-
WHITE------MALE----	3	7	2	6	8	11	4	4	-	-	-	-
FEMALE--	2	-	4	8	8	7	6	6	1	2	-	-
ALL OTHER--MALE----	2	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	2	1	3	1	-	1	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	1	3	1	-	1	1	-	1	-	-	-
NEW MEXICO ----------	2	-	2	4	1	1	2	3	1	1	-	-
WHITE------MALE----	1	-	-	1	-	1	2	1	-	1	-	-
FEMALE--	1	-	2	2	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	19	16	19	31	29	40	21	18	4	4	-	-
WHITE------MALE----	9	7	6	15	17	15	10	7	1	1	-	-
FEMALE--	4	2	9	11	6	19	6	9	2	3	-	-
ALL OTHER--MALE----	4	2	3	1	2	1	5	1	-	-	-	-
FEMALE--	2	5	1	4	4	5	-	1	1	-	-	-
BLACK---MALE----	4	2	3	1	2	-	4	1	-	-	-	-
FEMALE--	2	4	1	4	2	5	-	1	1	-	-	-
NORTH CAROLINA ---------	8	8	7	10	24	12	10	3	4	-	-	-
WHITE------MALE----	2	2	3	1	8	4	4	-	1	-	-	-
FEMALE--	2	5	2	5	10	6	6	2	1	-	-	-
ALL OTHER--MALE----	1	1	1	1	3	2	-	-	1	-	-	-
FEMALE--	3	-	1	3	3	-	-	1	1	-	-	-
BLACK---MALE----	1	1	1	1	3	2	-	-	1	-	-	-
FEMALE--	3	-	1	3	3	-	-	1	1	-	-	-
NORTH DAKOTA ----------	1	1	1	1	1	1	1	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
OHIO ----------	155	1	1	1	1	-	2	-	2	6	5	11
WHITE------MALE----	58	-	1	1	1	-	1	-	-	3	2	4
FEMALE--	67	-	-	-	-	-	1	-	-	-	2	3
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	1	2	1	3
BLACK---MALE----	9	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	1	2	1	3
OKLAHOMA ----------	59	-	-	-	-	-	-	-	3	3	2	7
WHITE------MALE----	27	-	-	-	-	-	-	-	2	1	2	3
FEMALE--	22	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	3
OREGON ----------	38	-	-	-	-	-	-	1	1	1	1	5
WHITE------MALE----	17	-	-	-	-	-	-	-	1	1	-	5
FEMALE--	20	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	177	3	1	3	1	-	1	2	3	9	9	6
WHITE------MALE----	76	2	-	1	1	-	1	1	-	5	5	2
FEMALE--	67	-	-	1	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	17	1	1	-	-	-	-	-	1	4	2	1
FEMALE--	17	-	-	1	-	-	-	-	1	-	2	2
BLACK---MALE----	16	1	1	-	-	-	-	-	1	4	2	1
FEMALE--	15	-	-	-	-	-	-	-	1	-	2	1
RHODE ISLAND ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	73	3	-	-	-	-	1	1	2	6	5	3
WHITE------MALE----	21	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	1	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	15	1	-	-	-	-	-	-	-	2	2	2
FEMALE--	19	-	-	-	-	-	1	1	2	2	2	1
BLACK---MALE----	15	1	-	-	-	-	-	-	-	2	2	2
FEMALE--	19	-	-	-	-	-	1	1	2	2	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
OHIO ----------	7	6	7	16	18	32	23	11	3	2	-	-
WHITE------MALE----	2	2	2	8	6	13	9	-	1	2	-	-
FEMALE--	3	2	2	7	7	15	13	10	2	-	-	-
ALL OTHER--MALE----	1	-	3	-	1	2	-	-	-	-	-	-
FEMALE--	1	2	-	1	4	2	1	1	-	-	-	-
BLACK---MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	4	2	1	1	-	-	-	-
OKLAHOMA ----------	2	6	3	3	9	8	6	6	-	1	-	-
WHITE------MALE----	-	4	2	-	4	4	3	2	-	-	-	-
FEMALE--	1	2	-	2	4	3	2	4	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	1	1	4	8	6	1	5	-	-	1	-
WHITE------MALE----	1	-	-	1	4	2	1	1	-	-	-	-
FEMALE--	1	1	1	2	4	4	-	4	-	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	8	13	11	24	20	20	17	17	8	1	-	-
WHITE------MALE----	1	8	4	12	10	9	7	6	-	1	-	-
FEMALE--	4	4	6	7	7	7	10	11	7	-	-	-
ALL OTHER--MALE----	2	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	1	1	1	4	1	2	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	1	1	1	4	1	2	-	-	1	-	-	-
RHODE ISLAND ----------	2	1	3	2	1	2	1	2	-	-	1	-
WHITE------MALE----	1	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	14	3	6	5	8	7	3	3	3	-	-	-
WHITE------MALE----	6	1	1	2	3	4	-	1	1	-	-	-
FEMALE--	3	1	2	1	1	2	3	1	1	-	-	-
ALL OTHER--MALE----	3	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	2	-	2	2	2	-	-	1	1	-	-	-
BLACK---MALE----	3	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	2	-	2	2	2	-	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
SOUTH DAKOTA ----------	9	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	90	2	1	1	-	1	-	2	3	3	5	7
WHITE------MALE----	38	1	-	1	-	-	-	-	1	2	3	2
FEMALE--	35	1	-	-	-	1	-	-	-	1	-	4
ALL OTHER--MALE----	10	-	1	-	-	-	-	1	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	1	1	-	2	-
BLACK---MALE----	10	-	1	-	-	-	-	1	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	1	1	-	2	-
TEXAS ----------	292	3	-	-	2	1	3	4	7	10	20	31
WHITE------MALE----	134	-	-	-	1	1	1	1	2	7	12	13
FEMALE--	105	1	-	-	1	-	1	2	1	1	5	12
ALL OTHER--MALE----	37	2	-	-	-	-	1	1	3	-	1	3
FEMALE--	16	-	-	-	-	-	-	-	1	2	2	3
BLACK---MALE----	35	2	-	-	-	-	1	1	3	-	1	3
FEMALE--	15	-	-	-	-	-	-	-	1	2	2	3
UTAH ----------	22	-	1	-	-	-	-	1	-	-	-	3
WHITE------MALE----	9	-	1	-	-	-	-	1	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	74	2	-	1	1	-	-	1	1	2	3	1
WHITE------MALE----	28	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	1	-	-	1	-	-	-	1	-	1	-
FEMALE--	13	-	-	1	-	-	-	1	-	-	2	-
BLACK---MALE----	9	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	11	-	-	1	-	-	-	1	-	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
SOUTH DAKOTA ----------	-	-	1	2	-	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	6	12	5	8	10	9	7	4	-	-	-
WHITE------MALE----	3	1	3	2	2	9	4	2	2	-	-	-
FEMALE--	1	4	7	2	6	-	3	3	2	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
TEXAS ----------	22	12	31	31	39	28	23	14	10	1	-	-
WHITE------MALE----	14	3	18	14	14	15	10	7	1	-	-	-
FEMALE--	5	5	6	11	19	10	10	6	8	1	-	-
ALL OTHER--MALE----	2	3	7	6	3	2	1	1	1	-	-	-
FEMALE--	1	1	-	-	3	1	2	-	-	-	-	-
BLACK---MALE----	2	3	6	5	3	2	1	1	1	-	-	-
FEMALE--	1	1	-	-	2	1	2	-	-	-	-	-
UTAH ----------	1	2	2	1	2	4	2	2	-	1	-	-
WHITE------MALE----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	1	2	1	1	-	3	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	3	3	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	7	9	6	6	9	8	9	6	2	-	-	-
WHITE------MALE----	3	3	2	1	5	6	2	2	1	-	-	-
FEMALE--	3	4	1	3	3	1	4	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	2	1	-	-	-	-
FEMALE--	1	1	2	1	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	2	1	-	-	-	-
FEMALE--	-	1	2	1	1	-	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
WASHINGTON ----------	67	1	-	-	-	-	-	-	1	1	5	8
WHITE------MALE----	33	1	-	-	-	-	-	-	1	-	4	5
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	29	-	1	-	-	-	1	-	-	-	-	2
WHITE------MALE----	15	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	64	-	1	-	-	-	2	2	-	3	5	1
WHITE------MALE----	28	-	-	-	-	-	-	1	-	2	2	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	6	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	1	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
WASHINGTON ----------	5	4	5	4	10	12	7	3	1	-	-	-
WHITE------MALE----	2	4	2	2	3	5	3	1	-	-	-	-
FEMALE--	2	-	3	2	7	5	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	1	-	3	6	3	5	2	1	-	-	-
WHITE------MALE----	2	1	-	2	3	1	3	1	-	-	-	-
FEMALE--	2	-	-	-	3	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
WISCONSIN ----------	4	2	6	7	7	10	6	4	2	2	-	-
WHITE------MALE----	1	-	2	5	3	5	4	2	-	1	-	-
FEMALE--	2	1	3	2	4	5	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	1	-	-	-
WYOMING ----------	-	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 505

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mycoses (B35-B49)												
UNITED STATES -	1,845	52	12	8	11	9	16	38	44	58	81	112
WHITE------MALE----	805	21	5	3	7	3	5	12	15	32	30	44
FEMALE--	601	10	-	2	3	4	6	10	10	8	17	35
ALL OTHER--MALE----	225	11	2	-	1	1	2	10	11	11	20	18
FEMALE--	214	10	5	3	-	1	3	6	8	7	14	15
BLACK---MALE----	185	11	2	-	-	1	2	8	11	9	18	17
FEMALE--	180	10	3	3	-	-	3	6	7	6	13	13
ALABAMA ----------	35	1	-	1	-	-	1	1	2	-	2	4
WHITE------MALE----	9	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	1	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	1	-	-	-	-	1	-	1	-	1	1
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	64	3	-	-	-	-	2	2	2	2	-	5
WHITE------MALE----	34	3	-	-	-	-	-	1	1	-	-	3
FEMALE--	24	-	-	-	-	-	1	1	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	24	-	-	-	1	-	1	-	1	2	1	1
WHITE------MALE----	13	-	-	-	1	-	-	-	1	2	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	258	7	1	2	-	3	1	7	4	9	14	19
WHITE------MALE----	109	4	-	-	-	1	-	3	-	5	6	6
FEMALE--	83	2	-	1	-	1	1	1	3	2	2	8
ALL OTHER--MALE----	39	1	-	-	-	-	-	3	1	1	5	3
FEMALE--	27	-	1	1	-	1	-	-	-	1	1	2
BLACK---MALE----	18	1	-	-	-	-	-	3	1	-	3	2
FEMALE--	15	-	1	1	-	-	-	-	-	1	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mycoses (B35-B49)												
UNITED STATES -	130	132	150	201	229	238	160	106	42	15	1	-
WHITE------MALE----	50	64	60	84	115	121	73	42	15	4	-	-
FEMALE--	46	37	49	76	74	85	59	44	16	9	1	-
ALL OTHER--MALE----	20	10	24	20	18	13	15	14	3	1	-	-
FEMALE--	14	21	17	21	22	19	13	6	8	1	-	-
BLACK---MALE----	16	7	17	17	16	11	8	11	2	1	-	-
FEMALE--	11	17	12	18	17	16	11	5	8	1	-	-
ALABAMA ----------	2	3	3	4	1	6	2	1	1	-	-	-
WHITE------MALE----	-	-	1	2	-	3	-	1	-	-	-	-
FEMALE--	1	2	-	2	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	2	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	2	-	1	-	-	-
ALASKA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	5	5	7	9	12	3	4	1	-	-	-
WHITE------MALE----	1	3	3	2	5	7	1	3	1	-	-	-
FEMALE--	-	2	2	5	4	5	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	3	2	2	2	3	2	1	-	-	-
WHITE------MALE----	1	-	1	2	1	1	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
CALIFORNIA ----------	24	22	19	34	23	29	18	17	4	1	-	-
WHITE------MALE----	14	8	4	15	10	14	9	8	1	1	-	-
FEMALE--	3	7	9	12	10	12	4	4	1	-	-	-
ALL OTHER--MALE----	4	3	4	4	2	1	3	3	1	-	-	-
FEMALE--	3	4	2	3	1	2	2	2	1	-	-	-
BLACK---MALE----	2	-	1	1	2	-	1	1	-	-	-	-
FEMALE--	2	1	1	2	-	-	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mycoses (B35-B49)												
COLORADO ----------	25	1	1	-	-	-	-	1	-	-	-	4
WHITE------MALE----	15	1	1	-	-	-	-	1	-	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	23	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	9	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	1	-	-	-	-	-	1	1	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	82	1	-	1	1	-	-	-	-	2	1	2
WHITE------MALE----	42	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	28	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	57	4	-	-	-	-	-	1	-	1	8	3
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	14	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	4	-
FEMALE--	14	2	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	13	1	-	-	-	-	-	-	-	-	4	-
FEMALE--	13	2	-	-	-	-	-	1	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mycoses (B35-B49)												
COLORADO ----------	-	1	1	3	7	4	1	-	-	1	-	-
WHITE------MALE----	-	1	-	1	3	4	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	4	3	2	6	2	-	-	-	-
WHITE------MALE----	1	-	-	1	-	2	4	1	-	-	-	-
FEMALE--	1	-	-	2	3	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE ----------	-	-	2	1	1	3	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	2	-	-	2	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
FLORIDA ----------	4	6	9	11	12	14	11	3	4	-	-	-
WHITE------MALE----	1	4	3	8	6	7	7	-	3	-	-	-
FEMALE--	2	1	4	2	5	6	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
GEORGIA ----------	8	4	4	8	6	3	2	5	-	-	-	-
WHITE------MALE----	2	-	1	2	4	1	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	1	2	3	-	-	-	-
ALL OTHER--MALE----	3	-	-	3	-	-	-	2	-	-	-	-
FEMALE--	1	4	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	3	-	-	-	2	-	-	-	-
FEMALE--	1	4	1	2	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mycoses (B35-B49)												
HAWAII ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	83	3	1	-	1	2	-	2	2	3	1	3
WHITE------MALE----	39	1	1	-	1	-	-	2	-	1	-	1
FEMALE--	29	-	-	-	-	2	-	-	1	1	1	1
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	1
INDIANA ----------	26	-	-	1	-	-	1	-	-	-	-	2
WHITE------MALE----	17	-	-	1	-	-	1	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	17	1	-	-	-	-	-	1	1	1	1	1
WHITE------MALE----	10	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mycoses (B35-B49)												
HAWAII	1	-	1	2	1	-	2	1	-	-	-	-
WHITE--MALE	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE	-	-	1	1	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	1	-	2	-	-	-	-	-	-	-
WHITE--MALE	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	5	7	9	9	12	9	5	4	3	2	-	-
WHITE--MALE	2	5	3	7	6	5	3	-	1	-	-	-
FEMALE	2	1	4	1	2	4	2	3	2	2	-	-
ALL OTHER--MALE	1	1	1	1	-	-	-	1	-	-	-	-
FEMALE	-	-	1	-	4	-	-	-	-	-	-	-
BLACK--MALE	1	1	1	1	-	-	-	1	-	-	-	-
FEMALE	-	-	1	-	4	-	-	-	-	-	-	-
INDIANA	4	1	3	1	7	-	2	1	3	-	-	-
WHITE--MALE	1	1	1	1	5	-	-	1	3	-	-	-
FEMALE	3	-	2	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
IOWA	1	1	-	3	1	6	1	-	-	-	-	-
WHITE--MALE	1	1	-	2	-	4	-	-	-	-	-	-
FEMALE	-	-	-	1	1	2	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	2	1	2	1	2	-	1	1	-	1	-	-
WHITE--MALE	1	1	2	1	2	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mycoses (B35-B49)												
KENTUCKY ----------	33	1	-	-	-	-	-	2	-	1	-	-
WHITE------MALE----	17	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	26	1	-	-	-	-	-	-	3	1	2	2
WHITE------MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1
MAINE ----------	7	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	39	3	-	-	-	-	1	1	2	-	1	1
WHITE------MALE----	15	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	14	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	21	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	72	1	-	-	-	-	-	2	2	2	4	5
WHITE------MALE----	26	-	-	-	-	-	-	1	1	-	2	2
FEMALE--	19	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	17	-	-	-	-	-	-	1	1	1	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	17	-	-	-	-	-	-	1	1	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mycoses (B35-B49)												
KENTUCKY ----------	4	5	3	4	1	7	-	5	-	-	-	-
WHITE------MALE----	1	3	3	1	-	4	-	2	-	-	-	-
FEMALE--	3	2	-	2	1	3	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	3	3	3	4	3	-	-	1	-	-	-
WHITE------MALE----	-	2	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
MAINE ----------	-	-	1	-	2	-	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	1	2	4	8	3	3	4	3	-	-	-
WHITE------MALE----	-	-	1	1	4	2	-	3	1	-	-	-
FEMALE--	2	-	-	1	2	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	2	1	4	6	5	-	-	-	-	-
WHITE------MALE----	-	1	1	-	3	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	3	11	6	5	8	9	9	3	1	1	-	-
WHITE------MALE----	-	5	2	2	3	3	3	1	1	-	-	-
FEMALE--	1	3	2	1	4	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	1	1	-	1	-	-
FEMALE--	2	2	1	1	1	2	2	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	1	1	1	-	1	-	-
FEMALE--	2	2	1	1	1	2	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mycoses (B35-B49)												
MINNESOTA ----------	35	1	1	-	1	1	-	-	1	1	3	4
WHITE------MALE----	19	1	-	-	-	1	-	-	-	1	1	3
FEMALE--	12	-	-	-	1	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	23	1	1	-	-	-	-	-	-	2	2	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	10	1	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	10	1	-	-	-	-	-	-	-	2	2	-
MISSOURI ----------	45	-	1	1	-	-	-	1	1	1	1	5
WHITE------MALE----	12	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	23	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	1	1	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	6	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	11	1	-	-	-	1	-	2	1	-	1	-
WHITE------MALE----	8	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mycoses (B35-B49)												
MINNESOTA ----------	2	5	-	4	5	3	2	1	-	-	-	-
WHITE------MALE----	1	3	-	2	3	1	1	1	-	-	-	-
FEMALE--	-	2	-	2	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI ----------	2	1	-	2	4	3	2	1	1	-	-	-
WHITE------MALE----	1	-	-	-	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	1	-	-	-
MISSOURI ----------	5	2	3	2	4	7	7	3	-	1	-	-
WHITE------MALE----	-	-	2	1	2	2	-	1	-	-	-	-
FEMALE--	4	1	1	1	2	3	5	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	1	-	-
MONTANA ----------	1	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	-	-	3	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	1	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mycoses (B35-B49)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	58	1	-	-	-	-	-	1	1	-	2	4
WHITE------MALE----	23	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	1	-	-	-	-	-	-	1	-	-	1
NEW MEXICO ----------	7	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	4	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	135	2	2	-	1	1	1	3	3	4	8	3
WHITE------MALE----	56	-	1	-	1	1	-	-	3	2	2	-
FEMALE--	45	1	-	-	-	-	1	1	-	1	1	1
ALL OTHER--MALE----	14	1	-	-	-	-	-	1	-	1	1	1
FEMALE--	20	-	1	-	-	-	-	1	-	-	4	1
BLACK---MALE----	12	1	-	-	-	-	-	1	-	1	1	1
FEMALE--	16	-	-	-	-	-	-	1	-	-	4	1
NORTH CAROLINA ---------	60	4	-	-	-	1	2	-	1	1	3	7
WHITE------MALE----	17	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	18	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	15	-	-	-	-	1	-	-	1	-	2	4
FEMALE--	10	2	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	15	-	-	-	-	1	-	-	1	-	2	4
FEMALE--	10	2	-	-	-	-	1	-	-	1	-	1
NORTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mycoses (B35-B49)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	4	7	9	6	13	5	2	-	1	-	-
WHITE------MALE----	1	4	2	2	2	7	2	1	-	-	-	-
FEMALE--	-	-	2	6	4	4	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	1	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	1	-	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	7	8	17	18	22	11	13	4	1	-	-
WHITE------MALE----	2	3	3	7	12	8	6	4	1	-	-	-
FEMALE--	2	-	3	9	2	11	2	7	2	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	3	1	-	-	-	-
FEMALE--	1	3	1	1	3	2	-	1	1	-	-	-
BLACK---MALE----	1	1	1	-	1	-	2	1	-	-	-	-
FEMALE--	1	2	1	1	1	2	-	1	1	-	-	-
NORTH CAROLINA ---------	2	5	2	3	14	8	6	-	1	-	-	-
WHITE------MALE----	-	2	1	-	4	3	4	-	-	-	-	-
FEMALE--	1	3	-	-	5	4	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	-	-	1	-	-	-
NORTH DAKOTA ----------	1	1	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mycoses (B35-B49)												
OHIO ----------	67	1	1	-	1	-	2	-	2	1	2	5
WHITE------MALE----	34	-	1	-	1	-	1	-	-	-	2	3
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	22	-	-	-	-	-	-	-	1	1	-	5
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	2
OREGON ----------	16	-	-	-	-	-	-	1	1	1	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	100	3	-	1	1	-	-	2	2	6	4	5
WHITE------MALE----	48	2	-	-	1	-	-	1	-	4	3	1
FEMALE--	34	-	-	1	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	6	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	1
RHODE ISLAND ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	35	2	-	-	-	-	1	1	1	1	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	7	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mycoses (B35-B49)												
OHIO ----------	4	3	6	7	8	11	8	3	1	1	-	-
WHITE------MALE----	2	1	2	4	3	6	6	-	1	1	-	-
FEMALE--	1	1	1	3	3	5	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
OKLAHOMA ----------	-	3	2	1	2	3	4	-	-	-	-	-
WHITE------MALE----	-	2	1	-	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	1	1	-	4	-	1	2	-	-	1	-
WHITE------MALE----	-	-	-	-	3	-	1	1	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	8	8	14	11	11	8	5	4	1	-	-
WHITE------MALE----	1	6	3	6	6	7	4	2	-	1	-	-
FEMALE--	3	2	4	4	4	2	4	3	4	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	1	1	-	-	-	-	-	-
RHODE ISLAND ----------	1	1	1	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	9	1	1	3	4	7	1	1	1	-	-	-
WHITE------MALE----	5	-	-	1	2	4	-	1	-	-	-	-
FEMALE--	2	1	-	1	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mycoses (B35-B49)												
SOUTH DAKOTA ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	49	2	1	-	-	-	-	2	1	2	1	3
WHITE------MALE----	22	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	7	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
TEXAS ----------	105	3	-	-	2	-	1	2	4	6	5	10
WHITE------MALE----	49	-	-	-	1	-	1	-	2	6	3	5
FEMALE--	35	1	-	-	1	-	-	1	-	-	2	4
ALL OTHER--MALE----	17	2	-	-	-	-	-	1	2	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	2	-	-	-	-	-	1	2	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	11	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	41	1	-	1	1	-	-	1	1	-	2	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	1	-	-	-	1	-	1	-
FEMALE--	8	-	-	1	-	-	-	1	-	-	1	-
BLACK---MALE----	9	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	1	-	-	-	1	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mycoses (B35-B49)												
SOUTH DAKOTA ----------	-	-	-	1	-	2	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	3	5	4	4	5	5	5	3	-	-	-
WHITE------MALE----	2	1	2	1	2	5	2	1	2	-	-	-
FEMALE--	1	1	3	2	2	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
TEXAS ----------	8	4	11	11	13	8	8	5	3	1	-	-
WHITE------MALE----	3	1	8	5	5	3	3	3	-	-	-	-
FEMALE--	3	1	1	4	5	3	5	1	2	1	-	-
ALL OTHER--MALE----	1	1	2	2	2	1	-	1	1	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	2	2	2	1	-	1	1	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
UTAH ----------	-	2	2	1	1	1	-	1	-	1	-	-
WHITE------MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5	6	4	6	5	3	3	1	-	-	-	-
WHITE------MALE----	3	2	1	1	4	2	-	-	-	-	-	-
FEMALE--	2	3	1	3	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	2	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	2	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mycoses (B35-B49)												
WASHINGTON ----------	18	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	13	-	-	-	-	-	1	-	-	-	-	2
WHITE------MALE----	9	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	28	-	1	-	-	-	1	1	-	1	4	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mycoses (B35-B49)												
WASHINGTON ----------	1	-	2	1	5	4	2	1	-	-	-	-
WHITE------MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	1	1	4	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	-	2	3	-	3	-	1	-	-	-
WHITE------MALE----	-	1	-	1	3	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
WISCONSIN ----------	2	1	4	2	1	5	2	1	1	1	-	-
WHITE------MALE----	-	-	2	1	1	3	1	1	-	-	-	-
FEMALE--	2	-	1	1	-	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Protozoal diseases (B50-B64)												
UNITED STATES -	289	6	4	1	1	2	2	14	17	33	39	23
WHITE------MALE----	117	2	-	-	-	2	2	4	4	14	17	8
FEMALE--	86	2	3	-	-	-	-	1	6	6	8	5
ALL OTHER--MALE----	41	2	1	-	1	-	-	4	4	6	4	4
FEMALE--	45	-	-	1	-	-	-	5	3	7	10	6
BLACK---MALE----	37	2	1	-	-	-	-	4	4	6	4	3
FEMALE--	42	-	-	-	-	-	-	5	3	7	10	5
ALABAMA ----------	3	-	1	-	-	-	-	-	-	-	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	2	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	33	1	1	-	1	-	-	1	2	3	1	5
WHITE------MALE----	12	1	-	-	-	-	-	-	-	1	-	3
FEMALE--	16	-	1	-	-	-	-	1	2	2	1	2
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Protozoal diseases (B50-B64)												
UNITED STATES -	27	20	16	20	27	23	10	3	1	-	-	-
WHITE------MALE----	12	10	6	9	13	8	4	2	-	-	-	-
FEMALE--	5	6	4	8	12	12	6	1	1	-	-	-
ALL OTHER--MALE----	8	2	3	-	1	1	-	-	-	-	-	-
FEMALE--	2	2	3	3	1	2	-	-	-	-	-	-
BLACK---MALE----	8	1	3	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	3	2	1	2	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	2	1	2	6	3	1	-	1	-	-	-
WHITE------MALE----	-	1	1	-	4	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Protozoal diseases (B50-B64)												
COLORADO ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	34	-	-	-	-	1	-	2	4	4	7	1
WHITE------MALE----	14	-	-	-	-	1	-	-	2	1	3	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	7	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	2	1	-
GEORGIA ----------	11	-	-	-	-	-	-	3	1	4	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	2	-	2	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	2	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Protozoal diseases (B50-B64)												
COLORADO ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	5	3	2	-	3	1	1	-	-	-	-	-
WHITE------MALE----	2	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
GEORGIA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Protozoal diseases (B50-B64)												
HAWAII ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	-	-	-	-	-	-	-	2	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	5	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Protozoal diseases (B50-B64)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	2	1	1	-	2	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	1	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Protozoal diseases (B50-B64)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	-	1	-	-	-	-	1	1	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	1	-	-	-	-	-	2	-	5	3	1
WHITE------MALE----	5	-	-	-	-	-	-	1	-	3	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	1	-	1	1	-
MASSACHUSETTS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	8	-	-	-	-	-	-	1	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Protozoal diseases (B50-B64)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	2	-	-	1	-	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Protozoal diseases (B50-B64)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Protozoal diseases (B50-B64)												
MINNESOTA ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Protozoal diseases (B50-B64)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	15	-	-	-	-	-	-	-	-	2	1	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	40	-	-	-	-	-	-	2	2	5	9	7
WHITE------MALE----	16	-	-	-	-	-	-	-	1	3	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	12	-	-	-	-	-	-	1	-	-	5	4
BLACK---MALE----	5	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	5	4
NORTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Protozoal diseases (B50-B64)												
NEW HAMPSHIRE ----------	1	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	1	1	-	1	1	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	1	2	4	2	2	-	-	-	-	-	-
WHITE------MALE----	2	1	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	3	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Protozoal diseases (B50-B64)												
OHIO ----------	9	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	13	-	-	1	-	-	1	-	1	2	2	-
WHITE------MALE----	6	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	1	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Protozoal diseases (B50-B64)												
OHIO	-	-	-	1	1	3	-	-	-	-	-	-
WHITE--MALE	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	1	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	1	2	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	1	2	-	1	2	-	-	-	-	-	-	-
WHITE--MALE	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	1	-	-	-	-	-	-	-	-
BLACK--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	1	-	-	2	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Protozoal diseases (B50-B64)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	15	-	-	-	-	1	-	1	-	1	3	-
WHITE------MALE----	9	-	-	-	-	1	-	1	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
UTAH ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Protozoal diseases (B50-B64)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	1	2	1	1	-	1	1	-	-	-	-
WHITE------MALE----	2	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Protozoal diseases (B50-B64)												
WASHINGTON ----------	6	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Protozoal diseases (B50-B64)												
WASHINGTON ----------	-	-	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
UNITED STATES -	7	1	-	-	-	-	-	2	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malaria (B50-B54)												
UNITED STATES -	-	1	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malaria (B50-B54)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malaria (B50-B54)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malaria (B50-B54)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	1	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malaria (B50-B54)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malaria (B50-B54)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malaria (B50-B54)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malaria (B50-B54)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malaria (B50-B54)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leishmaniasis (B55)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leishmaniasis (B55)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leishmaniasis (B55)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leishmaniasis (B55)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leishmaniasis (B55)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leishmaniasis (B55)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leishmaniasis (B55)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leishmaniasis (B55)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leishmaniasis (B55)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leishmaniasis (B55)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leishmaniasis (B55)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leishmaniasis (B55)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leishmaniasis (B55)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leishmaniasis (B55)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leishmaniasis (B55)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leishmaniasis (B55)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leishmaniasis (B55)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leishmaniasis (B55)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Trypanosomiasis (B56-B57)												
UNITED STATES -	3	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Trypanosomiasis (B56-B57)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Trypanosomiasis (B56-B57)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Trypanosomiasis (B56-B57)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Trypanosomiasis (B56-B57)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Trypanosomiasis (B56-B57)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Trypanosomiasis (B56-B57)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Trypanosomiasis (B56-B57)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Trypanosomiasis (B56-B57)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Trypanosomiasis (B56-B57)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Trypanosomiasis (B56-B57)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Trypanosomiasis (B56-B57)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Trypanosomiasis (B56-B57)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Trypanosomiasis (B56-B57)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Trypanosomiasis (B56-B57)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Trypanosomiasis (B56-B57)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Trypanosomiasis (B56-B57)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Trypanosomiasis (B56-B57)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumocystosis (B59)												
UNITED STATES -	244	4	3	1	1	1	2	9	14	26	32	19
WHITE------MALE----	101	1	-	-	-	1	2	2	4	11	14	7
FEMALE--	76	2	3	-	-	-	-	1	4	5	6	4
ALL OTHER--MALE----	31	1	-	-	1	-	-	2	3	4	4	3
FEMALE--	36	-	-	1	-	-	-	4	3	6	8	5
BLACK---MALE----	27	1	-	-	-	-	-	2	3	4	4	2
FEMALE--	33	-	-	-	-	-	-	4	3	6	8	4
ALABAMA ----------	3	-	1	-	-	-	-	-	-	-	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	2	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	31	1	1	-	1	-	-	1	2	3	1	4
WHITE------MALE----	12	1	-	-	-	-	-	-	-	1	-	3
FEMALE--	14	-	1	-	-	-	-	1	2	2	1	1
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumocystosis (B59)												
UNITED STATES -	27	15	13	19	26	22	8	1	1	-	-	-
WHITE------MALE----	12	9	6	9	12	7	4	-	-	-	-	-
FEMALE--	5	5	3	8	12	12	4	1	1	-	-	-
ALL OTHER--MALE----	8	1	2	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	2	2	1	2	-	-	-	-	-	-
BLACK---MALE----	8	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	2	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	1	1	2	6	3	1	-	1	-	-	-
WHITE------MALE----	-	1	1	-	4	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumocystosis (B59)												
COLORADO ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	28	-	-	-	-	-	-	1	4	3	5	1
WHITE------MALE----	12	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	2	1	-
GEORGIA ----------	8	-	-	-	-	-	-	2	-	4	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	2	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	2	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumocystosis (B59)												
COLORADO ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	5	3	1	-	3	1	1	-	-	-	-	-
WHITE------MALE----	2	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumocystosis (B59)												
HAWAII ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	10	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	5	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumocystosis (B59)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	1	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	2	2	1	1	-	2	-	-	-	-	-	-
WHITE--MALE	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE	1	1	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
INDIANA	-	-	1	1	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumocystosis (B59)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	-	1	-	-	-	-	-	1	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	10	-	-	-	-	-	-	2	-	4	2	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
MASSACHUSETTS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumocystosis (B59)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	-	-	1	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumocystosis (B59)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumocystosis (B59)												
MINNESOTA ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumocystosis (B59)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	10	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	33	-	-	-	-	-	-	1	2	3	7	6
WHITE------MALE----	14	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	4	3
BLACK---MALE----	5	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	4	3
NORTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumocystosis (B59)												
NEW HAMPSHIRE ----------	1	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	1	2	3	2	2	-	-	-	-	-	-
WHITE------MALE----	2	1	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	3	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumocystosis (B59)												
OHIO ----------	9	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	12	-	-	1	-	-	1	-	1	2	2	-
WHITE------MALE----	6	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumocystosis (B59)												
OHIO ----------	-	-	-	1	1	3	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	1	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	1	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumocystosis (B59)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	12	-	-	-	-	1	-	-	-	1	2	-
WHITE------MALE----	6	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
UTAH ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumocystosis (B59)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	1	2	1	1	-	1	-	-	-	-	-
WHITE------MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumocystosis (B59)												
WASHINGTON ----------	5	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumocystosis (B59)												
WASHINGTON ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified protozoal diseases (B58,B60-B64)												
UNITED STATES -	35	1	1	-	-	1	-	3	3	5	6	3
WHITE------MALE----	12	1	-	-	-	1	-	1	-	2	3	1
FEMALE--	7	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	9	-	1	-	-	-	-	2	1	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	9	-	1	-	-	-	-	2	1	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	2	1
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified protozoal diseases (B58,B60-B64)												
UNITED STATES -	-	4	3	-	-	1	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified protozoal diseases (B58,B60-B64)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	6	-	-	-	-	1	-	1	-	1	2	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	3	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified protozoal diseases (B58,B60-B64)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified protozoal diseases (B58,B60-B64)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified protozoal diseases (B58,B60-B64)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified protozoal diseases (B58,B60-B64)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified protozoal diseases (B58,B60-B64)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified protozoal diseases (B58,B60-B64)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified protozoal diseases (B58,B60-B64)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified protozoal diseases (B58,B60-B64)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified protozoal diseases (B58,B60-B64)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified protozoal diseases (B58,B60-B64)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified protozoal diseases (B58,B60-B64)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified protozoal diseases (B58,B60-B64)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified protozoal diseases (B58,B60-B64)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified protozoal diseases (B58,B60-B64)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified protozoal diseases (B58,B60-B64)												
WASHINGTON ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Helminthiases (B65-B83)												
UNITED STATES -	14	-	-	1	-	-	2	1	-	1	1	1
WHITE------MALE----	6	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	6	-	-	1	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Helminthiases (B65-B83)												
UNITED STATES -	-	-	3	1	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Helminthiases (B65-B83)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Helminthiases (B65-B83)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Helminthiases (B65-B83)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Helminthiases (B65-B83)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Helminthiases (B65-B83)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Helminthiases (B65-B83)												
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Helminthiases (B65-B83)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Helminthiases (B65-B83)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Helminthiases (B65-B83)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Helminthiases (B65-B83)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Helminthiases (B65-B83)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Helminthiases (B65-B83)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Helminthiases (B65-B83)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Helminthiases (B65-B83)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Helminthiases (B65-B83)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Helminthiases (B65-B83)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Schistosomiasis (bilharziasis) (B65)												
UNITED STATES -	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schistosomiasis (bilharziasis) (B65)												
UNITED STATES -	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Schistosomiasis (bilharziasis) (B65)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schistosomiasis (bilharziasis) (B65)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Schistosomiasis (bilharziasis) (B65)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schistosomiasis (bilharziasis) (B65)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Schistosomiasis (bilharziasis) (B65)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schistosomiasis (bilharziasis) (B65)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Schistosomiasis (bilharziasis) (B65)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schistosomiasis (bilharziasis) (B65)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Schistosomiasis (bilharziasis) (B65)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schistosomiasis (bilharziasis) (B65)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Schistosomiasis (bilharziasis) (B65)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schistosomiasis (bilharziasis) (B65)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Schistosomiasis (bilharziasis) (B65)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schistosomiasis (bilharziasis) (B65)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Schistosomiasis (bilharziasis) (B65)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schistosomiasis (bilharziasis) (B65)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified helminthiases (B66-B83)												
UNITED STATES -	13	-	-	1	-	-	2	1	-	1	1	1
WHITE------MALE----	6	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	5	-	-	1	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified helminthiases (B66-B83)												
UNITED STATES -	-	-	3	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified helminthiases (B66-B83)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified helminthiases (B66-B83)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified helminthiases (B66-B83)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified helminthiases (B66-B83)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified helminthiases (B66-B83)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified helminthiases (B66-B83)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified helminthiases (B66-B83)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified helminthiases (B66-B83)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified helminthiases (B66-B83)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified helminthiases (B66-B83)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified helminthiases (B66-B83)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified helminthiases (B66-B83)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified helminthiases (B66-B83)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified helminthiases (B66-B83)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified helminthiases (B66-B83)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified helminthiases (B66-B83)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of tuberculosis (B90)												
UNITED STATES -	189	-	-	1	-	-	-	3	1	3	4	10
WHITE------MALE----	50	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	90	-	-	1	-	-	-	2	-	-	-	4
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	22	-	-	-	-	-	-	-	1	2	2	2
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	1
ALABAMA ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	50	-	-	1	-	-	-	2	-	1	1	3
WHITE------MALE----	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	24	-	-	1	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)												
UNITED STATES -	7	7	7	8	27	30	47	23	9	2	-	-
WHITE------MALE----	-	2	4	1	8	10	13	6	2	1	-	-
FEMALE--	1	4	2	1	11	14	28	15	6	1	-	-
ALL OTHER--MALE----	4	-	1	4	4	4	3	1	1	-	-	-
FEMALE--	2	1	-	2	4	2	3	1	-	-	-	-
BLACK---MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	2	1	-	2	1	-	2	1	-	-	-	-
ALABAMA ----------	1	1	-	-	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	-	-	-	-	3	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	-	-	3	9	5	9	11	2	-	-	-
WHITE------MALE----	-	-	-	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	4	5	9	1	-	-	-
ALL OTHER--MALE----	3	-	-	2	3	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of tuberculosis (B90)												
COLORADO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)												
COLORADO ----------	-	-	1	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	3	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of tuberculosis (B90)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)												
HAWAII	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	1	-	-	-	2	3	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of tuberculosis (B90)												
KENTUCKY ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)												
KENTUCKY	-	-	1	-	-	-	2	-	-	-	-	-
WHITE--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA	-	-	-	-	-	1	2	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	1	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	4	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	1	-	1	1	-	1	-	2	-	-	-
WHITE--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of tuberculosis (B90)												
MINNESOTA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)												
MINNESOTA ----------	-	-	-	-	-	2	3	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of tuberculosis (B90)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	2	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	1	-	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 601

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of tuberculosis (B90)												
OHIO ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)												
OHIO ----------	-	-	-	1	1	1	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	1	2	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	2	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of tuberculosis (B90)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	18	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)												
SOUTH DAKOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	3	2	-	6	3	2	-	-	-	-	-
WHITE------MALE----	-	-	1	-	4	3	1	-	-	-	-	-
FEMALE--	-	3	1	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of tuberculosis (B90)												
WASHINGTON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)												
WASHINGTON ----------	-	-	-	-	-	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	1	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of poliomyelitis (B91)												
UNITED STATES -	263	-	-	-	1	-	-	-	-	-	-	8
WHITE------MALE----	119	-	-	-	1	-	-	-	-	-	-	6
FEMALE--	140	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	4	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	43	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of poliomyelitis (B91)												
UNITED STATES -	13	13	22	29	44	44	34	36	13	5	1	-
WHITE------MALE----	5	7	11	19	18	23	11	13	5	-	-	-
FEMALE--	7	6	10	10	25	21	23	23	7	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	1	3	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	1	2	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	1	4	6	10	7	5	5	3	-	-	-
WHITE------MALE----	1	-	2	2	8	3	1	4	2	-	-	-
FEMALE--	-	1	1	4	2	4	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of poliomyelitis (B91)												
COLORADO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of poliomyelitis (B91)												
COLORADO ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	1	-	-	2	1	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	2	1	-	1	2	1	2	3	-	-	-
WHITE------MALE----	-	-	1	-	-	2	1	-	2	-	-	-
FEMALE--	-	2	-	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of poliomyelitis (B91)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of poliomyelitis (B91)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	1	1	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	1	-	-	2	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	1	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of poliomyelitis (B91)												
KENTUCKY ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of poliomyelitis (B91)												
KENTUCKY ----------	1	-	1	2	1	-	-	1	1	-	-	-
WHITE------MALE----	-	-	1	2	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	1	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	2	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of poliomyelitis (B91)												
MINNESOTA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of poliomyelitis (B91)												
MINNESOTA ----------	1	-	2	-	3	2	3	2	1	-	-	-
WHITE------MALE----	1	-	2	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	3	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	2	-	-	1	1	2	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	2	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of poliomyelitis (B91)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of poliomyelitis (B91)												
NEW HAMPSHIRE ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	1	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	2	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	2	1	1	3	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	3	-	2	-	-	-	-
FEMALE--	-	1	2	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	1	-	1	1	-	1	1	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of poliomyelitis (B91)												
OHIO ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of poliomyelitis (B91)												
OHIO ----------	-	1	1	2	1	3	3	4	-	-	-	-
WHITE------MALE----	-	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	1	-	-	2	1	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	1	2	-	1	2	2	1	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of poliomyelitis (B91)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	22	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of poliomyelitis (B91)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	2	6	4	2	1	3	1	-	-	-
WHITE------MALE----	1	-	2	3	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	3	3	1	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sequelae of poliomyelitis (B91)												
WASHINGTON ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of poliomyelitis (B91)												
WASHINGTON ----------	-	1	-	-	1	2	2	2	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	1	2	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
UNITED STATES -	1,424	1	7	6	4	5	4	8	36	57	103	128
WHITE------MALE----	548	1	3	4	-	1	1	4	10	19	46	59
FEMALE--	503	-	-	2	1	2	-	3	5	12	14	18
ALL OTHER--MALE----	180	-	4	-	1	2	1	-	10	11	21	24
FEMALE--	193	-	-	-	2	-	2	1	11	15	22	27
BLACK---MALE----	157	-	4	-	1	1	1	-	10	11	16	21
FEMALE--	180	-	-	-	1	-	2	1	11	15	21	26
ALABAMA ----------	31	-	-	-	-	-	-	-	2	2	3	1
WHITE------MALE----	14	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
ALASKA ----------	3	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	22	-	1	-	1	-	-	1	-	1	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	17	-	-	-	-	-	-	-	1	-	1	4
WHITE------MALE----	11	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	169	-	1	1	1	2	-	4	5	6	14	20
WHITE------MALE----	78	-	-	1	-	1	-	3	2	3	10	10
FEMALE--	49	-	-	-	1	-	-	1	2	2	1	5
ALL OTHER--MALE----	20	-	1	-	-	1	-	-	1	-	3	4
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	15	-	1	-	-	1	-	-	1	-	1	4
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
UNITED STATES -	118	92	102	130	142	175	146	101	42	16	1	-
WHITE------MALE----	54	34	35	56	52	75	54	28	6	6	-	-
FEMALE--	21	28	33	46	65	76	75	63	29	9	1	-
ALL OTHER--MALE----	19	13	18	17	10	11	13	3	2	-	-	-
FEMALE--	24	17	16	11	15	13	4	7	5	1	-	-
BLACK---MALE----	16	10	16	12	10	10	13	3	2	-	-	-
FEMALE--	21	16	15	10	14	12	4	5	5	1	-	-
ALABAMA ----------	1	2	4	1	4	8	2	-	1	-	-	-
WHITE------MALE----	1	1	2	-	2	3	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALASKA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	1	1	4	4	1	3	-	1	-	-	-
WHITE------MALE----	-	-	1	2	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ARKANSAS ----------	3	1	1	-	-	3	2	-	1	-	-	-
WHITE------MALE----	1	-	1	-	-	3	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	23	18	11	9	8	18	17	8	1	1	1	-
WHITE------MALE----	11	7	3	4	3	10	8	1	-	1	-	-
FEMALE--	3	4	2	1	5	6	9	5	1	-	1	-
ALL OTHER--MALE----	3	2	2	1	-	1	-	1	-	-	-	-
FEMALE--	6	5	4	3	-	1	-	1	-	-	-	-
BLACK---MALE----	2	1	2	1	-	-	-	1	-	-	-	-
FEMALE--	4	5	3	2	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
COLORADO ----------	12	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	21	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
DELAWARE ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	86	-	-	-	-	-	-	1	6	3	8	6
WHITE------MALE----	32	-	-	-	-	-	-	-	-	1	4	4
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	11	-	-	-	-	-	-	1	5	2	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	11	-	-	-	-	-	-	1	5	2	1	1
GEORGIA ----------	28	-	-	-	1	-	-	-	1	1	5	3
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	1	-	-	-	-	1	2	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	1	-	-	-	-	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
COLORADO ----------	-	-	1	-	-	1	2	2	1	2	-	-
WHITE------MALE----	-	-	1	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	3	-	4	4	1	1	3	1	1	-	-
WHITE------MALE----	-	1	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	3	2	-	-	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	1	-	1	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	1	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
FLORIDA ----------	5	4	5	4	8	10	13	10	3	-	-	-
WHITE------MALE----	3	2	2	1	1	6	3	3	2	-	-	-
FEMALE--	1	2	2	2	5	4	9	7	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA ----------	2	3	2	1	2	1	4	2	-	-	-	-
WHITE------MALE----	1	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
HAWAII ----------	4	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	62	-	-	1	-	1	-	-	1	2	2	4
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	24	-	-	1	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	13	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
INDIANA ----------	26	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	14	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	11	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
HAWAII ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	1	7	7	8	11	6	4	2	2	-	-
WHITE------MALE----	1	-	1	1	3	5	2	-	1	-	-	-
FEMALE--	-	1	3	2	2	4	1	3	1	2	-	-
ALL OTHER--MALE----	1	-	1	3	3	-	2	1	-	-	-	-
FEMALE--	1	-	2	1	-	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	3	3	-	2	1	-	-	-	-
FEMALE--	1	-	2	1	-	2	1	-	-	-	-	-
INDIANA ----------	1	1	2	2	6	4	2	6	-	-	-	-
WHITE------MALE----	-	-	-	1	3	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	3	1	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	1	-	-	-	-	-	-
IOWA ----------	-	-	1	1	3	-	3	2	1	1	-	-
WHITE------MALE----	-	-	-	1	-	-	1	1	-	1	-	-
FEMALE--	-	-	1	-	3	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	1	2	-	2	3	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
KENTUCKY ----------	16	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	32	-	-	-	-	-	1	-	2	-	2	7
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	3
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	3
MAINE ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	31	-	-	-	-	-	-	-	1	3	4	3
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	-
MASSACHUSETTS ----------	31	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN ----------	75	-	-	-	1	-	-	-	2	5	7	6
WHITE------MALE----	24	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	16	-	-	-	1	-	-	-	2	2	3	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	16	-	-	-	1	-	-	-	2	2	3	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
KENTUCKY ----------	1	2	1	2	2	1	2	1	1	-	-	-
WHITE------MALE----	-	-	1	2	1	1	1	1	-	-	-	-
FEMALE--	1	2	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA ----------	3	2	3	-	1	5	2	2	1	1	-	-
WHITE------MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	2	2	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	2	2	1	-	-	-	-	-	-	1	-	-
MAINE ----------	1	-	-	2	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	3	-	4	2	2	6	1	1	-	-	-
WHITE------MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	2	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	1	6	4	1	10	1	-	2	-	-	-
WHITE------MALE----	3	1	2	2	1	4	-	-	-	-	-	-
FEMALE--	-	-	4	1	-	6	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	13	9	5	5	4	10	3	4	1	-	-	-
WHITE------MALE----	5	3	2	3	-	3	-	1	-	-	-	-
FEMALE--	1	2	1	2	4	4	3	3	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	3	4	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	3	4	1	-	-	2	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
MINNESOTA ----------	13	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	18	-	-	-	-	-	-	-	-	2	4	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	21	-	-	-	-	-	1	-	-	2	2	4
WHITE------MALE----	11	-	-	-	-	-	1	-	-	1	-	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	14	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
NEVADA ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
MINNESOTA ----------	-	2	1	2	1	1	-	3	1	-	-	-
WHITE------MALE----	-	2	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI ----------	1	1	-	5	1	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	1	4	3	3	-	-	-	-	-
WHITE------MALE----	1	-	-	1	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	2	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	1	1	4	2	-	2	-	-	1	-	-
WHITE------MALE----	-	1	1	2	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	2	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	1	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
NEW HAMPSHIRE ----------	4	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	43	-	1	-	-	-	-	-	-	1	-	3
WHITE------MALE----	21	-	1	-	-	-	-	-	-	-	-	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
NEW MEXICO ----------	10	-	-	-	-	-	-	-	1	-	2	-
WHITE------MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	86	-	1	-	-	1	-	1	2	5	5	9
WHITE------MALE----	38	-	-	-	-	-	-	-	-	4	3	3
FEMALE--	24	-	-	-	-	1	-	1	-	-	1	2
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	4
BLACK---MALE----	10	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	4
NORTH CAROLINA ---------	48	-	-	-	-	-	-	-	3	2	4	5
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	2	1	2	3
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	2	1	2	3
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	-	-	-	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	3	2	6	7	6	6	4	2	1	-	-
WHITE------MALE----	-	3	-	4	4	4	1	1	-	-	-	-
FEMALE--	-	-	1	2	3	2	4	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	1	-	-	2	-	1	1	1	1	-	-	-
WHITE------MALE----	1	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	9	7	7	7	7	11	8	3	-	3	-	-
WHITE------MALE----	5	3	2	5	3	4	4	1	-	1	-	-
FEMALE--	2	1	3	-	2	5	2	2	-	2	-	-
ALL OTHER--MALE----	1	1	2	1	1	-	2	-	-	-	-	-
FEMALE--	1	2	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	1	1	2	1	1	-	2	-	-	-	-	-
FEMALE--	1	2	-	1	1	2	-	-	-	-	-	-
NORTH CAROLINA ---------	3	3	4	7	6	3	4	2	2	-	-	-
WHITE------MALE----	1	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	2	2	5	3	1	4	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	1	1	1	-	-	1	-	-	-	-
NORTH DAKOTA ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
OHIO ----------	57	-	-	1	-	-	-	-	-	4	1	5
WHITE------MALE----	14	-	-	1	-	-	-	-	-	2	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	-	3
OKLAHOMA ----------	28	-	-	-	-	-	-	-	2	1	2	2
WHITE------MALE----	13	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	14	-	-	-	-	-	-	-	-	-	-	4
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	46	-	1	1	-	-	-	-	-	1	3	1
WHITE------MALE----	18	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	30	-	-	-	-	-	-	-	-	4	3	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	1

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	3	2	-	5	7	14	10	2	2	1	-	-
WHITE------MALE----	-	-	-	2	2	3	2	-	-	1	-	-
FEMALE--	2	1	-	3	2	8	7	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	2	1	-	-	-	-	-
OKLAHOMA ----------	2	1	1	2	5	2	2	5	-	1	-	-
WHITE------MALE----	-	1	1	-	2	-	1	2	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	3	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	3	1	2	-	3	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	2	2	7	6	6	5	8	2	-	-	-
WHITE------MALE----	-	1	1	4	3	2	3	2	-	-	-	-
FEMALE--	1	1	1	3	1	2	2	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
RHODE ISLAND ----------	1	-	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	2	3	2	4	-	1	2	2	-	-	-
WHITE------MALE----	1	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	-	-	1	1	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	-	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	33	-	-	1	-	1	-	-	2	1	4	3
WHITE------MALE----	12	-	-	1	-	-	-	-	1	-	3	1
FEMALE--	15	-	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
TEXAS ----------	129	-	-	-	-	-	1	-	3	2	12	18
WHITE------MALE----	57	-	-	-	-	-	-	-	-	1	7	7
FEMALE--	42	-	-	-	-	-	-	-	1	-	2	6
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	11	-	-	-	-	-	-	-	1	1	2	3
BLACK---MALE----	18	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	11	-	-	-	-	-	-	-	1	1	2	3
UTAH ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	24	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
SOUTH DAKOTA ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	3	6	-	2	3	3	2	1	-	-	-
WHITE------MALE----	1	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	3	3	-	2	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS ----------	11	4	13	13	15	15	11	5	6	-	-	-
WHITE------MALE----	8	1	7	5	4	8	5	3	1	-	-	-
FEMALE--	2	1	2	4	8	6	3	2	5	-	-	-
ALL OTHER--MALE----	1	2	4	4	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	-	-	-	-
BLACK---MALE----	1	2	4	3	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	-	-	-	-
UTAH ----------	-	-	-	-	1	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	2	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	3	1	-	3	4	3	5	2	-	-	-
WHITE------MALE----	-	1	-	-	1	3	1	2	1	-	-	-
FEMALE--	-	1	-	-	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
WASHINGTON ----------	32	-	-	-	-	-	-	-	-	-	4	7
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	3	5
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	22	-	-	-	-	-	1	1	-	2	1	-
WHITE------MALE----	12	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
WASHINGTON ----------	4	3	2	2	4	3	2	-	1	-	-	-
WHITE------MALE----	2	3	-	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	2	1	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	1	3	2	1	1	-	-	-	-
WHITE------MALE----	2	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	1	3	2	3	2	2	1	1	-	-
WHITE------MALE----	1	-	-	2	1	2	1	1	-	1	-	-
FEMALE--	-	-	1	1	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 622

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
UNITED STATES -	563,065	126	481	573	540	797	1,025	1,484	2,692	5,904	11,170	18,688
WHITE------MALE----	253,287	52	216	248	226	352	470	627	1,001	2,047	4,051	7,287
FEMALE--	235,800	42	185	201	189	253	322	549	1,094	2,555	4,676	7,440
ALL OTHER--MALE----	39,065	14	44	61	69	122	133	160	267	499	1,071	2,006
FEMALE--	34,913	18	36	63	56	70	100	148	330	803	1,372	1,955
BLACK---MALE----	33,371	11	36	47	58	95	104	122	195	400	897	1,721
FEMALE--	29,753	15	26	50	45	57	88	120	264	688	1,161	1,637
ALABAMA ----------	9,743	1	8	10	14	16	14	25	45	115	210	331
WHITE------MALE----	4,021	-	4	5	6	6	3	12	10	35	70	128
FEMALE--	3,461	-	2	2	4	4	2	6	17	38	69	100
ALL OTHER--MALE----	1,255	-	1	1	2	3	3	2	12	13	22	55
FEMALE--	1,006	1	1	2	2	3	6	5	6	29	49	48
BLACK---MALE----	1,246	-	1	-	2	3	3	2	12	13	21	55
FEMALE--	997	1	1	2	2	3	6	5	6	29	49	47
ALASKA ----------	654	-	2	1	1	5	2	3	4	12	19	31
WHITE------MALE----	268	-	-	-	1	1	-	1	2	2	6	16
FEMALE--	233	-	1	1	-	-	-	-	-	7	10	12
ALL OTHER--MALE----	85	-	1	-	-	2	1	-	1	1	3	2
FEMALE--	68	-	-	-	-	2	1	2	1	2	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9,222	2	8	8	9	13	23	24	38	103	175	285
WHITE------MALE----	4,693	-	2	4	5	4	9	15	19	44	70	132
FEMALE--	4,106	2	4	3	3	6	12	8	13	49	83	130
ALL OTHER--MALE----	228	-	-	1	1	1	1	1	3	5	9	14
FEMALE--	195	-	2	-	-	2	1	-	3	5	13	9
BLACK---MALE----	123	-	-	1	-	1	-	-	1	3	6	6
FEMALE--	83	-	1	-	-	1	1	-	1	1	4	5
ARKANSAS ----------	6,270	3	4	4	5	8	9	17	25	60	110	213
WHITE------MALE----	2,987	1	1	2	3	5	2	6	10	22	39	83
FEMALE--	2,415	1	2	1	1	1	2	6	11	22	43	69
ALL OTHER--MALE----	447	-	1	-	-	2	3	3	1	5	11	33
FEMALE--	421	1	-	1	1	-	2	2	3	11	17	28
BLACK---MALE----	443	-	1	-	-	2	3	3	1	4	11	33
FEMALE--	410	1	-	-	1	-	2	1	3	11	16	27
CALIFORNIA ----------	54,197	14	58	80	87	98	137	191	324	618	1,142	1,980
WHITE------MALE----	23,452	8	26	30	42	43	68	79	115	224	387	763
FEMALE--	22,651	2	27	32	28	33	45	73	125	239	469	791
ALL OTHER--MALE----	4,295	2	2	6	6	16	19	23	41	69	125	199
FEMALE--	3,799	2	3	12	11	6	5	16	43	86	161	227
BLACK---MALE----	2,113	1	2	1	5	5	7	9	11	35	58	90
FEMALE--	1,920	-	1	9	4	4	1	8	15	42	79	103

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
UNITED STATES -	28,655	39,098	51,102	67,843	87,179	92,025	75,217	50,039	21,761	5,829	828	9
WHITE------MALE----	11,854	17,505	23,832	32,646	42,405	43,782	34,346	20,700	7,780	1,655	201	4
FEMALE--	11,442	14,967	19,225	25,740	34,297	38,200	33,801	24,688	11,921	3,517	493	3
ALL OTHER--MALE----	2,849	3,641	4,511	5,259	5,756	5,521	3,629	2,286	874	253	38	2
FEMALE--	2,510	2,985	3,534	4,198	4,721	4,522	3,441	2,365	1,186	404	96	-
BLACK---MALE----	2,469	3,184	3,884	4,532	4,911	4,720	3,079	1,943	725	204	33	1
FEMALE--	2,109	2,516	2,998	3,547	4,032	3,859	2,953	2,095	1,044	357	92	-
ALABAMA ----------	525	731	967	1,280	1,467	1,573	1,184	755	353	103	16	-
WHITE------MALE----	192	312	413	584	689	681	484	266	95	22	4	-
FEMALE--	181	229	311	437	470	579	454	326	178	47	5	-
ALL OTHER--MALE----	88	114	153	158	179	184	137	80	34	13	1	-
FEMALE--	64	76	90	101	129	129	109	83	46	21	6	-
BLACK---MALE----	88	114	152	154	179	183	136	80	34	13	1	-
FEMALE--	63	76	89	98	127	128	109	83	46	21	6	-
ALASKA ----------	51	77	77	86	94	73	65	36	12	1	2	-
WHITE------MALE----	21	32	30	37	46	32	26	12	3	-	-	-
FEMALE--	19	26	29	26	27	29	22	15	7	1	1	-
ALL OTHER--MALE----	6	6	9	14	13	7	10	7	1	-	1	-
FEMALE--	5	13	9	9	8	5	7	2	1	-	-	-
BLACK---MALE----	1	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	438	581	844	1,171	1,458	1,601	1,322	728	310	72	9	-
WHITE------MALE----	184	294	448	632	757	850	722	331	143	25	3	-
FEMALE--	219	253	350	482	649	709	553	373	154	45	6	-
ALL OTHER--MALE----	16	15	26	32	30	24	26	15	7	1	-	-
FEMALE--	19	19	20	25	22	18	21	9	6	1	-	-
BLACK---MALE----	11	12	15	17	12	10	16	8	4	-	-	-
FEMALE--	10	7	9	13	5	10	8	4	2	1	-	-
ARKANSAS ----------	317	454	599	777	949	1,010	762	577	279	78	10	-
WHITE------MALE----	141	215	312	402	515	494	368	241	106	19	-	-
FEMALE--	117	175	213	285	334	405	289	256	128	48	6	-
ALL OTHER--MALE----	31	30	45	48	52	61	61	35	23	2	-	-
FEMALE--	28	34	29	42	48	50	44	45	22	9	4	-
BLACK---MALE----	31	30	45	47	52	61	61	35	21	2	-	-
FEMALE--	28	33	28	40	48	50	43	44	21	9	4	-
CALIFORNIA ----------	2,862	3,674	4,850	6,266	8,256	8,971	7,219	4,688	2,070	543	66	3
WHITE------MALE----	1,143	1,540	2,093	2,846	3,871	4,074	3,189	1,947	785	162	16	1
FEMALE--	1,141	1,492	1,857	2,429	3,249	3,731	3,224	2,253	1,058	310	42	1
ALL OTHER--MALE----	297	329	518	522	647	641	414	263	119	35	1	1
FEMALE--	281	313	382	469	489	525	392	225	108	36	7	-
BLACK---MALE----	172	171	288	270	313	310	186	111	57	11	-	-
FEMALE--	150	180	198	245	236	260	188	119	56	15	7	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
COLORADO ----------	6,007	1	4	6	4	7	17	35	36	65	135	208
WHITE------MALE----	2,912	-	3	2	1	1	9	15	15	26	58	94
FEMALE--	2,796	1	1	3	3	5	7	17	18	35	67	100
ALL OTHER--MALE----	151	-	-	-	-	-	1	1	2	2	5	9
FEMALE--	148	-	-	1	-	1	-	2	1	2	5	5
BLACK---MALE----	110	-	-	-	-	-	1	1	-	2	3	9
FEMALE--	105	-	-	1	-	1	-	2	-	2	2	4
CONNECTICUT ----------	7,242	-	4	6	4	7	9	11	20	64	127	201
WHITE------MALE----	3,398	-	1	2	4	3	4	6	10	17	47	71
FEMALE--	3,357	-	3	3	-	4	5	2	5	37	55	105
ALL OTHER--MALE----	259	-	-	-	-	-	-	2	1	4	8	13
FEMALE--	228	-	-	1	-	-	-	1	4	6	17	12
BLACK---MALE----	245	-	-	-	-	-	-	2	1	4	7	13
FEMALE--	206	-	-	1	-	-	-	1	3	5	15	10
DELAWARE ----------	1,780	-	2	-	1	-	1	3	4	26	41	46
WHITE------MALE----	748	-	-	-	-	-	1	-	-	11	10	16
FEMALE--	729	-	1	-	1	-	-	2	4	12	16	18
ALL OTHER--MALE----	159	-	-	-	-	-	-	-	-	1	3	8
FEMALE--	144	-	1	-	-	-	-	1	-	2	12	4
BLACK---MALE----	153	-	-	-	-	-	-	-	-	1	3	8
FEMALE--	137	-	1	-	-	-	-	1	-	2	10	4
DISTRICT OF COLUMBIA ---	1,370	-	1	-	-	1	1	1	5	14	36	49
WHITE------MALE----	146	-	-	-	-	-	-	-	1	3	1	3
FEMALE--	153	-	-	-	-	-	-	-	1	1	2	4
ALL OTHER--MALE----	538	-	-	-	-	-	1	1	1	3	13	21
FEMALE--	533	-	1	-	-	1	-	-	2	7	20	21
BLACK---MALE----	532	-	-	-	-	-	1	1	1	3	13	21
FEMALE--	525	-	1	-	-	1	-	-	1	7	19	21
FLORIDA ----------	39,366	4	23	23	28	38	51	72	146	339	668	1,071
WHITE------MALE----	19,161	1	6	11	13	16	20	34	56	108	248	450
FEMALE--	16,508	1	9	6	7	10	18	23	51	160	298	418
ALL OTHER--MALE----	2,064	1	5	4	5	8	7	6	18	23	52	100
FEMALE--	1,633	1	3	2	3	4	6	9	21	48	70	103
BLACK---MALE----	1,980	1	5	4	5	7	7	5	17	18	49	98
FEMALE--	1,548	1	3	2	3	3	6	9	19	47	66	94
GEORGIA ----------	13,519	1	12	16	17	21	31	46	83	169	352	569
WHITE------MALE----	5,329	-	5	4	6	10	10	12	27	42	102	192
FEMALE--	4,652	-	2	5	3	4	7	18	26	55	108	161
ALL OTHER--MALE----	1,947	1	2	4	6	6	8	9	11	26	70	104
FEMALE--	1,591	-	3	3	2	1	6	7	19	46	72	112
BLACK---MALE----	1,901	-	2	2	6	6	8	7	10	25	68	103
FEMALE--	1,555	-	3	3	2	1	6	7	19	44	72	111

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
COLORADO ----------	331	445	558	714	881	913	825	527	231	55	8	1
WHITE------MALE----	145	226	279	364	444	464	409	237	92	24	3	1
FEMALE--	156	201	250	310	385	402	389	278	134	30	4	-
ALL OTHER--MALE----	11	8	18	20	23	31	10	5	4	1	-	-
FEMALE--	19	10	11	20	29	16	17	7	1	-	1	-
BLACK---MALE----	7	6	13	14	19	23	7	3	2	-	-	-
FEMALE--	13	4	9	14	21	13	12	6	-	-	1	-
CONNECTICUT ----------	358	481	579	770	1,077	1,251	1,107	733	333	94	6	-
WHITE------MALE----	163	236	291	377	542	604	533	338	122	26	1	-
FEMALE--	158	197	224	319	474	586	534	374	204	64	4	-
ALL OTHER--MALE----	21	29	29	49	36	34	16	13	2	1	1	-
FEMALE--	16	19	35	25	25	27	24	8	5	3	-	-
BLACK---MALE----	20	29	27	46	31	33	15	13	2	1	1	-
FEMALE--	14	17	31	23	21	25	24	8	5	3	-	-
DELAWARE ----------	86	118	164	232	293	314	235	140	55	17	2	-
WHITE------MALE----	40	46	70	100	138	132	107	53	19	5	-	-
FEMALE--	29	43	55	85	116	140	102	68	28	8	1	-
ALL OTHER--MALE----	7	13	22	32	17	31	12	10	3	-	-	-
FEMALE--	10	16	17	15	22	11	14	9	5	4	1	-
BLACK---MALE----	7	11	22	30	16	30	12	10	3	-	-	-
FEMALE--	10	15	17	14	22	9	13	9	5	4	1	-
DISTRICT OF COLUMBIA ---	87	116	121	152	204	212	161	134	49	20	6	-
WHITE------MALE----	9	17	13	17	21	17	21	15	6	2	-	-
FEMALE--	7	12	8	17	14	16	27	26	14	3	1	-
ALL OTHER--MALE----	38	50	63	58	95	81	50	44	11	7	1	-
FEMALE--	33	37	37	60	74	98	63	49	18	8	4	-
BLACK---MALE----	37	50	63	57	95	78	50	43	11	7	1	-
FEMALE--	32	37	37	59	73	98	61	48	18	8	4	-
FLORIDA ----------	1,741	2,430	3,237	4,651	6,376	6,876	5,736	3,733	1,675	385	62	1
WHITE------MALE----	769	1,147	1,569	2,346	3,340	3,520	2,889	1,739	712	146	20	1
FEMALE--	685	924	1,219	1,834	2,532	2,892	2,536	1,781	865	203	36	-
ALL OTHER--MALE----	153	209	274	284	304	278	165	114	37	14	3	-
FEMALE--	134	150	175	187	200	186	146	99	61	22	3	-
BLACK---MALE----	146	206	264	272	286	265	160	114	35	14	2	-
FEMALE--	123	141	159	184	187	179	144	95	58	22	3	-
GEORGIA ----------	859	1,140	1,434	1,798	1,995	1,974	1,516	1,003	389	84	10	-
WHITE------MALE----	284	456	622	823	852	832	611	318	102	18	1	-
FEMALE--	296	380	430	524	673	708	590	429	186	41	6	-
ALL OTHER--MALE----	170	187	227	261	258	252	167	132	36	10	-	-
FEMALE--	109	117	155	190	212	182	148	124	65	15	3	-
BLACK---MALE----	164	182	220	252	256	248	166	131	35	10	-	-
FEMALE--	104	115	146	186	202	180	148	123	65	15	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 624

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
HAWAII ----------	1,955	-	2	-	2	8	4	9	17	24	46	83
WHITE------MALE----	301	-	-	-	-	-	-	-	1	3	4	14
FEMALE--	241	-	-	-	-	-	-	1	2	1	2	7
ALL OTHER--MALE----	797	-	1	-	1	5	2	5	6	7	21	37
FEMALE--	616	-	1	-	1	3	2	3	8	13	19	25
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	2	1
IDAHO ----------	2,211	1	2	6	4	4	10	9	9	21	39	62
WHITE------MALE----	1,163	1	2	2	3	1	5	7	4	4	15	28
FEMALE--	1,027	-	-	4	1	2	5	2	5	17	22	34
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	-	2	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ILLINOIS ----------	25,618	7	24	23	24	37	54	51	111	246	497	852
WHITE------MALE----	10,916	3	12	10	7	13	24	17	41	84	168	303
FEMALE--	10,684	2	9	4	10	11	13	21	44	107	190	332
ALL OTHER--MALE----	2,045	1	-	5	3	7	10	9	9	22	59	89
FEMALE--	1,973	1	3	4	4	6	7	4	17	33	80	128
BLACK---MALE----	1,913	1	-	4	3	7	10	9	9	19	53	83
FEMALE--	1,842	1	2	4	4	6	7	4	16	30	74	116
INDIANA ----------	13,174	3	14	10	11	11	18	31	58	129	225	423
WHITE------MALE----	6,255	1	9	6	8	6	11	8	25	50	92	213
FEMALE--	5,855	2	5	3	3	3	6	18	28	65	107	170
ALL OTHER--MALE----	573	-	-	1	-	1	-	2	3	2	12	25
FEMALE--	491	-	-	-	-	1	1	3	2	12	14	15
BLACK---MALE----	556	-	-	1	-	1	-	2	2	2	12	24
FEMALE--	469	-	-	-	-	1	1	3	2	12	14	14
IOWA ----------	6,517	-	5	6	6	9	12	17	25	45	102	156
WHITE------MALE----	3,356	-	4	4	1	6	5	8	11	16	45	69
FEMALE--	3,044	-	-	2	5	3	7	8	13	28	52	86
ALL OTHER--MALE----	60	-	-	-	-	-	-	1	1	-	3	-
FEMALE--	57	-	1	-	-	-	-	-	-	1	2	1
BLACK---MALE----	52	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	45	-	1	-	-	-	-	-	-	1	1	-
KANSAS ----------	5,469	-	10	3	1	6	9	12	27	54	99	168
WHITE------MALE----	2,684	-	4	1	1	-	5	5	8	22	43	63
FEMALE--	2,472	-	4	1	-	5	3	6	17	29	46	83
ALL OTHER--MALE----	167	-	1	1	-	1	-	-	1	2	3	10
FEMALE--	146	-	1	-	-	-	1	1	1	1	7	12
BLACK---MALE----	143	-	1	1	-	1	-	-	1	2	2	10
FEMALE--	129	-	1	-	-	-	1	-	1	-	6	12

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
HAWAII ----------	96	120	167	212	312	323	257	162	82	26	3	-
WHITE------MALE----	8	23	33	41	39	55	46	26	8	-	-	-
FEMALE--	15	13	20	18	44	45	36	21	13	3	-	-
ALL OTHER--MALE----	39	44	59	84	137	129	104	71	35	9	1	-
FEMALE--	34	40	55	69	92	94	71	44	26	14	2	-
BLACK---MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	-	-	-
IDAHO ----------	111	154	200	270	307	364	296	223	81	32	6	-
WHITE------MALE----	51	78	109	157	172	207	168	103	35	9	2	-
FEMALE--	57	74	88	109	133	155	126	120	46	23	4	-
ALL OTHER--MALE----	3	1	1	3	2	2	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ILLINOIS ----------	1,208	1,830	2,282	3,070	3,863	4,156	3,493	2,425	1,035	283	47	-
WHITE------MALE----	461	774	1,018	1,376	1,855	1,844	1,487	986	343	74	16	-
FEMALE--	466	662	821	1,144	1,428	1,758	1,640	1,223	597	180	22	-
ALL OTHER--MALE----	155	205	237	295	317	285	192	95	40	10	-	-
FEMALE--	126	189	206	255	263	269	174	121	55	19	9	-
BLACK---MALE----	147	192	217	277	299	265	182	88	39	9	-	-
FEMALE--	110	166	194	243	246	258	163	118	52	19	9	-
INDIANA ----------	665	925	1,264	1,677	2,073	2,142	1,681	1,143	499	154	18	-
WHITE------MALE----	303	461	607	842	1,066	1,054	795	476	166	51	5	-
FEMALE--	289	378	519	692	848	927	783	606	293	98	12	-
ALL OTHER--MALE----	36	46	73	83	86	99	58	29	16	-	1	-
FEMALE--	37	40	65	60	73	62	45	32	24	5	-	-
BLACK---MALE----	34	43	71	80	82	99	58	28	16	-	1	-
FEMALE--	37	39	60	55	69	58	45	30	24	5	-	-
IOWA ----------	245	382	544	750	955	1,115	1,034	672	317	109	11	-
WHITE------MALE----	119	205	297	420	544	612	504	322	128	33	3	-
FEMALE--	122	161	234	311	395	490	514	346	183	76	8	-
ALL OTHER--MALE----	1	8	6	10	6	8	10	2	4	-	-	-
FEMALE--	3	8	7	9	10	5	6	2	2	-	-	-
BLACK---MALE----	-	7	5	9	6	8	8	2	4	-	-	-
FEMALE--	-	7	6	8	8	4	5	2	2	-	-	-
KANSAS ----------	252	361	472	626	836	879	735	535	296	79	9	-
WHITE------MALE----	118	180	241	355	427	438	387	260	105	20	1	-
FEMALE--	114	150	196	243	363	398	321	250	176	59	8	-
ALL OTHER--MALE----	12	14	22	16	28	20	16	17	3	-	-	-
FEMALE--	8	17	13	12	18	23	11	8	12	-	-	-
BLACK---MALE----	8	12	18	13	23	19	14	15	3	-	-	-
FEMALE--	8	14	11	9	17	19	11	7	12	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 625

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
KENTUCKY ----------	9,196	1	2	7	5	9	11	17	52	94	205	323
WHITE------MALE----	4,579	-	1	4	4	5	8	6	30	48	86	149
FEMALE--	4,002	1	1	3	-	3	3	10	18	37	99	144
ALL OTHER--MALE----	319	-	-	-	-	1	-	1	1	2	8	16
FEMALE--	296	-	-	-	1	-	-	-	3	7	12	14
BLACK---MALE----	312	-	-	-	-	1	-	1	1	2	8	16
FEMALE--	288	-	-	-	1	-	-	-	3	7	12	12
LOUISIANA ----------	9,673	2	6	4	12	19	19	36	30	107	231	401
WHITE------MALE----	3,619	2	3	2	4	4	3	8	10	30	64	108
FEMALE--	3,096	-	2	-	4	7	2	11	7	35	65	120
ALL OTHER--MALE----	1,623	-	1	1	1	4	6	10	3	17	56	94
FEMALE--	1,335	-	-	1	3	4	8	7	10	25	46	79
BLACK---MALE----	1,601	-	1	1	1	4	6	9	2	17	54	93
FEMALE--	1,315	-	-	1	3	4	8	7	9	24	45	77
MAINE ----------	3,114	1	1	4	2	6	4	6	12	24	54	79
WHITE------MALE----	1,560	1	1	-	2	1	1	4	4	6	23	45
FEMALE--	1,528	-	-	4	-	5	3	2	7	18	31	33
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	10,364	2	9	14	8	16	11	29	47	132	219	390
WHITE------MALE----	3,980	1	2	7	1	11	3	7	15	39	73	114
FEMALE--	3,797	-	4	2	1	1	5	15	14	39	66	130
ALL OTHER--MALE----	1,368	1	1	2	4	2	1	2	8	21	33	75
FEMALE--	1,219	-	2	3	2	2	2	5	10	33	47	71
BLACK---MALE----	1,294	1	1	2	4	2	1	2	6	18	31	73
FEMALE--	1,153	-	2	2	2	2	2	5	9	32	45	70
MASSACHUSETTS ----------	14,252	4	9	16	10	9	25	32	61	136	245	407
WHITE------MALE----	6,810	2	3	8	4	4	13	17	28	54	118	171
FEMALE--	6,752	1	5	7	4	3	8	13	27	67	102	189
ALL OTHER--MALE----	371	-	1	1	1	2	3	1	3	4	14	30
FEMALE--	319	1	-	-	1	-	1	1	3	11	11	17
BLACK---MALE----	279	-	1	-	-	1	-	1	1	3	10	23
FEMALE--	242	1	-	-	1	-	1	1	1	9	5	9
MICHIGAN ----------	20,271	5	15	26	16	23	26	49	109	229	396	715
WHITE------MALE----	9,022	3	9	10	7	9	8	23	38	67	152	295
FEMALE--	8,461	-	5	9	8	7	10	18	45	112	154	269
ALL OTHER--MALE----	1,416	1	1	4	-	4	6	3	10	15	44	74
FEMALE--	1,372	1	-	3	1	3	2	5	16	35	46	77
BLACK---MALE----	1,335	-	-	4	-	4	6	2	8	15	41	72
FEMALE--	1,272	1	-	3	-	3	2	5	15	32	43	71

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
KENTUCKY ----------	528	707	971	1,120	1,389	1,510	1,119	725	300	91	10	-
WHITE------MALE----	251	381	495	597	757	772	549	315	88	30	3	-
FEMALE--	232	274	401	443	541	661	513	364	190	57	7	-
ALL OTHER--MALE----	25	28	47	36	47	42	30	26	6	3	-	-
FEMALE--	20	24	28	44	44	35	27	20	16	1	-	-
BLACK---MALE----	25	25	46	36	46	41	30	26	6	2	-	-
FEMALE--	19	23	27	44	43	35	25	20	16	1	-	-
LOUISIANA ----------	561	731	939	1,198	1,549	1,520	1,098	780	325	89	16	-
WHITE------MALE----	183	249	378	487	637	628	418	278	97	22	4	-
FEMALE--	152	201	264	344	507	483	414	295	140	37	6	-
ALL OTHER--MALE----	108	172	188	211	234	236	137	95	35	10	4	-
FEMALE--	118	109	109	156	171	173	129	112	53	20	2	-
BLACK---MALE----	105	170	182	210	231	235	137	94	35	10	4	-
FEMALE--	115	107	106	155	168	172	129	110	53	20	2	-
MAINE ----------	154	200	276	396	507	500	424	286	136	37	5	-
WHITE------MALE----	65	106	139	208	286	237	225	148	44	12	2	-
FEMALE--	89	90	134	186	215	258	195	138	92	25	3	-
ALL OTHER--MALE----	-	3	3	2	2	3	3	-	-	-	-	-
FEMALE--	-	1	-	-	4	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	585	798	942	1,215	1,568	1,724	1,347	802	379	115	12	-
WHITE------MALE----	215	291	336	495	633	729	555	282	135	33	3	-
FEMALE--	180	237	302	404	574	645	557	368	186	60	7	-
ALL OTHER--MALE----	98	153	176	176	195	204	111	76	18	11	-	-
FEMALE--	92	117	128	140	166	146	124	76	40	11	2	-
BLACK---MALE----	91	145	169	161	188	197	103	72	17	10	-	-
FEMALE--	89	108	122	128	159	137	116	74	37	10	2	-
MASSACHUSETTS ----------	639	886	1,067	1,614	2,121	2,440	2,156	1,448	713	179	35	-
WHITE------MALE----	287	427	527	857	1,124	1,236	1,026	584	266	48	6	-
FEMALE--	300	399	473	658	903	1,119	1,070	827	427	122	28	-
ALL OTHER--MALE----	28	30	40	62	48	51	25	18	6	3	-	-
FEMALE--	24	30	27	37	46	34	35	19	14	6	1	-
BLACK---MALE----	19	25	29	47	36	41	22	14	5	1	-	-
FEMALE--	18	21	20	28	40	25	27	19	10	5	1	-
MICHIGAN ----------	1,044	1,380	1,889	2,458	3,196	3,337	2,754	1,690	717	174	23	-
WHITE------MALE----	431	602	861	1,189	1,543	1,505	1,251	715	255	42	7	-
FEMALE--	406	535	737	899	1,249	1,430	1,237	818	389	111	13	-
ALL OTHER--MALE----	103	124	153	199	214	217	139	71	25	8	1	-
FEMALE--	104	119	138	171	190	185	127	86	48	13	2	-
BLACK---MALE----	96	116	140	189	202	209	131	67	24	8	1	-
FEMALE--	99	112	127	149	176	174	118	81	46	13	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
MINNESOTA ----------	9,172	5	8	10	2	21	20	27	48	116	179	279
WHITE------MALE----	4,571	2	3	5	1	8	9	15	20	47	68	130
FEMALE--	4,314	-	5	2	-	10	7	10	24	56	94	130
ALL OTHER--MALE----	146	1	-	2	-	1	3	1	3	4	9	10
FEMALE--	141	2	-	1	1	2	1	1	1	9	8	9
BLACK---MALE----	88	1	-	1	-	1	2	-	3	-	5	7
FEMALE--	74	2	-	-	1	1	1	-	-	5	5	5
MISSISSIPPI ----------	6,238	3	5	3	10	4	17	20	33	71	152	236
WHITE------MALE----	2,365	1	-	-	1	1	4	7	11	22	44	75
FEMALE--	1,911	-	2	-	2	3	2	6	10	25	33	60
ALL OTHER--MALE----	1,070	2	2	2	5	-	5	4	6	10	37	52
FEMALE--	892	-	1	1	2	-	6	3	6	14	38	49
BLACK---MALE----	1,061	2	2	2	5	-	5	4	6	10	37	51
FEMALE--	883	-	1	1	2	-	6	3	6	14	38	49
MISSOURI ----------	12,507	3	7	9	7	15	21	32	48	124	231	405
WHITE------MALE----	5,761	1	3	6	4	8	8	12	15	44	89	178
FEMALE--	5,419	-	3	2	2	5	4	14	22	62	100	154
ALL OTHER--MALE----	647	2	-	1	1	2	4	2	5	7	22	38
FEMALE--	680	-	1	-	-	-	5	4	6	11	20	35
BLACK---MALE----	621	2	-	1	1	2	4	2	4	6	21	35
FEMALE--	641	-	1	-	-	-	4	4	6	11	19	32
MONTANA ----------	1,923	-	-	-	2	5	4	5	6	10	35	45
WHITE------MALE----	984	-	-	-	1	2	2	2	4	4	16	19
FEMALE--	868	-	-	-	1	3	1	2	2	4	19	25
ALL OTHER--MALE----	36	-	-	-	-	-	1	1	-	2	-	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3,480	1	2	2	3	8	2	9	14	41	61	97
WHITE------MALE----	1,705	1	-	2	3	5	2	1	5	16	32	44
FEMALE--	1,645	-	2	-	-	2	-	5	7	23	26	46
ALL OTHER--MALE----	64	-	-	-	-	1	-	-	1	1	2	2
FEMALE--	66	-	-	-	-	-	-	3	1	1	1	5
BLACK---MALE----	56	-	-	-	-	1	-	-	1	-	2	1
FEMALE--	50	-	-	-	-	-	-	1	1	1	1	3
NEVADA ----------	3,630	1	1	2	1	7	4	10	12	36	62	114
WHITE------MALE----	1,834	-	1	1	-	4	1	3	4	19	33	43
FEMALE--	1,482	1	-	1	1	3	3	6	6	11	21	55
ALL OTHER--MALE----	151	-	-	-	-	-	-	-	-	2	4	4
FEMALE--	163	-	-	-	-	-	-	1	2	4	4	12
BLACK---MALE----	95	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	98	-	-	-	-	-	-	1	1	1	2	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
MINNESOTA ----------	391	612	782	1,007	1,287	1,460	1,337	977	461	128	15	-
WHITE------MALE----	180	305	404	561	705	782	688	422	176	37	3	-
FEMALE--	188	273	337	419	543	647	637	548	284	89	11	-
ALL OTHER--MALE----	13	21	18	14	18	18	4	4	1	-	1	-
FEMALE--	10	13	23	13	21	13	8	3	-	2	-	-
BLACK---MALE----	7	13	14	7	10	11	2	3	-	-	1	-
FEMALE--	7	5	13	9	9	5	4	1	-	1	-	-
MISSISSIPPI ----------	356	505	603	752	967	934	741	519	230	61	16	-
WHITE------MALE----	129	196	255	309	423	355	293	168	59	10	2	-
FEMALE--	87	146	157	224	294	317	242	188	87	23	3	-
ALL OTHER--MALE----	79	93	101	127	121	161	108	93	45	11	6	-
FEMALE--	61	70	90	92	129	101	98	70	39	17	5	-
BLACK---MALE----	78	92	101	127	121	158	107	91	45	11	6	-
FEMALE--	58	70	89	91	127	100	97	70	39	17	5	-
MISSOURI ----------	603	859	1,158	1,636	1,906	1,954	1,667	1,136	501	155	30	-
WHITE------MALE----	285	414	575	815	941	938	748	462	170	38	7	-
FEMALE--	236	328	436	626	782	839	787	594	295	106	22	-
ALL OTHER--MALE----	39	56	74	97	93	89	59	41	13	2	-	-
FEMALE--	43	61	73	98	90	88	73	39	23	9	1	-
BLACK---MALE----	37	56	69	94	89	86	57	40	13	2	-	-
FEMALE--	41	54	66	94	85	84	72	37	21	9	1	-
MONTANA ----------	90	122	165	238	300	339	263	187	82	21	4	-
WHITE------MALE----	42	53	82	125	168	199	123	91	42	7	2	-
FEMALE--	46	58	73	102	120	132	134	92	38	14	2	-
ALL OTHER--MALE----	2	5	5	3	9	3	3	1	-	-	-	-
FEMALE--	-	6	5	8	3	5	3	3	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA ----------	141	196	299	407	505	578	510	365	181	51	7	-
WHITE------MALE----	65	102	144	210	282	310	249	156	62	12	2	-
FEMALE--	68	80	138	181	208	249	250	200	119	36	5	-
ALL OTHER--MALE----	5	5	11	13	5	8	4	5	-	1	-	-
FEMALE--	3	9	6	3	10	11	7	4	-	2	-	-
BLACK---MALE----	5	4	10	12	5	7	2	5	-	1	-	-
FEMALE--	2	5	5	3	9	8	5	4	-	2	-	-
NEVADA ----------	208	286	442	503	638	590	417	211	59	23	3	-
WHITE------MALE----	92	146	227	281	337	298	228	91	23	2	-	-
FEMALE--	94	102	170	176	260	249	166	102	33	19	3	-
ALL OTHER--MALE----	7	24	20	20	29	20	12	7	1	1	-	-
FEMALE--	15	14	25	26	12	23	11	11	2	1	-	-
BLACK---MALE----	3	15	14	10	20	13	8	4	1	-	-	-
FEMALE--	8	11	12	12	9	14	11	7	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
NEW HAMPSHIRE ----------	2,474	-	3	3	2	2	-	2	14	22	62	81
WHITE------MALE----	1,271	-	-	3	1	-	-	2	6	11	26	38
FEMALE--	1,192	-	3	-	1	2	-	-	8	11	36	43
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	18,706	2	19	15	11	23	32	33	77	189	391	546
WHITE------MALE----	8,009	-	10	4	2	9	13	10	30	62	132	222
FEMALE--	8,253	2	7	6	6	7	12	13	24	78	173	205
ALL OTHER--MALE----	1,277	-	1	3	2	6	5	7	14	21	30	59
FEMALE--	1,167	-	1	2	1	1	2	3	9	28	56	60
BLACK---MALE----	1,145	-	1	3	2	5	5	6	13	20	26	50
FEMALE--	1,046	-	-	2	1	1	2	3	9	25	51	52
NEW MEXICO ----------	2,941	1	2	5	6	8	8	6	12	29	62	111
WHITE------MALE----	1,444	1	2	1	1	5	3	1	3	11	28	32
FEMALE--	1,310	-	-	3	4	3	3	4	7	15	29	69
ALL OTHER--MALE----	93	-	-	-	1	-	2	1	2	1	2	7
FEMALE--	94	-	-	1	-	-	-	-	-	2	3	3
BLACK---MALE----	28	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	2	-	-
NEW YORK ----------	38,499	11	35	37	38	59	56	113	190	355	779	1,287
WHITE------MALE----	16,125	4	16	13	12	23	30	50	64	109	245	487
FEMALE--	16,548	6	11	12	17	11	14	41	76	150	323	508
ALL OTHER--MALE----	2,822	1	5	4	6	14	5	12	22	36	88	139
FEMALE--	3,004	-	3	8	3	11	7	10	28	60	123	153
BLACK---MALE----	2,405	1	5	4	4	12	4	8	18	29	74	117
FEMALE--	2,648	-	1	5	3	9	5	10	27	55	101	140
NORTH CAROLINA ---------	16,141	4	11	14	17	25	28	46	81	193	334	586
WHITE------MALE----	6,685	1	5	7	5	10	10	16	20	70	122	190
FEMALE--	5,930	2	2	4	5	7	5	8	33	66	109	221
ALL OTHER--MALE----	1,894	1	3	2	6	6	4	11	11	25	47	94
FEMALE--	1,632	-	1	1	1	2	9	11	17	32	56	81
BLACK---MALE----	1,822	1	2	1	6	6	4	9	10	24	44	90
FEMALE--	1,556	-	1	1	1	2	8	8	16	31	53	78
NORTH DAKOTA ----------	1,413	-	2	1	1	1	1	-	7	4	27	33
WHITE------MALE----	706	-	2	-	-	-	-	-	4	1	13	11
FEMALE--	675	-	-	1	1	1	1	-	3	3	12	22
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
NEW HAMPSHIRE ----------	150	183	198	290	366	396	329	232	96	37	6	-
WHITE------MALE----	74	96	107	159	199	223	171	104	41	10	-	-
FEMALE--	74	87	89	130	165	172	157	127	54	27	6	-
ALL OTHER--MALE----	2	-	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEW JERSEY ----------	926	1,262	1,568	2,226	2,899	3,127	2,544	1,826	768	197	24	1
WHITE------MALE----	369	534	681	1,003	1,344	1,435	1,069	746	267	60	7	-
FEMALE--	378	468	602	878	1,179	1,386	1,289	952	450	122	15	1
ALL OTHER--MALE----	109	139	162	189	213	157	86	57	14	3	-	-
FEMALE--	70	121	123	156	163	149	100	71	37	12	2	-
BLACK---MALE----	91	117	146	170	204	146	78	49	11	2	-	-
FEMALE--	61	103	116	134	145	137	91	64	36	12	1	-
NEW MEXICO ----------	146	187	259	342	432	512	427	239	110	33	4	-
WHITE------MALE----	69	89	133	170	240	259	228	111	49	7	1	-
FEMALE--	64	88	107	142	166	224	181	117	58	23	3	-
ALL OTHER--MALE----	6	3	11	15	14	13	9	5	1	-	-	-
FEMALE--	7	7	8	15	12	16	9	6	2	3	-	-
BLACK---MALE----	2	-	5	6	7	4	2	-	-	-	-	-
FEMALE--	3	3	2	2	5	2	3	1	-	-	-	-
NEW YORK ----------	2,045	2,618	3,506	4,468	5,967	6,118	5,208	3,557	1,531	457	64	-
WHITE------MALE----	769	1,060	1,488	1,973	2,700	2,757	2,239	1,412	510	148	16	-
FEMALE--	826	1,003	1,284	1,746	2,434	2,609	2,478	1,823	871	266	39	-
ALL OTHER--MALE----	221	273	381	404	391	369	230	147	56	14	4	-
FEMALE--	229	282	353	345	442	383	261	175	94	29	5	-
BLACK---MALE----	187	236	321	348	334	311	201	127	47	13	4	-
FEMALE--	199	251	316	294	398	338	234	151	79	27	5	-
NORTH CAROLINA ---------	927	1,200	1,638	2,065	2,504	2,614	1,963	1,264	495	119	13	-
WHITE------MALE----	355	502	728	947	1,119	1,197	760	447	145	28	1	-
FEMALE--	310	367	556	689	906	938	800	588	249	60	5	-
ALL OTHER--MALE----	156	189	200	241	271	263	201	103	44	13	3	-
FEMALE--	106	142	154	188	208	216	202	126	57	18	4	-
BLACK---MALE----	153	181	189	233	256	256	194	103	44	13	3	-
FEMALE--	96	132	145	180	197	213	197	121	54	18	4	-
NORTH DAKOTA ----------	46	70	107	157	217	221	204	208	71	29	6	-
WHITE------MALE----	25	35	54	85	129	115	108	92	23	8	1	-
FEMALE--	19	34	46	69	84	102	92	113	46	21	5	-
ALL OTHER--MALE----	-	-	2	2	2	2	1	-	2	-	-	-
FEMALE--	2	1	5	1	2	2	3	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 628

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
OHIO ----------	25,859	5	19	29	17	41	37	64	115	252	499	884
WHITE------MALE----	11,818	2	6	8	10	25	20	28	47	93	190	354
FEMALE--	11,254	2	8	14	7	12	9	27	46	119	247	400
ALL OTHER--MALE----	1,443	-	4	3	-	2	4	5	12	13	20	64
FEMALE--	1,344	1	1	4	-	2	4	4	10	27	42	66
BLACK---MALE----	1,407	-	4	3	-	2	4	5	12	13	18	63
FEMALE--	1,308	1	-	3	-	2	4	3	9	27	42	65
OKLAHOMA ----------	7,462	1	10	6	6	7	13	30	33	68	142	230
WHITE------MALE----	3,565	-	5	1	2	3	8	16	13	23	62	95
FEMALE--	3,095	1	3	4	3	2	3	7	15	34	61	89
ALL OTHER--MALE----	409	-	1	-	1	1	1	2	2	3	5	23
FEMALE--	393	-	1	1	-	1	1	5	3	8	14	23
BLACK---MALE----	250	-	-	-	-	1	1	1	2	2	3	10
FEMALE--	232	-	-	1	-	1	1	3	2	6	12	15
OREGON ----------	7,106	1	5	8	11	11	10	14	39	64	119	200
WHITE------MALE----	3,533	1	2	5	6	7	6	9	20	36	52	93
FEMALE--	3,348	-	3	3	4	3	4	3	17	25	60	92
ALL OTHER--MALE----	125	-	-	-	1	1	-	2	1	1	3	7
FEMALE--	100	-	-	-	-	-	-	-	1	2	4	8
BLACK---MALE----	48	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	1
PENNSYLVANIA ----------	31,088	7	19	31	18	36	47	57	137	274	495	882
WHITE------MALE----	14,205	3	8	13	11	21	28	28	57	93	203	329
FEMALE--	13,872	3	10	12	3	9	12	21	56	126	218	401
ALL OTHER--MALE----	1,479	-	-	3	1	6	7	5	8	19	31	67
FEMALE--	1,532	1	1	3	3	-	-	3	16	36	43	85
BLACK---MALE----	1,430	-	-	3	1	6	6	5	6	17	30	63
FEMALE--	1,461	1	1	2	3	-	-	3	14	34	41	76
RHODE ISLAND ----------	2,508	1	2	2	4	1	4	8	9	33	38	69
WHITE------MALE----	1,174	-	-	1	2	1	1	5	3	13	19	26
FEMALE--	1,245	-	2	1	2	-	1	2	5	17	18	37
ALL OTHER--MALE----	49	-	-	-	-	-	1	1	-	2	1	3
FEMALE--	40	1	-	-	-	-	1	-	1	1	-	3
BLACK---MALE----	34	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	32	1	-	-	-	-	1	-	1	-	-	2
SOUTH CAROLINA ---------	8,244	2	8	5	8	13	14	24	41	104	183	339
WHITE------MALE----	3,141	-	3	3	2	9	6	7	10	24	50	95
FEMALE--	2,773	1	3	-	2	1	5	5	15	38	60	86
ALL OTHER--MALE----	1,328	-	1	1	3	2	2	7	9	16	36	92
FEMALE--	1,002	1	1	1	1	1	1	5	7	26	37	66
BLACK---MALE----	1,312	-	1	1	3	2	2	7	9	15	35	92
FEMALE--	989	1	1	1	1	1	1	5	7	24	36	65

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
OHIO ----------	1,269	1,716	2,358	3,136	4,218	4,330	3,406	2,253	938	238	35	-
WHITE------MALE----	558	775	1,135	1,528	2,055	2,127	1,535	941	316	59	6	-
FEMALE--	535	711	926	1,250	1,703	1,801	1,581	1,141	535	156	24	-
ALL OTHER--MALE----	85	136	154	207	247	215	156	70	35	10	1	-
FEMALE--	91	94	143	151	213	187	134	101	52	13	4	-
BLACK---MALE----	84	134	143	202	241	211	153	70	34	10	1	-
FEMALE--	88	91	141	147	204	184	131	98	51	13	4	-
OKLAHOMA ----------	353	526	730	940	1,121	1,249	943	674	287	82	11	-
WHITE------MALE----	167	244	378	456	575	639	465	289	99	22	3	-
FEMALE--	144	216	266	387	426	485	401	331	163	49	5	-
ALL OTHER--MALE----	20	36	44	56	65	61	42	28	12	5	1	-
FEMALE--	22	30	42	41	55	64	35	26	13	6	2	-
BLACK---MALE----	10	17	33	27	42	37	30	20	9	5	-	-
FEMALE--	9	11	26	22	36	34	16	18	11	6	2	-
OREGON ----------	347	456	573	809	1,058	1,233	1,052	723	292	71	10	-
WHITE------MALE----	174	215	282	403	546	644	530	348	132	20	2	-
FEMALE--	161	223	266	372	479	564	497	363	152	49	8	-
ALL OTHER--MALE----	7	13	10	16	22	16	17	5	2	1	-	-
FEMALE--	5	5	15	18	11	9	8	7	6	1	-	-
BLACK---MALE----	3	6	-	9	6	10	7	1	-	-	-	-
FEMALE--	2	2	7	3	3	4	1	4	4	1	-	-
PENNSYLVANIA ----------	1,355	1,911	2,495	3,590	5,090	5,407	4,602	2,984	1,287	312	51	1
WHITE------MALE----	590	879	1,221	1,793	2,534	2,605	2,069	1,168	460	79	13	-
FEMALE--	574	784	966	1,384	2,111	2,334	2,245	1,620	745	204	33	1
ALL OTHER--MALE----	107	116	165	220	220	236	136	88	31	11	2	-
FEMALE--	84	132	143	193	225	232	152	108	51	18	3	-
BLACK---MALE----	102	111	159	214	215	229	134	86	30	11	2	-
FEMALE--	78	123	139	182	220	222	145	107	49	18	3	-
RHODE ISLAND ----------	110	147	173	259	394	452	378	281	112	27	4	-
WHITE------MALE----	53	65	85	124	208	222	173	119	43	10	1	-
FEMALE--	47	77	81	120	175	218	195	160	67	17	3	-
ALL OTHER--MALE----	3	4	4	9	8	8	4	1	-	-	-	-
FEMALE--	7	1	3	6	3	4	6	1	2	-	-	-
BLACK---MALE----	2	3	3	7	5	6	3	1	-	-	-	-
FEMALE--	7	1	3	4	2	4	3	1	2	-	-	-
SOUTH CAROLINA ---------	509	673	894	1,092	1,284	1,248	921	584	230	60	8	-
WHITE------MALE----	170	242	365	464	538	540	357	182	58	15	1	-
FEMALE--	141	191	277	344	435	410	348	262	120	29	-	-
ALL OTHER--MALE----	106	142	153	177	187	162	122	73	28	7	2	-
FEMALE--	92	98	99	107	124	136	94	67	24	9	5	-
BLACK---MALE----	103	141	151	175	186	160	121	72	27	7	2	-
FEMALE--	91	97	97	104	123	136	93	67	24	9	5	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 629

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
SOUTH DAKOTA ----------	1,666	1	1	1	2	3	2	7	6	23	26	40
WHITE------MALE----	865	1	1	-	-	2	2	2	4	7	12	23
FEMALE--	743	-	-	-	2	1	-	5	1	14	14	14
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	1	-	-	-	-	1	2	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TENNESSEE ----------	12,202	-	11	10	13	17	28	32	69	150	251	452
WHITE------MALE----	5,588	-	5	6	5	6	7	17	27	51	93	164
FEMALE--	4,776	-	4	4	4	7	12	12	26	55	104	173
ALL OTHER--MALE----	1,004	-	1	-	3	2	7	1	8	18	25	61
FEMALE--	834	-	1	-	1	2	2	2	8	26	29	54
BLACK---MALE----	983	-	1	-	3	2	7	1	7	18	24	59
FEMALE--	816	-	1	-	1	2	2	2	8	26	28	51
TEXAS ----------	33,433	13	38	56	50	65	81	110	202	388	769	1,244
WHITE------MALE----	15,224	5	22	25	18	28	42	52	84	132	289	474
FEMALE--	13,639	6	13	22	21	28	28	43	85	174	340	501
ALL OTHER--MALE----	2,439	-	3	6	4	4	7	6	13	34	64	146
FEMALE--	2,131	2	-	3	7	5	4	9	20	48	76	123
BLACK---MALE----	2,267	-	2	5	2	3	5	6	11	30	59	135
FEMALE--	1,956	1	-	3	7	5	4	8	18	41	71	105
UTAH ----------	2,493	2	5	7	2	9	21	10	26	39	56	104
WHITE------MALE----	1,280	1	4	5	1	6	12	4	10	18	21	47
FEMALE--	1,135	1	1	2	-	2	9	6	15	20	31	50
ALL OTHER--MALE----	42	-	-	-	-	1	-	-	-	-	3	3
FEMALE--	36	-	-	-	1	-	-	-	1	1	1	4
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
VERMONT ----------	1,287	-	1	-	1	-	2	4	6	19	22	37
WHITE------MALE----	674	-	1	-	-	-	-	3	3	6	12	18
FEMALE--	607	-	-	-	-	-	1	1	3	12	10	19
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA ----------	13,657	4	15	13	18	15	23	35	59	185	313	469
WHITE------MALE----	5,518	1	8	6	5	5	10	15	16	56	88	167
FEMALE--	5,136	2	4	4	7	2	7	8	22	66	128	154
ALL OTHER--MALE----	1,620	-	1	2	4	5	2	8	9	22	35	83
FEMALE--	1,383	1	2	1	2	3	4	4	12	41	62	65
BLACK---MALE----	1,520	-	1	2	4	5	1	8	6	19	32	78
FEMALE--	1,288	1	2	1	2	3	4	3	11	39	58	58

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
SOUTH DAKOTA ----------	66	90	129	183	264	256	246	179	92	44	5	-
WHITE------MALE----	34	55	79	98	151	138	125	82	37	11	1	-
FEMALE--	26	32	44	71	108	109	115	96	55	32	4	-
ALL OTHER--MALE----	2	1	3	11	2	5	3	1	-	1	-	-
FEMALE--	4	2	3	3	3	4	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	677	1,027	1,263	1,585	1,850	1,843	1,436	979	389	104	14	2
WHITE------MALE----	292	472	645	796	936	884	663	372	119	24	3	1
FEMALE--	266	385	440	555	691	716	587	451	216	61	7	-
ALL OTHER--MALE----	53	105	116	137	124	140	93	73	26	9	1	1
FEMALE--	66	65	62	97	99	103	93	83	28	10	3	-
BLACK---MALE----	52	104	112	134	122	138	91	71	26	9	1	1
FEMALE--	61	63	61	97	95	102	93	83	27	10	3	-
TEXAS ----------	1,927	2,574	3,177	4,174	5,217	5,123	3,997	2,736	1,136	309	47	-
WHITE------MALE----	767	1,192	1,565	2,047	2,492	2,507	1,840	1,143	404	84	12	-
FEMALE--	777	977	1,154	1,525	2,054	2,033	1,735	1,317	603	180	23	-
ALL OTHER--MALE----	210	242	238	336	379	321	220	127	61	16	2	-
FEMALE--	173	163	220	266	292	262	202	149	68	29	10	-
BLACK---MALE----	200	222	222	313	357	290	208	124	56	15	2	-
FEMALE--	157	140	196	244	276	241	193	143	65	28	10	-
UTAH ----------	119	158	201	290	355	382	334	235	102	34	2	-
WHITE------MALE----	59	73	97	152	190	230	175	120	41	13	1	-
FEMALE--	55	76	96	131	157	142	148	112	59	21	1	-
ALL OTHER--MALE----	4	4	2	5	4	5	6	3	2	-	-	-
FEMALE--	1	5	6	2	4	5	5	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	2	-	3	-	-	-	-
FEMALE--	-	1	1	-	1	-	2	-	-	-	-	-
VERMONT ----------	76	97	116	176	184	205	169	104	49	18	1	-
WHITE------MALE----	37	59	65	96	100	115	78	56	22	3	-	-
FEMALE--	37	38	50	80	84	90	91	48	27	15	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	775	1,063	1,309	1,759	2,097	2,177	1,678	1,096	443	98	13	-
WHITE------MALE----	292	438	567	777	878	940	689	397	138	24	1	-
FEMALE--	272	358	443	576	772	835	676	494	240	57	9	-
ALL OTHER--MALE----	118	153	168	222	258	234	160	103	27	6	-	-
FEMALE--	93	114	131	184	189	168	153	102	38	11	3	-
BLACK---MALE----	106	140	156	211	246	220	152	102	26	5	-	-
FEMALE--	78	102	124	175	174	158	144	100	37	11	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
WASHINGTON ----------	10,888	2	12	16	9	11	25	22	43	126	191	370
WHITE------MALE----	5,293	1	3	9	5	5	17	15	15	57	71	175
FEMALE--	4,978	1	7	5	3	4	7	4	23	59	91	157
ALL OTHER--MALE----	342	-	2	1	-	2	-	1	2	9	11	20
FEMALE--	275	-	-	1	1	-	1	2	3	1	18	18
BLACK---MALE----	141	-	-	-	-	-	-	1	-	1	6	9
FEMALE--	93	-	-	-	-	-	-	-	2	1	10	5
WEST VIRGINIA ----------	4,865	1	1	5	4	4	5	16	25	46	87	127
WHITE------MALE----	2,489	1	1	3	2	1	2	8	7	25	30	64
FEMALE--	2,224	-	-	2	2	3	3	7	18	19	52	58
ALL OTHER--MALE----	70	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	82	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	70	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	80	-	-	-	-	-	-	-	-	1	2	2
WISCONSIN ----------	11,076	3	13	7	6	13	19	21	50	109	205	339
WHITE------MALE----	5,611	1	6	5	3	8	13	9	18	36	80	156
FEMALE--	4,994	1	5	1	3	4	5	8	26	59	97	145
ALL OTHER--MALE----	255	-	2	-	-	1	1	-	3	7	16	19
FEMALE--	216	1	-	1	-	-	-	4	3	7	12	19
BLACK---MALE----	212	-	2	-	-	1	-	-	3	6	13	17
FEMALE--	177	1	-	1	-	-	-	4	2	6	11	17
WYOMING ----------	923	-	1	3	-	2	3	1	2	8	26	39
WHITE------MALE----	489	-	1	2	-	1	2	-	1	4	10	18
FEMALE--	414	-	-	1	-	1	1	1	1	4	14	21
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 630

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
WASHINGTON ----------	535	721	977	1,234	1,637	1,792	1,577	1,016	440	111	21	-
WHITE------MALE----	239	342	499	638	830	900	768	484	179	36	5	-
FEMALE--	250	320	409	512	720	813	761	499	248	71	14	-
ALL OTHER--MALE----	22	36	42	42	46	51	30	19	5	1	-	-
FEMALE--	24	23	27	42	41	28	18	14	8	3	2	-
BLACK---MALE----	11	20	16	16	21	27	8	5	-	-	-	-
FEMALE--	7	5	12	18	13	5	4	6	3	1	1	-
WEST VIRGINIA ----------	228	349	518	612	820	832	593	375	164	47	6	-
WHITE------MALE----	114	202	258	333	443	418	311	188	64	11	3	-
FEMALE--	107	139	250	265	352	384	257	175	95	33	3	-
ALL OTHER--MALE----	3	2	5	7	13	14	12	6	-	1	-	-
FEMALE--	4	6	5	7	12	16	13	6	5	2	-	-
BLACK---MALE----	3	2	5	7	13	14	12	6	-	1	-	-
FEMALE--	3	6	5	7	12	16	13	6	5	2	-	-
WISCONSIN ----------	490	704	939	1,290	1,734	1,745	1,610	1,094	534	136	15	-
WHITE------MALE----	246	381	486	686	954	927	825	487	227	51	6	-
FEMALE--	210	277	391	539	714	769	760	591	298	82	9	-
ALL OTHER--MALE----	23	25	30	30	43	28	15	7	3	2	-	-
FEMALE--	11	21	32	35	23	21	10	9	6	1	-	-
BLACK---MALE----	19	22	23	23	35	25	13	6	3	1	-	-
FEMALE--	10	15	25	29	20	17	7	5	6	1	-	-
WYOMING ----------	47	65	82	120	142	130	139	60	45	7	1	-
WHITE------MALE----	25	41	46	65	90	61	69	30	19	3	1	-
FEMALE--	20	23	36	48	52	67	65	29	26	4	-	-
ALL OTHER--MALE----	-	-	-	3	-	2	2	-	-	-	-	-
FEMALE--	2	1	-	4	-	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 631

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
UNITED STATES -	549,838	68	418	509	503	745	979	1,429	2,576	5,764	10,968	18,412
WHITE------MALE----	247,396	31	194	224	210	335	449	606	955	1,984	3,950	7,171
FEMALE--	229,842	22	159	173	173	233	310	531	1,055	2,511	4,615	7,342
ALL OTHER--MALE----	38,436	5	33	55	66	113	126	149	249	483	1,054	1,980
FEMALE--	34,164	10	32	57	54	64	94	143	317	786	1,349	1,919
BLACK---MALE----	32,850	3	26	41	55	87	97	114	183	385	882	1,702
FEMALE--	29,101	8	23	44	43	52	82	119	255	673	1,140	1,606
ALABAMA ----------	9,506	1	8	7	13	15	12	25	43	109	206	327
WHITE------MALE----	3,912	-	4	5	6	6	2	12	8	30	67	127
FEMALE--	3,373	-	2	-	4	3	2	6	17	37	69	99
ALL OTHER--MALE----	1,228	-	1	1	1	3	2	2	12	13	21	53
FEMALE--	993	1	1	1	2	3	6	5	6	29	49	48
BLACK---MALE----	1,219	-	1	-	1	3	2	2	12	13	20	53
FEMALE--	984	1	1	1	2	3	6	5	6	29	49	47
ALASKA ----------	633	-	2	1	1	4	2	3	3	12	19	31
WHITE------MALE----	261	-	-	-	1	1	-	1	1	2	6	16
FEMALE--	227	-	1	1	-	-	-	-	-	7	10	12
ALL OTHER--MALE----	77	-	1	-	-	1	1	-	1	1	3	2
FEMALE--	68	-	-	-	-	2	1	2	1	2	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9,006	1	8	8	9	13	22	24	38	101	173	279
WHITE------MALE----	4,589	-	2	4	5	4	9	15	19	42	68	129
FEMALE--	4,006	1	4	3	3	6	11	8	13	49	83	127
ALL OTHER--MALE----	220	-	-	1	1	1	1	1	3	5	9	14
FEMALE--	191	-	2	-	-	2	1	-	3	5	13	9
BLACK---MALE----	118	-	-	1	-	1	-	-	1	3	6	6
FEMALE--	81	-	1	-	-	1	1	-	1	1	4	5
ARKANSAS ----------	6,137	1	3	3	5	6	8	17	25	57	109	213
WHITE------MALE----	2,923	-	1	1	3	4	2	6	10	19	38	83
FEMALE--	2,365	-	2	1	1	1	2	6	11	22	43	69
ALL OTHER--MALE----	437	-	-	-	-	1	2	3	1	5	11	33
FEMALE--	412	1	-	1	1	-	2	2	3	11	17	28
BLACK---MALE----	433	-	-	-	-	1	2	3	1	4	11	33
FEMALE--	402	1	-	-	1	-	2	1	3	11	16	27
CALIFORNIA ----------	53,067	8	48	76	81	92	132	187	307	604	1,127	1,953
WHITE------MALE----	22,930	6	21	28	39	40	65	76	110	220	380	752
FEMALE--	22,174	-	22	30	25	31	43	72	118	235	463	784
ALL OTHER--MALE----	4,225	1	2	6	6	15	19	23	38	64	124	195
FEMALE--	3,738	1	3	12	11	6	5	16	41	85	160	222
BLACK---MALE----	2,083	-	2	1	5	4	7	9	11	31	57	90
FEMALE--	1,886	-	1	9	4	4	1	8	14	41	78	100

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
UNITED STATES -	28,269	38,637	50,430	66,814	85,524	89,874	72,896	48,041	20,702	5,492	779	9
WHITE------MALE----	11,668	17,289	23,479	32,130	41,549	42,755	33,311	19,908	7,428	1,579	187	4
FEMALE--	11,308	14,794	19,006	25,370	33,654	37,268	32,675	23,610	11,277	3,290	463	3
ALL OTHER--MALE----	2,815	3,602	4,463	5,185	5,680	5,429	3,565	2,239	859	247	37	2
FEMALE--	2,478	2,952	3,482	4,129	4,641	4,422	3,345	2,284	1,138	376	92	-
BLACK---MALE----	2,442	3,148	3,845	4,467	4,847	4,644	3,030	1,905	715	198	33	1
FEMALE--	2,080	2,487	2,953	3,488	3,962	3,770	2,868	2,025	1,002	333	88	-
ALABAMA ----------	512	723	946	1,264	1,435	1,537	1,152	720	335	100	16	-
WHITE------MALE----	186	308	401	574	674	661	469	255	92	21	4	-
FEMALE--	175	228	305	435	460	566	440	307	167	46	5	-
ALL OTHER--MALE----	87	112	151	154	174	181	135	79	32	13	1	-
FEMALE--	64	75	89	101	127	129	108	79	44	20	6	-
BLACK---MALE----	87	112	150	150	174	180	134	79	32	13	1	-
FEMALE--	63	75	88	98	125	128	108	79	44	20	6	-
ALASKA ----------	49	77	76	84	89	70	64	32	12	1	1	-
WHITE------MALE----	20	32	30	36	44	32	25	11	3	-	-	-
FEMALE--	19	26	29	25	25	28	22	13	7	1	1	-
ALL OTHER--MALE----	5	6	8	14	12	5	10	6	1	-	-	-
FEMALE--	5	13	9	9	8	5	7	2	1	-	-	-
BLACK---MALE----	1	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	428	571	833	1,157	1,421	1,569	1,274	706	293	70	8	-
WHITE------MALE----	179	290	441	626	740	831	697	322	139	25	2	-
FEMALE--	214	248	346	476	633	696	534	361	141	43	6	-
ALL OTHER--MALE----	16	14	26	31	27	24	23	15	7	1	-	-
FEMALE--	19	19	20	24	21	18	20	8	6	1	-	-
BLACK---MALE----	11	11	15	17	10	10	14	8	4	-	-	-
FEMALE--	10	7	9	12	5	10	7	4	2	1	-	-
ARKANSAS ----------	316	449	594	765	929	977	744	559	274	74	9	-
WHITE------MALE----	140	213	310	396	502	476	359	237	105	18	-	-
FEMALE--	117	172	212	281	328	394	281	246	125	46	5	-
ALL OTHER--MALE----	31	30	44	48	52	59	60	32	23	2	-	-
FEMALE--	28	34	28	40	47	48	44	44	21	8	4	-
BLACK---MALE----	31	30	44	47	52	59	60	32	21	2	-	-
FEMALE--	28	33	27	39	47	48	43	43	20	8	4	-
CALIFORNIA ----------	2,832	3,640	4,794	6,179	8,109	8,796	7,021	4,520	1,980	514	64	3
WHITE------MALE----	1,128	1,525	2,061	2,801	3,787	3,996	3,101	1,869	753	156	15	1
FEMALE--	1,133	1,477	1,839	2,399	3,196	3,656	3,135	2,178	1,005	291	41	1
ALL OTHER--MALE----	293	325	514	514	641	632	402	258	117	34	1	1
FEMALE--	278	313	380	465	485	512	383	215	105	33	7	-
BLACK---MALE----	170	168	287	265	311	307	182	109	57	10	-	-
FEMALE--	148	180	197	244	233	252	183	112	56	14	7	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
COLORADO ----------	5,863	1	4	5	4	6	17	33	34	65	133	208
WHITE------MALE----	2,840	-	3	2	1	1	9	14	14	26	57	94
FEMALE--	2,729	1	1	2	3	5	7	16	17	35	66	100
ALL OTHER--MALE----	149	-	-	-	-	-	1	1	2	2	5	9
FEMALE--	145	-	-	1	-	-	-	2	1	2	5	5
BLACK---MALE----	109	-	-	-	-	-	1	1	-	2	3	9
FEMALE--	103	-	-	1	-	-	-	2	-	2	2	4
CONNECTICUT ----------	7,054	-	4	6	4	7	7	11	20	63	125	199
WHITE------MALE----	3,306	-	1	2	4	3	4	6	10	16	45	70
FEMALE--	3,267	-	3	3	-	4	3	2	5	37	55	104
ALL OTHER--MALE----	256	-	-	-	-	-	-	2	1	4	8	13
FEMALE--	225	-	-	1	-	-	-	1	4	6	17	12
BLACK---MALE----	242	-	-	-	-	-	-	2	1	4	7	13
FEMALE--	203	-	-	1	-	-	-	1	3	5	15	10
DELAWARE ----------	1,737	-	2	-	1	-	1	3	4	26	41	44
WHITE------MALE----	735	-	-	-	-	-	1	-	-	11	10	15
FEMALE--	706	-	1	-	1	-	-	2	4	12	16	18
ALL OTHER--MALE----	156	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	140	-	1	-	-	-	-	1	-	2	12	4
BLACK---MALE----	150	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	133	-	1	-	-	-	-	1	-	2	10	4
DISTRICT OF COLUMBIA ---	1,340	-	1	-	-	1	-	1	4	14	36	49
WHITE------MALE----	142	-	-	-	-	-	-	-	-	3	1	3
FEMALE--	150	-	-	-	-	-	-	-	1	1	2	4
ALL OTHER--MALE----	527	-	-	-	-	-	-	1	1	3	13	21
FEMALE--	521	-	1	-	-	1	-	-	2	7	20	21
BLACK---MALE----	521	-	-	-	-	-	-	1	1	3	13	21
FEMALE--	513	-	1	-	-	1	-	-	1	7	19	21
FLORIDA ----------	38,478	2	19	17	28	37	50	69	140	334	657	1,060
WHITE------MALE----	18,741	1	5	9	13	16	20	32	54	106	244	445
FEMALE--	16,112	1	6	4	7	10	18	23	49	158	295	415
ALL OTHER--MALE----	2,030	-	5	3	5	7	7	5	17	22	50	99
FEMALE--	1,595	-	3	1	3	4	5	9	20	48	68	101
BLACK---MALE----	1,948	-	5	3	5	6	7	5	16	17	47	97
FEMALE--	1,513	-	3	1	3	3	5	9	18	47	64	92
GEORGIA ----------	13,225	-	11	13	16	20	30	43	79	165	345	563
WHITE------MALE----	5,209	-	4	3	5	10	10	11	24	41	99	188
FEMALE--	4,543	-	2	4	3	4	7	16	25	55	107	159
ALL OTHER--MALE----	1,921	-	2	4	6	5	8	9	11	25	68	104
FEMALE--	1,552	-	3	2	2	1	5	7	19	44	71	112
BLACK---MALE----	1,876	-	2	2	6	5	8	7	10	24	66	103
FEMALE--	1,516	-	3	2	2	1	5	7	19	42	71	111

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
COLORADO ----------	327	441	550	705	867	886	794	505	216	53	8	1
WHITE------MALE----	142	223	274	359	434	451	391	232	87	22	3	1
FEMALE--	155	200	247	307	381	391	376	261	124	30	4	-
ALL OTHER--MALE----	11	8	18	20	23	29	10	5	4	1	-	-
FEMALE--	19	10	11	19	29	15	17	7	1	-	1	-
BLACK---MALE----	7	6	13	14	19	22	7	3	2	-	-	-
FEMALE--	13	4	9	14	21	12	12	6	-	-	1	-
CONNECTICUT ----------	351	477	569	754	1,051	1,225	1,075	703	310	88	5	-
WHITE------MALE----	161	232	284	367	529	594	516	320	115	26	1	-
FEMALE--	154	197	221	314	462	571	521	362	188	58	3	-
ALL OTHER--MALE----	20	29	29	48	35	34	16	13	2	1	1	-
FEMALE--	16	19	35	25	25	26	22	8	5	3	-	-
BLACK---MALE----	19	29	27	45	30	33	15	13	2	1	1	-
FEMALE--	14	17	31	23	21	24	22	8	5	3	-	-
DELAWARE ----------	86	118	161	228	286	309	226	133	51	15	2	-
WHITE------MALE----	40	46	70	99	136	130	102	52	18	5	-	-
FEMALE--	29	43	52	83	112	139	98	62	27	6	1	-
ALL OTHER--MALE----	7	13	22	32	17	29	12	10	3	-	-	-
FEMALE--	10	16	17	14	21	11	14	9	3	4	1	-
BLACK---MALE----	7	11	22	30	16	28	12	10	3	-	-	-
FEMALE--	10	15	17	13	21	9	13	9	3	4	1	-
DISTRICT OF COLUMBIA ---	85	115	119	149	201	207	158	130	47	18	5	-
WHITE------MALE----	8	17	13	16	21	17	21	14	6	2	-	-
FEMALE--	7	12	8	16	13	16	27	26	14	2	1	-
ALL OTHER--MALE----	38	50	61	58	93	79	47	43	11	7	1	-
FEMALE--	32	36	37	59	74	95	63	47	16	7	3	-
BLACK---MALE----	37	50	61	57	93	76	47	42	11	7	1	-
FEMALE--	31	36	37	58	73	95	61	46	16	7	3	-
FLORIDA ----------	1,719	2,399	3,202	4,587	6,245	6,722	5,554	3,602	1,608	370	56	1
WHITE------MALE----	759	1,137	1,552	2,314	3,273	3,436	2,798	1,683	684	140	19	1
FEMALE--	678	910	1,208	1,809	2,478	2,827	2,450	1,711	828	196	31	-
ALL OTHER--MALE----	150	206	271	281	299	275	164	110	37	14	3	-
FEMALE--	132	146	171	183	195	184	142	98	59	20	3	-
BLACK---MALE----	143	203	261	269	282	262	159	110	35	14	2	-
FEMALE--	121	137	157	180	182	178	140	94	56	20	3	-
GEORGIA ----------	842	1,122	1,418	1,775	1,958	1,920	1,475	975	368	78	9	-
WHITE------MALE----	278	448	615	806	834	813	596	310	97	16	1	-
FEMALE--	291	372	426	520	660	685	575	415	174	38	5	-
ALL OTHER--MALE----	168	186	226	260	256	246	163	129	36	9	-	-
FEMALE--	105	116	151	189	208	176	141	121	61	15	3	-
BLACK---MALE----	162	181	219	251	254	242	162	128	35	9	-	-
FEMALE--	100	114	142	185	198	174	141	120	61	15	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
HAWAII ----------	1,916	-	1	-	2	7	4	8	15	23	44	83
WHITE------MALE----	298	-	-	-	-	-	-	-	1	3	4	14
FEMALE--	239	-	-	-	-	-	-	1	2	1	2	7
ALL OTHER--MALE----	782	-	-	-	1	5	2	5	6	7	20	37
FEMALE--	597	-	1	-	1	2	2	2	6	12	18	25
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	2	1
IDAHO ----------	2,162	1	2	6	4	4	10	9	9	20	38	61
WHITE------MALE----	1,137	1	2	2	3	1	5	7	4	4	14	28
FEMALE--	1,004	-	-	4	1	2	5	2	5	16	22	33
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	-	2	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ILLINOIS ----------	25,024	4	20	21	23	33	50	49	104	240	487	835
WHITE------MALE----	10,675	2	10	8	7	10	24	16	41	83	163	297
FEMALE--	10,410	2	8	4	9	11	12	21	41	104	187	330
ALL OTHER--MALE----	2,022	-	-	5	3	6	7	8	7	21	59	86
FEMALE--	1,917	-	2	4	4	6	7	4	15	32	78	122
BLACK---MALE----	1,891	-	-	4	3	6	7	8	7	18	53	80
FEMALE--	1,790	-	1	4	4	6	7	4	14	29	72	110
INDIANA ----------	12,898	1	13	8	10	10	17	31	56	126	220	420
WHITE------MALE----	6,143	-	8	5	8	6	10	8	25	49	90	211
FEMALE--	5,709	1	5	2	2	2	6	18	27	63	104	169
ALL OTHER--MALE----	566	-	-	1	-	1	-	2	2	2	12	25
FEMALE--	480	-	-	-	-	1	1	3	2	12	14	15
BLACK---MALE----	551	-	-	1	-	1	-	2	1	2	12	24
FEMALE--	458	-	-	-	-	1	1	3	2	12	14	14
IOWA ----------	6,346	-	3	5	5	8	12	17	24	45	102	151
WHITE------MALE----	3,274	-	3	3	-	6	5	8	10	16	45	67
FEMALE--	2,957	-	-	2	5	2	7	8	13	28	52	83
ALL OTHER--MALE----	60	-	-	-	-	-	-	1	1	-	3	-
FEMALE--	55	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	52	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	43	-	-	-	-	-	-	-	-	1	1	-
KANSAS ----------	5,334	-	8	3	1	6	9	12	25	53	99	167
WHITE------MALE----	2,616	-	3	1	1	-	5	5	7	22	43	63
FEMALE--	2,411	-	4	1	-	5	3	6	16	28	46	82
ALL OTHER--MALE----	163	-	-	1	-	1	-	-	1	2	3	10
FEMALE--	144	-	1	-	-	-	1	1	1	1	7	12
BLACK---MALE----	139	-	-	1	-	1	-	-	1	2	2	10
FEMALE--	129	-	1	-	-	-	1	-	1	-	6	12

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
HAWAII ----------	95	118	167	211	306	315	250	159	79	26	3	-
WHITE------MALE----	8	23	33	40	39	55	45	25	8	-	-	-
FEMALE--	15	13	20	18	44	43	36	21	13	3	-	-
ALL OTHER--MALE----	38	44	59	84	134	126	101	71	32	9	1	-
FEMALE--	34	38	55	69	89	91	68	42	26	14	2	-
BLACK---MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	-	-	-
IDAHO ----------	110	154	196	267	304	355	287	213	76	30	6	-
WHITE------MALE----	50	78	106	156	170	202	164	96	34	8	2	-
FEMALE--	57	74	87	107	132	151	121	117	42	22	4	-
ALL OTHER--MALE----	3	1	1	3	2	2	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ILLINOIS ----------	1,192	1,811	2,251	3,032	3,799	4,068	3,376	2,325	993	266	45	-
WHITE------MALE----	452	762	1,002	1,358	1,821	1,812	1,439	955	327	71	15	-
FEMALE--	463	657	813	1,130	1,408	1,710	1,578	1,162	572	167	21	-
ALL OTHER--MALE----	151	205	236	293	314	285	192	94	40	10	-	-
FEMALE--	126	187	200	251	256	261	167	114	54	18	9	-
BLACK---MALE----	144	192	216	275	296	265	182	87	39	9	-	-
FEMALE--	110	164	189	240	241	250	156	111	51	18	9	-
INDIANA ----------	661	916	1,254	1,649	2,038	2,098	1,634	1,101	473	144	18	-
WHITE------MALE----	301	458	600	829	1,045	1,039	777	463	157	49	5	-
FEMALE--	287	373	516	680	836	902	758	579	277	90	12	-
ALL OTHER--MALE----	36	46	73	80	86	98	57	28	16	-	1	-
FEMALE--	37	39	65	60	71	59	42	31	23	5	-	-
BLACK---MALE----	34	43	71	78	82	98	57	28	16	-	1	-
FEMALE--	37	38	60	55	67	55	42	29	23	5	-	-
IOWA ----------	244	379	536	741	940	1,095	1,001	630	300	99	9	-
WHITE------MALE----	119	203	294	415	537	600	490	299	122	30	2	-
FEMALE--	121	160	229	307	387	482	495	327	173	69	7	-
ALL OTHER--MALE----	1	8	6	10	6	8	10	2	4	-	-	-
FEMALE--	3	8	7	9	10	5	6	2	1	-	-	-
BLACK---MALE----	-	7	5	9	6	8	8	2	4	-	-	-
FEMALE--	-	7	6	8	8	4	5	2	1	-	-	-
KANSAS ----------	249	356	470	620	821	861	705	508	279	73	9	-
WHITE------MALE----	115	178	239	351	421	428	372	244	99	18	1	-
FEMALE--	114	149	196	241	354	391	307	240	165	55	8	-
ALL OTHER--MALE----	12	13	22	16	28	19	15	17	3	-	-	-
FEMALE--	8	16	13	12	18	23	11	7	12	-	-	-
BLACK---MALE----	8	11	18	13	23	18	13	15	3	-	-	-
FEMALE--	8	14	11	9	17	19	11	7	12	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
KENTUCKY ----------	8,925	-	2	5	5	9	10	16	50	91	204	315
WHITE------MALE----	4,448	-	1	3	4	5	7	6	30	47	85	144
FEMALE--	3,877	-	1	2	-	3	3	9	17	36	99	142
ALL OTHER--MALE----	315	-	-	-	-	1	-	1	1	2	8	16
FEMALE--	285	-	-	-	1	-	-	-	2	6	12	13
BLACK---MALE----	308	-	-	-	-	1	-	1	1	2	8	16
FEMALE--	278	-	-	-	1	-	-	-	2	6	12	12
LOUISIANA ----------	9,412	1	5	3	10	19	15	35	29	104	225	397
WHITE------MALE----	3,514	1	2	2	4	4	3	8	10	28	63	105
FEMALE--	3,008	-	2	-	3	7	2	11	7	34	62	120
ALL OTHER--MALE----	1,589	-	1	1	1	4	5	9	3	17	55	93
FEMALE--	1,301	-	-	-	2	4	5	7	9	25	45	79
BLACK---MALE----	1,567	-	1	1	1	4	5	8	2	17	53	92
FEMALE--	1,281	-	-	-	2	4	5	7	8	24	44	77
MAINE ----------	3,035	1	1	4	2	6	4	6	12	24	53	79
WHITE------MALE----	1,516	1	1	-	2	1	1	4	4	6	22	45
FEMALE--	1,493	-	-	4	-	5	3	2	7	18	31	33
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	10,143	1	7	14	7	15	11	29	45	129	216	387
WHITE------MALE----	3,885	1	2	7	1	10	3	7	15	38	72	113
FEMALE--	3,711	-	3	2	-	1	5	15	14	38	65	128
ALL OTHER--MALE----	1,351	-	1	2	4	2	1	2	7	21	33	75
FEMALE--	1,196	-	1	3	2	2	2	5	9	32	46	71
BLACK---MALE----	1,277	-	1	2	4	2	1	2	5	18	31	73
FEMALE--	1,131	-	1	2	2	2	2	5	8	31	44	70
MASSACHUSETTS ----------	13,853	1	8	14	8	9	22	29	59	131	240	395
WHITE------MALE----	6,642	-	3	8	3	4	10	15	26	51	115	168
FEMALE--	6,537	1	4	5	3	3	8	12	27	65	100	182
ALL OTHER--MALE----	365	-	1	1	1	2	3	1	3	4	14	30
FEMALE--	309	-	-	-	1	-	1	1	3	11	11	15
BLACK---MALE----	273	-	1	-	-	1	-	1	1	3	10	23
FEMALE--	234	-	-	-	1	-	1	1	1	9	5	9
MICHIGAN ----------	19,744	3	14	25	13	21	26	48	105	224	388	706
WHITE------MALE----	8,775	1	9	9	6	8	8	22	36	65	147	289
FEMALE--	8,225	-	4	9	6	6	10	18	43	112	152	267
ALL OTHER--MALE----	1,399	1	1	4	-	4	6	3	10	13	43	74
FEMALE--	1,345	1	-	3	1	3	2	5	16	34	46	76
BLACK---MALE----	1,319	-	-	4	-	4	6	2	8	13	41	72
FEMALE--	1,247	1	-	3	-	3	2	5	15	31	43	70

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
KENTUCKY ----------	522	699	953	1,097	1,344	1,464	1,084	674	286	85	10	-
WHITE------MALE----	249	376	487	583	724	747	535	299	85	28	3	-
FEMALE--	229	271	391	435	530	642	493	332	182	53	7	-
ALL OTHER--MALE----	24	28	47	36	46	41	30	26	5	3	-	-
FEMALE--	20	24	28	43	44	34	26	17	14	1	-	-
BLACK---MALE----	24	25	46	36	45	40	30	26	5	2	-	-
FEMALE--	19	23	27	43	43	34	24	17	14	1	-	-
LOUISIANA ----------	550	719	920	1,171	1,512	1,479	1,058	747	313	85	15	-
WHITE------MALE----	181	242	370	477	624	611	397	263	93	22	4	-
FEMALE--	148	199	260	339	489	468	402	281	133	36	5	-
ALL OTHER--MALE----	107	169	182	204	229	233	135	94	35	8	4	-
FEMALE--	114	109	108	151	170	167	124	109	52	19	2	-
BLACK---MALE----	104	167	176	203	226	232	135	93	35	8	4	-
FEMALE--	111	107	105	150	167	166	124	107	52	19	2	-
MAINE ----------	153	198	274	387	496	488	409	270	129	34	5	-
WHITE------MALE----	64	105	138	204	279	228	216	139	42	12	2	-
FEMALE--	89	89	133	181	211	255	189	131	87	22	3	-
ALL OTHER--MALE----	-	3	3	2	2	3	3	-	-	-	-	-
FEMALE--	-	1	-	-	4	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	575	781	932	1,194	1,542	1,694	1,308	774	359	111	12	-
WHITE------MALE----	209	284	329	487	618	715	536	273	130	32	3	-
FEMALE--	178	231	302	396	567	634	541	354	173	57	7	-
ALL OTHER--MALE----	96	151	175	174	193	202	109	74	18	11	-	-
FEMALE--	92	115	126	137	164	143	122	73	38	11	2	-
BLACK---MALE----	89	143	168	159	186	195	101	70	17	10	-	-
FEMALE--	89	106	120	126	157	134	114	71	35	10	2	-
MASSACHUSETTS ----------	630	876	1,049	1,590	2,069	2,387	2,085	1,375	674	169	33	-
WHITE------MALE----	283	422	518	842	1,096	1,208	1,002	562	253	47	6	-
FEMALE--	295	394	469	651	880	1,094	1,026	777	402	113	26	-
ALL OTHER--MALE----	28	30	37	62	47	51	23	18	6	3	-	-
FEMALE--	24	30	25	35	46	34	34	18	13	6	1	-
BLACK---MALE----	19	25	26	47	35	41	20	14	5	1	-	-
FEMALE--	18	21	18	26	40	25	26	18	9	5	1	-
MICHIGAN ----------	1,027	1,359	1,862	2,422	3,133	3,249	2,674	1,603	658	162	22	-
WHITE------MALE----	423	591	848	1,169	1,510	1,469	1,209	676	232	41	7	-
FEMALE--	401	526	725	887	1,224	1,387	1,201	775	358	102	12	-
ALL OTHER--MALE----	103	123	153	199	210	212	138	69	24	8	1	-
FEMALE--	100	119	136	167	189	181	126	83	44	11	2	-
BLACK---MALE----	96	115	140	189	198	204	130	65	23	8	1	-
FEMALE--	96	112	125	145	175	170	117	78	43	11	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
MINNESOTA ----------	8,892	1	6	10	2	21	20	26	47	116	170	276
WHITE------MALE----	4,445	1	3	5	1	8	9	15	19	47	64	127
FEMALE--	4,169	-	3	2	-	10	7	10	24	56	89	130
ALL OTHER--MALE----	143	-	-	2	-	1	3	1	3	4	9	10
FEMALE--	135	-	-	1	1	2	1	-	1	9	8	9
BLACK---MALE----	86	-	-	1	-	1	2	-	3	-	5	7
FEMALE--	69	-	-	-	1	1	1	-	-	5	5	5
MISSISSIPPI ----------	6,143	1	3	3	10	4	17	18	32	70	151	235
WHITE------MALE----	2,335	-	-	-	1	1	4	7	10	21	43	75
FEMALE--	1,873	-	1	-	2	3	2	4	10	25	33	60
ALL OTHER--MALE----	1,055	1	1	2	5	-	5	4	6	10	37	52
FEMALE--	880	-	1	1	2	-	6	3	6	14	38	48
BLACK---MALE----	1,046	1	1	2	5	-	5	4	6	10	37	51
FEMALE--	871	-	1	1	2	-	6	3	6	14	38	48
MISSOURI ----------	12,186	1	7	9	7	15	20	29	45	117	229	394
WHITE------MALE----	5,602	-	3	6	4	8	7	11	14	42	87	176
FEMALE--	5,288	-	3	2	2	5	4	13	21	60	100	148
ALL OTHER--MALE----	637	1	-	1	1	2	4	2	4	6	22	37
FEMALE--	659	-	1	-	-	-	5	3	6	9	20	33
BLACK---MALE----	611	1	-	1	1	2	4	2	3	5	21	34
FEMALE--	621	-	1	-	-	-	4	3	6	9	19	30
MONTANA ----------	1,854	-	-	-	2	5	4	5	5	10	33	44
WHITE------MALE----	946	-	-	-	1	2	2	2	3	4	15	19
FEMALE--	838	-	-	-	1	3	1	2	2	4	18	24
ALL OTHER--MALE----	36	-	-	-	-	-	1	1	-	2	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3,410	1	2	2	3	8	2	9	12	41	60	96
WHITE------MALE----	1,668	1	-	2	3	5	2	1	5	16	31	44
FEMALE--	1,615	-	2	-	-	2	-	5	6	23	26	46
ALL OTHER--MALE----	63	-	-	-	-	1	-	-	-	1	2	2
FEMALE--	64	-	-	-	-	-	-	3	1	1	1	4
BLACK---MALE----	55	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	48	-	-	-	-	-	-	1	1	1	1	2
NEVADA ----------	3,556	-	1	1	1	7	3	10	11	34	59	109
WHITE------MALE----	1,795	-	1	1	-	4	-	3	4	17	30	40
FEMALE--	1,451	-	-	-	1	3	3	6	5	11	21	53
ALL OTHER--MALE----	149	-	-	-	-	-	-	-	-	2	4	4
FEMALE--	161	-	-	-	-	-	-	1	2	4	4	12
BLACK---MALE----	93	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	96	-	-	-	-	-	-	1	1	1	2	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
MINNESOTA ----------	379	607	772	975	1,264	1,415	1,285	931	433	122	14	-
WHITE------MALE----	174	303	400	549	691	756	667	404	163	36	3	-
FEMALE--	183	271	332	401	534	628	606	520	269	84	10	-
ALL OTHER--MALE----	12	20	18	14	18	18	4	4	1	-	1	-
FEMALE--	10	13	22	11	21	13	8	3	-	2	-	-
BLACK---MALE----	7	12	14	7	10	11	2	3	-	-	1	-
FEMALE--	7	5	12	7	9	5	4	1	-	1	-	-
MISSISSIPPI ----------	353	505	600	742	950	921	725	502	227	58	16	-
WHITE------MALE----	129	196	255	307	417	348	287	164	58	10	2	-
FEMALE--	84	146	155	220	287	315	234	181	86	22	3	-
ALL OTHER--MALE----	79	93	101	125	119	158	106	90	44	11	6	-
FEMALE--	61	70	89	90	127	100	98	67	39	15	5	-
BLACK---MALE----	78	92	101	125	119	155	105	88	44	11	6	-
FEMALE--	58	70	88	89	125	99	97	67	39	15	5	-
MISSOURI ----------	597	855	1,139	1,614	1,866	1,906	1,614	1,079	480	134	29	-
WHITE------MALE----	281	410	565	803	913	911	716	443	164	31	7	-
FEMALE--	235	328	432	618	772	823	769	558	281	93	21	-
ALL OTHER--MALE----	39	56	73	97	93	86	59	40	12	2	-	-
FEMALE--	42	61	69	96	88	86	70	38	23	8	1	-
BLACK---MALE----	37	56	68	94	89	83	57	39	12	2	-	-
FEMALE--	40	54	63	92	83	82	69	36	21	8	1	-
MONTANA ----------	90	121	161	233	291	325	251	174	76	21	3	-
WHITE------MALE----	42	52	80	121	162	192	117	84	39	7	2	-
FEMALE--	46	58	71	101	118	125	128	86	35	14	1	-
ALL OTHER--MALE----	2	5	5	3	9	3	3	1	-	-	-	-
FEMALE--	-	6	5	8	2	5	3	3	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA ----------	138	195	296	401	500	563	498	351	176	49	7	-
WHITE------MALE----	63	102	142	205	278	300	243	151	60	12	2	-
FEMALE--	67	80	137	180	207	244	244	191	116	34	5	-
ALL OTHER--MALE----	5	5	11	13	5	8	4	5	-	1	-	-
FEMALE--	3	8	6	3	10	11	7	4	-	2	-	-
BLACK---MALE----	5	4	10	12	5	7	2	5	-	1	-	-
FEMALE--	2	4	5	3	9	8	5	4	-	2	-	-
NEVADA ----------	205	282	439	493	629	580	411	201	55	22	3	-
WHITE------MALE----	91	145	224	274	331	292	227	88	21	2	-	-
FEMALE--	93	100	170	173	258	246	161	95	31	18	3	-
ALL OTHER--MALE----	7	23	20	20	28	20	12	7	1	1	-	-
FEMALE--	14	14	25	26	12	22	11	11	2	1	-	-
BLACK---MALE----	3	14	14	10	19	13	8	4	1	-	-	-
FEMALE--	7	11	12	12	9	13	11	7	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
NEW HAMPSHIRE ----------	2,408	-	1	3	2	1	-	2	13	21	61	80
WHITE------MALE----	1,240	-	-	3	1	-	-	2	6	10	25	38
FEMALE--	1,157	-	1	-	1	1	-	-	7	11	36	42
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	18,178	1	17	9	11	22	29	31	74	183	376	535
WHITE------MALE----	7,801	-	8	1	2	9	11	10	29	60	125	219
FEMALE--	7,990	1	7	4	6	7	11	12	23	75	169	200
ALL OTHER--MALE----	1,255	-	1	2	2	6	5	6	13	21	29	59
FEMALE--	1,132	-	1	2	1	-	2	3	9	27	53	57
BLACK---MALE----	1,125	-	1	2	2	5	5	5	12	20	25	50
FEMALE--	1,014	-	-	2	1	-	2	3	9	24	48	49
NEW MEXICO ----------	2,857	1	2	4	6	7	8	6	10	29	61	110
WHITE------MALE----	1,404	1	2	1	1	5	3	1	3	11	27	31
FEMALE--	1,272	-	-	2	4	2	3	4	6	15	29	69
ALL OTHER--MALE----	91	-	-	-	1	-	2	1	1	1	2	7
FEMALE--	90	-	-	1	-	-	-	-	-	2	3	3
BLACK---MALE----	28	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	2	-	-
NEW YORK ----------	37,609	6	28	31	35	53	51	108	180	347	763	1,260
WHITE------MALE----	15,741	3	15	11	11	22	27	49	59	106	240	477
FEMALE--	16,144	2	9	9	16	10	13	39	73	147	319	500
ALL OTHER--MALE----	2,783	1	2	4	5	12	5	10	21	35	85	135
FEMALE--	2,941	-	2	7	3	9	6	10	27	59	119	148
BLACK---MALE----	2,373	1	2	4	3	10	4	8	18	28	71	115
FEMALE--	2,590	-	1	4	3	7	4	10	26	54	98	135
NORTH CAROLINA ---------	15,815	2	8	10	16	24	28	42	78	189	328	578
WHITE------MALE----	6,552	1	3	3	4	10	10	13	20	67	118	187
FEMALE--	5,805	1	2	4	5	6	5	8	30	65	107	217
ALL OTHER--MALE----	1,860	-	2	2	6	6	4	10	11	25	47	93
FEMALE--	1,598	-	1	1	1	2	9	11	17	32	56	81
BLACK---MALE----	1,789	-	1	1	6	6	4	8	10	24	44	89
FEMALE--	1,523	-	1	1	1	2	8	8	16	31	53	78
NORTH DAKOTA ----------	1,366	-	2	1	1	1	1	-	5	4	25	33
WHITE------MALE----	681	-	2	-	-	-	-	-	2	1	11	11
FEMALE--	653	-	-	1	1	1	1	-	3	3	12	22
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
NEW HAMPSHIRE ----------	147	179	195	286	359	387	319	223	91	33	5	-
WHITE------MALE----	72	92	105	157	193	219	167	101	40	9	-	-
FEMALE--	73	87	88	128	164	167	151	121	50	24	5	-
ALL OTHER--MALE----	2	-	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEW JERSEY ----------	912	1,242	1,541	2,183	2,831	3,047	2,455	1,745	725	185	23	1
WHITE------MALE----	359	524	669	986	1,310	1,399	1,044	717	254	58	7	-
FEMALE--	375	462	591	861	1,152	1,349	1,227	907	422	114	14	1
ALL OTHER--MALE----	108	137	159	186	210	154	86	54	14	3	-	-
FEMALE--	70	119	122	150	159	145	98	67	35	10	2	-
BLACK---MALE----	90	117	143	167	201	143	78	46	11	2	-	-
FEMALE--	61	101	115	129	141	134	90	60	34	10	1	-
NEW MEXICO ----------	143	182	255	335	424	499	405	231	106	29	4	-
WHITE------MALE----	67	88	130	165	235	254	214	109	48	7	1	-
FEMALE--	63	85	106	141	163	216	173	113	55	20	3	-
ALL OTHER--MALE----	6	3	11	15	14	13	9	4	1	-	-	-
FEMALE--	7	6	8	14	12	16	9	5	2	2	-	-
BLACK---MALE----	2	-	5	6	7	4	2	-	-	-	-	-
FEMALE--	3	3	2	2	5	2	3	1	-	-	-	-
NEW YORK ----------	2,020	2,582	3,454	4,408	5,879	5,971	5,047	3,419	1,469	436	62	-
WHITE------MALE----	756	1,043	1,460	1,941	2,656	2,688	2,174	1,355	491	142	15	-
FEMALE--	820	989	1,270	1,725	2,401	2,537	2,392	1,749	835	251	38	-
ALL OTHER--MALE----	219	272	375	399	388	367	227	147	56	14	4	-
FEMALE--	225	278	349	343	434	379	254	168	87	29	5	-
BLACK---MALE----	185	235	316	344	331	309	198	127	47	13	4	-
FEMALE--	195	247	312	292	390	334	227	146	73	27	5	-
NORTH CAROLINA ---------	922	1,188	1,619	2,039	2,463	2,560	1,909	1,218	467	115	12	-
WHITE------MALE----	351	496	718	937	1,097	1,180	742	430	137	27	1	-
FEMALE--	309	366	553	683	897	914	770	567	232	59	5	-
ALL OTHER--MALE----	156	185	198	235	266	260	196	98	44	13	3	-
FEMALE--	106	141	150	184	203	206	201	123	54	16	3	-
BLACK---MALE----	153	177	187	227	251	253	190	98	44	13	3	-
FEMALE--	96	131	142	176	192	203	196	118	51	16	3	-
NORTH DAKOTA ----------	45	70	106	155	213	213	198	197	65	25	6	-
WHITE------MALE----	24	35	53	84	127	112	105	85	20	8	1	-
FEMALE--	19	34	46	68	82	97	89	109	43	17	5	-
ALL OTHER--MALE----	-	-	2	2	2	2	1	-	2	-	-	-
FEMALE--	2	1	5	1	2	2	3	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
OHIO ----------	25,233	2	16	26	14	33	36	61	111	241	488	867
WHITE------MALE----	11,515	-	5	8	9	21	19	27	45	86	185	342
FEMALE--	10,985	2	7	13	5	9	9	25	45	117	243	398
ALL OTHER--MALE----	1,413	-	3	1	-	1	4	5	12	12	20	62
FEMALE--	1,320	-	1	4	-	2	4	4	9	26	40	65
BLACK---MALE----	1,378	-	3	1	-	1	4	5	12	12	18	61
FEMALE--	1,284	-	-	3	-	2	4	3	8	26	40	64
OKLAHOMA ----------	7,312	1	10	6	6	6	13	27	33	66	142	226
WHITE------MALE----	3,507	-	5	1	2	3	8	15	13	22	62	94
FEMALE--	3,015	1	3	4	3	2	3	5	15	33	61	87
ALL OTHER--MALE----	402	-	1	-	1	1	1	2	2	3	5	23
FEMALE--	388	-	1	1	-	-	1	5	3	8	14	22
BLACK---MALE----	247	-	-	-	-	1	1	1	2	2	3	10
FEMALE--	229	-	-	1	-	-	1	3	2	6	12	14
OREGON ----------	6,905	-	5	6	9	10	10	14	39	61	117	197
WHITE------MALE----	3,445	-	2	4	4	6	6	9	20	34	51	92
FEMALE--	3,237	-	3	2	4	3	4	3	17	24	59	90
ALL OTHER--MALE----	124	-	-	-	1	1	-	2	1	1	3	7
FEMALE--	99	-	-	-	-	-	-	-	1	2	4	8
BLACK---MALE----	48	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	1
PENNSYLVANIA ----------	30,312	4	19	29	14	32	45	56	134	265	486	871
WHITE------MALE----	13,855	1	8	13	9	20	27	27	55	90	200	322
FEMALE--	13,495	2	10	10	3	6	11	21	55	123	213	398
ALL OTHER--MALE----	1,461	-	-	3	-	6	7	5	8	18	31	66
FEMALE--	1,501	1	1	3	2	-	-	3	16	34	42	85
BLACK---MALE----	1,412	-	-	3	-	6	6	5	6	16	30	62
FEMALE--	1,431	1	1	2	2	-	-	3	14	33	40	76
RHODE ISLAND ----------	2,463	-	1	2	4	1	4	7	9	33	37	67
WHITE------MALE----	1,153	-	-	1	2	1	1	5	3	13	18	25
FEMALE--	1,223	-	1	1	2	-	1	1	5	17	18	36
ALL OTHER--MALE----	49	-	-	-	-	-	1	1	-	2	1	3
FEMALE--	38	-	-	-	-	-	1	-	1	1	-	3
BLACK---MALE----	34	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	30	-	-	-	-	-	1	-	1	-	-	2
SOUTH CAROLINA ---------	8,089	1	8	4	8	13	14	22	40	103	182	337
WHITE------MALE----	3,085	-	3	3	2	9	6	7	9	24	49	95
FEMALE--	2,721	-	3	-	2	1	5	5	15	37	60	85
ALL OTHER--MALE----	1,307	-	1	1	3	2	2	5	9	16	36	91
FEMALE--	976	1	1	-	1	1	1	5	7	26	37	66
BLACK---MALE----	1,292	-	1	1	3	2	2	5	9	15	35	91
FEMALE--	963	1	1	-	1	1	1	5	7	24	36	65

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
OHIO ----------	1,249	1,694	2,325	3,082	4,136	4,233	3,307	2,172	882	226	32	-
WHITE------MALE----	547	766	1,116	1,502	2,014	2,071	1,486	910	296	56	4	-
FEMALE--	526	700	916	1,229	1,667	1,764	1,539	1,096	503	149	23	-
ALL OTHER--MALE----	85	135	151	202	244	213	151	68	34	9	1	-
FEMALE--	91	93	142	149	211	185	131	98	49	12	4	-
BLACK---MALE----	84	133	141	197	238	209	148	68	33	9	1	-
FEMALE--	88	90	140	145	202	182	128	95	48	12	4	-
OKLAHOMA ----------	349	516	722	928	1,105	1,228	923	650	269	77	9	-
WHITE------MALE----	165	239	377	449	569	630	456	279	94	22	2	-
FEMALE--	142	211	259	384	420	475	391	318	150	44	4	-
ALL OTHER--MALE----	20	36	44	55	62	59	42	27	12	5	1	-
FEMALE--	22	30	42	40	54	64	34	26	13	6	2	-
BLACK---MALE----	10	17	33	26	41	36	30	20	9	5	-	-
FEMALE--	9	11	26	22	36	34	15	18	11	6	2	-
OREGON ----------	342	448	564	796	1,033	1,203	1,017	684	276	66	8	-
WHITE------MALE----	170	212	278	394	531	629	513	341	127	20	2	-
FEMALE--	160	218	262	368	469	549	479	332	141	44	6	-
ALL OTHER--MALE----	7	13	9	16	22	16	17	5	2	1	-	-
FEMALE--	5	5	15	18	11	9	8	6	6	1	-	-
BLACK---MALE----	3	6	-	9	6	10	7	1	-	-	-	-
FEMALE--	2	2	7	3	3	4	1	3	4	1	-	-
PENNSYLVANIA ----------	1,335	1,896	2,457	3,533	4,995	5,261	4,452	2,862	1,228	287	50	1
WHITE------MALE----	580	873	1,200	1,763	2,495	2,527	2,000	1,119	440	73	13	-
FEMALE--	566	776	954	1,360	2,061	2,274	2,174	1,550	707	188	32	1
ALL OTHER--MALE----	107	116	163	218	217	233	133	87	31	10	2	-
FEMALE--	82	131	140	192	222	227	145	106	50	16	3	-
BLACK---MALE----	102	111	157	212	212	226	131	85	30	10	2	-
FEMALE--	76	122	136	181	217	217	138	105	48	16	3	-
RHODE ISLAND ----------	109	147	171	257	387	442	370	274	110	27	4	-
WHITE------MALE----	53	65	84	123	205	216	169	115	43	10	1	-
FEMALE--	46	77	80	119	171	214	191	157	66	17	3	-
ALL OTHER--MALE----	3	4	4	9	8	8	4	1	-	-	-	-
FEMALE--	7	1	3	6	3	4	6	1	1	-	-	-
BLACK---MALE----	2	3	3	7	5	6	3	1	-	-	-	-
FEMALE--	7	1	3	4	2	4	3	1	1	-	-	-
SOUTH CAROLINA ---------	503	670	883	1,074	1,262	1,214	892	570	222	60	7	-
WHITE------MALE----	169	241	361	458	530	521	350	175	57	15	1	-
FEMALE--	139	190	275	338	425	403	336	259	114	29	-	-
ALL OTHER--MALE----	104	141	151	173	184	157	121	73	28	7	2	-
FEMALE--	91	98	96	105	123	133	85	63	23	9	4	-
BLACK---MALE----	101	140	149	171	183	156	120	72	27	7	2	-
FEMALE--	90	97	94	102	122	133	84	63	23	9	4	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
SOUTH DAKOTA ----------	1,632	1	1	1	2	3	2	7	6	21	26	40
WHITE------MALE----	849	1	1	-	-	2	2	2	4	6	12	23
FEMALE--	726	-	-	-	2	1	-	5	1	13	14	14
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	1	-	-	-	-	1	2	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TENNESSEE ----------	11,943	-	9	9	13	16	28	31	63	148	247	446
WHITE------MALE----	5,482	-	4	6	5	6	7	17	24	51	92	163
FEMALE--	4,650	-	3	3	4	6	12	11	26	53	103	169
ALL OTHER--MALE----	987	-	1	-	3	2	7	1	5	18	24	61
FEMALE--	824	-	1	-	1	2	2	2	8	26	28	53
BLACK---MALE----	967	-	1	-	3	2	7	1	5	18	23	59
FEMALE--	806	-	1	-	1	2	2	2	8	26	27	50
TEXAS ----------	32,755	9	35	50	47	64	79	108	198	383	759	1,229
WHITE------MALE----	14,945	3	21	24	17	28	40	51	83	130	283	468
FEMALE--	13,318	4	11	18	19	27	28	43	83	172	338	494
ALL OTHER--MALE----	2,402	-	3	5	4	4	7	5	12	33	63	145
FEMALE--	2,090	2	-	3	7	5	4	9	20	48	75	122
BLACK---MALE----	2,235	-	2	4	2	3	5	5	10	29	58	134
FEMALE--	1,916	1	-	3	7	5	4	8	18	41	70	104
UTAH ----------	2,393	2	5	7	2	9	19	10	24	39	51	100
WHITE------MALE----	1,227	1	4	5	1	6	12	4	8	18	19	45
FEMALE--	1,092	1	1	2	-	2	7	6	15	20	28	48
ALL OTHER--MALE----	40	-	-	-	-	1	-	-	-	-	3	3
FEMALE--	34	-	-	-	1	-	-	-	1	1	1	4
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
VERMONT ----------	1,255	-	1	-	1	-	2	4	5	19	22	37
WHITE------MALE----	659	-	1	-	-	-	-	3	2	6	12	18
FEMALE--	590	-	-	-	-	-	1	1	3	12	10	19
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA ----------	13,365	2	14	12	17	15	23	33	58	180	307	459
WHITE------MALE----	5,404	1	8	6	5	5	10	15	16	55	87	165
FEMALE--	5,018	-	4	4	6	2	7	8	21	64	127	150
ALL OTHER--MALE----	1,593	-	-	1	4	5	2	7	9	22	33	81
FEMALE--	1,350	1	2	1	2	3	4	3	12	39	60	63
BLACK---MALE----	1,496	-	-	1	4	5	1	7	6	19	30	76
FEMALE--	1,258	1	2	1	2	3	4	3	11	37	56	56

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
SOUTH DAKOTA ----------	66	89	128	181	259	251	241	173	88	42	4	-
WHITE------MALE----	34	55	79	97	149	133	122	79	36	11	1	-
FEMALE--	26	31	43	71	105	109	113	93	52	30	3	-
ALL OTHER--MALE----	2	1	3	10	2	5	3	1	-	1	-	-
FEMALE--	4	2	3	3	3	4	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	665	1,013	1,249	1,553	1,826	1,798	1,392	950	370	102	13	2
WHITE------MALE----	288	467	638	782	921	866	642	363	113	24	2	1
FEMALE--	261	378	434	544	683	692	566	432	203	60	7	-
ALL OTHER--MALE----	51	104	116	132	123	139	91	72	26	9	1	1
FEMALE--	65	64	61	95	99	101	93	83	28	9	3	-
BLACK---MALE----	50	103	112	129	121	137	89	70	26	9	1	1
FEMALE--	60	62	60	95	95	100	93	83	27	9	3	-
TEXAS ----------	1,905	2,551	3,140	4,129	5,115	5,017	3,869	2,649	1,087	288	44	-
WHITE------MALE----	758	1,182	1,548	2,030	2,451	2,458	1,785	1,112	384	79	10	-
FEMALE--	769	971	1,138	1,502	2,009	1,989	1,672	1,265	577	166	23	-
ALL OTHER--MALE----	207	236	237	334	375	311	219	126	58	16	2	-
FEMALE--	171	162	217	263	280	259	193	146	68	27	9	-
BLACK---MALE----	198	216	221	311	353	282	208	124	53	15	2	-
FEMALE--	155	139	193	241	265	238	184	140	65	26	9	-
UTAH ----------	115	153	195	281	348	368	313	224	95	31	2	-
WHITE------MALE----	58	70	92	149	185	222	163	114	39	11	1	-
FEMALE--	53	74	95	126	155	136	141	107	54	20	1	-
ALL OTHER--MALE----	4	4	2	4	4	5	5	3	2	-	-	-
FEMALE--	-	5	6	2	4	5	4	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	2	-	3	-	-	-	-
FEMALE--	-	1	1	-	1	-	2	-	-	-	-	-
VERMONT ----------	75	94	113	174	179	198	163	102	48	17	1	-
WHITE------MALE----	36	57	63	94	100	113	73	56	22	3	-	-
FEMALE--	37	37	49	80	79	85	90	46	26	14	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	762	1,049	1,300	1,734	2,062	2,127	1,629	1,056	421	92	13	-
WHITE------MALE----	288	432	561	765	865	918	670	380	128	23	1	-
FEMALE--	266	356	442	571	755	818	652	474	229	53	9	-
ALL OTHER--MALE----	116	151	166	218	257	229	157	102	27	6	-	-
FEMALE--	92	110	131	180	185	162	150	100	37	10	3	-
BLACK---MALE----	104	138	156	208	245	215	149	101	26	5	-	-
FEMALE--	77	98	124	171	170	153	141	98	37	10	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
WASHINGTON ----------	10,653	2	11	16	8	11	23	21	41	125	188	365
WHITE------MALE----	5,187	1	3	9	4	5	16	15	15	56	70	172
FEMALE--	4,857	1	6	5	3	4	6	4	22	59	89	155
ALL OTHER--MALE----	340	-	2	1	-	2	-	1	2	9	11	20
FEMALE--	269	-	-	1	1	-	1	1	2	1	18	18
BLACK---MALE----	140	-	-	-	-	-	-	1	-	1	6	9
FEMALE--	93	-	-	-	-	-	-	-	2	1	10	5
WEST VIRGINIA ----------	4,762	1	1	5	4	2	5	15	25	46	87	125
WHITE------MALE----	2,443	1	1	3	2	-	2	7	7	25	30	64
FEMALE--	2,169	-	-	2	2	2	3	7	18	19	52	56
ALL OTHER--MALE----	70	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	80	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	70	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	78	-	-	-	-	-	-	-	-	1	2	2
WISCONSIN ----------	10,755	2	10	6	6	12	19	21	46	106	200	335
WHITE------MALE----	5,443	1	5	4	3	8	13	9	17	35	76	155
FEMALE--	4,854	-	4	1	3	3	5	8	24	58	96	144
ALL OTHER--MALE----	247	-	1	-	-	1	1	-	2	6	16	18
FEMALE--	211	1	-	1	-	-	-	4	3	7	12	18
BLACK---MALE----	205	-	1	-	-	1	-	-	2	5	13	17
FEMALE--	173	1	-	1	-	-	-	4	2	6	11	16
WYOMING ----------	899	-	1	3	-	2	3	1	2	7	26	39
WHITE------MALE----	476	-	1	2	-	1	2	-	1	3	10	18
FEMALE--	404	-	-	1	-	1	1	1	1	4	14	21
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
WASHINGTON ----------	531	713	965	1,212	1,620	1,758	1,530	971	420	104	18	-
WHITE------MALE----	238	338	492	624	819	886	749	461	175	35	4	-
FEMALE--	247	316	404	504	714	794	735	479	232	66	12	-
ALL OTHER--MALE----	22	36	42	42	46	50	30	18	5	1	-	-
FEMALE--	24	23	27	42	41	28	16	13	8	2	2	-
BLACK---MALE----	11	20	16	16	21	26	8	5	-	-	-	-
FEMALE--	7	5	12	18	13	5	4	6	3	1	1	-
WEST VIRGINIA ----------	224	348	512	603	808	806	574	366	155	44	6	-
WHITE------MALE----	112	202	256	328	436	404	304	185	62	9	3	-
FEMALE--	105	138	246	261	347	373	246	169	88	32	3	-
ALL OTHER--MALE----	3	2	5	7	13	14	12	6	-	1	-	-
FEMALE--	4	6	5	7	12	15	12	6	5	2	-	-
BLACK---MALE----	3	2	5	7	13	14	12	6	-	1	-	-
FEMALE--	3	6	5	7	12	15	12	6	5	2	-	-
WISCONSIN ----------	487	685	922	1,268	1,689	1,687	1,563	1,044	506	128	13	-
WHITE------MALE----	244	370	473	675	924	899	802	460	218	47	5	-
FEMALE--	209	271	388	530	700	740	736	569	279	78	8	-
ALL OTHER--MALE----	23	24	30	29	43	27	15	6	3	2	-	-
FEMALE--	11	20	31	34	22	21	10	9	6	1	-	-
BLACK---MALE----	19	21	23	22	35	24	13	5	3	1	-	-
FEMALE--	10	14	25	28	19	17	7	5	6	1	-	-
WYOMING ----------	46	65	81	117	136	125	136	59	42	7	1	-
WHITE------MALE----	24	41	45	63	87	60	67	29	18	3	1	-
FEMALE--	20	23	36	47	49	64	64	29	24	4	-	-
ALL OTHER--MALE----	-	-	-	3	-	1	2	-	-	-	-	-
FEMALE--	2	1	-	4	-	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 640

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
UNITED STATES -	7,486	-	2	1	5	9	18	14	29	96	195	449
WHITE------MALE----	3,955	-	1	-	2	3	6	6	11	34	100	218
FEMALE--	2,161	-	1	1	1	2	3	4	9	26	34	69
ALL OTHER--MALE----	989	-	-	-	1	3	8	4	6	24	46	128
FEMALE--	381	-	-	-	1	1	1	-	3	12	15	34
BLACK---MALE----	828	-	-	-	1	3	3	2	4	17	30	109
FEMALE--	317	-	-	-	1	1	1	-	2	8	12	26
ALABAMA ----------	135	-	-	-	-	-	-	-	1	3	3	8
WHITE------MALE----	62	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	1	-	5
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	28	-	-	-	-	-	-	-	1	1	-	5
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
ALASKA ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	113	-	-	-	-	-	-	-	1	1	4	5
WHITE------MALE----	75	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	33	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	73	-	1	-	-	-	-	-	-	1	-	3
WHITE------MALE----	41	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	20	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	817	-	-	-	-	-	3	1	5	15	20	48
WHITE------MALE----	389	-	-	-	-	-	1	1	3	4	8	23
FEMALE--	264	-	-	-	-	-	-	-	-	6	3	5
ALL OTHER--MALE----	119	-	-	-	-	-	2	-	1	3	7	16
FEMALE--	45	-	-	-	-	-	-	-	1	2	2	4
BLACK---MALE----	46	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
UNITED STATES -	612	753	863	889	1,007	993	751	501	220	64	15	-
WHITE------MALE----	337	418	530	521	587	524	362	205	76	13	1	-
FEMALE--	93	142	158	216	279	349	325	252	137	47	13	-
ALL OTHER--MALE----	137	150	133	108	92	81	40	24	3	1	-	-
FEMALE--	45	43	42	44	49	39	24	20	4	3	1	-
BLACK---MALE----	118	127	119	93	78	70	33	19	1	1	-	-
FEMALE--	37	38	38	37	42	29	21	18	4	1	1	-
ALABAMA ----------	10	12	11	15	16	19	19	14	2	2	-	-
WHITE------MALE----	7	5	3	9	11	7	8	7	2	-	-	-
FEMALE--	-	2	3	1	3	6	9	6	-	2	-	-
ALL OTHER--MALE----	3	4	5	2	1	5	1	-	-	-	-	-
FEMALE--	-	1	-	3	1	1	1	1	-	-	-	-
BLACK---MALE----	3	4	5	2	1	5	1	-	-	-	-	-
FEMALE--	-	1	-	3	1	1	1	1	-	-	-	-
ALASKA ----------	1	1	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	12	11	18	16	16	14	5	4	-	-	-
WHITE------MALE----	6	9	10	12	11	9	8	2	3	-	-	-
FEMALE--	-	2	1	6	4	7	6	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	6	9	8	5	9	13	3	6	-	-	-
WHITE------MALE----	9	1	5	5	3	6	4	2	3	-	-	-
FEMALE--	-	1	3	2	1	2	7	-	3	-	-	-
ALL OTHER--MALE----	-	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	1	1	-	-	-	-
CALIFORNIA ----------	64	89	93	80	117	109	85	49	27	11	1	-
WHITE------MALE----	33	40	47	47	65	48	31	26	8	4	-	-
FEMALE--	8	24	24	22	34	48	48	19	17	5	1	-
ALL OTHER--MALE----	18	16	20	6	13	9	4	2	2	-	-	-
FEMALE--	5	9	2	5	5	4	2	2	-	2	-	-
BLACK---MALE----	6	5	14	1	7	6	1	-	-	-	-	-
FEMALE--	3	7	1	3	4	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
COLORADO ----------	72	-	-	-	-	-	-	-	-	1	3	2
WHITE------MALE----	42	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	90	-	-	-	-	-	-	-	-	2	3	6
WHITE------MALE----	50	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	17	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	28	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
FLORIDA ----------	619	-	-	-	2	-	-	-	3	4	14	24
WHITE------MALE----	369	-	-	-	1	-	-	-	1	3	7	12
FEMALE--	189	-	-	-	-	-	-	-	1	1	6	4
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	17	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	43	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	17	-	-	-	1	-	-	-	1	-	-	-
GEORGIA ----------	208	-	-	-	1	1	1	-	-	1	10	17
WHITE------MALE----	80	-	-	-	-	-	1	-	-	-	4	5
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	57	-	-	-	1	1	-	-	-	1	4	6
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	57	-	-	-	1	1	-	-	-	1	4	6
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
COLORADO ----------	5	5	13	6	9	11	11	1	5	-	-	-
WHITE------MALE----	2	4	8	3	7	5	7	-	1	-	-	-
FEMALE--	3	1	4	3	2	5	4	1	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	9	8	11	11	10	6	13	7	2	2	-	-
WHITE------MALE----	5	5	6	6	7	3	9	2	-	1	-	-
FEMALE--	2	3	3	4	2	3	4	5	2	1	-	-
ALL OTHER--MALE----	2	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	4	3	2	2	1	2	-	1	-	-	-
WHITE------MALE----	-	3	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	5	4	3	1	4	-	2	2	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	3	3	1	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	1	1	-	-	-
BLACK---MALE----	2	3	3	1	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	1	1	-	-	-
FLORIDA ----------	40	65	78	71	93	92	66	41	18	5	3	-
WHITE------MALE----	25	46	52	49	52	53	39	19	7	2	1	-
FEMALE--	7	12	17	15	33	34	23	20	11	3	2	-
ALL OTHER--MALE----	5	7	6	6	5	3	2	1	-	-	-	-
FEMALE--	3	-	3	1	3	2	2	1	-	-	-	-
BLACK---MALE----	5	7	6	6	5	2	2	1	-	-	-	-
FEMALE--	3	-	3	1	3	2	2	1	-	-	-	-
GEORGIA ----------	22	25	23	21	23	23	19	14	4	2	1	-
WHITE------MALE----	8	7	11	10	8	12	4	10	-	-	-	-
FEMALE--	3	7	2	4	4	8	10	3	4	2	1	-
ALL OTHER--MALE----	9	11	9	5	3	3	3	1	-	-	-	-
FEMALE--	2	-	1	2	8	-	2	-	-	-	-	-
BLACK---MALE----	9	11	9	5	3	3	3	1	-	-	-	-
FEMALE--	1	-	1	2	8	-	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
HAWAII ----------	37	-	-	-	-	-	-	1	-	1	2	4
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	23	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	301	-	-	-	-	1	1	-	-	3	14	15
WHITE------MALE----	167	-	-	-	-	-	-	-	-	-	10	11
FEMALE--	64	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	49	-	-	-	-	-	1	-	-	1	4	3
FEMALE--	21	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	44	-	-	-	-	-	1	-	-	1	3	3
FEMALE--	19	-	-	-	-	1	-	-	-	1	-	-
INDIANA ----------	134	-	-	-	-	-	1	-	-	3	2	7
WHITE------MALE----	78	-	-	-	-	-	1	-	-	3	1	5
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	78	-	-	-	-	-	-	2	-	-	2	1
WHITE------MALE----	52	-	-	-	-	-	-	2	-	-	2	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	62	-	-	-	-	-	-	-	1	-	1	3
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
HAWAII ----------	3	1	5	3	5	4	5	3	-	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	3	1	3	3	3	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	5	2	4	-	1	3	2	1	2	-	-
WHITE------MALE----	2	5	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	27	30	42	37	42	31	26	21	7	3	1	-
WHITE------MALE----	16	16	25	21	29	16	11	10	2	-	-	-
FEMALE--	3	3	5	8	4	10	11	10	5	3	-	-
ALL OTHER--MALE----	8	4	8	7	7	4	2	-	-	-	-	-
FEMALE--	-	7	4	1	2	1	2	1	-	-	1	-
BLACK---MALE----	7	3	7	6	7	4	2	-	-	-	-	-
FEMALE--	-	6	4	-	2	1	2	1	-	-	1	-
INDIANA ----------	9	18	10	17	19	18	19	9	1	1	-	-
WHITE------MALE----	5	14	6	9	11	8	8	6	-	1	-	-
FEMALE--	2	-	2	6	6	9	10	3	1	-	-	-
ALL OTHER--MALE----	2	4	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	4	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
IOWA ----------	3	5	9	10	13	15	10	6	2	-	-	-
WHITE------MALE----	2	4	6	8	10	6	6	4	1	-	-	-
FEMALE--	1	1	3	2	3	9	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	4	6	3	9	13	4	12	3	1	-	-
WHITE------MALE----	1	4	3	3	5	7	2	4	1	-	-	-
FEMALE--	-	-	1	-	3	6	2	7	2	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
KENTUCKY ----------	122	-	-	-	-	-	-	-	2	2	3	5
WHITE------MALE----	80	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA ----------	154	-	-	-	-	-	2	1	2	3	8	14
WHITE------MALE----	57	-	-	-	-	-	-	-	1	-	5	4
FEMALE--	47	-	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	38	-	-	-	-	-	2	1	-	2	3	5
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	38	-	-	-	-	-	2	1	-	2	3	5
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
MAINE ----------	47	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	145	-	-	-	-	-	-	1	1	2	3	16
WHITE------MALE----	63	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	2	2	8
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	195	-	-	1	-	-	3	-	-	1	1	12
WHITE------MALE----	117	-	-	-	-	-	1	-	-	1	1	6
FEMALE--	68	-	-	1	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	9	-	-	-	-	-	2	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	244	-	-	-	-	-	2	-	1	4	8	10
WHITE------MALE----	117	-	-	-	-	-	-	-	-	3	4	6
FEMALE--	81	-	-	-	-	-	2	-	-	1	-	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
KENTUCKY ----------	13	7	24	14	20	11	9	8	3	1	-	-
WHITE------MALE----	10	6	21	8	11	9	4	5	-	1	-	-
FEMALE--	2	1	1	2	7	1	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	2	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	1	-	-	-	-	-
LOUISIANA ----------	14	14	9	19	26	24	7	6	3	2	-	-
WHITE------MALE----	5	2	4	7	11	11	3	3	1	-	-	-
FEMALE--	4	4	1	6	12	7	2	2	2	2	-	-
ALL OTHER--MALE----	4	7	3	2	2	5	1	1	-	-	-	-
FEMALE--	1	1	1	4	1	1	1	-	-	-	-	-
BLACK---MALE----	4	7	3	2	2	5	1	1	-	-	-	-
FEMALE--	1	1	1	4	1	1	1	-	-	-	-	-
MAINE ----------	3	3	5	8	9	3	4	5	1	-	1	-
WHITE------MALE----	2	-	4	5	7	2	3	2	1	-	-	-
FEMALE--	1	2	1	3	1	1	1	3	-	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	9	10	18	22	26	10	11	1	1	2	-
WHITE------MALE----	4	2	7	12	10	9	6	6	-	-	-	-
FEMALE--	2	2	-	2	7	11	3	5	1	-	2	-
ALL OTHER--MALE----	5	4	2	2	4	5	1	-	-	1	-	-
FEMALE--	1	1	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	5	4	2	2	4	5	1	-	-	1	-	-
FEMALE--	1	1	1	2	1	1	-	-	-	-	-	-
MASSACHUSETTS ----------	6	29	9	22	27	36	25	16	6	1	-	-
WHITE------MALE----	5	21	7	13	20	17	18	3	4	-	-	-
FEMALE--	1	6	2	9	7	16	6	13	2	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	20	21	29	31	33	37	24	16	7	1	-	-
WHITE------MALE----	10	12	12	16	17	16	12	8	1	-	-	-
FEMALE--	1	3	12	10	10	15	12	7	6	1	-	-
ALL OTHER--MALE----	5	1	4	2	3	3	-	-	-	-	-	-
FEMALE--	4	5	1	3	3	3	-	1	-	-	-	-
BLACK---MALE----	3	1	4	2	3	3	-	-	-	-	-	-
FEMALE--	4	4	-	3	2	3	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
MINNESOTA ----------	94	-	-	-	-	-	-	-	-	2	2	3
WHITE------MALE----	59	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	108	-	-	-	-	1	-	-	-	1	5	8
WHITE------MALE----	48	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	13	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	138	-	-	-	-	-	2	-	1	3	3	10
WHITE------MALE----	66	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	51	-	-	-	-	-	1	-	1	2	-	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	1
MONTANA ----------	28	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	35	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	49	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
MINNESOTA ----------	12	10	13	11	10	9	10	8	3	1	-	-
WHITE------MALE----	5	4	11	8	5	7	10	4	1	-	-	-
FEMALE--	4	6	1	3	4	2	-	4	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	12	16	15	14	15	9	5	5	2	-	-	-
WHITE------MALE----	2	11	7	8	6	3	3	2	-	-	-	-
FEMALE--	1	-	1	2	3	1	1	1	1	-	-	-
ALL OTHER--MALE----	8	3	5	4	3	3	1	2	1	-	-	-
FEMALE--	1	2	2	-	3	2	-	-	-	-	-	-
BLACK---MALE----	8	3	5	4	3	3	1	2	1	-	-	-
FEMALE--	1	2	2	-	3	2	-	-	-	-	-	-
MISSOURI ----------	9	14	16	12	19	15	11	13	8	1	1	-
WHITE------MALE----	6	11	10	6	8	8	5	5	2	-	-	-
FEMALE--	2	2	4	2	7	7	5	7	6	1	1	-
ALL OTHER--MALE----	1	1	2	4	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	1	1	2	4	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
MONTANA ----------	3	3	3	4	1	6	3	3	1	-	-	-
WHITE------MALE----	3	2	1	3	-	6	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	3	3	8	1	7	5	4	1	1	-	-
WHITE------MALE----	-	2	3	6	1	4	1	2	1	-	-	-
FEMALE--	-	1	-	2	-	3	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	4	4	6	8	8	6	3	-	2	-	-
WHITE------MALE----	5	3	3	3	6	4	3	-	-	-	-	-
FEMALE--	-	-	-	1	2	3	3	3	-	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
NEW HAMPSHIRE ----------	28	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	226	-	-	-	-	-	-	1	1	1	5	17
WHITE------MALE----	106	-	-	-	-	-	-	-	-	-	2	11
FEMALE--	58	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	41	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-
NEW MEXICO ----------	42	-	-	-	-	-	-	-	-	-	4	2
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	498	-	-	-	1	2	1	1	2	8	12	37
WHITE------MALE----	254	-	-	-	-	1	1	-	-	3	6	16
FEMALE--	126	-	-	-	1	-	-	-	1	2	4	4
ALL OTHER--MALE----	77	-	-	-	-	1	-	1	-	2	1	11
FEMALE--	41	-	-	-	-	-	-	-	1	1	1	6
BLACK---MALE----	57	-	-	-	-	1	-	-	-	-	-	8
FEMALE--	34	-	-	-	-	-	-	-	1	1	-	4
NORTH CAROLINA ---------	210	-	-	-	-	1	1	-	-	3	7	16
WHITE------MALE----	78	-	-	-	-	-	1	-	-	-	3	6
FEMALE--	69	-	-	-	-	1	-	-	-	1	1	2
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	46	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	1
NORTH DAKOTA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
NEW HAMPSHIRE ----------	3	3	3	1	1	5	4	4	1	-	2	-
WHITE------MALE----	2	-	2	1	1	5	2	2	1	-	-	-
FEMALE--	1	3	1	-	-	-	2	2	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	19	22	27	26	32	29	21	17	5	3	-	-
WHITE------MALE----	7	9	15	15	17	12	10	5	3	-	-	-
FEMALE--	3	3	4	5	6	9	10	10	2	3	-	-
ALL OTHER--MALE----	7	9	6	4	5	5	1	-	-	-	-	-
FEMALE--	2	1	2	2	4	3	-	2	-	-	-	-
BLACK---MALE----	7	8	5	4	5	5	1	-	-	-	-	-
FEMALE--	1	1	2	2	4	3	-	2	-	-	-	-
NEW MEXICO ----------	3	1	6	2	7	7	3	5	2	-	-	-
WHITE------MALE----	3	1	5	2	3	5	1	2	1	-	-	-
FEMALE--	-	-	1	-	4	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	54	51	56	61	58	56	52	30	12	2	2	-
WHITE------MALE----	31	26	32	36	38	26	22	9	6	1	-	-
FEMALE--	9	7	6	11	13	18	24	17	6	1	2	-
ALL OTHER--MALE----	8	16	10	7	6	7	5	2	-	-	-	-
FEMALE--	6	2	8	7	1	5	1	2	-	-	-	-
BLACK---MALE----	7	12	9	5	4	5	5	1	-	-	-	-
FEMALE--	6	2	7	6	-	4	1	2	-	-	-	-
NORTH CAROLINA ---------	21	18	27	22	19	30	19	15	9	2	-	-
WHITE------MALE----	5	3	10	15	14	14	4	2	1	-	-	-
FEMALE--	4	3	8	1	4	13	12	9	8	2	-	-
ALL OTHER--MALE----	9	11	7	6	1	1	1	1	-	-	-	-
FEMALE--	3	1	2	-	-	2	2	3	-	-	-	-
BLACK---MALE----	9	10	7	6	1	1	1	1	-	-	-	-
FEMALE--	2	1	2	-	-	2	2	3	-	-	-	-
NORTH DAKOTA ----------	-	1	2	6	1	2	3	2	-	-	-	-
WHITE------MALE----	-	-	2	5	-	1	3	2	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
OHIO ----------	325	-	-	-	-	-	-	1	2	1	11	19
WHITE------MALE----	190	-	-	-	-	-	-	1	1	-	5	10
FEMALE--	89	-	-	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA ----------	77	-	-	-	-	-	-	-	-	1	2	5
WHITE------MALE----	49	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	101	-	-	-	-	-	-	-	-	2	3	8
WHITE------MALE----	67	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	332	-	-	-	-	-	-	3	1	3	4	15
WHITE------MALE----	194	-	-	-	-	-	-	1	1	3	2	13
FEMALE--	99	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	27	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND ----------	29	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	166	-	-	-	-	-	-	1	-	1	7	23
WHITE------MALE----	61	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	34	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	-	2	10
FEMALE--	17	-	-	-	-	-	-	-	-	-	2	6
BLACK---MALE----	53	-	-	-	-	-	-	-	-	-	1	10
FEMALE--	17	-	-	-	-	-	-	-	-	-	2	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
OHIO ----------	17	33	35	36	54	46	40	17	7	6	-	-
WHITE------MALE----	13	18	27	14	37	28	24	9	2	1	-	-
FEMALE--	1	7	5	16	9	14	14	7	4	5	-	-
ALL OTHER--MALE----	3	7	3	6	3	2	2	1	-	-	-	-
FEMALE--	-	1	-	-	5	2	-	-	1	-	-	-
BLACK---MALE----	3	7	3	6	3	2	2	1	-	-	-	-
FEMALE--	-	1	-	-	5	2	-	-	1	-	-	-
OKLAHOMA ----------	10	7	12	10	8	9	1	6	5	1	-	-
WHITE------MALE----	8	6	10	5	5	5	-	3	1	-	-	-
FEMALE--	-	-	2	2	2	4	-	1	3	1	-	-
ALL OTHER--MALE----	2	1	-	3	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	1	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
OREGON ----------	9	8	10	14	7	13	14	8	4	1	-	-
WHITE------MALE----	7	7	7	10	5	7	7	5	1	-	-	-
FEMALE--	1	1	2	2	2	6	7	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA ----------	26	32	37	43	50	39	35	31	10	3	-	-
WHITE------MALE----	15	19	28	26	35	23	15	7	6	-	-	-
FEMALE--	7	7	3	8	15	15	14	21	4	2	-	-
ALL OTHER--MALE----	4	3	5	8	-	-	4	3	-	-	-	-
FEMALE--	-	3	1	1	-	1	2	-	-	1	-	-
BLACK---MALE----	3	3	5	8	-	-	4	3	-	-	-	-
FEMALE--	-	3	1	1	-	1	2	-	-	1	-	-
RHODE ISLAND ----------	2	1	3	2	4	5	6	3	2	-	-	-
WHITE------MALE----	2	-	2	1	3	3	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	18	16	20	23	17	14	14	5	6	1	-	-
WHITE------MALE----	3	6	9	10	8	8	5	2	-	-	-	-
FEMALE--	1	1	2	6	4	2	7	2	6	1	-	-
ALL OTHER--MALE----	9	8	9	7	4	4	1	-	-	-	-	-
FEMALE--	5	1	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	9	8	9	7	4	4	1	-	-	-	-	-
FEMALE--	5	1	-	-	1	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
SOUTH DAKOTA ----------	21	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	174	-	-	-	-	1	-	1	2	-	5	14
WHITE------MALE----	91	-	-	-	-	1	-	1	1	-	2	4
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
TEXAS ----------	516	-	-	-	-	2	1	-	-	9	8	31
WHITE------MALE----	299	-	-	-	-	1	-	-	-	1	5	14
FEMALE--	129	-	-	-	-	-	-	-	-	1	3	9
ALL OTHER--MALE----	71	-	-	-	-	1	1	-	-	6	-	6
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	67	-	-	-	-	1	-	-	-	5	-	6
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	2
UTAH ----------	31	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	11	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	155	-	-	-	1	-	-	-	1	5	2	11
WHITE------MALE----	64	-	-	-	1	-	-	-	-	1	1	3
FEMALE--	36	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	3	1	5
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	35	-	-	-	-	-	-	-	-	3	1	5
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
SOUTH DAKOTA ----------	1	2	4	3	3	-	1	2	2	-	-	-
WHITE------MALE----	1	1	3	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	12	16	22	28	23	17	16	10	6	1	-	-
WHITE------MALE----	6	10	16	18	12	9	5	3	2	1	-	-
FEMALE--	5	3	5	7	5	5	9	6	4	-	-	-
ALL OTHER--MALE----	-	2	1	3	5	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	2	1	3	5	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	-	-	-
TEXAS ----------	54	60	58	65	68	74	49	23	10	3	1	-
WHITE------MALE----	29	36	39	42	42	48	29	8	5	-	-	-
FEMALE--	8	9	9	12	19	19	19	12	5	3	1	-
ALL OTHER--MALE----	14	12	7	8	7	6	1	2	-	-	-	-
FEMALE--	3	3	3	3	-	1	-	1	-	-	-	-
BLACK---MALE----	14	12	7	7	7	5	1	2	-	-	-	-
FEMALE--	3	3	3	3	-	1	-	1	-	-	-	-
UTAH ----------	4	4	5	5	1	5	3	-	1	1	-	-
WHITE------MALE----	4	3	4	3	-	4	1	-	-	1	-	-
FEMALE--	-	1	1	2	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	3	1	2	-	3	-	-	-	-
WHITE------MALE----	-	1	-	1	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	18	10	19	19	24	23	9	12	1	-	-	-
WHITE------MALE----	9	2	9	10	10	11	3	4	-	-	-	-
FEMALE--	1	1	3	5	8	8	2	5	1	-	-	-
ALL OTHER--MALE----	6	6	3	3	3	2	3	2	-	-	-	-
FEMALE--	2	1	4	1	3	2	1	1	-	-	-	-
BLACK---MALE----	6	6	3	3	3	1	2	2	-	-	-	-
FEMALE--	2	1	4	1	3	2	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
WASHINGTON ----------	149	-	-	-	-	-	-	-	1	1	2	6
WHITE------MALE----	90	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	54	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	55	-	-	-	-	-	-	-	-	-	3	3
WHITE------MALE----	39	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	142	-	1	-	-	-	-	-	-	2	2	5
WHITE------MALE----	89	-	1	-	-	-	-	-	-	2	2	4
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	10	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
WASHINGTON ----------	7	16	23	18	23	24	17	8	3	-	-	-
WHITE------MALE----	5	12	16	11	13	16	9	1	1	-	-	-
FEMALE--	1	3	7	6	9	8	8	6	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	7	7	9	8	7	3	1	5	-	-	-
WHITE------MALE----	1	6	6	6	3	6	2	1	4	-	-	-
FEMALE--	1	1	-	3	4	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	8	16	15	17	24	21	12	12	7	-	-	-
WHITE------MALE----	6	11	11	9	14	13	9	4	3	-	-	-
FEMALE--	1	4	3	7	9	6	3	8	4	-	-	-
ALL OTHER--MALE----	1	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	2	-	1	2	1	-	1	-	-	-
WHITE------MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of lip (C00)												
UNITED STATES -	52	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of lip (C00)												
UNITED STATES -	2	2	4	7	10	8	7	7	3	-	1	-
WHITE------MALE----	2	2	4	5	9	4	4	4	1	-	-	-
FEMALE--	-	-	-	2	1	3	3	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	1	1	1	1	-	1	1	-	-	-
WHITE------MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of lip (C00)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of lip (C00)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	1	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of lip (C00)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of lip (C00)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of lip (C00)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of lip (C00)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	2	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of lip (C00)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of lip (C00)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of lip (C00)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of lip (C00)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of lip (C00)												
OHIO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of lip (C00)												
OHIO	1	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	1	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	2	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of lip (C00)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of lip (C00)												
SOUTH DAKOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of lip (C00)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of lip (C00)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of tongue (C01-C02)												
UNITED STATES -	1,738	-	-	-	-	-	4	9	9	27	66	114
WHITE------MALE----	957	-	-	-	-	-	2	4	4	7	39	59
FEMALE--	521	-	-	-	-	-	1	4	5	12	16	21
ALL OTHER--MALE----	181	-	-	-	-	-	1	1	-	5	7	28
FEMALE--	79	-	-	-	-	-	-	-	-	3	4	6
BLACK---MALE----	157	-	-	-	-	-	-	-	-	3	4	24
FEMALE--	67	-	-	-	-	-	-	-	-	2	4	6
ALABAMA ----------	24	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	32	-	-	-	-	-	-	-	1	1	4	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	213	-	-	-	-	-	-	1	2	4	9	16
WHITE------MALE----	112	-	-	-	-	-	-	1	2	-	7	8
FEMALE--	73	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	1	6
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
UNITED STATES -	152	170	197	209	228	221	164	102	47	15	4	-
WHITE------MALE----	89	89	130	134	139	128	74	44	13	2	-	-
FEMALE--	26	39	38	45	63	73	83	50	30	11	4	-
ALL OTHER--MALE----	26	34	20	18	19	14	3	4	1	-	-	-
FEMALE--	11	8	9	12	7	6	4	4	3	2	-	-
BLACK---MALE----	26	30	19	15	17	13	3	2	1	-	-	-
FEMALE--	9	7	8	10	5	5	3	4	3	1	-	-
ALABAMA ----------	1	3	2	3	5	4	4	2	-	-	-	-
WHITE------MALE----	1	2	2	2	3	3	1	2	-	-	-	-
FEMALE--	-	-	-	1	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	5	4	4	2	4	2	2	1	-	-	-
WHITE------MALE----	1	4	4	3	2	2	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	2	-	2	3	-	-	-	-	-
WHITE------MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	14	22	25	21	27	31	23	8	6	3	1	-
WHITE------MALE----	10	9	15	12	16	15	8	5	3	1	-	-
FEMALE--	2	7	7	7	10	13	15	2	3	1	1	-
ALL OTHER--MALE----	2	3	3	1	1	3	-	1	-	-	-	-
FEMALE--	-	3	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	2	1	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of tongue (C01-C02)												
COLORADO ----------	17	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	16	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	153	-	-	-	-	-	-	-	1	-	5	10
WHITE------MALE----	89	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	46	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	38	-	-	-	-	-	1	-	-	-	2	6
WHITE------MALE----	14	-	-	-	-	-	1	-	-	-	2	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
COLORADO ----------	2	-	4	2	2	1	3	-	1	-	-	-
WHITE------MALE----	-	-	2	2	2	1	3	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	2	-	2	1	1	2	2	1	-	-	-
WHITE------MALE----	3	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	2	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	2	2	1	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
FLORIDA ----------	14	18	21	11	26	16	11	11	6	3	-	-
WHITE------MALE----	8	12	14	8	16	9	6	6	3	-	-	-
FEMALE--	3	4	6	2	7	7	5	3	3	3	-	-
ALL OTHER--MALE----	1	2	1	1	2	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	2	1	1	2	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
GEORGIA ----------	7	5	4	2	3	3	3	-	-	1	1	-
WHITE------MALE----	3	1	-	1	-	3	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	2	-	-	1	1	-
ALL OTHER--MALE----	1	4	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	4	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of tongue (C01-C02)												
HAWAII ----------	9	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	74	-	-	-	-	-	-	-	-	1	1	6
WHITE------MALE----	51	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	28	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	20	-	-	-	-	-	-	2	-	-	1	1
WHITE------MALE----	13	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	15	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
HAWAII ----------	3	-	1	1	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	1	3	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	9	8	8	14	8	5	5	2	1	-	-
WHITE------MALE----	3	8	6	7	10	6	2	3	-	-	-	-
FEMALE--	1	1	-	-	-	2	3	2	2	1	-	-
ALL OTHER--MALE----	2	-	1	1	4	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	4	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	2	2	3	6	3	1	1	1	1	-	-
WHITE------MALE----	2	2	1	2	3	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	3	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IOWA ----------	-	2	3	4	4	2	-	1	-	-	-	-
WHITE------MALE----	-	1	-	3	3	1	-	1	-	-	-	-
FEMALE--	-	1	3	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	2	2	2	3	1	4	-	-	-	-
WHITE------MALE----	-	-	1	2	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of tongue (C01-C02)												
KENTUCKY ----------	27	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA ----------	26	-	-	-	-	-	-	-	1	1	2	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	34	-	-	-	-	-	-	1	-	1	1	3
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	53	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	33	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	54	-	-	-	-	-	-	-	-	1	4	3
WHITE------MALE----	29	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
KENTUCKY ----------	-	1	7	4	5	3	3	1	-	-	-	-
WHITE------MALE----	-	-	5	2	3	2	2	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	2	3	1	1	4	4	2	3	-	-	-	-
WHITE------MALE----	1	-	1	1	3	2	1	2	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	1	-	4	1	-	1	-	-	1	-
WHITE------MALE----	-	-	1	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	3	2	4	6	6	2	3	-	-	-	-
WHITE------MALE----	1	1	2	2	2	3	2	3	-	-	-	-
FEMALE--	-	1	-	-	4	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	4	11	3	7	5	11	5	4	1	-	-	-
WHITE------MALE----	3	9	3	5	4	4	4	-	-	-	-	-
FEMALE--	1	1	-	2	1	6	1	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	6	5	6	6	6	9	3	3	-	-	-
WHITE------MALE----	-	3	3	4	4	2	6	2	-	-	-	-
FEMALE--	-	2	1	1	2	3	3	1	3	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of tongue (C01-C02)												
MINNESOTA ----------	17	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	12	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	29	-	-	-	-	-	1	-	1	3	-	3
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	1	-	1	2	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	16	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
MINNESOTA ----------	1	2	1	2	3	1	3	2	-	-	-	-
WHITE------MALE----	1	1	1	1	1	1	3	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	1	1	-	-	2	1	-	1	-	-	-
WHITE------MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MISSOURI ----------	2	4	1	3	1	2	3	4	1	-	-	-
WHITE------MALE----	1	3	1	1	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	1	1	-	2	1	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	3	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	1	1	2	3	3	2	-	-	-	-	-
WHITE------MALE----	2	1	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of tongue (C01-C02)												
NEW HAMPSHIRE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	60	-	-	-	-	-	-	1	-	-	2	4
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	8	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	132	-	-	-	-	-	-	-	-	3	4	8
WHITE------MALE----	70	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	34	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
NORTH CAROLINA ---------	52	-	-	-	-	-	-	-	-	1	1	5
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
NEW HAMPSHIRE ----------	1	2	-	-	-	1	2	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	2	11	7	9	10	5	6	-	-	-	-
WHITE------MALE----	3	1	4	7	6	6	2	3	-	-	-	-
FEMALE--	-	-	3	-	1	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	1	3	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	3	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
NEW MEXICO ----------	1	-	1	-	2	1	1	1	-	-	-	-
WHITE------MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	21	15	16	20	14	12	10	7	2	-	-	-
WHITE------MALE----	12	7	10	12	10	7	3	2	1	-	-	-
FEMALE--	5	2	2	3	3	3	7	3	1	-	-	-
ALL OTHER--MALE----	3	6	2	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	2	5	-	1	-	1	-	-	-	-
BLACK---MALE----	3	6	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	2	4	-	1	-	1	-	-	-	-
NORTH CAROLINA ---------	7	3	6	8	6	7	3	2	2	1	-	-
WHITE------MALE----	-	-	3	6	4	4	1	-	-	-	-	-
FEMALE--	1	2	2	-	1	2	2	1	2	1	-	-
ALL OTHER--MALE----	4	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	-	-	1	2	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	1	2	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of tongue (C01-C02)												
OHIO ----------	76	-	-	-	-	-	-	-	1	1	6	4
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	33	-	-	-	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	16	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	31	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	80	-	-	-	-	-	-	1	1	3	2	6
WHITE------MALE----	50	-	-	-	-	-	-	-	1	3	2	5
FEMALE--	24	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	8	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	36	-	-	-	-	-	-	1	-	-	4	5
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
OHIO ----------	3	8	5	7	14	12	6	5	2	2	-	-
WHITE------MALE----	1	1	4	2	9	8	4	1	1	-	-	-
FEMALE--	1	5	1	5	4	4	1	4	-	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
OKLAHOMA ----------	1	1	2	2	1	2	-	1	2	1	-	-
WHITE------MALE----	1	1	2	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON ----------	2	4	4	3	-	2	7	2	2	1	-	-
WHITE------MALE----	2	3	3	2	-	1	3	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	4	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA ----------	7	6	9	10	7	9	6	9	3	1	-	-
WHITE------MALE----	4	2	8	6	6	6	3	4	-	-	-	-
FEMALE--	1	2	1	4	1	3	2	5	3	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
RHODE ISLAND ----------	-	-	1	-	1	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	4	3	5	1	5	6	-	1	-	-	-
WHITE------MALE----	-	-	2	2	1	3	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	3	-	1	-	-	-
ALL OTHER--MALE----	1	3	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	3	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of tongue (C01-C02)												
SOUTH DAKOTA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	34	-	-	-	-	-	-	1	-	-	1	2
WHITE------MALE----	25	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	116	-	-	-	-	-	1	-	-	1	3	9
WHITE------MALE----	75	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
UTAH ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	27	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
SOUTH DAKOTA ----------	-	1	-	1	1	-	-	1	2	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	5	3	8	6	4	2	-	-	-	-	-
WHITE------MALE----	1	5	1	8	3	4	1	-	-	-	-	-
FEMALE--	1	-	2	-	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	14	9	12	17	16	18	9	4	2	-	1	-
WHITE------MALE----	8	7	11	11	13	11	4	1	1	-	-	-
FEMALE--	1	-	1	1	1	4	5	2	1	-	1	-
ALL OTHER--MALE----	3	2	-	4	2	2	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	3	2	-	3	2	2	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
UTAH ----------	1	-	3	3	-	2	-	-	-	-	-	-
WHITE------MALE----	1	-	3	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	3	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5	-	4	-	6	6	3	2	-	-	-	-
WHITE------MALE----	4	-	1	-	3	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of tongue (C01-C02)												
WASHINGTON ----------	31	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	10	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	27	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
WASHINGTON ----------	-	3	6	2	9	3	4	2	-	-	-	-
WHITE------MALE----	-	2	5	1	4	3	1	-	-	-	-	-
FEMALE--	-	1	1	1	5	-	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	2	1	1	-	-	2	-	-	-
WHITE------MALE----	1	-	-	2	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	2	4	5	2	4	2	-	2	-	-	-
WHITE------MALE----	3	1	3	2	1	3	-	-	1	-	-	-
FEMALE--	-	1	-	2	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pharynx (C10-C13,C14.0)												
UNITED STATES -	3,102	-	1	-	4	3	11	3	11	38	81	191
WHITE------MALE----	1,653	-	1	-	2	1	3	1	1	14	32	83
FEMALE--	709	-	-	-	-	-	1	-	2	8	12	22
ALL OTHER--MALE----	557	-	-	-	1	1	6	2	5	12	30	69
FEMALE--	183	-	-	-	1	1	1	-	3	4	7	17
BLACK---MALE----	449	-	-	-	1	1	3	1	4	7	18	57
FEMALE--	147	-	-	-	1	1	1	-	2	1	5	11
ALABAMA ----------	63	-	-	-	-	-	-	-	1	2	3	5
WHITE------MALE----	31	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	20	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	45	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	41	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	336	-	-	-	-	-	1	-	1	8	10	21
WHITE------MALE----	151	-	-	-	-	-	-	-	-	2	1	9
FEMALE--	86	-	-	-	-	-	-	-	-	3	2	1
ALL OTHER--MALE----	73	-	-	-	-	-	1	-	-	2	6	8
FEMALE--	26	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
UNITED STATES -	275	358	386	391	452	407	272	156	49	11	2	-
WHITE------MALE----	134	203	226	226	258	214	147	81	23	3	-	-
FEMALE--	39	51	67	86	115	125	87	61	25	7	1	-
ALL OTHER--MALE----	83	81	72	58	52	48	26	9	1	1	-	-
FEMALE--	19	23	21	21	27	20	12	5	-	-	1	-
BLACK---MALE----	66	66	61	50	43	42	20	8	-	1	-	-
FEMALE--	15	19	19	18	23	15	11	4	-	-	1	-
ALABAMA ----------	6	7	5	8	8	11	5	1	1	-	-	-
WHITE------MALE----	4	3	1	5	6	4	4	1	1	-	-	-
FEMALE--	-	1	2	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	2	2	1	4	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	2	2	2	2	1	4	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
ALASKA ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	5	5	6	8	5	7	2	2	-	-	-
WHITE------MALE----	2	3	4	4	6	3	5	1	1	-	-	-
FEMALE--	-	1	1	2	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	7	3	6	3	4	4	5	3	3	-	-	-
WHITE------MALE----	7	1	3	1	2	3	2	2	1	-	-	-
FEMALE--	-	-	2	1	1	-	2	-	2	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
CALIFORNIA ----------	33	42	41	35	52	42	30	14	5	1	-	-
WHITE------MALE----	14	20	19	20	28	18	12	7	1	-	-	-
FEMALE--	3	10	8	8	11	18	13	5	3	1	-	-
ALL OTHER--MALE----	13	9	13	4	9	3	3	1	1	-	-	-
FEMALE--	3	3	1	3	4	3	2	1	-	-	-	-
BLACK---MALE----	2	1	8	-	5	2	-	-	-	-	-	-
FEMALE--	1	2	1	2	3	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pharynx (C10-C13,C14.0)												
COLORADO ----------	22	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	40	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	15	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	242	-	-	-	2	-	-	-	2	1	5	8
WHITE------MALE----	154	-	-	-	1	-	-	-	-	1	3	4
FEMALE--	62	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	1	-	-	-	1	-	-	-
GEORGIA ----------	99	-	-	-	1	-	-	-	-	1	6	8
WHITE------MALE----	39	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	28	-	-	-	1	-	-	-	-	1	3	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	28	-	-	-	1	-	-	-	-	1	3	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
COLORADO ----------	-	2	2	2	6	7	2	-	-	-	-	-
WHITE------MALE----	-	1	1	1	5	3	2	-	-	-	-	-
FEMALE--	-	1	1	1	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	4	7	5	5	4	5	2	-	-	-	-
WHITE------MALE----	1	3	3	3	5	1	4	-	-	-	-	-
FEMALE--	1	1	3	1	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	3	2	2	1	3	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	2	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	2	2	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
FLORIDA ----------	12	24	31	35	40	44	24	12	1	1	-	-
WHITE------MALE----	7	19	21	26	21	27	15	7	1	1	-	-
FEMALE--	2	3	6	5	16	14	6	5	-	-	-	-
ALL OTHER--MALE----	3	2	3	3	3	3	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	3	2	3	3	3	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
GEORGIA ----------	8	13	10	11	9	14	10	5	2	1	-	-
WHITE------MALE----	2	4	7	6	5	6	2	4	-	-	-	-
FEMALE--	-	5	1	1	1	6	4	1	2	1	-	-
ALL OTHER--MALE----	6	4	2	2	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	2	-	-	-	-	-
BLACK---MALE----	6	4	2	2	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pharynx (C10-C13,C14.0)												
HAWAII ----------	17	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	121	-	-	-	-	1	1	-	-	1	7	4
WHITE------MALE----	59	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	1	-	-	-	3	1
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
INDIANA ----------	62	-	-	-	-	-	1	-	-	1	1	1
WHITE------MALE----	35	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	27	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	18	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
HAWAII ----------	-	1	3	1	2	3	2	1	-	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	3	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	3	1	-	-	-	-	2	-	1	-	-
WHITE------MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	12	15	17	14	13	15	13	7	-	-	1	-
WHITE------MALE----	7	5	12	5	10	5	5	3	-	-	-	-
FEMALE--	-	2	2	4	1	6	6	4	-	-	-	-
ALL OTHER--MALE----	5	4	1	4	2	3	1	-	-	-	-	-
FEMALE--	-	4	2	1	-	1	1	-	-	-	1	-
BLACK---MALE----	4	3	-	4	2	3	1	-	-	-	-	-
FEMALE--	-	3	2	-	-	1	1	-	-	-	1	-
INDIANA ----------	5	9	5	8	9	8	10	4	-	-	-	-
WHITE------MALE----	2	7	2	4	5	3	6	3	-	-	-	-
FEMALE--	1	-	2	3	2	4	3	1	-	-	-	-
ALL OTHER--MALE----	2	2	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IOWA ----------	1	1	2	3	4	5	7	1	2	-	-	-
WHITE------MALE----	1	1	2	3	3	2	5	1	1	-	-	-
FEMALE--	-	-	-	-	1	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	4	2	-	5	3	-	3	-	-	-	-
WHITE------MALE----	-	4	1	-	3	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pharynx (C10-C13,C14.0)												
KENTUCKY ----------	55	-	-	-	-	-	-	-	1	1	-	3
WHITE------MALE----	42	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	74	-	-	-	-	-	2	-	-	2	4	6
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	21	-	-	-	-	-	2	-	-	2	1	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	21	-	-	-	-	-	2	-	-	2	1	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	17	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	63	-	-	-	-	-	-	-	-	1	1	9
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	1	6
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	77	-	-	-	-	-	2	-	-	1	1	5
WHITE------MALE----	51	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	87	-	-	-	-	-	1	-	1	1	3	2
WHITE------MALE----	41	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
KENTUCKY ----------	11	3	14	3	10	3	2	3	1	-	-	-
WHITE------MALE----	9	3	13	2	6	3	2	2	-	-	-	-
FEMALE--	2	-	-	-	4	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	7	10	5	7	15	11	2	1	1	1	-	-
WHITE------MALE----	1	2	2	4	5	4	1	1	-	-	-	-
FEMALE--	3	3	-	1	8	2	-	-	1	1	-	-
ALL OTHER--MALE----	2	4	2	-	1	4	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	1	-	-	-	-	-
BLACK---MALE----	2	4	2	-	1	4	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	1	-	-	-	-	-
MAINE ----------	2	2	-	5	2	1	2	1	1	-	-	-
WHITE------MALE----	2	-	-	2	2	1	2	1	1	-	-	-
FEMALE--	-	1	-	3	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	6	5	7	8	12	3	3	-	1	-	-
WHITE------MALE----	2	1	3	5	4	4	3	2	-	-	-	-
FEMALE--	2	1	-	-	1	4	-	1	-	-	-	-
ALL OTHER--MALE----	3	3	1	1	2	4	-	-	-	1	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	3	3	1	1	2	4	-	-	-	1	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	10	2	11	15	14	9	3	4	-	-	-
WHITE------MALE----	-	8	1	7	11	8	7	1	4	-	-	-
FEMALE--	-	2	1	4	4	5	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	10	11	12	13	10	13	4	5	1	-	-	-
WHITE------MALE----	5	6	4	4	3	8	3	4	-	-	-	-
FEMALE--	1	-	5	6	3	3	1	-	1	-	-	-
ALL OTHER--MALE----	3	1	2	1	2	1	-	-	-	-	-	-
FEMALE--	1	4	1	2	2	1	-	1	-	-	-	-
BLACK---MALE----	1	1	2	1	2	1	-	-	-	-	-	-
FEMALE--	1	3	-	2	1	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pharynx (C10-C13,C14.0)												
MINNESOTA ----------	42	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	78	-	-	-	-	-	-	-	-	-	5	6
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	56	-	-	-	-	-	1	-	-	-	1	4
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
MONTANA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	14	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
MINNESOTA ----------	6	5	6	4	3	3	4	5	3	-	-	-
WHITE------MALE----	2	1	5	4	1	3	4	4	1	-	-	-
FEMALE--	2	4	-	-	2	-	-	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	7	13	12	12	14	4	3	2	-	-	-	-
WHITE------MALE----	1	10	5	7	5	1	2	1	-	-	-	-
FEMALE--	1	-	1	2	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	2	4	3	3	2	1	1	-	-	-	-
FEMALE--	1	1	2	-	3	1	-	-	-	-	-	-
BLACK---MALE----	4	2	4	3	3	2	1	1	-	-	-	-
FEMALE--	1	1	2	-	3	1	-	-	-	-	-	-
MISSOURI ----------	4	3	10	4	11	8	3	5	1	-	1	-
WHITE------MALE----	2	2	5	2	4	5	1	2	-	-	-	-
FEMALE--	2	1	3	1	4	3	1	3	1	-	1	-
ALL OTHER--MALE----	-	-	2	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	-	2	2	2	-	2	-	1	1	-	-	-
WHITE------MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	1	3	1	5	1	1	-	-	-	-
WHITE------MALE----	-	1	1	3	1	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	2	3	3	3	2	2	1	-	1	-	-
WHITE------MALE----	2	1	2	2	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pharynx (C10-C13,C14.0)												
NEW HAMPSHIRE ----------	9	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	81	-	-	-	-	-	-	-	1	-	2	7
WHITE------MALE----	38	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	17	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	206	-	-	-	-	1	1	1	2	4	4	20
WHITE------MALE----	100	-	-	-	-	1	1	-	-	2	1	7
FEMALE--	40	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	48	-	-	-	-	-	-	1	-	1	1	10
FEMALE--	18	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	-	7
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	1
NORTH CAROLINA ---------	79	-	-	-	-	-	1	-	-	-	3	5
WHITE------MALE----	34	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
NEW HAMPSHIRE ----------	-	-	2	-	1	3	-	1	1	-	-	-
WHITE------MALE----	-	-	2	-	1	3	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	12	10	9	11	12	7	5	3	2	-	-	-
WHITE------MALE----	2	5	7	4	6	3	3	-	2	-	-	-
FEMALE--	1	-	-	3	2	2	1	3	-	-	-	-
ALL OTHER--MALE----	7	4	2	3	1	1	1	-	-	-	-	-
FEMALE--	2	1	-	1	3	1	-	-	-	-	-	-
BLACK---MALE----	7	4	2	3	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	3	1	-	-	-	-	-	-
NEW MEXICO ----------	1	-	3	1	2	3	1	4	-	-	-	-
WHITE------MALE----	1	-	3	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	23	20	22	29	24	22	22	8	3	-	-	-
WHITE------MALE----	14	11	10	16	16	10	10	1	-	-	-	-
FEMALE--	4	2	2	5	3	5	9	5	3	-	-	-
ALL OTHER--MALE----	2	7	6	7	4	5	3	1	-	-	-	-
FEMALE--	3	-	4	1	1	2	-	1	-	-	-	-
BLACK---MALE----	1	4	5	5	2	4	3	1	-	-	-	-
FEMALE--	3	-	3	1	-	2	-	1	-	-	-	-
NORTH CAROLINA ---------	9	12	13	6	7	9	7	5	2	-	-	-
WHITE------MALE----	4	2	5	3	6	5	2	1	1	-	-	-
FEMALE--	2	1	4	1	1	2	3	3	1	-	-	-
ALL OTHER--MALE----	3	9	2	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	1	1	-	-	-	-
BLACK---MALE----	3	8	2	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	1	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	3	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	3	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pharynx (C10-C13,C14.0)												
OHIO ----------	130	-	-	-	-	-	-	1	1	-	4	6
WHITE------MALE----	84	-	-	-	-	-	-	1	1	-	1	4
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	33	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	36	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	132	-	-	-	-	-	-	1	-	-	-	6
WHITE------MALE----	82	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	77	-	-	-	-	-	-	-	-	1	1	11
WHITE------MALE----	32	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
OHIO ----------	7	10	17	17	22	15	23	5	1	1	-	-
WHITE------MALE----	5	5	13	8	16	9	15	4	1	1	-	-
FEMALE--	-	1	2	7	1	4	7	1	-	-	-	-
ALL OTHER--MALE----	2	4	2	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	4	1	-	-	-	-	-	-
BLACK---MALE----	2	4	2	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	4	1	-	-	-	-	-	-
OKLAHOMA ----------	3	4	6	5	4	6	1	1	-	-	-	-
WHITE------MALE----	2	3	4	3	1	3	-	1	-	-	-	-
FEMALE--	-	-	2	-	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON ----------	4	3	3	8	4	7	2	3	-	-	-	-
WHITE------MALE----	2	3	3	6	2	3	1	2	-	-	-	-
FEMALE--	1	-	-	-	2	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	13	19	16	26	15	11	9	5	1	-	-
WHITE------MALE----	7	10	12	11	17	9	6	1	4	-	-	-
FEMALE--	2	1	2	1	9	5	3	7	1	1	-	-
ALL OTHER--MALE----	1	1	4	3	-	-	2	1	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	4	3	-	-	2	1	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	2	2	2	1	3	1	-	-	-	-
WHITE------MALE----	2	-	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	9	11	11	10	11	7	3	1	1	-	-	-
WHITE------MALE----	1	5	5	7	5	4	1	1	-	-	-	-
FEMALE--	1	1	1	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	5	5	5	2	4	3	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	5	5	2	4	3	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pharynx (C10-C13,C14.0)												
SOUTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	76	-	-	-	-	-	-	-	1	-	3	9
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	234	-	-	-	-	1	-	-	-	5	3	13
WHITE------MALE----	133	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	52	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	43	-	-	-	-	1	-	-	-	3	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	42	-	-	-	-	1	-	-	-	2	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	63	-	-	-	1	-	-	-	-	1	2	5
WHITE------MALE----	28	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
SOUTH DAKOTA ----------	-	1	2	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	7	11	14	10	7	6	2	1	1	-	-
WHITE------MALE----	2	4	7	6	3	3	1	1	-	1	-	-
FEMALE--	1	-	3	5	2	3	3	-	1	-	-	-
ALL OTHER--MALE----	-	2	1	3	4	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	2	1	3	4	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
TEXAS ----------	27	34	27	31	31	32	19	9	1	1	-	-
WHITE------MALE----	11	21	15	22	16	22	11	7	-	-	-	-
FEMALE--	5	5	4	4	11	7	7	1	1	1	-	-
ALL OTHER--MALE----	10	6	7	4	4	3	1	1	-	-	-	-
FEMALE--	1	2	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	10	6	7	4	4	3	1	1	-	-	-	-
FEMALE--	1	2	1	1	-	-	-	-	-	-	-	-
UTAH ----------	2	2	1	2	-	-	1	-	-	-	-	-
WHITE------MALE----	2	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	4	8	12	7	5	3	6	-	-	-	-
WHITE------MALE----	5	1	4	5	3	3	-	4	-	-	-	-
FEMALE--	-	-	2	4	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	2	-	-	2	2	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	3	2	1	2	-	-	1	2	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pharynx (C10-C13,C14.0)												
WASHINGTON ----------	61	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	21	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	54	-	1	-	-	-	-	-	-	-	-	3
WHITE------MALE----	37	-	1	-	-	-	-	-	-	-	-	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
WASHINGTON ----------	2	12	8	10	10	7	4	4	-	-	-	-
WHITE------MALE----	-	9	5	6	6	5	4	1	-	-	-	-
FEMALE--	1	2	3	4	3	2	-	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	2	4	3	4	4	1	-	1	-	-	-
WHITE------MALE----	-	2	3	-	2	3	-	-	1	-	-	-
FEMALE--	-	-	-	3	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	6	7	4	13	9	3	3	2	-	-	-
WHITE------MALE----	1	5	5	2	9	6	2	2	1	-	-	-
FEMALE--	1	1	2	2	4	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
UNITED STATES -	2,594	-	1	1	1	6	3	2	9	31	48	143
WHITE------MALE----	1,309	-	-	-	-	2	1	1	6	13	29	75
FEMALE--	916	-	1	1	1	2	1	-	2	6	6	26
ALL OTHER--MALE----	251	-	-	-	-	2	1	1	1	7	9	31
FEMALE--	118	-	-	-	-	-	-	-	-	5	4	11
BLACK---MALE----	222	-	-	-	-	2	-	1	-	7	8	28
FEMALE--	103	-	-	-	-	-	-	-	-	5	3	9
ALABAMA ----------	48	-	-	-	-	-	-	-	-	1	-	3
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	36	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	23	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	261	-	-	-	-	-	2	-	2	3	1	10
WHITE------MALE----	121	-	-	-	-	-	1	-	1	2	-	5
FEMALE--	103	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	24	-	-	-	-	-	1	-	1	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
UNITED STATES -	183	223	276	282	317	357	308	236	121	38	8	-
WHITE------MALE----	112	124	170	156	181	178	137	76	39	8	1	-
FEMALE--	28	52	53	83	100	148	152	138	80	29	7	-
ALL OTHER--MALE----	28	35	41	32	21	19	11	11	1	-	-	-
FEMALE--	15	12	12	11	15	12	8	11	1	1	-	-
BLACK---MALE----	26	31	39	28	18	15	10	9	-	-	-	-
FEMALE--	13	12	11	9	14	9	7	10	1	-	-	-
ALABAMA ----------	3	2	4	4	3	4	10	11	1	2	-	-
WHITE------MALE----	2	-	-	2	2	-	3	4	1	-	-	-
FEMALE--	-	1	1	-	1	3	6	6	-	2	-	-
ALL OTHER--MALE----	1	1	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	1	1	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	2	2	8	6	7	5	1	1	-	-	-
WHITE------MALE----	3	2	2	5	3	4	2	-	1	-	-	-
FEMALE--	-	-	-	3	3	3	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	2	3	3	1	3	5	-	3	-	-	-
WHITE------MALE----	1	-	2	2	1	2	2	-	2	-	-	-
FEMALE--	-	1	1	1	-	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	17	25	26	23	37	35	32	26	15	7	-	-
WHITE------MALE----	9	11	12	14	20	15	11	13	4	3	-	-
FEMALE--	3	7	9	7	13	16	20	12	10	3	-	-
ALL OTHER--MALE----	3	4	4	1	3	3	1	-	1	-	-	-
FEMALE--	2	3	1	1	1	1	-	1	-	1	-	-
BLACK---MALE----	2	3	4	-	1	2	1	-	-	-	-	-
FEMALE--	2	3	-	-	1	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
COLORADO ----------	33	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	34	-	-	-	-	-	-	-	-	1	-	4
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	10	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
FLORIDA ----------	219	-	-	-	-	-	-	-	-	3	4	6
WHITE------MALE----	122	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	80	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	70	-	-	-	-	1	-	-	-	-	2	3
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	19	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
COLORADO ----------	3	3	7	2	1	3	6	1	4	-	-	-
WHITE------MALE----	2	3	5	-	-	1	2	-	1	-	-	-
FEMALE--	1	-	2	2	1	2	4	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	2	4	4	4	1	6	3	1	2	-	-
WHITE------MALE----	1	1	3	3	2	1	3	2	-	1	-	-
FEMALE--	1	1	-	1	2	-	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	1	2	-	1	1	2	-	1	-	-	-
WHITE------MALE----	-	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
FLORIDA ----------	14	23	26	25	26	31	29	17	11	1	3	-
WHITE------MALE----	10	15	17	15	14	16	16	6	3	1	1	-
FEMALE--	2	5	5	8	10	13	12	11	8	-	2	-
ALL OTHER--MALE----	1	3	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	2	2	1	-	-	-	-	-
BLACK---MALE----	1	3	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	2	2	1	-	-	-	-	-
GEORGIA ----------	7	6	9	8	11	6	6	9	2	-	-	-
WHITE------MALE----	3	1	4	3	3	3	1	6	-	-	-	-
FEMALE--	1	2	-	3	3	2	4	2	2	-	-	-
ALL OTHER--MALE----	2	3	5	2	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	4	-	-	-	-	-	-	-
BLACK---MALE----	2	3	5	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	4	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
HAWAII ----------	11	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	105	-	-	-	-	-	-	-	-	1	6	5
WHITE------MALE----	57	-	-	-	-	-	-	-	-	-	5	3
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
INDIANA ----------	43	-	-	-	-	-	-	-	-	2	-	2
WHITE------MALE----	26	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	29	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
HAWAII ----------	-	-	1	1	2	1	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	-	1	-	1	2	-	1	1	-	-
WHITE------MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	9	6	17	14	15	8	8	9	5	2	-	-
WHITE------MALE----	6	3	7	9	9	5	4	4	2	-	-	-
FEMALE--	2	-	3	3	3	2	2	4	3	2	-	-
ALL OTHER--MALE----	1	-	6	2	1	1	1	-	-	-	-	-
FEMALE--	-	3	1	-	2	-	1	1	-	-	-	-
BLACK---MALE----	1	-	6	2	1	1	1	-	-	-	-	-
FEMALE--	-	3	1	-	2	-	1	1	-	-	-	-
INDIANA ----------	1	7	3	5	4	7	8	4	-	-	-	-
WHITE------MALE----	1	5	3	2	3	4	2	2	-	-	-	-
FEMALE--	-	-	-	3	1	3	6	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	2	4	3	4	8	3	4	-	-	-	-
WHITE------MALE----	1	2	4	2	3	3	1	2	-	-	-	-
FEMALE--	1	-	-	1	1	5	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	2	1	2	7	3	5	3	1	-	-
WHITE------MALE----	1	-	1	1	2	5	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	2	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
KENTUCKY ----------	40	-	-	-	-	-	-	-	1	-	1	2
WHITE------MALE----	23	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	54	-	-	-	-	-	-	1	1	-	2	6
WHITE------MALE----	21	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	20	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	47	-	-	-	-	-	-	-	1	-	1	4
WHITE------MALE----	20	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	63	-	-	1	-	-	-	-	-	-	-	6
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	28	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	100	-	-	-	-	-	1	-	-	2	1	5
WHITE------MALE----	46	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	41	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
KENTUCKY ----------	2	3	3	7	5	5	4	4	2	1	-	-
WHITE------MALE----	1	3	3	4	2	4	-	2	-	1	-	-
FEMALE--	-	-	-	1	2	1	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
LOUISIANA ----------	5	1	3	11	7	9	3	2	2	1	-	-
WHITE------MALE----	3	-	1	2	3	5	1	-	1	-	-	-
FEMALE--	-	1	1	5	3	4	1	1	1	1	-	-
ALL OTHER--MALE----	2	-	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
MAINE ----------	1	1	4	2	3	1	2	3	-	-	-	-
WHITE------MALE----	-	-	3	2	2	-	1	1	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	-	3	7	8	8	5	5	1	-	1	-
WHITE------MALE----	1	-	2	5	4	2	1	1	-	-	-	-
FEMALE--	-	-	-	2	2	5	3	4	1	-	1	-
ALL OTHER--MALE----	2	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	8	4	4	7	10	10	9	1	1	-	-
WHITE------MALE----	2	4	3	1	5	4	6	2	-	-	-	-
FEMALE--	-	3	1	3	2	5	3	7	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	8	4	12	12	15	18	11	8	2	1	-	-
WHITE------MALE----	5	3	5	8	9	6	3	2	1	-	-	-
FEMALE--	-	1	6	3	4	9	8	6	1	1	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	2	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
MINNESOTA ----------	35	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	18	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	52	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	13	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
MINNESOTA ----------	5	3	6	5	4	5	3	1	-	1	-	-
WHITE------MALE----	2	2	5	3	3	3	3	-	-	-	-	-
FEMALE--	2	1	1	2	1	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	2	2	2	1	3	1	3	1	-	-	-
WHITE------MALE----	-	1	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	7	5	5	7	5	5	3	6	1	-	-
WHITE------MALE----	3	6	4	3	4	3	3	-	1	-	-	-
FEMALE--	-	1	1	1	2	2	2	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MONTANA ----------	3	1	-	1	-	4	1	1	-	-	-	-
WHITE------MALE----	3	1	-	1	-	4	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	2	1	2	-	1	2	3	1	1	-	-
WHITE------MALE----	-	1	1	1	-	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	-	1	1	3	2	2	-	1	-	-
WHITE------MALE----	1	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
NEW HAMPSHIRE ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	83	-	-	-	-	-	-	-	-	1	1	6
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
NEW MEXICO ----------	16	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	157	-	-	-	1	1	-	-	-	1	4	9
WHITE------MALE----	83	-	-	-	-	-	-	-	-	-	4	5
FEMALE--	51	-	-	-	1	-	-	-	-	1	-	3
ALL OTHER--MALE----	13	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
NORTH CAROLINA ---------	77	-	-	-	-	1	-	-	-	2	3	6
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	33	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
NORTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
NEW HAMPSHIRE ----------	2	1	1	1	-	1	2	2	-	-	2	-
WHITE------MALE----	1	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	10	7	8	9	12	11	8	3	3	-	-
WHITE------MALE----	2	3	4	4	3	3	5	2	1	-	-	-
FEMALE--	2	3	1	2	3	6	6	5	2	3	-	-
ALL OTHER--MALE----	-	4	1	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	3	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	1	-	-	-	-
NEW MEXICO ----------	1	1	2	1	2	3	1	-	2	-	-	-
WHITE------MALE----	1	1	1	1	1	3	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	10	16	18	12	20	21	19	15	6	2	2	-
WHITE------MALE----	5	8	12	8	12	9	9	6	4	1	-	-
FEMALE--	-	3	2	3	7	10	7	9	2	1	2	-
ALL OTHER--MALE----	3	3	2	-	1	1	2	-	-	-	-	-
FEMALE--	2	2	2	1	-	1	1	-	-	-	-	-
BLACK---MALE----	3	2	2	-	1	-	2	-	-	-	-	-
FEMALE--	2	2	2	1	-	1	1	-	-	-	-	-
NORTH CAROLINA ---------	5	3	8	8	5	14	9	7	5	1	-	-
WHITE------MALE----	1	1	2	6	3	5	1	1	-	-	-	-
FEMALE--	1	-	2	-	2	9	7	4	5	1	-	-
ALL OTHER--MALE----	2	1	4	2	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	2	1	4	2	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	1	-	-	-	-
NORTH DAKOTA ----------	-	1	-	1	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
OHIO ----------	116	-	-	-	-	-	-	-	-	-	1	9
WHITE------MALE----	69	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA ----------	25	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	34	-	-	-	-	-	-	-	-	1	2	4
WHITE------MALE----	25	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	116	-	-	-	-	-	-	1	-	-	2	3
WHITE------MALE----	62	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	52	-	-	-	-	-	-	-	-	-	2	7
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
OHIO ----------	6	15	12	12	18	19	10	7	4	3	-	-
WHITE------MALE----	6	12	9	4	12	11	5	4	-	-	-	-
FEMALE--	-	1	2	4	4	6	5	2	4	3	-	-
ALL OTHER--MALE----	-	2	1	4	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	2	1	4	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA ----------	5	2	4	3	3	-	-	3	3	-	-	-
WHITE------MALE----	4	2	4	1	3	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	1	3	3	3	4	5	3	2	-	-	-
WHITE------MALE----	3	1	1	2	3	3	3	2	1	-	-	-
FEMALE--	-	-	2	1	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	9	13	9	17	17	13	17	12	2	1	-	-
WHITE------MALE----	4	7	8	9	12	8	6	2	2	-	-	-
FEMALE--	4	4	-	3	5	5	8	8	-	1	-	-
ALL OTHER--MALE----	1	1	1	5	-	-	2	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	5	-	-	2	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND ----------	-	1	-	-	1	2	1	1	2	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	8	1	6	8	5	2	4	4	4	1	-	-
WHITE------MALE----	2	1	2	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	4	3	-	3	2	4	1	-	-
ALL OTHER--MALE----	3	-	4	3	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	4	3	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
SOUTH DAKOTA ----------	9	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	63	-	-	-	-	1	-	-	1	-	1	3
WHITE------MALE----	34	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
TEXAS ----------	164	-	-	-	-	1	-	-	-	3	2	9
WHITE------MALE----	89	-	-	-	-	1	-	-	-	-	1	3
FEMALE--	57	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	3	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	3	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	13	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	65	-	-	-	-	-	-	-	1	4	-	5
WHITE------MALE----	25	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	3	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	3	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
SOUTH DAKOTA ----------	1	-	1	2	1	-	1	1	-	-	-	-
WHITE------MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	4	8	5	7	6	8	8	5	-	-	-
WHITE------MALE----	3	1	8	3	6	2	3	2	2	-	-	-
FEMALE--	3	3	-	2	-	2	5	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS ----------	13	17	19	16	21	23	21	10	7	2	-	-
WHITE------MALE----	10	8	13	8	13	14	14	-	4	-	-	-
FEMALE--	2	4	4	7	7	8	7	9	3	2	-	-
ALL OTHER--MALE----	1	4	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	4	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	1	-	-	-	-
UTAH ----------	1	2	1	-	1	3	2	-	1	1	-	-
WHITE------MALE----	1	1	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	1	1	-	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	1	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	6	7	7	11	12	3	4	1	-	-	-
WHITE------MALE----	-	1	4	5	4	6	2	-	-	-	-	-
FEMALE--	1	1	-	1	4	4	-	3	1	-	-	-
ALL OTHER--MALE----	2	4	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	1	1	1	-	-	-	-
BLACK---MALE----	2	4	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	1	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
WASHINGTON ----------	57	-	-	-	-	-	-	-	1	-	-	3
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	23	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	60	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	35	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
WASHINGTON ----------	5	1	9	6	4	14	9	2	3	-	-	-
WHITE------MALE----	5	1	6	4	3	8	4	-	1	-	-	-
FEMALE--	-	-	3	1	1	6	5	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	5	3	4	3	2	2	-	2	-	-	-
WHITE------MALE----	-	4	3	4	1	2	2	-	2	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	8	4	7	9	8	7	9	3	-	-	-
WHITE------MALE----	2	5	3	5	4	4	7	2	1	-	-	-
FEMALE--	-	2	1	2	4	4	-	7	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	-	-	2	-	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
UNITED STATES -	129,441	10	29	5	8	36	77	192	412	1,045	2,271	4,287
WHITE------MALE----	58,795	3	18	3	3	14	27	80	169	455	1,032	2,146
FEMALE--	50,904	3	8	-	1	9	25	48	121	313	635	1,121
ALL OTHER--MALE----	10,511	2	2	2	3	6	14	38	68	153	345	657
FEMALE--	9,231	2	1	-	1	7	11	26	54	124	259	363
BLACK---MALE----	8,488	1	2	1	3	3	10	30	48	110	273	533
FEMALE--	7,658	2	1	-	1	5	9	18	37	102	196	294
ALABAMA ----------	2,021	1	1	-	-	2	2	4	4	20	47	75
WHITE------MALE----	740	-	1	-	-	-	-	2	-	7	21	33
FEMALE--	725	-	-	-	-	-	1	-	1	6	13	11
ALL OTHER--MALE----	297	-	-	-	-	1	-	1	2	4	5	19
FEMALE--	259	1	-	-	-	1	1	1	1	3	8	12
BLACK---MALE----	294	-	-	-	-	1	-	1	2	4	5	19
FEMALE--	257	1	-	-	-	1	1	1	1	3	8	12
ALASKA ----------	166	-	-	-	-	1	-	2	1	5	3	10
WHITE------MALE----	58	-	-	-	-	-	-	1	-	-	-	5
FEMALE--	49	-	-	-	-	-	-	-	-	2	2	4
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	30	-	-	-	-	1	-	1	-	2	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2,004	-	-	-	-	1	2	2	10	12	33	74
WHITE------MALE----	1,091	-	-	-	-	-	1	1	6	7	16	42
FEMALE--	790	-	-	-	-	-	1	1	1	4	9	25
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	2	1	4	5
FEMALE--	53	-	-	-	-	1	-	-	1	-	4	2
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	21	-	-	-	-	1	-	-	-	-	2	-
ARKANSAS ----------	1,383	-	-	-	-	-	1	2	3	10	26	51
WHITE------MALE----	623	-	-	-	-	-	-	-	-	2	14	27
FEMALE--	544	-	-	-	-	-	-	1	2	4	5	11
ALL OTHER--MALE----	106	-	-	-	-	-	1	-	1	1	3	11
FEMALE--	110	-	-	-	-	-	-	1	-	3	4	2
BLACK---MALE----	105	-	-	-	-	-	1	-	1	1	3	11
FEMALE--	107	-	-	-	-	-	-	1	-	3	4	2
CALIFORNIA ----------	12,912	1	2	1	-	3	6	29	54	113	260	464
WHITE------MALE----	5,757	1	2	-	-	1	3	12	20	50	117	234
FEMALE--	4,783	-	-	-	-	1	1	7	21	32	65	118
ALL OTHER--MALE----	1,317	-	-	1	-	1	1	9	9	16	40	71
FEMALE--	1,055	-	-	-	-	-	1	1	4	15	38	41
BLACK---MALE----	536	-	-	-	-	-	-	4	2	5	17	22
FEMALE--	478	-	-	-	-	-	-	-	-	4	16	20

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 685

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
UNITED STATES -	6,441	8,567	11,400	15,051	19,385	21,215	17,930	12,982	6,165	1,697	233	3
WHITE------MALE----	3,250	4,352	5,775	7,661	9,659	9,887	7,630	4,481	1,754	361	35	-
FEMALE--	1,750	2,406	3,496	4,927	6,954	8,615	8,281	7,117	3,794	1,134	144	2
ALL OTHER--MALE----	922	1,138	1,273	1,391	1,440	1,396	883	536	189	47	5	1
FEMALE--	519	671	856	1,072	1,332	1,317	1,136	848	428	155	49	-
BLACK---MALE----	751	938	1,022	1,128	1,172	1,145	706	424	153	32	2	1
FEMALE--	421	543	699	881	1,094	1,072	971	751	376	140	45	-
ALABAMA ----------	96	138	189	243	252	361	280	182	96	22	6	-
WHITE------MALE----	40	60	86	105	98	136	88	46	13	3	1	-
FEMALE--	25	36	44	80	87	127	125	95	61	11	2	-
ALL OTHER--MALE----	22	26	40	35	34	55	31	15	4	3	-	-
FEMALE--	9	16	19	23	33	43	36	26	18	5	3	-
BLACK---MALE----	22	26	39	33	34	55	31	15	4	3	-	-
FEMALE--	8	16	19	22	33	43	36	26	18	5	3	-
ALASKA ----------	15	12	21	25	20	17	19	10	3	1	1	-
WHITE------MALE----	6	5	8	8	8	8	7	2	-	-	-	-
FEMALE--	4	1	7	5	5	6	4	5	2	1	1	-
ALL OTHER--MALE----	1	3	3	7	4	1	4	3	-	-	-	-
FEMALE--	4	3	3	5	3	2	4	-	1	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	77	130	182	262	324	345	283	163	86	18	-	-
WHITE------MALE----	41	83	116	150	188	185	152	63	35	5	-	-
FEMALE--	31	37	50	92	125	145	116	93	47	13	-	-
ALL OTHER--MALE----	1	6	12	12	8	9	6	3	1	-	-	-
FEMALE--	4	4	4	8	3	6	9	4	3	-	-	-
BLACK---MALE----	-	3	8	8	2	3	4	1	-	-	-	-
FEMALE--	2	1	1	4	-	3	4	2	1	-	-	-
ARKANSAS ----------	72	89	141	171	168	222	169	148	75	31	4	-
WHITE------MALE----	36	43	80	88	85	100	78	45	19	6	-	-
FEMALE--	22	34	42	66	53	97	70	72	42	22	1	-
ALL OTHER--MALE----	8	6	15	8	12	12	13	10	5	-	-	-
FEMALE--	6	6	4	9	18	13	8	21	9	3	3	-
BLACK---MALE----	8	6	15	8	12	12	13	10	4	-	-	-
FEMALE--	6	6	3	8	18	13	8	21	8	3	3	-
CALIFORNIA ----------	677	842	1,205	1,461	1,941	2,112	1,755	1,201	589	173	23	-
WHITE------MALE----	353	389	562	727	925	981	766	403	169	39	3	-
FEMALE--	161	243	354	454	656	802	760	637	347	108	16	-
ALL OTHER--MALE----	102	125	182	147	202	173	110	84	33	10	1	-
FEMALE--	61	85	107	133	158	156	119	77	40	16	3	-
BLACK---MALE----	47	50	84	59	94	69	37	28	16	2	-	-
FEMALE--	33	41	47	62	65	61	54	38	24	10	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
COLORADO ----------	1,418	-	-	-	-	-	1	4	6	13	36	48
WHITE------MALE----	703	-	-	-	-	-	1	2	3	8	16	33
FEMALE--	622	-	-	-	-	-	-	2	1	3	14	11
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	1	1	4	3
FEMALE--	40	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	40	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	1
CONNECTICUT ----------	1,776	-	1	-	-	-	-	1	2	8	28	43
WHITE------MALE----	868	-	-	-	-	-	-	-	2	2	11	20
FEMALE--	765	-	1	-	-	-	-	-	-	5	9	16
ALL OTHER--MALE----	86	-	-	-	-	-	-	1	-	1	4	6
FEMALE--	57	-	-	-	-	-	-	-	-	-	4	1
BLACK---MALE----	81	-	-	-	-	-	-	1	-	1	3	6
FEMALE--	51	-	-	-	-	-	-	-	-	-	3	1
DELAWARE ----------	392	-	-	-	-	-	-	-	-	3	7	10
WHITE------MALE----	180	-	-	-	-	-	-	-	-	3	3	6
FEMALE--	141	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	361	-	-	-	-	-	-	1	1	7	5	15
WHITE------MALE----	43	-	-	-	-	-	-	-	-	3	1	3
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	137	-	-	-	-	-	-	1	-	1	3	9
FEMALE--	147	-	-	-	-	-	-	-	1	3	1	3
BLACK---MALE----	137	-	-	-	-	-	-	1	-	1	3	9
FEMALE--	145	-	-	-	-	-	-	-	1	3	1	3
FLORIDA ----------	8,910	-	1	1	1	1	6	7	23	68	116	244
WHITE------MALE----	4,341	-	-	-	-	1	4	4	8	32	49	121
FEMALE--	3,578	-	-	-	-	-	2	2	7	24	31	75
ALL OTHER--MALE----	551	-	1	1	1	-	-	-	4	7	17	28
FEMALE--	440	-	-	-	-	-	-	1	4	5	19	20
BLACK---MALE----	522	-	1	1	1	-	-	-	4	3	15	26
FEMALE--	414	-	-	-	-	-	-	1	4	4	15	19
GEORGIA ----------	2,875	-	2	-	-	2	-	11	12	41	74	134
WHITE------MALE----	1,051	-	1	-	-	1	-	1	3	11	20	60
FEMALE--	918	-	1	-	-	-	-	3	4	8	17	20
ALL OTHER--MALE----	487	-	-	-	-	-	-	4	2	11	24	33
FEMALE--	419	-	-	-	-	1	-	3	3	11	13	21
BLACK---MALE----	464	-	-	-	-	-	-	2	2	11	22	32
FEMALE--	401	-	-	-	-	1	-	3	3	10	13	20

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
COLORADO ----------	82	115	111	171	239	203	178	137	52	20	2	-
WHITE------MALE----	46	69	55	88	122	97	74	61	22	6	-	-
FEMALE--	30	38	49	69	102	95	90	73	29	14	2	-
ALL OTHER--MALE----	2	5	7	7	7	10	5	-	1	-	-	-
FEMALE--	4	3	-	7	8	1	9	3	-	-	-	-
BLACK---MALE----	2	4	5	5	5	8	3	-	1	-	-	-
FEMALE--	2	-	-	4	5	-	6	2	-	-	-	-
CONNECTICUT ----------	77	118	135	168	272	326	271	198	104	21	3	-
WHITE------MALE----	46	66	69	90	147	155	131	85	40	3	1	-
FEMALE--	18	36	45	60	110	149	130	104	63	17	2	-
ALL OTHER--MALE----	8	11	11	13	9	16	1	5	-	-	-	-
FEMALE--	5	5	10	5	6	6	9	4	1	1	-	-
BLACK---MALE----	7	11	9	13	9	15	1	5	-	-	-	-
FEMALE--	4	4	9	5	5	5	9	4	1	1	-	-
DELAWARE ----------	21	22	32	46	68	73	55	35	16	3	1	-
WHITE------MALE----	13	10	17	23	34	30	22	11	8	-	-	-
FEMALE--	3	6	7	14	24	28	25	21	7	1	1	-
ALL OTHER--MALE----	3	3	2	7	4	12	1	1	-	-	-	-
FEMALE--	2	3	6	2	6	3	7	2	1	2	-	-
BLACK---MALE----	3	2	2	6	3	11	1	1	-	-	-	-
FEMALE--	2	2	6	2	6	3	7	2	1	2	-	-
DISTRICT OF COLUMBIA ---	19	33	32	38	47	56	46	37	16	5	3	-
WHITE------MALE----	1	6	4	5	2	4	7	3	4	-	-	-
FEMALE--	2	1	-	1	3	2	10	8	6	1	-	-
ALL OTHER--MALE----	13	17	18	19	18	17	7	11	2	1	-	-
FEMALE--	3	9	10	13	24	33	22	15	4	3	3	-
BLACK---MALE----	13	17	18	19	18	17	7	11	2	1	-	-
FEMALE--	3	9	10	13	24	33	20	15	4	3	3	-
FLORIDA ----------	383	496	725	994	1,417	1,588	1,309	927	487	99	17	-
WHITE------MALE----	194	261	370	525	745	805	633	379	175	32	3	-
FEMALE--	109	150	230	341	542	650	586	478	281	57	13	-
ALL OTHER--MALE----	48	60	85	80	61	78	45	31	4	-	-	-
FEMALE--	32	25	40	48	69	55	45	39	27	10	1	-
BLACK---MALE----	45	58	82	77	58	73	43	31	4	-	-	-
FEMALE--	30	23	35	48	63	52	45	38	26	10	1	-
GEORGIA ----------	170	244	297	345	416	402	335	270	88	30	2	-
WHITE------MALE----	65	87	132	155	170	152	108	61	20	4	-	-
FEMALE--	41	67	71	85	119	146	143	130	46	16	1	-
ALL OTHER--MALE----	47	59	61	63	55	60	35	27	4	2	-	-
FEMALE--	17	31	33	42	72	44	49	52	18	8	1	-
BLACK---MALE----	44	57	56	59	54	59	34	26	4	2	-	-
FEMALE--	16	30	28	41	66	43	49	51	18	8	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
HAWAII ----------	567	-	-	-	-	2	1	1	4	6	16	23
WHITE------MALE----	64	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	259	-	-	-	-	2	1	-	2	4	12	15
FEMALE--	191	-	-	-	-	-	-	1	2	2	3	4
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
IDAHO ----------	487	-	-	-	-	-	-	-	1	3	7	13
WHITE------MALE----	267	-	-	-	-	-	-	-	1	2	5	9
FEMALE--	214	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6,085	-	1	1	1	3	3	4	11	37	121	196
WHITE------MALE----	2,656	-	1	1	-	1	1	2	8	19	55	102
FEMALE--	2,400	-	-	-	-	2	1	-	1	11	29	52
ALL OTHER--MALE----	529	-	-	-	-	-	-	2	-	3	21	23
FEMALE--	500	-	-	-	1	-	1	-	2	4	16	19
BLACK---MALE----	475	-	-	-	-	-	-	2	-	2	19	20
FEMALE--	448	-	-	-	1	-	1	-	1	2	12	16
INDIANA ----------	2,888	-	1	-	-	-	-	5	7	12	40	98
WHITE------MALE----	1,349	-	1	-	-	-	-	1	5	6	26	57
FEMALE--	1,264	-	-	-	-	-	-	3	2	5	9	27
ALL OTHER--MALE----	144	-	-	-	-	-	-	1	-	-	3	10
FEMALE--	131	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	139	-	-	-	-	-	-	1	-	-	3	10
FEMALE--	122	-	-	-	-	-	-	-	-	1	2	3
IOWA ----------	1,476	-	-	-	-	1	1	2	8	6	21	34
WHITE------MALE----	775	-	-	-	-	1	1	1	2	4	12	28
FEMALE--	665	-	-	-	-	-	-	1	5	2	8	6
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1,286	-	1	-	-	-	2	2	4	8	20	33
WHITE------MALE----	650	-	1	-	-	-	-	1	2	5	15	13
FEMALE--	561	-	-	-	-	-	2	-	1	2	3	13
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	35	-	-	-	-	-	-	1	-	-	1	4
BLACK---MALE----	31	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
HAWAII ----------	33	34	53	68	87	91	71	43	20	11	3	-
WHITE------MALE----	2	5	12	8	6	13	12	2	1	-	-	-
FEMALE--	4	2	3	4	11	8	6	7	4	2	-	-
ALL OTHER--MALE----	17	19	23	34	45	34	27	15	5	3	1	-
FEMALE--	10	8	15	22	25	36	26	19	10	6	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
IDAHO ----------	28	32	50	59	59	90	54	59	24	8	-	-
WHITE------MALE----	16	16	34	42	38	49	23	22	9	1	-	-
FEMALE--	10	15	15	17	21	41	30	37	15	7	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS ----------	277	391	518	693	924	1,006	867	648	286	81	16	-
WHITE------MALE----	127	186	248	336	458	439	351	229	73	14	5	-
FEMALE--	74	107	156	227	311	427	402	353	183	57	7	-
ALL OTHER--MALE----	42	58	63	74	82	64	60	23	11	3	-	-
FEMALE--	34	40	51	56	73	76	54	43	19	7	4	-
BLACK---MALE----	40	54	52	70	77	55	52	19	10	3	-	-
FEMALE--	30	33	45	52	64	70	50	42	18	7	4	-
INDIANA ----------	149	210	295	332	428	434	383	317	124	47	6	-
WHITE------MALE----	78	118	147	179	217	194	170	104	29	16	1	-
FEMALE--	50	73	111	123	166	203	181	195	83	28	5	-
ALL OTHER--MALE----	11	14	18	17	26	24	11	4	5	-	-	-
FEMALE--	10	5	19	13	19	13	21	14	7	3	-	-
BLACK---MALE----	9	12	18	16	26	24	11	4	5	-	-	-
FEMALE--	10	5	17	10	18	13	21	12	7	3	-	-
IOWA ----------	53	84	114	176	198	247	224	190	90	22	5	-
WHITE------MALE----	37	54	67	102	121	127	109	78	25	5	1	-
FEMALE--	15	24	42	67	72	115	111	111	65	17	4	-
ALL OTHER--MALE----	1	3	2	3	4	2	2	1	-	-	-	-
FEMALE--	-	3	3	4	1	3	2	-	-	-	-	-
BLACK---MALE----	-	2	2	2	4	2	1	1	-	-	-	-
FEMALE--	-	3	2	3	-	3	1	-	-	-	-	-
KANSAS ----------	60	89	96	139	207	210	162	133	93	26	1	-
WHITE------MALE----	35	54	58	84	106	108	81	54	26	6	1	-
FEMALE--	20	24	34	49	87	94	73	76	63	20	-	-
ALL OTHER--MALE----	4	6	2	3	11	3	4	1	-	-	-	-
FEMALE--	1	5	2	3	3	5	4	2	4	-	-	-
BLACK---MALE----	2	6	1	2	8	3	3	1	-	-	-	-
FEMALE--	1	4	2	2	3	3	4	2	4	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
KENTUCKY ----------	1,895	-	-	-	-	1	-	3	11	18	48	75
WHITE------MALE----	958	-	-	-	-	1	-	1	5	13	21	47
FEMALE--	783	-	-	-	-	-	-	1	6	4	22	18
ALL OTHER--MALE----	84	-	-	-	-	-	-	1	-	-	1	8
FEMALE--	70	-	-	-	-	-	-	-	-	1	4	2
BLACK---MALE----	80	-	-	-	-	-	-	1	-	-	1	8
FEMALE--	70	-	-	-	-	-	-	-	-	1	4	2
LOUISIANA ----------	2,225	1	-	-	-	-	1	6	4	23	45	90
WHITE------MALE----	817	1	-	-	-	-	1	2	2	7	15	31
FEMALE--	659	-	-	-	-	-	-	1	-	4	8	17
ALL OTHER--MALE----	413	-	-	-	-	-	-	3	2	7	15	32
FEMALE--	336	-	-	-	-	-	-	-	-	5	7	10
BLACK---MALE----	402	-	-	-	-	-	-	3	2	7	14	32
FEMALE--	332	-	-	-	-	-	-	-	-	5	7	10
MAINE ----------	727	-	-	-	-	-	-	2	1	5	11	11
WHITE------MALE----	370	-	-	-	-	-	-	2	-	4	6	8
FEMALE--	349	-	-	-	-	-	-	-	1	1	5	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2,408	-	-	-	-	1	1	4	4	15	57	96
WHITE------MALE----	896	-	-	-	-	-	1	1	1	6	20	34
FEMALE--	816	-	-	-	-	-	-	1	1	1	13	14
ALL OTHER--MALE----	371	-	-	-	-	-	-	-	-	5	12	27
FEMALE--	325	-	-	-	-	1	-	2	2	3	12	21
BLACK---MALE----	333	-	-	-	-	-	-	-	-	4	11	26
FEMALE--	296	-	-	-	-	1	-	2	1	3	11	20
MASSACHUSETTS ----------	3,391	-	-	1	-	-	1	2	9	20	51	92
WHITE------MALE----	1,662	-	-	1	-	-	-	1	6	11	30	53
FEMALE--	1,526	-	-	-	-	-	1	1	1	5	12	25
ALL OTHER--MALE----	115	-	-	-	-	-	-	-	-	2	7	10
FEMALE--	88	-	-	-	-	-	-	-	2	2	2	4
BLACK---MALE----	84	-	-	-	-	-	-	-	-	1	5	8
FEMALE--	66	-	-	-	-	-	-	-	-	2	1	4
MICHIGAN ----------	4,654	1	4	-	-	-	4	8	21	35	79	153
WHITE------MALE----	2,122	-	3	-	-	-	3	4	9	13	34	79
FEMALE--	1,838	-	1	-	-	-	-	2	5	14	27	38
ALL OTHER--MALE----	354	1	-	-	-	-	1	1	2	1	11	21
FEMALE--	340	-	-	-	-	-	-	1	5	7	7	15
BLACK---MALE----	331	-	-	-	-	-	1	1	2	1	9	21
FEMALE--	321	-	-	-	-	-	-	1	4	7	7	14

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
KENTUCKY ----------	112	113	184	214	262	325	248	186	74	18	3	-
WHITE------MALE----	71	66	108	119	135	159	111	71	26	4	-	-
FEMALE--	32	33	61	76	104	140	120	107	43	13	3	-
ALL OTHER--MALE----	7	11	9	8	12	12	8	6	1	-	-	-
FEMALE--	2	3	6	11	11	14	9	2	4	1	-	-
BLACK---MALE----	7	8	9	8	11	12	8	6	1	-	-	-
FEMALE--	2	3	6	11	11	14	9	2	4	1	-	-
LOUISIANA ----------	122	168	195	286	316	358	269	209	102	27	3	-
WHITE------MALE----	51	59	79	126	135	137	89	59	19	4	-	-
FEMALE--	22	28	35	70	96	117	95	95	59	11	1	-
ALL OTHER--MALE----	30	51	49	49	50	60	37	18	9	1	-	-
FEMALE--	19	30	32	41	35	44	48	37	15	11	2	-
BLACK---MALE----	29	50	45	48	48	59	37	18	9	1	-	-
FEMALE--	19	30	31	41	33	44	48	36	15	11	2	-
MAINE ----------	34	44	67	94	108	131	96	70	41	11	1	-
WHITE------MALE----	20	30	36	54	59	64	49	22	11	5	-	-
FEMALE--	14	12	30	40	48	64	46	48	30	6	1	-
ALL OTHER--MALE----	-	2	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	133	171	225	269	353	397	319	224	95	41	3	-
WHITE------MALE----	55	58	82	109	142	159	129	64	26	9	-	-
FEMALE--	29	32	55	80	125	134	133	122	52	22	2	-
ALL OTHER--MALE----	30	49	53	48	47	59	24	12	2	3	-	-
FEMALE--	19	32	35	32	39	45	33	26	15	7	1	-
BLACK---MALE----	25	43	48	41	45	55	20	11	2	2	-	-
FEMALE--	17	29	32	27	37	39	30	25	14	7	1	-
MASSACHUSETTS ----------	153	198	248	396	444	585	541	370	224	45	11	-
WHITE------MALE----	86	119	146	232	252	302	218	132	61	10	2	-
FEMALE--	48	58	79	136	166	263	308	226	154	34	9	-
ALL OTHER--MALE----	15	12	19	16	10	12	5	6	1	-	-	-
FEMALE--	4	9	4	12	16	8	10	6	8	1	-	-
BLACK---MALE----	9	9	10	13	8	10	5	5	1	-	-	-
FEMALE--	2	5	3	10	14	4	8	6	6	1	-	-
MICHIGAN ----------	227	301	418	555	718	795	651	428	197	51	8	-
WHITE------MALE----	126	156	203	274	371	365	270	142	60	10	-	-
FEMALE--	62	83	138	192	248	322	306	244	116	33	7	-
ALL OTHER--MALE----	28	37	42	51	50	54	30	17	3	4	-	-
FEMALE--	11	25	35	38	49	54	45	25	18	4	1	-
BLACK---MALE----	25	35	39	46	47	52	29	16	3	4	-	-
FEMALE--	10	24	34	34	45	51	43	24	18	4	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
MINNESOTA ----------	2,026	-	-	-	-	1	1	3	4	21	30	75
WHITE------MALE----	1,026	-	-	-	-	-	-	2	1	11	13	48
FEMALE--	935	-	-	-	-	-	-	-	2	4	12	22
ALL OTHER--MALE----	32	-	-	-	-	-	1	1	1	3	3	2
FEMALE--	33	-	-	-	-	1	-	-	-	3	2	3
BLACK---MALE----	17	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	15	-	-	-	-	-	-	-	-	2	1	2
MISSISSIPPI ----------	1,378	-	-	-	1	-	5	2	3	13	34	45
WHITE------MALE----	485	-	-	-	-	-	-	-	1	6	9	18
FEMALE--	393	-	-	-	1	-	1	-	1	1	3	11
ALL OTHER--MALE----	255	-	-	-	-	-	3	1	-	5	16	11
FEMALE--	245	-	-	-	-	-	1	1	1	1	6	5
BLACK---MALE----	252	-	-	-	-	-	3	1	-	5	16	10
FEMALE--	243	-	-	-	-	-	1	1	1	1	6	5
MISSOURI ----------	2,752	-	1	-	-	4	2	3	6	19	57	90
WHITE------MALE----	1,230	-	-	-	-	1	1	1	1	7	27	52
FEMALE--	1,168	-	1	-	-	2	-	1	3	9	14	21
ALL OTHER--MALE----	175	-	-	-	-	1	-	1	1	-	11	12
FEMALE--	179	-	-	-	-	-	1	-	1	3	5	5
BLACK---MALE----	166	-	-	-	-	1	-	1	1	-	10	10
FEMALE--	170	-	-	-	-	-	1	-	1	3	4	4
MONTANA ----------	402	-	-	-	-	-	2	1	2	1	6	6
WHITE------MALE----	224	-	-	-	-	-	-	-	2	-	4	4
FEMALE--	163	-	-	-	-	-	1	1	-	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	795	-	-	-	-	1	-	1	2	7	12	14
WHITE------MALE----	385	-	-	-	-	-	-	-	1	4	10	8
FEMALE--	380	-	-	-	-	1	-	-	1	3	2	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	802	-	-	-	-	1	1	-	5	7	12	19
WHITE------MALE----	420	-	-	-	-	1	-	-	2	5	4	7
FEMALE--	280	-	-	-	-	-	1	-	2	2	3	6
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	45	-	-	-	-	-	-	-	1	-	2	3
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
MINNESOTA ----------	76	132	148	232	274	320	283	250	141	33	2	-
WHITE------MALE----	49	74	84	142	152	169	133	93	46	9	-	-
FEMALE--	23	50	58	80	115	144	147	157	95	24	2	-
ALL OTHER--MALE----	2	4	4	7	2	1	1	-	-	-	-	-
FEMALE--	2	4	2	3	5	6	2	-	-	-	-	-
BLACK---MALE----	1	3	3	3	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	2	2	2	2	-	-	-	-	-
MISSISSIPPI ----------	86	114	142	163	182	195	168	136	65	19	5	-
WHITE------MALE----	35	47	58	64	78	62	49	43	11	4	-	-
FEMALE--	14	28	33	46	49	65	53	50	31	5	1	-
ALL OTHER--MALE----	24	27	27	28	20	37	31	17	6	1	1	-
FEMALE--	13	12	24	25	35	31	35	26	17	9	3	-
BLACK---MALE----	24	26	27	28	20	36	31	17	6	1	1	-
FEMALE--	13	12	24	25	34	31	34	26	17	9	3	-
MISSOURI ----------	137	163	248	323	388	436	382	291	153	42	7	-
WHITE------MALE----	77	88	122	165	204	188	157	96	32	9	2	-
FEMALE--	35	51	88	113	147	183	189	166	112	28	5	-
ALL OTHER--MALE----	15	14	22	22	18	34	11	9	2	2	-	-
FEMALE--	10	10	16	23	19	31	25	20	7	3	-	-
BLACK---MALE----	15	14	20	22	18	31	10	9	2	2	-	-
FEMALE--	10	9	14	23	19	28	25	19	7	3	-	-
MONTANA ----------	16	26	37	52	62	70	59	37	20	5	-	-
WHITE------MALE----	7	17	21	29	38	48	27	18	7	2	-	-
FEMALE--	9	8	15	20	23	20	30	19	11	3	-	-
ALL OTHER--MALE----	-	1	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA ----------	33	45	63	91	108	128	125	98	48	18	1	-
WHITE------MALE----	18	24	36	53	58	66	63	35	8	1	-	-
FEMALE--	12	17	25	33	47	58	60	60	40	15	1	-
ALL OTHER--MALE----	3	2	1	4	-	1	1	2	-	-	-	-
FEMALE--	-	2	1	1	3	3	1	1	-	2	-	-
BLACK---MALE----	3	1	1	3	-	1	1	2	-	-	-	-
FEMALE--	-	1	1	1	3	1	1	1	-	2	-	-
NEVADA ----------	40	66	104	118	134	125	96	53	14	6	1	-
WHITE------MALE----	21	37	56	70	76	65	50	23	2	1	-	-
FEMALE--	9	16	33	34	45	49	39	24	11	5	1	-
ALL OTHER--MALE----	5	10	5	8	10	5	4	3	1	-	-	-
FEMALE--	5	3	10	6	3	6	3	3	-	-	-	-
BLACK---MALE----	1	6	4	4	5	3	2	2	1	-	-	-
FEMALE--	1	3	5	1	2	2	3	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
NEW HAMPSHIRE ----------	602	-	-	-	-	-	-	1	2	6	8	20
WHITE------MALE----	344	-	-	-	-	-	-	1	1	1	5	13
FEMALE--	258	-	-	-	-	-	-	-	1	5	3	7
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4,624	1	-	-	-	1	3	5	12	34	66	116
WHITE------MALE----	2,042	-	-	-	-	-	-	-	3	14	28	56
FEMALE--	1,917	1	-	-	-	-	1	1	2	9	17	30
ALL OTHER--MALE----	379	-	-	-	-	1	2	3	4	8	9	23
FEMALE--	286	-	-	-	-	-	-	1	3	3	12	7
BLACK---MALE----	320	-	-	-	-	1	2	3	4	8	8	19
FEMALE--	255	-	-	-	-	-	-	1	3	3	12	3
NEW MEXICO ----------	693	-	2	-	-	-	1	2	-	8	14	30
WHITE------MALE----	344	-	2	-	-	-	-	-	-	4	11	13
FEMALE--	281	-	-	-	-	-	-	1	-	4	3	12
ALL OTHER--MALE----	40	-	-	-	-	-	1	1	-	-	-	5
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	9,805	1	-	-	-	-	5	14	26	64	161	275
WHITE------MALE----	4,259	-	-	-	-	-	1	7	10	20	56	140
FEMALE--	3,878	-	-	-	-	-	2	4	7	25	58	72
ALL OTHER--MALE----	811	1	-	-	-	-	1	2	7	11	26	37
FEMALE--	857	-	-	-	-	-	1	1	2	8	21	26
BLACK---MALE----	653	1	-	-	-	-	1	2	6	8	20	28
FEMALE--	739	-	-	-	-	-	1	1	2	7	17	21
NORTH CAROLINA ---------	3,404	-	-	-	-	1	3	9	12	38	58	120
WHITE------MALE----	1,372	-	-	-	-	1	-	3	4	18	24	44
FEMALE--	1,158	-	-	-	-	-	-	1	3	8	17	30
ALL OTHER--MALE----	438	-	-	-	-	-	1	2	2	6	12	31
FEMALE--	436	-	-	-	-	-	2	3	3	6	5	15
BLACK---MALE----	424	-	-	-	-	-	1	2	2	5	11	29
FEMALE--	418	-	-	-	-	-	2	2	2	5	5	15
NORTH DAKOTA ----------	338	-	1	-	-	-	-	-	2	-	6	3
WHITE------MALE----	162	-	1	-	-	-	-	-	1	-	2	3
FEMALE--	172	-	-	-	-	-	-	-	1	-	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
NEW HAMPSHIRE ----------	32	37	47	60	93	109	92	59	25	11	-	-
WHITE------MALE----	21	24	29	37	61	64	53	25	7	2	-	-
FEMALE--	11	13	18	23	32	45	39	34	18	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	217	295	356	539	701	791	670	492	255	62	7	1
WHITE------MALE----	103	155	190	261	347	349	272	175	77	11	1	-
FEMALE--	58	75	105	177	247	357	342	284	163	43	4	1
ALL OTHER--MALE----	47	40	38	57	66	45	20	11	4	1	-	-
FEMALE--	9	25	23	44	41	40	36	22	11	7	2	-
BLACK---MALE----	35	32	33	48	61	40	15	7	3	1	-	-
FEMALE--	8	21	21	38	34	37	34	21	11	7	1	-
NEW MEXICO ----------	27	41	54	87	115	119	98	49	36	9	1	-
WHITE------MALE----	13	23	33	43	68	56	40	18	19	1	-	-
FEMALE--	10	15	14	31	33	55	51	29	15	7	1	-
ALL OTHER--MALE----	2	2	6	7	6	4	4	1	1	-	-	-
FEMALE--	2	1	1	6	8	4	3	1	1	1	-	-
BLACK---MALE----	2	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	2	4	-	-	-	-	-	-	-
NEW YORK ----------	477	605	882	1,124	1,519	1,607	1,389	1,027	474	138	17	-
WHITE------MALE----	227	298	416	533	726	745	577	343	121	36	3	-
FEMALE--	125	147	249	363	543	649	658	575	299	92	10	-
ALL OTHER--MALE----	72	85	115	117	115	103	64	42	10	2	1	-
FEMALE--	53	75	102	111	135	110	90	67	44	8	3	-
BLACK---MALE----	60	69	93	94	92	82	54	32	8	2	1	-
FEMALE--	43	66	92	92	116	92	81	60	38	7	3	-
NORTH CAROLINA ---------	207	276	323	410	502	547	430	312	124	27	5	-
WHITE------MALE----	94	129	159	199	219	230	132	81	30	4	1	-
FEMALE--	42	58	91	108	167	193	189	167	65	17	2	-
ALL OTHER--MALE----	46	58	41	53	55	59	36	23	12	1	-	-
FEMALE--	25	31	32	50	61	65	73	41	17	5	2	-
BLACK---MALE----	45	56	40	50	54	58	35	23	12	1	-	-
FEMALE--	22	30	29	49	59	64	71	40	16	5	2	-
NORTH DAKOTA ----------	11	20	32	28	48	46	50	54	23	13	1	-
WHITE------MALE----	5	13	16	19	18	28	26	19	7	4	-	-
FEMALE--	6	7	14	9	30	18	23	34	16	9	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
OHIO ----------	5,757	-	1	-	-	1	1	2	20	35	77	195
WHITE------MALE----	2,700	-	1	-	-	1	1	2	8	17	42	95
FEMALE--	2,392	-	-	-	-	-	-	-	8	9	22	65
ALL OTHER--MALE----	336	-	-	-	-	-	-	-	4	5	6	23
FEMALE--	329	-	-	-	-	-	-	-	-	4	7	12
BLACK---MALE----	324	-	-	-	-	-	-	-	4	5	5	22
FEMALE--	324	-	-	-	-	-	-	-	-	4	7	12
OKLAHOMA ----------	1,600	-	3	-	-	-	-	3	6	13	22	51
WHITE------MALE----	751	-	2	-	-	-	-	3	3	6	8	19
FEMALE--	640	-	1	-	-	-	-	-	2	7	11	18
ALL OTHER--MALE----	100	-	-	-	-	-	-	-	-	-	-	7
FEMALE--	109	-	-	-	-	-	-	-	1	-	3	7
BLACK---MALE----	63	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	66	-	-	-	-	-	-	-	1	-	2	5
OREGON ----------	1,548	-	1	-	-	-	-	1	4	8	19	45
WHITE------MALE----	788	-	-	-	-	-	-	1	3	5	14	28
FEMALE--	693	-	1	-	-	-	-	-	-	2	4	12
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	7,379	1	1	-	-	-	3	2	18	57	101	202
WHITE------MALE----	3,506	-	-	-	-	-	2	1	10	23	57	104
FEMALE--	3,100	-	1	-	-	-	1	-	6	23	32	61
ALL OTHER--MALE----	409	-	-	-	-	-	-	-	2	8	10	23
FEMALE--	364	1	-	-	-	-	-	1	-	3	2	14
BLACK---MALE----	386	-	-	-	-	-	-	-	2	7	9	21
FEMALE--	349	1	-	-	-	-	-	1	-	3	2	13
RHODE ISLAND ----------	609	-	-	-	-	-	-	-	-	9	5	18
WHITE------MALE----	299	-	-	-	-	-	-	-	-	2	3	10
FEMALE--	282	-	-	-	-	-	-	-	-	5	1	6
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
SOUTH CAROLINA ---------	1,865	-	-	-	-	2	1	4	7	20	47	84
WHITE------MALE----	703	-	-	-	-	2	-	2	1	5	18	32
FEMALE--	581	-	-	-	-	-	1	2	-	6	9	12
ALL OTHER--MALE----	333	-	-	-	-	-	-	-	3	5	13	27
FEMALE--	248	-	-	-	-	-	-	-	3	4	7	13
BLACK---MALE----	330	-	-	-	-	-	-	-	3	5	13	27
FEMALE--	242	-	-	-	-	-	-	-	3	4	6	12

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
OHIO ----------	285	332	525	687	868	961	824	596	266	67	14	-
WHITE------MALE----	157	180	276	359	444	493	332	192	88	10	2	-
FEMALE--	75	107	180	235	327	375	420	356	153	50	10	-
ALL OTHER--MALE----	34	30	40	51	49	42	33	8	9	2	-	-
FEMALE--	19	15	29	42	48	51	39	40	16	5	2	-
BLACK---MALE----	33	30	37	49	47	40	33	8	9	2	-	-
FEMALE--	19	15	29	41	46	50	38	40	16	5	2	-
OKLAHOMA ----------	81	93	147	182	229	267	231	164	81	24	3	-
WHITE------MALE----	39	52	74	103	124	137	100	55	20	6	-	-
FEMALE--	26	30	51	58	76	96	105	90	55	14	-	-
ALL OTHER--MALE----	9	7	13	11	16	14	14	4	3	1	1	-
FEMALE--	7	4	9	10	13	20	12	15	3	3	2	-
BLACK---MALE----	4	4	8	6	14	8	10	3	2	1	-	-
FEMALE--	2	2	5	7	9	10	6	10	2	3	2	-
OREGON ----------	79	91	132	182	227	259	235	177	68	19	1	-
WHITE------MALE----	50	57	72	99	128	128	100	80	21	2	-	-
FEMALE--	23	26	53	76	86	126	126	95	45	17	1	-
ALL OTHER--MALE----	6	6	1	6	9	3	7	-	1	-	-	-
FEMALE--	-	2	6	1	4	2	2	2	1	-	-	-
BLACK---MALE----	3	3	-	3	1	2	2	-	-	-	-	-
FEMALE--	-	1	3	-	-	1	-	-	-	-	-	-
PENNSYLVANIA ----------	310	440	554	843	1,178	1,267	1,127	803	366	97	8	1
WHITE------MALE----	167	240	278	475	621	623	494	294	98	16	3	-
FEMALE--	91	131	204	266	445	518	551	442	247	75	5	1
ALL OTHER--MALE----	37	45	48	58	61	56	33	21	6	1	-	-
FEMALE--	15	24	24	44	51	70	49	46	15	5	-	-
BLACK---MALE----	34	41	43	55	58	56	33	20	6	1	-	-
FEMALE--	15	21	24	41	49	69	45	46	14	5	-	-
RHODE ISLAND ----------	27	29	42	63	85	103	108	77	34	7	2	-
WHITE------MALE----	17	20	28	30	49	47	43	35	14	1	-	-
FEMALE--	6	9	13	29	33	53	59	41	19	6	2	-
ALL OTHER--MALE----	2	-	-	1	2	2	2	-	-	-	-	-
FEMALE--	2	-	1	3	1	1	4	1	1	-	-	-
BLACK---MALE----	1	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	2	-	1	2	1	1	2	1	1	-	-	-
SOUTH CAROLINA ---------	118	167	208	244	245	259	228	139	70	20	2	-
WHITE------MALE----	47	59	92	102	97	101	93	32	17	3	-	-
FEMALE--	20	40	56	63	71	94	85	70	38	14	-	-
ALL OTHER--MALE----	32	48	40	51	37	28	25	17	7	-	-	-
FEMALE--	19	20	20	28	40	36	25	20	8	3	2	-
BLACK---MALE----	31	48	40	49	37	28	25	17	7	-	-	-
FEMALE--	18	19	20	27	39	36	25	20	8	3	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
SOUTH DAKOTA ----------	396	-	-	-	-	-	-	-	2	5	6	12
WHITE------MALE----	197	-	-	-	-	-	-	-	1	3	5	7
FEMALE--	187	-	-	-	-	-	-	-	-	2	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2,478	-	-	-	-	2	1	3	10	35	47	105
WHITE------MALE----	1,071	-	-	-	-	1	1	1	5	12	19	45
FEMALE--	936	-	-	-	-	-	-	1	3	8	15	27
ALL OTHER--MALE----	235	-	-	-	-	-	-	1	1	9	8	18
FEMALE--	236	-	-	-	-	1	-	-	1	6	5	15
BLACK---MALE----	231	-	-	-	-	-	-	1	1	9	8	17
FEMALE--	232	-	-	-	-	1	-	-	1	6	4	14
TEXAS ----------	7,832	2	-	1	3	3	7	17	34	63	166	326
WHITE------MALE----	3,639	1	-	1	2	1	3	8	17	30	89	162
FEMALE--	2,958	1	-	-	-	2	3	5	6	19	49	94
ALL OTHER--MALE----	671	-	-	-	1	-	-	2	7	7	19	44
FEMALE--	564	-	-	-	-	-	1	2	4	7	9	26
BLACK---MALE----	612	-	-	-	1	-	-	2	5	5	16	42
FEMALE--	505	-	-	-	-	-	1	1	3	7	7	19
UTAH ----------	563	-	1	-	-	1	1	1	4	8	10	31
WHITE------MALE----	285	-	1	-	-	-	-	1	1	6	5	19
FEMALE--	257	-	-	-	-	1	1	-	3	2	4	10
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	298	-	-	-	-	-	1	-	-	3	4	9
WHITE------MALE----	155	-	-	-	-	-	-	-	-	2	1	8
FEMALE--	141	-	-	-	-	-	1	-	-	-	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2,989	-	2	-	2	-	3	3	14	29	59	99
WHITE------MALE----	1,158	-	1	-	1	-	-	2	4	10	23	36
FEMALE--	1,056	-	-	-	-	-	2	1	1	5	15	29
ALL OTHER--MALE----	428	-	-	-	1	-	-	-	5	7	12	25
FEMALE--	347	-	1	-	-	-	1	-	4	7	9	9
BLACK---MALE----	378	-	-	-	1	-	-	-	3	5	9	23
FEMALE--	320	-	1	-	-	-	1	-	3	7	7	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
SOUTH DAKOTA ----------	12	19	19	39	63	67	64	39	28	18	3	-
WHITE------MALE----	9	13	13	18	37	34	34	12	7	4	-	-
FEMALE--	1	6	5	20	24	30	30	27	21	13	3	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	1	-	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	123	194	237	278	353	380	327	243	106	32	1	1
WHITE------MALE----	52	98	142	147	168	145	136	66	27	6	-	-
FEMALE--	44	62	60	74	126	164	134	133	64	20	1	-
ALL OTHER--MALE----	12	24	21	33	30	33	23	15	5	1	-	1
FEMALE--	15	10	14	24	29	38	34	29	10	5	-	-
BLACK---MALE----	12	24	21	33	30	33	21	14	5	1	-	1
FEMALE--	14	10	14	24	29	38	34	29	9	5	-	-
TEXAS ----------	490	628	715	965	1,206	1,172	945	696	301	77	15	-
WHITE------MALE----	233	317	384	498	587	583	406	234	69	13	1	-
FEMALE--	141	182	215	313	435	458	416	377	177	56	9	-
ALL OTHER--MALE----	81	82	65	89	96	69	52	34	20	3	-	-
FEMALE--	35	47	51	65	88	62	71	51	35	5	5	-
BLACK---MALE----	74	72	58	80	91	62	50	34	18	2	-	-
FEMALE--	31	37	45	58	82	56	67	48	33	5	5	-
UTAH ----------	30	38	39	60	71	89	74	70	27	8	-	-
WHITE------MALE----	16	24	19	31	35	48	36	28	13	2	-	-
FEMALE--	12	14	17	27	33	36	35	42	14	6	-	-
ALL OTHER--MALE----	2	-	-	2	1	3	3	-	-	-	-	-
FEMALE--	-	-	3	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
VERMONT ----------	13	16	27	44	46	42	49	26	10	8	-	-
WHITE------MALE----	9	10	16	27	27	22	17	14	1	1	-	-
FEMALE--	4	6	10	17	19	20	32	12	9	7	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	181	217	268	348	472	499	369	266	122	32	4	-
WHITE------MALE----	82	95	112	147	202	192	139	77	27	7	1	-
FEMALE--	41	47	75	103	155	198	153	132	77	21	1	-
ALL OTHER--MALE----	36	50	47	61	63	59	32	23	7	-	-	-
FEMALE--	22	25	34	37	52	50	45	34	11	4	2	-
BLACK---MALE----	27	42	44	55	57	53	31	22	6	-	-	-
FEMALE--	19	23	31	37	47	44	42	33	11	4	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
WASHINGTON ----------	2,417	1	1	-	-	-	3	4	6	23	36	99
WHITE------MALE----	1,212	-	-	-	-	-	1	2	3	14	17	58
FEMALE--	1,006	1	1	-	-	-	1	1	3	5	11	23
ALL OTHER--MALE----	115	-	-	-	-	-	-	-	-	4	2	11
FEMALE--	84	-	-	-	-	-	1	1	-	-	6	7
BLACK---MALE----	39	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	2	3
WEST VIRGINIA ----------	997	-	-	-	-	-	-	2	5	9	13	21
WHITE------MALE----	532	-	-	-	-	-	-	1	1	5	6	12
FEMALE--	427	-	-	-	-	-	-	1	4	3	6	7
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
WISCONSIN ----------	2,568	-	1	-	-	-	1	6	5	22	38	84
WHITE------MALE----	1,343	-	-	-	-	-	1	3	2	10	21	51
FEMALE--	1,099	-	-	-	-	-	-	1	2	9	8	19
ALL OTHER--MALE----	69	-	1	-	-	-	-	-	-	2	5	11
FEMALE--	57	-	-	-	-	-	-	2	1	1	4	3
BLACK---MALE----	56	-	1	-	-	-	-	-	-	2	3	11
FEMALE--	45	-	-	-	-	-	-	2	1	1	4	3
WYOMING ----------	217	-	-	-	-	-	-	1	-	-	6	11
WHITE------MALE----	122	-	-	-	-	-	-	-	-	-	3	7
FEMALE--	89	-	-	-	-	-	-	1	-	-	2	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
WASHINGTON ----------	105	165	204	244	361	394	354	253	123	35	6	-
WHITE------MALE----	60	98	132	132	190	186	162	103	45	8	1	-
FEMALE--	34	47	53	93	143	174	175	139	73	26	3	-
ALL OTHER--MALE----	7	13	12	13	14	20	10	7	2	-	-	-
FEMALE--	4	7	7	6	14	14	7	4	3	1	2	-
BLACK---MALE----	3	8	1	5	8	8	1	-	-	-	-	-
FEMALE--	2	1	3	3	3	4	1	2	1	-	1	-
WEST VIRGINIA ----------	43	74	103	112	156	157	134	106	45	17	-	-
WHITE------MALE----	23	53	57	69	89	83	67	46	16	4	-	-
FEMALE--	17	18	45	41	65	68	59	54	27	12	-	-
ALL OTHER--MALE----	1	2	1	1	2	2	4	5	-	-	-	-
FEMALE--	2	1	-	1	-	4	4	1	2	1	-	-
BLACK---MALE----	1	2	1	1	2	2	4	5	-	-	-	-
FEMALE--	2	1	-	1	-	4	4	1	2	1	-	-
WISCONSIN ----------	101	154	191	300	405	406	398	269	142	40	5	-
WHITE------MALE----	67	94	126	165	235	211	198	101	44	12	2	-
FEMALE--	28	53	53	117	148	183	192	162	94	27	3	-
ALL OTHER--MALE----	4	4	6	7	15	5	5	1	2	1	-	-
FEMALE--	2	3	6	11	7	7	3	5	2	-	-	-
BLACK---MALE----	3	4	4	6	11	4	5	-	2	-	-	-
FEMALE--	2	2	5	8	5	5	2	3	2	-	-	-
WYOMING ----------	14	16	20	28	26	26	36	15	16	2	-	-
WHITE------MALE----	7	13	15	15	17	15	16	5	9	-	-	-
FEMALE--	7	3	5	10	9	11	19	9	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 694

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of esophagus (C15)												
UNITED STATES -	11,918	-	-	-	-	-	-	10	27	75	218	469
WHITE------MALE----	7,740	-	-	-	-	-	-	6	18	60	143	323
FEMALE--	2,339	-	-	-	-	-	-	3	5	7	19	39
ALL OTHER--MALE----	1,354	-	-	-	-	-	-	1	4	5	47	87
FEMALE--	485	-	-	-	-	-	-	-	-	3	9	20
BLACK---MALE----	1,203	-	-	-	-	-	-	-	3	4	41	79
FEMALE--	445	-	-	-	-	-	-	-	-	2	7	20
ALABAMA ----------	152	-	-	-	-	-	-	-	-	-	5	5
WHITE------MALE----	78	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	174	-	-	-	-	-	-	-	-	-	2	10
WHITE------MALE----	137	-	-	-	-	-	-	-	-	-	1	7
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	111	-	-	-	-	-	-	-	1	-	3	5
WHITE------MALE----	79	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1,217	-	-	-	-	-	-	1	1	7	26	33
WHITE------MALE----	770	-	-	-	-	-	-	-	1	6	15	25
FEMALE--	292	-	-	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	114	-	-	-	-	-	-	1	-	-	5	5
FEMALE--	41	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	63	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 694

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
UNITED STATES -	793	1,139	1,392	1,739	1,955	1,784	1,202	755	279	72	8	1
WHITE------MALE----	542	773	905	1,191	1,339	1,171	751	383	115	18	2	-
FEMALE--	75	122	209	257	352	393	351	311	144	49	3	-
ALL OTHER--MALE----	142	196	207	205	190	157	57	38	12	4	1	1
FEMALE--	34	48	71	86	74	63	43	23	8	1	2	-
BLACK---MALE----	133	179	190	179	165	143	42	30	10	4	-	1
FEMALE--	33	46	62	81	66	57	40	21	7	1	2	-
ALABAMA ----------	11	13	23	22	19	28	12	6	4	3	1	-
WHITE------MALE----	7	6	10	15	11	18	3	2	-	-	1	-
FEMALE--	3	2	4	2	2	2	7	2	2	1	-	-
ALL OTHER--MALE----	1	3	8	3	3	5	2	1	-	2	-	-
FEMALE--	-	2	1	2	3	3	-	1	2	-	-	-
BLACK---MALE----	1	3	8	3	3	5	2	1	-	2	-	-
FEMALE--	-	2	1	2	3	3	-	1	2	-	-	-
ALASKA ----------	-	2	6	-	2	1	2	-	-	-	-	-
WHITE------MALE----	-	1	3	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	12	17	14	33	35	29	14	8	-	-	-	-
WHITE------MALE----	8	16	13	30	26	23	9	4	-	-	-	-
FEMALE--	4	1	-	2	9	5	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	10	10	20	20	10	16	9	4	3	-	-	-
WHITE------MALE----	8	7	16	16	7	12	5	2	2	-	-	-
FEMALE--	-	-	2	1	-	3	3	1	1	-	-	-
ALL OTHER--MALE----	2	3	2	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	2	3	2	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
CALIFORNIA ----------	67	100	146	180	198	181	138	82	42	14	1	-
WHITE------MALE----	51	69	95	121	120	127	81	37	16	6	-	-
FEMALE--	8	15	27	34	50	35	47	39	23	8	-	-
ALL OTHER--MALE----	6	11	17	15	23	14	8	5	3	-	1	-
FEMALE--	2	5	7	10	5	5	2	1	-	-	-	-
BLACK---MALE----	5	7	13	7	13	11	1	-	1	-	-	-
FEMALE--	2	4	3	8	2	4	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of esophagus (C15)												
COLORADO ----------	135	-	-	-	-	-	-	-	-	1	5	3
WHITE------MALE----	94	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	156	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	107	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	46	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
FLORIDA ----------	830	-	-	-	-	-	-	-	2	4	8	24
WHITE------MALE----	545	-	-	-	-	-	-	-	2	4	5	20
FEMALE--	184	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	87	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	86	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	289	-	-	-	-	-	-	1	2	4	6	17
WHITE------MALE----	137	-	-	-	-	-	-	-	2	2	2	7
FEMALE--	39	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	82	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	31	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	81	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	30	-	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
COLORADO ----------	6	14	10	16	28	19	16	14	2	1	-	-
WHITE------MALE----	3	12	7	10	24	10	9	9	1	-	-	-
FEMALE--	2	2	3	6	4	8	5	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT ----------	13	12	27	18	25	27	13	8	6	2	-	-
WHITE------MALE----	9	10	17	14	19	17	12	2	4	1	-	-
FEMALE--	1	1	4	2	3	7	1	5	2	1	-	-
ALL OTHER--MALE----	1	1	2	2	2	3	-	1	-	-	-	-
FEMALE--	2	-	4	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	2	2	3	-	1	-	-	-	-
FEMALE--	2	-	4	-	1	-	-	-	-	-	-	-
DELAWARE ----------	3	4	1	3	7	6	4	1	-	1	-	-
WHITE------MALE----	2	2	1	2	5	6	2	1	-	-	-	-
FEMALE--	1	2	-	1	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	5	8	8	5	5	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	7	6	1	3	-	-	1	-	-	-
FEMALE--	-	-	1	2	4	1	1	1	-	-	-	-
BLACK---MALE----	5	5	7	6	1	3	-	-	1	-	-	-
FEMALE--	-	-	1	2	4	1	1	1	-	-	-	-
FLORIDA ----------	42	85	93	114	137	129	99	69	23	1	-	-
WHITE------MALE----	25	57	63	76	100	83	68	31	11	-	-	-
FEMALE--	7	10	17	20	26	33	27	33	10	1	-	-
ALL OTHER--MALE----	9	17	11	17	7	13	3	3	1	-	-	-
FEMALE--	1	1	2	1	4	-	1	2	1	-	-	-
BLACK---MALE----	9	17	11	16	7	13	3	3	1	-	-	-
FEMALE--	1	1	2	1	3	-	1	2	1	-	-	-
GEORGIA ----------	29	40	37	42	43	30	18	13	7	-	-	-
WHITE------MALE----	16	20	16	23	23	15	7	1	3	-	-	-
FEMALE--	1	6	2	3	4	5	6	6	3	-	-	-
ALL OTHER--MALE----	11	10	18	14	4	8	2	4	-	-	-	-
FEMALE--	1	4	1	2	12	2	3	2	1	-	-	-
BLACK---MALE----	10	10	18	14	4	8	2	4	-	-	-	-
FEMALE--	1	4	1	2	11	2	3	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of esophagus (C15)												
HAWAII ----------	42	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	43	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	33	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	515	-	-	-	-	-	-	1	-	4	13	26
WHITE------MALE----	338	-	-	-	-	-	-	1	-	4	6	18
FEMALE--	78	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	66	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	33	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	62	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	33	-	-	-	-	-	-	-	-	-	2	2
INDIANA ----------	289	-	-	-	-	-	-	1	2	3	4	16
WHITE------MALE----	203	-	-	-	-	-	-	-	2	2	4	12
FEMALE--	65	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	133	-	-	-	-	-	-	-	1	-	2	1
WHITE------MALE----	95	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	129	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	93	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
HAWAII ----------	1	3	6	6	9	5	6	2	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	2	5	5	8	3	4	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	3	6	5	6	7	2	3	2	1	-	-
WHITE------MALE----	3	3	5	5	5	5	2	1	1	1	-	-
FEMALE--	2	-	1	-	1	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	33	49	63	73	82	78	46	33	9	5	-	-
WHITE------MALE----	23	33	39	51	57	54	32	16	4	-	-	-
FEMALE--	2	6	6	9	9	12	13	8	5	5	-	-
ALL OTHER--MALE----	6	9	13	8	8	9	-	5	-	-	-	-
FEMALE--	2	1	5	5	8	3	1	4	-	-	-	-
BLACK---MALE----	6	9	12	7	8	8	-	4	-	-	-	-
FEMALE--	2	1	5	5	8	3	1	4	-	-	-	-
INDIANA ----------	23	31	32	47	41	37	30	14	6	1	1	-
WHITE------MALE----	19	25	22	37	33	20	20	5	2	-	-	-
FEMALE--	2	3	6	7	6	15	8	9	4	1	1	-
ALL OTHER--MALE----	2	3	3	3	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	2	3	3	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-
IOWA ----------	9	12	13	19	22	18	18	11	4	3	-	-
WHITE------MALE----	7	8	9	13	15	16	12	6	3	3	-	-
FEMALE--	2	2	3	6	6	2	6	5	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	10	11	9	25	22	19	15	8	5	-	-	-
WHITE------MALE----	7	8	9	19	15	17	10	5	1	-	-	-
FEMALE--	2	1	-	3	5	2	4	3	4	-	-	-
ALL OTHER--MALE----	1	2	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of esophagus (C15)												
KENTUCKY ----------	183	-	-	-	-	-	-	-	1	2	8	9
WHITE------MALE----	129	-	-	-	-	-	-	-	-	2	7	8
FEMALE--	41	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	200	-	-	-	-	-	-	-	-	2	6	8
WHITE------MALE----	88	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	41	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	69	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	52	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	240	-	-	-	-	-	-	-	-	3	7	7
WHITE------MALE----	132	-	-	-	-	-	-	-	-	3	6	2
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	56	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	353	-	-	-	-	-	-	-	1	2	6	11
WHITE------MALE----	255	-	-	-	-	-	-	-	1	1	5	9
FEMALE--	73	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	457	-	-	-	-	-	-	-	-	1	8	19
WHITE------MALE----	311	-	-	-	-	-	-	-	-	1	7	15
FEMALE--	88	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
KENTUCKY ----------	6	18	19	31	26	30	18	13	2	-	-	-
WHITE------MALE----	6	14	13	25	21	20	8	4	1	-	-	-
FEMALE--	-	1	3	5	4	7	9	9	1	-	-	-
ALL OTHER--MALE----	-	3	3	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	2	3	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
LOUISIANA ----------	11	21	16	27	41	29	21	14	4	-	-	-
WHITE------MALE----	6	8	5	10	22	13	9	9	1	-	-	-
FEMALE--	1	2	4	7	8	5	5	3	2	-	-	-
ALL OTHER--MALE----	4	9	2	7	9	7	2	-	1	-	-	-
FEMALE--	-	2	5	3	2	4	5	2	-	-	-	-
BLACK---MALE----	4	9	2	6	9	7	2	-	1	-	-	-
FEMALE--	-	2	5	3	2	4	5	2	-	-	-	-
MAINE ----------	6	5	8	8	11	14	6	6	2	-	1	-
WHITE------MALE----	6	4	7	8	8	10	5	2	-	-	-	-
FEMALE--	-	1	1	-	3	4	1	4	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	19	25	30	35	40	35	23	10	5	1	-	-
WHITE------MALE----	10	15	14	16	20	20	18	5	2	1	-	-
FEMALE--	2	-	5	6	9	5	4	3	3	-	-	-
ALL OTHER--MALE----	6	9	8	9	8	9	-	2	-	-	-	-
FEMALE--	1	1	3	4	3	1	1	-	-	-	-	-
BLACK---MALE----	6	9	8	9	8	9	-	2	-	-	-	-
FEMALE--	1	1	3	4	3	1	1	-	-	-	-	-
MASSACHUSETTS ----------	29	34	35	57	45	59	32	30	10	1	1	-
WHITE------MALE----	27	27	23	44	35	41	22	18	2	-	-	-
FEMALE--	1	3	7	9	7	14	10	11	8	-	1	-
ALL OTHER--MALE----	1	3	5	2	3	4	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	1	-	-
BLACK---MALE----	1	3	5	2	2	4	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	1	-	-
MICHIGAN ----------	34	38	54	77	67	83	41	30	3	2	-	-
WHITE------MALE----	27	28	35	50	51	52	28	16	1	-	-	-
FEMALE--	3	4	10	15	11	16	11	11	2	1	-	-
ALL OTHER--MALE----	3	5	7	9	3	12	2	1	-	1	-	-
FEMALE--	1	1	2	3	2	3	-	2	-	-	-	-
BLACK---MALE----	2	5	7	8	3	11	2	1	-	1	-	-
FEMALE--	1	1	2	3	2	3	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of esophagus (C15)												
MINNESOTA ----------	180	-	-	-	-	-	-	1	1	-	3	5
WHITE------MALE----	135	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	104	-	-	-	-	-	-	-	1	-	4	4
WHITE------MALE----	56	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	233	-	-	-	-	-	-	-	-	1	6	15
WHITE------MALE----	166	-	-	-	-	-	-	-	-	1	2	14
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	41	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	70	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	55	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	78	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	58	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
MINNESOTA ----------	12	9	14	33	30	28	22	17	5	-	-	-
WHITE------MALE----	10	7	12	28	23	20	17	9	2	-	-	-
FEMALE--	2	1	2	3	7	8	5	8	3	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	11	17	14	17	14	7	7	3	-	-	-
WHITE------MALE----	2	4	9	7	14	7	2	5	1	-	-	-
FEMALE--	-	2	1	1	-	2	3	1	1	-	-	-
ALL OTHER--MALE----	3	5	5	4	2	2	2	1	1	-	-	-
FEMALE--	-	-	2	2	1	3	-	-	-	-	-	-
BLACK---MALE----	3	5	5	4	2	2	2	1	1	-	-	-
FEMALE--	-	-	2	2	1	3	-	-	-	-	-	-
MISSOURI ----------	16	19	28	25	35	44	24	13	6	1	-	-
WHITE------MALE----	13	12	21	17	28	30	16	8	3	1	-	-
FEMALE--	1	2	3	5	5	10	7	5	3	-	-	-
ALL OTHER--MALE----	1	2	4	2	2	3	-	-	-	-	-	-
FEMALE--	1	3	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	1	2	4	2	2	2	-	-	-	-	-	-
FEMALE--	1	3	-	1	-	1	1	-	-	-	-	-
MONTANA ----------	-	4	5	8	10	4	5	3	1	-	-	-
WHITE------MALE----	-	4	4	8	9	2	4	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	4	7	9	13	11	11	7	3	-	-	-
WHITE------MALE----	2	4	5	8	12	8	9	5	-	-	-	-
FEMALE--	-	-	2	1	1	2	2	2	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	6	15	14	16	17	6	-	-	-	-	-
WHITE------MALE----	1	5	15	13	10	10	3	-	-	-	-	-
FEMALE--	-	-	-	-	5	6	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of esophagus (C15)												
NEW HAMPSHIRE ----------	74	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	55	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	394	-	-	-	-	-	-	-	-	3	6	15
WHITE------MALE----	240	-	-	-	-	-	-	-	-	2	4	11
FEMALE--	85	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	47	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	57	-	-	-	-	-	-	-	-	-	-	4
WHITE------MALE----	47	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	825	-	-	-	-	-	-	2	4	3	13	29
WHITE------MALE----	504	-	-	-	-	-	-	1	1	2	7	18
FEMALE--	173	-	-	-	-	-	-	1	2	1	2	4
ALL OTHER--MALE----	105	-	-	-	-	-	-	-	1	-	3	5
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	94	-	-	-	-	-	-	-	1	-	3	3
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	2
NORTH CAROLINA ---------	306	-	-	-	-	-	-	-	1	3	5	12
WHITE------MALE----	171	-	-	-	-	-	-	-	1	2	4	1
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	1	1	6
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	59	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	3
NORTH DAKOTA ----------	29	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
NEW HAMPSHIRE ----------	7	2	12	9	16	13	5	4	2	1	-	-
WHITE------MALE----	6	2	8	8	13	8	5	2	-	-	-	-
FEMALE--	1	-	4	1	3	5	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	28	31	38	66	63	60	44	18	19	2	1	-
WHITE------MALE----	21	20	27	40	37	41	21	8	7	-	1	-
FEMALE--	1	2	6	8	13	13	18	7	12	2	-	-
ALL OTHER--MALE----	6	4	5	12	12	3	2	3	-	-	-	-
FEMALE--	-	5	-	6	1	3	3	-	-	-	-	-
BLACK---MALE----	6	2	5	11	12	3	1	3	-	-	-	-
FEMALE--	-	5	-	5	1	3	3	-	-	-	-	-
NEW MEXICO ----------	5	3	6	8	10	7	6	3	5	-	-	-
WHITE------MALE----	4	2	6	6	9	5	4	3	4	-	-	-
FEMALE--	-	1	-	2	1	2	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	57	88	90	116	142	123	76	50	23	9	-	-
WHITE------MALE----	30	54	55	78	98	79	44	23	11	3	-	-
FEMALE--	6	10	13	18	24	26	24	26	10	6	-	-
ALL OTHER--MALE----	17	20	14	14	13	10	6	1	1	-	-	-
FEMALE--	4	4	8	6	7	8	2	-	1	-	-	-
BLACK---MALE----	16	19	13	11	12	9	6	-	1	-	-	-
FEMALE--	4	4	8	6	5	6	2	-	1	-	-	-
NORTH CAROLINA ---------	32	42	34	42	53	39	24	16	2	-	1	-
WHITE------MALE----	18	23	25	22	34	23	11	6	1	-	-	-
FEMALE--	1	2	3	8	9	8	8	7	-	-	-	-
ALL OTHER--MALE----	12	12	4	6	9	5	3	1	1	-	-	-
FEMALE--	1	5	2	6	1	3	2	2	-	-	1	-
BLACK---MALE----	12	11	4	6	9	5	3	1	1	-	-	-
FEMALE--	1	5	2	6	1	3	2	2	-	-	1	-
NORTH DAKOTA ----------	1	4	3	4	7	5	3	2	-	-	-	-
WHITE------MALE----	1	4	3	4	4	5	3	2	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 700

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of esophagus (C15)												
OHIO ----------	545	-	-	-	-	-	-	-	-	4	4	28
WHITE------MALE----	362	-	-	-	-	-	-	-	-	3	3	25
FEMALE--	114	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	142	-	-	-	-	-	-	-	1	3	2	14
WHITE------MALE----	91	-	-	-	-	-	-	-	1	3	2	8
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
OREGON ----------	168	-	-	-	-	-	-	-	-	1	1	3
WHITE------MALE----	120	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	675	-	-	-	-	-	-	-	3	3	17	26
WHITE------MALE----	465	-	-	-	-	-	-	-	3	3	13	21
FEMALE--	132	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	62	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND ----------	46	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	32	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	189	-	-	-	-	-	-	-	-	-	5	11
WHITE------MALE----	85	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	62	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
OHIO ----------	44	45	67	81	95	76	56	28	9	8	-	-
WHITE------MALE----	32	36	40	57	68	49	30	14	5	-	-	-
FEMALE--	4	6	14	14	16	16	18	11	4	8	-	-
ALL OTHER--MALE----	6	3	10	6	6	6	4	1	-	-	-	-
FEMALE--	2	-	3	4	5	5	4	2	-	-	-	-
BLACK---MALE----	6	3	10	6	6	6	4	1	-	-	-	-
FEMALE--	2	-	3	4	5	5	4	2	-	-	-	-
OKLAHOMA ----------	10	11	15	24	17	17	19	7	-	2	-	-
WHITE------MALE----	5	8	9	13	12	12	13	4	-	1	-	-
FEMALE--	2	1	4	3	3	3	5	3	-	-	-	-
ALL OTHER--MALE----	2	2	1	6	2	1	1	-	-	1	-	-
FEMALE--	1	-	1	2	-	1	-	-	-	-	-	-
BLACK---MALE----	2	2	1	3	2	-	1	-	-	1	-	-
FEMALE--	1	-	-	2	-	1	-	-	-	-	-	-
OREGON ----------	10	20	19	20	24	33	20	12	3	2	-	-
WHITE------MALE----	7	13	14	17	19	23	12	9	2	-	-	-
FEMALE--	1	3	4	3	4	10	7	3	1	2	-	-
ALL OTHER--MALE----	2	3	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	47	58	70	102	114	86	77	56	15	1	-	-
WHITE------MALE----	33	43	48	78	82	61	48	26	6	-	-	-
FEMALE--	5	6	9	13	16	19	26	28	8	1	-	-
ALL OTHER--MALE----	8	8	12	9	14	5	1	1	-	-	-	-
FEMALE--	1	1	1	2	2	1	2	1	1	-	-	-
BLACK---MALE----	7	8	11	9	14	5	1	1	-	-	-	-
FEMALE--	1	1	1	2	2	1	2	1	1	-	-	-
RHODE ISLAND ----------	2	4	4	5	9	9	5	4	2	-	-	-
WHITE------MALE----	1	4	4	4	6	6	2	3	-	-	-	-
FEMALE--	-	-	-	1	2	3	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	27	33	32	30	14	14	5	2	-	1	-
WHITE------MALE----	5	8	13	13	19	7	9	4	1	-	-	-
FEMALE--	-	1	7	1	2	3	4	1	-	-	-	-
ALL OTHER--MALE----	5	14	10	14	7	2	1	-	1	-	-	-
FEMALE--	5	4	3	4	2	2	-	-	-	-	1	-
BLACK---MALE----	5	14	10	13	7	2	1	-	1	-	-	-
FEMALE--	5	4	3	4	1	2	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of esophagus (C15)												
SOUTH DAKOTA ----------	29	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	248	-	-	-	-	-	-	-	-	2	10	19
WHITE------MALE----	153	-	-	-	-	-	-	-	-	2	7	13
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	2
TEXAS ----------	677	-	-	-	-	-	-	-	1	6	12	28
WHITE------MALE----	451	-	-	-	-	-	-	-	1	6	10	19
FEMALE--	120	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	69	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	43	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	28	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	278	-	-	-	-	-	-	-	1	5	2	12
WHITE------MALE----	154	-	-	-	-	-	-	-	1	2	1	5
FEMALE--	49	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	54	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
SOUTH DAKOTA ----------	1	-	2	7	4	5	6	3	1	-	-	-
WHITE------MALE----	1	-	2	5	3	3	6	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	11	32	27	28	35	36	25	16	6	-	-	1
WHITE------MALE----	8	23	15	18	23	19	13	8	4	-	-	-
FEMALE--	1	4	3	3	8	10	6	6	2	-	-	-
ALL OTHER--MALE----	2	3	5	4	3	6	4	2	-	-	-	1
FEMALE--	-	2	4	3	1	1	2	-	-	-	-	-
BLACK---MALE----	2	3	5	4	3	6	3	2	-	-	-	1
FEMALE--	-	2	4	3	1	1	2	-	-	-	-	-
TEXAS ----------	44	71	94	105	122	99	53	30	8	4	-	-
WHITE------MALE----	33	47	63	75	78	62	37	19	1	-	-	-
FEMALE--	2	8	12	13	27	23	11	11	4	4	-	-
ALL OTHER--MALE----	7	13	11	10	13	11	2	-	1	-	-	-
FEMALE--	2	3	8	7	4	3	3	-	2	-	-	-
BLACK---MALE----	6	13	10	10	13	10	2	-	1	-	-	-
FEMALE--	2	2	8	7	4	1	3	-	1	-	-	-
UTAH ----------	2	9	3	9	2	6	7	1	-	1	-	-
WHITE------MALE----	1	9	3	7	1	5	7	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	3	5	7	4	4	1	2	-	1	-	-
WHITE------MALE----	-	3	4	5	3	3	1	1	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	25	26	33	31	50	48	21	21	3	-	-	-
WHITE------MALE----	13	14	17	19	32	29	14	7	-	-	-	-
FEMALE--	-	3	5	3	7	9	5	10	2	-	-	-
ALL OTHER--MALE----	9	7	8	7	8	6	1	3	1	-	-	-
FEMALE--	3	2	3	2	3	4	1	1	-	-	-	-
BLACK---MALE----	9	7	8	7	8	5	1	3	1	-	-	-
FEMALE--	3	2	3	2	3	4	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of esophagus (C15)												
WASHINGTON ----------	265	-	-	-	-	-	-	1	1	1	3	13
WHITE------MALE----	196	-	-	-	-	-	-	1	1	1	3	11
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	98	-	-	-	-	-	-	1	1	1	2	2
WHITE------MALE----	71	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	266	-	-	-	-	-	-	1	-	3	1	10
WHITE------MALE----	204	-	-	-	-	-	-	1	-	3	-	8
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	24	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
WASHINGTON ----------	10	25	28	33	47	44	26	23	8	2	-	-
WHITE------MALE----	7	21	23	22	33	31	17	18	7	-	-	-
FEMALE--	2	4	2	9	8	13	8	4	1	2	-	-
ALL OTHER--MALE----	1	-	2	2	5	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	2	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
WEST VIRGINIA ----------	5	9	11	9	21	13	14	5	3	1	-	-
WHITE------MALE----	3	8	7	8	17	10	9	3	1	-	-	-
FEMALE--	1	1	4	1	3	3	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
WISCONSIN ----------	13	22	34	30	46	41	34	21	9	1	-	-
WHITE------MALE----	13	20	30	23	33	28	25	16	3	1	-	-
FEMALE--	-	2	3	3	11	11	9	5	6	-	-	-
ALL OTHER--MALE----	-	-	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
WYOMING ----------	2	2	2	2	2	3	6	-	-	-	-	-
WHITE------MALE----	2	2	1	2	1	3	4	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of stomach (C16)												
UNITED STATES -	12,711	-	-	-	1	5	8	47	89	189	316	450
WHITE------MALE----	5,786	-	-	-	-	1	3	15	40	70	112	222
FEMALE--	3,993	-	-	-	-	1	3	14	19	58	81	98
ALL OTHER--MALE----	1,673	-	-	-	1	1	1	7	14	31	70	81
FEMALE--	1,259	-	-	-	-	2	1	11	16	30	53	49
BLACK---MALE----	1,263	-	-	-	1	-	1	7	12	20	52	60
FEMALE--	940	-	-	-	-	1	1	7	10	20	35	29
ALABAMA ----------	187	-	-	-	-	-	-	1	1	4	8	5
WHITE------MALE----	64	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	50	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	29	-	-	-	-	-	-	1	-	1	2	-
BLACK---MALE----	43	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	28	-	-	-	-	-	-	1	-	1	2	-
ALASKA ----------	24	-	-	-	-	1	-	1	1	1	-	2
WHITE------MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	1	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	200	-	-	-	-	-	-	-	3	1	4	4
WHITE------MALE----	110	-	-	-	-	-	-	-	2	-	1	4
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS ----------	129	-	-	-	-	-	-	-	-	1	5	4
WHITE------MALE----	56	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	49	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
CALIFORNIA ----------	1,531	-	-	-	-	-	-	6	18	31	44	60
WHITE------MALE----	656	-	-	-	-	-	-	3	10	9	16	26
FEMALE--	449	-	-	-	-	-	-	3	6	11	14	13
ALL OTHER--MALE----	237	-	-	-	-	-	-	-	-	5	7	13
FEMALE--	189	-	-	-	-	-	-	-	2	6	7	8
BLACK---MALE----	86	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	66	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 703

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of stomach (C16)												
UNITED STATES -	651	808	1,052	1,359	1,793	2,064	1,796	1,277	607	170	29	-
WHITE------MALE----	312	415	508	713	880	1,004	807	452	184	42	6	-
FEMALE--	139	168	257	353	513	632	655	587	313	89	13	-
ALL OTHER--MALE----	131	143	186	180	232	246	182	116	39	10	2	-
FEMALE--	69	82	101	113	168	182	152	122	71	29	8	-
BLACK---MALE----	99	112	133	135	178	188	139	89	28	7	2	-
FEMALE--	52	61	72	79	120	140	118	105	58	25	7	-
ALABAMA ----------	6	12	17	23	22	34	29	16	3	6	-	-
WHITE------MALE----	2	7	7	8	8	10	11	5	1	1	-	-
FEMALE--	1	2	3	9	6	12	4	4	2	2	-	-
ALL OTHER--MALE----	3	2	5	4	3	10	7	3	-	1	-	-
FEMALE--	-	1	2	2	5	2	7	4	-	2	-	-
BLACK---MALE----	3	2	4	4	3	10	7	3	-	1	-	-
FEMALE--	-	1	2	1	5	2	7	4	-	2	-	-
ALASKA ----------	1	4	-	7	3	2	1	-	-	-	-	-
WHITE------MALE----	-	1	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	3	1	-	1	-	-	-	-	-
FEMALE--	1	2	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	12	10	19	35	33	34	28	12	4	1	-	-
WHITE------MALE----	7	6	11	19	16	21	15	5	2	1	-	-
FEMALE--	3	2	6	13	14	8	12	6	1	-	-	-
ALL OTHER--MALE----	1	1	2	3	3	4	1	1	1	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	5	13	18	18	20	14	12	14	1	1	-
WHITE------MALE----	1	4	5	11	8	7	3	3	7	1	-	-
FEMALE--	1	-	4	6	3	12	8	7	6	-	-	-
ALL OTHER--MALE----	-	-	3	1	5	1	2	1	1	-	-	-
FEMALE--	1	1	1	-	2	-	1	1	-	-	1	-
BLACK---MALE----	-	-	3	1	5	1	2	1	1	-	-	-
FEMALE--	1	1	1	-	2	-	1	1	-	-	1	-
CALIFORNIA ----------	93	93	135	169	207	247	198	140	63	22	5	-
WHITE------MALE----	43	42	55	89	83	120	88	50	20	2	-	-
FEMALE--	20	17	31	42	62	69	65	55	26	11	4	-
ALL OTHER--MALE----	19	20	34	17	34	35	24	18	6	5	-	-
FEMALE--	11	14	15	21	28	23	21	17	11	4	1	-
BLACK---MALE----	9	7	14	4	16	15	5	5	4	2	-	-
FEMALE--	4	7	5	8	10	10	4	5	6	3	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of stomach (C16)												
COLORADO ----------	147	-	-	-	-	-	-	1	4	7	6	6
WHITE------MALE----	75	-	-	-	-	-	-	-	1	3	2	4
FEMALE--	57	-	-	-	-	-	-	1	1	3	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT ----------	210	-	-	-	-	-	-	-	-	1	6	4
WHITE------MALE----	107	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	81	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	40	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	48	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	859	-	-	-	-	-	1	3	3	20	20	33
WHITE------MALE----	423	-	-	-	-	-	1	-	1	8	7	14
FEMALE--	277	-	-	-	-	-	-	2	2	11	-	13
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	-	8	4
FEMALE--	68	-	-	-	-	-	-	1	-	1	5	2
BLACK---MALE----	87	-	-	-	-	-	-	-	-	-	7	4
FEMALE--	63	-	-	-	-	-	-	1	-	1	2	2
GEORGIA ----------	277	-	-	-	-	-	-	3	1	3	9	13
WHITE------MALE----	79	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	72	-	-	-	-	-	-	2	-	1	5	3
FEMALE--	64	-	-	-	-	-	-	1	-	2	1	5
BLACK---MALE----	64	-	-	-	-	-	-	2	-	1	3	3
FEMALE--	61	-	-	-	-	-	-	1	-	1	1	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of stomach (C16)												
COLORADO ----------	10	8	12	11	25	25	13	9	6	4	-	-
WHITE------MALE----	6	7	8	8	11	10	6	4	5	-	-	-
FEMALE--	2	1	4	2	12	12	6	5	1	4	-	-
ALL OTHER--MALE----	1	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	7	15	24	20	30	30	29	26	15	3	-	-
WHITE------MALE----	6	8	12	15	16	16	15	7	5	-	-	-
FEMALE--	-	6	8	4	10	10	13	16	9	3	-	-
ALL OTHER--MALE----	1	1	3	1	2	4	-	2	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	1	-	-	-
BLACK---MALE----	1	1	3	1	2	4	-	2	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	1	-	-	-
DELAWARE ----------	5	2	1	3	8	6	4	5	3	-	1	-
WHITE------MALE----	2	1	-	1	6	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	6	3	3	1	-	1	-
ALL OTHER--MALE----	2	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	3	6	5	4	8	6	5	5	3	1	1	-
WHITE------MALE----	-	-	3	-	1	-	1	-	1	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	3	1	4	4	1	1	3	-	-	-	-
FEMALE--	1	2	1	-	2	5	2	2	1	1	1	-
BLACK---MALE----	1	3	1	4	4	1	1	3	-	-	-	-
FEMALE--	1	2	1	-	2	5	2	2	1	1	1	-
FLORIDA ----------	36	47	65	75	114	140	126	112	57	5	2	-
WHITE------MALE----	24	28	33	40	61	69	65	44	24	3	1	-
FEMALE--	4	7	15	19	33	43	49	49	29	1	-	-
ALL OTHER--MALE----	4	8	15	10	10	18	4	9	1	-	-	-
FEMALE--	4	4	2	6	10	10	8	10	3	1	1	-
BLACK---MALE----	4	7	15	10	9	17	4	9	1	-	-	-
FEMALE--	4	4	1	6	10	10	8	10	2	1	1	-
GEORGIA ----------	21	16	29	34	35	46	31	27	5	4	-	-
WHITE------MALE----	4	2	15	12	9	18	5	4	1	1	-	-
FEMALE--	4	3	3	10	8	10	12	7	2	2	-	-
ALL OTHER--MALE----	8	7	4	7	10	12	8	5	-	-	-	-
FEMALE--	5	4	7	5	8	6	6	11	2	1	-	-
BLACK---MALE----	8	6	3	5	9	12	7	5	-	-	-	-
FEMALE--	5	4	6	5	8	6	6	11	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of stomach (C16)												
HAWAII ----------	115	-	-	-	-	1	-	-	-	2	4	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	56	-	-	-	-	1	-	-	-	1	4	2
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	28	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	601	-	-	-	-	-	1	-	3	6	19	25
WHITE------MALE----	258	-	-	-	-	-	-	-	3	2	8	10
FEMALE--	203	-	-	-	-	-	1	-	-	2	4	8
ALL OTHER--MALE----	79	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	61	-	-	-	-	-	-	-	-	2	4	4
BLACK---MALE----	70	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	48	-	-	-	-	-	-	-	-	1	1	2
INDIANA ----------	198	-	-	-	-	-	-	1	-	-	5	11
WHITE------MALE----	104	-	-	-	-	-	-	1	-	-	2	7
FEMALE--	53	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	98	-	-	-	-	-	-	-	2	-	2	2
WHITE------MALE----	55	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	100	-	-	-	-	-	-	1	-	2	-	6
WHITE------MALE----	55	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of stomach (C16)												
HAWAII ----------	3	2	10	11	15	25	19	11	8	2	-	-
WHITE------MALE----	-	-	2	2	1	2	5	-	1	-	-	-
FEMALE--	-	-	1	-	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	2	2	5	4	10	11	6	6	2	-	-	-
FEMALE--	1	-	2	5	3	10	7	4	4	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	3	4	1	4	2	9	2	-	-	-
WHITE------MALE----	1	-	1	4	1	1	1	4	1	-	-	-
FEMALE--	1	-	1	-	-	3	1	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	37	32	50	71	81	86	93	58	30	6	3	-
WHITE------MALE----	17	18	18	33	42	38	34	24	8	1	2	-
FEMALE--	6	5	18	17	22	28	43	27	18	4	-	-
ALL OTHER--MALE----	8	3	9	16	10	9	12	2	3	1	-	-
FEMALE--	6	6	5	5	7	11	4	5	1	-	1	-
BLACK---MALE----	8	3	6	14	9	7	11	2	3	1	-	-
FEMALE--	4	5	3	5	6	10	4	5	1	-	1	-
INDIANA ----------	16	11	20	20	31	28	33	16	2	4	-	-
WHITE------MALE----	10	8	9	14	16	14	14	8	1	-	-	-
FEMALE--	3	2	5	4	8	8	8	7	1	3	-	-
ALL OTHER--MALE----	2	1	3	-	3	2	5	1	-	-	-	-
FEMALE--	1	-	3	2	4	4	6	-	-	1	-	-
BLACK---MALE----	1	1	3	-	3	2	5	1	-	-	-	-
FEMALE--	1	-	3	1	3	4	6	-	-	1	-	-
IOWA ----------	3	5	5	10	13	17	17	11	8	1	2	-
WHITE------MALE----	2	4	1	7	8	12	10	6	3	-	-	-
FEMALE--	1	1	4	2	5	4	6	5	5	1	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
KANSAS ----------	9	3	5	11	14	16	18	8	5	2	-	-
WHITE------MALE----	8	3	3	8	6	10	8	4	3	-	-	-
FEMALE--	-	-	1	3	6	5	10	3	2	2	-	-
ALL OTHER--MALE----	1	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of stomach (C16)												
KENTUCKY ----------	171	-	-	-	-	-	-	1	2	1	5	9
WHITE------MALE----	87	-	-	-	-	-	-	-	2	1	1	5
FEMALE--	65	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA ----------	230	-	-	-	-	-	1	-	-	5	5	14
WHITE------MALE----	74	-	-	-	-	-	1	-	-	2	-	7
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	52	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	57	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	51	-	-	-	-	-	-	-	-	2	2	1
MAINE ----------	51	-	-	-	-	-	-	1	-	1	1	1
WHITE------MALE----	32	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	222	-	-	-	-	1	-	1	2	2	6	10
WHITE------MALE----	79	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	45	-	-	-	-	1	-	1	2	2	4	3
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	38	-	-	-	-	1	-	1	1	2	3	3
MASSACHUSETTS ----------	332	-	-	-	-	-	-	1	-	4	7	9
WHITE------MALE----	173	-	-	-	-	-	-	-	-	3	3	4
FEMALE--	133	-	-	-	-	-	-	1	-	1	3	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	425	-	-	-	-	-	1	1	7	5	10	14
WHITE------MALE----	205	-	-	-	-	-	1	-	4	4	2	8
FEMALE--	146	-	-	-	-	-	-	-	1	-	6	2
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	32	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	40	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	30	-	-	-	-	-	-	-	2	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of stomach (C16)												
KENTUCKY ----------	9	20	11	13	25	20	24	20	7	3	1	-
WHITE------MALE----	5	10	9	12	12	9	11	7	2	1	-	-
FEMALE--	2	7	1	1	10	8	11	12	5	2	1	-
ALL OTHER--MALE----	1	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	2	3	1	1	-	-	-	-
BLACK---MALE----	1	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	2	3	1	1	-	-	-	-
LOUISIANA ----------	7	27	20	33	30	38	22	17	10	-	1	-
WHITE------MALE----	3	8	4	10	14	16	6	2	1	-	-	-
FEMALE--	-	5	1	5	7	7	5	7	3	-	1	-
ALL OTHER--MALE----	3	10	10	10	4	8	4	2	2	-	-	-
FEMALE--	1	4	5	8	5	7	7	6	4	-	-	-
BLACK---MALE----	3	10	7	10	4	7	4	2	2	-	-	-
FEMALE--	1	4	4	8	5	7	7	6	4	-	-	-
MAINE ----------	4	3	5	4	6	4	7	8	4	2	-	-
WHITE------MALE----	-	3	5	4	3	3	6	2	2	1	-	-
FEMALE--	4	-	-	-	3	1	1	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	13	19	16	29	47	30	18	11	5	-	-
WHITE------MALE----	6	4	4	4	12	19	15	5	3	2	-	-
FEMALE--	2	3	3	7	10	7	6	8	7	3	-	-
ALL OTHER--MALE----	1	3	7	4	5	10	6	2	-	-	-	-
FEMALE--	3	3	5	1	2	11	3	3	1	-	-	-
BLACK---MALE----	1	3	6	3	5	8	5	1	-	-	-	-
FEMALE--	3	2	5	1	2	8	2	3	1	-	-	-
MASSACHUSETTS ----------	16	21	27	35	37	56	53	37	24	4	1	-
WHITE------MALE----	9	12	13	22	21	30	29	14	10	3	-	-
FEMALE--	3	7	9	12	12	23	23	21	13	1	1	-
ALL OTHER--MALE----	4	1	3	1	1	2	-	-	1	-	-	-
FEMALE--	-	1	2	-	3	1	1	2	-	-	-	-
BLACK---MALE----	3	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	1	1	-	2	-	1	2	-	-	-	-
MICHIGAN ----------	22	24	23	36	68	86	64	41	20	3	-	-
WHITE------MALE----	13	11	15	14	42	44	26	15	6	-	-	-
FEMALE--	5	6	5	16	15	29	28	21	10	2	-	-
ALL OTHER--MALE----	3	4	2	5	8	5	7	2	-	-	-	-
FEMALE--	1	3	1	1	3	8	3	3	4	1	-	-
BLACK---MALE----	3	4	2	4	8	5	6	2	-	-	-	-
FEMALE--	1	2	1	-	3	8	3	3	4	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of stomach (C16)												
MINNESOTA ----------	181	-	-	-	-	-	-	1	-	1	3	8
WHITE------MALE----	104	-	-	-	-	-	-	1	-	1	2	6
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	148	-	-	-	-	-	-	-	-	2	6	6
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	32	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE----	53	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	32	-	-	-	-	-	-	-	-	-	3	1
MISSOURI ----------	224	-	-	-	-	-	-	1	2	1	5	6
WHITE------MALE----	116	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	66	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	26	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	55	-	-	-	-	-	-	1	-	1	2	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	65	-	-	-	-	-	-	-	1	3	2	1
WHITE------MALE----	39	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of stomach (C16)												
MINNESOTA ----------	9	12	16	13	20	31	34	21	9	3	-	-
WHITE------MALE----	6	7	11	7	12	20	22	6	2	1	-	-
FEMALE--	2	3	5	4	7	10	12	15	7	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	12	18	14	25	22	15	11	6	2	1	-
WHITE------MALE----	3	3	6	5	7	5	1	2	1	1	-	-
FEMALE--	-	2	2	3	6	6	4	3	1	-	-	-
ALL OTHER--MALE----	3	5	7	4	6	9	9	1	-	-	1	-
FEMALE--	2	2	3	2	6	2	1	5	4	1	-	-
BLACK---MALE----	3	5	7	4	6	9	9	1	-	-	1	-
FEMALE--	2	2	3	2	6	2	1	5	4	1	-	-
MISSOURI ----------	8	11	21	30	30	40	29	20	14	5	1	-
WHITE------MALE----	4	7	13	17	19	22	13	7	3	1	1	-
FEMALE--	-	3	5	7	6	11	8	10	10	3	-	-
ALL OTHER--MALE----	4	-	1	4	3	6	5	2	-	1	-	-
FEMALE--	-	1	2	2	2	1	3	1	1	-	-	-
BLACK---MALE----	4	-	1	4	3	6	4	2	-	1	-	-
FEMALE--	-	1	1	2	2	1	3	1	1	-	-	-
MONTANA ----------	-	3	-	4	3	8	1	3	4	-	-	-
WHITE------MALE----	-	1	-	2	3	5	-	2	2	-	-	-
FEMALE--	-	1	-	2	-	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	3	3	8	6	11	7	5	5	1	-	-
WHITE------MALE----	-	2	1	4	2	6	2	-	1	-	-	-
FEMALE--	1	1	2	4	4	5	5	5	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
NEVADA ----------	6	4	11	7	11	6	9	2	1	1	-	-
WHITE------MALE----	5	3	3	7	7	3	5	1	-	1	-	-
FEMALE--	-	-	4	-	4	3	4	1	1	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of stomach (C16)												
NEW HAMPSHIRE ----------	44	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	535	-	-	-	-	-	1	2	6	9	13	18
WHITE------MALE----	243	-	-	-	-	-	-	-	1	5	4	9
FEMALE--	183	-	-	-	-	-	1	1	1	3	3	4
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	50	-	-	-	-	-	-	1	2	-	5	3
BLACK---MALE----	46	-	-	-	-	-	-	-	2	1	1	1
FEMALE--	40	-	-	-	-	-	-	1	2	-	5	-
NEW MEXICO ----------	90	-	-	-	-	-	-	2	-	-	2	3
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	31	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,102	-	-	-	-	-	2	3	5	14	28	34
WHITE------MALE----	491	-	-	-	-	-	-	1	2	3	6	17
FEMALE--	349	-	-	-	-	-	-	2	1	5	8	12
ALL OTHER--MALE----	143	-	-	-	-	-	1	-	2	3	9	2
FEMALE--	119	-	-	-	-	-	1	-	-	3	5	3
BLACK---MALE----	106	-	-	-	-	-	1	-	2	1	8	2
FEMALE--	95	-	-	-	-	-	1	-	-	2	4	2
NORTH CAROLINA ---------	345	-	-	-	-	-	-	3	3	7	11	12
WHITE------MALE----	116	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	83	-	-	-	-	-	-	-	1	2	2	3
ALL OTHER--MALE----	85	-	-	-	-	-	-	1	1	3	5	4
FEMALE--	61	-	-	-	-	-	-	2	-	1	2	-
BLACK---MALE----	80	-	-	-	-	-	-	1	1	3	4	3
FEMALE--	57	-	-	-	-	-	-	1	-	1	2	-
NORTH DAKOTA ----------	39	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of stomach (C16)												
NEW HAMPSHIRE ----------	2	3	-	2	9	6	8	7	2	2	-	-
WHITE------MALE----	1	3	-	2	4	3	7	3	-	1	-	-
FEMALE--	1	-	-	-	5	3	1	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	26	48	34	48	76	89	81	46	25	12	1	-
WHITE------MALE----	12	26	16	25	46	45	25	18	8	3	-	-
FEMALE--	4	10	7	10	16	32	47	24	15	4	1	-
ALL OTHER--MALE----	8	9	4	6	10	10	3	2	1	-	-	-
FEMALE--	2	3	7	7	4	2	6	2	1	5	-	-
BLACK---MALE----	4	7	3	4	10	9	3	1	-	-	-	-
FEMALE--	1	2	6	4	3	2	6	2	1	5	-	-
NEW MEXICO ----------	3	9	7	12	13	12	14	4	8	1	-	-
WHITE------MALE----	2	5	4	6	6	8	3	2	4	-	-	-
FEMALE--	1	4	2	2	5	2	8	2	2	1	-	-
ALL OTHER--MALE----	-	-	1	3	2	-	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW YORK ----------	45	68	98	120	171	168	142	135	51	15	3	-
WHITE------MALE----	17	35	51	58	83	83	68	49	13	5	-	-
FEMALE--	11	12	19	30	47	59	44	63	26	8	2	-
ALL OTHER--MALE----	9	13	19	19	18	14	17	13	2	1	1	-
FEMALE--	8	8	9	13	23	12	13	10	10	1	-	-
BLACK---MALE----	7	8	13	15	12	10	14	10	1	1	1	-
FEMALE--	7	7	8	9	15	8	12	9	10	1	-	-
NORTH CAROLINA ---------	19	26	25	38	45	61	44	35	12	4	-	-
WHITE------MALE----	8	11	9	22	16	22	11	8	-	-	-	-
FEMALE--	3	1	6	7	10	18	12	10	6	2	-	-
ALL OTHER--MALE----	6	10	7	5	9	12	11	9	2	-	-	-
FEMALE--	2	4	3	4	10	9	10	8	4	2	-	-
BLACK---MALE----	5	10	6	4	9	12	11	9	2	-	-	-
FEMALE--	2	4	2	4	8	9	10	8	4	2	-	-
NORTH DAKOTA ----------	2	1	1	6	3	6	4	8	5	2	-	-
WHITE------MALE----	-	1	-	6	3	5	3	3	1	-	-	-
FEMALE--	2	-	1	-	-	1	1	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of stomach (C16)												
OHIO ----------	512	-	-	-	-	-	-	-	4	5	10	14
WHITE------MALE----	256	-	-	-	-	-	-	-	1	3	5	8
FEMALE--	165	-	-	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	2	1	2	3
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	52	-	-	-	-	-	-	-	2	1	2	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA ----------	119	-	-	-	-	-	-	1	-	-	2	3
WHITE------MALE----	59	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	136	-	-	-	-	-	-	-	-	2	3	2
WHITE------MALE----	85	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	675	-	-	-	-	-	-	-	4	7	8	12
WHITE------MALE----	337	-	-	-	-	-	-	-	3	5	4	8
FEMALE--	235	-	-	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	55	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND ----------	76	-	-	-	-	-	-	-	-	2	2	2
WHITE------MALE----	45	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	187	-	-	-	-	1	-	-	2	4	5	8
WHITE------MALE----	69	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	39	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	1	3	3	3
FEMALE--	29	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	50	-	-	-	-	-	-	-	1	3	3	3
FEMALE--	29	-	-	-	-	-	-	-	1	1	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of stomach (C16)												
OHIO ----------	24	20	42	59	84	99	83	41	22	4	1	-
WHITE------MALE----	8	11	23	33	49	59	39	13	2	1	1	-
FEMALE--	10	7	9	17	19	23	35	22	15	1	-	-
ALL OTHER--MALE----	5	2	5	7	12	9	3	2	2	-	-	-
FEMALE--	1	-	5	2	4	8	6	4	3	2	-	-
BLACK---MALE----	5	2	5	7	11	8	3	2	2	-	-	-
FEMALE--	1	-	5	2	4	8	6	4	3	2	-	-
OKLAHOMA ----------	8	9	13	10	13	18	22	14	4	1	1	-
WHITE------MALE----	3	6	7	7	4	13	13	1	1	1	-	-
FEMALE--	2	3	4	3	6	4	7	11	2	-	-	-
ALL OTHER--MALE----	2	-	2	-	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	2	1	1	2	-	-	1	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	1	-
OREGON ----------	9	8	13	15	20	23	19	17	5	-	-	-
WHITE------MALE----	6	6	7	9	14	12	15	11	1	-	-	-
FEMALE--	1	2	5	4	3	10	2	6	3	-	-	-
ALL OTHER--MALE----	2	-	-	2	2	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	27	35	55	71	94	129	111	81	32	9	-	-
WHITE------MALE----	11	20	29	42	53	65	52	34	10	1	-	-
FEMALE--	11	7	17	15	25	41	46	39	21	6	-	-
ALL OTHER--MALE----	3	5	6	9	10	13	5	6	-	1	-	-
FEMALE--	2	3	3	5	6	10	8	2	1	1	-	-
BLACK---MALE----	2	5	5	7	9	13	5	6	-	1	-	-
FEMALE--	2	1	3	5	5	10	7	2	1	1	-	-
RHODE ISLAND ----------	4	2	5	7	11	13	17	10	1	-	-	-
WHITE------MALE----	2	2	3	4	6	7	8	8	1	-	-	-
FEMALE--	1	-	2	3	5	5	7	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	23	12	17	23	21	30	18	7	5	1	-
WHITE------MALE----	4	11	7	6	10	9	11	6	1	1	-	-
FEMALE--	-	1	1	3	5	2	10	7	4	3	-	-
ALL OTHER--MALE----	5	7	4	6	5	4	4	4	1	-	-	-
FEMALE--	1	4	-	2	3	6	5	1	1	1	1	-
BLACK---MALE----	5	7	4	6	5	4	4	4	1	-	-	-
FEMALE--	1	4	-	2	3	6	5	1	1	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of stomach (C16)												
SOUTH DAKOTA ----------	27	-	-	-	-	-	-	-	-	1	1	3
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	234	-	-	-	-	-	-	1	2	9	5	8
WHITE------MALE----	108	-	-	-	-	-	-	1	2	3	2	2
FEMALE--	70	-	-	-	-	-	-	-	-	3	2	3
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	3	1	1
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	3	1	1
TEXAS ----------	812	-	-	-	1	1	1	7	10	11	19	40
WHITE------MALE----	384	-	-	-	-	-	-	3	5	3	11	23
FEMALE--	256	-	-	-	-	1	1	3	1	5	4	6
ALL OTHER--MALE----	98	-	-	-	1	-	-	-	1	1	2	8
FEMALE--	74	-	-	-	-	-	-	1	3	2	2	3
BLACK---MALE----	89	-	-	-	1	-	-	-	1	1	1	7
FEMALE--	64	-	-	-	-	-	-	-	2	2	2	1
UTAH ----------	62	-	-	-	-	-	-	-	-	1	2	3
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	21	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	257	-	-	-	-	-	-	1	3	3	5	6
WHITE------MALE----	92	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	72	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	66	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	27	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	55	-	-	-	-	-	-	-	2	1	-	3
FEMALE--	24	-	-	-	-	-	-	-	1	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of stomach (C16)												
SOUTH DAKOTA ----------	2	-	-	3	4	4	5	3	-	1	-	-
WHITE------MALE----	2	-	-	1	2	2	3	1	-	1	-	-
FEMALE--	-	-	-	1	1	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	9	18	15	27	35	32	35	25	10	3	-	-
WHITE------MALE----	4	10	8	12	19	18	15	9	2	1	-	-
FEMALE--	2	4	6	7	6	9	12	9	6	1	-	-
ALL OTHER--MALE----	1	4	1	5	7	3	4	4	-	-	-	-
FEMALE--	2	-	-	3	3	2	4	3	2	1	-	-
BLACK---MALE----	1	4	1	5	7	3	3	3	-	-	-	-
FEMALE--	2	-	-	3	3	2	4	3	2	1	-	-
TEXAS ----------	51	51	86	97	115	117	88	73	39	4	1	-
WHITE------MALE----	25	23	48	52	51	60	47	25	7	-	1	-
FEMALE--	14	16	23	29	44	32	24	32	17	4	-	-
ALL OTHER--MALE----	8	7	10	7	12	14	9	9	9	-	-	-
FEMALE--	4	5	5	9	8	11	8	7	6	-	-	-
BLACK---MALE----	6	6	10	6	12	12	9	9	8	-	-	-
FEMALE--	4	5	4	8	6	11	7	7	5	-	-	-
UTAH ----------	3	6	4	6	5	10	8	10	3	1	-	-
WHITE------MALE----	1	3	2	3	2	3	4	5	-	-	-	-
FEMALE--	-	3	1	3	3	6	2	5	3	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	1	2	4	3	2	-	3	1	2	-	-
WHITE------MALE----	2	-	1	3	2	1	-	1	-	1	-	-
FEMALE--	-	1	1	1	1	1	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	18	13	17	27	37	48	40	23	14	2	-	-
WHITE------MALE----	8	4	8	11	13	19	13	4	6	-	-	-
FEMALE--	3	3	3	10	9	12	14	9	5	2	-	-
ALL OTHER--MALE----	5	6	4	5	12	10	11	4	2	-	-	-
FEMALE--	2	-	2	1	3	7	2	6	1	-	-	-
BLACK---MALE----	3	4	4	5	9	7	11	4	2	-	-	-
FEMALE--	2	-	2	1	2	5	2	6	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of stomach (C16)												
WASHINGTON ----------	215	-	-	-	-	-	-	-	-	3	6	8
WHITE------MALE----	115	-	-	-	-	-	-	-	-	2	4	3
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	82	-	-	-	-	-	-	-	-	2	-	3
WHITE------MALE----	49	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	205	-	-	-	-	-	-	2	-	3	7	10
WHITE------MALE----	110	-	-	-	-	-	-	1	-	1	3	8
FEMALE--	68	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
WYOMING ----------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of stomach (C16)												
WASHINGTON ----------	7	16	19	14	38	35	32	22	10	4	1	-
WHITE------MALE----	5	8	8	11	23	20	17	8	5	1	-	-
FEMALE--	2	4	7	1	10	9	12	12	4	2	-	-
ALL OTHER--MALE----	-	2	2	2	2	5	2	1	-	-	-	-
FEMALE--	-	2	2	-	3	1	1	1	1	1	1	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
WEST VIRGINIA ----------	2	8	5	13	9	13	14	8	5	-	-	-
WHITE------MALE----	-	7	4	7	6	8	9	3	2	-	-	-
FEMALE--	2	1	1	6	3	5	5	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WISCONSIN ----------	5	17	12	22	34	21	43	14	8	7	-	-
WHITE------MALE----	3	11	6	11	18	9	25	7	3	4	-	-
FEMALE--	1	4	1	8	13	10	14	7	4	3	-	-
ALL OTHER--MALE----	1	1	4	2	3	1	3	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	-	1	-	-	-
BLACK---MALE----	1	1	2	2	2	-	3	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	1	-	-	-
WYOMING ----------	3	2	-	2	3	2	1	-	-	-	-	-
WHITE------MALE----	1	2	-	1	3	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of small intestine (C17)												
UNITED STATES -	1,037	-	-	-	-	-	-	1	4	16	31	70
WHITE------MALE----	481	-	-	-	-	-	-	1	2	4	16	36
FEMALE--	383	-	-	-	-	-	-	-	1	6	9	19
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	1	4	4	6
FEMALE--	80	-	-	-	-	-	-	-	-	2	2	9
BLACK---MALE----	83	-	-	-	-	-	-	-	1	3	4	6
FEMALE--	67	-	-	-	-	-	-	-	-	2	2	8
ALABAMA ----------	13	-	-	-	-	-	-	-	1	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	114	-	-	-	-	-	-	1	-	2	2	8
WHITE------MALE----	52	-	-	-	-	-	-	1	-	2	2	5
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of small intestine (C17)												
UNITED STATES -	79	56	95	113	150	164	126	92	32	6	1	1
WHITE------MALE----	34	27	58	59	66	76	54	37	10	1	-	-
FEMALE--	27	17	20	41	62	63	51	42	18	5	1	1
ALL OTHER--MALE----	11	8	12	7	13	13	10	2	2	-	-	-
FEMALE--	7	4	5	6	9	12	11	11	2	-	-	-
BLACK---MALE----	9	6	12	7	11	12	8	2	2	-	-	-
FEMALE--	6	3	3	4	6	10	10	11	2	-	-	-
ALABAMA ----------	-	-	1	-	4	1	2	-	2	-	-	-
WHITE------MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALASKA ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	2	2	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	2	1	1	1	-	1	2	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
CALIFORNIA ----------	12	10	7	12	18	18	12	6	5	1	-	-
WHITE------MALE----	4	5	6	7	6	7	3	3	1	-	-	-
FEMALE--	4	2	1	4	7	8	3	2	3	1	-	-
ALL OTHER--MALE----	2	3	-	1	4	-	2	1	1	-	-	-
FEMALE--	2	-	-	-	1	3	4	-	-	-	-	-
BLACK---MALE----	1	1	-	1	2	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	3	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of small intestine (C17)												
COLORADO ----------	14	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	15	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	70	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	42	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of small intestine (C17)												
COLORADO ----------	1	-	-	4	1	3	1	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	2	-	-	-	-
FEMALE--	1	-	-	3	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	3	4	-	3	1	-	1	-	-
WHITE------MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	2	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
FLORIDA ----------	10	2	4	7	13	13	8	5	2	1	-	-
WHITE------MALE----	5	2	2	6	10	8	3	4	1	-	-	-
FEMALE--	3	-	2	1	3	5	4	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	1	5	1	3	3	1	2	1	-	-	-
WHITE------MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	1	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of small intestine (C17)												
HAWAII ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	58	-	-	-	-	-	-	-	-	1	3	1
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
INDIANA ----------	24	-	-	-	-	-	-	-	-	-	3	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	19	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	9	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of small intestine (C17)												
HAWAII ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	3	8	10	6	7	12	3	-	-	-	-
WHITE------MALE----	2	3	4	4	2	1	9	1	-	-	-	-
FEMALE--	2	-	3	4	3	6	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
INDIANA ----------	2	1	3	2	1	3	3	4	-	-	-	-
WHITE------MALE----	-	1	2	2	-	2	2	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
IOWA ----------	1	2	4	-	1	5	2	2	1	-	-	-
WHITE------MALE----	1	2	1	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	3	-	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	1	-	2	2	-	1	1	-	-	-
WHITE------MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of small intestine (C17)												
KENTUCKY ----------	19	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	21	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	16	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	20	-	-	-	-	-	-	-	1	-	-	4
WHITE------MALE----	11	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	35	-	-	-	-	-	-	-	-	2	-	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of small intestine (C17)												
KENTUCKY ----------	2	-	3	3	3	4	-	1	1	-	-	-
WHITE------MALE----	1	-	3	2	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA ----------	3	-	4	1	1	4	2	5	-	-	-	-
WHITE------MALE----	2	-	3	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
MAINE ----------	-	-	-	1	2	4	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	1	1	2	3	3	2	1	-	-	-
WHITE------MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MASSACHUSETTS ----------	-	-	1	2	3	3	4	1	1	-	-	-
WHITE------MALE----	-	-	1	-	2	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	2	2	5	7	5	7	1	-	-	-	-
WHITE------MALE----	1	1	2	3	2	2	1	-	-	-	-	-
FEMALE--	1	-	-	2	4	1	4	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of small intestine (C17)												
MINNESOTA ----------	21	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of small intestine (C17)												
MINNESOTA ----------	1	3	3	3	5	1	-	2	1	-	-	-
WHITE------MALE----	-	-	2	2	4	1	-	-	1	-	-	-
FEMALE--	1	3	1	1	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	1	1	1	1	3	-	1	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	1	2	4	3	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	4	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	1	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	1	1	-	1	1	1	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of small intestine (C17)												
NEW HAMPSHIRE ----------	9	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	39	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	85	-	-	-	-	-	-	-	-	-	3	7
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	33	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of small intestine (C17)												
NEW HAMPSHIRE ----------	-	1	1	-	1	1	2	2	-	-	-	-
WHITE------MALE----	-	1	1	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	3	4	5	5	7	6	-	1	-	-	1
WHITE------MALE----	2	1	3	2	3	3	4	-	1	-	-	-
FEMALE--	1	1	1	3	2	2	2	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7	5	6	7	13	14	9	8	6	-	-	-
WHITE------MALE----	2	3	3	2	5	4	3	3	4	-	-	-
FEMALE--	4	1	2	4	6	9	6	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
NORTH CAROLINA ---------	2	-	6	1	5	6	5	5	1	-	-	-
WHITE------MALE----	-	-	3	-	4	3	1	2	-	-	-	-
FEMALE--	2	-	-	-	-	3	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	3	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	3	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
NORTH DAKOTA ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of small intestine (C17)												
OHIO ----------	34	-	-	-	-	-	-	-	-	-	1	5
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	54	-	-	-	-	-	-	-	-	5	4	4
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	15	-	-	-	-	-	-	-	-	4	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	14	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of small intestine (C17)												
OHIO ----------	3	2	4	2	4	6	5	1	1	-	-	-
WHITE------MALE----	1	2	2	1	2	4	5	-	-	-	-	-
FEMALE--	-	-	1	1	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA ----------	-	-	3	3	2	1	-	-	-	-	-	-
WHITE------MALE----	-	-	3	3	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	2	2	-	1	3	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	3	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	4	3	4	7	8	3	7	1	-	-	-
WHITE------MALE----	4	1	-	4	2	7	2	6	1	-	-	-
FEMALE--	-	-	2	-	5	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	1	2	-	1	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	2	-	2	1	3	1	2	-	-	-	-
WHITE------MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of small intestine (C17)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	20	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	64	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	26	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of small intestine (C17)												
SOUTH DAKOTA ----------	-	-	-	-	1	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	3	2	1	6	3	1	-	-	-	-
WHITE------MALE----	-	-	1	2	-	2	3	1	-	-	-	-
FEMALE--	1	1	1	-	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS ----------	6	5	10	11	5	3	10	6	3	-	-	-
WHITE------MALE----	4	1	9	4	2	1	5	2	-	-	-	-
FEMALE--	1	3	-	6	3	-	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	1	1	-	-	-
UTAH ----------	-	1	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	-	-	3	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	1	1	1	6	4	2	3	-	2	-	-
WHITE------MALE----	1	-	1	1	3	2	1	1	-	1	-	-
FEMALE--	-	1	-	-	2	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of small intestine (C17)												
WASHINGTON ----------	26	-	-	-	-	-	-	-	-	3	-	2
WHITE------MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	21	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of small intestine (C17)												
WASHINGTON ----------	1	1	-	5	2	8	-	4	-	-	-	-
WHITE------MALE----	-	-	-	1	-	5	-	1	-	-	-	-
FEMALE--	1	1	-	2	1	3	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	3	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	-	1	2	4	5	2	2	-	-	-
WHITE------MALE----	-	-	-	1	-	3	3	1	1	-	-	-
FEMALE--	1	1	-	-	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 721

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of colon, rectum and anus (C18-C21)												
UNITED STATES -	57,155	1	-	-	1	11	38	87	196	439	894	1,623
WHITE------MALE----	24,539	-	-	-	1	2	14	40	78	180	360	692
FEMALE--	24,835	-	-	-	-	4	12	22	72	156	324	572
ALL OTHER--MALE----	3,701	-	-	-	-	3	8	17	25	46	92	184
FEMALE--	4,080	1	-	-	-	2	4	8	21	57	118	175
BLACK---MALE----	3,196	-	-	-	-	3	7	14	17	43	82	159
FEMALE--	3,581	1	-	-	-	2	4	7	18	49	99	146
ALABAMA ----------	848	-	-	-	-	2	2	3	1	11	14	28
WHITE------MALE----	279	-	-	-	-	-	-	2	-	2	4	11
FEMALE--	332	-	-	-	-	-	1	-	-	6	4	7
ALL OTHER--MALE----	116	-	-	-	-	1	-	1	-	1	1	4
FEMALE--	121	-	-	-	-	1	1	-	1	2	5	6
BLACK---MALE----	116	-	-	-	-	1	-	1	-	1	1	4
FEMALE--	121	-	-	-	-	1	1	-	1	2	5	6
ALASKA ----------	61	-	-	-	-	-	-	-	-	-	2	4
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	867	-	-	-	-	1	1	2	3	4	11	28
WHITE------MALE----	447	-	-	-	-	-	-	1	-	3	6	15
FEMALE--	379	-	-	-	-	-	1	1	1	1	3	10
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	20	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS ----------	623	-	-	-	-	-	1	1	1	5	10	18
WHITE------MALE----	257	-	-	-	-	-	-	-	-	2	4	10
FEMALE--	266	-	-	-	-	-	-	1	1	-	2	6
ALL OTHER--MALE----	42	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	58	-	-	-	-	-	-	-	-	2	3	-
BLACK---MALE----	41	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	55	-	-	-	-	-	-	-	-	2	3	-
CALIFORNIA ----------	5,155	-	-	-	-	-	4	9	22	46	90	155
WHITE------MALE----	2,194	-	-	-	-	-	3	3	6	22	35	70
FEMALE--	2,163	-	-	-	-	-	1	2	11	14	28	52
ALL OTHER--MALE----	407	-	-	-	-	-	-	4	4	4	11	13
FEMALE--	391	-	-	-	-	-	-	-	1	6	16	20
BLACK---MALE----	202	-	-	-	-	-	-	3	1	3	7	6
FEMALE--	215	-	-	-	-	-	-	-	-	2	11	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of colon, rectum and anus (C18-C21)												
UNITED STATES -	2,434	3,309	4,658	6,095	8,154	9,473	8,456	6,672	3,503	973	138	-
WHITE------MALE----	1,119	1,574	2,254	2,943	3,948	4,303	3,529	2,279	990	211	22	-
FEMALE--	816	1,102	1,607	2,202	3,135	4,067	4,045	3,751	2,208	653	87	-
ALL OTHER--MALE----	255	358	435	488	504	554	368	246	91	25	2	-
FEMALE--	244	275	362	462	567	549	514	396	214	84	27	-
BLACK---MALE----	218	319	379	426	435	480	315	207	77	15	-	-
FEMALE--	196	232	326	393	492	485	470	369	191	77	24	-
ALABAMA ----------	37	58	74	94	98	143	126	89	58	7	3	-
WHITE------MALE----	12	24	36	38	35	48	37	23	7	-	-	-
FEMALE--	9	12	15	34	39	54	58	46	41	5	1	-
ALL OTHER--MALE----	8	13	15	13	14	22	12	8	3	-	-	-
FEMALE--	8	9	8	9	10	19	19	12	7	2	2	-
BLACK---MALE----	8	13	15	13	14	22	12	8	3	-	-	-
FEMALE--	8	9	8	9	10	19	19	12	7	2	2	-
ALASKA ----------	7	3	8	7	3	9	9	5	3	1	-	-
WHITE------MALE----	2	1	3	1	1	4	3	2	-	-	-	-
FEMALE--	2	-	3	3	-	3	2	2	2	1	-	-
ALL OTHER--MALE----	-	1	2	-	1	1	2	1	-	-	-	-
FEMALE--	3	1	-	3	1	1	2	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	24	58	69	90	146	143	138	83	54	12	-	-
WHITE------MALE----	10	36	38	43	89	77	71	32	23	3	-	-
FEMALE--	12	17	27	39	52	64	63	49	30	9	-	-
ALL OTHER--MALE----	-	4	3	5	2	1	1	-	-	-	-	-
FEMALE--	2	1	1	3	3	1	3	2	1	-	-	-
BLACK---MALE----	-	2	3	4	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	3	-	1	2	1	1	-	-	-
ARKANSAS ----------	29	42	53	70	69	96	88	76	38	24	2	-
WHITE------MALE----	11	20	28	30	35	35	44	26	7	5	-	-
FEMALE--	12	18	16	32	23	48	30	35	24	18	-	-
ALL OTHER--MALE----	2	1	7	4	4	5	8	3	3	-	-	-
FEMALE--	4	3	2	4	7	8	6	12	4	1	2	-
BLACK---MALE----	2	1	7	4	4	5	8	3	2	-	-	-
FEMALE--	4	3	1	3	7	8	6	12	3	1	2	-
CALIFORNIA ----------	240	304	433	514	727	864	765	580	299	92	11	-
WHITE------MALE----	111	133	190	238	347	407	328	188	87	24	2	-
FEMALE--	75	105	149	187	260	342	359	334	177	58	9	-
ALL OTHER--MALE----	28	33	54	41	56	61	41	36	17	4	-	-
FEMALE--	26	33	40	48	64	54	37	22	18	6	-	-
BLACK---MALE----	12	15	26	25	32	26	22	15	9	-	-	-
FEMALE--	15	18	26	21	30	24	26	18	11	4	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of colon, rectum and anus (C18-C21)												
COLORADO ----------	604	-	-	-	-	-	-	2	-	3	13	18
WHITE------MALE----	284	-	-	-	-	-	-	1	-	2	2	12
FEMALE--	282	-	-	-	-	-	-	1	-	-	10	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT ----------	776	-	-	-	-	-	-	1	2	3	11	17
WHITE------MALE----	365	-	-	-	-	-	-	-	2	1	3	4
FEMALE--	369	-	-	-	-	-	-	-	-	1	6	11
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	21	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	2	-
DELAWARE ----------	183	-	-	-	-	-	-	-	-	1	5	3
WHITE------MALE----	81	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	68	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	142	-	-	-	-	-	-	1	-	3	3	6
WHITE------MALE----	16	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	42	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	64	-	-	-	-	-	-	-	-	-	1	2
FLORIDA ----------	3,967	-	-	-	-	-	1	3	10	20	42	98
WHITE------MALE----	1,847	-	-	-	-	-	1	3	2	11	14	42
FEMALE--	1,707	-	-	-	-	-	-	-	4	7	19	36
ALL OTHER--MALE----	197	-	-	-	-	-	-	-	1	-	2	8
FEMALE--	216	-	-	-	-	-	-	-	3	2	7	12
BLACK---MALE----	189	-	-	-	-	-	-	-	1	-	2	8
FEMALE--	207	-	-	-	-	-	-	-	3	2	7	11
GEORGIA ----------	1,192	-	-	-	-	-	-	5	7	20	32	53
WHITE------MALE----	400	-	-	-	-	-	-	1	-	4	10	22
FEMALE--	420	-	-	-	-	-	-	2	3	7	10	12
ALL OTHER--MALE----	193	-	-	-	-	-	-	1	2	5	8	12
FEMALE--	179	-	-	-	-	-	-	1	2	4	4	7
BLACK---MALE----	190	-	-	-	-	-	-	-	2	5	8	12
FEMALE--	175	-	-	-	-	-	-	1	2	4	4	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of colon, rectum and anus (C18-C21)												
COLORADO ----------	33	51	38	66	106	83	83	70	30	7	1	-
WHITE------MALE----	19	26	16	35	53	43	30	31	12	2	-	-
FEMALE--	14	22	18	24	45	36	46	38	18	5	1	-
ALL OTHER--MALE----	-	1	4	4	3	3	3	-	-	-	-	-
FEMALE--	-	2	-	3	5	1	4	1	-	-	-	-
BLACK---MALE----	-	-	3	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	4	-	3	1	-	-	-	-
CONNECTICUT ----------	27	38	46	68	112	150	125	104	59	10	3	-
WHITE------MALE----	11	17	21	35	64	74	58	48	24	2	1	-
FEMALE--	11	18	21	28	44	69	63	53	35	7	2	-
ALL OTHER--MALE----	3	2	2	2	3	4	-	1	-	-	-	-
FEMALE--	2	1	2	3	1	3	4	2	-	1	-	-
BLACK---MALE----	3	2	2	2	3	4	-	1	-	-	-	-
FEMALE--	1	1	2	3	1	3	4	2	-	1	-	-
DELAWARE ----------	6	9	15	26	31	37	22	16	11	1	-	-
WHITE------MALE----	3	2	7	14	13	16	9	5	6	-	-	-
FEMALE--	2	3	3	9	13	12	10	10	5	-	-	-
ALL OTHER--MALE----	1	3	2	1	2	6	-	-	-	-	-	-
FEMALE--	-	1	3	2	3	3	3	1	-	1	-	-
BLACK---MALE----	1	2	2	1	2	5	-	-	-	-	-	-
FEMALE--	-	1	3	2	3	3	3	1	-	1	-	-
DISTRICT OF COLUMBIA ---	1	14	9	16	14	26	19	20	6	2	2	-
WHITE------MALE----	-	3	-	-	-	2	3	2	2	-	-	-
FEMALE--	1	-	-	1	2	1	4	6	2	1	-	-
ALL OTHER--MALE----	-	5	5	7	5	5	3	5	1	-	-	-
FEMALE--	-	6	4	8	7	18	9	7	1	1	2	-
BLACK---MALE----	-	5	5	7	5	5	3	5	1	-	-	-
FEMALE--	-	6	4	8	7	18	7	7	1	1	2	-
FLORIDA ----------	140	202	308	414	611	706	608	465	268	61	10	-
WHITE------MALE----	59	92	150	215	309	356	282	198	93	19	1	-
FEMALE--	52	80	95	150	246	295	286	232	160	36	9	-
ALL OTHER--MALE----	16	19	42	26	23	26	18	14	2	-	-	-
FEMALE--	13	11	21	23	33	29	22	21	13	6	-	-
BLACK---MALE----	15	19	40	24	22	24	18	14	2	-	-	-
FEMALE--	12	11	20	23	29	27	22	21	13	6	-	-
GEORGIA ----------	59	92	116	144	164	170	141	122	48	18	1	-
WHITE------MALE----	20	31	50	57	63	60	39	29	11	3	-	-
FEMALE--	21	32	27	35	49	65	68	57	23	9	-	-
ALL OTHER--MALE----	11	16	26	29	26	25	14	12	4	2	-	-
FEMALE--	7	13	13	23	26	20	20	24	10	4	1	-
BLACK---MALE----	11	15	26	28	26	25	14	12	4	2	-	-
FEMALE--	7	12	12	23	25	20	20	23	10	4	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of colon, rectum and anus (C18-C21)												
HAWAII ----------	169	-	-	-	-	-	-	-	1	2	5	10
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	1	1	3	7
FEMALE--	58	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	217	-	-	-	-	-	-	-	1	-	2	6
WHITE------MALE----	123	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	91	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2,757	-	-	-	-	-	2	2	4	20	52	75
WHITE------MALE----	1,144	-	-	-	-	-	1	1	3	10	22	38
FEMALE--	1,181	-	-	-	-	-	-	-	1	9	17	23
ALL OTHER--MALE----	208	-	-	-	-	-	-	1	-	-	7	5
FEMALE--	224	-	-	-	-	-	1	-	-	1	6	9
BLACK---MALE----	197	-	-	-	-	-	-	1	-	-	7	5
FEMALE--	209	-	-	-	-	-	1	-	-	-	5	8
INDIANA ----------	1,388	-	-	-	-	-	-	2	3	7	12	40
WHITE------MALE----	582	-	-	-	-	-	-	-	1	2	6	21
FEMALE--	687	-	-	-	-	-	-	1	2	4	4	14
ALL OTHER--MALE----	59	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	60	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	57	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	55	-	-	-	-	-	-	-	-	1	1	1
IOWA ----------	735	-	-	-	-	-	1	2	2	3	11	22
WHITE------MALE----	381	-	-	-	-	-	1	1	-	3	6	17
FEMALE--	342	-	-	-	-	-	-	1	2	-	4	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	585	-	-	-	-	-	1	-	2	4	9	12
WHITE------MALE----	276	-	-	-	-	-	-	-	1	4	6	3
FEMALE--	288	-	-	-	-	-	1	-	1	-	2	8
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of colon, rectum and anus (C18-C21)												
HAWAII ----------	12	8	12	25	26	22	20	11	5	7	3	-
WHITE------MALE----	-	2	3	3	2	6	2	1	-	-	-	-
FEMALE--	2	-	2	2	6	3	2	2	2	1	-	-
ALL OTHER--MALE----	6	3	5	10	12	6	7	3	1	2	1	-
FEMALE--	4	3	2	10	6	7	9	5	2	4	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO ----------	9	14	20	19	28	42	28	27	15	6	-	-
WHITE------MALE----	6	7	16	16	17	25	13	13	4	-	-	-
FEMALE--	2	7	4	3	11	17	14	14	11	6	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS ----------	105	165	214	281	399	440	412	365	168	45	8	-
WHITE------MALE----	37	67	108	132	196	185	159	133	39	11	2	-
FEMALE--	37	53	68	99	142	201	187	201	111	27	5	-
ALL OTHER--MALE----	14	27	23	25	32	20	34	12	7	1	-	-
FEMALE--	17	18	15	25	29	34	32	19	11	6	1	-
BLACK---MALE----	14	25	22	25	31	19	31	10	6	1	-	-
FEMALE--	16	15	15	25	27	31	30	19	10	6	1	-
INDIANA ----------	52	88	134	145	183	232	197	186	78	26	3	-
WHITE------MALE----	21	44	60	63	85	102	88	62	14	12	1	-
FEMALE--	24	37	59	69	79	110	99	115	56	12	2	-
ALL OTHER--MALE----	1	5	7	7	12	16	3	1	2	-	-	-
FEMALE--	6	2	8	6	7	4	7	8	6	2	-	-
BLACK---MALE----	1	4	7	6	12	16	3	1	2	-	-	-
FEMALE--	6	2	8	4	7	4	7	6	6	2	-	-
IOWA ----------	25	35	53	83	95	123	112	104	51	12	1	-
WHITE------MALE----	17	22	31	47	58	60	58	45	13	1	1	-
FEMALE--	8	11	19	34	36	61	53	59	38	11	-	-
ALL OTHER--MALE----	-	1	2	-	1	2	1	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
KANSAS ----------	14	35	42	54	89	101	77	66	61	17	1	-
WHITE------MALE----	6	26	23	28	45	47	44	25	14	3	1	-
FEMALE--	7	7	19	25	40	50	29	39	46	14	-	-
ALL OTHER--MALE----	-	1	-	1	3	2	2	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	2	2	1	-	-	-
BLACK---MALE----	-	1	-	-	3	2	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	2	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of colon, rectum and anus (C18-C21)												
KENTUCKY ----------	862	-	-	-	-	1	-	2	6	9	21	35
WHITE------MALE----	407	-	-	-	-	1	-	1	2	6	6	17
FEMALE--	389	-	-	-	-	-	-	1	4	2	11	12
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	-	6
FEMALE--	28	-	-	-	-	-	-	-	-	1	4	-
BLACK---MALE----	37	-	-	-	-	-	-	-	-	-	-	6
FEMALE--	28	-	-	-	-	-	-	-	-	1	4	-
LOUISIANA ----------	954	-	-	-	-	-	-	3	4	10	18	33
WHITE------MALE----	349	-	-	-	-	-	-	1	2	4	7	9
FEMALE--	297	-	-	-	-	-	-	-	-	1	5	7
ALL OTHER--MALE----	161	-	-	-	-	-	-	2	2	3	2	9
FEMALE--	147	-	-	-	-	-	-	-	-	2	4	8
BLACK---MALE----	158	-	-	-	-	-	-	2	2	3	2	9
FEMALE--	145	-	-	-	-	-	-	-	-	2	4	8
MAINE ----------	333	-	-	-	-	-	-	-	1	2	7	4
WHITE------MALE----	160	-	-	-	-	-	-	-	-	2	5	3
FEMALE--	171	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1,068	-	-	-	-	-	1	2	2	4	24	36
WHITE------MALE----	368	-	-	-	-	-	1	1	1	1	8	14
FEMALE--	405	-	-	-	-	-	-	-	1	1	6	9
ALL OTHER--MALE----	144	-	-	-	-	-	-	-	-	2	6	5
FEMALE--	151	-	-	-	-	-	-	1	-	-	4	8
BLACK---MALE----	136	-	-	-	-	-	-	-	-	2	6	5
FEMALE--	142	-	-	-	-	-	-	1	-	-	4	8
MASSACHUSETTS ----------	1,529	-	-	-	-	-	1	1	5	9	20	30
WHITE------MALE----	696	-	-	-	-	-	-	1	3	5	10	14
FEMALE--	758	-	-	-	-	-	1	-	1	2	8	13
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	44	-	-	-	-	-	-	-	1	2	1	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	2	1	1
MICHIGAN ----------	2,029	-	-	-	-	-	1	4	10	15	34	53
WHITE------MALE----	882	-	-	-	-	-	1	1	4	4	13	23
FEMALE--	861	-	-	-	-	-	-	2	4	9	14	18
ALL OTHER--MALE----	127	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	159	-	-	-	-	-	-	1	1	2	5	8
BLACK---MALE----	122	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	153	-	-	-	-	-	-	1	1	2	5	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of colon, rectum and anus (C18-C21)												
KENTUCKY ----------	55	31	87	78	113	155	119	96	43	9	2	-
WHITE------MALE----	37	16	47	36	52	75	59	36	16	-	-	-
FEMALE--	15	14	34	37	51	69	51	53	24	9	2	-
ALL OTHER--MALE----	3	-	2	4	7	5	5	6	-	-	-	-
FEMALE--	-	1	4	1	3	6	4	1	3	-	-	-
BLACK---MALE----	3	-	2	4	6	5	5	6	-	-	-	-
FEMALE--	-	1	4	1	3	6	4	1	3	-	-	-
LOUISIANA ----------	47	52	80	116	129	167	122	95	61	16	1	-
WHITE------MALE----	22	16	35	52	55	61	43	26	12	4	-	-
FEMALE--	10	12	15	26	42	55	41	44	35	4	-	-
ALL OTHER--MALE----	10	15	16	20	21	29	18	7	6	1	-	-
FEMALE--	5	9	14	18	11	22	20	18	8	7	1	-
BLACK---MALE----	10	15	15	20	19	29	18	7	6	1	-	-
FEMALE--	5	9	14	18	10	22	20	17	8	7	1	-
MAINE ----------	14	21	24	40	50	64	41	33	24	8	-	-
WHITE------MALE----	8	12	13	20	30	29	17	9	8	4	-	-
FEMALE--	6	9	11	20	20	34	23	24	16	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	48	63	100	91	147	191	154	125	50	27	3	-
WHITE------MALE----	20	15	37	34	56	74	58	32	12	4	-	-
FEMALE--	10	7	24	33	56	73	68	74	28	13	2	-
ALL OTHER--MALE----	9	21	20	14	21	25	12	6	-	3	-	-
FEMALE--	9	20	19	10	14	19	16	13	10	7	1	-
BLACK---MALE----	8	20	20	11	20	24	12	6	-	2	-	-
FEMALE--	7	19	17	10	14	18	15	12	9	7	1	-
MASSACHUSETTS ----------	48	62	93	164	212	260	265	198	130	25	6	-
WHITE------MALE----	23	37	55	97	115	130	97	69	32	6	2	-
FEMALE--	21	20	33	59	84	123	159	120	91	19	4	-
ALL OTHER--MALE----	2	3	3	5	4	4	2	5	-	-	-	-
FEMALE--	2	2	2	3	9	3	7	4	7	-	-	-
BLACK---MALE----	1	3	1	5	4	3	2	4	-	-	-	-
FEMALE--	1	-	2	3	8	3	6	4	5	-	-	-
MICHIGAN ----------	80	105	175	226	295	356	303	210	124	32	6	-
WHITE------MALE----	41	60	75	112	152	159	123	68	36	10	-	-
FEMALE--	24	28	65	75	101	156	142	124	75	19	5	-
ALL OTHER--MALE----	10	7	17	21	18	20	14	9	3	1	-	-
FEMALE--	5	10	18	18	24	21	24	9	10	2	1	-
BLACK---MALE----	10	6	17	19	17	20	14	8	3	1	-	-
FEMALE--	5	10	18	17	20	21	23	9	10	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of colon, rectum and anus (C18-C21)												
MINNESOTA ----------	898	-	-	-	-	-	-	1	2	9	11	26
WHITE------MALE----	421	-	-	-	-	-	-	-	1	5	4	13
FEMALE--	459	-	-	-	-	-	-	-	1	2	7	11
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	2
MISSISSIPPI ----------	582	-	-	-	-	-	4	2	1	5	8	15
WHITE------MALE----	197	-	-	-	-	-	-	-	-	4	2	5
FEMALE--	179	-	-	-	-	-	1	-	-	-	2	5
ALL OTHER--MALE----	82	-	-	-	-	-	3	1	-	-	3	2
FEMALE--	124	-	-	-	-	-	-	1	1	1	1	3
BLACK---MALE----	80	-	-	-	-	-	3	1	-	-	3	2
FEMALE--	123	-	-	-	-	-	-	1	1	1	1	3
MISSOURI ----------	1,300	-	-	-	-	4	1	2	2	7	25	40
WHITE------MALE----	520	-	-	-	-	1	1	1	1	1	11	16
FEMALE--	620	-	-	-	-	2	-	1	1	5	7	15
ALL OTHER--MALE----	73	-	-	-	-	1	-	-	-	-	3	6
FEMALE--	87	-	-	-	-	-	-	-	-	1	4	3
BLACK---MALE----	70	-	-	-	-	1	-	-	-	-	3	5
FEMALE--	83	-	-	-	-	-	-	-	-	1	3	3
MONTANA ----------	186	-	-	-	-	-	1	-	2	-	5	2
WHITE------MALE----	88	-	-	-	-	-	-	-	2	-	3	1
FEMALE--	91	-	-	-	-	-	1	-	-	-	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	408	-	-	-	-	1	-	-	1	2	8	8
WHITE------MALE----	191	-	-	-	-	-	-	-	-	1	7	4
FEMALE--	204	-	-	-	-	1	-	-	1	1	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	368	-	-	-	-	-	1	-	2	-	8	8
WHITE------MALE----	193	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	133	-	-	-	-	-	1	-	-	-	3	3
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of colon, rectum and anus (C18-C21)												
MINNESOTA ----------	21	65	64	99	112	141	122	124	82	17	2	-
WHITE------MALE----	12	36	33	53	56	70	51	54	28	5	-	-
FEMALE--	9	28	30	43	51	69	70	70	54	12	2	-
ALL OTHER--MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	4	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	-	-	-	-
MISSISSIPPI ----------	37	43	56	64	64	89	79	64	39	9	3	-
WHITE------MALE----	14	20	25	25	23	31	26	17	4	1	-	-
FEMALE--	7	9	13	18	19	32	21	26	22	3	1	-
ALL OTHER--MALE----	8	8	8	8	6	12	9	10	3	1	-	-
FEMALE--	8	6	10	13	16	14	23	11	10	4	2	-
BLACK---MALE----	8	7	8	8	6	11	9	10	3	1	-	-
FEMALE--	8	6	10	13	16	14	22	11	10	4	2	-
MISSOURI ----------	56	67	112	143	177	194	202	158	82	23	5	-
WHITE------MALE----	30	35	45	69	86	69	77	56	16	4	1	-
FEMALE--	15	22	49	55	76	96	108	85	63	16	4	-
ALL OTHER--MALE----	5	7	9	10	5	16	5	5	-	1	-	-
FEMALE--	6	3	9	9	10	13	12	12	3	2	-	-
BLACK---MALE----	5	7	8	10	5	15	5	5	-	1	-	-
FEMALE--	6	2	8	9	10	12	12	12	3	2	-	-
MONTANA ----------	9	11	17	18	32	33	25	21	7	3	-	-
WHITE------MALE----	3	6	9	8	15	23	9	8	-	1	-	-
FEMALE--	6	5	8	8	16	9	15	13	5	2	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA ----------	14	19	30	43	56	67	56	60	29	13	1	-
WHITE------MALE----	6	10	16	27	30	32	29	23	5	1	-	-
FEMALE--	7	8	12	15	23	34	26	35	24	11	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	3	1	-	1	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	3	1	-	1	-	1	-	-
NEVADA ----------	9	27	43	60	51	63	52	32	8	4	-	-
WHITE------MALE----	2	18	24	33	32	33	30	14	1	-	-	-
FEMALE--	4	4	14	19	16	25	19	14	7	4	-	-
ALL OTHER--MALE----	2	3	3	6	3	3	3	3	-	-	-	-
FEMALE--	1	2	2	2	-	2	-	1	-	-	-	-
BLACK---MALE----	-	3	3	4	-	2	1	2	-	-	-	-
FEMALE--	-	2	1	-	-	2	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of colon, rectum and anus (C18-C21)												
NEW HAMPSHIRE ----------	270	-	-	-	-	-	-	1	2	3	4	10
WHITE------MALE----	138	-	-	-	-	-	-	1	1	-	3	6
FEMALE--	132	-	-	-	-	-	-	-	1	3	1	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2,026	-	-	-	-	1	2	1	4	16	24	30
WHITE------MALE----	865	-	-	-	-	-	-	-	2	4	7	9
FEMALE--	928	-	-	-	-	-	-	-	1	4	8	15
ALL OTHER--MALE----	116	-	-	-	-	1	2	1	-	5	4	3
FEMALE--	117	-	-	-	-	-	-	-	1	3	5	3
BLACK---MALE----	108	-	-	-	-	1	2	1	-	5	4	3
FEMALE--	107	-	-	-	-	-	-	-	1	3	5	2
NEW MEXICO ----------	273	-	-	-	-	-	1	-	-	5	3	8
WHITE------MALE----	126	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	128	-	-	-	-	-	-	-	-	4	1	6
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4,295	-	-	-	-	-	2	7	11	29	58	97
WHITE------MALE----	1,752	-	-	-	-	-	1	4	6	7	18	37
FEMALE--	1,858	-	-	-	-	-	1	1	3	14	25	30
ALL OTHER--MALE----	293	-	-	-	-	-	-	1	1	3	5	12
FEMALE--	392	-	-	-	-	-	-	1	1	5	10	18
BLACK---MALE----	259	-	-	-	-	-	-	1	1	3	5	10
FEMALE--	345	-	-	-	-	-	-	1	1	5	8	15
NORTH CAROLINA ---------	1,518	-	-	-	-	-	3	4	5	17	18	49
WHITE------MALE----	586	-	-	-	-	-	-	3	2	7	7	22
FEMALE--	572	-	-	-	-	-	-	1	-	3	5	13
ALL OTHER--MALE----	152	-	-	-	-	-	1	-	1	2	4	10
FEMALE--	208	-	-	-	-	-	2	-	2	5	2	4
BLACK---MALE----	150	-	-	-	-	-	1	-	1	2	4	10
FEMALE--	202	-	-	-	-	-	2	-	2	4	2	4
NORTH DAKOTA ----------	145	-	-	-	-	-	-	-	2	-	1	2
WHITE------MALE----	66	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	77	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of colon, rectum and anus (C18-C21)												
NEW HAMPSHIRE ----------	14	17	16	26	29	55	43	30	14	6	-	-
WHITE------MALE----	9	7	6	12	20	33	25	9	5	1	-	-
FEMALE--	5	10	10	14	9	22	18	21	9	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	84	113	143	222	299	339	316	255	148	27	2	-
WHITE------MALE----	39	51	87	107	146	151	127	86	45	4	-	-
FEMALE--	32	40	38	82	115	158	163	155	96	20	1	-
ALL OTHER--MALE----	9	14	9	19	17	15	9	5	2	1	-	-
FEMALE--	4	8	9	14	21	15	17	9	5	2	1	-
BLACK---MALE----	8	14	9	17	17	14	8	2	2	1	-	-
FEMALE--	4	7	8	13	19	14	16	8	5	2	-	-
NEW MEXICO ----------	11	17	22	34	32	50	45	25	13	6	1	-
WHITE------MALE----	3	10	12	19	17	24	22	7	7	1	-	-
FEMALE--	7	7	9	12	7	24	23	16	6	5	1	-
ALL OTHER--MALE----	-	-	1	1	3	2	-	1	-	-	-	-
FEMALE--	1	-	-	2	5	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	4	-	-	-	-	-	-	-
NEW YORK ----------	168	212	367	446	617	757	678	494	264	76	12	-
WHITE------MALE----	72	101	168	200	270	331	284	158	74	18	3	-
FEMALE--	54	59	105	163	246	327	318	284	167	55	6	-
ALL OTHER--MALE----	13	25	46	35	44	52	30	20	5	1	-	-
FEMALE--	29	27	48	48	57	47	46	32	18	2	3	-
BLACK---MALE----	12	23	43	32	36	45	26	17	4	1	-	-
FEMALE--	20	23	43	40	55	44	42	29	15	1	3	-
NORTH CAROLINA ---------	86	125	137	172	216	227	207	163	68	17	4	-
WHITE------MALE----	43	56	63	75	95	90	63	40	16	3	1	-
FEMALE--	17	33	44	47	77	87	100	95	38	10	2	-
ALL OTHER--MALE----	11	21	11	21	16	23	12	11	7	1	-	-
FEMALE--	15	15	19	29	28	27	32	17	7	3	1	-
BLACK---MALE----	11	21	11	20	16	22	12	11	7	1	-	-
FEMALE--	13	15	18	28	28	27	31	17	7	3	1	-
NORTH DAKOTA ----------	5	9	21	5	23	15	20	24	9	8	1	-
WHITE------MALE----	3	5	12	2	7	8	9	10	4	3	-	-
FEMALE--	2	4	8	3	16	7	10	14	5	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of colon, rectum and anus (C18-C21)												
OHIO ----------	2,810	-	-	-	-	-	1	2	12	13	39	81
WHITE------MALE----	1,229	-	-	-	-	-	1	2	6	5	20	32
FEMALE--	1,307	-	-	-	-	-	-	-	5	4	13	36
ALL OTHER--MALE----	121	-	-	-	-	-	-	-	1	2	1	7
FEMALE--	153	-	-	-	-	-	-	-	-	2	5	6
BLACK---MALE----	119	-	-	-	-	-	-	-	1	2	1	7
FEMALE--	150	-	-	-	-	-	-	-	-	2	5	6
OKLAHOMA ----------	739	-	-	-	-	-	-	2	5	6	10	24
WHITE------MALE----	305	-	-	-	-	-	-	2	2	2	4	5
FEMALE--	333	-	-	-	-	-	-	-	2	4	6	13
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	54	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	35	-	-	-	-	-	-	-	1	-	-	2
OREGON ----------	689	-	-	-	-	-	-	1	3	4	10	16
WHITE------MALE----	337	-	-	-	-	-	-	1	3	3	7	9
FEMALE--	332	-	-	-	-	-	-	-	-	1	3	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3,472	1	-	-	-	-	1	2	10	30	37	78
WHITE------MALE----	1,567	-	-	-	-	-	1	1	3	9	18	30
FEMALE--	1,596	-	-	-	-	-	-	-	5	15	15	36
ALL OTHER--MALE----	134	-	-	-	-	-	-	-	2	4	4	6
FEMALE--	175	1	-	-	-	-	-	1	-	2	-	6
BLACK---MALE----	133	-	-	-	-	-	-	-	2	4	3	6
FEMALE--	169	1	-	-	-	-	-	1	-	2	-	5
RHODE ISLAND ----------	278	-	-	-	-	-	-	-	-	5	1	9
WHITE------MALE----	123	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	146	-	-	-	-	-	-	-	-	4	-	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	818	-	-	-	-	-	-	4	3	9	21	29
WHITE------MALE----	295	-	-	-	-	-	-	2	-	3	10	14
FEMALE--	293	-	-	-	-	-	-	2	-	2	3	6
ALL OTHER--MALE----	121	-	-	-	-	-	-	-	1	2	4	6
FEMALE--	109	-	-	-	-	-	-	-	2	2	4	3
BLACK---MALE----	120	-	-	-	-	-	-	-	1	2	4	6
FEMALE--	109	-	-	-	-	-	-	-	2	2	4	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of colon, rectum and anus (C18-C21)												
OHIO ----------	110	148	243	301	411	453	420	355	172	41	8	-
WHITE------MALE----	51	73	111	153	204	233	152	115	64	7	-	-
FEMALE--	37	55	105	113	169	183	237	214	96	32	8	-
ALL OTHER--MALE----	9	13	14	19	17	16	13	4	3	2	-	-
FEMALE--	13	7	13	16	21	21	18	22	9	-	-	-
BLACK---MALE----	9	13	14	18	16	16	13	4	3	2	-	-
FEMALE--	13	7	13	15	19	21	18	22	9	-	-	-
OKLAHOMA ----------	32	42	49	74	103	126	109	94	48	13	2	-
WHITE------MALE----	12	20	22	39	49	56	46	32	13	1	-	-
FEMALE--	13	15	20	29	39	50	50	51	31	10	-	-
ALL OTHER--MALE----	3	4	4	2	9	9	8	2	2	-	1	-
FEMALE--	4	3	3	4	6	11	5	9	2	2	1	-
BLACK---MALE----	-	2	1	1	7	5	6	2	2	-	-	-
FEMALE--	-	1	2	4	5	6	3	7	1	2	1	-
OREGON ----------	31	35	61	63	101	103	122	92	37	10	-	-
WHITE------MALE----	20	21	31	33	55	45	52	43	13	1	-	-
FEMALE--	11	11	27	28	43	56	66	48	24	9	-	-
ALL OTHER--MALE----	-	3	-	1	2	2	3	-	-	-	-	-
FEMALE--	-	-	3	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	116	165	231	382	549	594	564	422	221	62	7	-
WHITE------MALE----	59	81	111	207	274	290	260	152	58	10	3	-
FEMALE--	42	65	98	132	232	253	268	232	150	49	4	-
ALL OTHER--MALE----	11	8	8	19	22	18	16	11	5	-	-	-
FEMALE--	4	11	14	24	21	33	20	27	8	3	-	-
BLACK---MALE----	11	8	8	19	22	18	16	11	5	-	-	-
FEMALE--	4	11	14	22	21	32	19	27	7	3	-	-
RHODE ISLAND ----------	12	10	23	22	28	46	57	39	22	3	1	-
WHITE------MALE----	7	6	12	8	16	20	23	15	9	-	-	-
FEMALE--	4	4	10	13	12	24	31	23	13	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	1	-	-	-	-
SOUTH CAROLINA ---------	56	61	84	99	102	125	104	71	41	9	-	-
WHITE------MALE----	24	22	38	41	34	44	38	15	8	2	-	-
FEMALE--	12	17	23	30	35	50	44	39	25	5	-	-
ALL OTHER--MALE----	11	14	14	17	12	17	12	8	3	-	-	-
FEMALE--	9	8	9	11	21	14	10	9	5	2	-	-
BLACK---MALE----	10	14	14	17	12	17	12	8	3	-	-	-
FEMALE--	9	8	9	11	21	14	10	9	5	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of colon, rectum and anus (C18-C21)												
SOUTH DAKOTA ----------	185	-	-	-	-	-	-	-	1	1	3	4
WHITE------MALE----	84	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	99	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,083	-	-	-	-	-	-	-	6	15	19	39
WHITE------MALE----	422	-	-	-	-	-	-	-	3	6	5	10
FEMALE--	473	-	-	-	-	-	-	-	2	4	11	14
ALL OTHER--MALE----	84	-	-	-	-	-	-	-	-	3	3	7
FEMALE--	104	-	-	-	-	-	-	-	1	2	-	8
BLACK---MALE----	83	-	-	-	-	-	-	-	-	3	3	6
FEMALE--	101	-	-	-	-	-	-	-	1	2	-	7
TEXAS ----------	3,293	-	-	-	1	1	2	6	18	30	58	128
WHITE------MALE----	1,409	-	-	-	1	-	2	3	9	13	28	44
FEMALE--	1,356	-	-	-	-	1	-	2	5	10	20	54
ALL OTHER--MALE----	262	-	-	-	-	-	-	1	4	4	6	13
FEMALE--	266	-	-	-	-	-	-	-	-	3	4	17
BLACK---MALE----	249	-	-	-	-	-	-	1	3	3	5	13
FEMALE--	256	-	-	-	-	-	-	-	-	3	4	15
UTAH ----------	243	-	-	-	-	-	-	1	1	3	5	12
WHITE------MALE----	121	-	-	-	-	-	-	1	1	3	2	7
FEMALE--	115	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	137	-	-	-	-	-	-	-	-	1	4	3
WHITE------MALE----	66	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	71	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,316	-	-	-	-	-	2	-	7	9	28	43
WHITE------MALE----	491	-	-	-	-	-	-	-	2	3	9	14
FEMALE--	523	-	-	-	-	-	2	-	1	2	11	14
ALL OTHER--MALE----	149	-	-	-	-	-	-	-	2	1	5	10
FEMALE--	153	-	-	-	-	-	-	-	2	3	3	5
BLACK---MALE----	139	-	-	-	-	-	-	-	1	1	5	10
FEMALE--	145	-	-	-	-	-	-	-	1	3	3	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of colon, rectum and anus (C18-C21)												
SOUTH DAKOTA ----------	5	8	12	13	30	27	29	20	20	10	2	-
WHITE------MALE----	4	6	7	3	17	16	12	6	5	2	-	-
FEMALE--	1	2	4	10	13	11	17	14	15	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	52	75	94	107	156	175	146	119	59	20	1	-
WHITE------MALE----	19	33	58	44	74	61	57	31	17	4	-	-
FEMALE--	23	35	23	40	53	82	68	71	34	12	1	-
ALL OTHER--MALE----	5	5	6	14	14	14	5	4	4	-	-	-
FEMALE--	5	2	7	9	15	18	16	13	4	4	-	-
BLACK---MALE----	5	5	6	14	14	14	5	4	4	-	-	-
FEMALE--	4	2	7	9	15	18	16	13	3	4	-	-
TEXAS ----------	201	237	272	365	481	490	443	347	162	41	10	-
WHITE------MALE----	82	113	130	181	223	245	181	108	40	6	-	-
FEMALE--	72	72	98	114	182	194	209	193	96	28	6	-
ALL OTHER--MALE----	31	33	23	43	33	25	22	18	4	2	-	-
FEMALE--	16	19	21	27	43	26	31	28	22	5	4	-
BLACK---MALE----	31	32	22	40	32	23	22	18	3	1	-	-
FEMALE--	15	18	21	26	41	25	31	26	22	5	4	-
UTAH ----------	15	10	20	27	36	32	31	35	11	4	-	-
WHITE------MALE----	9	3	10	13	18	17	14	15	6	2	-	-
FEMALE--	6	7	10	14	15	14	16	20	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT ----------	4	8	8	15	20	18	29	16	7	4	-	-
WHITE------MALE----	3	4	3	8	12	9	11	10	1	-	-	-
FEMALE--	1	4	5	7	8	9	18	6	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	62	79	104	158	199	217	176	138	68	23	3	-
WHITE------MALE----	28	37	39	70	89	71	68	41	14	6	-	-
FEMALE--	19	20	38	43	65	95	75	73	50	14	1	-
ALL OTHER--MALE----	6	13	16	25	23	30	9	8	1	-	-	-
FEMALE--	9	9	11	20	22	21	24	16	3	3	2	-
BLACK---MALE----	4	12	14	24	21	29	9	8	1	-	-	-
FEMALE--	7	8	10	20	22	19	24	16	3	3	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of colon, rectum and anus (C18-C21)												
WASHINGTON ----------	995	-	-	-	-	-	1	2	3	9	14	29
WHITE------MALE----	471	-	-	-	-	-	-	-	1	5	5	17
FEMALE--	467	-	-	-	-	-	1	1	2	4	6	8
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	25	-	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
WEST VIRGINIA ----------	520	-	-	-	-	-	-	1	3	3	6	9
WHITE------MALE----	257	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	244	-	-	-	-	-	-	1	2	2	3	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
WISCONSIN ----------	1,170	-	-	-	-	-	-	2	3	7	16	37
WHITE------MALE----	587	-	-	-	-	-	-	1	1	3	7	19
FEMALE--	543	-	-	-	-	-	-	-	2	4	5	12
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	24	-	-	-	-	-	-	1	-	-	3	3
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	19	-	-	-	-	-	-	1	-	-	3	3
WYOMING ----------	94	-	-	-	-	-	-	1	-	-	2	3
WHITE------MALE----	54	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	39	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of colon, rectum and anus (C18-C21)												
WASHINGTON ----------	39	59	86	102	137	162	153	115	62	19	3	-
WHITE------MALE----	24	32	55	55	75	69	69	38	20	5	1	-
FEMALE--	9	18	28	41	59	83	78	74	39	14	2	-
ALL OTHER--MALE----	2	5	3	4	1	7	4	2	1	-	-	-
FEMALE--	4	4	-	2	2	3	2	1	2	-	-	-
BLACK---MALE----	1	5	-	1	1	3	1	-	-	-	-	-
FEMALE--	2	1	-	-	1	1	-	-	1	-	-	-
WEST VIRGINIA ----------	20	33	50	54	76	92	69	65	27	12	-	-
WHITE------MALE----	12	20	26	29	43	44	33	26	12	3	-	-
FEMALE--	8	12	23	24	32	44	31	35	15	8	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	3	4	-	-	-	-
FEMALE--	-	1	-	1	-	3	2	-	-	1	-	-
BLACK---MALE----	-	-	1	-	1	1	3	4	-	-	-	-
FEMALE--	-	1	-	1	-	3	2	-	-	1	-	-
WISCONSIN ----------	47	57	82	137	160	195	169	141	87	27	3	-
WHITE------MALE----	31	33	52	76	89	108	88	44	26	7	2	-
FEMALE--	12	23	27	56	63	85	81	95	58	19	1	-
ALL OTHER--MALE----	3	1	-	1	3	1	-	-	2	1	-	-
FEMALE--	1	-	3	4	5	1	-	2	1	-	-	-
BLACK---MALE----	2	1	-	-	3	1	-	-	2	-	-	-
FEMALE--	1	-	3	3	3	-	-	1	1	-	-	-
WYOMING ----------	6	7	8	13	10	8	16	7	12	1	-	-
WHITE------MALE----	2	6	7	7	7	5	8	3	7	-	-	-
FEMALE--	4	1	1	5	3	3	8	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Colon (C18)												
UNITED STATES -	48,433	1	-	-	1	9	29	62	154	342	688	1,265
WHITE------MALE----	20,494	-	-	-	1	2	10	23	58	138	275	527
FEMALE--	21,241	-	-	-	-	3	9	18	57	121	241	439
ALL OTHER--MALE----	3,102	-	-	-	-	2	7	13	20	33	72	148
FEMALE--	3,596	1	-	-	-	2	3	8	19	50	100	151
BLACK---MALE----	2,711	-	-	-	-	2	7	11	12	32	66	130
FEMALE--	3,189	1	-	-	-	2	3	7	17	43	86	131
ALABAMA ----------	740	-	-	-	-	2	1	1	1	10	12	25
WHITE------MALE----	235	-	-	-	-	-	-	-	-	1	4	11
FEMALE--	293	-	-	-	-	-	1	-	-	6	3	5
ALL OTHER--MALE----	102	-	-	-	-	1	-	1	-	1	1	4
FEMALE--	110	-	-	-	-	1	-	-	1	2	4	5
BLACK---MALE----	102	-	-	-	-	1	-	1	-	1	1	4
FEMALE--	110	-	-	-	-	1	-	-	1	2	4	5
ALASKA ----------	49	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	746	-	-	-	-	1	-	1	2	2	10	22
WHITE------MALE----	378	-	-	-	-	-	-	-	-	1	6	12
FEMALE--	333	-	-	-	-	-	-	1	-	1	3	8
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	15	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS ----------	557	-	-	-	-	-	1	-	1	5	8	16
WHITE------MALE----	219	-	-	-	-	-	-	-	-	2	2	8
FEMALE--	243	-	-	-	-	-	-	-	1	-	2	6
ALL OTHER--MALE----	39	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	56	-	-	-	-	-	-	-	-	2	3	-
BLACK---MALE----	38	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	53	-	-	-	-	-	-	-	-	2	3	-
CALIFORNIA ----------	4,266	-	-	-	-	-	3	7	15	36	67	112
WHITE------MALE----	1,802	-	-	-	-	-	2	2	4	17	27	47
FEMALE--	1,797	-	-	-	-	-	1	2	7	10	21	39
ALL OTHER--MALE----	329	-	-	-	-	-	-	3	4	3	7	9
FEMALE--	338	-	-	-	-	-	-	-	-	6	12	17
BLACK---MALE----	171	-	-	-	-	-	-	2	1	3	5	5
FEMALE--	195	-	-	-	-	-	-	-	-	2	9	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Colon (C18)												
UNITED STATES -	1,969	2,663	3,843	5,085	6,900	8,128	7,402	5,857	3,080	831	124	-
WHITE------MALE----	893	1,237	1,833	2,424	3,310	3,655	3,055	1,980	883	171	19	-
FEMALE--	666	893	1,335	1,853	2,660	3,506	3,563	3,314	1,922	563	78	-
ALL OTHER--MALE----	199	290	364	407	429	484	319	212	81	20	2	-
FEMALE--	211	243	311	401	501	483	465	351	194	77	25	-
BLACK---MALE----	175	262	319	365	373	423	274	178	68	14	-	-
FEMALE--	172	206	286	342	436	426	432	332	173	72	22	-
ALABAMA ----------	32	48	65	74	89	122	113	83	52	7	3	-
WHITE------MALE----	9	18	34	28	32	39	31	21	7	-	-	-
FEMALE--	9	9	10	30	35	46	54	44	35	5	1	-
ALL OTHER--MALE----	7	12	13	9	13	19	10	8	3	-	-	-
FEMALE--	7	9	8	7	9	18	18	10	7	2	2	-
BLACK---MALE----	7	12	13	9	13	19	10	8	3	-	-	-
FEMALE--	7	9	8	7	9	18	18	10	7	2	2	-
ALASKA ----------	6	3	6	5	3	6	7	5	2	1	-	-
WHITE------MALE----	2	1	2	1	1	3	2	2	-	-	-	-
FEMALE--	2	-	2	1	-	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	1	2	-	1	1	2	1	-	-	-	-
FEMALE--	2	1	-	3	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	19	50	57	73	123	131	127	72	47	9	-	-
WHITE------MALE----	6	30	30	35	76	70	63	28	19	2	-	-
FEMALE--	12	16	24	30	42	59	60	43	27	7	-	-
ALL OTHER--MALE----	-	3	3	5	2	1	1	-	-	-	-	-
FEMALE--	1	1	-	3	3	1	3	1	1	-	-	-
BLACK---MALE----	-	2	3	4	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	3	-	1	2	1	1	-	-	-
ARKANSAS ----------	26	33	47	63	57	89	81	69	36	23	2	-
WHITE------MALE----	10	16	26	25	26	33	38	22	6	5	-	-
FEMALE--	10	14	13	30	22	43	29	33	23	17	-	-
ALL OTHER--MALE----	2	-	6	4	3	5	8	3	3	-	-	-
FEMALE--	4	3	2	4	6	8	6	11	4	1	2	-
BLACK---MALE----	2	-	6	4	3	5	8	3	2	-	-	-
FEMALE--	4	3	1	3	6	8	6	11	3	1	2	-
CALIFORNIA ----------	190	230	357	419	612	703	671	494	256	85	9	-
WHITE------MALE----	90	96	152	193	288	325	297	164	75	22	1	-
FEMALE--	59	84	123	150	216	285	309	280	149	54	8	-
ALL OTHER--MALE----	17	25	47	33	50	48	36	29	15	3	-	-
FEMALE--	24	25	35	43	58	45	29	21	17	6	-	-
BLACK---MALE----	7	12	25	20	29	21	21	12	8	-	-	-
FEMALE--	15	14	26	19	29	19	21	17	11	4	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Colon (C18)												
COLORADO ----------	505	-	-	-	-	-	-	1	-	2	11	16
WHITE------MALE----	235	-	-	-	-	-	-	1	-	1	2	11
FEMALE--	233	-	-	-	-	-	-	-	-	-	8	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT ----------	659	-	-	-	-	-	-	1	1	2	10	16
WHITE------MALE----	302	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	321	-	-	-	-	-	-	-	-	-	6	10
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	17	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	-
DELAWARE ----------	144	-	-	-	-	-	-	-	-	1	3	2
WHITE------MALE----	64	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	120	-	-	-	-	-	-	-	-	1	2	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	1
FLORIDA ----------	3,417	-	-	-	-	-	1	1	8	15	34	80
WHITE------MALE----	1,586	-	-	-	-	-	1	1	1	7	10	39
FEMALE--	1,469	-	-	-	-	-	-	-	4	6	16	25
ALL OTHER--MALE----	169	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	193	-	-	-	-	-	-	-	3	2	6	10
BLACK---MALE----	162	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	185	-	-	-	-	-	-	-	3	2	6	9
GEORGIA ----------	981	-	-	-	-	-	-	5	6	12	23	40
WHITE------MALE----	336	-	-	-	-	-	-	1	-	4	8	14
FEMALE--	340	-	-	-	-	-	-	2	3	6	7	8
ALL OTHER--MALE----	155	-	-	-	-	-	-	1	1	1	4	11
FEMALE--	150	-	-	-	-	-	-	1	2	1	4	7
BLACK---MALE----	153	-	-	-	-	-	-	-	1	1	4	11
FEMALE--	148	-	-	-	-	-	-	1	2	1	4	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Colon (C18)												
COLORADO ----------	23	43	31	52	88	72	71	61	28	5	1	-
WHITE------MALE----	13	19	14	28	43	36	25	29	12	1	-	-
FEMALE--	10	21	13	18	37	32	39	31	16	4	1	-
ALL OTHER--MALE----	-	1	4	3	3	3	3	-	-	-	-	-
FEMALE--	-	2	-	3	5	1	4	1	-	-	-	-
BLACK---MALE----	-	-	3	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	4	-	3	1	-	-	-	-
CONNECTICUT ----------	22	34	40	56	93	134	107	84	48	8	3	-
WHITE------MALE----	9	17	17	30	54	63	45	37	20	1	1	-
FEMALE--	8	14	20	22	37	65	59	44	28	6	2	-
ALL OTHER--MALE----	3	2	1	1	1	4	-	1	-	-	-	-
FEMALE--	2	1	2	3	1	2	3	2	-	1	-	-
BLACK---MALE----	3	2	1	1	1	4	-	1	-	-	-	-
FEMALE--	1	1	2	3	1	2	3	2	-	1	-	-
DELAWARE ----------	5	8	11	19	22	29	18	15	10	1	-	-
WHITE------MALE----	2	2	4	11	10	12	7	5	6	-	-	-
FEMALE--	2	2	3	5	9	11	8	9	4	-	-	-
ALL OTHER--MALE----	1	3	2	1	1	4	-	-	-	-	-	-
FEMALE--	-	1	2	2	2	2	3	1	-	1	-	-
BLACK---MALE----	1	2	2	1	1	3	-	-	-	-	-	-
FEMALE--	-	1	2	2	2	2	3	1	-	1	-	-
DISTRICT OF COLUMBIA ---	1	13	8	15	12	24	16	18	5	1	2	-
WHITE------MALE----	-	3	-	-	-	2	2	2	2	-	-	-
FEMALE--	1	-	-	1	2	1	4	6	2	-	-	-
ALL OTHER--MALE----	-	5	4	7	4	5	3	4	-	-	-	-
FEMALE--	-	5	4	7	6	16	7	6	1	1	2	-
BLACK---MALE----	-	5	4	7	4	5	3	4	-	-	-	-
FEMALE--	-	5	4	7	6	16	6	6	1	1	2	-
FLORIDA ----------	117	160	248	335	530	615	549	422	234	58	10	-
WHITE------MALE----	49	76	121	167	268	312	253	184	79	17	1	-
FEMALE--	44	59	73	125	207	259	259	208	140	35	9	-
ALL OTHER--MALE----	13	16	34	23	23	23	16	11	2	-	-	-
FEMALE--	11	9	20	20	32	21	21	19	13	6	-	-
BLACK---MALE----	12	16	32	22	22	21	16	11	2	-	-	-
FEMALE--	10	9	20	20	28	19	21	19	13	6	-	-
GEORGIA ----------	47	79	96	123	134	142	117	104	39	13	1	-
WHITE------MALE----	17	27	40	53	48	53	34	26	8	3	-	-
FEMALE--	15	28	24	29	41	51	55	47	19	5	-	-
ALL OTHER--MALE----	10	13	22	23	20	23	12	9	4	1	-	-
FEMALE--	5	11	10	18	25	15	16	22	8	4	1	-
BLACK---MALE----	10	12	22	23	20	23	12	9	4	1	-	-
FEMALE--	5	10	10	18	24	15	16	22	8	4	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Colon (C18)												
HAWAII ----------	129	-	-	-	-	-	-	-	1	1	3	10
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	1	-	1	7
FEMALE--	47	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	180	-	-	-	-	-	-	-	-	-	2	4
WHITE------MALE----	94	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	83	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2,392	-	-	-	-	-	2	1	2	16	38	62
WHITE------MALE----	969	-	-	-	-	-	1	-	1	9	15	29
FEMALE--	1,037	-	-	-	-	-	-	-	1	7	12	20
ALL OTHER--MALE----	184	-	-	-	-	-	-	1	-	-	5	4
FEMALE--	202	-	-	-	-	-	1	-	-	-	6	9
BLACK---MALE----	176	-	-	-	-	-	-	1	-	-	5	4
FEMALE--	192	-	-	-	-	-	1	-	-	-	5	8
INDIANA ----------	1,162	-	-	-	-	-	-	2	3	3	9	32
WHITE------MALE----	490	-	-	-	-	-	-	-	1	-	4	18
FEMALE--	564	-	-	-	-	-	-	1	2	2	3	9
ALL OTHER--MALE----	51	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	57	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	50	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	52	-	-	-	-	-	-	-	-	1	1	1
IOWA ----------	629	-	-	-	-	-	-	2	2	2	9	16
WHITE------MALE----	317	-	-	-	-	-	-	1	-	2	5	11
FEMALE--	302	-	-	-	-	-	-	1	2	-	3	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	503	-	-	-	-	-	-	-	2	4	7	10
WHITE------MALE----	238	-	-	-	-	-	-	-	1	4	5	3
FEMALE--	249	-	-	-	-	-	-	-	1	-	1	6
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Colon (C18)												
HAWAII ----------	10	4	8	18	22	19	16	7	4	3	3	-
WHITE------MALE----	-	-	2	2	2	5	1	-	-	-	-	-
FEMALE--	2	-	1	1	5	3	2	2	1	1	-	-
ALL OTHER--MALE----	4	2	4	7	10	4	6	2	1	-	1	-
FEMALE--	4	2	1	8	5	7	7	3	2	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO ----------	8	13	19	16	19	34	24	22	14	5	-	-
WHITE------MALE----	5	6	15	13	11	17	10	10	3	-	-	-
FEMALE--	2	7	4	3	8	17	13	12	11	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS ----------	93	136	182	244	349	386	359	327	146	41	8	-
WHITE------MALE----	29	54	89	108	171	161	139	116	36	9	2	-
FEMALE--	33	42	60	89	124	178	162	183	96	25	5	-
ALL OTHER--MALE----	14	25	19	24	30	16	29	10	6	1	-	-
FEMALE--	17	15	14	23	24	31	29	18	8	6	1	-
BLACK---MALE----	14	24	18	24	29	16	27	8	5	1	-	-
FEMALE--	16	12	14	23	24	29	27	18	8	6	1	-
INDIANA ----------	44	69	109	122	146	196	168	168	71	18	2	-
WHITE------MALE----	15	35	47	53	68	87	82	59	14	7	-	-
FEMALE--	22	30	47	57	62	91	76	101	50	9	2	-
ALL OTHER--MALE----	1	3	7	7	9	14	3	1	1	-	-	-
FEMALE--	6	1	8	5	7	4	7	7	6	2	-	-
BLACK---MALE----	1	3	7	6	9	14	3	1	1	-	-	-
FEMALE--	6	1	8	3	7	4	7	5	6	2	-	-
IOWA ----------	25	27	40	70	84	113	92	90	45	11	1	-
WHITE------MALE----	17	17	22	37	51	54	47	39	12	1	1	-
FEMALE--	8	8	16	32	32	57	44	51	33	10	-	-
ALL OTHER--MALE----	-	1	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
KANSAS ----------	12	25	33	43	83	87	69	57	55	15	1	-
WHITE------MALE----	4	19	18	24	44	39	39	21	13	3	1	-
FEMALE--	7	5	15	19	36	44	27	35	41	12	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	2	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Colon (C18)												
KENTUCKY ----------	753	-	-	-	-	1	-	1	5	9	17	25
WHITE------MALE----	349	-	-	-	-	1	-	1	2	6	5	10
FEMALE--	345	-	-	-	-	-	-	-	3	2	9	10
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	25	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	25	-	-	-	-	-	-	-	-	1	3	-
LOUISIANA ----------	833	-	-	-	-	-	-	3	3	6	16	29
WHITE------MALE----	303	-	-	-	-	-	-	1	1	2	6	9
FEMALE--	257	-	-	-	-	-	-	-	-	-	5	5
ALL OTHER--MALE----	140	-	-	-	-	-	-	2	2	2	2	8
FEMALE--	133	-	-	-	-	-	-	-	-	2	3	7
BLACK---MALE----	139	-	-	-	-	-	-	2	2	2	2	8
FEMALE--	132	-	-	-	-	-	-	-	-	2	3	7
MAINE ----------	274	-	-	-	-	-	-	-	1	1	6	4
WHITE------MALE----	131	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	141	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	900	-	-	-	-	-	1	2	2	3	16	27
WHITE------MALE----	303	-	-	-	-	-	1	1	1	-	5	10
FEMALE--	337	-	-	-	-	-	-	-	1	1	5	5
ALL OTHER--MALE----	127	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	133	-	-	-	-	-	-	1	-	-	3	7
BLACK---MALE----	119	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	125	-	-	-	-	-	-	1	-	-	3	7
MASSACHUSETTS ----------	1,282	-	-	-	-	-	1	1	4	5	17	24
WHITE------MALE----	576	-	-	-	-	-	-	1	2	2	8	10
FEMALE--	645	-	-	-	-	-	1	-	1	1	7	12
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	40	-	-	-	-	-	-	-	1	2	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	2	1	1
MICHIGAN ----------	1,742	-	-	-	-	-	1	4	8	13	23	48
WHITE------MALE----	740	-	-	-	-	-	1	1	2	4	8	21
FEMALE--	746	-	-	-	-	-	-	2	4	8	9	16
ALL OTHER--MALE----	116	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	140	-	-	-	-	-	-	1	1	1	4	8
BLACK---MALE----	112	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	136	-	-	-	-	-	-	1	1	1	4	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Colon (C18)												
KENTUCKY ----------	40	25	79	68	101	139	106	86	40	9	2	-
WHITE------MALE----	30	12	43	30	46	67	50	30	16	-	-	-
FEMALE--	9	12	30	33	47	62	47	49	21	9	2	-
ALL OTHER--MALE----	1	-	2	4	6	5	5	6	-	-	-	-
FEMALE--	-	1	4	1	2	5	4	1	3	-	-	-
BLACK---MALE----	1	-	2	4	5	5	5	6	-	-	-	-
FEMALE--	-	1	4	1	2	5	4	1	3	-	-	-
LOUISIANA ----------	36	41	73	98	118	150	113	81	51	14	1	-
WHITE------MALE----	16	13	33	41	51	57	39	22	9	3	-	-
FEMALE--	7	10	14	22	38	47	37	39	29	4	-	-
ALL OTHER--MALE----	9	9	13	18	19	26	18	6	5	1	-	-
FEMALE--	4	9	13	17	10	20	19	14	8	6	1	-
BLACK---MALE----	9	9	13	18	18	26	18	6	5	1	-	-
FEMALE--	4	9	13	17	9	20	19	14	8	6	1	-
MAINE ----------	14	16	15	31	41	54	36	26	23	6	-	-
WHITE------MALE----	8	9	8	15	25	25	14	8	8	3	-	-
FEMALE--	6	7	7	16	16	28	21	18	15	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	38	53	81	76	116	166	139	115	41	21	3	-
WHITE------MALE----	19	11	30	26	43	64	53	27	9	3	-	-
FEMALE--	6	5	19	27	42	61	61	70	23	9	2	-
ALL OTHER--MALE----	6	19	16	14	18	23	12	6	-	3	-	-
FEMALE--	7	18	16	9	13	18	13	12	9	6	1	-
BLACK---MALE----	5	18	16	11	17	22	12	6	-	2	-	-
FEMALE--	6	17	14	9	13	17	12	11	8	6	1	-
MASSACHUSETTS ----------	38	52	68	132	179	220	234	168	114	20	5	-
WHITE------MALE----	17	30	40	77	99	105	90	60	29	4	2	-
FEMALE--	18	17	25	48	71	109	137	100	79	16	3	-
ALL OTHER--MALE----	1	3	2	4	1	3	1	4	-	-	-	-
FEMALE--	2	2	1	3	8	3	6	4	6	-	-	-
BLACK---MALE----	1	3	1	4	1	3	1	3	-	-	-	-
FEMALE--	1	-	1	3	7	3	6	4	4	-	-	-
MICHIGAN ----------	65	86	150	196	241	305	272	189	111	24	6	-
WHITE------MALE----	32	45	67	99	121	131	109	61	31	7	-	-
FEMALE--	19	26	56	63	84	135	126	111	67	15	5	-
ALL OTHER--MALE----	10	6	12	19	17	20	13	9	3	1	-	-
FEMALE--	4	9	15	15	19	19	24	8	10	1	1	-
BLACK---MALE----	10	6	12	17	16	20	13	8	3	1	-	-
FEMALE--	4	9	15	15	16	19	23	8	10	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Colon (C18)												
MINNESOTA ----------	769	-	-	-	-	-	-	-	1	8	8	21
WHITE------MALE----	350	-	-	-	-	-	-	-	1	4	4	11
FEMALE--	403	-	-	-	-	-	-	-	-	2	4	8
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	2
MISSISSIPPI ----------	500	-	-	-	-	-	3	1	1	5	7	12
WHITE------MALE----	163	-	-	-	-	-	-	-	-	4	2	3
FEMALE--	154	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	68	-	-	-	-	-	3	-	-	-	2	2
FEMALE--	115	-	-	-	-	-	-	1	1	1	1	3
BLACK---MALE----	66	-	-	-	-	-	3	-	-	-	2	2
FEMALE--	114	-	-	-	-	-	-	1	1	1	1	3
MISSOURI ----------	1,117	-	-	-	-	3	1	2	1	5	21	27
WHITE------MALE----	440	-	-	-	-	1	1	1	1	-	8	11
FEMALE--	531	-	-	-	-	1	-	1	-	4	7	8
ALL OTHER--MALE----	67	-	-	-	-	1	-	-	-	-	3	5
FEMALE--	79	-	-	-	-	-	-	-	-	1	3	3
BLACK---MALE----	64	-	-	-	-	1	-	-	-	-	3	4
FEMALE--	76	-	-	-	-	-	-	-	-	1	3	3
MONTANA ----------	152	-	-	-	-	-	1	-	2	-	3	1
WHITE------MALE----	71	-	-	-	-	-	-	-	2	-	2	-
FEMALE--	75	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	358	-	-	-	-	1	-	-	1	2	6	8
WHITE------MALE----	159	-	-	-	-	-	-	-	-	1	5	4
FEMALE--	187	-	-	-	-	1	-	-	1	1	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	308	-	-	-	-	-	1	-	-	-	4	6
WHITE------MALE----	164	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	108	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Colon (C18)												
MINNESOTA ----------	17	55	54	89	89	124	106	106	73	16	2	-
WHITE------MALE----	11	30	29	47	40	57	41	47	24	4	-	-
FEMALE--	6	24	24	40	44	65	64	59	49	12	2	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	4	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	-	-	-	-
MISSISSIPPI ----------	27	35	47	55	55	78	69	57	39	8	1	-
WHITE------MALE----	11	16	20	20	18	27	22	16	4	-	-	-
FEMALE--	4	7	12	16	18	26	18	22	22	3	-	-
ALL OTHER--MALE----	5	6	7	8	5	12	6	8	3	1	-	-
FEMALE--	7	6	8	11	14	13	23	11	10	4	1	-
BLACK---MALE----	5	5	7	8	5	11	6	8	3	1	-	-
FEMALE--	7	6	8	11	14	13	22	11	10	4	1	-
MISSOURI ----------	47	54	96	122	156	165	185	136	72	20	4	-
WHITE------MALE----	24	28	37	60	77	54	69	48	15	4	1	-
FEMALE--	12	17	41	45	67	82	102	72	56	13	3	-
ALL OTHER--MALE----	5	6	9	10	4	16	3	4	-	1	-	-
FEMALE--	6	3	9	7	8	13	11	12	1	2	-	-
BLACK---MALE----	5	6	8	10	4	15	3	4	-	1	-	-
FEMALE--	6	2	8	7	8	12	11	12	1	2	-	-
MONTANA ----------	5	9	13	16	24	28	23	19	5	3	-	-
WHITE------MALE----	2	5	6	7	12	20	8	6	-	1	-	-
FEMALE--	3	4	7	7	12	7	14	13	3	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA ----------	14	15	22	40	48	61	47	55	25	12	1	-
WHITE------MALE----	6	7	9	24	24	28	26	20	4	1	-	-
FEMALE--	7	7	11	15	22	32	20	33	21	10	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	2	1	-	1	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	1	-	1	-	-
NEVADA ----------	8	23	39	48	43	52	43	31	7	3	-	-
WHITE------MALE----	2	16	21	29	26	29	23	13	1	-	-	-
FEMALE--	3	2	13	13	15	19	17	14	6	3	-	-
ALL OTHER--MALE----	2	3	3	4	2	2	3	3	-	-	-	-
FEMALE--	1	2	2	2	-	2	-	1	-	-	-	-
BLACK---MALE----	-	3	3	2	-	1	1	2	-	-	-	-
FEMALE--	-	2	1	-	-	2	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Colon (C18)												
NEW HAMPSHIRE ----------	208	-	-	-	-	-	-	-	2	1	4	7
WHITE------MALE----	108	-	-	-	-	-	-	-	1	-	3	4
FEMALE--	100	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,736	-	-	-	-	-	2	1	3	14	22	22
WHITE------MALE----	749	-	-	-	-	-	-	-	1	4	7	8
FEMALE--	798	-	-	-	-	-	-	-	1	3	6	10
ALL OTHER--MALE----	88	-	-	-	-	-	2	1	-	4	4	2
FEMALE--	101	-	-	-	-	-	-	-	1	3	5	2
BLACK---MALE----	82	-	-	-	-	-	2	1	-	4	4	2
FEMALE--	93	-	-	-	-	-	-	-	1	3	5	1
NEW MEXICO ----------	220	-	-	-	-	-	-	-	-	3	2	7
WHITE------MALE----	103	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	104	-	-	-	-	-	-	-	-	2	-	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3,624	-	-	-	-	-	2	5	7	23	46	73
WHITE------MALE----	1,452	-	-	-	-	-	1	2	4	6	15	26
FEMALE--	1,578	-	-	-	-	-	1	1	2	11	17	24
ALL OTHER--MALE----	245	-	-	-	-	-	-	1	-	1	5	8
FEMALE--	349	-	-	-	-	-	-	1	1	5	9	15
BLACK---MALE----	218	-	-	-	-	-	-	1	-	1	5	8
FEMALE--	309	-	-	-	-	-	-	1	1	5	8	13
NORTH CAROLINA ---------	1,236	-	-	-	-	-	3	2	5	14	11	34
WHITE------MALE----	476	-	-	-	-	-	-	1	2	5	5	18
FEMALE--	462	-	-	-	-	-	-	1	-	3	2	8
ALL OTHER--MALE----	125	-	-	-	-	-	1	-	1	2	3	6
FEMALE--	173	-	-	-	-	-	2	-	2	4	1	2
BLACK---MALE----	123	-	-	-	-	-	1	-	1	2	3	6
FEMALE--	167	-	-	-	-	-	2	-	2	3	1	2
NORTH DAKOTA ----------	125	-	-	-	-	-	-	-	1	-	1	2
WHITE------MALE----	55	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	68	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Colon (C18)												
NEW HAMPSHIRE ----------	8	12	11	16	27	45	35	25	11	4	-	-
WHITE------MALE----	5	5	5	7	20	26	19	8	5	-	-	-
FEMALE--	3	7	6	9	7	19	16	17	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	68	93	121	193	258	296	272	218	131	20	2	-
WHITE------MALE----	31	40	73	95	128	137	109	72	42	2	-	-
FEMALE--	30	33	33	72	100	134	143	134	83	15	1	-
ALL OTHER--MALE----	4	13	8	12	13	13	5	4	2	1	-	-
FEMALE--	3	7	7	14	17	12	15	8	4	2	1	-
BLACK---MALE----	4	13	8	11	13	12	4	1	2	1	-	-
FEMALE--	3	6	7	13	15	11	14	8	4	2	-	-
NEW MEXICO ----------	6	12	19	24	25	43	41	23	10	5	-	-
WHITE------MALE----	-	7	10	14	15	20	20	6	6	1	-	-
FEMALE--	5	5	9	8	5	21	21	15	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	2	5	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	4	-	-	-	-	-	-	-
NEW YORK ----------	133	173	306	381	509	641	596	426	226	66	11	-
WHITE------MALE----	55	81	139	165	218	283	245	127	66	16	3	-
FEMALE--	45	51	83	142	200	275	283	252	139	47	5	-
ALL OTHER--MALE----	10	18	42	29	37	43	27	19	4	1	-	-
FEMALE--	23	23	42	45	54	40	41	28	17	2	3	-
BLACK---MALE----	9	17	39	28	30	37	23	16	3	1	-	-
FEMALE--	15	19	38	38	52	37	38	26	14	1	3	-
NORTH CAROLINA ---------	71	100	105	135	180	188	173	140	57	14	4	-
WHITE------MALE----	32	45	52	59	83	72	49	34	16	2	1	-
FEMALE--	16	26	31	37	59	74	83	82	30	8	2	-
ALL OTHER--MALE----	10	14	9	16	16	19	10	11	6	1	-	-
FEMALE--	13	15	13	23	22	23	31	13	5	3	1	-
BLACK---MALE----	10	14	9	15	16	18	10	11	6	1	-	-
FEMALE--	11	15	12	22	22	23	30	13	5	3	1	-
NORTH DAKOTA ----------	5	7	18	4	20	13	18	21	7	7	1	-
WHITE------MALE----	3	3	10	2	6	6	7	9	3	3	-	-
FEMALE--	2	4	7	2	14	7	10	12	4	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Colon (C18)												
OHIO ----------	2,396	-	-	-	-	-	-	2	10	12	29	63
WHITE------MALE----	1,025	-	-	-	-	-	-	2	5	5	15	24
FEMALE--	1,131	-	-	-	-	-	-	-	4	3	9	27
ALL OTHER--MALE----	106	-	-	-	-	-	-	-	1	2	1	7
FEMALE--	134	-	-	-	-	-	-	-	-	2	4	5
BLACK---MALE----	105	-	-	-	-	-	-	-	1	2	1	7
FEMALE--	132	-	-	-	-	-	-	-	-	2	4	5
OKLAHOMA ----------	649	-	-	-	-	-	-	1	5	6	9	21
WHITE------MALE----	258	-	-	-	-	-	-	1	2	2	4	5
FEMALE--	302	-	-	-	-	-	-	-	2	4	5	11
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	47	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	2
OREGON ----------	560	-	-	-	-	-	-	-	3	3	8	12
WHITE------MALE----	271	-	-	-	-	-	-	-	3	3	5	8
FEMALE--	273	-	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2,982	1	-	-	-	-	1	1	10	20	27	63
WHITE------MALE----	1,330	-	-	-	-	-	1	-	3	4	14	21
FEMALE--	1,385	-	-	-	-	-	-	-	5	13	9	30
ALL OTHER--MALE----	116	-	-	-	-	-	-	-	2	1	4	6
FEMALE--	151	1	-	-	-	-	-	1	-	2	-	6
BLACK---MALE----	115	-	-	-	-	-	-	-	2	1	3	6
FEMALE--	146	1	-	-	-	-	-	1	-	2	-	5
RHODE ISLAND ----------	237	-	-	-	-	-	-	-	-	5	1	6
WHITE------MALE----	104	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	125	-	-	-	-	-	-	-	-	4	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	673	-	-	-	-	-	-	1	3	7	18	22
WHITE------MALE----	234	-	-	-	-	-	-	-	-	3	7	10
FEMALE--	241	-	-	-	-	-	-	1	-	-	3	4
ALL OTHER--MALE----	100	-	-	-	-	-	-	-	1	2	4	5
FEMALE--	98	-	-	-	-	-	-	-	2	2	4	3
BLACK---MALE----	100	-	-	-	-	-	-	-	1	2	4	5
FEMALE--	98	-	-	-	-	-	-	-	2	2	4	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Colon (C18)												
OHIO ----------	89	120	209	252	355	394	362	313	146	32	8	-
WHITE------MALE----	42	53	91	125	172	204	128	100	54	5	-	-
FEMALE--	29	49	93	98	149	156	208	191	82	25	8	-
ALL OTHER--MALE----	9	11	13	15	15	13	10	4	3	2	-	-
FEMALE--	9	7	12	14	19	21	16	18	7	-	-	-
BLACK---MALE----	9	11	13	15	14	13	10	4	3	2	-	-
FEMALE--	9	7	12	13	18	21	16	18	7	-	-	-
OKLAHOMA ----------	23	34	38	65	88	112	96	89	48	13	1	-
WHITE------MALE----	10	14	18	33	39	48	38	30	13	1	-	-
FEMALE--	10	13	16	26	34	46	46	48	31	10	-	-
ALL OTHER--MALE----	1	4	2	2	9	9	8	2	2	-	1	-
FEMALE--	2	3	2	4	6	9	4	9	2	2	-	-
BLACK---MALE----	-	2	-	1	7	5	6	2	2	-	-	-
FEMALE--	-	1	1	4	5	6	2	7	1	2	-	-
OREGON ----------	25	26	45	51	83	87	99	77	33	8	-	-
WHITE------MALE----	17	14	22	23	42	40	42	38	13	1	-	-
FEMALE--	8	9	21	26	38	45	54	39	20	7	-	-
ALL OTHER--MALE----	-	3	-	1	2	2	2	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	96	138	193	322	471	523	486	372	203	48	7	-
WHITE------MALE----	49	66	90	176	236	254	221	133	53	6	3	-
FEMALE--	34	54	86	113	199	222	231	207	138	40	4	-
ALL OTHER--MALE----	10	7	7	16	20	15	14	9	5	-	-	-
FEMALE--	3	11	10	17	16	32	20	23	7	2	-	-
BLACK---MALE----	10	7	7	16	20	15	14	9	5	-	-	-
FEMALE--	3	11	10	16	16	31	19	23	6	2	-	-
RHODE ISLAND ----------	10	6	15	19	28	37	53	33	21	3	-	-
WHITE------MALE----	6	3	8	7	16	17	20	13	9	-	-	-
FEMALE--	3	3	6	12	12	18	30	19	12	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	1	-	-	-	-
SOUTH CAROLINA ---------	39	51	66	81	84	107	86	63	36	9	-	-
WHITE------MALE----	17	16	30	33	26	38	34	11	7	2	-	-
FEMALE--	6	15	19	24	30	42	33	37	22	5	-	-
ALL OTHER--MALE----	7	12	9	15	10	15	10	7	3	-	-	-
FEMALE--	9	8	8	9	18	12	9	8	4	2	-	-
BLACK---MALE----	7	12	9	15	10	15	10	7	3	-	-	-
FEMALE--	9	8	8	9	18	12	9	8	4	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Colon (C18)												
SOUTH DAKOTA ----------	166	-	-	-	-	-	-	-	1	1	3	2
WHITE------MALE----	76	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	89	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	929	-	-	-	-	-	-	-	5	13	16	29
WHITE------MALE----	354	-	-	-	-	-	-	-	2	4	4	6
FEMALE--	412	-	-	-	-	-	-	-	2	4	10	9
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	-	3	2	6
FEMALE--	93	-	-	-	-	-	-	-	1	2	-	8
BLACK---MALE----	69	-	-	-	-	-	-	-	-	3	2	5
FEMALE--	90	-	-	-	-	-	-	-	1	2	-	7
TEXAS ----------	2,785	-	-	-	1	1	1	6	13	26	47	103
WHITE------MALE----	1,164	-	-	-	1	-	1	3	8	12	21	34
FEMALE--	1,181	-	-	-	-	1	-	2	3	7	17	46
ALL OTHER--MALE----	206	-	-	-	-	-	-	1	2	4	5	9
FEMALE--	234	-	-	-	-	-	-	-	-	3	4	14
BLACK---MALE----	195	-	-	-	-	-	-	1	1	3	4	9
FEMALE--	226	-	-	-	-	-	-	-	-	3	4	13
UTAH ----------	203	-	-	-	-	-	-	1	-	3	4	9
WHITE------MALE----	107	-	-	-	-	-	-	1	-	3	2	6
FEMALE--	90	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	113	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	50	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	63	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,100	-	-	-	-	-	2	-	7	8	19	29
WHITE------MALE----	392	-	-	-	-	-	-	-	2	3	6	6
FEMALE--	448	-	-	-	-	-	2	-	1	2	8	11
ALL OTHER--MALE----	125	-	-	-	-	-	-	-	2	1	4	9
FEMALE--	135	-	-	-	-	-	-	-	2	2	1	3
BLACK---MALE----	115	-	-	-	-	-	-	-	1	1	4	9
FEMALE--	129	-	-	-	-	-	-	-	1	2	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Colon (C18)												
SOUTH DAKOTA ----------	5	8	10	12	27	24	26	18	18	9	2	-
WHITE------MALE----	4	6	5	3	15	15	10	6	5	2	-	-
FEMALE--	1	2	4	9	12	9	16	12	13	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	42	67	78	92	123	152	137	101	57	16	1	-
WHITE------MALE----	13	31	46	39	59	51	53	25	17	4	-	-
FEMALE--	21	31	20	32	40	73	64	63	33	9	1	-
ALL OTHER--MALE----	3	4	6	13	11	13	4	2	3	-	-	-
FEMALE--	5	1	6	8	13	15	16	11	4	3	-	-
BLACK---MALE----	3	4	6	13	11	13	4	2	3	-	-	-
FEMALE--	4	1	6	8	13	15	16	11	3	3	-	-
TEXAS ----------	168	177	226	300	401	417	393	312	145	38	10	-
WHITE------MALE----	71	86	113	144	176	209	151	92	37	5	-	-
FEMALE--	58	52	80	97	163	164	196	179	84	26	6	-
ALL OTHER--MALE----	23	24	15	36	25	23	18	16	3	2	-	-
FEMALE--	16	15	18	23	37	21	28	25	21	5	4	-
BLACK---MALE----	23	23	14	34	25	21	18	16	2	1	-	-
FEMALE--	15	14	18	23	35	20	28	23	21	5	4	-
UTAH ----------	14	7	17	21	29	28	26	31	9	4	-	-
WHITE------MALE----	9	2	7	11	15	16	13	15	5	2	-	-
FEMALE--	5	5	10	10	11	11	12	16	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT ----------	3	8	5	11	16	15	26	14	7	4	-	-
WHITE------MALE----	2	4	2	5	8	7	10	9	1	-	-	-
FEMALE--	1	4	3	6	8	8	16	5	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	50	66	84	126	177	182	150	121	57	19	3	-
WHITE------MALE----	23	31	27	57	78	54	55	35	11	4	-	-
FEMALE--	15	14	33	34	60	84	65	64	42	12	1	-
ALL OTHER--MALE----	5	12	14	19	19	25	8	6	1	-	-	-
FEMALE--	7	9	10	16	20	19	22	16	3	3	2	-
BLACK---MALE----	3	11	12	18	17	24	8	6	1	-	-	-
FEMALE--	6	8	9	16	20	17	22	16	3	3	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Colon (C18)												
WASHINGTON ----------	810	-	-	-	-	-	1	2	2	5	6	23
WHITE------MALE----	384	-	-	-	-	-	-	-	-	3	2	14
FEMALE--	383	-	-	-	-	-	1	1	2	2	1	6
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	19	-	-	-	-	-	-	1	-	-	2	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
WEST VIRGINIA ----------	441	-	-	-	-	-	-	1	1	3	5	8
WHITE------MALE----	211	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	213	-	-	-	-	-	-	1	-	2	3	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
WISCONSIN ----------	996	-	-	-	-	-	-	2	3	6	11	27
WHITE------MALE----	494	-	-	-	-	-	-	1	1	3	5	13
FEMALE--	465	-	-	-	-	-	-	-	2	3	2	9
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	-	-	1	-	-	3	3
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	17	-	-	-	-	-	-	1	-	-	3	3
WYOMING ----------	77	-	-	-	-	-	-	1	-	-	2	2
WHITE------MALE----	42	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	34	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Colon (C18)												
WASHINGTON ----------	32	45	67	83	110	131	123	106	55	17	2	-
WHITE------MALE----	20	26	42	45	62	57	57	33	17	5	1	-
FEMALE--	8	13	22	35	45	65	63	70	36	12	1	-
ALL OTHER--MALE----	1	3	3	1	1	6	3	2	1	-	-	-
FEMALE--	3	3	-	2	2	3	-	1	1	-	-	-
BLACK---MALE----	1	3	-	1	1	2	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	1	-	-	-	-	-	-
WEST VIRGINIA ----------	16	24	40	45	65	78	61	60	23	11	-	-
WHITE------MALE----	10	15	18	25	36	35	29	22	10	3	-	-
FEMALE--	6	8	21	19	28	39	28	35	13	7	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	3	3	-	-	-	-
FEMALE--	-	1	-	1	-	3	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	1	1	3	3	-	-	-	-
FEMALE--	-	1	-	1	-	3	1	-	-	1	-	-
WISCONSIN ----------	32	44	68	122	141	166	149	124	77	23	1	-
WHITE------MALE----	18	26	42	66	81	89	78	38	26	6	1	-
FEMALE--	10	17	24	51	53	75	71	84	48	16	-	-
ALL OTHER--MALE----	3	1	-	1	3	1	-	-	2	1	-	-
FEMALE--	1	-	2	4	4	1	-	2	1	-	-	-
BLACK---MALE----	2	1	-	-	3	1	-	-	2	-	-	-
FEMALE--	1	-	2	3	2	-	-	1	1	-	-	-
WYOMING ----------	5	6	8	12	6	5	16	3	10	1	-	-
WHITE------MALE----	1	5	7	7	4	2	8	1	5	-	-	-
FEMALE--	4	1	1	4	2	3	8	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rectosigmoid junction and rectum (C19-C20)												
UNITED STATES -	8,260	-	-	-	-	2	9	24	37	79	186	320
WHITE------MALE----	3,901	-	-	-	-	-	4	17	17	37	77	148
FEMALE--	3,333	-	-	-	-	1	3	4	15	28	75	116
ALL OTHER--MALE----	575	-	-	-	-	1	1	3	3	9	18	33
FEMALE--	451	-	-	-	-	-	1	-	2	5	16	23
BLACK---MALE----	462	-	-	-	-	1	-	2	3	7	14	26
FEMALE--	364	-	-	-	-	-	1	-	1	4	12	14
ALABAMA ----------	101	-	-	-	-	-	1	2	-	1	1	3
WHITE------MALE----	43	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	1
ALASKA ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	119	-	-	-	-	-	1	1	1	2	1	6
WHITE------MALE----	68	-	-	-	-	-	-	1	-	2	-	3
FEMALE--	45	-	-	-	-	-	1	-	1	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	62	-	-	-	-	-	-	1	-	-	2	2
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	22	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	822	-	-	-	-	-	1	2	7	9	19	36
WHITE------MALE----	373	-	-	-	-	-	1	1	2	4	7	18
FEMALE--	328	-	-	-	-	-	-	-	4	4	6	11
ALL OTHER--MALE----	73	-	-	-	-	-	-	1	-	1	2	4
FEMALE--	48	-	-	-	-	-	-	-	1	-	4	3
BLACK---MALE----	27	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rectosigmoid junction and rectum (C19-C20)												
UNITED STATES -	427	603	777	966	1,196	1,291	1,008	777	405	139	14	-
WHITE------MALE----	215	323	408	503	622	632	460	292	103	40	3	-
FEMALE--	133	183	249	327	442	525	456	408	272	87	9	-
ALL OTHER--MALE----	51	67	70	80	73	70	48	33	10	5	-	-
FEMALE--	28	30	50	56	59	64	44	44	20	7	2	-
BLACK---MALE----	38	56	59	60	60	57	40	29	9	1	-	-
FEMALE--	20	24	39	48	49	57	34	36	18	5	2	-
ALABAMA ----------	5	10	9	19	8	21	11	5	5	-	-	-
WHITE------MALE----	3	6	2	9	3	9	6	2	-	-	-	-
FEMALE--	-	3	5	4	3	8	2	1	5	-	-	-
ALL OTHER--MALE----	1	1	2	4	1	3	2	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	1	2	-	-	-	-
BLACK---MALE----	1	1	2	4	1	3	2	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	1	2	-	-	-	-
ALASKA ----------	1	-	2	2	-	3	2	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	8	11	16	23	12	11	11	7	3	-	-
WHITE------MALE----	4	6	7	8	13	7	8	4	4	1	-	-
FEMALE--	-	1	3	8	10	5	3	6	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	8	6	5	12	7	7	7	1	1	-	-
WHITE------MALE----	1	4	2	3	9	2	6	4	-	-	-	-
FEMALE--	2	3	3	2	1	5	1	2	1	1	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
CALIFORNIA ----------	38	70	71	91	106	152	89	81	42	6	2	-
WHITE------MALE----	18	36	37	43	57	79	31	24	12	2	1	-
FEMALE--	9	19	22	35	38	52	47	50	27	3	1	-
ALL OTHER--MALE----	10	8	7	8	5	13	5	6	2	1	-	-
FEMALE--	1	7	5	5	6	8	6	1	1	-	-	-
BLACK---MALE----	4	3	1	5	2	5	1	3	1	-	-	-
FEMALE--	-	3	-	2	1	4	4	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rectosigmoid junction and rectum (C19-C20)												
COLORADO ----------	98	-	-	-	-	-	-	1	-	1	2	2
WHITE------MALE----	49	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	48	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	117	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	63	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	48	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	35	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	19	-	-	-	-	-	-	-	-	1	1	4
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
FLORIDA ----------	510	-	-	-	-	-	-	2	1	5	8	16
WHITE------MALE----	245	-	-	-	-	-	-	2	-	4	4	3
FEMALE--	215	-	-	-	-	-	-	-	-	1	3	9
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	27	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	2
GEORGIA ----------	193	-	-	-	-	-	-	-	1	6	8	9
WHITE------MALE----	57	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	75	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	1	3	4	-
FEMALE--	26	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	34	-	-	-	-	-	-	-	1	3	4	-
FEMALE--	24	-	-	-	-	-	-	-	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rectosigmoid junction and rectum (C19-C20)												
COLORADO ----------	10	8	7	14	18	11	12	9	1	2	-	-
WHITE------MALE----	6	7	2	7	10	7	5	2	-	1	-	-
FEMALE--	4	1	5	6	8	4	7	7	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	5	4	6	12	19	16	18	20	11	2	-	-
WHITE------MALE----	2	-	4	5	10	11	13	11	4	1	-	-
FEMALE--	3	4	1	6	7	4	4	9	7	1	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
DELAWARE ----------	-	1	4	5	9	8	4	1	1	-	-	-
WHITE------MALE----	-	-	3	3	3	4	2	-	-	-	-	-
FEMALE--	-	1	-	2	4	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	1	1	1	2	3	2	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	-	2	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	-	2	1	1	-	-	-	-
FLORIDA ----------	22	35	55	75	75	85	54	42	32	3	-	-
WHITE------MALE----	10	13	29	46	40	40	26	14	12	2	-	-
FEMALE--	7	17	17	23	35	34	25	23	20	1	-	-
ALL OTHER--MALE----	3	3	8	3	-	3	2	3	-	-	-	-
FEMALE--	2	2	1	3	-	8	1	2	-	-	-	-
BLACK---MALE----	3	3	8	2	-	3	2	3	-	-	-	-
FEMALE--	2	2	-	3	-	8	1	2	-	-	-	-
GEORGIA ----------	10	11	20	20	29	25	24	16	9	5	-	-
WHITE------MALE----	3	3	10	4	14	6	5	3	3	-	-	-
FEMALE--	5	3	3	6	8	12	13	9	4	4	-	-
ALL OTHER--MALE----	1	3	4	5	6	2	2	3	-	1	-	-
FEMALE--	1	2	3	5	1	5	4	1	2	-	-	-
BLACK---MALE----	1	3	4	4	6	2	2	3	-	1	-	-
FEMALE--	1	2	2	5	1	5	4	-	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rectosigmoid junction and rectum (C19-C20)												
HAWAII ----------	40	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	37	-	-	-	-	-	-	-	1	-	-	2
WHITE------MALE----	29	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	350	-	-	-	-	-	-	1	2	3	14	13
WHITE------MALE----	170	-	-	-	-	-	-	1	2	1	7	9
FEMALE--	135	-	-	-	-	-	-	-	-	1	5	3
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	209	-	-	-	-	-	-	-	-	4	3	6
WHITE------MALE----	89	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	109	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	103	-	-	-	-	-	1	-	-	1	2	6
WHITE------MALE----	64	-	-	-	-	-	1	-	-	1	1	6
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	76	-	-	-	-	-	1	-	-	-	1	2
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rectosigmoid junction and rectum (C19-C20)												
HAWAII ----------	2	4	4	7	4	3	4	4	1	4	-	-
WHITE------MALE----	-	2	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	1	3	2	2	1	1	-	2	-	-
FEMALE--	-	1	1	2	1	-	2	2	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	1	1	3	9	8	4	5	1	1	-	-
WHITE------MALE----	1	1	1	3	6	8	3	3	1	-	-	-
FEMALE--	-	-	-	-	3	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	12	25	32	36	48	54	49	35	22	4	-	-
WHITE------MALE----	8	12	19	23	24	24	18	17	3	2	-	-
FEMALE--	4	8	8	10	18	23	23	15	15	2	-	-
ALL OTHER--MALE----	-	2	4	1	2	4	5	2	1	-	-	-
FEMALE--	-	3	1	2	4	3	3	1	3	-	-	-
BLACK---MALE----	-	1	4	1	2	3	4	2	1	-	-	-
FEMALE--	-	3	1	2	2	2	3	1	2	-	-	-
INDIANA ----------	8	16	23	22	34	33	27	17	7	8	1	-
WHITE------MALE----	6	8	11	10	17	15	6	3	-	5	1	-
FEMALE--	2	5	12	11	14	16	21	13	6	3	-	-
ALL OTHER--MALE----	-	2	-	-	3	2	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	3	2	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
IOWA ----------	-	8	12	13	10	10	20	13	6	1	-	-
WHITE------MALE----	-	5	9	10	7	6	11	6	1	-	-	-
FEMALE--	-	3	2	2	3	4	9	7	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS ----------	2	10	8	10	6	13	8	7	6	2	-	-
WHITE------MALE----	2	7	5	4	1	8	5	3	1	-	-	-
FEMALE--	-	2	3	5	4	5	2	3	5	2	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rectosigmoid junction and rectum (C19-C20)												
KENTUCKY ----------	106	-	-	-	-	-	-	1	1	-	4	9
WHITE------MALE----	56	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	43	-	-	-	-	-	-	1	1	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA ----------	117	-	-	-	-	-	-	-	1	3	2	3
WHITE------MALE----	45	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
MAINE ----------	57	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	29	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	161	-	-	-	-	-	-	-	-	1	8	9
WHITE------MALE----	64	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
MASSACHUSETTS ----------	236	-	-	-	-	-	-	-	1	4	3	6
WHITE------MALE----	114	-	-	-	-	-	-	-	1	3	2	4
FEMALE--	108	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	275	-	-	-	-	-	-	-	2	2	11	4
WHITE------MALE----	135	-	-	-	-	-	-	-	2	-	5	1
FEMALE--	111	-	-	-	-	-	-	-	-	1	5	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rectosigmoid junction and rectum (C19-C20)												
KENTUCKY ----------	15	6	8	9	12	16	13	9	3	-	-	-
WHITE------MALE----	7	4	4	5	6	8	9	6	-	-	-	-
FEMALE--	6	2	4	4	4	7	4	3	3	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
LOUISIANA ----------	10	10	7	18	11	17	9	14	10	2	-	-
WHITE------MALE----	5	3	2	11	4	4	4	4	3	1	-	-
FEMALE--	3	2	1	4	4	8	4	5	6	-	-	-
ALL OTHER--MALE----	1	5	3	2	2	3	-	1	1	-	-	-
FEMALE--	1	-	1	1	1	2	1	4	-	1	-	-
BLACK---MALE----	1	5	2	2	1	3	-	1	1	-	-	-
FEMALE--	1	-	1	1	1	2	1	3	-	1	-	-
MAINE ----------	-	5	9	9	9	9	5	6	1	2	-	-
WHITE------MALE----	-	3	5	5	5	4	3	1	-	1	-	-
FEMALE--	-	2	4	4	4	5	2	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	10	9	19	15	26	25	15	9	9	6	-	-
WHITE------MALE----	1	4	7	8	12	10	5	5	3	1	-	-
FEMALE--	4	1	5	6	10	12	7	3	5	4	-	-
ALL OTHER--MALE----	3	2	4	-	3	2	-	-	-	-	-	-
FEMALE--	2	2	3	1	1	1	3	1	1	1	-	-
BLACK---MALE----	3	2	4	-	3	2	-	-	-	-	-	-
FEMALE--	1	2	3	1	1	1	3	1	1	1	-	-
MASSACHUSETTS ----------	9	10	22	30	33	37	31	29	15	5	1	-
WHITE------MALE----	5	7	13	19	16	24	7	8	3	2	-	-
FEMALE--	3	3	7	10	13	12	22	20	11	3	1	-
ALL OTHER--MALE----	1	-	1	1	3	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	3	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
MICHIGAN ----------	15	19	24	28	52	49	30	19	12	8	-	-
WHITE------MALE----	9	15	7	12	29	28	13	6	5	3	-	-
FEMALE--	5	2	9	12	17	19	16	12	7	4	-	-
ALL OTHER--MALE----	-	1	5	2	1	-	1	-	-	-	-	-
FEMALE--	1	1	3	2	5	2	-	1	-	1	-	-
BLACK---MALE----	-	-	5	2	1	-	1	-	-	-	-	-
FEMALE--	1	1	3	2	4	2	-	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rectosigmoid junction and rectum (C19-C20)												
MINNESOTA ----------	124	-	-	-	-	-	-	1	1	1	3	5
WHITE------MALE----	68	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	54	-	-	-	-	-	-	-	1	-	3	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	79	-	-	-	-	-	1	1	-	-	1	2
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	163	-	-	-	-	1	-	-	1	1	3	10
WHITE------MALE----	75	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	78	-	-	-	-	1	-	-	1	-	-	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	27	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	49	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	59	-	-	-	-	-	-	-	2	-	4	2
WHITE------MALE----	28	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rectosigmoid junction and rectum (C19-C20)												
MINNESOTA ----------	4	10	10	10	22	15	14	18	9	1	-	-
WHITE------MALE----	1	6	4	6	15	12	9	7	4	1	-	-
FEMALE--	3	4	6	3	7	3	5	11	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	10	8	9	9	9	10	10	6	-	1	2	-
WHITE------MALE----	3	4	5	5	5	4	4	1	-	1	-	-
FEMALE--	3	2	1	2	1	5	3	3	-	-	1	-
ALL OTHER--MALE----	3	2	1	-	1	-	3	2	-	-	-	-
FEMALE--	1	-	2	2	2	1	-	-	-	-	1	-
BLACK---MALE----	3	2	1	-	1	-	3	2	-	-	-	-
FEMALE--	1	-	2	2	2	1	-	-	-	-	1	-
MISSOURI ----------	7	12	15	19	19	27	14	20	10	3	1	-
WHITE------MALE----	5	7	7	9	9	14	8	7	1	-	-	-
FEMALE--	2	4	8	8	8	13	4	12	7	3	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	2	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	2	-	-	-
MONTANA ----------	4	1	3	1	6	5	-	2	2	-	-	-
WHITE------MALE----	1	1	3	1	2	3	-	2	-	-	-	-
FEMALE--	3	-	-	-	3	2	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	4	8	3	8	6	9	5	4	1	-	-
WHITE------MALE----	-	3	7	3	6	4	3	3	1	-	-	-
FEMALE--	-	1	1	-	1	2	6	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA ----------	1	3	4	12	8	11	9	1	1	1	-	-
WHITE------MALE----	-	1	3	4	6	4	7	1	-	-	-	-
FEMALE--	1	2	1	6	1	6	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rectosigmoid junction and rectum (C19-C20)												
NEW HAMPSHIRE ----------	61	-	-	-	-	-	-	1	-	2	-	3
WHITE------MALE----	29	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	32	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	278	-	-	-	-	1	-	-	1	-	1	7
WHITE------MALE----	114	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	122	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	26	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	24	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
NEW MEXICO ----------	50	-	-	-	-	-	1	-	-	2	-	1
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	633	-	-	-	-	-	-	2	3	6	10	22
WHITE------MALE----	287	-	-	-	-	-	-	2	2	1	3	11
FEMALE--	264	-	-	-	-	-	-	-	1	3	6	4
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	39	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	2
NORTH CAROLINA ---------	267	-	-	-	-	-	-	2	-	2	7	15
WHITE------MALE----	108	-	-	-	-	-	-	2	-	2	2	4
FEMALE--	100	-	-	-	-	-	-	-	-	-	3	5
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	2
NORTH DAKOTA ----------	20	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rectosigmoid junction and rectum (C19-C20)												
NEW HAMPSHIRE ----------	6	5	5	9	2	10	8	5	3	2	-	-
WHITE------MALE----	4	2	1	4	-	7	6	1	-	1	-	-
FEMALE--	2	3	4	5	2	3	2	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	15	20	21	28	41	41	43	35	17	7	-	-
WHITE------MALE----	8	11	13	12	18	14	18	13	3	2	-	-
FEMALE--	2	7	5	9	15	22	19	20	13	5	-	-
ALL OTHER--MALE----	4	1	1	7	4	2	4	1	-	-	-	-
FEMALE--	1	1	2	-	4	3	2	1	1	-	-	-
BLACK---MALE----	3	1	1	6	4	2	4	1	-	-	-	-
FEMALE--	1	1	1	-	4	3	2	-	1	-	-	-
NEW MEXICO ----------	4	5	3	10	7	7	4	2	2	1	1	-
WHITE------MALE----	3	3	2	5	2	4	2	1	1	-	-	-
FEMALE--	1	2	-	4	2	3	2	1	1	1	1	-
ALL OTHER--MALE----	-	-	1	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	29	37	57	62	104	112	78	64	36	10	1	-
WHITE------MALE----	16	19	27	34	50	46	36	30	8	2	-	-
FEMALE--	8	8	21	20	44	50	35	29	26	8	1	-
ALL OTHER--MALE----	2	7	4	6	7	9	3	1	1	-	-	-
FEMALE--	3	3	5	2	3	7	4	4	1	-	-	-
BLACK---MALE----	2	6	4	4	6	8	3	1	1	-	-	-
FEMALE--	2	3	4	2	3	7	3	3	1	-	-	-
NORTH CAROLINA ---------	15	21	32	34	35	37	32	22	11	2	-	-
WHITE------MALE----	11	10	11	15	12	18	14	6	-	1	-	-
FEMALE--	1	4	13	9	18	11	15	12	8	1	-	-
ALL OTHER--MALE----	1	7	2	5	-	4	2	-	1	-	-	-
FEMALE--	2	-	6	5	5	4	1	4	2	-	-	-
BLACK---MALE----	1	7	2	5	-	4	2	-	1	-	-	-
FEMALE--	2	-	6	5	5	4	1	4	2	-	-	-
NORTH DAKOTA ----------	-	2	3	1	3	2	2	3	2	1	-	-
WHITE------MALE----	-	2	2	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	1	1	2	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rectosigmoid junction and rectum (C19-C20)												
OHIO ----------	403	-	-	-	-	-	1	-	2	1	9	17
WHITE------MALE----	198	-	-	-	-	-	1	-	1	-	5	8
FEMALE--	171	-	-	-	-	-	-	-	1	1	3	8
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA ----------	86	-	-	-	-	-	-	1	-	-	1	3
WHITE------MALE----	46	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	119	-	-	-	-	-	-	1	-	-	2	3
WHITE------MALE----	63	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	476	-	-	-	-	-	-	1	-	9	10	15
WHITE------MALE----	235	-	-	-	-	-	-	1	-	5	4	9
FEMALE--	203	-	-	-	-	-	-	-	-	2	6	6
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	39	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	133	-	-	-	-	-	-	3	-	1	3	7
WHITE------MALE----	60	-	-	-	-	-	-	2	-	-	3	4
FEMALE--	41	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rectosigmoid junction and rectum (C19-C20)												
OHIO ----------	21	26	34	48	55	58	57	42	23	9	-	-
WHITE------MALE----	9	18	20	27	31	29	23	15	9	2	-	-
FEMALE--	8	6	12	15	20	26	29	23	12	7	-	-
ALL OTHER--MALE----	-	2	1	4	2	3	3	-	-	-	-	-
FEMALE--	4	-	1	2	2	-	2	4	2	-	-	-
BLACK---MALE----	-	2	1	3	2	3	3	-	-	-	-	-
FEMALE--	4	-	1	2	1	-	2	4	2	-	-	-
OKLAHOMA ----------	9	7	10	9	14	13	13	5	-	-	1	-
WHITE------MALE----	2	6	4	6	9	8	8	2	-	-	-	-
FEMALE--	3	1	3	3	5	3	4	3	-	-	-	-
ALL OTHER--MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	2	1	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	1	-
OREGON ----------	6	9	14	12	15	16	21	14	4	2	-	-
WHITE------MALE----	3	7	9	10	11	5	10	5	-	-	-	-
FEMALE--	3	2	4	2	4	11	10	8	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	17	26	38	56	77	71	75	49	18	14	-	-
WHITE------MALE----	10	15	21	30	38	36	38	19	5	4	-	-
FEMALE--	6	10	12	17	33	31	35	24	12	9	-	-
ALL OTHER--MALE----	-	1	1	3	2	3	2	2	-	-	-	-
FEMALE--	1	-	4	6	4	1	-	4	1	1	-	-
BLACK---MALE----	-	1	1	3	2	3	2	2	-	-	-	-
FEMALE--	1	-	4	5	4	1	-	4	1	1	-	-
RHODE ISLAND ----------	2	3	8	3	-	9	4	6	1	-	1	-
WHITE------MALE----	1	3	4	1	-	3	3	2	-	-	-	-
FEMALE--	1	-	4	1	-	6	1	4	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	8	16	18	16	17	16	8	5	-	-	-
WHITE------MALE----	7	5	8	8	8	6	4	4	1	-	-	-
FEMALE--	4	1	2	6	3	7	9	2	3	-	-	-
ALL OTHER--MALE----	4	2	5	2	2	2	2	1	-	-	-	-
FEMALE--	-	-	1	2	3	2	1	1	1	-	-	-
BLACK---MALE----	3	2	5	2	2	2	2	1	-	-	-	-
FEMALE--	-	-	1	2	3	2	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rectosigmoid junction and rectum (C19-C20)												
SOUTH DAKOTA ----------	19	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	145	-	-	-	-	-	-	-	1	2	2	9
WHITE------MALE----	65	-	-	-	-	-	-	-	1	2	-	4
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	478	-	-	-	-	-	1	-	3	3	9	22
WHITE------MALE----	239	-	-	-	-	-	1	-	-	1	6	10
FEMALE--	159	-	-	-	-	-	-	-	2	2	2	6
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	49	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	2
UTAH ----------	38	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	21	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	208	-	-	-	-	-	-	-	-	1	8	13
WHITE------MALE----	98	-	-	-	-	-	-	-	-	-	2	8
FEMALE--	70	-	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rectosigmoid junction and rectum (C19-C20)												
SOUTH DAKOTA ----------	-	-	2	1	3	3	3	2	2	1	-	-
WHITE------MALE----	-	-	2	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	9	8	16	14	32	20	8	18	2	4	-	-
WHITE------MALE----	5	2	12	5	15	9	4	6	-	-	-	-
FEMALE--	2	4	3	7	12	7	3	8	1	3	-	-
ALL OTHER--MALE----	2	1	-	1	3	1	1	2	1	-	-	-
FEMALE--	-	1	1	1	2	3	-	2	-	1	-	-
BLACK---MALE----	2	1	-	1	3	1	1	2	1	-	-	-
FEMALE--	-	1	1	1	2	3	-	2	-	1	-	-
TEXAS ----------	30	58	41	63	76	72	48	33	16	3	-	-
WHITE------MALE----	10	27	16	37	47	35	29	16	3	1	-	-
FEMALE--	13	18	15	16	17	30	13	12	11	2	-	-
ALL OTHER--MALE----	7	9	7	7	7	2	4	2	1	-	-	-
FEMALE--	-	4	3	3	5	5	2	3	1	-	-	-
BLACK---MALE----	7	9	7	6	6	2	4	2	1	-	-	-
FEMALE--	-	4	3	2	5	5	2	3	1	-	-	-
UTAH ----------	1	3	3	6	7	3	5	4	2	-	-	-
WHITE------MALE----	-	1	3	2	3	1	1	-	1	-	-	-
FEMALE--	1	2	-	4	4	2	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	3	4	4	2	3	2	-	-	-	-
WHITE------MALE----	1	-	1	3	4	1	1	1	-	-	-	-
FEMALE--	-	-	2	1	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	13	20	31	21	33	26	16	10	4	-	-
WHITE------MALE----	5	6	12	13	11	17	13	6	3	2	-	-
FEMALE--	4	6	5	8	4	10	10	8	7	2	-	-
ALL OTHER--MALE----	1	1	2	6	4	5	1	2	-	-	-	-
FEMALE--	2	-	1	4	2	1	2	-	-	-	-	-
BLACK---MALE----	1	1	2	6	4	5	1	2	-	-	-	-
FEMALE--	1	-	1	4	2	1	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rectosigmoid junction and rectum (C19-C20)												
WASHINGTON ----------	171	-	-	-	-	-	-	-	1	2	7	4
WHITE------MALE----	81	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	76	-	-	-	-	-	-	-	-	2	5	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	74	-	-	-	-	-	-	-	2	-	1	1
WHITE------MALE----	45	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	169	-	-	-	-	-	-	-	-	-	5	8
WHITE------MALE----	91	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	75	-	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	16	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rectosigmoid junction and rectum (C19-C20)												
WASHINGTON ----------	6	13	19	18	26	29	29	8	7	1	1	-
WHITE------MALE----	3	6	13	10	13	12	12	4	3	-	-	-
FEMALE--	1	4	6	5	13	16	14	4	3	1	1	-
ALL OTHER--MALE----	1	2	-	3	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	4	9	8	9	10	14	7	5	3	1	-	-
WHITE------MALE----	2	5	7	4	7	9	4	4	2	-	-	-
FEMALE--	2	4	1	5	3	5	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	15	13	14	15	18	29	20	17	9	4	2	-
WHITE------MALE----	13	7	10	10	8	19	10	6	-	1	1	-
FEMALE--	2	6	3	5	9	10	10	11	9	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	1	4	3	-	4	2	-	-	-
WHITE------MALE----	1	-	-	-	3	3	-	2	2	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anus and anal canal (C21)												
UNITED STATES -	462	-	-	-	-	-	-	1	5	18	20	38
WHITE------MALE----	144	-	-	-	-	-	-	-	3	5	8	17
FEMALE--	261	-	-	-	-	-	-	-	-	7	8	17
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	2	4	2	3
FEMALE--	33	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	23	-	-	-	-	-	-	1	2	4	2	3
FEMALE--	28	-	-	-	-	-	-	-	-	2	1	1
ALABAMA ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	67	-	-	-	-	-	-	-	-	1	4	7
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anus and anal canal (C21)												
UNITED STATES -	38	43	38	44	58	54	46	38	18	3	-	-
WHITE------MALE----	11	14	13	16	16	16	14	7	4	-	-	-
FEMALE--	17	26	23	22	33	36	26	29	14	3	-	-
ALL OTHER--MALE----	5	1	1	1	2	-	1	1	-	-	-	-
FEMALE--	5	2	1	5	7	2	5	1	-	-	-	-
BLACK---MALE----	5	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	4	2	1	3	7	2	4	1	-	-	-	-
ALABAMA ----------	-	-	-	1	1	-	2	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	2	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	12	4	5	4	9	9	5	5	1	1	-	-
WHITE------MALE----	3	1	1	2	2	3	-	-	-	-	-	-
FEMALE--	7	2	4	2	6	5	3	4	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anus and anal canal (C21)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	40	-	-	-	-	-	-	-	1	-	-	2
WHITE------MALE----	16	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	18	-	-	-	-	-	-	-	-	2	1	4
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anus and anal canal (C21)												
COLORADO ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	1	7	5	4	6	6	5	1	2	-	-	-
WHITE------MALE----	-	3	-	2	1	4	3	-	2	-	-	-
FEMALE--	1	4	5	2	4	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA ----------	2	2	-	1	1	3	-	2	-	-	-	-
WHITE------MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anus and anal canal (C21)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	15	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	17	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anus and anal canal (C21)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	4	-	1	2	-	4	3	-	-	-	-
WHITE------MALE----	-	1	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
INDIANA ----------	-	3	2	1	3	3	2	1	-	-	-	-
WHITE------MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	3	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	1	-	1	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anus and anal canal (C21)												
KENTUCKY ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anus and anal canal (C21)												
KENTUCKY	-	-	-	1	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	1	1	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	1	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	1	-	-	5	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	1	-	-	4	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	1	-	3	2	-	3	-	1	1	-	-	-
WHITE--MALE	1	-	2	1	-	1	-	1	-	-	-	-
FEMALE	-	-	1	1	-	2	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	1	2	2	2	1	2	1	-	-	-
WHITE--MALE	-	-	1	1	2	-	1	1	-	-	-	-
FEMALE	-	-	-	-	-	2	-	1	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anus and anal canal (C21)												
MINNESOTA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	20	-	-	-	-	-	-	-	-	1	1	3
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anus and anal canal (C21)												
MINNESOTA ----------	-	-	-	-	1	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	1	1	2	2	2	3	2	-	-	-	-
WHITE------MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	2	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MONTANA ----------	-	1	1	1	2	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anus and anal canal (C21)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	12	-	-	-	-	-	-	-	-	2	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	38	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	15	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anus and anal canal (C21)												
NEW HAMPSHIRE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	1	1	-	2	1	2	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	2	4	3	4	4	4	4	2	-	-	-
WHITE------MALE----	1	1	2	1	2	2	3	1	-	-	-	-
FEMALE--	1	-	1	1	2	2	-	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	1	-	-	-	-	-
NORTH CAROLINA ---------	-	4	-	3	1	2	2	1	-	1	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	1	-	2	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anus and anal canal (C21)												
OHIO ----------	11	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	10	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	14	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	12	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anus and anal canal (C21)												
OHIO ----------	-	2	-	1	1	1	1	-	3	-	-	-
WHITE------MALE----	-	2	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	1	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	2	-	3	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	1	-	4	1	-	3	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	2	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	2	2	-	2	1	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anus and anal canal (C21)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	9	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	30	-	-	-	-	-	-	-	2	1	2	3
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	8	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anus and anal canal (C21)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	1	1	3	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	2	5	2	4	1	2	2	1	-	-	-
WHITE------MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	2	3	1	2	-	-	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
UTAH ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	1	1	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anus and anal canal (C21)												
WASHINGTON ----------	14	-	-	-	-	-	-	-	-	2	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anus and anal canal (C21)												
WASHINGTON ----------	1	1	-	1	1	2	1	1	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	2	-	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of liver and intrahepatic bile ducts (C22)												
UNITED STATES -	12,382	8	29	5	6	19	24	33	45	127	317	666
WHITE------MALE----	6,151	3	18	3	2	10	7	11	10	45	155	351
FEMALE--	3,835	3	8	-	1	4	8	6	9	28	55	97
ALL OTHER--MALE----	1,538	2	2	2	2	2	5	11	16	43	75	182
FEMALE--	858	-	1	-	1	3	4	5	10	11	32	36
BLACK---MALE----	947	1	2	1	2	-	2	7	7	21	44	125
FEMALE--	560	-	1	-	1	2	3	2	5	10	16	25
ALABAMA ----------	232	-	1	-	-	-	-	-	-	1	7	19
WHITE------MALE----	108	-	1	-	-	-	-	-	-	-	4	10
FEMALE--	67	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	37	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	17	-	-	-	-	-	-	1	-	3	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	218	-	-	-	-	-	1	-	3	2	6	8
WHITE------MALE----	129	-	-	-	-	-	1	-	3	1	4	4
FEMALE--	68	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	163	-	-	-	-	-	-	-	1	2	1	11
WHITE------MALE----	89	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	51	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA ----------	1,562	1	2	1	-	3	1	10	8	10	44	92
WHITE------MALE----	688	1	2	-	-	1	-	5	2	3	20	43
FEMALE--	378	-	-	-	-	1	-	-	1	2	4	11
ALL OTHER--MALE----	329	-	-	1	-	1	1	4	5	5	13	34
FEMALE--	167	-	-	-	-	-	-	1	-	-	7	4
BLACK---MALE----	77	-	-	-	-	-	-	1	1	1	3	9
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of liver and intrahepatic bile ducts (C22)												
UNITED STATES -	826	928	1,163	1,558	1,933	1,914	1,511	863	325	75	7	-
WHITE------MALE----	448	481	613	846	1,052	960	698	321	103	14	-	-
FEMALE--	153	181	279	412	562	700	640	445	188	49	7	-
ALL OTHER--MALE----	180	190	181	195	191	143	76	31	6	3	-	-
FEMALE--	45	76	90	105	128	111	97	66	28	9	-	-
BLACK---MALE----	115	110	102	124	124	85	49	18	6	2	-	-
FEMALE--	28	47	56	67	83	64	68	51	23	8	-	-
ALABAMA ----------	20	18	24	30	20	42	27	19	3	1	-	-
WHITE------MALE----	9	6	11	16	6	24	13	6	1	1	-	-
FEMALE--	4	7	8	7	8	11	8	10	2	-	-	-
ALL OTHER--MALE----	6	4	3	3	5	4	2	-	-	-	-	-
FEMALE--	1	1	2	4	1	3	4	3	-	-	-	-
BLACK---MALE----	6	4	3	3	5	4	2	-	-	-	-	-
FEMALE--	-	1	2	4	1	3	4	3	-	-	-	-
ALASKA ----------	2	1	2	2	2	-	3	-	-	-	-	-
WHITE------MALE----	1	1	1	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	13	9	21	33	34	42	22	15	8	1	-	-
WHITE------MALE----	10	7	14	19	22	22	10	8	4	-	-	-
FEMALE--	3	2	3	10	10	16	10	5	3	1	-	-
ALL OTHER--MALE----	-	-	3	2	2	3	1	1	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	8	17	18	24	31	21	15	3	1	1	-
WHITE------MALE----	9	5	9	12	14	20	11	4	-	-	-	-
FEMALE--	-	3	7	4	8	6	7	7	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	2	2	3	1	4	2	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	2	2	3	1	4	2	-	-	-
CALIFORNIA ----------	109	133	165	217	242	240	155	90	27	11	1	-
WHITE------MALE----	66	57	79	99	123	88	65	24	9	1	-	-
FEMALE--	6	24	23	51	53	80	58	41	15	7	1	-
ALL OTHER--MALE----	31	36	44	47	43	38	14	11	-	1	-	-
FEMALE--	6	16	19	20	23	34	18	14	3	2	-	-
BLACK---MALE----	11	9	12	10	10	7	3	-	-	-	-	-
FEMALE--	1	3	5	8	4	10	5	5	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of liver and intrahepatic bile ducts (C22)												
COLORADO ----------	126	-	-	-	-	-	-	1	-	-	6	6
WHITE------MALE----	75	-	-	-	-	-	-	1	-	-	4	5
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	137	-	1	-	-	-	-	-	-	-	2	5
WHITE------MALE----	84	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	37	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	33	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	39	-	-	-	-	-	-	-	1	-	-	3
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
FLORIDA ----------	860	-	1	1	1	1	3	1	5	8	19	39
WHITE------MALE----	472	-	-	-	-	1	1	1	1	2	5	21
FEMALE--	302	-	-	-	-	-	2	-	1	3	6	8
ALL OTHER--MALE----	53	-	1	1	1	-	-	-	2	3	4	8
FEMALE--	33	-	-	-	-	-	-	-	1	-	4	2
BLACK---MALE----	48	-	1	1	1	-	-	-	2	2	4	7
FEMALE--	28	-	-	-	-	-	-	-	1	-	4	2
GEORGIA ----------	267	-	2	-	-	2	-	2	2	7	8	19
WHITE------MALE----	113	-	1	-	-	1	-	-	-	3	2	10
FEMALE--	74	-	1	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	44	-	-	-	-	-	-	1	-	3	3	5
FEMALE--	36	-	-	-	-	1	-	1	1	-	2	3
BLACK---MALE----	35	-	-	-	-	-	-	-	-	3	3	4
FEMALE--	31	-	-	-	-	1	-	1	1	-	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of liver and intrahepatic bile ducts (C22)												
COLORADO ----------	13	12	9	20	24	11	12	8	4	-	-	-
WHITE------MALE----	10	10	5	9	14	4	7	5	1	-	-	-
FEMALE--	3	-	2	8	7	5	5	3	3	-	-	-
ALL OTHER--MALE----	-	1	2	2	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	8	15	16	11	22	26	19	7	4	1	-	-
WHITE------MALE----	6	10	10	7	14	15	12	5	1	-	-	-
FEMALE--	1	2	3	3	6	8	7	2	3	1	-	-
ALL OTHER--MALE----	1	2	2	1	-	3	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
DELAWARE ----------	2	1	4	3	3	8	5	6	-	-	-	-
WHITE------MALE----	2	1	3	-	2	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	4	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
DISTRICT OF COLUMBIA ---	6	2	3	3	5	5	6	4	1	-	-	-
WHITE------MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	5	1	2	2	3	3	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	2	4	2	-	-	-	-
BLACK---MALE----	5	1	2	2	3	3	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	2	4	2	-	-	-	-
FLORIDA ----------	56	47	61	95	144	153	130	62	27	5	1	-
WHITE------MALE----	35	33	38	58	87	82	70	26	11	-	-	-
FEMALE--	13	6	14	25	50	67	52	33	16	5	1	-
ALL OTHER--MALE----	5	4	4	7	6	2	5	-	-	-	-	-
FEMALE--	3	4	5	5	1	2	3	3	-	-	-	-
BLACK---MALE----	4	3	4	7	5	2	5	-	-	-	-	-
FEMALE--	3	3	2	5	1	2	3	2	-	-	-	-
GEORGIA ----------	13	22	27	27	46	30	32	19	7	2	-	-
WHITE------MALE----	6	7	9	16	25	12	15	5	1	-	-	-
FEMALE--	2	1	10	8	10	11	12	10	4	1	-	-
ALL OTHER--MALE----	4	11	3	2	5	5	1	1	-	-	-	-
FEMALE--	1	3	5	1	6	2	4	3	2	1	-	-
BLACK---MALE----	2	11	-	1	5	4	1	1	-	-	-	-
FEMALE--	-	3	3	-	5	2	4	3	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of liver and intrahepatic bile ducts (C22)												
HAWAII ----------	81	-	-	-	-	1	1	1	1	2	3	7
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	1	1	-	-	2	2	4
FEMALE--	24	-	-	-	-	-	-	1	1	-	-	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
IDAHO ----------	43	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	585	-	1	1	1	3	-	1	2	2	11	27
WHITE------MALE----	258	-	1	1	-	1	-	-	-	1	7	14
FEMALE--	196	-	-	-	-	2	-	-	-	-	1	4
ALL OTHER--MALE----	78	-	-	-	-	-	-	1	-	1	2	7
FEMALE--	53	-	-	-	1	-	-	-	2	-	1	2
BLACK---MALE----	62	-	-	-	-	-	-	1	-	1	-	5
FEMALE--	43	-	-	-	1	-	-	-	1	-	1	2
INDIANA ----------	249	-	1	-	-	-	-	1	1	1	9	10
WHITE------MALE----	125	-	1	-	-	-	-	-	1	1	7	4
FEMALE--	91	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
IOWA ----------	116	-	-	-	-	1	-	-	1	1	2	1
WHITE------MALE----	66	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	105	-	1	-	-	-	-	-	-	1	2	5
WHITE------MALE----	59	-	1	-	-	-	-	-	-	-	2	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of liver and intrahepatic bile ducts (C22)												
HAWAII ----------	8	9	11	5	12	10	7	2	1	-	-	-
WHITE------MALE----	2	2	4	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	2	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	6	4	2	6	5	4	-	-	-	-	-
FEMALE--	3	1	3	1	4	3	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	2	4	9	6	6	7	3	-	1	-	-
WHITE------MALE----	2	1	2	7	4	5	2	1	-	-	-	-
FEMALE--	-	-	2	2	2	1	5	2	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	32	33	62	70	93	110	77	35	18	6	-	-
WHITE------MALE----	17	13	26	30	46	51	33	13	4	-	-	-
FEMALE--	5	6	18	25	21	46	35	17	12	4	-	-
ALL OTHER--MALE----	7	7	10	11	20	6	4	1	-	1	-	-
FEMALE--	3	7	8	4	6	7	5	4	2	1	-	-
BLACK---MALE----	6	6	6	10	17	5	3	1	-	1	-	-
FEMALE--	2	5	6	2	4	7	5	4	2	1	-	-
INDIANA ----------	20	19	29	30	43	29	27	21	6	2	-	-
WHITE------MALE----	8	12	14	18	23	15	11	8	2	-	-	-
FEMALE--	8	4	10	7	14	13	14	12	2	2	-	-
ALL OTHER--MALE----	4	2	3	4	4	1	-	-	1	-	-	-
FEMALE--	-	1	2	1	2	-	2	1	1	-	-	-
BLACK---MALE----	4	2	3	4	4	1	-	-	1	-	-	-
FEMALE--	-	1	1	1	2	-	2	1	1	-	-	-
IOWA ----------	5	9	5	16	17	24	12	14	8	-	-	-
WHITE------MALE----	3	8	5	9	11	15	5	4	3	-	-	-
FEMALE--	1	1	-	6	5	9	6	10	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS ----------	11	10	9	10	23	11	11	9	2	-	-	-
WHITE------MALE----	4	7	4	9	12	9	5	4	-	-	-	-
FEMALE--	5	3	3	-	8	2	5	5	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of liver and intrahepatic bile ducts (C22)												
KENTUCKY ----------	175	-	-	-	-	-	-	-	1	-	3	8
WHITE------MALE----	97	-	-	-	-	-	-	-	-	-	2	8
FEMALE--	59	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	248	1	-	-	-	-	-	1	-	1	7	15
WHITE------MALE----	108	1	-	-	-	-	-	-	-	-	2	5
FEMALE--	65	-	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	1	5	7
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	49	-	-	-	-	-	-	-	-	1	5	7
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	62	-	-	-	-	-	-	1	-	1	1	2
WHITE------MALE----	40	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	214	-	-	-	-	-	-	1	-	3	9	14
WHITE------MALE----	77	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	62	-	-	-	-	-	-	1	-	-	3	2
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	28	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	32	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	2
MASSACHUSETTS ----------	277	-	-	1	-	-	-	-	1	4	9	14
WHITE------MALE----	159	-	-	1	-	-	-	-	-	1	6	11
FEMALE--	81	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	448	1	4	-	-	-	2	-	2	2	10	27
WHITE------MALE----	228	-	3	-	-	-	1	-	-	1	3	15
FEMALE--	146	-	1	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	49	1	-	-	-	-	1	-	1	-	5	8
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	42	-	-	-	-	-	1	-	1	-	3	8
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of liver and intrahepatic bile ducts (C22)												
KENTUCKY ----------	17	11	18	24	26	31	16	14	4	2	-	-
WHITE------MALE----	10	7	12	14	16	13	6	7	1	1	-	-
FEMALE--	5	-	4	7	7	16	9	7	2	-	-	-
ALL OTHER--MALE----	2	4	2	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	3	2	-	-	-	1	-	-
BLACK---MALE----	2	2	2	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	3	2	-	-	-	1	-	-
LOUISIANA ----------	19	23	23	36	39	36	29	11	6	1	-	-
WHITE------MALE----	6	9	10	21	19	15	15	4	1	-	-	-
FEMALE--	3	4	4	8	9	14	12	2	4	1	-	-
ALL OTHER--MALE----	5	7	7	5	6	6	1	1	-	-	-	-
FEMALE--	5	3	2	2	5	1	1	4	1	-	-	-
BLACK---MALE----	4	6	7	5	6	6	1	1	-	-	-	-
FEMALE--	5	3	2	2	4	1	1	4	1	-	-	-
MAINE ----------	3	5	6	6	12	12	10	3	-	-	-	-
WHITE------MALE----	2	3	3	5	10	3	8	3	-	-	-	-
FEMALE--	1	-	2	1	2	8	2	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	14	19	26	35	29	28	17	4	1	-	-
WHITE------MALE----	4	5	6	11	13	9	12	8	1	1	-	-
FEMALE--	3	2	2	4	12	13	11	8	1	-	-	-
ALL OTHER--MALE----	6	7	9	3	5	4	3	-	-	-	-	-
FEMALE--	1	-	2	8	5	3	2	1	2	-	-	-
BLACK---MALE----	4	2	7	2	5	3	2	-	-	-	-	-
FEMALE--	1	-	1	5	5	1	2	1	2	-	-	-
MASSACHUSETTS ----------	21	24	27	36	31	49	36	16	8	-	-	-
WHITE------MALE----	12	12	18	20	27	28	16	4	3	-	-	-
FEMALE--	3	6	5	9	4	17	18	12	5	-	-	-
ALL OTHER--MALE----	5	4	4	3	-	1	1	-	-	-	-	-
FEMALE--	1	2	-	4	-	3	1	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
MICHIGAN ----------	22	33	33	56	76	75	66	28	10	1	-	-
WHITE------MALE----	12	13	20	29	44	39	35	9	4	-	-	-
FEMALE--	6	10	7	14	22	29	30	16	5	1	-	-
ALL OTHER--MALE----	3	8	4	6	6	3	-	3	-	-	-	-
FEMALE--	1	2	2	7	4	4	1	-	1	-	-	-
BLACK---MALE----	2	8	3	5	5	3	-	3	-	-	-	-
FEMALE--	-	2	2	5	4	3	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of liver and intrahepatic bile ducts (C22)												
MINNESOTA ----------	153	-	-	-	-	1	1	-	-	6	5	14
WHITE------MALE----	87	-	-	-	-	-	-	-	-	2	3	10
FEMALE--	45	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	3	1	1
FEMALE--	6	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI ----------	149	-	-	-	1	-	1	-	-	3	7	3
WHITE------MALE----	67	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	39	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	4	-
FEMALE--	18	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	1	4	-
FEMALE--	17	-	-	-	-	-	1	-	-	-	-	1
MISSOURI ----------	244	-	1	-	-	-	-	-	-	4	7	11
WHITE------MALE----	112	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	88	-	1	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	15	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	13	-	-	-	-	-	-	-	-	2	-	-
MONTANA ----------	41	-	-	-	-	-	1	1	-	1	1	2
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	51	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	86	-	-	-	-	1	-	-	-	1	1	6
WHITE------MALE----	42	-	-	-	-	1	-	-	-	1	-	3
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of liver and intrahepatic bile ducts (C22)												
MINNESOTA ----------	10	7	9	16	26	24	16	13	4	1	-	-
WHITE------MALE----	5	2	6	11	17	18	7	4	2	-	-	-
FEMALE--	3	2	1	2	8	5	9	9	2	1	-	-
ALL OTHER--MALE----	1	2	2	3	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	15	16	15	22	17	16	13	14	5	1	-	-
WHITE------MALE----	8	6	5	11	8	7	4	7	4	-	-	-
FEMALE--	4	3	6	6	5	4	6	3	-	1	-	-
ALL OTHER--MALE----	3	4	2	3	1	4	2	1	-	-	-	-
FEMALE--	-	3	2	2	3	1	1	3	1	-	-	-
BLACK---MALE----	3	4	2	3	1	4	2	1	-	-	-	-
FEMALE--	-	3	2	2	2	1	1	3	1	-	-	-
MISSOURI ----------	16	21	28	27	34	39	18	22	13	3	-	-
WHITE------MALE----	12	9	14	19	14	18	4	10	2	1	-	-
FEMALE--	1	8	8	5	14	14	11	11	10	1	-	-
ALL OTHER--MALE----	2	3	6	3	4	3	-	1	1	-	-	-
FEMALE--	1	1	-	-	2	4	3	-	-	1	-	-
BLACK---MALE----	2	3	5	3	4	2	-	1	1	-	-	-
FEMALE--	1	1	-	-	2	3	3	-	-	1	-	-
MONTANA ----------	2	1	3	7	5	5	7	4	1	-	-	-
WHITE------MALE----	1	-	3	7	5	3	2	4	1	-	-	-
FEMALE--	1	1	-	-	-	2	5	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	8	5	8	5	6	9	4	-	1	-	-
WHITE------MALE----	1	4	4	4	4	5	7	-	-	-	-	-
FEMALE--	1	2	1	2	1	1	2	4	-	1	-	-
ALL OTHER--MALE----	-	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	7	11	8	8	18	13	5	6	1	-	-	-
WHITE------MALE----	2	4	3	6	10	9	1	2	-	-	-	-
FEMALE--	1	2	3	1	7	3	2	4	-	-	-	-
ALL OTHER--MALE----	3	5	-	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	2	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of liver and intrahepatic bile ducts (C22)												
NEW HAMPSHIRE ----------	51	-	-	-	-	-	-	-	-	-	2	4
WHITE------MALE----	32	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	391	1	-	-	-	-	-	2	-	3	6	21
WHITE------MALE----	194	-	-	-	-	-	-	-	-	1	3	9
FEMALE--	126	1	-	-	-	-	-	-	-	2	-	3
ALL OTHER--MALE----	51	-	-	-	-	-	-	2	-	-	2	9
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	34	-	-	-	-	-	-	2	-	-	1	7
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	71	-	2	-	-	-	-	-	-	1	2	6
WHITE------MALE----	39	-	2	-	-	-	-	-	-	1	2	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	893	1	-	-	-	-	1	2	4	8	23	44
WHITE------MALE----	425	-	-	-	-	-	-	1	-	3	6	23
FEMALE--	274	-	-	-	-	-	1	-	-	2	8	8
ALL OTHER--MALE----	123	1	-	-	-	-	-	1	3	3	7	12
FEMALE--	71	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	69	1	-	-	-	-	-	1	2	2	2	7
FEMALE--	50	-	-	-	-	-	-	-	1	-	1	1
NORTH CAROLINA ---------	267	-	-	-	-	-	-	1	1	1	6	14
WHITE------MALE----	131	-	-	-	-	-	-	-	-	-	3	8
FEMALE--	84	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	18	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	34	-	1	-	-	-	-	-	-	-	2	1
WHITE------MALE----	19	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of liver and intrahepatic bile ducts (C22)												
NEW HAMPSHIRE ----------	2	3	6	5	10	8	7	3	1	-	-	-
WHITE------MALE----	1	2	5	4	7	5	3	2	-	-	-	-
FEMALE--	1	1	1	1	3	3	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	27	29	40	56	52	62	51	26	11	4	-	-
WHITE------MALE----	10	20	17	32	30	30	29	9	3	1	-	-
FEMALE--	3	3	15	13	16	27	19	14	7	3	-	-
ALL OTHER--MALE----	12	3	6	7	6	2	2	-	-	-	-	-
FEMALE--	2	3	2	4	-	3	1	3	1	-	-	-
BLACK---MALE----	7	2	4	5	4	1	1	-	-	-	-	-
FEMALE--	2	2	2	4	-	2	1	3	1	-	-	-
NEW MEXICO ----------	1	4	5	10	14	9	9	5	3	-	-	-
WHITE------MALE----	1	3	2	6	10	4	2	3	1	-	-	-
FEMALE--	-	-	2	3	2	5	7	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	62	67	90	121	144	122	109	63	25	7	-	-
WHITE------MALE----	40	36	56	49	68	65	47	23	5	3	-	-
FEMALE--	6	9	15	34	46	40	51	35	16	3	-	-
ALL OTHER--MALE----	15	13	13	23	17	11	3	1	-	-	-	-
FEMALE--	1	9	6	15	13	6	8	4	4	1	-	-
BLACK---MALE----	8	7	5	15	10	7	1	1	-	-	-	-
FEMALE--	1	6	4	10	9	5	5	3	3	1	-	-
NORTH CAROLINA ---------	18	17	30	39	41	50	31	14	4	-	-	-
WHITE------MALE----	9	10	17	23	19	26	12	3	1	-	-	-
FEMALE--	3	5	7	11	13	16	10	10	3	-	-	-
ALL OTHER--MALE----	5	2	4	5	5	5	3	1	-	-	-	-
FEMALE--	1	-	2	-	4	3	6	-	-	-	-	-
BLACK---MALE----	5	2	4	5	5	5	3	1	-	-	-	-
FEMALE--	1	-	1	-	4	3	6	-	-	-	-	-
NORTH DAKOTA ----------	-	1	3	2	1	8	8	5	2	-	-	-
WHITE------MALE----	-	1	-	1	1	5	6	-	1	-	-	-
FEMALE--	-	-	2	1	-	3	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of liver and intrahepatic bile ducts (C22)												
OHIO ----------	459	-	1	-	-	1	-	-	1	5	7	20
WHITE------MALE----	245	-	1	-	-	1	-	-	-	2	4	9
FEMALE--	143	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	1	-	8
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	44	-	-	-	-	-	-	-	-	1	-	8
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	2
OKLAHOMA ----------	142	-	3	-	-	-	-	-	-	1	-	3
WHITE------MALE----	81	-	2	-	-	-	-	-	-	-	-	1
FEMALE--	45	-	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	105	-	1	-	-	-	-	-	1	1	2	11
WHITE------MALE----	56	-	-	-	-	-	-	-	-	-	1	9
FEMALE--	40	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	587	-	1	-	-	-	2	-	-	9	12	28
WHITE------MALE----	294	-	-	-	-	-	1	-	-	6	7	14
FEMALE--	198	-	1	-	-	-	1	-	-	-	2	5
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	2	2	8
FEMALE--	30	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	54	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	1
RHODE ISLAND ----------	51	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA ---------	157	-	-	-	-	1	1	-	-	3	5	16
WHITE------MALE----	74	-	-	-	-	1	-	-	-	1	1	6
FEMALE--	40	-	-	-	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of liver and intrahepatic bile ducts (C22)												
OHIO ----------	23	33	51	60	67	69	55	50	14	2	-	-
WHITE------MALE----	10	17	30	33	40	43	27	22	6	-	-	-
FEMALE--	7	8	13	18	19	19	20	25	8	1	-	-
ALL OTHER--MALE----	6	6	5	6	6	5	6	1	-	-	-	-
FEMALE--	-	2	3	3	2	2	2	2	-	1	-	-
BLACK---MALE----	5	6	2	5	6	4	6	1	-	-	-	-
FEMALE--	-	2	3	3	2	1	1	2	-	1	-	-
OKLAHOMA ----------	8	8	14	20	22	25	21	10	4	3	-	-
WHITE------MALE----	5	6	7	11	15	17	10	5	1	1	-	-
FEMALE--	3	2	6	5	4	5	8	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	3	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	1	-	-
OREGON ----------	9	5	6	14	19	19	5	6	4	2	-	-
WHITE------MALE----	6	3	3	8	13	7	3	2	1	-	-	-
FEMALE--	2	2	3	4	3	12	2	4	3	2	-	-
ALL OTHER--MALE----	1	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	33	36	45	64	107	93	82	45	27	2	1	-
WHITE------MALE----	17	17	21	44	60	49	33	17	7	1	-	-
FEMALE--	6	5	13	11	34	33	41	26	18	1	1	-
ALL OTHER--MALE----	8	10	9	7	9	5	4	1	-	-	-	-
FEMALE--	2	4	2	2	4	6	4	1	2	-	-	-
BLACK---MALE----	7	7	7	7	7	5	4	1	-	-	-	-
FEMALE--	2	4	2	1	4	6	4	1	2	-	-	-
RHODE ISLAND ----------	4	3	4	10	7	6	7	5	2	1	-	-
WHITE------MALE----	3	3	3	5	4	2	3	2	1	-	-	-
FEMALE--	-	-	1	4	3	4	4	3	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	12	22	18	20	20	19	7	3	-	-	-
WHITE------MALE----	4	6	12	11	9	9	12	1	1	-	-	-
FEMALE--	-	3	5	3	4	10	5	4	1	-	-	-
ALL OTHER--MALE----	2	3	4	3	3	-	1	2	1	-	-	-
FEMALE--	4	-	1	1	4	1	1	-	-	-	-	-
BLACK---MALE----	2	3	4	3	3	-	1	2	1	-	-	-
FEMALE--	3	-	1	1	4	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of liver and intrahepatic bile ducts (C22)												
SOUTH DAKOTA ----------	32	-	-	-	-	-	-	-	-	2	1	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	218	-	-	-	-	2	1	2	1	4	4	9
WHITE------MALE----	101	-	-	-	-	1	1	-	-	1	2	5
FEMALE--	82	-	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	3	2	1
FEMALE--	14	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	1	1	3	2	1
FEMALE--	14	-	-	-	-	1	-	-	-	-	-	-
TEXAS ----------	1,005	2	-	1	1	1	3	3	3	5	36	57
WHITE------MALE----	534	1	-	1	1	1	1	2	2	2	21	36
FEMALE--	327	1	-	-	-	-	1	-	-	-	9	7
ALL OTHER--MALE----	94	-	-	-	-	-	-	1	1	2	3	12
FEMALE--	50	-	-	-	-	-	1	-	-	1	3	2
BLACK---MALE----	72	-	-	-	-	-	-	1	-	1	3	11
FEMALE--	35	-	-	-	-	-	1	-	-	1	1	-
UTAH ----------	64	-	1	-	-	1	1	-	2	1	-	4
WHITE------MALE----	33	-	1	-	-	-	-	-	-	1	-	3
FEMALE--	30	-	-	-	-	1	1	-	2	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	20	-	-	-	-	-	1	-	-	1	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	306	-	2	-	2	-	1	-	1	5	13	16
WHITE------MALE----	135	-	1	-	1	-	-	-	-	2	7	8
FEMALE--	83	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	53	-	-	-	1	-	-	-	1	2	3	5
FEMALE--	35	-	1	-	-	-	1	-	-	1	2	1
BLACK---MALE----	32	-	-	-	1	-	-	-	-	-	1	3
FEMALE--	28	-	1	-	-	-	1	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of liver and intrahepatic bile ducts (C22)												
SOUTH DAKOTA ----------	-	1	1	5	6	6	5	2	1	-	1	-
WHITE------MALE----	-	1	1	3	5	2	3	1	-	-	-	-
FEMALE--	-	-	-	2	-	3	2	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	18	20	20	26	22	34	32	17	6	-	-	-
WHITE------MALE----	6	11	11	19	8	18	15	3	-	-	-	-
FEMALE--	8	7	7	3	12	13	13	10	5	-	-	-
ALL OTHER--MALE----	2	1	2	2	-	3	1	2	-	-	-	-
FEMALE--	2	1	-	2	2	-	3	2	1	-	-	-
BLACK---MALE----	2	1	2	2	-	3	1	2	-	-	-	-
FEMALE--	2	1	-	2	2	-	3	2	1	-	-	-
TEXAS ----------	75	97	85	137	166	136	102	60	25	9	1	-
WHITE------MALE----	43	54	52	77	88	77	43	21	9	2	-	-
FEMALE--	10	23	24	48	55	49	46	34	13	6	1	-
ALL OTHER--MALE----	18	14	6	7	15	6	6	1	1	1	-	-
FEMALE--	4	6	3	5	8	4	7	4	2	-	-	-
BLACK---MALE----	15	7	4	6	11	5	5	1	1	1	-	-
FEMALE--	3	3	1	4	7	3	5	4	2	-	-	-
UTAH ----------	4	3	5	4	9	9	9	6	5	-	-	-
WHITE------MALE----	3	2	2	2	4	6	4	2	3	-	-	-
FEMALE--	1	1	2	2	5	3	5	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	1	2	6	3	1	3	-	-	-	-	-
WHITE------MALE----	-	1	1	3	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	3	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	19	28	28	29	56	48	37	16	5	-	-	-
WHITE------MALE----	5	11	9	12	30	22	15	10	2	-	-	-
FEMALE--	6	4	4	9	17	20	15	3	2	-	-	-
ALL OTHER--MALE----	7	10	8	7	4	2	3	-	-	-	-	-
FEMALE--	1	3	7	1	5	4	4	3	1	-	-	-
BLACK---MALE----	2	5	8	5	4	1	2	-	-	-	-	-
FEMALE--	1	2	6	1	4	3	3	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of liver and intrahepatic bile ducts (C22)												
WASHINGTON ----------	245	1	1	-	-	-	2	-	1	1	6	24
WHITE------MALE----	122	-	-	-	-	-	1	-	-	-	2	15
FEMALE--	81	1	1	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	15	-	-	-	-	-	1	-	-	-	2	3
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WEST VIRGINIA ----------	73	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	44	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	214	-	1	-	-	-	-	1	1	5	7	10
WHITE------MALE----	129	-	-	-	-	-	-	-	1	2	7	7
FEMALE--	74	-	-	-	-	-	-	1	-	2	-	1
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
WYOMING ----------	16	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of liver and intrahepatic bile ducts (C22)												
WASHINGTON ----------	17	18	20	17	26	38	48	19	3	2	1	-
WHITE------MALE----	7	11	12	9	12	19	22	9	2	1	-	-
FEMALE--	6	3	3	5	12	12	21	9	1	1	1	-
ALL OTHER--MALE----	4	3	4	3	-	4	3	1	-	-	-	-
FEMALE--	-	1	1	-	2	3	2	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	6	9	11	9	7	14	6	-	1	-	-
WHITE------MALE----	4	6	5	9	4	4	8	1	-	-	-	-
FEMALE--	2	-	4	1	5	3	6	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WISCONSIN ----------	11	10	12	31	47	29	28	16	5	-	-	-
WHITE------MALE----	7	4	8	17	31	16	18	8	3	-	-	-
FEMALE--	4	5	4	12	12	13	10	8	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	1	2	2	2	1	2	3	1	-	-	-	-
WHITE------MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Liver (C22.0,C22.2-C22.9)												
UNITED STATES -	9,830	8	29	5	6	19	24	27	35	93	266	584
WHITE------MALE----	5,081	3	18	3	2	10	7	8	5	33	133	313
FEMALE--	2,649	3	8	-	1	4	8	4	6	16	35	63
ALL OTHER--MALE----	1,400	2	2	2	2	2	5	10	15	38	71	177
FEMALE--	700	-	1	-	1	3	4	5	9	6	27	31
BLACK---MALE----	866	1	2	1	2	-	2	6	6	19	40	122
FEMALE--	453	-	1	-	1	2	3	2	5	5	12	23
ALABAMA ----------	202	-	1	-	-	-	-	-	-	1	7	18
WHITE------MALE----	90	-	1	-	-	-	-	-	-	-	4	9
FEMALE--	56	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	37	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	12	-	-	-	-	-	-	1	-	2	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	174	-	-	-	-	-	1	-	3	2	5	6
WHITE------MALE----	111	-	-	-	-	-	1	-	3	1	4	3
FEMALE--	47	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	148	-	-	-	-	-	-	-	1	2	1	10
WHITE------MALE----	78	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	49	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA ----------	1,277	1	2	1	-	3	1	7	5	9	42	82
WHITE------MALE----	568	1	2	-	-	1	-	3	-	3	18	39
FEMALE--	273	-	-	-	-	1	-	-	1	1	4	7
ALL OTHER--MALE----	300	-	-	1	-	1	1	3	4	5	13	32
FEMALE--	136	-	-	-	-	-	-	1	-	-	7	4
BLACK---MALE----	69	-	-	-	-	-	-	-	-	1	3	8
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Liver (C22.0,C22.2-C22.9)												
UNITED STATES -	702	746	929	1,240	1,552	1,495	1,137	632	238	57	6	-
WHITE------MALE----	397	393	511	702	868	780	556	245	82	12	-	-
FEMALE--	97	122	183	279	399	502	442	308	127	36	6	-
ALL OTHER--MALE----	173	172	168	174	173	121	60	26	5	2	-	-
FEMALE--	35	59	67	85	112	92	79	53	24	7	-	-
BLACK---MALE----	112	103	96	110	110	73	40	15	5	1	-	-
FEMALE--	22	34	44	52	72	54	53	42	20	6	-	-
ALABAMA ----------	19	18	23	23	17	34	23	15	2	1	-	-
WHITE------MALE----	8	6	10	12	4	18	11	5	1	1	-	-
FEMALE--	4	7	8	4	7	9	6	8	1	-	-	-
ALL OTHER--MALE----	6	4	3	3	5	4	2	-	-	-	-	-
FEMALE--	1	1	2	4	1	3	4	2	-	-	-	-
BLACK---MALE----	6	4	3	3	5	4	2	-	-	-	-	-
FEMALE--	-	1	2	4	1	3	4	2	-	-	-	-
ALASKA ----------	-	1	1	2	2	-	2	-	-	-	-	-
WHITE------MALE----	-	1	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	9	16	30	28	33	16	11	5	-	-	-
WHITE------MALE----	8	7	10	18	19	19	9	7	2	-	-	-
FEMALE--	1	2	2	10	8	10	6	2	2	-	-	-
ALL OTHER--MALE----	-	-	3	1	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	7	14	14	21	29	21	15	3	1	1	-
WHITE------MALE----	8	5	8	9	11	18	11	4	-	-	-	-
FEMALE--	-	2	6	4	8	6	7	7	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	2	3	1	4	2	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	2	3	1	4	2	-	-	-
CALIFORNIA ----------	95	111	135	181	205	189	114	64	19	10	1	-
WHITE------MALE----	57	46	68	82	103	74	45	17	8	1	-	-
FEMALE--	3	19	14	37	39	57	45	27	10	7	1	-
ALL OTHER--MALE----	30	33	39	45	42	30	10	10	-	1	-	-
FEMALE--	5	13	14	17	21	28	14	10	1	1	-	-
BLACK---MALE----	11	9	10	10	10	6	1	-	-	-	-	-
FEMALE--	1	2	4	5	3	9	2	4	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Liver (C22.0,C22.2-C22.9)												
COLORADO ----------	91	-	-	-	-	-	-	1	-	-	6	5
WHITE------MALE----	57	-	-	-	-	-	-	1	-	-	4	4
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	103	-	1	-	-	-	-	-	-	-	1	5
WHITE------MALE----	65	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	24	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	24	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	33	-	-	-	-	-	-	-	1	-	-	3
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
FLORIDA ----------	688	-	1	1	1	1	3	1	4	5	17	34
WHITE------MALE----	403	-	-	-	-	1	1	1	-	1	4	21
FEMALE--	207	-	-	-	-	-	2	-	1	1	5	3
ALL OTHER--MALE----	51	-	1	1	1	-	-	-	2	3	4	8
FEMALE--	27	-	-	-	-	-	-	-	1	-	4	2
BLACK---MALE----	46	-	1	1	1	-	-	-	2	2	4	7
FEMALE--	22	-	-	-	-	-	-	-	1	-	4	2
GEORGIA ----------	215	-	2	-	-	2	-	2	2	7	7	15
WHITE------MALE----	92	-	1	-	-	1	-	-	-	3	2	7
FEMALE--	56	-	1	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	40	-	-	-	-	-	-	1	-	3	3	4
FEMALE--	27	-	-	-	-	1	-	1	1	-	1	3
BLACK---MALE----	32	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	25	-	-	-	-	1	-	1	1	-	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Liver (C22.0,C22.2-C22.9)												
COLORADO ----------	10	9	9	12	19	6	7	4	3	-	-	-
WHITE------MALE----	9	7	5	4	12	2	5	3	1	-	-	-
FEMALE--	1	-	2	6	4	4	2	1	2	-	-	-
ALL OTHER--MALE----	-	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	6	14	12	6	17	21	14	3	3	-	-	-
WHITE------MALE----	4	9	7	3	11	14	10	2	1	-	-	-
FEMALE--	1	2	2	2	5	4	4	1	2	-	-	-
ALL OTHER--MALE----	1	2	2	1	-	3	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
DELAWARE ----------	2	1	4	2	3	6	2	3	-	-	-	-
WHITE------MALE----	2	1	3	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	6	2	3	2	4	3	5	3	1	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	5	1	2	2	2	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	4	2	-	-	-	-
BLACK---MALE----	5	1	2	2	2	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	4	2	-	-	-	-
FLORIDA ----------	45	39	50	77	117	124	95	49	20	3	1	-
WHITE------MALE----	30	29	35	52	75	66	59	20	8	-	-	-
FEMALE--	7	3	6	16	36	54	29	28	12	3	1	-
ALL OTHER--MALE----	5	4	4	6	5	2	5	-	-	-	-	-
FEMALE--	3	3	5	3	1	2	2	1	-	-	-	-
BLACK---MALE----	4	3	4	6	4	2	5	-	-	-	-	-
FEMALE--	3	2	2	3	1	2	2	-	-	-	-	-
GEORGIA ----------	9	19	17	22	36	29	24	14	6	2	-	-
WHITE------MALE----	4	5	6	14	23	11	10	4	1	-	-	-
FEMALE--	1	1	5	6	5	11	10	8	3	1	-	-
ALL OTHER--MALE----	4	10	3	1	4	5	1	1	-	-	-	-
FEMALE--	-	3	3	1	4	2	3	1	2	1	-	-
BLACK---MALE----	2	10	-	1	4	4	1	1	-	-	-	-
FEMALE--	-	3	2	-	4	2	3	1	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Liver (C22.0,C22.2-C22.9)												
HAWAII ----------	65	-	-	-	-	1	1	1	1	2	3	6
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	36	-	-	-	-	1	1	-	-	2	2	4
FEMALE--	17	-	-	-	-	-	-	1	1	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
IDAHO ----------	29	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	464	-	1	1	1	3	-	1	2	2	8	25
WHITE------MALE----	211	-	1	1	-	1	-	-	-	1	4	12
FEMALE--	133	-	-	-	-	2	-	-	-	-	1	4
ALL OTHER--MALE----	75	-	-	-	-	-	-	1	-	1	2	7
FEMALE--	45	-	-	-	1	-	-	-	2	-	1	2
BLACK---MALE----	59	-	-	-	-	-	-	1	-	1	-	5
FEMALE--	37	-	-	-	1	-	-	-	1	-	1	2
INDIANA ----------	193	-	1	-	-	-	-	1	-	1	6	8
WHITE------MALE----	104	-	1	-	-	-	-	-	-	1	5	4
FEMALE--	61	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
IOWA ----------	78	-	-	-	-	1	-	-	1	1	2	1
WHITE------MALE----	49	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	82	-	1	-	-	-	-	-	-	-	2	3
WHITE------MALE----	46	-	1	-	-	-	-	-	-	-	2	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Liver (C22.0,C22.2-C22.9)												
HAWAII ----------	6	7	9	3	10	8	5	1	1	-	-	-
WHITE------MALE----	1	2	3	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	5	4	2	6	4	2	-	-	-	-	-
FEMALE--	2	-	2	-	3	2	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	2	4	5	5	4	4	1	-	1	-	-
WHITE------MALE----	2	1	2	5	4	3	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	4	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	29	26	43	50	84	87	58	22	16	5	-	-
WHITE------MALE----	16	10	21	21	40	46	26	7	4	-	-	-
FEMALE--	3	4	8	14	19	30	25	10	10	3	-	-
ALL OTHER--MALE----	7	7	9	11	19	5	4	1	-	1	-	-
FEMALE--	3	5	5	4	6	6	3	4	2	1	-	-
BLACK---MALE----	6	6	5	10	16	4	3	1	-	1	-	-
FEMALE--	2	3	5	2	4	6	3	4	2	1	-	-
INDIANA ----------	18	15	19	26	31	23	19	18	5	2	-	-
WHITE------MALE----	8	9	8	18	19	12	9	8	2	-	-	-
FEMALE--	6	3	6	3	9	10	9	10	1	2	-	-
ALL OTHER--MALE----	4	2	3	4	2	1	-	-	1	-	-	-
FEMALE--	-	1	2	1	1	-	1	-	1	-	-	-
BLACK---MALE----	4	2	3	4	2	1	-	-	1	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	1	-	-	-
IOWA ----------	4	7	2	11	13	13	9	8	5	-	-	-
WHITE------MALE----	3	7	2	7	10	8	3	3	3	-	-	-
FEMALE--	-	-	-	3	2	5	5	5	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS ----------	10	7	8	8	14	9	9	9	2	-	-	-
WHITE------MALE----	4	5	3	7	8	7	3	4	-	-	-	-
FEMALE--	4	2	3	-	4	2	5	5	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Liver (C22.0,C22.2-C22.9)												
KENTUCKY ----------	136	-	-	-	-	-	-	-	-	-	2	7
WHITE------MALE----	78	-	-	-	-	-	-	-	-	-	2	7
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	222	1	-	-	-	-	-	-	-	1	6	13
WHITE------MALE----	100	1	-	-	-	-	-	-	-	-	2	4
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	45	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	45	-	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	33	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	171	-	-	-	-	-	-	1	-	2	8	12
WHITE------MALE----	65	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	41	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	30	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	2
MASSACHUSETTS ----------	211	-	-	1	-	-	-	-	1	2	8	10
WHITE------MALE----	129	-	-	1	-	-	-	-	-	-	5	7
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	375	1	4	-	-	-	2	-	1	2	8	26
WHITE------MALE----	193	-	3	-	-	-	1	-	-	1	2	15
FEMALE--	114	-	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	48	1	-	-	-	-	1	-	1	-	5	8
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	41	-	-	-	-	-	1	-	1	-	3	8
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Liver (C22.0,C22.2-C22.9)												
KENTUCKY ----------	14	9	13	18	18	23	14	13	3	2	-	-
WHITE------MALE----	9	5	10	10	11	10	6	6	1	1	-	-
FEMALE--	3	-	1	5	4	11	8	7	1	-	-	-
ALL OTHER--MALE----	2	4	2	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	3	2	-	-	-	1	-	-
BLACK---MALE----	2	2	2	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	3	2	-	-	-	1	-	-
LOUISIANA ----------	15	20	23	35	36	33	24	11	4	-	-	-
WHITE------MALE----	4	7	10	20	19	14	14	4	1	-	-	-
FEMALE--	3	3	4	8	8	12	9	2	2	-	-	-
ALL OTHER--MALE----	5	7	7	5	4	6	1	1	-	-	-	-
FEMALE--	3	3	2	2	5	1	-	4	1	-	-	-
BLACK---MALE----	4	6	7	5	4	6	1	1	-	-	-	-
FEMALE--	3	3	2	2	4	1	-	4	1	-	-	-
MAINE ----------	3	4	3	6	8	7	9	2	-	-	-	-
WHITE------MALE----	2	3	2	5	7	2	7	2	-	-	-	-
FEMALE--	1	-	-	1	1	4	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	9	17	19	30	23	21	13	3	1	-	-
WHITE------MALE----	4	4	5	10	10	9	9	6	1	1	-	-
FEMALE--	1	-	2	1	11	8	8	6	-	-	-	-
ALL OTHER--MALE----	6	5	8	2	5	4	2	-	-	-	-	-
FEMALE--	1	-	2	6	4	2	2	1	2	-	-	-
BLACK---MALE----	4	2	6	2	5	3	1	-	-	-	-	-
FEMALE--	1	-	1	4	4	1	2	1	2	-	-	-
MASSACHUSETTS ----------	17	17	21	27	28	42	21	9	7	-	-	-
WHITE------MALE----	11	8	14	16	25	25	12	2	3	-	-	-
FEMALE--	1	3	4	6	3	13	7	7	4	-	-	-
ALL OTHER--MALE----	5	4	3	2	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	3	-	3	1	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
MICHIGAN ----------	22	26	28	47	68	57	54	21	8	-	-	-
WHITE------MALE----	12	11	15	25	39	29	29	7	4	-	-	-
FEMALE--	6	6	7	11	19	23	24	11	3	-	-	-
ALL OTHER--MALE----	3	8	4	5	6	3	-	3	-	-	-	-
FEMALE--	1	1	2	6	4	2	1	-	1	-	-	-
BLACK---MALE----	2	8	3	4	5	3	-	3	-	-	-	-
FEMALE--	-	1	2	5	4	2	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Liver (C22.0,C22.2-C22.9)												
MINNESOTA ----------	110	-	-	-	-	1	1	-	-	4	4	12
WHITE------MALE----	65	-	-	-	-	-	-	-	-	-	3	9
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	-	3	1	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	135	-	-	-	1	-	1	-	-	2	6	3
WHITE------MALE----	58	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	38	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	17	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	1
MISSOURI ----------	197	-	1	-	-	-	-	-	-	-	7	11
WHITE------MALE----	92	-	-	-	-	-	-	-	-	-	3	5
FEMALE--	67	-	1	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	31	-	-	-	-	-	1	1	-	-	1	2
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	34	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	73	-	-	-	-	1	-	-	-	1	1	6
WHITE------MALE----	36	-	-	-	-	1	-	-	-	1	-	3
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Liver (C22.0,C22.2-C22.9)												
MINNESOTA ----------	10	4	9	10	19	17	8	9	1	1	-	-
WHITE------MALE----	5	-	6	8	13	12	5	4	-	-	-	-
FEMALE--	3	1	1	-	5	4	3	5	1	1	-	-
ALL OTHER--MALE----	1	2	2	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	14	14	13	21	16	13	13	12	5	1	-	-
WHITE------MALE----	7	5	3	10	8	5	4	6	4	-	-	-
FEMALE--	4	3	6	6	4	4	6	3	-	1	-	-
ALL OTHER--MALE----	3	3	2	3	1	3	2	1	-	-	-	-
FEMALE--	-	3	2	2	3	1	1	2	1	-	-	-
BLACK---MALE----	3	3	2	3	1	3	2	1	-	-	-	-
FEMALE--	-	3	2	2	2	1	1	2	1	-	-	-
MISSOURI ----------	13	13	24	23	25	31	15	20	11	3	-	-
WHITE------MALE----	10	7	13	17	9	14	3	9	1	1	-	-
FEMALE--	-	4	6	3	11	10	9	10	9	1	-	-
ALL OTHER--MALE----	2	2	5	3	4	3	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	4	3	-	-	1	-	-
BLACK---MALE----	2	2	4	3	4	2	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	3	3	-	-	1	-	-
MONTANA ----------	1	-	3	6	5	2	5	3	1	-	-	-
WHITE------MALE----	1	-	3	6	5	1	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	1	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	7	3	5	5	3	5	3	-	1	-	-
WHITE------MALE----	1	3	3	3	4	2	4	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	1	3	-	1	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	9	6	8	15	9	4	6	1	-	-	-
WHITE------MALE----	2	4	2	6	8	6	1	2	-	-	-	-
FEMALE--	1	1	2	1	6	2	1	4	-	-	-	-
ALL OTHER--MALE----	2	4	-	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	2	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Liver (C22.0,C22.2-C22.9)												
NEW HAMPSHIRE ----------	38	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	298	1	-	-	-	-	-	2	-	3	4	17
WHITE------MALE----	157	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	78	1	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	45	-	-	-	-	-	-	2	-	-	2	9
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	32	-	-	-	-	-	-	2	-	-	1	7
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	62	-	2	-	-	-	-	-	-	-	2	5
WHITE------MALE----	37	-	2	-	-	-	-	-	-	-	2	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	731	1	-	-	-	-	1	2	4	7	16	41
WHITE------MALE----	367	-	-	-	-	-	-	1	-	3	5	22
FEMALE--	194	-	-	-	-	-	1	-	-	1	3	6
ALL OTHER--MALE----	113	1	-	-	-	-	-	1	3	3	7	12
FEMALE--	57	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	63	1	-	-	-	-	-	1	2	2	2	7
FEMALE--	39	-	-	-	-	-	-	-	1	-	-	1
NORTH CAROLINA ---------	197	-	-	-	-	-	-	1	1	1	4	13
WHITE------MALE----	103	-	-	-	-	-	-	-	-	-	3	8
FEMALE--	51	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	15	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	29	-	1	-	-	-	-	-	-	-	1	1
WHITE------MALE----	16	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Liver (C22.0,C22.2-C22.9)												
NEW HAMPSHIRE ----------	1	3	5	5	6	6	3	3	1	-	-	-
WHITE------MALE----	1	2	5	4	4	4	2	2	-	-	-	-
FEMALE--	-	1	-	1	2	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	23	25	31	43	37	50	38	15	7	2	-	-
WHITE------MALE----	9	17	15	26	23	28	22	5	2	-	-	-
FEMALE--	1	3	8	9	9	18	13	7	4	2	-	-
ALL OTHER--MALE----	11	3	6	4	5	1	2	-	-	-	-	-
FEMALE--	2	2	2	4	-	3	1	3	1	-	-	-
BLACK---MALE----	7	2	4	3	4	1	1	-	-	-	-	-
FEMALE--	2	2	2	4	-	2	1	3	1	-	-	-
NEW MEXICO ----------	1	3	4	9	11	9	8	5	3	-	-	-
WHITE------MALE----	1	3	2	6	9	4	2	3	1	-	-	-
FEMALE--	-	-	1	2	1	5	6	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	57	56	72	96	127	94	83	49	18	7	-	-
WHITE------MALE----	38	29	50	43	61	51	38	20	3	3	-	-
FEMALE--	5	7	9	22	37	28	35	25	12	3	-	-
ALL OTHER--MALE----	13	13	10	21	16	9	3	1	-	-	-	-
FEMALE--	1	7	3	10	13	6	7	3	3	1	-	-
BLACK---MALE----	7	7	5	13	9	5	1	1	-	-	-	-
FEMALE--	1	4	2	6	9	5	5	2	2	1	-	-
NORTH CAROLINA ---------	14	12	25	28	27	34	26	9	2	-	-	-
WHITE------MALE----	6	8	14	17	11	21	12	2	1	-	-	-
FEMALE--	3	3	5	7	8	9	5	6	1	-	-	-
ALL OTHER--MALE----	5	1	4	4	4	3	3	1	-	-	-	-
FEMALE--	-	-	2	-	4	1	6	-	-	-	-	-
BLACK---MALE----	5	1	4	4	4	3	3	1	-	-	-	-
FEMALE--	-	-	1	-	4	1	6	-	-	-	-	-
NORTH DAKOTA ----------	-	1	2	1	1	6	8	5	2	-	-	-
WHITE------MALE----	-	1	-	-	1	4	6	-	1	-	-	-
FEMALE--	-	-	1	1	-	2	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Liver (C22.0,C22.2-C22.9)												
OHIO ----------	341	-	1	-	-	1	-	-	1	5	6	17
WHITE------MALE----	194	-	1	-	-	1	-	-	-	2	3	7
FEMALE--	83	-	-	-	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	1	-	8
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	41	-	-	-	-	-	-	-	-	1	-	8
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	2
OKLAHOMA ----------	111	-	3	-	-	-	-	-	-	-	-	3
WHITE------MALE----	67	-	2	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	80	-	1	-	-	-	-	-	1	1	1	11
WHITE------MALE----	45	-	-	-	-	-	-	-	-	-	1	9
FEMALE--	26	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	446	-	1	-	-	-	2	-	-	6	11	23
WHITE------MALE----	243	-	-	-	-	-	1	-	-	5	6	13
FEMALE--	123	-	1	-	-	-	1	-	-	-	2	2
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND ----------	31	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	123	-	-	-	-	1	1	-	-	3	3	14
WHITE------MALE----	58	-	-	-	-	1	-	-	-	1	-	5
FEMALE--	30	-	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Liver (C22.0,C22.2-C22.9)												
OHIO ----------	18	27	34	44	51	58	39	30	9	-	-	-
WHITE------MALE----	9	13	22	25	31	38	22	15	5	-	-	-
FEMALE--	3	6	6	11	12	13	11	13	4	-	-	-
ALL OTHER--MALE----	6	6	5	5	6	5	5	-	-	-	-	-
FEMALE--	-	2	1	3	2	2	1	2	-	-	-	-
BLACK---MALE----	5	6	2	4	6	4	5	-	-	-	-	-
FEMALE--	-	2	1	3	2	1	-	2	-	-	-	-
OKLAHOMA ----------	7	8	12	12	16	20	18	6	4	2	-	-
WHITE------MALE----	5	6	6	8	11	15	9	3	1	-	-	-
FEMALE--	2	2	6	-	3	3	7	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
OREGON ----------	7	4	4	11	13	16	2	5	2	1	-	-
WHITE------MALE----	5	3	2	6	9	7	2	1	-	-	-	-
FEMALE--	1	1	2	3	1	9	-	4	2	1	-	-
ALL OTHER--MALE----	1	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	29	24	36	52	83	67	61	35	15	1	-	-
WHITE------MALE----	15	13	19	37	49	38	27	16	3	1	-	-
FEMALE--	4	2	7	7	24	19	26	18	10	-	-	-
ALL OTHER--MALE----	8	8	8	7	7	4	4	-	-	-	-	-
FEMALE--	2	1	2	1	3	6	4	1	2	-	-	-
BLACK---MALE----	7	6	6	7	5	4	4	-	-	-	-	-
FEMALE--	2	1	2	-	3	6	4	1	2	-	-	-
RHODE ISLAND ----------	4	2	3	7	3	3	3	3	1	1	-	-
WHITE------MALE----	3	2	2	3	3	2	2	2	1	-	-	-
FEMALE--	-	-	1	3	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	7	8	20	15	14	16	13	5	3	-	-	-
WHITE------MALE----	2	4	10	10	6	8	9	1	1	-	-	-
FEMALE--	-	1	5	2	4	8	3	2	1	-	-	-
ALL OTHER--MALE----	1	3	4	2	1	-	1	2	1	-	-	-
FEMALE--	4	-	1	1	3	-	-	-	-	-	-	-
BLACK---MALE----	1	3	4	2	1	-	1	2	1	-	-	-
FEMALE--	3	-	1	1	3	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Liver (C22.0,C22.2-C22.9)												
SOUTH DAKOTA ----------	21	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	165	-	-	-	-	2	1	1	1	4	4	7
WHITE------MALE----	80	-	-	-	-	1	1	-	-	1	2	5
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	1	3	2	1
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	1	1	3	2	1
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	-
TEXAS ----------	849	2	-	1	1	1	3	2	2	3	30	51
WHITE------MALE----	473	1	-	1	1	1	1	1	1	1	19	33
FEMALE--	249	1	-	-	-	-	1	-	-	-	5	6
ALL OTHER--MALE----	86	-	-	-	-	-	-	1	1	2	3	11
FEMALE--	41	-	-	-	-	-	1	-	-	-	3	1
BLACK---MALE----	68	-	-	-	-	-	-	1	-	1	3	11
FEMALE--	27	-	-	-	-	-	1	-	-	-	1	-
UTAH ----------	47	-	1	-	-	1	1	-	1	-	-	4
WHITE------MALE----	25	-	1	-	-	-	-	-	-	-	-	3
FEMALE--	22	-	-	-	-	1	1	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	15	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	227	-	2	-	2	-	1	-	1	4	9	12
WHITE------MALE----	98	-	1	-	1	-	-	-	-	1	4	5
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	48	-	-	-	1	-	-	-	1	2	3	5
FEMALE--	26	-	1	-	-	-	1	-	-	1	2	1
BLACK---MALE----	27	-	-	-	1	-	-	-	-	-	1	3
FEMALE--	20	-	1	-	-	-	1	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Liver (C22.0,C22.2-C22.9)												
SOUTH DAKOTA ----------	-	1	1	2	5	4	4	-	-	-	1	-
WHITE------MALE----	-	1	1	1	4	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	14	15	16	23	12	29	22	12	2	-	-	-
WHITE------MALE----	4	9	9	17	4	14	11	2	-	-	-	-
FEMALE--	6	4	5	3	6	12	9	7	2	-	-	-
ALL OTHER--MALE----	2	1	2	2	-	3	-	1	-	-	-	-
FEMALE--	2	1	-	1	2	-	2	2	-	-	-	-
BLACK---MALE----	2	1	2	2	-	3	-	1	-	-	-	-
FEMALE--	2	1	-	1	2	-	2	2	-	-	-	-
TEXAS ----------	66	82	74	121	137	109	86	51	20	6	1	-
WHITE------MALE----	41	50	46	72	74	64	37	19	8	2	-	-
FEMALE--	6	16	19	37	41	37	38	27	10	4	1	-
ALL OTHER--MALE----	17	12	6	7	15	6	4	1	-	-	-	-
FEMALE--	2	4	3	5	7	2	7	4	2	-	-	-
BLACK---MALE----	15	6	4	6	11	5	4	1	-	-	-	-
FEMALE--	1	1	1	4	6	1	5	4	2	-	-	-
UTAH ----------	4	2	3	4	6	5	8	3	4	-	-	-
WHITE------MALE----	3	1	1	2	3	2	4	2	3	-	-	-
FEMALE--	1	1	2	2	3	3	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	2	5	2	1	2	-	-	-	-	-
WHITE------MALE----	-	-	1	2	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	3	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	15	22	23	20	42	36	23	11	4	-	-	-
WHITE------MALE----	4	7	7	8	24	18	10	7	1	-	-	-
FEMALE--	4	3	3	7	10	14	9	2	2	-	-	-
ALL OTHER--MALE----	7	9	8	5	4	1	2	-	-	-	-	-
FEMALE--	-	3	5	-	4	3	2	2	1	-	-	-
BLACK---MALE----	2	4	8	3	4	-	1	-	-	-	-	-
FEMALE--	-	2	4	-	3	2	1	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Liver (C22.0,C22.2-C22.9)												
WASHINGTON ----------	175	1	1	-	-	-	2	-	-	-	5	21
WHITE------MALE----	91	-	-	-	-	-	1	-	-	-	1	13
FEMALE--	48	1	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	12	-	-	-	-	-	1	-	-	-	2	3
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WEST VIRGINIA ----------	64	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	40	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	149	-	1	-	-	-	-	1	1	2	7	10
WHITE------MALE----	102	-	-	-	-	-	-	-	1	1	7	7
FEMALE--	38	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	13	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Liver (C22.0,C22.2-C22.9)												
WASHINGTON ----------	13	14	13	13	18	26	35	8	2	2	1	-
WHITE------MALE----	7	9	8	6	10	13	17	4	1	1	-	-
FEMALE--	2	1	1	4	6	7	15	4	1	1	1	-
ALL OTHER--MALE----	4	3	4	3	-	4	2	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	1	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	5	8	9	9	7	11	4	-	1	-	-
WHITE------MALE----	4	5	5	8	4	4	7	-	-	-	-	-
FEMALE--	2	-	3	-	5	3	4	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WISCONSIN ----------	8	4	8	20	32	19	21	11	4	-	-	-
WHITE------MALE----	6	1	7	13	25	12	13	6	3	-	-	-
FEMALE--	2	2	1	5	4	7	8	5	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	2	1	1	1	2	3	-	-	-	-	-
WHITE------MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrahepatic bile duct carcinoma (C22.1)												
UNITED STATES -	2,552	-	-	-	-	-	-	6	10	34	51	82
WHITE------MALE----	1,070	-	-	-	-	-	-	3	5	12	22	38
FEMALE--	1,186	-	-	-	-	-	-	2	3	12	20	34
ALL OTHER--MALE----	138	-	-	-	-	-	-	1	1	5	4	5
FEMALE--	158	-	-	-	-	-	-	-	1	5	5	5
BLACK---MALE----	81	-	-	-	-	-	-	1	1	2	4	3
FEMALE--	107	-	-	-	-	-	-	-	-	5	4	2
ALABAMA ----------	30	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	44	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	285	-	-	-	-	-	-	3	3	1	2	10
WHITE------MALE----	120	-	-	-	-	-	-	2	2	-	2	4
FEMALE--	105	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrahepatic bile duct carcinoma (C22.1)												
UNITED STATES -	124	182	234	318	381	419	374	231	87	18	1	-
WHITE------MALE----	51	88	102	144	184	180	142	76	21	2	-	-
FEMALE--	56	59	96	133	163	198	198	137	61	13	1	-
ALL OTHER--MALE----	7	18	13	21	18	22	16	5	1	1	-	-
FEMALE--	10	17	23	20	16	19	18	13	4	2	-	-
BLACK---MALE----	3	7	6	14	14	12	9	3	1	1	-	-
FEMALE--	6	13	12	15	11	10	15	9	3	2	-	-
ALABAMA ----------	1	-	1	7	3	8	4	4	1	-	-	-
WHITE------MALE----	1	-	1	4	2	6	2	1	-	-	-	-
FEMALE--	-	-	-	3	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	2	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	-	5	3	6	9	6	4	3	1	-	-
WHITE------MALE----	2	-	4	1	3	3	1	1	2	-	-	-
FEMALE--	2	-	1	-	2	6	4	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	3	4	3	2	-	-	-	-	-	-
WHITE------MALE----	1	-	1	3	3	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	14	22	30	36	37	51	41	26	8	1	-	-
WHITE------MALE----	9	11	11	17	20	14	20	7	1	-	-	-
FEMALE--	3	5	9	14	14	23	13	14	5	-	-	-
ALL OTHER--MALE----	1	3	5	2	1	8	4	1	-	-	-	-
FEMALE--	1	3	5	3	2	6	4	4	2	1	-	-
BLACK---MALE----	-	-	2	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	1	3	1	1	3	1	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrahepatic bile duct carcinoma (C22.1)												
COLORADO ----------	35	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	34	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	172	-	-	-	-	-	-	-	1	3	2	5
WHITE------MALE----	69	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	95	-	-	-	-	-	-	-	-	2	1	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	52	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrahepatic bile duct carcinoma (C22.1)												
COLORADO ----------	3	3	-	8	5	5	5	4	1	-	-	-
WHITE------MALE----	1	3	-	5	2	2	2	2	-	-	-	-
FEMALE--	2	-	-	2	3	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	1	4	5	5	5	5	4	1	1	-	-
WHITE------MALE----	2	1	3	4	3	1	2	3	-	-	-	-
FEMALE--	-	-	1	1	1	4	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	1	-	2	3	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	1	2	1	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA ----------	11	8	11	18	27	29	35	13	7	2	-	-
WHITE------MALE----	5	4	3	6	12	16	11	6	3	-	-	-
FEMALE--	6	3	8	9	14	13	23	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	2	-	-	-	-
GEORGIA ----------	4	3	10	5	10	1	8	5	1	-	-	-
WHITE------MALE----	2	2	3	2	2	1	5	1	-	-	-	-
FEMALE--	1	-	5	2	5	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	2	-	1	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrahepatic bile duct carcinoma (C22.1)												
HAWAII ----------	16	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	14	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	121	-	-	-	-	-	-	-	-	-	3	2
WHITE------MALE----	47	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	56	-	-	-	-	-	-	-	1	-	3	2
WHITE------MALE----	21	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	38	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	23	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrahepatic bile duct carcinoma (C22.1)												
HAWAII ----------	2	2	2	2	2	2	2	1	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	4	1	2	3	2	-	-	-	-
WHITE------MALE----	-	-	-	2	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	7	19	20	9	23	19	13	2	1	-	-
WHITE------MALE----	1	3	5	9	6	5	7	6	-	-	-	-
FEMALE--	2	2	10	11	2	16	10	7	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	3	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	2	-	-	-	-	-
INDIANA ----------	2	4	10	4	12	6	8	3	1	-	-	-
WHITE------MALE----	-	3	6	-	4	3	2	-	-	-	-	-
FEMALE--	2	1	4	4	5	3	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
IOWA ----------	1	2	3	5	4	11	3	6	3	-	-	-
WHITE------MALE----	-	1	3	2	1	7	2	1	-	-	-	-
FEMALE--	1	1	-	3	3	4	1	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	3	1	2	9	2	2	-	-	-	-	-
WHITE------MALE----	-	2	1	2	4	2	2	-	-	-	-	-
FEMALE--	1	1	-	-	4	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrahepatic bile duct carcinoma (C22.1)												
KENTUCKY ----------	39	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	26	-	-	-	-	-	-	1	-	-	1	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	17	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	43	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	66	-	-	-	-	-	-	-	-	2	1	4
WHITE------MALE----	30	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	73	-	-	-	-	-	-	-	1	-	2	1
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrahepatic bile duct carcinoma (C22.1)												
KENTUCKY ----------	3	2	5	6	8	8	2	1	1	-	-	-
WHITE------MALE----	1	2	2	4	5	3	-	1	-	-	-	-
FEMALE--	2	-	3	2	3	5	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	3	-	1	3	3	5	-	2	1	-	-
WHITE------MALE----	2	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	3	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
MAINE ----------	-	1	3	-	4	5	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	3	1	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	5	2	7	5	6	7	4	1	-	-	-
WHITE------MALE----	-	1	1	1	3	-	3	2	-	-	-	-
FEMALE--	2	2	-	3	1	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	7	6	9	3	7	15	7	1	-	-	-
WHITE------MALE----	1	4	4	4	2	3	4	2	-	-	-	-
FEMALE--	2	3	1	3	1	4	11	5	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	7	5	9	8	18	12	7	2	1	-	-
WHITE------MALE----	-	2	5	4	5	10	6	2	-	-	-	-
FEMALE--	-	4	-	3	3	6	6	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrahepatic bile duct carcinoma (C22.1)												
MINNESOTA ----------	43	-	-	-	-	-	-	-	-	2	1	2
WHITE------MALE----	22	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI ----------	14	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	47	-	-	-	-	-	-	-	-	4	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
MONTANA ----------	10	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	17	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrahepatic bile duct carcinoma (C22.1)												
MINNESOTA ----------	-	3	-	6	7	7	8	4	3	-	-	-
WHITE------MALE----	-	2	-	3	4	6	2	-	2	-	-	-
FEMALE--	-	1	-	2	3	1	6	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	2	2	1	1	3	-	2	-	-	-	-
WHITE------MALE----	1	1	2	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	3	8	4	4	9	8	3	2	2	-	-	-
WHITE------MALE----	2	2	1	2	5	4	1	1	1	-	-	-
FEMALE--	1	4	2	2	3	4	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
MONTANA ----------	1	1	-	1	-	3	2	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	2	3	-	3	4	1	-	-	-	-
WHITE------MALE----	-	1	1	1	-	3	3	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	2	2	-	3	4	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	2	3	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrahepatic bile duct carcinoma (C22.1)												
NEW HAMPSHIRE ----------	13	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	93	-	-	-	-	-	-	-	-	-	2	4
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	9	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	162	-	-	-	-	-	-	-	-	1	7	3
WHITE------MALE----	58	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	80	-	-	-	-	-	-	-	-	1	5	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	70	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrahepatic bile duct carcinoma (C22.1)												
NEW HAMPSHIRE ----------	1	-	1	-	4	2	4	-	-	-	-	-
WHITE------MALE----	-	-	-	-	3	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	4	9	13	15	12	13	11	4	2	-	-
WHITE------MALE----	1	3	2	6	7	2	7	4	1	1	-	-
FEMALE--	2	-	7	4	7	9	6	7	3	1	-	-
ALL OTHER--MALE----	1	-	-	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	1	1	3	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	11	18	25	17	28	26	14	7	-	-	-
WHITE------MALE----	2	7	6	6	7	14	9	3	2	-	-	-
FEMALE--	1	2	6	12	9	12	16	10	4	-	-	-
ALL OTHER--MALE----	2	-	3	2	1	2	-	-	-	-	-	-
FEMALE--	-	2	3	5	-	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	2	1	2	-	-	-	-	-	-
FEMALE--	-	2	2	4	-	-	-	1	1	-	-	-
NORTH CAROLINA ---------	4	5	5	11	14	16	5	5	2	-	-	-
WHITE------MALE----	3	2	3	6	8	5	-	1	-	-	-	-
FEMALE--	-	2	2	4	5	7	5	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	1	1	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrahepatic bile duct carcinoma (C22.1)												
OHIO ----------	118	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	51	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	31	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	25	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	141	-	-	-	-	-	-	-	-	3	1	5
WHITE------MALE----	51	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND ----------	20	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA ---------	34	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrahepatic bile duct carcinoma (C22.1)												
OHIO ----------	5	6	17	16	16	11	16	20	5	2	-	-
WHITE------MALE----	1	4	8	8	9	5	5	7	1	-	-	-
FEMALE--	4	2	7	7	7	6	9	12	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	1	-	-
OKLAHOMA ----------	1	-	2	8	6	5	3	4	-	1	-	-
WHITE------MALE----	-	-	1	3	4	2	1	2	-	1	-	-
FEMALE--	1	-	-	5	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
OREGON ----------	2	1	2	3	6	3	3	1	2	1	-	-
WHITE------MALE----	1	-	1	2	4	-	1	1	1	-	-	-
FEMALE--	1	1	1	1	2	3	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	12	9	12	24	26	21	10	12	1	1	-
WHITE------MALE----	2	4	2	7	11	11	6	1	4	-	-	-
FEMALE--	2	3	6	4	10	14	15	8	8	1	1	-
ALL OTHER--MALE----	-	2	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	3	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	3	-	1	1	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	1	3	4	3	4	2	1	-	-	-
WHITE------MALE----	-	1	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	3	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	4	2	3	6	4	6	2	-	-	-	-
WHITE------MALE----	2	2	2	1	3	1	3	-	-	-	-	-
FEMALE--	-	2	-	1	-	2	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrahepatic bile duct carcinoma (C22.1)												
SOUTH DAKOTA ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	53	-	-	-	-	-	-	1	-	-	-	2
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	156	-	-	-	-	-	-	1	1	2	6	6
WHITE------MALE----	61	-	-	-	-	-	-	1	1	1	2	3
FEMALE--	78	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
UTAH ----------	17	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	79	-	-	-	-	-	-	-	-	1	4	4
WHITE------MALE----	37	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrahepatic bile duct carcinoma (C22.1)												
SOUTH DAKOTA ----------	-	-	-	3	1	2	1	2	1	-	-	-
WHITE------MALE----	-	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	5	4	3	10	5	10	5	4	-	-	-
WHITE------MALE----	2	2	2	2	4	4	4	1	-	-	-	-
FEMALE--	2	3	2	-	6	1	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
TEXAS ----------	9	15	11	16	29	27	16	9	5	3	-	-
WHITE------MALE----	2	4	6	5	14	13	6	2	1	-	-	-
FEMALE--	4	7	5	11	14	12	8	7	3	2	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	2	-	1	1	-	-
FEMALE--	2	2	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	1	1	-	-
FEMALE--	2	2	-	-	1	2	-	-	-	-	-	-
UTAH ----------	-	1	2	-	3	4	1	3	1	-	-	-
WHITE------MALE----	-	1	1	-	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	1	1	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	6	5	9	14	12	14	5	1	-	-	-
WHITE------MALE----	1	4	2	4	6	4	5	3	1	-	-	-
FEMALE--	2	1	1	2	7	6	6	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	2	1	1	1	2	1	-	-	-	-
BLACK---MALE----	-	1	-	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	2	1	1	1	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrahepatic bile duct carcinoma (C22.1)												
WASHINGTON ----------	70	-	-	-	-	-	-	-	1	1	1	3
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	33	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	65	-	-	-	-	-	-	-	-	3	-	-
WHITE------MALE----	27	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrahepatic bile duct carcinoma (C22.1)												
WASHINGTON ----------	4	4	7	4	8	12	13	11	1	-	-	-
WHITE------MALE----	-	2	4	3	2	6	5	5	1	-	-	-
FEMALE--	4	2	2	1	6	5	6	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	1	2	-	-	3	2	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	6	4	11	15	10	7	5	1	-	-	-
WHITE------MALE----	1	3	1	4	6	4	5	2	-	-	-	-
FEMALE--	2	3	3	7	8	6	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of gallbladder and extrahepatic bile ducts (C23-C24)												
UNITED STATES -	3,590	-	-	-	-	-	2	1	2	14	50	71
WHITE------MALE----	1,156	-	-	-	-	-	1	-	-	5	18	24
FEMALE--	2,000	-	-	-	-	-	-	-	1	6	21	30
ALL OTHER--MALE----	144	-	-	-	-	-	-	1	-	1	2	7
FEMALE--	290	-	-	-	-	-	1	-	1	2	9	10
BLACK---MALE----	98	-	-	-	-	-	-	1	-	-	1	5
FEMALE--	208	-	-	-	-	-	1	-	1	2	4	8
ALABAMA ----------	41	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	66	-	-	-	-	-	-	-	-	-	3	4
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	380	-	-	-	-	-	-	-	-	-	9	8
WHITE------MALE----	110	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	209	-	-	-	-	-	-	-	-	-	4	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of gallbladder and extrahepatic bile ducts (C23-C24)												
UNITED STATES -	136	213	268	400	535	645	579	442	170	54	8	-
WHITE------MALE----	41	68	94	139	187	230	178	119	41	9	2	-
FEMALE--	73	113	139	209	283	346	334	285	117	39	4	-
ALL OTHER--MALE----	11	7	14	26	25	20	20	8	2	-	-	-
FEMALE--	11	25	21	26	40	49	47	30	10	6	2	-
BLACK---MALE----	7	3	12	17	19	15	14	2	2	-	-	-
FEMALE--	10	21	16	21	29	29	32	19	8	5	2	-
ALABAMA ----------	2	2	6	2	8	8	5	4	2	1	-	-
WHITE------MALE----	1	-	2	-	5	3	3	-	-	-	-	-
FEMALE--	1	2	3	1	3	3	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	6	8	8	7	12	5	5	4	1	-	-
WHITE------MALE----	-	-	5	5	2	7	1	2	1	-	-	-
FEMALE--	3	5	2	3	5	5	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	1	4	5	5	7	5	1	-	-	-
WHITE------MALE----	-	-	1	1	2	1	3	3	1	-	-	-
FEMALE--	1	1	-	3	3	4	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	12	27	37	35	57	71	61	42	16	4	1	-
WHITE------MALE----	4	5	9	11	16	24	16	15	3	1	1	-
FEMALE--	8	17	24	22	29	37	33	20	11	1	-	-
ALL OTHER--MALE----	-	1	1	2	5	2	3	1	-	-	-	-
FEMALE--	-	4	3	-	7	8	9	6	2	2	-	-
BLACK---MALE----	-	-	1	-	2	2	-	-	-	-	-	-
FEMALE--	-	2	2	-	2	1	2	1	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of gallbladder and extrahepatic bile ducts (C23-C24)												
COLORADO ----------	32	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	42	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
FLORIDA ----------	230	-	-	-	-	-	-	-	-	1	2	5
WHITE------MALE----	91	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	110	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
GEORGIA ----------	61	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of gallbladder and extrahepatic bile ducts (C23-C24)												
COLORADO ----------	3	5	4	3	4	5	6	2	-	-	-	-
WHITE------MALE----	-	1	4	-	-	1	-	1	-	-	-	-
FEMALE--	3	3	-	2	3	4	6	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	3	4	4	5	10	5	7	1	1	-	-
WHITE------MALE----	-	1	1	1	-	4	1	3	1	-	-	-
FEMALE--	-	1	2	1	5	6	3	3	-	1	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
DELAWARE ----------	1	-	2	1	1	4	3	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
FLORIDA ----------	11	12	19	25	31	45	37	29	12	1	-	-
WHITE------MALE----	3	4	5	7	10	29	17	8	5	-	-	-
FEMALE--	3	6	12	15	18	12	18	19	6	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	1	-	1	-	-	-	-
FEMALE--	5	1	1	1	2	3	2	1	1	1	-	-
BLACK---MALE----	-	1	1	2	1	1	-	1	-	-	-	-
FEMALE--	4	1	1	1	2	3	2	1	1	1	-	-
GEORGIA ----------	4	6	4	5	8	14	5	9	2	1	-	-
WHITE------MALE----	2	2	-	2	4	5	1	1	-	-	-	-
FEMALE--	1	4	3	1	3	7	2	7	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	2	1	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of gallbladder and extrahepatic bile ducts (C23-C24)												
HAWAII ----------	17	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	163	-	-	-	-	-	-	-	-	-	2	5
WHITE------MALE----	59	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	87	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
INDIANA ----------	91	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	51	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	38	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of gallbladder and extrahepatic bile ducts (C23-C24)												
HAWAII ----------	-	2	1	2	2	2	2	4	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	1	1	2	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	3	-	2	2	4	2	1	-	-	-	-
WHITE------MALE----	-	1	-	2	-	-	2	1	-	-	-	-
FEMALE--	1	2	-	-	2	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	16	9	20	26	26	25	21	7	-	2	-
WHITE------MALE----	2	5	3	8	11	10	8	8	3	-	1	-
FEMALE--	2	9	3	12	12	15	13	11	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	1	3	-	2	-	2	2	-	-	1	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	2	2	-	-	1	-
INDIANA ----------	4	9	4	9	15	14	15	10	6	4	-	-
WHITE------MALE----	-	3	2	1	9	2	4	3	2	-	-	-
FEMALE--	4	6	2	7	6	12	9	7	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
IOWA ----------	-	2	4	5	7	15	6	9	2	-	-	-
WHITE------MALE----	-	-	2	3	2	3	2	3	-	-	-	-
FEMALE--	-	1	2	2	5	12	4	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	2	1	7	6	5	6	5	2	1	-	-
WHITE------MALE----	-	-	1	1	3	3	1	1	1	-	-	-
FEMALE--	-	1	-	6	3	2	5	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of gallbladder and extrahepatic bile ducts (C23-C24)												
KENTUCKY ----------	39	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	41	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	18	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	64	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	94	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	152	-	-	-	-	-	-	-	1	-	-	4
WHITE------MALE----	60	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of gallbladder and extrahepatic bile ducts (C23-C24)												
KENTUCKY ----------	-	2	3	3	6	10	5	4	4	-	-	-
WHITE------MALE----	-	-	1	-	2	4	1	-	1	-	-	-
FEMALE--	-	2	1	2	4	5	4	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	1	3	5	5	7	9	5	1	1	-	-
WHITE------MALE----	1	1	1	-	1	-	2	-	-	-	-	-
FEMALE--	2	-	1	5	2	5	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	1	-	1	-	-
MAINE ----------	1	1	2	5	2	2	1	1	2	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	5	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	7	5	10	10	9	10	3	3	-	-	-
WHITE------MALE----	-	3	2	2	7	2	3	-	-	-	-	-
FEMALE--	2	4	1	3	2	5	6	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	5	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	2	-	-	-
BLACK---MALE----	-	-	1	4	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	2	-	-	-
MASSACHUSETTS ----------	3	4	5	8	13	18	17	11	11	2	1	-
WHITE------MALE----	-	1	2	3	7	8	3	2	3	-	-	-
FEMALE--	2	2	3	4	5	10	14	9	8	2	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
MICHIGAN ----------	5	12	15	13	31	20	29	16	5	1	-	-
WHITE------MALE----	3	5	7	4	13	9	10	5	3	-	-	-
FEMALE--	2	6	7	7	15	11	16	11	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of gallbladder and extrahepatic bile ducts (C23-C24)												
MINNESOTA ----------	65	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	31	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	75	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	20	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of gallbladder and extrahepatic bile ducts (C23-C24)												
MINNESOTA ----------	2	3	4	6	10	14	8	12	3	3	-	-
WHITE------MALE----	2	1	1	2	5	6	4	3	1	1	-	-
FEMALE--	-	1	3	4	5	7	4	9	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	2	2	4	1	3	8	4	1	1	1	-
WHITE------MALE----	-	1	-	1	-	-	3	-	-	1	-	-
FEMALE--	-	-	2	2	1	2	3	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	1	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	3	3	1	12	9	11	15	16	3	1	-	-
WHITE------MALE----	2	1	-	3	4	2	6	3	1	1	-	-
FEMALE--	1	2	1	9	4	6	7	12	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
MONTANA ----------	-	-	1	-	3	4	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	1	3	2	4	2	4	-	1	-	-
WHITE------MALE----	1	-	-	-	1	1	2	2	-	-	-	-
FEMALE--	1	-	1	2	1	2	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	2	3	1	2	4	3	2	-	-	-
WHITE------MALE----	-	-	-	2	-	2	3	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of gallbladder and extrahepatic bile ducts (C23-C24)												
NEW HAMPSHIRE ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	163	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	58	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	87	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	27	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	285	-	-	-	-	-	-	-	-	1	5	3
WHITE------MALE----	82	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	173	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	93	-	-	-	-	-	-	1	1	3	4	2
WHITE------MALE----	31	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	41	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of gallbladder and extrahepatic bile ducts (C23-C24)												
NEW HAMPSHIRE ----------	1	-	1	4	4	3	3	2	-	-	-	-
WHITE------MALE----	1	-	-	3	1	2	1	2	-	-	-	-
FEMALE--	-	-	1	1	3	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	7	4	4	24	37	27	26	19	8	3	2	-
WHITE------MALE----	3	1	3	10	12	8	14	6	-	-	-	-
FEMALE--	4	2	1	9	19	18	8	12	8	3	2	-
ALL OTHER--MALE----	-	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	1	-	4	4	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	1	-	3	2	1	2	1	-	-	-	-
NEW MEXICO ----------	1	-	1	2	7	6	3	3	1	-	-	-
WHITE------MALE----	-	-	-	-	4	2	-	2	1	-	-	-
FEMALE--	-	-	-	1	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	13	18	20	27	39	46	52	43	14	3	1	-
WHITE------MALE----	4	7	6	11	10	15	16	8	2	-	-	-
FEMALE--	5	8	11	14	22	26	34	32	12	3	1	-
ALL OTHER--MALE----	2	-	-	1	3	-	1	1	-	-	-	-
FEMALE--	2	3	3	1	4	5	1	2	-	-	-	-
BLACK---MALE----	2	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	2	3	3	1	3	4	1	1	-	-	-	-
NORTH CAROLINA ---------	1	5	9	10	10	16	14	9	7	1	-	-
WHITE------MALE----	-	1	4	2	5	5	3	3	2	-	-	-
FEMALE--	-	1	2	6	4	8	6	5	5	1	-	-
ALL OTHER--MALE----	1	1	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	2	1	2	1	2	4	1	-	-	-	-
BLACK---MALE----	1	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	2	1	2	1	2	3	1	-	-	-	-
NORTH DAKOTA ----------	-	2	1	1	2	1	-	2	3	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	2	1	1	2	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of gallbladder and extrahepatic bile ducts (C23-C24)												
OHIO ----------	151	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	90	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	43	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	41	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	243	-	-	-	-	-	-	-	-	1	2	2
WHITE------MALE----	84	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	144	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	33	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of gallbladder and extrahepatic bile ducts (C23-C24)												
OHIO ----------	7	3	8	17	26	38	23	17	5	3	-	-
WHITE------MALE----	1	2	2	8	9	13	4	3	1	-	-	-
FEMALE--	6	-	6	8	13	21	19	12	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	3	3	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	3	3	-	2	-	1	-	-
OKLAHOMA ----------	3	2	4	4	6	6	9	5	2	1	-	-
WHITE------MALE----	-	1	2	1	4	3	-	1	-	-	-	-
FEMALE--	2	1	2	2	2	2	7	3	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
OREGON ----------	2	1	1	6	6	3	9	8	-	1	-	-
WHITE------MALE----	1	1	1	4	3	1	4	2	-	-	-	-
FEMALE--	1	-	-	2	3	2	5	6	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	10	15	27	33	46	53	28	11	9	-	-
WHITE------MALE----	2	4	8	11	12	15	13	10	5	2	-	-
FEMALE--	3	6	5	14	20	28	36	17	6	6	-	-
ALL OTHER--MALE----	1	-	2	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	3	1	-	1	-	-
BLACK---MALE----	1	-	2	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	2	1	-	1	-	-
RHODE ISLAND ----------	-	-	-	1	4	3	4	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	5	4	6	6	5	3	1	-	-	-
WHITE------MALE----	-	-	1	1	-	2	2	-	-	-	-	-
FEMALE--	-	1	3	3	4	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of gallbladder and extrahepatic bile ducts (C23-C24)												
SOUTH DAKOTA ----------	14	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	49	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
TEXAS ----------	223	-	-	-	-	-	-	-	-	-	3	8
WHITE------MALE----	67	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	129	-	-	-	-	-	-	-	-	-	2	6
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	19	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	73	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of gallbladder and extrahepatic bile ducts (C23-C24)												
SOUTH DAKOTA ----------	-	2	1	1	2	3	1	-	2	1	-	-
WHITE------MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	2	4	4	4	6	12	5	5	2	-	-
WHITE------MALE----	-	2	3	3	1	1	5	1	-	1	-	-
FEMALE--	3	-	-	-	3	3	6	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	1	-	2	-	-	-
TEXAS ----------	13	19	17	32	33	38	27	23	8	2	-	-
WHITE------MALE----	3	8	5	13	7	14	9	5	1	1	-	-
FEMALE--	8	8	9	16	21	21	15	16	6	1	-	-
ALL OTHER--MALE----	2	-	1	2	3	-	1	-	1	-	-	-
FEMALE--	-	3	2	1	2	3	2	2	-	-	-	-
BLACK---MALE----	1	-	-	1	3	-	1	-	1	-	-	-
FEMALE--	-	2	1	-	1	3	2	2	-	-	-	-
UTAH ----------	-	1	-	-	3	3	5	4	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	1	-	-	3	1	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	1	2	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	4	10	10	13	12	7	6	5	1	-	-
WHITE------MALE----	-	1	-	-	4	6	-	-	-	-	-	-
FEMALE--	1	2	9	5	5	5	4	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	3	2	1	1	1	-	-	-	-
FEMALE--	-	1	1	2	2	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	3	2	1	1	1	-	-	-	-
FEMALE--	-	1	1	2	2	-	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of gallbladder and extrahepatic bile ducts (C23-C24)												
WASHINGTON ----------	65	-	-	-	-	-	-	-	-	2	-	3
WHITE------MALE----	20	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	23	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	87	-	-	-	-	-	1	-	-	-	-	2
WHITE------MALE----	29	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of gallbladder and extrahepatic bile ducts (C23-C24)												
WASHINGTON ----------	4	2	6	10	5	12	8	9	3	1	-	-
WHITE------MALE----	2	-	2	4	1	4	1	3	-	-	-	-
FEMALE--	2	2	4	5	3	5	6	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
WEST VIRGINIA ----------	2	2	5	3	2	5	1	2	-	-	-	-
WHITE------MALE----	1	2	2	3	-	1	-	1	-	-	-	-
FEMALE--	1	-	3	-	2	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	4	7	6	14	17	12	19	3	-	-	-
WHITE------MALE----	1	1	3	3	6	5	3	5	-	-	-	-
FEMALE--	-	2	4	3	8	11	9	13	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	2	-	-	3	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pancreas (C25)												
UNITED STATES -	29,082	1	-	-	-	-	3	9	46	178	416	887
WHITE------MALE----	12,273	-	-	-	-	-	1	6	19	85	212	476
FEMALE--	12,813	-	-	-	-	-	1	1	14	52	119	253
ALL OTHER--MALE----	1,903	-	-	-	-	-	-	1	7	22	50	99
FEMALE--	2,093	1	-	-	-	-	1	1	6	19	35	59
BLACK---MALE----	1,611	-	-	-	-	-	-	1	7	19	44	88
FEMALE--	1,780	1	-	-	-	-	-	1	3	17	32	53
ALABAMA ----------	525	1	-	-	-	-	-	-	1	3	11	14
WHITE------MALE----	182	-	-	-	-	-	-	-	-	3	7	6
FEMALE--	216	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	67	1	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	59	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	67	1	-	-	-	-	-	-	-	-	1	2
ALASKA ----------	47	-	-	-	-	-	-	-	-	1	1	3
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	457	-	-	-	-	-	-	-	1	5	6	19
WHITE------MALE----	232	-	-	-	-	-	-	-	1	3	2	9
FEMALE--	201	-	-	-	-	-	-	-	-	2	2	9
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS ----------	294	-	-	-	-	-	-	1	-	2	5	11
WHITE------MALE----	122	-	-	-	-	-	-	-	-	-	3	8
FEMALE--	134	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	2,810	-	-	-	-	-	1	1	4	17	43	101
WHITE------MALE----	1,218	-	-	-	-	-	-	-	-	8	25	57
FEMALE--	1,194	-	-	-	-	-	-	1	3	5	11	34
ALL OTHER--MALE----	192	-	-	-	-	-	-	-	-	2	4	5
FEMALE--	206	-	-	-	-	-	1	-	1	2	3	5
BLACK---MALE----	92	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	102	-	-	-	-	-	-	-	-	1	3	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pancreas (C25)												
UNITED STATES -	1,466	2,039	2,668	3,632	4,661	4,931	4,002	2,673	1,120	309	40	1
WHITE------MALE----	728	978	1,287	1,699	2,096	2,031	1,496	820	280	56	3	-
FEMALE--	456	682	950	1,388	1,957	2,308	2,078	1,577	723	226	27	1
ALL OTHER--MALE----	179	226	230	277	275	250	163	90	31	3	-	-
FEMALE--	103	153	201	268	333	342	265	186	86	24	10	-
BLACK---MALE----	158	201	186	231	231	212	135	73	22	3	-	-
FEMALE--	91	127	159	230	287	278	227	163	79	22	10	-
ALABAMA ----------	18	32	43	70	80	102	76	46	22	4	2	-
WHITE------MALE----	8	16	20	27	32	31	17	10	4	1	-	-
FEMALE--	7	9	11	26	26	44	47	28	10	2	1	-
ALL OTHER--MALE----	3	4	7	11	8	11	7	3	1	-	-	-
FEMALE--	-	3	5	6	14	16	5	5	7	1	1	-
BLACK---MALE----	3	4	7	10	8	11	7	3	1	-	-	-
FEMALE--	-	3	5	6	14	16	5	5	7	1	1	-
ALASKA ----------	5	2	4	9	10	4	3	4	-	-	1	-
WHITE------MALE----	3	1	1	5	5	1	1	-	-	-	-	-
FEMALE--	1	1	3	2	4	3	-	2	-	-	1	-
ALL OTHER--MALE----	1	-	-	2	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	13	28	50	58	65	84	74	36	16	2	-	-
WHITE------MALE----	6	17	34	32	31	34	46	11	5	1	-	-
FEMALE--	6	9	12	22	33	47	23	24	11	1	-	-
ALL OTHER--MALE----	-	1	3	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	3	-	3	4	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-
ARKANSAS ----------	17	20	35	39	37	50	27	30	15	5	-	-
WHITE------MALE----	7	6	19	17	17	24	12	7	2	-	-	-
FEMALE--	7	10	13	20	14	22	15	17	9	3	-	-
ALL OTHER--MALE----	3	2	3	1	1	4	-	4	1	-	-	-
FEMALE--	-	2	-	1	5	-	-	2	3	2	-	-
BLACK---MALE----	3	2	3	1	1	4	-	4	1	-	-	-
FEMALE--	-	2	-	1	5	-	-	2	3	2	-	-
CALIFORNIA ----------	140	166	270	325	468	465	405	247	125	28	4	-
WHITE------MALE----	71	76	121	159	219	194	173	79	31	5	-	-
FEMALE--	40	59	94	110	182	221	187	141	83	21	2	-
ALL OTHER--MALE----	15	19	32	22	37	21	17	12	6	-	-	-
FEMALE--	14	12	23	34	30	29	28	15	5	2	2	-
BLACK---MALE----	8	10	18	12	19	7	5	7	1	-	-	-
FEMALE--	10	6	6	17	17	11	13	8	4	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pancreas (C25)												
COLORADO ----------	346	-	-	-	-	-	1	-	2	1	5	14
WHITE------MALE----	157	-	-	-	-	-	1	-	2	1	3	8
FEMALE--	173	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	419	-	-	-	-	-	-	-	-	3	6	13
WHITE------MALE----	182	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	205	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
DELAWARE ----------	90	-	-	-	-	-	-	-	-	2	-	5
WHITE------MALE----	46	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	75	-	-	-	-	-	-	-	-	3	-	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	2	-	-
FLORIDA ----------	2,010	-	-	-	-	-	-	-	2	14	23	43
WHITE------MALE----	878	-	-	-	-	-	-	-	2	7	16	22
FEMALE--	945	-	-	-	-	-	-	-	-	3	4	17
ALL OTHER--MALE----	104	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	83	-	-	-	-	-	-	-	-	2	2	3
BLACK---MALE----	98	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	79	-	-	-	-	-	-	-	-	1	2	3
GEORGIA ----------	742	-	-	-	-	-	-	-	-	7	16	29
WHITE------MALE----	288	-	-	-	-	-	-	-	-	2	3	16
FEMALE--	273	-	-	-	-	-	-	-	-	-	3	5
ALL OTHER--MALE----	84	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	97	-	-	-	-	-	-	-	-	4	5	5
BLACK---MALE----	83	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	94	-	-	-	-	-	-	-	-	4	5	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pancreas (C25)												
COLORADO ----------	16	25	36	51	48	57	46	26	9	8	1	-
WHITE------MALE----	8	13	14	25	19	28	21	7	3	4	-	-
FEMALE--	5	10	21	24	28	29	21	18	6	4	1	-
ALL OTHER--MALE----	1	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	3	1	-	-	-	-
BLACK---MALE----	1	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	1	-	-	-	-
CONNECTICUT ----------	19	33	16	43	73	80	72	40	18	3	-	-
WHITE------MALE----	13	18	7	17	32	29	31	19	5	-	-	-
FEMALE--	5	8	6	20	40	46	37	20	13	3	-	-
ALL OTHER--MALE----	-	5	1	4	1	2	1	1	-	-	-	-
FEMALE--	1	2	2	2	-	3	3	-	-	-	-	-
BLACK---MALE----	-	5	-	4	1	2	1	1	-	-	-	-
FEMALE--	1	1	2	2	-	2	3	-	-	-	-	-
DELAWARE ----------	4	6	9	10	18	11	16	6	2	1	-	-
WHITE------MALE----	4	4	6	5	8	4	7	2	1	-	-	-
FEMALE--	-	1	2	3	7	3	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	4	1	1	-	-	-	-
FEMALE--	-	1	1	-	3	-	2	-	-	1	-	-
BLACK---MALE----	-	-	-	2	-	4	1	1	-	-	-	-
FEMALE--	-	-	1	-	3	-	2	-	-	1	-	-
DISTRICT OF COLUMBIA ---	4	6	5	6	12	12	13	5	5	2	-	-
WHITE------MALE----	-	2	1	4	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	4	1	2	-	-	-
ALL OTHER--MALE----	2	3	3	-	4	5	3	2	-	1	-	-
FEMALE--	2	1	1	2	7	5	5	2	2	1	-	-
BLACK---MALE----	2	3	3	-	4	5	3	2	-	1	-	-
FEMALE--	2	1	1	2	7	5	5	2	2	1	-	-
FLORIDA ----------	87	99	167	256	354	383	286	178	92	23	3	-
WHITE------MALE----	42	44	77	117	161	167	121	63	29	9	1	-
FEMALE--	27	41	71	109	162	189	143	110	55	12	2	-
ALL OTHER--MALE----	13	10	11	18	14	16	14	4	-	-	-	-
FEMALE--	5	4	8	12	17	11	8	1	8	2	-	-
BLACK---MALE----	12	10	10	18	14	15	13	4	-	-	-	-
FEMALE--	5	3	8	12	16	10	8	1	8	2	-	-
GEORGIA ----------	40	65	75	89	114	107	103	74	17	5	1	-
WHITE------MALE----	16	24	39	42	46	39	38	19	4	-	-	-
FEMALE--	11	21	23	27	41	47	41	39	11	3	1	-
ALL OTHER--MALE----	11	13	8	11	10	9	9	4	-	-	-	-
FEMALE--	2	7	5	9	17	12	15	12	2	2	-	-
BLACK---MALE----	11	13	7	11	10	9	9	4	-	-	-	-
FEMALE--	2	7	4	9	15	12	15	12	2	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pancreas (C25)												
HAWAII ----------	135	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	60	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	123	-	-	-	-	-	-	-	-	1	2	3
WHITE------MALE----	56	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,349	-	-	-	-	-	-	-	2	4	20	34
WHITE------MALE----	543	-	-	-	-	-	-	-	2	2	10	20
FEMALE--	611	-	-	-	-	-	-	-	-	-	4	10
ALL OTHER--MALE----	87	-	-	-	-	-	-	-	-	2	4	3
FEMALE--	108	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	76	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	96	-	-	-	-	-	-	-	-	-	2	1
INDIANA ----------	609	-	-	-	-	-	-	-	1	1	5	17
WHITE------MALE----	274	-	-	-	-	-	-	-	1	1	3	11
FEMALE--	285	-	-	-	-	-	-	-	-	-	1	6
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	307	-	-	-	-	-	-	-	2	2	3	7
WHITE------MALE----	147	-	-	-	-	-	-	-	1	1	2	7
FEMALE--	149	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	305	-	-	-	-	-	1	-	2	1	3	6
WHITE------MALE----	143	-	-	-	-	-	-	-	1	1	3	4
FEMALE--	142	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pancreas (C25)												
HAWAII ----------	9	10	13	17	22	26	17	12	4	-	-	-
WHITE------MALE----	-	1	3	2	3	2	3	-	-	-	-	-
FEMALE--	2	-	-	-	1	2	2	3	-	-	-	-
ALL OTHER--MALE----	5	5	3	10	7	8	5	3	2	-	-	-
FEMALE--	2	4	7	5	11	14	7	6	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	10	16	19	14	21	11	14	4	-	-	-
WHITE------MALE----	4	4	10	7	9	11	2	1	3	-	-	-
FEMALE--	4	6	6	12	5	10	9	13	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	60	92	109	160	230	253	191	123	52	16	3	-
WHITE------MALE----	28	46	48	72	99	98	72	31	14	1	-	-
FEMALE--	20	28	40	59	100	116	102	83	32	15	2	-
ALL OTHER--MALE----	7	11	7	13	10	18	8	3	1	-	-	-
FEMALE--	5	7	14	16	21	21	9	6	5	-	1	-
BLACK---MALE----	6	11	5	13	10	15	6	2	1	-	-	-
FEMALE--	5	6	13	14	18	19	7	5	5	-	1	-
INDIANA ----------	31	48	70	74	113	84	74	61	20	8	2	-
WHITE------MALE----	19	23	36	41	50	35	30	16	6	2	-	-
FEMALE--	8	21	28	27	52	42	40	39	13	6	2	-
ALL OTHER--MALE----	1	2	2	3	6	5	2	2	1	-	-	-
FEMALE--	3	2	4	3	5	2	2	4	-	-	-	-
BLACK---MALE----	1	2	2	3	6	5	2	2	1	-	-	-
FEMALE--	3	2	4	3	5	2	2	4	-	-	-	-
IOWA ----------	10	18	28	41	40	42	56	37	14	5	2	-
WHITE------MALE----	7	9	17	22	26	18	22	12	3	-	-	-
FEMALE--	3	8	10	16	12	22	33	24	11	5	2	-
ALL OTHER--MALE----	-	-	-	2	2	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	2	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	-	-	-	-	-
KANSAS ----------	15	28	27	31	49	56	31	34	15	6	-	-
WHITE------MALE----	9	10	16	19	23	21	11	15	7	3	-	-
FEMALE--	6	12	11	11	23	32	18	19	5	3	-	-
ALL OTHER--MALE----	-	3	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	3	-	1	2	2	-	-	3	-	-	-
BLACK---MALE----	-	3	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	2	-	1	2	-	-	-	3	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pancreas (C25)												
KENTUCKY ----------	404	-	-	-	-	-	-	-	1	5	8	10
WHITE------MALE----	198	-	-	-	-	-	-	-	1	3	3	7
FEMALE--	175	-	-	-	-	-	-	-	-	2	5	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	509	-	-	-	-	-	-	2	-	5	8	17
WHITE------MALE----	172	-	-	-	-	-	-	1	-	-	3	8
FEMALE--	181	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	80	-	-	-	-	-	-	1	-	2	2	5
FEMALE--	76	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	80	-	-	-	-	-	-	1	-	2	2	5
FEMALE--	76	-	-	-	-	-	-	-	-	1	1	1
MAINE ----------	165	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	70	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	95	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	557	-	-	-	-	-	-	-	-	3	10	22
WHITE------MALE----	208	-	-	-	-	-	-	-	-	2	2	8
FEMALE--	209	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	66	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	74	-	-	-	-	-	-	-	-	-	3	5
BLACK---MALE----	60	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	67	-	-	-	-	-	-	-	-	-	3	4
MASSACHUSETTS ----------	743	-	-	-	-	-	-	-	1	1	8	22
WHITE------MALE----	320	-	-	-	-	-	-	-	1	1	6	12
FEMALE--	390	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	3
MICHIGAN ----------	1,038	-	-	-	-	-	-	3	1	10	15	32
WHITE------MALE----	392	-	-	-	-	-	-	3	1	3	8	16
FEMALE--	475	-	-	-	-	-	-	-	-	3	4	10
ALL OTHER--MALE----	79	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	92	-	-	-	-	-	-	-	-	3	1	2
BLACK---MALE----	73	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	87	-	-	-	-	-	-	-	-	3	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pancreas (C25)												
KENTUCKY ----------	20	29	40	55	60	69	62	32	11	2	-	-
WHITE------MALE----	11	17	21	28	29	35	25	14	3	1	-	-
FEMALE--	7	9	17	19	25	30	33	18	7	1	-	-
ALL OTHER--MALE----	1	2	1	1	3	3	1	-	-	-	-	-
FEMALE--	1	1	1	7	3	1	3	-	1	-	-	-
BLACK---MALE----	1	2	1	1	3	3	1	-	-	-	-	-
FEMALE--	1	1	1	7	3	1	3	-	1	-	-	-
LOUISIANA ----------	31	40	46	66	67	74	64	60	20	8	1	-
WHITE------MALE----	10	14	20	32	22	28	14	16	4	-	-	-
FEMALE--	6	5	9	19	26	30	28	32	14	5	-	-
ALL OTHER--MALE----	7	10	11	6	10	9	10	7	-	-	-	-
FEMALE--	8	11	6	9	9	7	12	5	2	3	1	-
BLACK---MALE----	7	10	11	6	10	9	10	7	-	-	-	-
FEMALE--	8	11	6	9	9	7	12	5	2	3	1	-
MAINE ----------	5	9	20	30	23	27	25	14	8	1	-	-
WHITE------MALE----	3	7	5	17	6	15	11	5	1	-	-	-
FEMALE--	2	2	15	13	17	12	14	9	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	36	47	48	84	87	79	69	47	18	7	-	-
WHITE------MALE----	15	15	17	38	32	35	22	13	8	1	-	-
FEMALE--	10	16	19	25	34	26	35	25	9	6	-	-
ALL OTHER--MALE----	6	9	7	12	7	9	2	2	1	-	-	-
FEMALE--	5	7	5	9	14	9	10	7	-	-	-	-
BLACK---MALE----	5	9	5	11	6	9	1	2	1	-	-	-
FEMALE--	5	6	5	7	12	9	9	7	-	-	-	-
MASSACHUSETTS ----------	36	52	56	91	96	133	123	73	38	11	2	-
WHITE------MALE----	15	30	30	43	43	61	43	25	9	1	-	-
FEMALE--	18	19	22	42	49	70	77	48	28	10	2	-
ALL OTHER--MALE----	2	1	4	3	2	1	2	-	-	-	-	-
FEMALE--	1	2	-	3	2	1	1	-	1	-	-	-
BLACK---MALE----	2	1	4	3	1	1	2	-	-	-	-	-
FEMALE--	1	1	-	3	2	1	1	-	1	-	-	-
MICHIGAN ----------	59	84	109	134	163	161	132	94	29	10	2	-
WHITE------MALE----	28	36	47	59	61	55	41	26	8	-	-	-
FEMALE--	20	28	41	59	76	79	73	55	18	7	2	-
ALL OTHER--MALE----	8	12	9	8	14	12	5	2	-	2	-	-
FEMALE--	3	8	12	8	12	15	13	11	3	1	-	-
BLACK---MALE----	7	11	7	8	13	11	5	2	-	2	-	-
FEMALE--	3	8	11	8	12	13	12	10	3	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pancreas (C25)												
MINNESOTA ----------	501	-	-	-	-	-	-	-	1	5	8	20
WHITE------MALE----	229	-	-	-	-	-	-	-	-	3	2	14
FEMALE--	262	-	-	-	-	-	-	-	1	1	5	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	330	-	-	-	-	-	-	-	1	2	6	13
WHITE------MALE----	111	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	107	-	-	-	-	-	-	-	1	-	-	5
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	56	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	56	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	56	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	628	-	-	-	-	-	-	-	1	5	13	16
WHITE------MALE----	274	-	-	-	-	-	-	-	-	2	7	11
FEMALE--	285	-	-	-	-	-	-	-	1	3	4	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	47	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	46	-	-	-	-	-	-	-	-	-	1	1
MONTANA ----------	89	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	49	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	173	-	-	-	-	-	-	-	1	-	1	4
WHITE------MALE----	73	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	94	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	180	-	-	-	-	-	-	-	1	2	1	3
WHITE------MALE----	75	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	81	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pancreas (C25)												
MINNESOTA ----------	20	32	37	59	70	77	74	56	33	9	-	-
WHITE------MALE----	13	20	19	37	35	31	30	15	8	2	-	-
FEMALE--	6	12	15	22	35	44	42	41	25	7	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
MISSISSIPPI ----------	17	29	33	41	53	47	40	35	9	4	-	-
WHITE------MALE----	7	13	12	14	24	10	11	12	-	1	-	-
FEMALE--	3	11	9	13	17	18	12	12	5	1	-	-
ALL OTHER--MALE----	5	4	5	8	5	8	7	4	2	-	-	-
FEMALE--	2	1	7	6	7	11	10	7	2	2	-	-
BLACK---MALE----	5	4	5	8	5	8	7	4	2	-	-	-
FEMALE--	2	1	7	6	7	11	10	7	2	2	-	-
MISSOURI ----------	36	40	57	84	95	101	86	59	26	8	1	-
WHITE------MALE----	16	24	29	39	48	43	38	11	5	1	-	-
FEMALE--	16	13	21	31	39	43	43	42	19	7	1	-
ALL OTHER--MALE----	2	1	2	3	4	5	1	1	-	-	-	-
FEMALE--	2	2	5	11	4	10	4	5	2	-	-	-
BLACK---MALE----	2	1	2	3	4	5	1	1	-	-	-	-
FEMALE--	2	2	5	11	4	9	4	5	2	-	-	-
MONTANA ----------	4	6	10	14	8	15	18	5	6	2	-	-
WHITE------MALE----	2	5	4	4	4	12	12	2	2	1	-	-
FEMALE--	2	1	6	9	4	3	5	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	10	11	16	19	20	29	35	17	8	2	-	-
WHITE------MALE----	8	4	9	9	6	14	12	5	1	-	-	-
FEMALE--	2	6	7	9	14	14	22	11	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
NEVADA ----------	16	16	25	26	36	23	19	9	1	1	1	-
WHITE------MALE----	11	7	11	9	16	7	7	5	-	-	-	-
FEMALE--	4	8	11	13	13	12	11	3	1	1	1	-
ALL OTHER--MALE----	-	-	-	2	5	-	-	-	-	-	-	-
FEMALE--	1	1	3	2	2	4	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pancreas (C25)												
NEW HAMPSHIRE ----------	128	-	-	-	-	-	-	-	-	3	-	1
WHITE------MALE----	72	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	56	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,016	-	-	-	-	-	-	-	2	2	17	26
WHITE------MALE----	397	-	-	-	-	-	-	-	-	2	10	14
FEMALE--	467	-	-	-	-	-	-	-	-	-	4	6
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	2	-	2	5
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	73	-	-	-	-	-	-	-	2	-	2	4
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	1
NEW MEXICO ----------	163	-	-	-	-	-	-	-	-	2	4	5
WHITE------MALE----	73	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2,212	-	-	-	-	-	-	-	2	9	29	59
WHITE------MALE----	936	-	-	-	-	-	-	-	1	4	17	40
FEMALE--	954	-	-	-	-	-	-	-	1	3	11	13
ALL OTHER--MALE----	126	-	-	-	-	-	-	-	-	2	-	5
FEMALE--	196	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	109	-	-	-	-	-	-	-	-	2	-	5
FEMALE--	178	-	-	-	-	-	-	-	-	-	1	1
NORTH CAROLINA ---------	803	-	-	-	-	-	-	-	1	7	12	27
WHITE------MALE----	310	-	-	-	-	-	-	-	-	6	5	6
FEMALE--	304	-	-	-	-	-	-	-	1	1	5	8
ALL OTHER--MALE----	88	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	101	-	-	-	-	-	-	-	-	-	1	5
BLACK---MALE----	84	-	-	-	-	-	-	-	-	-	1	7
FEMALE--	96	-	-	-	-	-	-	-	-	-	1	5
NORTH DAKOTA ----------	69	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pancreas (C25)												
NEW HAMPSHIRE ----------	6	11	11	12	22	23	24	9	5	1	-	-
WHITE------MALE----	3	9	9	7	14	12	11	3	2	-	-	-
FEMALE--	3	2	2	5	8	11	13	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	40	63	90	114	160	197	135	116	42	11	1	-
WHITE------MALE----	16	33	37	43	69	67	48	43	13	2	-	-
FEMALE--	13	17	35	50	63	103	78	65	24	9	-	-
ALL OTHER--MALE----	10	9	13	12	18	14	2	1	1	-	-	-
FEMALE--	1	4	5	9	10	13	7	7	4	-	1	-
BLACK---MALE----	9	6	11	10	15	12	-	1	1	-	-	-
FEMALE--	1	4	5	9	9	12	6	7	4	-	1	-
NEW MEXICO ----------	6	8	13	20	39	32	20	7	5	2	-	-
WHITE------MALE----	3	3	9	6	22	11	9	-	2	-	-	-
FEMALE--	2	3	1	11	16	20	8	7	3	1	-	-
ALL OTHER--MALE----	1	1	3	2	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	122	143	208	274	382	357	304	217	80	25	1	-
WHITE------MALE----	61	61	77	130	187	158	108	74	12	6	-	-
FEMALE--	38	47	82	94	147	154	171	121	56	15	1	-
ALL OTHER--MALE----	15	14	21	25	18	13	6	5	2	-	-	-
FEMALE--	8	21	28	25	30	32	19	17	10	4	-	-
BLACK---MALE----	14	12	17	21	17	9	6	4	2	-	-	-
FEMALE--	8	20	26	23	28	25	18	16	8	4	-	-
NORTH CAROLINA ---------	46	59	82	103	124	141	102	67	27	5	-	-
WHITE------MALE----	15	27	38	53	44	59	30	17	9	1	-	-
FEMALE--	15	15	29	27	51	49	49	39	11	4	-	-
ALL OTHER--MALE----	10	12	10	14	13	12	5	1	2	-	-	-
FEMALE--	6	5	5	9	16	21	18	10	5	-	-	-
BLACK---MALE----	10	12	10	13	12	12	4	1	2	-	-	-
FEMALE--	5	4	5	9	16	20	18	9	4	-	-	-
NORTH DAKOTA ----------	3	3	2	8	12	11	13	11	2	2	-	-
WHITE------MALE----	1	2	1	4	3	5	5	4	-	-	-	-
FEMALE--	2	1	1	4	9	6	8	7	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pancreas (C25)												
OHIO ----------	1,181	-	-	-	-	-	-	-	3	8	12	45
WHITE------MALE----	516	-	-	-	-	-	-	-	1	4	8	17
FEMALE--	531	-	-	-	-	-	-	-	1	2	2	22
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	75	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	59	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	75	-	-	-	-	-	-	-	-	1	-	2
OKLAHOMA ----------	390	-	-	-	-	-	-	-	-	3	6	6
WHITE------MALE----	185	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	163	-	-	-	-	-	-	-	-	2	3	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	1
OREGON ----------	380	-	-	-	-	-	-	-	-	-	2	10
WHITE------MALE----	158	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	206	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,577	-	-	-	-	-	-	-	1	2	20	52
WHITE------MALE----	680	-	-	-	-	-	-	-	1	-	10	30
FEMALE--	735	-	-	-	-	-	-	-	-	2	9	15
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	89	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	70	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	87	-	-	-	-	-	-	-	-	-	1	2
RHODE ISLAND ----------	128	-	-	-	-	-	-	-	-	1	2	3
WHITE------MALE----	64	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	59	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA ---------	450	-	-	-	-	-	-	-	2	4	10	16
WHITE------MALE----	164	-	-	-	-	-	-	-	1	1	5	5
FEMALE--	164	-	-	-	-	-	-	-	-	3	2	3
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	61	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pancreas (C25)												
OHIO ----------	71	80	105	161	171	208	172	96	35	9	5	-
WHITE------MALE----	52	39	66	74	67	88	68	22	7	2	1	-
FEMALE--	11	30	29	59	84	105	88	67	23	6	2	-
ALL OTHER--MALE----	6	6	5	13	7	5	7	-	2	-	-	-
FEMALE--	2	5	5	15	13	10	9	7	3	1	2	-
BLACK---MALE----	6	6	5	13	7	5	7	-	2	-	-	-
FEMALE--	2	5	5	15	13	10	9	7	3	1	2	-
OKLAHOMA ----------	18	19	48	47	64	69	50	33	23	4	-	-
WHITE------MALE----	12	10	24	29	39	31	17	11	5	2	-	-
FEMALE--	4	7	14	16	20	31	28	17	17	2	-	-
ALL OTHER--MALE----	1	1	6	1	3	3	2	1	-	-	-	-
FEMALE--	1	1	4	1	2	4	3	4	1	-	-	-
BLACK---MALE----	1	-	4	1	3	2	2	1	-	-	-	-
FEMALE--	1	1	2	-	1	3	1	1	1	-	-	-
OREGON ----------	17	22	31	56	55	76	57	32	17	4	1	-
WHITE------MALE----	10	13	16	26	23	38	14	7	3	1	-	-
FEMALE--	6	8	13	29	29	36	41	24	13	3	1	-
ALL OTHER--MALE----	1	-	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	1	2	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
PENNSYLVANIA ----------	73	127	128	184	255	298	219	150	55	12	-	1
WHITE------MALE----	39	70	56	84	129	128	77	44	10	2	-	-
FEMALE--	22	42	58	78	103	138	125	91	41	10	-	1
ALL OTHER--MALE----	6	12	10	11	6	15	5	2	1	-	-	-
FEMALE--	6	3	4	11	17	17	12	13	3	-	-	-
BLACK---MALE----	6	12	9	10	6	15	5	1	1	-	-	-
FEMALE--	6	3	4	11	16	17	11	13	3	-	-	-
RHODE ISLAND ----------	5	10	6	17	24	23	15	14	6	2	-	-
WHITE------MALE----	4	5	6	9	16	11	4	5	2	-	-	-
FEMALE--	1	5	-	7	6	12	11	9	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
SOUTH CAROLINA ---------	26	39	52	68	60	67	54	31	15	6	-	-
WHITE------MALE----	9	11	21	28	23	27	21	6	6	-	-	-
FEMALE--	8	17	17	20	20	25	21	15	7	6	-	-
ALL OTHER--MALE----	9	7	8	11	10	2	4	3	1	-	-	-
FEMALE--	-	4	6	9	7	13	8	7	1	-	-	-
BLACK---MALE----	9	7	8	10	10	2	4	3	1	-	-	-
FEMALE--	-	3	6	8	7	13	8	7	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pancreas (C25)												
SOUTH DAKOTA ----------	96	-	-	-	-	-	-	-	1	1	1	3
WHITE------MALE----	47	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	593	-	-	-	-	-	-	-	1	5	8	25
WHITE------MALE----	247	-	-	-	-	-	-	-	-	-	3	12
FEMALE--	226	-	-	-	-	-	-	-	1	1	2	6
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	3	1	3
FEMALE--	63	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	57	-	-	-	-	-	-	-	-	3	1	3
FEMALE--	62	-	-	-	-	-	-	-	-	1	1	4
TEXAS ----------	1,660	-	-	-	-	-	-	-	2	11	33	59
WHITE------MALE----	723	-	-	-	-	-	-	-	-	6	17	37
FEMALE--	706	-	-	-	-	-	-	-	-	4	12	13
ALL OTHER--MALE----	120	-	-	-	-	-	-	-	1	-	4	7
FEMALE--	111	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	112	-	-	-	-	-	-	-	1	-	4	7
FEMALE--	97	-	-	-	-	-	-	-	1	1	-	2
UTAH ----------	121	-	-	-	-	-	-	-	1	2	2	8
WHITE------MALE----	61	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	56	-	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	80	-	-	-	-	-	-	-	-	-	-	4
WHITE------MALE----	41	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	703	-	-	-	-	-	-	1	2	6	9	17
WHITE------MALE----	255	-	-	-	-	-	-	1	1	2	4	4
FEMALE--	263	-	-	-	-	-	-	-	-	1	2	7
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	96	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	82	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	90	-	-	-	-	-	-	-	1	1	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pancreas (C25)												
SOUTH DAKOTA ----------	3	8	3	10	16	19	13	10	3	5	-	-
WHITE------MALE----	2	5	2	5	8	9	7	3	2	1	-	-
FEMALE--	-	3	1	5	8	10	6	7	1	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	28	44	72	79	94	86	71	56	19	5	-	-
WHITE------MALE----	15	17	45	45	43	25	25	13	4	-	-	-
FEMALE--	6	11	19	20	41	42	29	30	13	5	-	-
ALL OTHER--MALE----	2	11	6	8	3	7	9	3	1	-	-	-
FEMALE--	5	5	2	6	7	12	8	10	1	-	-	-
BLACK---MALE----	2	11	6	8	3	7	9	3	1	-	-	-
FEMALE--	5	5	2	6	7	12	8	10	1	-	-	-
TEXAS ----------	94	143	143	208	276	270	203	150	50	15	3	-
WHITE------MALE----	39	70	70	94	134	115	77	51	10	3	-	-
FEMALE--	34	50	49	83	102	129	97	84	35	12	2	-
ALL OTHER--MALE----	13	15	13	16	19	12	11	6	3	-	-	-
FEMALE--	8	8	11	15	21	14	18	9	2	-	1	-
BLACK---MALE----	13	14	11	13	19	11	10	6	3	-	-	-
FEMALE--	6	5	9	12	21	12	17	8	2	-	1	-
UTAH ----------	6	8	6	13	15	28	11	13	6	2	-	-
WHITE------MALE----	2	7	1	5	10	15	4	5	3	-	-	-
FEMALE--	4	1	4	7	5	11	7	8	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	3	9	11	15	14	12	4	2	-	-	-
WHITE------MALE----	4	2	6	7	7	6	4	2	-	-	-	-
FEMALE--	2	1	2	4	8	8	8	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	52	64	75	90	108	119	78	52	26	3	1	-
WHITE------MALE----	26	27	38	33	30	43	26	14	5	-	1	-
FEMALE--	12	14	16	32	48	53	36	26	14	2	-	-
ALL OTHER--MALE----	9	13	11	14	13	9	5	6	2	-	-	-
FEMALE--	5	10	10	11	17	14	11	6	5	1	-	-
BLACK---MALE----	9	13	10	11	12	9	5	5	1	-	-	-
FEMALE--	4	10	9	11	14	13	11	6	5	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pancreas (C25)												
WASHINGTON ----------	559	-	-	-	-	-	-	1	-	3	7	19
WHITE------MALE----	252	-	-	-	-	-	-	1	-	3	3	9
FEMALE--	274	-	-	-	-	-	-	-	-	-	3	7
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
WEST VIRGINIA ----------	180	-	-	-	-	-	-	-	1	-	3	4
WHITE------MALE----	92	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	80	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	578	-	-	-	-	-	-	-	1	3	6	13
WHITE------MALE----	260	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	290	-	-	-	-	-	-	-	-	1	1	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	-
WYOMING ----------	55	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pancreas (C25)												
WASHINGTON ----------	27	42	42	59	101	91	76	54	29	7	1	-
WHITE------MALE----	15	25	29	28	45	37	26	23	7	1	-	-
FEMALE--	12	14	9	29	48	47	50	28	21	6	-	-
ALL OTHER--MALE----	-	3	1	2	3	1	-	2	1	-	-	-
FEMALE--	-	-	3	-	5	6	-	1	-	-	1	-
BLACK---MALE----	-	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	3	-	-	-	-	1	-
WEST VIRGINIA ----------	8	15	22	21	33	25	20	17	8	3	-	-
WHITE------MALE----	3	10	12	13	15	15	7	12	1	1	-	-
FEMALE--	3	3	10	8	18	8	12	5	6	2	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	-	-
WISCONSIN ----------	22	42	42	69	100	96	100	53	25	5	1	-
WHITE------MALE----	12	24	25	30	56	42	34	18	8	-	-	-
FEMALE--	10	16	14	35	39	50	64	32	17	5	1	-
ALL OTHER--MALE----	-	1	1	1	4	1	1	1	-	-	-	-
FEMALE--	-	1	2	3	1	3	1	2	-	-	-	-
BLACK---MALE----	-	1	1	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	1	3	1	3	1	2	-	-	-	-
WYOMING ----------	1	3	8	7	10	9	5	7	3	-	-	-
WHITE------MALE----	1	2	6	4	5	6	-	2	2	-	-	-
FEMALE--	-	1	2	3	5	3	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined digestive organs (C26)												
UNITED STATES -	1,566	-	-	-	-	1	2	4	3	7	29	51
WHITE------MALE----	669	-	-	-	-	1	1	1	2	6	16	22
FEMALE--	706	-	-	-	-	-	1	2	-	-	7	13
ALL OTHER--MALE----	105	-	-	-	-	-	-	-	1	1	5	11
FEMALE--	86	-	-	-	-	-	-	1	-	-	1	5
BLACK---MALE----	87	-	-	-	-	-	-	-	1	-	5	11
FEMALE--	77	-	-	-	-	-	-	1	-	-	1	5
ALABAMA ----------	23	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	24	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA ----------	143	-	-	-	-	-	-	1	1	-	2	7
WHITE------MALE----	69	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	61	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined digestive organs (C26)												
UNITED STATES -	56	75	104	155	204	240	258	208	129	38	2	-
WHITE------MALE----	26	36	56	71	91	112	117	70	31	10	-	-
FEMALE--	11	21	35	65	90	106	127	119	83	24	2	-
ALL OTHER--MALE----	13	10	8	13	10	13	7	5	6	2	-	-
FEMALE--	6	8	5	6	13	9	7	14	9	2	-	-
BLACK---MALE----	12	8	8	9	9	10	4	3	6	1	-	-
FEMALE--	5	6	5	6	11	9	6	12	8	2	-	-
ALABAMA ----------	2	3	1	2	1	3	3	2	2	-	-	-
WHITE------MALE----	1	1	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	2	1	3	2	1	2	2	-	1	-	-
WHITE------MALE----	-	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	2	2	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	1	1	1	4	4	2	4	1	-	-	-
WHITE------MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
CALIFORNIA ----------	4	9	12	9	24	26	21	14	12	1	-	-
WHITE------MALE----	3	2	7	3	11	14	12	7	2	-	-	-
FEMALE--	-	4	5	4	13	10	8	5	9	1	-	-
ALL OTHER--MALE----	1	2	-	2	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined digestive organs (C26)												
COLORADO ----------	14	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	21	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	84	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	43	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	28	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined digestive organs (C26)												
COLORADO ----------	-	-	2	-	3	-	1	6	1	-	-	-
WHITE------MALE----	-	-	1	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	2	2	1	1	3	5	5	1	-	-	-
WHITE------MALE----	-	2	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	1	1	1	3	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	2	8	8	13	19	15	7	6	2	1	-
WHITE------MALE----	1	1	2	6	7	11	7	5	1	1	-	-
FEMALE--	-	-	4	2	4	6	7	1	4	1	1	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	1	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	1	-	-	-
GEORGIA ----------	2	2	4	3	3	2	4	4	1	-	-	-
WHITE------MALE----	1	-	2	2	-	2	3	2	-	-	-	-
FEMALE--	-	-	1	1	3	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined digestive organs (C26)												
HAWAII ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	13	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	57	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	40	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	15	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined digestive organs (C26)												
HAWAII ----------	-	-	-	2	-	-	-	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	1	-	2	4	2	1	1	-	-	-
WHITE------MALE----	-	-	-	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	1	3	8	7	6	11	10	2	3	-	-
WHITE------MALE----	1	1	2	6	5	2	4	3	1	1	-	-
FEMALE--	-	-	-	2	2	3	7	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	2	-	-	-	-
INDIANA ----------	1	3	3	5	1	7	4	5	6	2	-	-
WHITE------MALE----	1	2	2	3	1	4	1	1	2	2	-	-
FEMALE--	-	-	1	2	-	2	3	4	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IOWA ----------	-	1	2	2	3	3	1	2	2	1	-	-
WHITE------MALE----	-	1	1	1	1	-	-	1	-	1	-	-
FEMALE--	-	-	1	1	2	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	2	1	2	-	4	2	2	-	-	-
WHITE------MALE----	-	-	1	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined digestive organs (C26)												
KENTUCKY ----------	42	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	20	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	22	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	19	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	27	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	43	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	70	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined digestive organs (C26)												
KENTUCKY ----------	3	2	3	7	3	6	4	6	2	2	-	-
WHITE------MALE----	1	2	2	2	1	3	1	2	2	1	-	-
FEMALE--	2	-	1	4	2	3	3	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	4	3	2	4	3	-	2	-	1	-	-
WHITE------MALE----	1	3	1	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
MAINE ----------	1	-	2	-	2	4	4	4	1	-	-	-
WHITE------MALE----	-	-	2	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	3	6	3	4	2	2	3	-	-	-
WHITE------MALE----	-	-	2	3	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	3	1	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	4	3	7	7	11	4	2	2	-	-
WHITE------MALE----	-	-	4	3	2	3	5	-	2	-	-	-
FEMALE--	-	1	-	-	4	4	6	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN ----------	3	3	7	8	11	9	9	8	6	2	-	-
WHITE------MALE----	1	2	2	3	6	5	6	3	2	-	-	-
FEMALE--	1	1	3	4	4	1	2	5	4	2	-	-
ALL OTHER--MALE----	1	-	2	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined digestive organs (C26)												
MINNESOTA ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	24	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	38	-	-	-	-	-	-	-	1	1	1	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	12	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined digestive organs (C26)												
MINNESOTA ----------	1	1	1	3	1	4	7	5	4	-	-	-
WHITE------MALE----	1	1	-	2	-	3	2	2	2	-	-	-
FEMALE--	-	-	1	1	1	1	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	3	4	1	6	-	2	2	-	-
WHITE------MALE----	1	-	-	-	2	1	2	-	1	-	-	-
FEMALE--	-	-	-	3	1	-	4	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	2	-	-
MISSOURI ----------	2	2	1	1	6	3	5	3	9	1	-	-
WHITE------MALE----	-	-	-	1	3	-	2	1	2	-	-	-
FEMALE--	1	1	1	-	3	3	3	1	5	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
MONTANA ----------	-	-	1	1	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	5	-	4	-	2	-	-	-
WHITE------MALE----	-	-	-	-	3	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	2	-	-	1	1	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined digestive organs (C26)												
NEW HAMPSHIRE ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	60	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	8	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	108	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	57	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	39	-	-	-	-	1	-	-	-	-	2	2
WHITE------MALE----	13	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined digestive organs (C26)												
NEW HAMPSHIRE ----------	-	-	-	2	2	-	-	2	1	1	-	-
WHITE------MALE----	-	-	-	1	2	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	4	3	4	9	10	11	12	1	3	-	-
WHITE------MALE----	-	3	-	2	4	4	4	5	-	1	-	-
FEMALE--	-	-	2	2	3	4	7	7	1	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	3	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	4	3	13	11	20	19	17	11	3	-	-
WHITE------MALE----	1	1	-	5	5	10	7	5	-	1	-	-
FEMALE--	1	1	2	6	5	8	10	10	10	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	2	-	2	-	-	1	1	1	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	-	1	1	1	-	-	-
NORTH CAROLINA ---------	3	2	-	5	8	7	3	3	3	-	-	-
WHITE------MALE----	1	1	-	2	2	2	1	2	1	-	-	-
FEMALE--	1	1	-	2	3	4	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	-	2	2	2	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined digestive organs (C26)												
OHIO ----------	65	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	15	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	96	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	17	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined digestive organs (C26)												
OHIO ----------	3	1	5	6	10	12	10	8	8	-	-	-
WHITE------MALE----	2	-	2	-	5	4	7	3	3	-	-	-
FEMALE--	-	1	3	5	5	6	3	5	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	1	-	-	-
OKLAHOMA ----------	2	2	1	-	2	5	1	1	-	-	-	-
WHITE------MALE----	2	1	-	-	-	4	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	1	6	-	2	2	7	2	-	-	-
WHITE------MALE----	-	-	-	1	-	2	-	3	1	-	-	-
FEMALE--	1	-	1	5	-	-	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	5	7	9	19	13	18	14	4	2	-	-
WHITE------MALE----	2	4	5	5	9	8	9	5	1	-	-	-
FEMALE--	2	-	2	3	10	5	9	8	3	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	3	2	2	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	2	-	4	3	3	1	2	1	-	-	-
WHITE------MALE----	-	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined digestive organs (C26)												
SOUTH DAKOTA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	33	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	98	-	-	-	-	-	1	1	-	-	4	2
WHITE------MALE----	42	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	40	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
UTAH ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	30	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined digestive organs (C26)												
SOUTH DAKOTA ----------	1	-	-	-	-	2	5	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	2	2	5	6	5	3	4	1	2	-	-
WHITE------MALE----	-	2	1	4	-	1	3	-	-	-	-	-
FEMALE--	-	-	1	1	2	2	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
TEXAS ----------	6	5	8	10	8	19	19	7	6	2	-	-
WHITE------MALE----	4	1	7	2	4	9	7	3	1	1	-	-
FEMALE--	-	2	-	4	1	10	11	4	4	1	-	-
ALL OTHER--MALE----	2	-	1	3	1	-	-	-	1	-	-	-
FEMALE--	-	2	-	1	2	-	1	-	-	-	-	-
BLACK---MALE----	2	-	1	3	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	2	-	1	-	-	-	-	-
UTAH ----------	-	-	-	1	-	1	2	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	2	-	2	3	3	8	7	1	1	-	-
WHITE------MALE----	1	1	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	2	3	4	5	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined digestive organs (C26)												
WASHINGTON ----------	47	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	27	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	15	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	27	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined digestive organs (C26)												
WASHINGTON ----------	-	2	3	4	5	4	11	7	8	-	-	-
WHITE------MALE----	-	1	3	2	1	1	10	3	4	-	-	-
FEMALE--	-	1	-	1	2	2	-	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	1	-	3	2	1	3	2	-	-	-
WHITE------MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	2	4	2	3	7	3	3	-	1	-
WHITE------MALE----	-	1	2	4	2	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	3	4	1	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	1	2	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
UNITED STATES -	156,914	1	-	6	4	8	21	54	156	716	2,163	4,112
WHITE------MALE----	80,716	1	-	2	2	3	8	25	72	276	939	1,891
FEMALE--	56,958	-	-	2	-	1	7	17	58	270	748	1,268
ALL OTHER--MALE----	12,249	-	-	2	1	3	4	8	11	85	289	615
FEMALE--	6,991	-	-	-	1	1	2	4	15	85	187	338
BLACK---MALE----	10,727	-	-	1	1	2	3	5	9	71	267	565
FEMALE--	6,002	-	-	-	1	1	2	1	12	75	166	294
ALABAMA ----------	2,923	-	-	-	1	1	-	1	3	12	40	73
WHITE------MALE----	1,514	-	-	-	1	-	-	1	-	6	15	29
FEMALE--	853	-	-	-	-	-	-	-	2	3	7	20
ALL OTHER--MALE----	394	-	-	-	-	-	-	-	1	1	10	17
FEMALE--	162	-	-	-	-	1	-	-	-	2	8	7
BLACK---MALE----	393	-	-	-	-	-	-	-	1	1	10	17
FEMALE--	159	-	-	-	-	1	-	-	-	2	8	6
ALASKA ----------	182	-	-	-	-	-	-	-	-	-	5	4
WHITE------MALE----	92	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	61	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2,583	-	-	-	-	-	1	-	-	14	36	52
WHITE------MALE----	1,440	-	-	-	-	-	-	-	-	8	19	27
FEMALE--	1,069	-	-	-	-	-	1	-	-	3	16	24
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	32	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1,995	-	-	-	-	-	-	1	1	11	27	58
WHITE------MALE----	1,144	-	-	-	-	-	-	1	1	6	13	26
FEMALE--	629	-	-	-	-	-	-	-	-	3	6	15
ALL OTHER--MALE----	142	-	-	-	-	-	-	-	-	2	6	15
FEMALE--	80	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	141	-	-	-	-	-	-	-	-	1	6	15
FEMALE--	79	-	-	-	-	-	-	-	-	-	2	2
CALIFORNIA ----------	14,155	-	-	3	-	-	5	12	18	57	175	339
WHITE------MALE----	6,571	-	-	2	-	-	1	7	11	19	65	155
FEMALE--	5,496	-	-	-	-	-	2	3	5	13	61	97
ALL OTHER--MALE----	1,269	-	-	1	-	-	2	2	-	16	29	48
FEMALE--	819	-	-	-	-	-	-	-	2	9	20	39
BLACK---MALE----	662	-	-	-	-	-	1	1	-	9	18	30
FEMALE--	434	-	-	-	-	-	-	-	-	5	10	20

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
UNITED STATES -	7,847	12,656	17,747	23,922	29,383	27,210	18,170	9,210	2,873	570	83	2
WHITE------MALE----	3,788	6,551	9,294	12,705	15,631	14,265	9,305	4,469	1,241	224	23	1
FEMALE--	2,583	4,151	5,910	8,140	10,591	10,260	7,307	3,933	1,372	294	46	-
ALL OTHER--MALE----	988	1,306	1,696	1,992	2,016	1,664	955	456	129	20	8	1
FEMALE--	488	648	847	1,085	1,145	1,021	603	352	131	32	6	-
BLACK---MALE----	905	1,188	1,517	1,738	1,714	1,432	797	391	100	14	7	-
FEMALE--	428	560	734	929	980	887	502	288	111	25	6	-
ALABAMA ----------	163	278	345	493	553	483	279	147	45	5	1	-
WHITE------MALE----	72	144	183	268	307	252	147	68	19	1	1	-
FEMALE--	39	73	87	149	155	156	87	51	21	3	-	-
ALL OTHER--MALE----	36	46	60	56	66	49	30	18	4	-	-	-
FEMALE--	16	15	15	20	25	26	15	10	1	1	-	-
BLACK---MALE----	36	46	60	55	66	49	30	18	4	-	-	-
FEMALE--	16	15	14	20	24	26	15	10	1	1	-	-
ALASKA ----------	16	20	26	35	32	16	19	4	5	-	-	-
WHITE------MALE----	8	10	10	19	21	7	6	4	2	-	-	-
FEMALE--	6	4	10	10	9	6	10	-	3	-	-	-
ALL OTHER--MALE----	2	1	4	5	1	2	1	-	-	-	-	-
FEMALE--	-	5	2	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	103	175	279	389	484	497	337	155	50	11	-	-
WHITE------MALE----	54	93	156	225	271	271	204	83	24	5	-	-
FEMALE--	41	77	112	151	200	221	125	68	24	6	-	-
ALL OTHER--MALE----	6	2	4	9	8	4	6	4	2	-	-	-
FEMALE--	2	3	7	4	5	1	2	-	-	-	-	-
BLACK---MALE----	5	2	3	4	6	2	4	2	1	-	-	-
FEMALE--	1	1	4	2	2	1	-	-	-	-	-	-
ARKANSAS ----------	105	167	252	311	383	313	205	114	40	7	-	-
WHITE------MALE----	52	96	142	184	230	182	120	67	22	2	-	-
FEMALE--	31	52	84	99	122	105	59	36	13	4	-	-
ALL OTHER--MALE----	15	12	17	18	18	14	16	7	2	-	-	-
FEMALE--	7	7	9	10	13	12	10	4	3	1	-	-
BLACK---MALE----	15	12	17	18	18	14	16	7	2	-	-	-
FEMALE--	7	7	9	10	13	12	9	4	3	1	-	-
CALIFORNIA ----------	644	1,081	1,489	2,003	2,595	2,640	1,795	934	303	56	4	2
WHITE------MALE----	295	519	699	944	1,248	1,242	814	396	128	25	-	1
FEMALE--	228	381	531	730	990	1,068	778	442	139	25	3	-
ALL OTHER--MALE----	79	106	176	199	224	197	113	50	22	4	-	1
FEMALE--	42	75	83	130	133	133	90	46	14	2	1	-
BLACK---MALE----	50	67	118	100	91	93	51	21	11	1	-	-
FEMALE--	24	45	54	76	67	69	41	17	5	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
COLORADO ----------	1,408	-	-	-	-	-	-	1	-	3	13	34
WHITE------MALE----	761	-	-	-	-	-	-	1	-	-	4	21
FEMALE--	577	-	-	-	-	-	-	-	-	3	8	10
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	1,855	-	-	-	-	-	1	-	3	7	19	46
WHITE------MALE----	939	-	-	-	-	-	-	-	2	2	9	19
FEMALE--	803	-	-	-	-	-	1	-	1	4	8	20
ALL OTHER--MALE----	71	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	68	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	1
DELAWARE ----------	559	-	-	-	-	-	-	-	-	4	7	9
WHITE------MALE----	268	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	194	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	64	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	325	-	-	-	-	-	-	-	-	2	12	10
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	156	-	-	-	-	-	-	-	-	1	5	4
FEMALE--	103	-	-	-	-	-	-	-	-	1	7	6
BLACK---MALE----	156	-	-	-	-	-	-	-	-	1	5	4
FEMALE--	102	-	-	-	-	-	-	-	-	1	7	6
FLORIDA ----------	11,855	-	-	2	-	-	-	2	7	45	138	272
WHITE------MALE----	6,459	-	-	-	-	-	-	-	7	11	63	145
FEMALE--	4,462	-	-	1	-	-	-	2	-	26	52	79
ALL OTHER--MALE----	655	-	-	1	-	-	-	-	-	3	14	35
FEMALE--	279	-	-	-	-	-	-	-	-	5	9	13
BLACK---MALE----	633	-	-	1	-	-	-	-	-	3	13	35
FEMALE--	262	-	-	-	-	-	-	-	-	5	9	12
GEORGIA ----------	4,039	-	-	-	1	-	-	-	6	9	77	150
WHITE------MALE----	2,007	-	-	-	-	-	-	-	2	4	29	61
FEMALE--	1,166	-	-	-	-	-	-	-	1	2	16	33
ALL OTHER--MALE----	596	-	-	-	1	-	-	-	1	1	21	36
FEMALE--	270	-	-	-	-	-	-	-	2	2	11	20
BLACK---MALE----	590	-	-	-	1	-	-	-	1	1	21	36
FEMALE--	269	-	-	-	-	-	-	-	2	2	11	20

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
COLORADO ----------	49	109	176	233	253	248	159	91	31	8	-	-
WHITE------MALE----	25	60	98	135	131	135	87	46	15	3	-	-
FEMALE--	21	44	67	88	105	101	68	44	14	4	-	-
ALL OTHER--MALE----	1	1	6	7	8	8	1	1	2	1	-	-
FEMALE--	2	4	5	3	9	4	3	-	-	-	-	-
BLACK---MALE----	1	-	4	6	6	6	1	-	1	-	-	-
FEMALE--	1	1	4	3	9	4	3	-	-	-	-	-
CONNECTICUT ----------	101	143	189	249	327	346	239	140	34	11	-	-
WHITE------MALE----	47	78	114	128	161	176	116	64	17	6	-	-
FEMALE--	45	50	64	92	148	159	117	72	17	5	-	-
ALL OTHER--MALE----	5	8	8	22	8	6	4	4	-	-	-	-
FEMALE--	4	7	3	7	10	5	2	-	-	-	-	-
BLACK---MALE----	5	8	8	21	6	6	4	4	-	-	-	-
FEMALE--	4	6	3	7	8	4	2	-	-	-	-	-
DELAWARE ----------	33	45	63	96	103	104	56	28	9	2	-	-
WHITE------MALE----	16	17	30	45	59	47	31	8	4	2	-	-
FEMALE--	10	15	18	30	33	46	18	14	5	-	-	-
ALL OTHER--MALE----	4	6	13	15	5	9	4	4	-	-	-	-
FEMALE--	3	7	2	6	6	2	3	2	-	-	-	-
BLACK---MALE----	4	6	13	14	5	9	4	4	-	-	-	-
FEMALE--	3	7	2	6	6	1	2	2	-	-	-	-
DISTRICT OF COLUMBIA ---	24	25	44	39	57	57	29	17	5	4	-	-
WHITE------MALE----	2	4	7	2	5	8	4	1	-	-	-	-
FEMALE--	1	1	3	6	4	3	6	6	3	-	-	-
ALL OTHER--MALE----	11	13	24	18	32	26	12	6	2	2	-	-
FEMALE--	10	7	10	13	16	20	7	4	-	2	-	-
BLACK---MALE----	11	13	24	18	32	26	12	6	2	2	-	-
FEMALE--	9	7	10	13	16	20	7	4	-	2	-	-
FLORIDA ----------	552	880	1,191	1,695	2,308	2,119	1,528	787	279	46	4	-
WHITE------MALE----	289	480	658	958	1,333	1,154	797	405	135	24	-	-
FEMALE--	187	281	398	591	835	847	660	352	128	21	2	-
ALL OTHER--MALE----	54	86	94	110	107	80	46	15	9	-	1	-
FEMALE--	22	33	41	36	33	38	25	15	7	1	1	-
BLACK---MALE----	52	86	90	105	101	78	46	15	8	-	-	-
FEMALE--	20	31	36	36	30	36	25	13	7	1	1	-
GEORGIA ----------	259	381	518	701	720	609	370	181	45	10	2	-
WHITE------MALE----	102	197	267	370	359	321	197	76	18	4	-	-
FEMALE--	80	110	134	178	226	187	115	64	15	4	1	-
ALL OTHER--MALE----	57	60	82	101	95	66	40	29	5	1	-	-
FEMALE--	20	14	35	52	40	35	18	12	7	1	1	-
BLACK---MALE----	57	60	80	99	95	65	40	29	4	1	-	-
FEMALE--	20	14	34	52	40	35	18	12	7	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
HAWAII ----------	467	-	-	-	-	-	-	3	2	6	4	19
WHITE------MALE----	85	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	58	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	212	-	-	-	-	-	-	2	1	1	1	9
FEMALE--	112	-	-	-	-	-	-	1	1	3	2	4
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
IDAHO ----------	506	-	-	-	-	-	-	-	-	-	7	10
WHITE------MALE----	295	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	203	-	-	-	-	-	-	-	-	-	5	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6,942	-	-	-	-	-	2	4	5	34	101	182
WHITE------MALE----	3,397	-	-	-	-	-	1	1	3	12	41	69
FEMALE--	2,443	-	-	-	-	-	-	3	1	13	30	56
ALL OTHER--MALE----	700	-	-	-	-	-	1	-	-	4	14	35
FEMALE--	402	-	-	-	-	-	-	-	1	5	16	22
BLACK---MALE----	663	-	-	-	-	-	1	-	-	4	13	34
FEMALE--	390	-	-	-	-	-	-	-	1	5	16	21
INDIANA ----------	3,993	-	-	-	-	-	-	-	2	23	57	113
WHITE------MALE----	2,202	-	-	-	-	-	-	-	2	8	24	76
FEMALE--	1,471	-	-	-	-	-	-	-	-	12	26	30
ALL OTHER--MALE----	203	-	-	-	-	-	-	-	-	1	6	4
FEMALE--	117	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	200	-	-	-	-	-	-	-	-	1	6	4
FEMALE--	115	-	-	-	-	-	-	-	-	2	1	3
IOWA ----------	1,733	-	-	-	-	-	-	-	-	5	20	34
WHITE------MALE----	1,058	-	-	-	-	-	-	-	-	2	11	17
FEMALE--	646	-	-	-	-	-	-	-	-	3	8	17
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1,506	-	-	-	-	-	-	1	3	5	27	42
WHITE------MALE----	868	-	-	-	-	-	-	1	1	4	14	21
FEMALE--	550	-	-	-	-	-	-	-	2	-	11	19
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	46	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
HAWAII ----------	23	33	41	63	93	73	66	29	9	3	-	-
WHITE------MALE----	2	7	6	16	15	13	10	8	2	-	-	-
FEMALE--	2	3	8	6	13	12	10	1	-	-	-	-
ALL OTHER--MALE----	11	17	17	25	42	36	33	14	3	-	-	-
FEMALE--	8	6	10	16	23	12	13	6	4	3	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO ----------	22	35	52	80	98	91	60	36	12	3	-	-
WHITE------MALE----	13	20	23	49	58	54	43	19	7	2	-	-
FEMALE--	8	14	27	31	39	35	16	17	5	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	321	607	766	1,100	1,247	1,181	803	427	133	25	4	-
WHITE------MALE----	126	316	381	538	663	588	392	204	54	6	2	-
FEMALE--	110	167	253	360	405	424	345	193	64	17	2	-
ALL OTHER--MALE----	64	84	89	118	118	107	40	18	8	-	-	-
FEMALE--	21	40	43	84	61	62	26	12	7	2	-	-
BLACK---MALE----	63	80	86	108	109	100	39	18	8	-	-	-
FEMALE--	19	38	43	82	60	61	24	11	7	2	-	-
INDIANA ----------	180	316	483	650	767	692	419	207	66	15	3	-
WHITE------MALE----	97	173	265	352	445	389	233	105	28	4	1	-
FEMALE--	63	116	165	244	264	253	166	89	30	11	2	-
ALL OTHER--MALE----	12	15	34	36	37	33	15	7	3	-	-	-
FEMALE--	8	12	19	18	21	17	5	6	5	-	-	-
BLACK---MALE----	12	14	33	36	36	33	15	7	3	-	-	-
FEMALE--	8	12	19	18	20	16	5	6	5	-	-	-
IOWA ----------	70	117	196	253	298	335	245	104	45	10	1	-
WHITE------MALE----	40	76	129	151	189	211	141	59	26	6	-	-
FEMALE--	29	37	63	95	107	121	99	45	17	4	1	-
ALL OTHER--MALE----	-	2	1	4	1	2	3	-	2	-	-	-
FEMALE--	1	2	3	3	1	1	2	-	-	-	-	-
BLACK---MALE----	-	2	1	4	1	2	2	-	2	-	-	-
FEMALE--	-	2	3	3	1	1	2	-	-	-	-	-
KANSAS ----------	71	103	168	229	281	259	192	97	24	3	1	-
WHITE------MALE----	42	58	97	148	162	145	110	54	10	1	-	-
FEMALE--	22	37	57	71	100	104	74	36	14	2	1	-
ALL OTHER--MALE----	4	5	9	7	10	4	7	6	-	-	-	-
FEMALE--	3	3	5	3	9	6	1	1	-	-	-	-
BLACK---MALE----	3	3	8	6	9	4	6	4	-	-	-	-
FEMALE--	3	2	3	2	8	5	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
KENTUCKY ----------	3,056	-	-	-	1	-	-	-	3	17	50	83
WHITE------MALE----	1,778	-	-	-	-	-	-	-	1	10	27	49
FEMALE--	1,088	-	-	-	-	-	-	-	2	5	19	28
ALL OTHER--MALE----	119	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	71	-	-	-	1	-	-	-	-	2	-	3
BLACK---MALE----	118	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	71	-	-	-	1	-	-	-	-	2	-	3
LOUISIANA ----------	2,784	-	-	-	-	-	-	2	1	13	51	94
WHITE------MALE----	1,225	-	-	-	-	-	-	-	-	4	20	33
FEMALE--	757	-	-	-	-	-	-	-	1	5	10	21
ALL OTHER--MALE----	535	-	-	-	-	-	-	1	-	3	16	25
FEMALE--	267	-	-	-	-	-	-	1	-	1	5	15
BLACK---MALE----	530	-	-	-	-	-	-	1	-	3	16	25
FEMALE--	265	-	-	-	-	-	-	1	-	1	5	15
MAINE ----------	859	-	-	-	-	-	-	1	-	5	14	24
WHITE------MALE----	486	-	-	-	-	-	-	-	-	1	7	18
FEMALE--	367	-	-	-	-	-	-	1	-	4	7	6
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2,948	-	-	-	-	-	-	2	1	18	53	84
WHITE------MALE----	1,278	-	-	-	-	-	-	-	1	4	20	28
FEMALE--	986	-	-	-	-	-	-	2	-	5	13	21
ALL OTHER--MALE----	427	-	-	-	-	-	-	-	-	4	11	20
FEMALE--	257	-	-	-	-	-	-	-	-	5	9	15
BLACK---MALE----	413	-	-	-	-	-	-	-	-	4	10	19
FEMALE--	249	-	-	-	-	-	-	-	-	5	9	15
MASSACHUSETTS ----------	3,716	-	-	-	-	1	1	1	7	13	52	92
WHITE------MALE----	1,992	-	-	-	-	-	1	1	3	6	28	44
FEMALE--	1,545	-	-	-	-	-	-	-	2	7	21	32
ALL OTHER--MALE----	112	-	-	-	-	1	-	-	2	-	2	12
FEMALE--	67	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	86	-	-	-	-	-	-	-	1	-	1	8
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	3
MICHIGAN ----------	5,607	-	-	-	-	-	-	1	11	28	87	188
WHITE------MALE----	2,786	-	-	-	-	-	-	1	5	10	35	72
FEMALE--	1,999	-	-	-	-	-	-	-	4	11	27	60
ALL OTHER--MALE----	487	-	-	-	-	-	-	-	1	2	13	34
FEMALE--	335	-	-	-	-	-	-	-	1	5	12	22
BLACK---MALE----	463	-	-	-	-	-	-	-	1	2	13	33
FEMALE--	296	-	-	-	-	-	-	-	1	5	10	20

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
KENTUCKY ----------	174	285	388	480	536	526	324	154	26	9	-	-
WHITE------MALE----	95	178	216	287	313	317	187	85	10	3	-	-
FEMALE--	61	91	137	171	189	188	124	55	12	6	-	-
ALL OTHER--MALE----	12	10	26	12	23	10	8	11	-	-	-	-
FEMALE--	6	6	9	10	11	11	5	3	4	-	-	-
BLACK---MALE----	12	10	25	12	23	10	8	11	-	-	-	-
FEMALE--	6	6	9	10	11	11	5	3	4	-	-	-
LOUISIANA ----------	179	225	330	418	529	455	260	169	45	10	3	-
WHITE------MALE----	64	93	148	174	258	210	128	69	20	3	1	-
FEMALE--	34	51	79	116	147	127	87	56	15	7	1	-
ALL OTHER--MALE----	53	64	75	90	78	77	25	25	2	-	1	-
FEMALE--	28	17	28	38	46	41	20	19	8	-	-	-
BLACK---MALE----	52	63	74	90	77	77	25	24	2	-	1	-
FEMALE--	27	17	27	38	46	41	20	19	8	-	-	-
MAINE ----------	41	69	88	133	169	137	94	63	19	1	1	-
WHITE------MALE----	19	41	49	75	106	70	61	36	2	-	1	-
FEMALE--	22	27	38	57	61	67	32	27	17	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	146	249	330	429	525	520	360	165	52	13	1	-
WHITE------MALE----	64	121	134	191	229	229	168	66	19	4	-	-
FEMALE--	44	55	96	141	176	196	135	68	25	8	1	-
ALL OTHER--MALE----	29	46	71	61	63	65	33	20	4	-	-	-
FEMALE--	9	27	29	36	57	30	24	11	4	1	-	-
BLACK---MALE----	29	45	70	56	60	65	32	19	4	-	-	-
FEMALE--	9	26	29	34	56	29	23	11	3	-	-	-
MASSACHUSETTS ----------	168	248	346	526	713	695	516	235	82	16	4	-
WHITE------MALE----	94	131	183	296	404	370	281	101	38	10	1	-
FEMALE--	65	97	146	200	278	302	219	125	43	6	2	-
ALL OTHER--MALE----	6	13	10	23	19	14	7	3	-	-	-	-
FEMALE--	3	7	7	7	12	9	9	6	1	-	1	-
BLACK---MALE----	5	13	9	15	14	11	6	3	-	-	-	-
FEMALE--	3	5	5	6	10	7	7	6	-	-	1	-
MICHIGAN ----------	306	442	656	828	1,077	925	690	273	78	14	3	-
WHITE------MALE----	124	212	338	437	567	460	352	133	32	6	2	-
FEMALE--	104	153	226	253	389	358	259	112	36	7	-	-
ALL OTHER--MALE----	45	47	57	86	74	62	51	10	4	-	1	-
FEMALE--	33	30	35	52	47	45	28	18	6	1	-	-
BLACK---MALE----	44	43	53	84	69	61	46	10	3	-	1	-
FEMALE--	30	28	30	41	42	39	25	18	6	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
MINNESOTA ----------	2,282	-	-	-	-	-	-	-	-	14	25	55
WHITE------MALE----	1,306	-	-	-	-	-	-	-	-	5	13	29
FEMALE--	895	-	-	-	-	-	-	-	-	8	9	24
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
MISSISSIPPI ----------	1,955	-	-	-	-	1	2	-	2	12	32	76
WHITE------MALE----	905	-	-	-	-	1	-	-	2	3	10	27
FEMALE--	530	-	-	-	-	-	1	-	-	6	6	12
ALL OTHER--MALE----	357	-	-	-	-	-	1	-	-	1	11	24
FEMALE--	163	-	-	-	-	-	-	-	-	2	5	13
BLACK---MALE----	354	-	-	-	-	-	1	-	-	1	11	24
FEMALE--	162	-	-	-	-	-	-	-	-	2	5	13
MISSOURI ----------	3,735	-	-	-	-	-	1	2	1	14	56	97
WHITE------MALE----	1,987	-	-	-	-	-	1	1	-	8	19	47
FEMALE--	1,378	-	-	-	-	-	-	1	1	4	29	29
ALL OTHER--MALE----	216	-	-	-	-	-	-	-	-	2	5	15
FEMALE--	154	-	-	-	-	-	-	-	-	-	3	6
BLACK---MALE----	208	-	-	-	-	-	-	-	-	2	5	15
FEMALE--	148	-	-	-	-	-	-	-	-	-	3	6
MONTANA ----------	514	-	-	-	-	-	-	-	-	-	4	13
WHITE------MALE----	280	-	-	-	-	-	-	-	-	-	2	9
FEMALE--	205	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	932	-	-	-	-	-	-	-	1	7	13	22
WHITE------MALE----	540	-	-	-	-	-	-	-	1	4	9	11
FEMALE--	353	-	-	-	-	-	-	-	-	3	3	8
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
NEVADA ----------	1,158	-	-	-	-	-	-	-	-	3	12	26
WHITE------MALE----	620	-	-	-	-	-	-	-	-	2	8	8
FEMALE--	460	-	-	-	-	-	-	-	-	1	3	13
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	5
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
MINNESOTA ----------	99	187	284	322	402	402	301	130	51	10	-	-
WHITE------MALE----	52	109	162	201	238	242	163	66	24	2	-	-
FEMALE--	42	64	106	112	149	149	137	62	26	7	-	-
ALL OTHER--MALE----	3	9	10	6	8	8	-	1	1	-	-	-
FEMALE--	2	5	6	3	7	3	1	1	-	1	-	-
BLACK---MALE----	3	6	10	3	4	6	-	-	-	-	-	-
FEMALE--	2	3	3	2	3	1	1	-	-	-	-	-
MISSISSIPPI ----------	101	188	236	285	368	303	209	102	29	6	3	-
WHITE------MALE----	48	83	113	140	193	133	95	46	9	1	1	-
FEMALE--	12	45	68	66	108	99	64	29	9	4	1	-
ALL OTHER--MALE----	31	44	38	53	37	55	32	19	9	1	1	-
FEMALE--	10	16	17	26	30	16	18	8	2	-	-	-
BLACK---MALE----	30	44	38	53	37	54	32	18	9	1	1	-
FEMALE--	10	16	17	25	30	16	18	8	2	-	-	-
MISSOURI ----------	189	305	437	624	669	624	440	191	65	16	4	-
WHITE------MALE----	112	173	244	358	344	327	228	91	32	1	1	-
FEMALE--	55	95	144	207	256	241	185	86	29	14	2	-
ALL OTHER--MALE----	9	27	30	34	39	28	17	9	1	-	-	-
FEMALE--	13	10	19	25	30	28	10	5	3	1	1	-
BLACK---MALE----	7	27	29	33	36	28	16	9	1	-	-	-
FEMALE--	12	9	19	24	29	27	10	4	3	1	1	-
MONTANA ----------	23	31	55	85	105	99	49	38	10	2	-	-
WHITE------MALE----	12	13	26	50	67	52	23	20	6	-	-	-
FEMALE--	10	13	23	29	33	44	24	17	4	2	-	-
ALL OTHER--MALE----	1	2	2	1	5	1	1	-	-	-	-	-
FEMALE--	-	3	4	5	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	37	63	116	144	167	165	112	51	29	3	2	-
WHITE------MALE----	23	38	62	80	106	95	69	27	13	2	-	-
FEMALE--	14	21	43	57	55	69	39	22	16	1	2	-
ALL OTHER--MALE----	-	2	8	6	4	1	2	2	-	-	-	-
FEMALE--	-	2	3	1	2	-	2	-	-	-	-	-
BLACK---MALE----	-	2	8	6	4	1	-	2	-	-	-	-
FEMALE--	-	-	3	1	2	-	1	-	-	-	-	-
NEVADA ----------	60	91	163	196	239	178	130	41	16	2	1	-
WHITE------MALE----	32	48	90	109	127	103	69	18	6	-	-	-
FEMALE--	25	34	62	72	101	66	54	16	10	2	1	-
ALL OTHER--MALE----	2	5	5	7	9	6	4	3	-	-	-	-
FEMALE--	1	4	6	8	2	3	3	4	-	-	-	-
BLACK---MALE----	2	4	5	3	9	3	3	1	-	-	-	-
FEMALE--	1	4	3	5	2	2	3	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
NEW HAMPSHIRE ----------	689	-	-	-	-	-	-	-	1	2	17	20
WHITE------MALE----	392	-	-	-	-	-	-	-	-	1	13	11
FEMALE--	294	-	-	-	-	-	-	-	1	1	4	9
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4,758	-	-	-	-	-	-	-	4	25	70	115
WHITE------MALE----	2,358	-	-	-	-	-	-	-	2	8	31	58
FEMALE--	1,810	-	-	-	-	-	-	-	2	9	27	37
ALL OTHER--MALE----	356	-	-	-	-	-	-	-	-	3	7	12
FEMALE--	234	-	-	-	-	-	-	-	-	5	5	8
BLACK---MALE----	335	-	-	-	-	-	-	-	-	3	6	12
FEMALE--	215	-	-	-	-	-	-	-	-	4	4	8
NEW MEXICO ----------	648	-	-	-	-	-	-	-	-	2	3	12
WHITE------MALE----	361	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	266	-	-	-	-	-	-	-	-	2	1	6
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	9,915	-	-	1	-	2	1	2	16	53	167	292
WHITE------MALE----	4,713	-	-	-	-	-	-	1	7	18	65	136
FEMALE--	3,836	-	-	1	-	1	-	1	5	18	65	96
ALL OTHER--MALE----	818	-	-	-	-	1	-	-	2	8	22	36
FEMALE--	548	-	-	-	-	-	1	-	2	9	15	24
BLACK---MALE----	694	-	-	-	-	1	-	-	2	6	22	33
FEMALE--	479	-	-	-	-	-	1	-	1	9	14	24
NORTH CAROLINA ---------	4,843	-	-	-	-	-	-	2	7	27	61	131
WHITE------MALE----	2,432	-	-	-	-	-	-	-	1	10	31	54
FEMALE--	1,530	-	-	-	-	-	-	-	6	8	14	34
ALL OTHER--MALE----	604	-	-	-	-	-	-	1	-	5	11	35
FEMALE--	277	-	-	-	-	-	-	1	-	4	5	8
BLACK---MALE----	575	-	-	-	-	-	-	1	-	5	11	33
FEMALE--	261	-	-	-	-	-	-	-	-	4	5	8
NORTH DAKOTA ----------	310	-	-	-	-	-	-	-	-	1	4	6
WHITE------MALE----	180	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	117	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
NEW HAMPSHIRE ----------	41	52	73	109	132	116	67	43	12	4	-	-
WHITE------MALE----	24	32	46	59	68	71	38	23	5	1	-	-
FEMALE--	17	20	26	50	64	45	28	20	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEW JERSEY ----------	230	392	495	694	893	848	593	295	88	12	4	-
WHITE------MALE----	103	196	239	362	447	441	282	149	33	6	1	-
FEMALE--	79	124	172	239	334	339	267	127	45	6	3	-
ALL OTHER--MALE----	34	48	51	59	68	41	21	10	2	-	-	-
FEMALE--	14	24	33	34	44	27	23	9	8	-	-	-
BLACK---MALE----	31	44	49	56	66	37	21	9	1	-	-	-
FEMALE--	12	22	32	31	40	26	22	7	7	-	-	-
NEW MEXICO ----------	28	49	63	93	120	127	94	43	11	2	1	-
WHITE------MALE----	20	28	31	48	69	72	54	25	4	1	1	-
FEMALE--	7	19	31	39	46	52	38	17	7	1	-	-
ALL OTHER--MALE----	-	-	1	2	5	2	1	1	-	-	-	-
FEMALE--	1	2	-	4	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	2	4	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
NEW YORK ----------	531	834	1,117	1,419	1,792	1,629	1,182	634	191	45	7	-
WHITE------MALE----	228	393	533	698	890	797	551	297	75	19	5	-
FEMALE--	181	298	381	521	693	640	526	287	97	24	1	-
ALL OTHER--MALE----	84	95	131	134	114	99	56	25	8	2	1	-
FEMALE--	38	48	72	66	95	93	49	25	11	-	-	-
BLACK---MALE----	72	86	108	115	97	78	45	20	7	1	1	-
FEMALE--	34	45	60	55	86	83	41	16	10	-	-	-
NORTH CAROLINA ---------	277	377	631	760	942	848	473	228	59	18	2	-
WHITE------MALE----	123	189	325	403	470	460	237	103	22	4	-	-
FEMALE--	78	107	190	225	324	260	162	88	26	7	1	-
ALL OTHER--MALE----	56	57	84	92	100	88	50	20	4	-	1	-
FEMALE--	20	24	32	40	48	40	24	17	7	7	-	-
BLACK---MALE----	55	55	75	89	91	86	49	20	4	-	1	-
FEMALE--	18	23	31	35	46	39	24	15	6	7	-	-
NORTH DAKOTA ----------	8	19	32	51	59	48	36	40	5	1	-	-
WHITE------MALE----	7	11	19	21	40	26	27	23	1	-	-	-
FEMALE--	1	8	10	28	17	21	8	16	3	1	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	1	-	1	-	-	-
FEMALE--	-	-	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
OHIO ----------	7,378	-	-	-	-	1	-	3	8	34	95	192
WHITE------MALE----	3,849	-	-	-	-	1	-	2	4	17	44	99
FEMALE--	2,700	-	-	-	-	-	-	-	3	15	37	66
ALL OTHER--MALE----	494	-	-	-	-	-	-	-	-	1	4	16
FEMALE--	335	-	-	-	-	-	-	1	1	1	10	11
BLACK---MALE----	483	-	-	-	-	-	-	-	-	1	4	16
FEMALE--	321	-	-	-	-	-	-	-	1	1	10	11
OKLAHOMA ----------	2,285	-	-	-	-	-	-	1	-	8	36	57
WHITE------MALE----	1,280	-	-	-	-	-	-	1	-	1	20	32
FEMALE--	807	-	-	-	-	-	-	-	-	5	14	16
ALL OTHER--MALE----	120	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	78	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	70	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	45	-	-	-	-	-	-	-	-	2	1	2
OREGON ----------	1,933	-	-	-	-	-	-	-	3	5	14	36
WHITE------MALE----	1,032	-	-	-	-	-	-	-	1	5	9	19
FEMALE--	838	-	-	-	-	-	-	-	2	-	5	13
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	4
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA ----------	8,200	-	-	-	-	-	2	2	12	28	101	197
WHITE------MALE----	4,309	-	-	-	-	-	1	-	4	11	43	86
FEMALE--	3,029	-	-	-	-	-	1	1	6	11	37	63
ALL OTHER--MALE----	479	-	-	-	-	-	-	1	1	2	12	23
FEMALE--	383	-	-	-	-	-	-	-	1	4	9	25
BLACK---MALE----	470	-	-	-	-	-	-	1	1	2	12	22
FEMALE--	374	-	-	-	-	-	-	-	1	4	9	23
RHODE ISLAND ----------	716	-	-	-	-	-	1	1	-	4	10	21
WHITE------MALE----	394	-	-	-	-	-	-	1	-	1	7	8
FEMALE--	301	-	-	-	-	-	-	-	-	3	3	12
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA ---------	2,416	-	-	-	-	-	-	-	3	21	26	81
WHITE------MALE----	1,131	-	-	-	-	-	-	-	1	7	9	25
FEMALE--	735	-	-	-	-	-	-	-	2	6	4	16
ALL OTHER--MALE----	404	-	-	-	-	-	-	-	-	5	11	32
FEMALE--	146	-	-	-	-	-	-	-	-	3	2	8
BLACK---MALE----	399	-	-	-	-	-	-	-	-	5	11	32
FEMALE--	144	-	-	-	-	-	-	-	-	3	2	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
OHIO ----------	362	619	855	1,150	1,447	1,280	782	410	116	21	3	-
WHITE------MALE----	183	308	456	604	798	664	399	218	44	7	1	-
FEMALE--	127	222	294	411	496	486	312	157	63	10	1	-
ALL OTHER--MALE----	28	62	60	86	94	78	40	18	4	2	1	-
FEMALE--	24	27	45	49	59	52	31	17	5	2	-	-
BLACK---MALE----	28	61	56	85	92	78	38	18	3	2	1	-
FEMALE--	23	27	44	49	53	50	30	15	5	2	-	-
OKLAHOMA ----------	101	185	284	375	409	402	240	135	45	6	1	-
WHITE------MALE----	59	92	179	206	216	238	140	72	22	2	-	-
FEMALE--	33	71	80	138	151	139	82	54	19	4	1	-
ALL OTHER--MALE----	8	14	13	19	25	12	13	7	2	-	-	-
FEMALE--	1	8	12	12	17	13	5	2	2	-	-	-
BLACK---MALE----	5	6	11	7	15	8	8	5	1	-	-	-
FEMALE--	-	3	8	8	9	9	1	1	1	-	-	-
OREGON ----------	81	132	212	294	356	365	265	124	36	7	3	-
WHITE------MALE----	48	60	108	157	177	219	145	63	18	2	1	-
FEMALE--	33	67	95	122	165	141	111	60	17	5	2	-
ALL OTHER--MALE----	-	4	5	5	10	3	6	1	1	-	-	-
FEMALE--	-	1	4	10	4	2	3	-	-	-	-	-
BLACK---MALE----	-	2	-	3	4	1	3	1	-	-	-	-
FEMALE--	-	1	2	2	1	1	-	-	-	-	-	-
PENNSYLVANIA ----------	367	596	801	1,236	1,652	1,508	989	514	157	29	9	-
WHITE------MALE----	192	314	447	668	922	809	498	231	71	12	-	-
FEMALE--	111	199	238	418	600	572	436	237	77	14	8	-
ALL OTHER--MALE----	37	40	70	92	65	75	32	23	3	2	1	-
FEMALE--	27	43	46	58	65	52	23	23	6	1	-	-
BLACK---MALE----	37	40	70	89	65	71	31	23	3	2	1	-
FEMALE--	27	41	46	57	64	50	23	22	6	1	-	-
RHODE ISLAND ----------	24	50	55	100	138	146	91	54	18	3	-	-
WHITE------MALE----	11	24	25	56	85	88	50	25	10	3	-	-
FEMALE--	11	25	28	40	48	55	39	29	8	-	-	-
ALL OTHER--MALE----	1	1	2	3	5	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	2	3	3	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
SOUTH CAROLINA ---------	146	229	324	400	461	368	219	114	16	7	1	-
WHITE------MALE----	70	104	149	204	220	185	99	49	4	4	1	-
FEMALE--	32	58	99	111	150	120	79	48	9	1	-	-
ALL OTHER--MALE----	31	50	56	62	71	44	30	9	1	2	-	-
FEMALE--	13	17	20	23	20	19	11	8	2	-	-	-
BLACK---MALE----	30	49	54	62	71	43	30	9	1	2	-	-
FEMALE--	13	17	18	23	20	19	11	8	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
SOUTH DAKOTA ----------	415	-	-	-	-	-	-	-	-	-	6	4
WHITE------MALE----	255	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	137	-	-	-	-	-	-	-	-	-	4	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3,927	-	-	-	-	1	1	2	11	14	53	117
WHITE------MALE----	2,195	-	-	-	-	-	-	-	4	3	25	50
FEMALE--	1,196	-	-	-	-	-	1	2	3	8	14	33
ALL OTHER--MALE----	353	-	-	-	-	1	-	-	2	2	9	24
FEMALE--	183	-	-	-	-	-	-	-	2	1	5	10
BLACK---MALE----	346	-	-	-	-	1	-	-	2	2	9	24
FEMALE--	179	-	-	-	-	-	-	-	2	1	5	10
TEXAS ----------	9,489	-	-	-	-	-	2	3	9	54	140	242
WHITE------MALE----	4,909	-	-	-	-	-	2	3	3	22	58	96
FEMALE--	3,357	-	-	-	-	-	-	-	4	18	56	75
ALL OTHER--MALE----	797	-	-	-	-	-	-	-	-	8	16	53
FEMALE--	426	-	-	-	-	-	-	-	2	6	10	18
BLACK---MALE----	751	-	-	-	-	-	-	-	-	8	16	49
FEMALE--	396	-	-	-	-	-	-	-	2	5	8	16
UTAH ----------	414	-	-	-	-	-	-	-	-	2	4	10
WHITE------MALE----	244	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	157	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	351	-	-	-	-	-	-	1	-	4	4	7
WHITE------MALE----	221	-	-	-	-	-	-	1	-	2	4	3
FEMALE--	130	-	-	-	-	-	-	-	-	2	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3,902	1	-	-	-	-	1	2	-	21	56	92
WHITE------MALE----	1,864	1	-	-	-	-	1	1	-	11	21	44
FEMALE--	1,281	-	-	-	-	-	-	-	-	5	20	21
ALL OTHER--MALE----	499	-	-	-	-	-	-	1	-	1	9	19
FEMALE--	258	-	-	-	-	-	-	-	-	4	6	8
BLACK---MALE----	475	-	-	-	-	-	-	1	-	1	9	17
FEMALE--	239	-	-	-	-	-	-	-	-	4	5	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
SOUTH DAKOTA ----------	12	32	47	55	88	72	52	34	8	5	-	-
WHITE------MALE----	8	24	32	35	58	41	25	24	1	2	-	-
FEMALE--	3	8	11	14	27	27	23	10	7	3	-	-
ALL OTHER--MALE----	-	-	3	5	2	3	3	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	252	384	526	653	702	610	370	170	52	9	-	-
WHITE------MALE----	141	209	300	378	421	335	216	89	20	4	-	-
FEMALE--	74	115	154	189	206	199	114	55	26	3	-	-
ALL OTHER--MALE----	24	45	53	55	49	51	21	13	3	1	-	-
FEMALE--	13	15	19	31	26	25	19	13	3	1	-	-
BLACK---MALE----	24	44	51	54	47	50	21	13	3	1	-	-
FEMALE--	12	15	19	31	24	24	19	13	3	1	-	-
TEXAS ----------	494	787	1,091	1,469	1,776	1,622	1,035	547	185	29	4	-
WHITE------MALE----	232	417	605	787	895	866	553	277	80	12	1	-
FEMALE--	156	261	327	487	679	579	381	226	92	13	3	-
ALL OTHER--MALE----	70	76	101	133	141	102	64	23	9	1	-	-
FEMALE--	36	33	58	62	61	75	37	21	4	3	-	-
BLACK---MALE----	70	73	95	126	133	92	59	21	8	1	-	-
FEMALE--	34	28	53	57	57	72	36	21	4	3	-	-
UTAH ----------	19	37	44	66	73	75	50	21	8	5	-	-
WHITE------MALE----	15	18	21	38	37	57	34	11	2	2	-	-
FEMALE--	4	18	21	27	34	16	14	9	5	3	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	2	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	24	37	37	56	50	69	30	24	6	2	-	-
WHITE------MALE----	13	25	24	34	30	50	17	14	4	-	-	-
FEMALE--	11	12	13	22	20	19	13	10	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	209	357	450	658	716	641	418	199	68	10	3	-
WHITE------MALE----	92	193	231	335	330	295	193	90	23	3	-	-
FEMALE--	59	84	129	188	265	236	154	75	37	6	2	-
ALL OTHER--MALE----	40	53	62	82	89	71	49	18	4	1	-	-
FEMALE--	18	27	28	53	32	39	22	16	4	-	1	-
BLACK---MALE----	38	52	56	80	87	66	46	18	4	-	-	-
FEMALE--	14	27	26	48	29	37	21	16	4	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
WASHINGTON ----------	3,152	-	-	-	-	-	-	-	2	11	34	73
WHITE------MALE----	1,658	-	-	-	-	-	-	-	1	5	18	39
FEMALE--	1,354	-	-	-	-	-	-	-	1	4	11	30
ALL OTHER--MALE----	96	-	-	-	-	-	-	-	-	2	4	3
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	49	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	1,615	-	-	-	1	-	-	1	2	7	20	41
WHITE------MALE----	947	-	-	-	1	-	-	-	1	5	9	24
FEMALE--	638	-	-	-	-	-	-	1	1	2	10	16
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2,735	-	-	-	-	-	-	-	1	10	24	59
WHITE------MALE----	1,538	-	-	-	-	-	-	-	1	2	9	33
FEMALE--	1,060	-	-	-	-	-	-	-	-	7	13	19
ALL OTHER--MALE----	86	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	51	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	71	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	44	-	-	-	-	-	-	-	-	-	2	2
WYOMING ----------	251	-	-	-	-	1	-	-	-	2	4	6
WHITE------MALE----	138	-	-	-	-	1	-	-	-	2	2	1
FEMALE--	108	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
WASHINGTON ----------	155	215	366	455	604	558	383	207	72	16	1	-
WHITE------MALE----	73	109	190	257	315	299	194	114	35	8	1	-
FEMALE--	68	90	153	172	265	242	183	91	36	8	-	-
ALL OTHER--MALE----	9	14	17	15	17	10	4	-	1	-	-	-
FEMALE--	5	2	6	11	7	7	2	2	-	-	-	-
BLACK---MALE----	5	8	11	5	9	6	-	-	-	-	-	-
FEMALE--	2	1	2	6	4	1	1	-	-	-	-	-
WEST VIRGINIA ----------	72	134	202	258	300	304	160	82	26	4	1	-
WHITE------MALE----	43	78	117	155	189	173	92	47	12	1	-	-
FEMALE--	29	55	83	98	106	126	63	32	13	2	1	-
ALL OTHER--MALE----	-	-	2	3	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	2	3	4	3	3	1	1	-	-
BLACK---MALE----	-	-	2	3	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	2	3	4	3	3	1	1	-	-
WISCONSIN ----------	147	223	308	440	522	444	324	168	52	12	1	-
WHITE------MALE----	76	131	171	250	308	260	167	92	31	7	-	-
FEMALE--	56	73	115	169	188	170	150	74	20	5	1	-
ALL OTHER--MALE----	13	13	10	12	17	8	6	1	-	-	-	-
FEMALE--	2	6	12	9	9	6	1	1	1	-	-	-
BLACK---MALE----	10	11	9	8	14	8	5	1	-	-	-	-
FEMALE--	2	4	10	8	9	5	1	-	1	-	-	-
WYOMING ----------	8	18	27	42	53	38	31	14	5	2	-	-
WHITE------MALE----	6	8	16	20	37	16	18	8	2	1	-	-
FEMALE--	2	9	11	20	16	22	12	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 820

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
UNITED STATES -	456	-	-	-	1	1	3	1	4	8	29	23
WHITE------MALE----	227	-	-	-	-	-	1	1	1	4	14	11
FEMALE--	181	-	-	-	-	1	2	-	1	2	11	6
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	18	-	-	-	1	-	-	-	2	1	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	15	-	-	-	1	-	-	-	2	1	-	-
ALABAMA ----------	9	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	-	-	-	-	-	1	-	-	1	2	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	38	-	-	-	-	-	-	1	-	1	1	1
WHITE------MALE----	19	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 820

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
UNITED STATES -	43	37	34	50	53	60	47	36	22	3	1	-
WHITE------MALE----	27	25	17	28	23	36	18	16	5	-	-	-
FEMALE--	10	7	10	16	29	24	25	18	15	3	1	-
ALL OTHER--MALE----	5	5	4	3	1	-	2	-	-	-	-	-
FEMALE--	1	-	3	3	-	-	2	2	2	-	-	-
BLACK---MALE----	5	4	4	2	1	-	2	-	-	-	-	-
FEMALE--	1	-	2	3	-	-	2	1	2	-	-	-
ALABAMA ----------	1	2	-	1	1	2	1	-	-	-	-	-
WHITE------MALE----	1	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	1	1	3	-	-	-	1	-	-	-
WHITE------MALE----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	4	4	4	3	5	5	1	4	-	-	-
WHITE------MALE----	2	2	2	2	2	2	3	1	1	-	-	-
FEMALE--	2	1	2	1	1	3	2	-	3	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
COLORADO ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	25	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	12	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
COLORADO ----------	-	3	-	2	1	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	1	-	2	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	3	3	4	1	5	3	2	1	-	-	-
WHITE------MALE----	1	1	1	3	-	2	1	2	-	-	-	-
FEMALE--	-	2	1	1	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
GEORGIA ----------	1	2	1	1	1	1	1	1	1	-	-	-
WHITE------MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	22	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	7	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	11	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	1	2	6	1	2	-	3	1	-	-
WHITE------MALE----	1	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	5	1	2	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	1	2	-	1	2	1	-	-	-	1	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
KENTUCKY ----------	10	-	-	-	1	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA ----------	10	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	12	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
KENTUCKY ----------	-	-	1	2	-	4	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	-	-	1	-	-	3	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	1	-	-	1	1	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	1	-	-	-	2	2	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	3	-	1	1	2	1	1	-	-	-	-
WHITE------MALE----	-	3	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
MINNESOTA ----------	11	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	11	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
MINNESOTA ----------	1	-	1	-	1	3	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	1	2	1	1	1	-	-	-	-
WHITE------MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSOURI ----------	3	1	1	1	1	2	1	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	16	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	26	-	-	-	-	1	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	18	-	-	-	-	-	-	-	-	-	3	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	2	5	2	1	1	1	-	-	-	-
WHITE------MALE----	-	-	1	3	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	-	2	2	5	3	3	3	-	1	-	-
WHITE------MALE----	3	-	1	1	2	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	3	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NORTH CAROLINA ---------	3	1	1	2	1	2	4	1	-	-	-	-
WHITE------MALE----	1	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
OHIO ----------	23	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	27	-	-	-	-	-	-	-	1	-	3	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
OHIO ----------	-	3	1	1	-	6	4	2	2	-	-	-
WHITE------MALE----	-	2	-	1	-	4	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	1	1	1	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	-	2	6	-	1	1	7	3	-	-	-
WHITE------MALE----	2	-	2	4	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	3	2	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	18	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	27	-	-	-	-	-	-	-	-	1	3	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	1	2	5	1	5	2	-	-	-	-
WHITE------MALE----	-	-	1	2	4	-	3	2	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	2	1	2	1	4	5	3	-	1	-	-
WHITE------MALE----	2	2	-	1	-	3	1	2	-	-	-	-
FEMALE--	1	-	1	1	1	1	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	2	1	1	4	-	1	-	1	-	-	-
WHITE------MALE----	1	2	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
WASHINGTON ----------	14	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	11	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
WASHINGTON ----------	1	1	-	2	1	5	-	1	1	-	-	-
WHITE------MALE----	1	1	-	2	-	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	2	-	1	1	1	-	2	-	-	-
WHITE------MALE----	1	-	2	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of larynx (C32)												
UNITED STATES -	3,815	-	-	-	-	-	-	-	6	20	58	151
WHITE------MALE----	2,419	-	-	-	-	-	-	-	3	14	24	87
FEMALE--	687	-	-	-	-	-	-	-	1	-	7	14
ALL OTHER--MALE----	573	-	-	-	-	-	-	-	2	4	22	43
FEMALE--	136	-	-	-	-	-	-	-	-	2	5	7
BLACK---MALE----	536	-	-	-	-	-	-	-	2	4	21	41
FEMALE--	127	-	-	-	-	-	-	-	-	2	5	7
ALABAMA ----------	51	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	53	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	39	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	28	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	302	-	-	-	-	-	-	-	-	1	7	13
WHITE------MALE----	184	-	-	-	-	-	-	-	-	1	2	9
FEMALE--	68	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of larynx (C32)												
UNITED STATES -	254	410	494	584	655	529	363	200	72	16	3	-
WHITE------MALE----	158	252	310	372	417	352	249	133	36	9	3	-
FEMALE--	25	56	73	103	143	117	76	43	23	6	-	-
ALL OTHER--MALE----	58	87	86	86	73	45	35	21	10	1	-	-
FEMALE--	13	15	25	23	22	15	3	3	3	-	-	-
BLACK---MALE----	56	85	84	81	67	42	32	13	7	1	-	-
FEMALE--	13	13	23	22	20	15	2	2	3	-	-	-
ALABAMA ----------	2	3	9	8	5	7	6	5	3	-	-	-
WHITE------MALE----	1	1	3	4	4	5	4	2	1	-	-	-
FEMALE--	1	1	1	1	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	1	3	2	1	2	-	2	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	3	2	1	2	-	2	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	5	6	6	9	10	4	8	-	-	-	-
WHITE------MALE----	2	4	5	5	5	8	3	5	-	-	-	-
FEMALE--	-	1	1	1	4	1	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	4	7	5	3	3	3	-	-	-	-	-
WHITE------MALE----	1	4	5	3	1	3	2	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA ----------	8	30	45	39	53	38	37	27	4	-	-	-
WHITE------MALE----	5	20	26	22	33	23	24	18	1	-	-	-
FEMALE--	-	5	12	10	10	11	10	5	2	-	-	-
ALL OTHER--MALE----	2	3	3	7	8	4	2	3	1	-	-	-
FEMALE--	1	2	4	-	2	-	1	1	-	-	-	-
BLACK---MALE----	1	2	3	5	5	3	2	2	-	-	-	-
FEMALE--	1	1	4	-	2	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of larynx (C32)												
COLORADO ----------	28	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	60	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	41	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	24	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
FLORIDA ----------	311	-	-	-	-	-	-	-	2	1	3	10
WHITE------MALE----	219	-	-	-	-	-	-	-	2	1	1	8
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	75	-	-	-	-	-	-	-	-	-	1	5
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of larynx (C32)												
COLORADO ----------	-	2	5	4	6	4	4	1	1	-	-	-
WHITE------MALE----	-	1	5	4	2	1	3	1	1	-	-	-
FEMALE--	-	1	-	-	2	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	6	3	4	7	13	12	7	4	1	-	-	-
WHITE------MALE----	5	3	1	4	8	8	6	3	-	-	-	-
FEMALE--	-	-	2	-	5	3	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
DELAWARE ----------	1	2	2	4	1	3	1	1	-	-	-	-
WHITE------MALE----	1	1	1	1	1	2	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	2	6	2	3	4	2	1	-	-	-	-
WHITE------MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	3	1	2	3	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	3	1	2	3	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
FLORIDA ----------	19	38	41	46	54	43	34	10	8	2	-	-
WHITE------MALE----	14	25	32	32	39	28	25	7	3	2	-	-
FEMALE--	1	7	2	8	8	9	7	3	2	-	-	-
ALL OTHER--MALE----	4	5	4	5	7	4	2	-	2	-	-	-
FEMALE--	-	1	3	1	-	2	-	-	1	-	-	-
BLACK---MALE----	4	5	4	5	7	4	2	-	1	-	-	-
FEMALE--	-	1	2	1	-	2	-	-	1	-	-	-
GEORGIA ----------	9	10	8	12	13	6	4	5	2	-	-	-
WHITE------MALE----	4	3	4	7	6	2	3	2	-	-	-	-
FEMALE--	-	1	1	2	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	5	5	3	3	5	2	1	1	2	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	5	3	3	5	2	1	1	2	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of larynx (C32)												
HAWAII ----------	11	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	180	-	-	-	-	-	-	-	-	1	5	13
WHITE------MALE----	108	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	30	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	2
INDIANA ----------	78	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	55	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	52	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	41	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	28	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of larynx (C32)												
HAWAII ----------	-	1	1	-	1	-	2	4	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	2	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	4	-	1	2	-	1	-	-	-	-	-
WHITE------MALE----	-	4	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	12	29	21	21	31	24	13	5	2	3	-	-
WHITE------MALE----	7	17	10	12	21	19	10	4	1	1	-	-
FEMALE--	2	5	7	2	3	3	1	-	1	2	-	-
ALL OTHER--MALE----	3	5	2	5	4	1	2	1	-	-	-	-
FEMALE--	-	2	2	2	3	1	-	-	-	-	-	-
BLACK---MALE----	3	5	2	5	4	1	2	1	-	-	-	-
FEMALE--	-	2	2	2	2	1	-	-	-	-	-	-
INDIANA ----------	7	8	8	12	16	11	12	-	-	-	-	-
WHITE------MALE----	4	6	7	7	12	10	8	-	-	-	-	-
FEMALE--	2	1	1	2	4	-	3	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	4	9	6	9	14	2	3	2	-	-	-
WHITE------MALE----	3	3	7	5	7	12	1	2	1	-	-	-
FEMALE--	-	1	2	1	2	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	2	5	5	7	4	3	-	-	-	-	-
WHITE------MALE----	1	2	3	4	6	3	2	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of larynx (C32)												
KENTUCKY ----------	69	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	54	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	75	-	-	-	-	-	-	-	-	2	3	3
WHITE------MALE----	29	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	27	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	90	-	-	-	-	-	-	-	-	2	2	1
WHITE------MALE----	45	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	98	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	76	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	135	-	-	-	-	-	-	-	-	2	1	10
WHITE------MALE----	87	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of larynx (C32)												
KENTUCKY ----------	5	9	5	15	9	14	7	2	-	-	-	-
WHITE------MALE----	3	8	5	10	4	13	7	1	-	-	-	-
FEMALE--	-	-	-	5	5	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	12	7	13	7	11	10	4	3	-	-	-	-
WHITE------MALE----	7	-	6	2	4	3	2	2	-	-	-	-
FEMALE--	1	2	-	3	4	-	2	-	-	-	-	-
ALL OTHER--MALE----	4	5	7	2	2	5	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	4	5	7	2	1	5	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
MAINE ----------	1	2	3	5	5	3	1	2	2	1	-	-
WHITE------MALE----	-	2	3	5	4	3	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	13	9	15	18	13	8	1	1	-	-	-
WHITE------MALE----	6	8	3	8	7	5	3	1	1	-	-	-
FEMALE--	-	1	1	4	7	5	4	-	-	-	-	-
ALL OTHER--MALE----	1	3	5	3	4	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	5	3	4	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	9	9	11	9	15	19	18	2	1	2	-	-
WHITE------MALE----	7	7	10	5	10	14	17	1	1	2	-	-
FEMALE--	2	1	-	1	4	4	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MICHIGAN ----------	8	13	17	17	29	16	11	8	3	-	-	-
WHITE------MALE----	3	10	10	11	22	9	7	7	1	-	-	-
FEMALE--	1	1	1	2	5	7	2	1	2	-	-	-
ALL OTHER--MALE----	3	2	5	3	1	-	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	5	3	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of larynx (C32)												
MINNESOTA ----------	55	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	41	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	38	-	-	-	-	-	-	-	-	1	-	3
WHITE------MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MISSOURI ----------	92	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	59	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	23	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of larynx (C32)												
MINNESOTA ----------	2	6	4	13	8	12	6	2	-	-	-	-
WHITE------MALE----	1	3	4	10	8	7	6	1	-	-	-	-
FEMALE--	-	1	-	3	-	5	-	1	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	1	5	5	4	7	1	3	2	2	-	-
WHITE------MALE----	2	-	4	2	3	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	-	1	-	-
ALL OTHER--MALE----	2	1	-	2	-	4	1	-	1	1	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	2	-	4	1	-	1	1	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MISSOURI ----------	1	12	16	14	15	10	11	7	4	-	-	-
WHITE------MALE----	1	7	10	12	9	6	8	3	2	-	-	-
FEMALE--	-	1	3	-	6	3	3	4	1	-	-	-
ALL OTHER--MALE----	-	4	3	2	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	4	3	2	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MONTANA ----------	-	1	-	-	2	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	3	1	3	4	5	-	-	-	-	-	-
WHITE------MALE----	-	2	1	1	2	4	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	3	3	1	3	2	4	2	2	-	-	-
WHITE------MALE----	2	2	3	-	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of larynx (C32)												
NEW HAMPSHIRE ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	127	-	-	-	-	-	-	-	-	1	4	2
WHITE------MALE----	83	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	295	-	-	-	-	-	-	-	-	1	7	14
WHITE------MALE----	171	-	-	-	-	-	-	-	-	1	2	9
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	49	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	2	1
NORTH CAROLINA ---------	124	-	-	-	-	-	-	-	-	-	1	5
WHITE------MALE----	71	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	10	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of larynx (C32)												
NEW HAMPSHIRE ----------	4	-	1	4	2	3	1	1	-	-	-	-
WHITE------MALE----	3	-	1	2	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	2	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	14	14	19	24	18	19	4	3	-	-	-
WHITE------MALE----	3	8	8	15	14	13	13	2	2	-	-	-
FEMALE--	2	3	1	4	6	4	4	1	-	-	-	-
ALL OTHER--MALE----	-	3	4	-	3	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	3	4	-	3	-	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
NEW MEXICO ----------	1	-	1	1	3	-	3	4	-	-	-	-
WHITE------MALE----	1	-	1	-	2	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	20	39	35	51	44	42	23	14	3	1	1	-
WHITE------MALE----	11	19	19	34	23	30	14	6	2	-	1	-
FEMALE--	3	7	7	6	13	8	6	5	-	1	-	-
ALL OTHER--MALE----	4	11	7	11	3	4	2	3	1	-	-	-
FEMALE--	2	2	2	-	5	-	1	-	-	-	-	-
BLACK---MALE----	4	11	7	11	3	3	2	2	1	-	-	-
FEMALE--	2	2	2	-	5	-	1	-	-	-	-	-
NORTH CAROLINA ---------	8	9	21	24	23	13	11	6	2	1	-	-
WHITE------MALE----	2	5	14	14	15	8	5	5	1	1	-	-
FEMALE--	2	2	4	2	3	3	3	1	1	-	-	-
ALL OTHER--MALE----	3	2	3	7	5	2	3	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	3	6	5	2	3	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	2	2	1	1	-	1	-	-	-	-
WHITE------MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of larynx (C32)												
OHIO ----------	165	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	106	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	52	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	225	-	-	-	-	-	-	-	1	-	-	8
WHITE------MALE----	147	-	-	-	-	-	-	-	-	-	-	6
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	62	-	-	-	-	-	-	-	-	2	-	5
WHITE------MALE----	30	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of larynx (C32)												
OHIO	14	20	27	25	32	21	11	10	4	-	-	-
WHITE--MALE	8	11	16	12	24	13	9	10	2	-	-	-
FEMALE	2	4	4	7	5	7	-	-	2	-	-	-
ALL OTHER--MALE	2	5	6	4	3	-	2	-	-	-	-	-
FEMALE	2	-	1	2	-	1	-	-	-	-	-	-
BLACK--MALE	2	5	6	4	3	-	2	-	-	-	-	-
FEMALE	2	-	1	2	-	1	-	-	-	-	-	-
OKLAHOMA	6	3	8	3	12	10	6	2	-	-	-	-
WHITE--MALE	6	2	7	1	6	6	5	1	-	-	-	-
FEMALE	-	-	-	2	3	3	-	-	-	-	-	-
ALL OTHER--MALE	-	1	1	-	2	1	1	1	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
BLACK--MALE	-	1	1	-	1	1	1	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	1	3	4	10	6	4	1	1	-	-	-
WHITE--MALE	-	1	3	4	9	5	4	1	-	-	-	-
FEMALE	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	16	27	31	38	36	29	19	11	7	2	-	-
WHITE--MALE	7	18	15	23	27	21	15	8	6	1	-	-
FEMALE	1	2	4	7	2	7	4	2	1	1	-	-
ALL OTHER--MALE	5	6	8	4	3	1	-	-	-	-	-	-
FEMALE	3	1	4	4	4	-	-	1	-	-	-	-
BLACK--MALE	5	6	8	4	3	1	-	-	-	-	-	-
FEMALE	3	1	4	3	4	-	-	1	-	-	-	-
RHODE ISLAND	-	1	2	1	5	1	2	1	-	1	-	-
WHITE--MALE	-	1	2	-	4	-	1	1	-	1	-	-
FEMALE	-	-	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	3	7	9	14	11	6	3	-	1	-	1	-
WHITE--MALE	-	3	3	10	4	4	3	-	-	-	1	-
FEMALE	1	-	2	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE	1	1	4	2	6	-	-	-	-	-	-	-
FEMALE	1	3	-	1	-	1	-	-	1	-	-	-
BLACK--MALE	1	1	4	2	6	-	-	-	-	-	-	-
FEMALE	1	3	-	1	-	1	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of larynx (C32)												
SOUTH DAKOTA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	105	-	-	-	-	-	-	-	3	-	4	8
WHITE------MALE----	61	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	2	-	1	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	21	-	-	-	-	-	-	-	2	-	1	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
TEXAS ----------	233	-	-	-	-	-	-	-	-	1	5	11
WHITE------MALE----	163	-	-	-	-	-	-	-	-	-	4	8
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
UTAH ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	95	-	-	-	-	-	-	-	-	1	5	4
WHITE------MALE----	50	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of larynx (C32)												
SOUTH DAKOTA ----------	-	1	-	4	2	-	-	3	-	-	-	-
WHITE------MALE----	-	-	-	4	2	-	-	3	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	12	11	11	19	12	13	6	5	1	-	-	-
WHITE------MALE----	5	6	8	13	8	9	2	3	1	-	-	-
FEMALE--	1	1	1	4	3	1	2	1	-	-	-	-
ALL OTHER--MALE----	4	4	2	-	1	1	2	1	-	-	-	-
FEMALE--	2	-	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	4	4	2	-	1	1	2	1	-	-	-	-
FEMALE--	2	-	-	2	-	2	-	-	-	-	-	-
TEXAS ----------	18	22	27	36	40	30	24	14	4	1	-	-
WHITE------MALE----	14	15	18	27	23	23	16	11	3	1	-	-
FEMALE--	-	2	3	4	10	6	6	2	1	-	-	-
ALL OTHER--MALE----	4	5	5	3	7	1	2	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	4	5	5	3	7	1	2	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
UTAH ----------	-	1	-	2	1	2	-	1	1	-	-	-
WHITE------MALE----	-	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	1	2	1	1	2	1	-	1	-	-	-
WHITE------MALE----	2	1	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5	11	12	21	9	11	12	2	2	-	-	-
WHITE------MALE----	2	4	6	10	6	8	6	1	1	-	-	-
FEMALE--	-	-	-	4	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	3	7	4	5	2	1	3	-	1	-	-	-
FEMALE--	-	-	2	2	-	1	1	-	-	-	-	-
BLACK---MALE----	2	7	3	5	2	1	3	-	1	-	-	-
FEMALE--	-	-	2	2	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of larynx (C32)												
WASHINGTON ----------	70	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	49	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	41	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	69	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	50	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of larynx (C32)												
WASHINGTON ----------	5	5	8	14	12	12	2	9	1	-	1	-
WHITE------MALE----	5	4	6	9	6	9	-	8	1	-	1	-
FEMALE--	-	1	1	5	6	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	3	6	9	5	4	4	1	1	-	-	-
WHITE------MALE----	4	2	3	6	4	2	3	1	-	-	-	-
FEMALE--	-	1	3	2	1	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	8	8	9	18	9	3	3	2	-	-	-
WHITE------MALE----	4	7	4	8	12	6	3	2	2	-	-	-
FEMALE--	1	-	3	1	4	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	1	2	-	3	1	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	3	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 838

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of trachea, bronchus and lung (C33-C34)												
UNITED STATES -	152,156	-	-	3	2	6	14	43	136	668	2,056	3,916
WHITE------MALE----	77,846	-	-	1	1	3	4	17	64	247	891	1,782
FEMALE--	55,906	-	-	1	-	-	4	16	52	264	726	1,240
ALL OTHER--MALE----	11,607	-	-	1	1	2	4	7	9	76	260	564
FEMALE--	6,797	-	-	-	-	1	2	3	11	81	179	330
BLACK---MALE----	10,135	-	-	1	1	2	3	4	7	63	240	518
FEMALE--	5,828	-	-	-	-	1	2	1	8	71	159	286
ALABAMA ----------	2,854	-	-	-	-	1	-	1	3	12	37	71
WHITE------MALE----	1,479	-	-	-	-	-	-	1	-	6	14	29
FEMALE--	838	-	-	-	-	-	-	-	2	3	7	19
ALL OTHER--MALE----	379	-	-	-	-	-	-	-	1	1	8	16
FEMALE--	158	-	-	-	-	1	-	-	-	2	8	7
BLACK---MALE----	378	-	-	-	-	-	-	-	1	1	8	16
FEMALE--	155	-	-	-	-	1	-	-	-	2	8	6
ALASKA ----------	179	-	-	-	-	-	-	-	-	-	5	4
WHITE------MALE----	91	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	60	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2,516	-	-	-	-	-	-	-	-	12	34	49
WHITE------MALE----	1,396	-	-	-	-	-	-	-	-	7	18	25
FEMALE--	1,050	-	-	-	-	-	-	-	-	2	15	24
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1,954	-	-	-	-	-	-	1	1	11	25	58
WHITE------MALE----	1,119	-	-	-	-	-	-	1	1	6	13	26
FEMALE--	620	-	-	-	-	-	-	-	-	3	6	15
ALL OTHER--MALE----	137	-	-	-	-	-	-	-	-	2	4	15
FEMALE--	78	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	136	-	-	-	-	-	-	-	-	1	4	15
FEMALE--	77	-	-	-	-	-	-	-	-	-	2	2
CALIFORNIA ----------	13,754	-	-	1	-	-	3	7	16	53	165	321
WHITE------MALE----	6,339	-	-	1	-	-	-	4	9	18	61	144
FEMALE--	5,393	-	-	-	-	-	1	2	5	13	59	94
ALL OTHER--MALE----	1,221	-	-	-	-	-	2	1	-	14	25	45
FEMALE--	801	-	-	-	-	-	-	-	2	8	20	38
BLACK---MALE----	632	-	-	-	-	-	1	-	-	8	16	28
FEMALE--	421	-	-	-	-	-	-	-	-	4	10	19

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of trachea, bronchus and lung (C33-C34)												
UNITED STATES -	7,518	12,165	17,179	23,239	28,609	26,556	17,705	8,945	2,766	549	79	2
WHITE------MALE----	3,583	6,252	8,949	12,286	15,164	13,846	9,018	4,306	1,196	215	20	1
FEMALE--	2,542	4,072	5,817	7,998	10,392	10,093	7,174	3,860	1,327	283	45	-
ALL OTHER--MALE----	922	1,213	1,599	1,900	1,937	1,615	918	433	118	19	8	1
FEMALE--	471	628	814	1,055	1,116	1,002	595	346	125	32	6	-
BLACK---MALE----	841	1,099	1,422	1,653	1,641	1,387	763	377	93	13	7	-
FEMALE--	411	544	705	900	954	870	495	285	105	25	6	-
ALABAMA ----------	160	273	336	482	545	473	271	141	42	5	1	-
WHITE------MALE----	70	142	180	262	301	246	143	65	18	1	1	-
FEMALE--	38	72	86	147	154	155	83	50	19	3	-	-
ALL OTHER--MALE----	36	44	57	54	65	47	30	16	4	-	-	-
FEMALE--	16	15	13	19	25	25	15	10	1	1	-	-
BLACK---MALE----	36	44	57	53	65	47	30	16	4	-	-	-
FEMALE--	16	15	12	19	24	25	15	10	1	1	-	-
ALASKA ----------	16	20	25	35	31	15	19	4	5	-	-	-
WHITE------MALE----	8	10	10	19	20	7	6	4	2	-	-	-
FEMALE--	6	4	10	10	9	5	10	-	3	-	-	-
ALL OTHER--MALE----	2	1	3	5	1	2	1	-	-	-	-	-
FEMALE--	-	5	2	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	100	168	273	382	474	486	331	146	50	11	-	-
WHITE------MALE----	52	88	151	220	266	262	201	77	24	5	-	-
FEMALE--	41	75	111	149	195	220	122	66	24	6	-	-
ALL OTHER--MALE----	5	2	4	9	8	3	6	3	2	-	-	-
FEMALE--	2	3	7	4	5	1	2	-	-	-	-	-
BLACK---MALE----	4	2	3	4	6	1	4	2	1	-	-	-
FEMALE--	1	1	4	2	2	1	-	-	-	-	-	-
ARKANSAS ----------	101	163	244	305	375	310	201	113	39	7	-	-
WHITE------MALE----	49	92	136	181	228	179	117	67	21	2	-	-
FEMALE--	30	52	82	98	118	105	59	35	13	4	-	-
ALL OTHER--MALE----	15	12	17	16	18	14	15	7	2	-	-	-
FEMALE--	7	7	9	10	11	12	10	4	3	1	-	-
BLACK---MALE----	15	12	17	16	18	14	15	7	2	-	-	-
FEMALE--	7	7	9	10	11	12	9	4	3	1	-	-
CALIFORNIA ----------	627	1,044	1,435	1,957	2,532	2,589	1,747	903	292	56	4	2
WHITE------MALE----	285	497	669	919	1,207	1,214	783	377	125	25	-	1
FEMALE--	224	373	516	717	978	1,050	765	435	133	25	3	-
ALL OTHER--MALE----	77	102	172	191	216	193	111	47	20	4	-	1
FEMALE--	41	72	78	130	131	132	88	44	14	2	1	-
BLACK---MALE----	49	65	114	95	86	90	49	19	11	1	-	-
FEMALE--	23	43	49	76	65	69	40	17	5	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of trachea, bronchus and lung (C33-C34)												
COLORADO ----------	1,368	-	-	-	-	-	-	1	-	3	12	33
WHITE------MALE----	735	-	-	-	-	-	-	1	-	-	3	20
FEMALE--	565	-	-	-	-	-	-	-	-	3	8	10
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	1,788	-	-	-	-	-	1	-	3	7	19	42
WHITE------MALE----	894	-	-	-	-	-	-	-	2	2	9	16
FEMALE--	787	-	-	-	-	-	1	-	1	4	8	19
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	65	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	1
DELAWARE ----------	539	-	-	-	-	-	-	-	-	3	7	9
WHITE------MALE----	258	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	189	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	60	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	299	-	-	-	-	-	-	-	-	2	11	8
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	141	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	96	-	-	-	-	-	-	-	-	1	7	5
BLACK---MALE----	141	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	95	-	-	-	-	-	-	-	-	1	7	5
FLORIDA ----------	11,489	-	-	2	-	-	-	2	5	41	134	261
WHITE------MALE----	6,211	-	-	-	-	-	-	-	5	8	61	137
FEMALE--	4,396	-	-	1	-	-	-	2	-	26	52	78
ALL OTHER--MALE----	615	-	-	1	-	-	-	-	-	3	12	33
FEMALE--	267	-	-	-	-	-	-	-	-	4	9	13
BLACK---MALE----	594	-	-	1	-	-	-	-	-	3	11	33
FEMALE--	251	-	-	-	-	-	-	-	-	4	9	12
GEORGIA ----------	3,936	-	-	-	1	-	-	-	5	9	75	144
WHITE------MALE----	1,963	-	-	-	-	-	-	-	2	4	29	58
FEMALE--	1,146	-	-	-	-	-	-	-	1	2	15	33
ALL OTHER--MALE----	563	-	-	-	1	-	-	-	1	1	20	33
FEMALE--	264	-	-	-	-	-	-	-	1	2	11	20
BLACK---MALE----	557	-	-	-	1	-	-	-	1	1	20	33
FEMALE--	263	-	-	-	-	-	-	-	1	2	11	20

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of trachea, bronchus and lung (C33-C34)												
COLORADO ----------	49	103	171	225	246	243	155	89	30	8	-	-
WHITE------MALE----	25	56	93	130	128	134	84	44	14	3	-	-
FEMALE--	21	42	67	85	103	97	67	44	14	4	-	-
ALL OTHER--MALE----	1	1	6	7	7	8	1	1	2	1	-	-
FEMALE--	2	4	5	3	8	4	3	-	-	-	-	-
BLACK---MALE----	1	-	4	6	5	6	1	-	1	-	-	-
FEMALE--	1	1	4	3	8	4	3	-	-	-	-	-
CONNECTICUT ----------	93	140	185	242	313	334	230	135	33	11	-	-
WHITE------MALE----	40	75	113	124	153	168	109	60	17	6	-	-
FEMALE--	45	50	62	92	142	156	115	71	16	5	-	-
ALL OTHER--MALE----	4	8	8	20	8	6	4	4	-	-	-	-
FEMALE--	4	7	2	6	10	4	2	-	-	-	-	-
BLACK---MALE----	4	8	8	19	6	6	4	4	-	-	-	-
FEMALE--	4	6	2	6	8	3	2	-	-	-	-	-
DELAWARE ----------	32	43	61	92	101	100	55	25	9	2	-	-
WHITE------MALE----	15	16	29	44	58	45	31	5	4	2	-	-
FEMALE--	10	14	17	29	32	46	17	14	5	-	-	-
ALL OTHER--MALE----	4	6	13	14	5	7	4	4	-	-	-	-
FEMALE--	3	7	2	5	6	2	3	2	-	-	-	-
BLACK---MALE----	4	6	13	13	5	7	4	4	-	-	-	-
FEMALE--	3	7	2	5	6	1	2	2	-	-	-	-
DISTRICT OF COLUMBIA ---	23	23	38	35	54	53	27	16	5	4	-	-
WHITE------MALE----	2	4	4	2	5	8	4	1	-	-	-	-
FEMALE--	1	1	3	6	4	3	6	5	3	-	-	-
ALL OTHER--MALE----	10	12	21	17	30	23	10	6	2	2	-	-
FEMALE--	10	6	10	10	15	19	7	4	-	2	-	-
BLACK---MALE----	10	12	21	17	30	23	10	6	2	2	-	-
FEMALE--	9	6	10	10	15	19	7	4	-	2	-	-
FLORIDA ----------	530	834	1,142	1,642	2,250	2,066	1,489	773	270	44	4	-
WHITE------MALE----	274	450	623	922	1,293	1,121	769	394	132	22	-	-
FEMALE--	185	271	394	580	825	833	651	349	126	21	2	-
ALL OTHER--MALE----	49	81	89	105	99	76	44	15	7	-	1	-
FEMALE--	22	32	36	35	33	36	25	15	5	1	1	-
BLACK---MALE----	47	81	85	100	93	74	44	15	7	-	-	-
FEMALE--	20	30	32	35	30	34	25	13	5	1	1	-
GEORGIA ----------	247	368	505	687	702	602	362	175	42	10	2	-
WHITE------MALE----	96	193	261	362	351	319	192	74	18	4	-	-
FEMALE--	80	108	131	175	222	185	113	61	15	4	1	-
ALL OTHER--MALE----	51	55	79	98	89	64	39	28	3	1	-	-
FEMALE--	20	12	34	52	40	34	18	12	6	1	1	-
BLACK---MALE----	51	55	77	96	89	63	39	28	2	1	-	-
FEMALE--	20	12	33	52	40	34	18	12	6	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of trachea, bronchus and lung (C33-C34)												
HAWAII ----------	454	-	-	-	-	-	-	3	2	6	3	17
WHITE------MALE----	81	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	58	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	203	-	-	-	-	-	-	2	1	1	1	8
FEMALE--	112	-	-	-	-	-	-	1	1	3	2	4
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
IDAHO ----------	497	-	-	-	-	-	-	-	-	-	7	10
WHITE------MALE----	288	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	201	-	-	-	-	-	-	-	-	-	5	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6,717	-	-	-	-	-	2	4	3	29	96	167
WHITE------MALE----	3,269	-	-	-	-	-	1	1	1	9	40	64
FEMALE--	2,392	-	-	-	-	-	-	3	1	13	30	52
ALL OTHER--MALE----	669	-	-	-	-	-	1	-	-	2	12	31
FEMALE--	387	-	-	-	-	-	-	-	1	5	14	20
BLACK---MALE----	632	-	-	-	-	-	1	-	-	2	11	30
FEMALE--	376	-	-	-	-	-	-	-	1	5	14	19
INDIANA ----------	3,899	-	-	-	-	-	-	-	2	21	54	110
WHITE------MALE----	2,139	-	-	-	-	-	-	-	2	6	22	75
FEMALE--	1,449	-	-	-	-	-	-	-	-	12	26	29
ALL OTHER--MALE----	194	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	117	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	191	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	115	-	-	-	-	-	-	-	-	2	1	3
IOWA ----------	1,676	-	-	-	-	-	-	-	-	5	19	34
WHITE------MALE----	1,014	-	-	-	-	-	-	-	-	2	10	17
FEMALE--	633	-	-	-	-	-	-	-	-	3	8	17
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1,470	-	-	-	-	-	-	1	3	5	26	41
WHITE------MALE----	841	-	-	-	-	-	-	1	1	4	13	20
FEMALE--	543	-	-	-	-	-	-	-	2	-	11	19
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	45	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of trachea, bronchus and lung (C33-C34)												
HAWAII ----------	23	32	40	63	92	73	64	24	9	3	-	-
WHITE------MALE----	2	7	5	16	15	13	10	7	2	-	-	-
FEMALE--	2	3	8	6	13	12	10	1	-	-	-	-
ALL OTHER--MALE----	11	16	17	25	41	36	31	10	3	-	-	-
FEMALE--	8	6	10	16	23	12	13	6	4	3	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO ----------	22	31	51	79	96	91	59	36	12	3	-	-
WHITE------MALE----	13	16	23	48	57	54	42	19	7	2	-	-
FEMALE--	8	14	26	31	38	35	16	17	5	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	306	574	743	1,076	1,209	1,149	785	422	127	21	4	-
WHITE------MALE----	117	296	369	524	640	567	380	200	53	5	2	-
FEMALE--	107	161	246	357	397	415	341	193	60	14	2	-
ALL OTHER--MALE----	61	79	87	113	114	106	38	17	8	-	-	-
FEMALE--	21	38	41	82	58	61	26	12	6	2	-	-
BLACK---MALE----	60	75	84	103	105	99	37	17	8	-	-	-
FEMALE--	19	36	41	80	58	60	24	11	6	2	-	-
INDIANA ----------	173	307	473	637	748	679	405	207	66	15	2	-
WHITE------MALE----	93	167	258	345	431	378	224	105	28	4	1	-
FEMALE--	61	114	162	241	259	252	162	89	30	11	1	-
ALL OTHER--MALE----	11	14	34	33	37	32	14	7	3	-	-	-
FEMALE--	8	12	19	18	21	17	5	6	5	-	-	-
BLACK---MALE----	11	13	33	33	36	32	14	7	3	-	-	-
FEMALE--	8	12	19	18	20	16	5	6	5	-	-	-
IOWA ----------	67	112	187	247	288	320	243	100	43	10	1	-
WHITE------MALE----	37	72	122	146	181	199	140	57	25	6	-	-
FEMALE--	29	36	61	94	105	118	98	43	16	4	1	-
ALL OTHER--MALE----	-	2	1	4	1	2	3	-	2	-	-	-
FEMALE--	1	2	3	3	1	1	2	-	-	-	-	-
BLACK---MALE----	-	2	1	4	1	2	2	-	2	-	-	-
FEMALE--	-	2	3	3	1	1	2	-	-	-	-	-
KANSAS ----------	70	101	162	223	272	253	188	97	24	3	1	-
WHITE------MALE----	41	56	93	143	155	141	108	54	10	1	-	-
FEMALE--	22	37	55	71	98	103	72	36	14	2	1	-
ALL OTHER--MALE----	4	5	9	6	10	4	7	6	-	-	-	-
FEMALE--	3	3	5	3	9	5	1	1	-	-	-	-
BLACK---MALE----	3	3	8	5	9	4	6	4	-	-	-	-
FEMALE--	3	2	3	2	8	4	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of trachea, bronchus and lung (C33-C34)												
KENTUCKY ----------	2,970	-	-	-	-	-	-	-	3	17	50	78
WHITE------MALE----	1,715	-	-	-	-	-	-	-	1	10	27	45
FEMALE--	1,070	-	-	-	-	-	-	-	2	5	19	27
ALL OTHER--MALE----	115	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	70	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	114	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	70	-	-	-	-	-	-	-	-	2	-	3
LOUISIANA ----------	2,693	-	-	-	-	-	-	2	1	10	45	90
WHITE------MALE----	1,191	-	-	-	-	-	-	-	-	2	18	31
FEMALE--	739	-	-	-	-	-	-	-	1	5	9	21
ALL OTHER--MALE----	501	-	-	-	-	-	-	1	-	2	13	23
FEMALE--	262	-	-	-	-	-	-	1	-	1	5	15
BLACK---MALE----	497	-	-	-	-	-	-	1	-	2	13	23
FEMALE--	260	-	-	-	-	-	-	1	-	1	5	15
MAINE ----------	824	-	-	-	-	-	-	1	-	5	13	23
WHITE------MALE----	462	-	-	-	-	-	-	-	-	1	7	17
FEMALE--	356	-	-	-	-	-	-	1	-	4	6	6
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2,848	-	-	-	-	-	-	2	1	16	50	83
WHITE------MALE----	1,229	-	-	-	-	-	-	-	1	3	18	27
FEMALE--	960	-	-	-	-	-	-	2	-	5	13	21
ALL OTHER--MALE----	403	-	-	-	-	-	-	-	-	3	10	20
FEMALE--	256	-	-	-	-	-	-	-	-	5	9	15
BLACK---MALE----	389	-	-	-	-	-	-	-	-	3	9	19
FEMALE--	248	-	-	-	-	-	-	-	-	5	9	15
MASSACHUSETTS ----------	3,595	-	-	-	-	-	1	1	6	13	51	88
WHITE------MALE----	1,908	-	-	-	-	-	1	1	3	6	27	42
FEMALE--	1,519	-	-	-	-	-	-	-	1	7	21	31
ALL OTHER--MALE----	104	-	-	-	-	-	-	-	2	-	2	11
FEMALE--	64	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	82	-	-	-	-	-	-	-	1	-	1	8
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	3
MICHIGAN ----------	5,441	-	-	-	-	-	-	1	11	25	85	175
WHITE------MALE----	2,687	-	-	-	-	-	-	1	5	8	35	66
FEMALE--	1,964	-	-	-	-	-	-	-	4	11	26	59
ALL OTHER--MALE----	464	-	-	-	-	-	-	-	1	2	13	29
FEMALE--	326	-	-	-	-	-	-	-	1	4	11	21
BLACK---MALE----	440	-	-	-	-	-	-	-	1	2	13	28
FEMALE--	288	-	-	-	-	-	-	-	1	4	9	19

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of trachea, bronchus and lung (C33-C34)												
KENTUCKY ----------	168	276	382	463	525	506	316	152	25	9	-	-
WHITE------MALE----	91	170	211	276	308	300	179	84	10	3	-	-
FEMALE--	61	91	137	165	183	185	124	54	11	6	-	-
ALL OTHER--MALE----	10	9	25	12	23	10	8	11	-	-	-	-
FEMALE--	6	6	9	10	11	11	5	3	4	-	-	-
BLACK---MALE----	10	9	24	12	23	10	8	11	-	-	-	-
FEMALE--	6	6	9	10	11	11	5	3	4	-	-	-
LOUISIANA ----------	162	217	317	411	517	445	255	163	45	10	3	-
WHITE------MALE----	55	93	142	172	254	207	126	67	20	3	1	-
FEMALE--	33	49	79	113	142	127	84	53	15	7	1	-
ALL OTHER--MALE----	48	58	68	88	76	72	25	24	2	-	1	-
FEMALE--	26	17	28	38	45	39	20	19	8	-	-	-
BLACK---MALE----	47	57	67	88	76	72	25	23	2	-	1	-
FEMALE--	25	17	27	38	45	39	20	19	8	-	-	-
MAINE ----------	39	67	85	125	162	134	92	60	17	-	1	-
WHITE------MALE----	18	39	46	68	101	67	61	35	1	-	1	-
FEMALE--	21	27	38	56	59	67	30	25	16	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	138	236	320	412	505	506	351	163	51	13	1	-
WHITE------MALE----	57	113	131	182	222	224	164	65	18	4	-	-
FEMALE--	44	54	95	136	168	190	131	67	25	8	1	-
ALL OTHER--MALE----	28	43	65	58	58	62	32	20	4	-	-	-
FEMALE--	9	26	29	36	57	30	24	11	4	1	-	-
BLACK---MALE----	28	42	64	53	55	62	31	19	4	-	-	-
FEMALE--	9	25	29	34	56	29	23	11	3	-	-	-
MASSACHUSETTS ----------	156	238	335	516	696	671	493	231	81	14	4	-
WHITE------MALE----	85	123	173	291	394	353	263	100	37	8	1	-
FEMALE--	62	96	146	198	272	297	214	123	43	6	2	-
ALL OTHER--MALE----	6	13	9	20	19	12	7	3	-	-	-	-
FEMALE--	3	6	7	7	11	9	9	5	1	-	1	-
BLACK---MALE----	5	13	8	13	14	10	6	3	-	-	-	-
FEMALE--	3	5	5	6	9	7	7	5	-	-	1	-
MICHIGAN ----------	296	423	638	808	1,044	906	676	262	74	14	3	-
WHITE------MALE----	121	197	328	425	543	451	344	125	30	6	2	-
FEMALE--	103	151	224	250	382	348	255	110	34	7	-	-
ALL OTHER--MALE----	41	45	52	83	73	62	49	9	4	-	1	-
FEMALE--	31	30	34	50	46	45	28	18	6	1	-	-
BLACK---MALE----	40	41	48	81	68	61	44	9	3	-	1	-
FEMALE--	28	28	30	39	41	39	25	18	6	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of trachea, bronchus and lung (C33-C34)												
MINNESOTA ----------	2,206	-	-	-	-	-	-	-	-	12	23	52
WHITE------MALE----	1,252	-	-	-	-	-	-	-	-	4	12	27
FEMALE--	878	-	-	-	-	-	-	-	-	7	8	24
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
MISSISSIPPI ----------	1,907	-	-	-	-	1	1	-	2	11	32	72
WHITE------MALE----	884	-	-	-	-	1	-	-	2	2	10	26
FEMALE--	521	-	-	-	-	-	-	-	-	6	6	12
ALL OTHER--MALE----	343	-	-	-	-	-	1	-	-	1	11	22
FEMALE--	159	-	-	-	-	-	-	-	-	2	5	12
BLACK---MALE----	340	-	-	-	-	-	1	-	-	1	11	22
FEMALE--	158	-	-	-	-	-	-	-	-	2	5	12
MISSOURI ----------	3,624	-	-	-	-	-	-	1	1	14	56	95
WHITE------MALE----	1,918	-	-	-	-	-	-	-	-	8	19	46
FEMALE--	1,351	-	-	-	-	-	-	1	1	4	29	29
ALL OTHER--MALE----	203	-	-	-	-	-	-	-	-	2	5	14
FEMALE--	152	-	-	-	-	-	-	-	-	-	3	6
BLACK---MALE----	195	-	-	-	-	-	-	-	-	2	5	14
FEMALE--	146	-	-	-	-	-	-	-	-	-	3	6
MONTANA ----------	508	-	-	-	-	-	-	-	-	-	4	13
WHITE------MALE----	277	-	-	-	-	-	-	-	-	-	2	9
FEMALE--	202	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	910	-	-	-	-	-	-	-	1	7	12	22
WHITE------MALE----	526	-	-	-	-	-	-	-	1	4	8	11
FEMALE--	348	-	-	-	-	-	-	-	-	3	3	8
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
NEVADA ----------	1,131	-	-	-	-	-	-	-	-	2	12	26
WHITE------MALE----	602	-	-	-	-	-	-	-	-	1	8	8
FEMALE--	453	-	-	-	-	-	-	-	-	1	3	13
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	5
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of trachea, bronchus and lung (C33-C34)												
MINNESOTA ----------	95	181	278	308	390	386	295	126	50	10	-	-
WHITE------MALE----	49	106	157	190	228	232	157	64	24	2	-	-
FEMALE--	42	63	106	109	147	143	137	60	25	7	-	-
ALL OTHER--MALE----	2	7	10	6	8	8	-	1	1	-	-	-
FEMALE--	2	5	5	3	7	3	1	1	-	1	-	-
BLACK---MALE----	2	4	10	3	4	6	-	-	-	-	-	-
FEMALE--	2	3	3	2	3	1	1	-	-	-	-	-
MISSISSIPPI ----------	97	186	230	279	362	295	207	98	27	4	3	-
WHITE------MALE----	46	82	108	138	188	131	95	45	8	1	1	-
FEMALE--	12	45	68	65	107	97	64	26	9	3	1	-
ALL OTHER--MALE----	29	43	38	51	37	51	31	19	8	-	1	-
FEMALE--	10	16	16	25	30	16	17	8	2	-	-	-
BLACK---MALE----	28	43	38	51	37	50	31	18	8	-	1	-
FEMALE--	10	16	16	24	30	16	17	8	2	-	-	-
MISSOURI ----------	185	292	420	607	650	612	427	183	61	16	4	-
WHITE------MALE----	109	165	234	345	335	319	219	87	30	1	1	-
FEMALE--	55	94	140	206	247	238	181	82	28	14	2	-
ALL OTHER--MALE----	8	23	27	32	38	28	17	9	-	-	-	-
FEMALE--	13	10	19	24	30	27	10	5	3	1	1	-
BLACK---MALE----	6	23	26	31	35	28	16	9	-	-	-	-
FEMALE--	12	9	19	23	29	26	10	4	3	1	1	-
MONTANA ----------	23	30	55	85	102	98	49	37	10	2	-	-
WHITE------MALE----	12	12	26	50	65	52	23	20	6	-	-	-
FEMALE--	10	13	23	29	32	43	24	16	4	2	-	-
ALL OTHER--MALE----	1	2	2	1	5	1	1	-	-	-	-	-
FEMALE--	-	3	4	5	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	37	58	114	141	163	159	111	51	29	3	2	-
WHITE------MALE----	23	35	60	79	104	90	69	27	13	2	-	-
FEMALE--	14	20	43	57	53	68	38	22	16	1	2	-
ALL OTHER--MALE----	-	2	8	4	4	1	2	2	-	-	-	-
FEMALE--	-	1	3	1	2	-	2	-	-	-	-	-
BLACK---MALE----	-	2	8	4	4	1	-	2	-	-	-	-
FEMALE--	-	-	3	1	2	-	1	-	-	-	-	-
NEVADA ----------	57	86	160	194	236	176	126	39	14	2	1	-
WHITE------MALE----	29	44	87	108	125	102	67	17	6	-	-	-
FEMALE--	25	34	62	71	100	65	52	16	8	2	1	-
ALL OTHER--MALE----	2	4	5	7	9	6	4	2	-	-	-	-
FEMALE--	1	4	6	8	2	3	3	4	-	-	-	-
BLACK---MALE----	2	3	5	3	9	3	3	1	-	-	-	-
FEMALE--	1	4	3	5	2	2	3	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of trachea, bronchus and lung (C33-C34)												
NEW HAMPSHIRE ----------	665	-	-	-	-	-	-	-	1	2	16	20
WHITE------MALE----	377	-	-	-	-	-	-	-	-	1	12	11
FEMALE--	285	-	-	-	-	-	-	-	1	1	4	9
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4,605	-	-	-	-	-	-	-	4	23	65	110
WHITE------MALE----	2,263	-	-	-	-	-	-	-	2	7	28	55
FEMALE--	1,774	-	-	-	-	-	-	-	2	8	25	37
ALL OTHER--MALE----	339	-	-	-	-	-	-	-	-	3	7	10
FEMALE--	229	-	-	-	-	-	-	-	-	5	5	8
BLACK---MALE----	319	-	-	-	-	-	-	-	-	3	6	10
FEMALE--	210	-	-	-	-	-	-	-	-	4	4	8
NEW MEXICO ----------	627	-	-	-	-	-	-	-	-	2	2	12
WHITE------MALE----	350	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	258	-	-	-	-	-	-	-	-	2	-	6
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	9,554	-	-	-	-	1	1	2	13	51	157	274
WHITE------MALE----	4,513	-	-	-	-	-	-	1	6	16	61	125
FEMALE--	3,753	-	-	-	-	-	-	1	3	18	64	93
ALL OTHER--MALE----	761	-	-	-	-	1	-	-	2	8	19	33
FEMALE--	527	-	-	-	-	-	1	-	2	9	13	23
BLACK---MALE----	640	-	-	-	-	1	-	-	2	6	19	30
FEMALE--	461	-	-	-	-	-	1	-	1	9	12	23
NORTH CAROLINA ---------	4,685	-	-	-	-	-	-	1	7	27	56	125
WHITE------MALE----	2,347	-	-	-	-	-	-	-	1	10	28	53
FEMALE--	1,498	-	-	-	-	-	-	-	6	8	13	33
ALL OTHER--MALE----	568	-	-	-	-	-	-	1	-	5	10	31
FEMALE--	272	-	-	-	-	-	-	-	-	4	5	8
BLACK---MALE----	540	-	-	-	-	-	-	1	-	5	10	29
FEMALE--	257	-	-	-	-	-	-	-	-	4	5	8
NORTH DAKOTA ----------	298	-	-	-	-	-	-	-	-	-	4	5
WHITE------MALE----	171	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	115	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of trachea, bronchus and lung (C33-C34)												
NEW HAMPSHIRE ----------	35	52	72	104	129	113	65	40	12	4	-	-
WHITE------MALE----	19	32	45	56	67	69	38	21	5	1	-	-
FEMALE--	16	20	26	48	62	44	26	19	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEW JERSEY ----------	222	378	479	669	865	828	571	290	85	12	4	-
WHITE------MALE----	99	188	230	344	431	427	267	147	31	6	1	-
FEMALE--	75	121	170	233	328	334	262	125	45	6	3	-
ALL OTHER--MALE----	34	45	47	59	64	40	19	9	2	-	-	-
FEMALE--	14	24	32	33	42	27	23	9	7	-	-	-
BLACK---MALE----	31	41	45	56	62	37	19	8	1	-	-	-
FEMALE--	12	22	31	30	38	26	22	7	6	-	-	-
NEW MEXICO ----------	27	46	62	90	116	127	91	38	11	2	1	-
WHITE------MALE----	19	28	30	47	66	72	52	22	4	1	1	-
FEMALE--	7	17	31	37	45	52	37	16	7	1	-	-
ALL OTHER--MALE----	-	-	1	2	5	2	1	-	-	-	-	-
FEMALE--	1	1	-	4	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	2	4	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
NEW YORK ----------	507	793	1,076	1,363	1,735	1,578	1,153	616	185	43	6	-
WHITE------MALE----	214	373	512	663	862	762	533	290	72	19	4	-
FEMALE--	177	291	373	512	673	631	519	280	95	22	1	-
ALL OTHER--MALE----	80	83	123	122	111	93	54	22	7	2	1	-
FEMALE--	36	46	68	66	89	92	47	24	11	-	-	-
BLACK---MALE----	68	75	100	103	94	73	43	18	6	1	1	-
FEMALE--	32	43	57	55	80	83	39	16	10	-	-	-
NORTH CAROLINA ---------	265	364	608	733	915	832	456	221	56	17	2	-
WHITE------MALE----	119	182	311	388	453	450	231	97	21	3	-	-
FEMALE--	76	104	186	222	321	256	154	87	24	7	1	-
ALL OTHER--MALE----	51	54	79	84	95	86	47	20	4	-	1	-
FEMALE--	19	24	32	39	46	40	24	17	7	7	-	-
BLACK---MALE----	50	52	70	82	86	84	46	20	4	-	1	-
FEMALE--	17	23	31	34	44	39	24	15	6	7	-	-
NORTH DAKOTA ----------	7	19	30	49	58	47	35	38	5	1	-	-
WHITE------MALE----	6	11	17	21	39	25	26	22	1	-	-	-
FEMALE--	1	8	10	27	17	21	8	15	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of trachea, bronchus and lung (C33-C34)												
OHIO ----------	7,177	-	-	-	-	1	-	3	7	33	93	190
WHITE------MALE----	3,728	-	-	-	-	1	-	2	4	16	44	97
FEMALE--	2,654	-	-	-	-	-	-	-	3	15	36	66
ALL OTHER--MALE----	468	-	-	-	-	-	-	-	-	1	4	16
FEMALE--	327	-	-	-	-	-	-	1	-	1	9	11
BLACK---MALE----	457	-	-	-	-	-	-	-	-	1	4	16
FEMALE--	313	-	-	-	-	-	-	-	-	1	9	11
OKLAHOMA ----------	2,225	-	-	-	-	-	-	1	-	8	36	55
WHITE------MALE----	1,240	-	-	-	-	-	-	1	-	1	20	30
FEMALE--	796	-	-	-	-	-	-	-	-	5	14	16
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	76	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	64	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	44	-	-	-	-	-	-	-	-	2	1	2
OREGON ----------	1,888	-	-	-	-	-	-	-	2	5	14	35
WHITE------MALE----	1,001	-	-	-	-	-	-	-	1	5	9	18
FEMALE--	824	-	-	-	-	-	-	-	1	-	5	13
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	4
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA ----------	7,923	-	-	-	-	-	1	2	9	27	95	187
WHITE------MALE----	4,135	-	-	-	-	-	-	-	4	11	40	78
FEMALE--	2,979	-	-	-	-	-	1	1	4	10	36	63
ALL OTHER--MALE----	446	-	-	-	-	-	-	1	1	2	10	21
FEMALE--	363	-	-	-	-	-	-	-	-	4	9	25
BLACK---MALE----	437	-	-	-	-	-	-	1	1	2	10	20
FEMALE--	355	-	-	-	-	-	-	-	-	4	9	23
RHODE ISLAND ----------	698	-	-	-	-	-	1	-	-	4	10	20
WHITE------MALE----	381	-	-	-	-	-	-	-	-	1	7	7
FEMALE--	296	-	-	-	-	-	-	-	-	3	3	12
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA ---------	2,340	-	-	-	-	-	-	-	3	18	26	74
WHITE------MALE----	1,095	-	-	-	-	-	-	-	1	6	9	24
FEMALE--	724	-	-	-	-	-	-	-	2	6	4	14
ALL OTHER--MALE----	383	-	-	-	-	-	-	-	-	3	11	28
FEMALE--	138	-	-	-	-	-	-	-	-	3	2	8
BLACK---MALE----	378	-	-	-	-	-	-	-	-	3	11	28
FEMALE--	136	-	-	-	-	-	-	-	-	3	2	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of trachea, bronchus and lung (C33-C34)												
OHIO ----------	345	596	827	1,122	1,415	1,250	765	397	110	20	3	-
WHITE------MALE----	174	295	440	590	774	645	388	208	42	7	1	-
FEMALE--	124	218	290	403	491	476	309	154	59	9	1	-
ALL OTHER--MALE----	25	56	53	82	91	78	37	18	4	2	1	-
FEMALE--	22	27	44	47	59	51	31	17	5	2	-	-
BLACK---MALE----	25	55	49	81	89	78	35	18	3	2	1	-
FEMALE--	21	27	43	47	53	49	30	15	5	2	-	-
OKLAHOMA ----------	95	180	275	371	396	391	233	133	44	6	1	-
WHITE------MALE----	53	90	171	204	210	231	135	71	21	2	-	-
FEMALE--	33	70	80	136	147	136	81	54	19	4	1	-
ALL OTHER--MALE----	8	13	12	19	23	11	12	6	2	-	-	-
FEMALE--	1	7	12	12	16	13	5	2	2	-	-	-
BLACK---MALE----	5	5	10	7	14	7	7	4	1	-	-	-
FEMALE--	-	2	8	8	9	9	1	1	1	-	-	-
OREGON ----------	80	131	208	288	342	356	261	122	34	7	3	-
WHITE------MALE----	47	59	105	153	167	213	141	62	18	2	1	-
FEMALE--	33	67	94	120	161	138	111	59	15	5	2	-
ALL OTHER--MALE----	-	4	5	5	10	3	6	1	1	-	-	-
FEMALE--	-	1	4	10	4	2	3	-	-	-	-	-
BLACK---MALE----	-	2	-	3	4	1	3	1	-	-	-	-
FEMALE--	-	1	2	2	1	1	-	-	-	-	-	-
PENNSYLVANIA ----------	348	565	765	1,188	1,615	1,478	966	494	147	27	9	-
WHITE------MALE----	183	293	429	639	894	788	482	218	65	11	-	-
FEMALE--	110	196	233	408	598	564	429	232	73	13	8	-
ALL OTHER--MALE----	32	34	61	87	62	74	32	23	3	2	1	-
FEMALE--	23	42	42	54	61	52	23	21	6	1	-	-
BLACK---MALE----	32	34	61	84	62	70	31	23	3	2	1	-
FEMALE--	23	40	42	54	60	50	23	20	6	1	-	-
RHODE ISLAND ----------	23	49	53	99	133	144	89	53	18	2	-	-
WHITE------MALE----	10	23	23	56	81	88	49	24	10	2	-	-
FEMALE--	11	25	28	39	47	53	38	29	8	-	-	-
ALL OTHER--MALE----	1	1	2	3	5	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	2	3	3	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
SOUTH CAROLINA ---------	143	222	312	382	450	360	214	114	15	7	-	-
WHITE------MALE----	70	101	145	191	216	179	96	49	4	4	-	-
FEMALE--	31	58	97	109	149	119	77	48	9	1	-	-
ALL OTHER--MALE----	30	49	51	60	65	44	30	9	1	2	-	-
FEMALE--	12	14	19	22	20	18	11	8	1	-	-	-
BLACK---MALE----	29	48	49	60	65	43	30	9	1	2	-	-
FEMALE--	12	14	17	22	20	18	11	8	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of trachea, bronchus and lung (C33-C34)												
SOUTH DAKOTA ----------	404	-	-	-	-	-	-	-	-	-	6	4
WHITE------MALE----	246	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	135	-	-	-	-	-	-	-	-	-	4	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3,793	-	-	-	-	1	1	2	7	14	47	109
WHITE------MALE----	2,120	-	-	-	-	-	-	-	3	3	23	47
FEMALE--	1,169	-	-	-	-	-	1	2	3	8	12	32
ALL OTHER--MALE----	331	-	-	-	-	1	-	-	-	2	8	21
FEMALE--	173	-	-	-	-	-	-	-	1	1	4	9
BLACK---MALE----	324	-	-	-	-	1	-	-	-	2	8	21
FEMALE--	170	-	-	-	-	-	-	-	1	1	4	9
TEXAS ----------	9,192	-	-	-	-	-	1	2	9	50	130	228
WHITE------MALE----	4,712	-	-	-	-	-	1	2	3	20	53	86
FEMALE--	3,296	-	-	-	-	-	-	-	4	17	52	72
ALL OTHER--MALE----	766	-	-	-	-	-	-	-	-	8	16	52
FEMALE--	418	-	-	-	-	-	-	-	2	5	9	18
BLACK---MALE----	720	-	-	-	-	-	-	-	-	8	16	48
FEMALE--	389	-	-	-	-	-	-	-	2	4	8	16
UTAH ----------	402	-	-	-	-	-	-	-	-	2	4	9
WHITE------MALE----	236	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	154	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	338	-	-	-	-	-	-	-	-	4	4	7
WHITE------MALE----	210	-	-	-	-	-	-	-	-	2	4	3
FEMALE--	128	-	-	-	-	-	-	-	-	2	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3,780	-	-	-	-	-	1	1	-	19	51	87
WHITE------MALE----	1,801	-	-	-	-	-	1	-	-	10	18	41
FEMALE--	1,258	-	-	-	-	-	-	-	-	4	20	20
ALL OTHER--MALE----	470	-	-	-	-	-	-	1	-	1	7	18
FEMALE--	251	-	-	-	-	-	-	-	-	4	6	8
BLACK---MALE----	448	-	-	-	-	-	-	1	-	1	7	16
FEMALE--	232	-	-	-	-	-	-	-	-	4	5	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of trachea, bronchus and lung (C33-C34)												
SOUTH DAKOTA ----------	12	31	46	51	86	72	52	31	8	5	-	-
WHITE------MALE----	8	24	32	31	56	41	25	21	1	2	-	-
FEMALE--	3	7	10	14	27	27	23	10	7	3	-	-
ALL OTHER--MALE----	-	-	3	5	2	3	3	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	239	373	512	632	682	595	356	163	51	9	-	-
WHITE------MALE----	136	203	290	363	409	326	210	84	19	4	-	-
FEMALE--	72	114	152	185	201	196	108	54	26	3	-	-
ALL OTHER--MALE----	20	41	51	55	47	50	19	12	3	1	-	-
FEMALE--	11	15	19	29	25	23	19	13	3	1	-	-
BLACK---MALE----	20	40	49	54	45	49	19	12	3	1	-	-
FEMALE--	10	15	19	29	24	22	19	13	3	1	-	-
TEXAS ----------	472	757	1,060	1,429	1,732	1,579	1,003	528	181	27	4	-
WHITE------MALE----	215	396	585	759	871	833	536	263	77	11	1	-
FEMALE--	155	257	323	481	667	570	370	222	91	12	3	-
ALL OTHER--MALE----	66	71	95	130	134	101	61	22	9	1	-	-
FEMALE--	36	33	57	59	60	75	36	21	4	3	-	-
BLACK---MALE----	66	68	89	123	126	91	56	20	8	1	-	-
FEMALE--	34	28	52	54	56	72	35	21	4	3	-	-
UTAH ----------	18	36	43	64	72	73	50	20	6	5	-	-
WHITE------MALE----	14	17	20	37	36	56	34	10	2	2	-	-
FEMALE--	4	18	21	26	34	15	14	9	4	3	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	22	36	35	55	49	66	29	24	5	2	-	-
WHITE------MALE----	11	24	22	33	29	48	16	14	4	-	-	-
FEMALE--	11	12	13	22	20	18	13	10	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	203	343	435	634	701	628	403	197	65	9	3	-
WHITE------MALE----	89	187	223	325	322	285	187	89	21	3	-	-
FEMALE--	59	83	128	182	260	235	149	74	37	5	2	-
ALL OTHER--MALE----	37	46	58	77	87	70	46	18	3	1	-	-
FEMALE--	18	27	26	50	32	38	21	16	4	-	1	-
BLACK---MALE----	36	45	53	75	85	65	43	18	3	-	-	-
FEMALE--	14	27	24	45	29	36	20	16	4	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of trachea, bronchus and lung (C33-C34)												
WASHINGTON ----------	3,057	-	-	-	-	-	-	-	2	11	33	70
WHITE------MALE----	1,595	-	-	-	-	-	-	-	1	5	17	39
FEMALE--	1,327	-	-	-	-	-	-	-	1	4	11	28
ALL OTHER--MALE----	92	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	1,570	-	-	-	1	-	-	1	2	7	19	38
WHITE------MALE----	918	-	-	-	1	-	-	-	1	5	8	22
FEMALE--	623	-	-	-	-	-	-	1	1	2	10	15
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2,649	-	-	-	-	-	-	-	1	9	23	55
WHITE------MALE----	1,479	-	-	-	-	-	-	-	1	1	9	30
FEMALE--	1,041	-	-	-	-	-	-	-	-	7	12	19
ALL OTHER--MALE----	79	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	50	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	64	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	43	-	-	-	-	-	-	-	-	-	2	2
WYOMING ----------	240	-	-	-	-	1	-	-	-	1	3	6
WHITE------MALE----	130	-	-	-	-	1	-	-	-	1	2	1
FEMALE--	106	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of trachea, bronchus and lung (C33-C34)												
WASHINGTON ----------	149	207	357	438	590	539	380	196	69	16	-	-
WHITE------MALE----	67	104	183	246	309	284	194	105	33	8	-	-
FEMALE--	68	87	152	167	257	238	182	89	35	8	-	-
ALL OTHER--MALE----	9	14	16	14	17	10	3	-	1	-	-	-
FEMALE--	5	2	6	11	7	7	1	2	-	-	-	-
BLACK---MALE----	5	8	10	5	9	6	-	-	-	-	-	-
FEMALE--	2	1	2	6	4	1	-	-	-	-	-	-
WEST VIRGINIA ----------	67	130	196	248	295	299	156	81	25	4	1	-
WHITE------MALE----	39	76	114	148	185	171	89	46	12	1	-	-
FEMALE--	28	53	80	96	105	123	62	32	12	2	1	-
ALL OTHER--MALE----	-	-	2	2	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	2	3	4	3	3	1	1	-	-
BLACK---MALE----	-	-	2	2	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	2	3	4	3	3	1	1	-	-
WISCONSIN ----------	139	213	298	431	502	433	320	165	47	12	1	-
WHITE------MALE----	71	122	165	242	295	254	164	90	28	7	-	-
FEMALE--	54	73	112	168	183	167	149	73	18	5	1	-
ALL OTHER--MALE----	12	12	9	12	15	7	6	1	-	-	-	-
FEMALE--	2	6	12	9	9	5	1	1	1	-	-	-
BLACK---MALE----	9	10	8	8	12	7	5	1	-	-	-	-
FEMALE--	2	4	10	8	9	4	1	-	1	-	-	-
WYOMING ----------	8	18	25	41	51	38	28	13	5	2	-	-
WHITE------MALE----	6	8	15	19	36	16	15	7	2	1	-	-
FEMALE--	2	9	10	20	15	22	12	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of thymus, heart, mediastinum and pleura (C37-C38)												
UNITED STATES -	445	1	-	2	1	1	4	10	9	20	19	21
WHITE------MALE----	201	1	-	1	1	-	3	7	3	11	10	10
FEMALE--	170	-	-	-	-	-	1	1	4	4	4	8
ALL OTHER--MALE----	34	-	-	1	-	1	-	1	-	4	3	2
FEMALE--	40	-	-	-	-	-	-	1	2	1	2	1
BLACK---MALE----	25	-	-	-	-	-	-	1	-	3	2	1
FEMALE--	32	-	-	-	-	-	-	-	2	1	2	1
ALABAMA ----------	7	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	58	-	-	2	-	-	2	4	1	2	2	3
WHITE------MALE----	26	-	-	1	-	-	1	2	1	-	1	1
FEMALE--	19	-	-	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	7	-	-	1	-	-	-	1	-	2	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of thymus, heart, mediastinum and pleura (C37-C38)												
UNITED STATES -	30	41	35	41	59	59	51	27	12	2	-	-
WHITE------MALE----	19	21	14	17	23	26	19	12	3	-	-	-
FEMALE--	6	14	9	19	24	26	29	12	7	2	-	-
ALL OTHER--MALE----	2	1	7	1	5	3	-	2	1	-	-	-
FEMALE--	3	5	5	4	7	4	3	1	1	-	-	-
BLACK---MALE----	2	-	7	1	5	2	-	1	-	-	-	-
FEMALE--	3	3	4	4	6	2	3	-	1	-	-	-
ALABAMA ----------	-	-	-	2	1	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	1	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	2	-	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA ----------	5	3	5	3	7	8	6	3	2	-	-	-
WHITE------MALE----	3	-	2	1	6	3	4	-	-	-	-	-
FEMALE--	2	2	1	2	1	4	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of thymus, heart, mediastinum and pleura (C37-C38)												
COLORADO ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	24	-	-	-	-	-	-	-	-	3	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
GEORGIA ----------	16	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of thymus, heart, mediastinum and pleura (C37-C38)												
COLORADO ----------	-	1	-	2	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
FLORIDA ----------	1	3	4	2	3	4	2	2	-	-	-	-
WHITE------MALE----	-	3	1	-	1	2	2	2	-	-	-	-
FEMALE--	1	-	1	2	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	1	4	1	4	-	3	-	-	-	-	-
WHITE------MALE----	2	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of thymus, heart, mediastinum and pleura (C37-C38)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	23	-	-	-	-	-	-	-	1	3	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of thymus, heart, mediastinum and pleura (C37-C38)												
HAWAII	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	2	3	1	1	1	7	3	-	1	-	-	-
WHITE--MALE	1	2	1	1	1	2	2	-	-	-	-	-
FEMALE	1	1	-	-	-	5	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
INDIANA	-	-	-	1	2	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	1	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	1	1	2	1	1	-	-	-	-	-
WHITE--MALE	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 850

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of thymus, heart, mediastinum and pleura (C37-C38)												
KENTUCKY ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	13	-	-	-	-	1	-	-	1	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	18	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of thymus, heart, mediastinum and pleura (C37-C38)												
KENTUCKY ----------	1	-	-	-	1	2	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	2	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	1	-	2	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	2	3	2	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	3	-	2	3	1	2	2	1	-	-	-
WHITE------MALE----	-	2	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of thymus, heart, mediastinum and pleura (C37-C38)												
MINNESOTA ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	7	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of thymus, heart, mediastinum and pleura (C37-C38)												
MINNESOTA ----------	1	-	1	1	3	1	-	1	1	-	-	-
WHITE------MALE----	1	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	2	3	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of thymus, heart, mediastinum and pleura (C37-C38)												
NEW HAMPSHIRE ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	9	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	36	-	-	-	-	-	-	-	3	1	2	3
WHITE------MALE----	16	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	12	-	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	15	-	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of thymus, heart, mediastinum and pleura (C37-C38)												
NEW HAMPSHIRE ----------	1	-	-	1	1	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	-	-	2	1	2	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEW MEXICO ----------	-	2	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	2	3	3	7	5	3	1	3	-	-	-
WHITE------MALE----	-	1	-	-	2	3	3	1	1	-	-	-
FEMALE--	-	-	-	2	4	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	2	1	1	3	1	2	-	1	-	-	-
WHITE------MALE----	1	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of thymus, heart, mediastinum and pleura (C37-C38)												
OHIO ----------	13	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	8	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	22	-	-	-	-	-	1	-	1	1	3	2
WHITE------MALE----	13	-	-	-	-	-	1	-	-	-	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	6	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of thymus, heart, mediastinum and pleura (C37-C38)												
OHIO ----------	3	-	-	2	-	3	2	1	-	1	-	-
WHITE------MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	2	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	2	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	1	2	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	4	2	2	1	-	3	2	-	-	-	-
WHITE------MALE----	-	3	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	2	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of thymus, heart, mediastinum and pleura (C37-C38)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	9	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
TEXAS ----------	34	-	-	-	-	-	1	1	-	2	2	2
WHITE------MALE----	18	-	-	-	-	-	1	1	-	1	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	1	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	5	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of thymus, heart, mediastinum and pleura (C37-C38)												
SOUTH DAKOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	2	-	2	1	2	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	6	3	2	2	8	3	2	-	-	-	-
WHITE------MALE----	-	4	2	-	-	6	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	2	1	1	1	2	-	-	1	-	-
WHITE------MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of thymus, heart, mediastinum and pleura (C37-C38)												
WASHINGTON ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of thymus, heart, mediastinum and pleura (C37-C38)												
WASHINGTON ----------	-	2	1	-	1	2	1	1	1	-	-	-
WHITE------MALE----	-	-	1	-	-	2	-	1	1	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WEST VIRGINIA ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	2	-	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
UNITED STATES -	42	-	-	1	-	-	-	-	1	-	1	1
WHITE------MALE----	23	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	14	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
UNITED STATES -	2	3	5	8	7	6	4	2	1	-	-	-
WHITE------MALE----	1	1	4	2	4	5	1	2	1	-	-	-
FEMALE--	-	2	1	4	3	-	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
COLORADO ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	2	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
KENTUCKY ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)												
WASHINGTON ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of bone and articular cartilage (C40-C41)												
UNITED STATES -	1,224	-	3	24	55	127	75	42	45	43	48	67
WHITE------MALE----	574	-	-	10	25	59	39	24	22	20	22	31
FEMALE--	492	-	2	8	18	46	24	11	18	17	17	23
ALL OTHER--MALE----	93	-	-	2	4	17	8	6	2	4	7	7
FEMALE--	65	-	1	4	8	5	4	1	3	2	2	6
BLACK---MALE----	71	-	-	2	2	12	3	3	1	3	6	6
FEMALE--	52	-	1	2	6	4	3	-	2	2	2	6
ALABAMA ----------	35	-	-	1	2	1	-	-	2	-	-	2
WHITE------MALE----	14	-	-	1	2	1	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	22	-	-	-	2	3	2	-	-	1	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	1	2	2	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	32	-	-	-	1	1	1	1	1	-	1	3
WHITE------MALE----	16	-	-	-	-	1	1	-	1	-	1	2
FEMALE--	13	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	145	-	-	2	10	19	12	3	7	5	4	13
WHITE------MALE----	55	-	-	-	2	6	6	1	4	2	1	6
FEMALE--	63	-	-	2	2	10	2	1	1	1	1	6
ALL OTHER--MALE----	19	-	-	-	1	3	4	1	1	2	2	1
FEMALE--	8	-	-	-	5	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	1	2	1	-	-	1	1	1
FEMALE--	4	-	-	-	3	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of bone and articular cartilage (C40-C41)												
UNITED STATES -	63	44	63	81	101	118	101	79	36	8	1	-
WHITE------MALE----	34	22	32	38	55	51	38	36	14	2	-	-
FEMALE--	23	12	18	36	36	60	58	38	20	6	1	-
ALL OTHER--MALE----	5	6	8	3	6	4	2	2	-	-	-	-
FEMALE--	1	4	5	4	4	3	3	3	2	-	-	-
BLACK---MALE----	5	4	8	3	6	4	1	2	-	-	-	-
FEMALE--	1	3	4	4	2	2	3	3	2	-	-	-
ALABAMA ----------	2	-	5	4	2	6	4	1	3	-	-	-
WHITE------MALE----	-	-	2	1	2	-	4	-	-	-	-	-
FEMALE--	1	-	2	3	-	5	-	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	2	1	2	3	1	3	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS ----------	-	2	1	2	4	5	2	6	1	-	-	-
WHITE------MALE----	-	1	-	1	3	1	1	3	-	-	-	-
FEMALE--	-	1	1	1	1	4	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
CALIFORNIA ----------	8	6	5	10	6	11	11	8	5	-	-	-
WHITE------MALE----	3	2	2	3	3	5	2	4	3	-	-	-
FEMALE--	5	2	2	7	1	6	9	3	2	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of bone and articular cartilage (C40-C41)												
COLORADO ----------	19	-	-	-	2	2	3	5	-	1	-	2
WHITE------MALE----	12	-	-	-	1	1	2	4	-	1	-	1
FEMALE--	7	-	-	-	1	1	1	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	8	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	59	-	-	2	6	7	3	-	-	-	2	1
WHITE------MALE----	31	-	-	1	5	2	2	-	-	-	-	-
FEMALE--	19	-	-	-	-	2	1	-	-	-	2	-
ALL OTHER--MALE----	6	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	1
GEORGIA ----------	26	-	-	-	1	5	3	-	2	-	5	2
WHITE------MALE----	12	-	-	-	-	4	-	-	2	-	1	2
FEMALE--	11	-	-	-	1	1	2	-	-	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of bone and articular cartilage (C40-C41)												
COLORADO ----------	1	1	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	1	1	-	2	1	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	1	5	6	7	6	3	5	3	-	-	-
WHITE------MALE----	2	-	2	2	5	2	2	4	2	-	-	-
FEMALE--	-	-	1	4	2	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	1	3	1	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of bone and articular cartilage (C40-C41)												
HAWAII ----------	3	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	-	-	-	-	2	1	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	50	-	1	1	2	3	1	-	3	4	5	1
WHITE------MALE----	19	-	-	-	1	-	-	-	1	1	1	-
FEMALE--	21	-	-	-	-	1	1	-	2	2	2	-
ALL OTHER--MALE----	6	-	-	1	-	1	-	-	-	-	2	1
FEMALE--	4	-	1	-	1	1	-	-	-	1	-	-
BLACK---MALE----	6	-	-	1	-	1	-	-	-	-	2	1
FEMALE--	4	-	1	-	1	1	-	-	-	1	-	-
INDIANA ----------	23	-	-	1	-	3	4	2	2	2	-	1
WHITE------MALE----	13	-	-	1	-	1	3	1	1	-	-	1
FEMALE--	10	-	-	-	-	2	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	15	-	-	2	-	2	2	1	-	1	1	1
WHITE------MALE----	8	-	-	1	-	1	1	-	-	1	1	-
FEMALE--	7	-	-	1	-	1	1	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	12	-	-	-	1	-	-	-	-	-	-	2
WHITE------MALE----	8	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of bone and articular cartilage (C40-C41)												
HAWAII ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	2	1	3	5	7	2	2	2	1	1	-
WHITE------MALE----	3	1	1	2	3	4	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	3	2	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	1	2	1	1	2	-	-	-	-	-
WHITE------MALE----	1	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	1	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	2	-	1	2	1	1	1	-	-
WHITE------MALE----	1	-	-	2	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of bone and articular cartilage (C40-C41)												
KENTUCKY ----------	22	-	-	2	-	2	-	-	1	1	-	-
WHITE------MALE----	11	-	-	1	-	1	-	-	1	1	-	-
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	24	-	-	-	3	-	-	1	-	1	2	2
WHITE------MALE----	5	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
MAINE ----------	5	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	17	-	-	1	-	1	1	1	-	1	-	4
WHITE------MALE----	10	-	-	-	-	1	1	1	-	-	-	3
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	21	-	-	-	-	2	-	1	-	1	1	1
WHITE------MALE----	13	-	-	-	-	2	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN ----------	51	-	-	1	1	2	3	2	3	2	4	1
WHITE------MALE----	24	-	-	1	-	1	1	-	3	1	3	1
FEMALE--	25	-	-	-	1	1	2	1	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of bone and articular cartilage (C40-C41)												
KENTUCKY ----------	1	-	1	1	4	3	3	2	-	1	-	-
WHITE------MALE----	-	-	1	1	2	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	2	3	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	1	-	2	2	2	3	3	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
MAINE ----------	-	-	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	1	-	-	3	3	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	5	1	2	-	2	2	2	1	-	-	-	-
WHITE------MALE----	3	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	3	3	6	6	5	3	3	1	-	-
WHITE------MALE----	1	-	1	3	2	3	2	-	1	-	-	-
FEMALE--	1	-	1	-	4	3	3	3	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of bone and articular cartilage (C40-C41)												
MINNESOTA ----------	17	-	-	-	-	1	1	1	3	-	-	-
WHITE------MALE----	10	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	33	-	-	-	-	-	-	-	-	1	1	3
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	30	-	-	-	2	5	3	-	-	2	-	1
WHITE------MALE----	17	-	-	-	2	2	1	-	-	1	-	1
FEMALE--	7	-	-	-	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	1	1	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of bone and articular cartilage (C40-C41)												
MINNESOTA ----------	-	-	-	-	2	2	5	1	1	-	-	-
WHITE------MALE----	-	-	-	-	2	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	2	4	2	6	5	4	3	1	-	-	-
WHITE------MALE----	-	-	1	-	3	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	2	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	3	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	3	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	-	-	-	-
MISSOURI ----------	3	1	2	2	1	1	1	4	1	1	-	-
WHITE------MALE----	2	1	1	-	1	1	-	3	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of bone and articular cartilage (C40-C41)												
NEW HAMPSHIRE ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	36	-	-	-	-	1	1	1	1	2	2	1
WHITE------MALE----	19	-	-	-	-	1	1	1	1	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
NEW MEXICO ----------	13	-	-	-	3	4	1	-	-	1	-	-
WHITE------MALE----	4	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	8	-	-	-	2	2	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	77	-	1	3	3	11	2	4	5	5	1	4
WHITE------MALE----	27	-	-	1	-	5	1	3	2	2	1	-
FEMALE--	36	-	1	-	1	3	1	1	2	2	-	3
ALL OTHER--MALE----	8	-	-	-	1	1	-	-	-	1	-	1
FEMALE--	6	-	-	2	1	2	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	1	1	-	-	1	-	-	-
NORTH CAROLINA ---------	27	-	-	1	-	2	2	-	1	1	-	2
WHITE------MALE----	11	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	9	-	-	1	-	1	1	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of bone and articular cartilage (C40-C41)												
NEW HAMPSHIRE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	2	3	2	3	4	5	2	1	-	-	-
WHITE------MALE----	4	-	2	2	1	2	1	-	1	-	-	-
FEMALE--	1	2	-	-	2	2	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	2	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	6	6	5	5	5	5	2	1	-	-	-
WHITE------MALE----	-	3	3	1	2	2	-	1	-	-	-	-
FEMALE--	2	1	3	4	2	3	5	1	1	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	1	3	2	3	1	3	4	-	1	-	-
WHITE------MALE----	-	-	2	1	1	-	-	3	-	1	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of bone and articular cartilage (C40-C41)												
OHIO ----------	57	-	-	-	2	5	5	4	3	2	1	-
WHITE------MALE----	28	-	-	-	1	2	3	1	1	2	1	-
FEMALE--	24	-	-	-	1	3	1	2	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	11	-	-	1	1	1	1	2	-	-	1	-
WHITE------MALE----	6	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	3	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	14	-	-	-	-	2	-	-	-	-	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	46	-	-	3	1	10	4	2	-	1	1	1
WHITE------MALE----	22	-	-	1	-	7	4	-	-	-	1	-
FEMALE--	18	-	-	-	1	2	-	1	-	1	-	1
ALL OTHER--MALE----	4	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	14	-	1	-	-	2	1	1	-	-	1	1
WHITE------MALE----	5	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of bone and articular cartilage (C40-C41)												
OHIO	3	2	4	2	4	6	5	5	3	1	-	-
WHITE--MALE	2	1	3	2	3	2	1	1	2	-	-	-
FEMALE	1	-	1	-	1	4	4	3	1	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	-	1	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	-	1	-	-	-	-
OKLAHOMA	1	-	-	-	1	2	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	1	2	-	-	3	1	2	1	-	-	-	-
WHITE--MALE	1	2	-	-	3	1	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	1	5	3	-	5	5	3	1	-	-	-
WHITE--MALE	-	-	2	-	-	3	2	1	1	-	-	-
FEMALE	-	1	3	2	-	1	3	2	-	-	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	2	-	-	-	1	1	1	2	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of bone and articular cartilage (C40-C41)												
SOUTH DAKOTA ----------	8	-	-	-	-	-	2	1	-	2	-	-
WHITE------MALE----	6	-	-	-	-	-	2	1	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	27	-	-	1	-	2	2	2	1	-	1	1
WHITE------MALE----	14	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	11	-	-	-	-	1	1	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	117	-	-	-	7	15	4	5	7	3	5	4
WHITE------MALE----	67	-	-	-	4	6	1	4	5	2	3	1
FEMALE--	36	-	-	-	2	7	1	1	2	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	7	-	-	-	1	2	-	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	1	2	-	-	-	-	1	1
UTAH ----------	13	-	-	-	-	4	-	-	1	-	1	1
WHITE------MALE----	6	-	-	-	-	2	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	14	-	-	-	1	2	1	-	-	1	-	3
WHITE------MALE----	5	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of bone and articular cartilage (C40-C41)												
SOUTH DAKOTA ----------	-	-	-	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	1	2	4	1	1	-	5	-	-	-	-
WHITE------MALE----	2	-	2	2	-	-	-	3	-	-	-	-
FEMALE--	1	-	-	2	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	4	4	1	11	16	12	10	7	2	-	-	-
WHITE------MALE----	1	3	1	7	10	7	8	4	-	-	-	-
FEMALE--	2	1	-	2	4	5	1	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
UTAH ----------	1	-	1	-	3	-	1	-	-	-	-	-
WHITE------MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	1	-	3	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of bone and articular cartilage (C40-C41)												
WASHINGTON ----------	16	-	-	1	-	-	-	-	-	1	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	13	-	-	-	-	-	3	1	1	-	2	1
WHITE------MALE----	5	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	7	-	-	-	-	-	2	-	1	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	25	-	-	1	2	2	2	-	-	-	2	3
WHITE------MALE----	15	-	-	1	1	1	1	-	-	-	1	3
FEMALE--	8	-	-	-	1	-	1	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of bone and articular cartilage (C40-C41)												
WASHINGTON ----------	1	1	-	2	1	2	2	2	1	1	-	-
WHITE------MALE----	1	1	-	1	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	1	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	2	1	2	-	1	4	-	2	-	-	-
WHITE------MALE----	1	2	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Melanoma and other malignant neoplasms of skin (C43-C44)												
UNITED STATES -	9,530	1	-	1	-	10	30	62	138	264	423	604
WHITE------MALE----	5,921	1	-	-	-	6	14	37	73	164	272	385
FEMALE--	3,309	-	-	1	-	2	14	24	58	93	140	190
ALL OTHER--MALE----	198	-	-	-	-	2	2	1	5	4	8	21
FEMALE--	102	-	-	-	-	-	-	-	2	3	3	8
BLACK---MALE----	164	-	-	-	-	2	-	1	3	2	6	19
FEMALE--	79	-	-	-	-	-	-	-	2	2	3	5
ALABAMA ----------	142	-	-	-	-	-	-	1	1	2	5	14
WHITE------MALE----	89	-	-	-	-	-	-	1	-	-	5	10
FEMALE--	45	-	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	10	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	192	-	-	-	-	-	1	1	4	6	11	15
WHITE------MALE----	131	-	-	-	-	-	-	-	3	4	4	12
FEMALE--	57	-	-	-	-	-	-	1	1	2	7	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	93	-	-	-	-	-	-	-	2	1	2	5
WHITE------MALE----	51	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	41	-	-	-	-	-	-	-	2	-	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	928	-	-	1	-	-	4	6	14	29	34	84
WHITE------MALE----	575	-	-	-	-	-	2	3	9	19	21	54
FEMALE--	315	-	-	1	-	-	2	3	3	7	11	27
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	2	1	2	2
FEMALE--	11	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Melanoma and other malignant neoplasms of skin (C43-C44)												
UNITED STATES -	718	748	853	1,007	1,160	1,260	1,038	701	359	127	26	-
WHITE------MALE----	450	511	564	666	779	782	623	375	181	29	9	-
FEMALE--	241	211	252	311	348	437	394	310	170	96	17	-
ALL OTHER--MALE----	22	19	27	18	21	27	11	5	4	1	-	-
FEMALE--	5	7	10	12	12	14	10	11	4	1	-	-
BLACK---MALE----	21	15	24	14	19	22	8	4	3	1	-	-
FEMALE--	5	7	7	11	8	8	8	9	4	-	-	-
ALABAMA ----------	15	11	13	13	23	18	13	6	4	3	-	-
WHITE------MALE----	8	6	6	7	17	13	9	4	3	-	-	-
FEMALE--	7	2	5	5	6	5	4	2	1	3	-	-
ALL OTHER--MALE----	-	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	2	1	1	-	2	1	-	-	-	-	-
WHITE------MALE----	-	2	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	18	15	18	24	17	19	21	15	5	1	1	-
WHITE------MALE----	10	11	15	20	11	11	15	9	5	-	1	-
FEMALE--	8	4	2	3	5	8	6	6	-	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	7	10	8	13	14	14	3	3	2	1	-
WHITE------MALE----	5	4	10	5	8	10	5	1	1	-	-	-
FEMALE--	3	3	-	3	5	4	9	2	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	65	61	80	98	119	133	87	71	31	10	1	-
WHITE------MALE----	41	39	48	59	79	86	52	43	16	4	-	-
FEMALE--	22	21	25	37	36	38	32	28	15	6	1	-
ALL OTHER--MALE----	2	1	4	1	3	6	3	-	-	-	-	-
FEMALE--	-	-	3	1	1	3	-	-	-	-	-	-
BLACK---MALE----	2	1	3	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Melanoma and other malignant neoplasms of skin (C43-C44)												
COLORADO ----------	128	-	-	-	-	-	-	-	2	4	5	5
WHITE------MALE----	90	-	-	-	-	-	-	-	-	3	5	4
FEMALE--	38	-	-	-	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	119	-	-	-	-	1	-	1	1	1	1	3
WHITE------MALE----	77	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	41	-	-	-	-	1	-	-	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	31	-	-	-	-	-	-	-	-	1	1	4
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	747	-	-	-	-	-	2	3	9	20	33	41
WHITE------MALE----	514	-	-	-	-	-	1	2	8	13	22	28
FEMALE--	223	-	-	-	-	-	1	1	1	6	11	12
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
GEORGIA ----------	219	-	-	-	-	-	2	2	2	3	13	18
WHITE------MALE----	133	-	-	-	-	-	2	1	-	3	10	12
FEMALE--	70	-	-	-	-	-	-	1	2	-	3	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Melanoma and other malignant neoplasms of skin (C43-C44)												
COLORADO ----------	8	17	11	14	19	14	16	11	2	-	-	-
WHITE------MALE----	6	12	6	10	15	10	11	6	2	-	-	-
FEMALE--	2	5	5	4	4	4	5	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	18	10	9	10	12	23	17	7	3	2	-	-
WHITE------MALE----	9	8	4	10	10	13	12	6	1	-	-	-
FEMALE--	9	2	5	-	2	9	5	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	2	3	2	3	8	1	5	1	-	-	-	-
WHITE------MALE----	1	2	1	2	4	-	5	1	-	-	-	-
FEMALE--	1	1	1	1	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	2	-	1	1	3	3	1	1	-	-	-
WHITE------MALE----	2	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA ----------	47	50	60	96	87	91	89	67	35	12	5	-
WHITE------MALE----	37	36	46	64	68	55	63	43	20	5	3	-
FEMALE--	10	13	12	30	19	35	24	24	15	7	2	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
GEORGIA ----------	29	19	28	26	24	22	14	12	4	1	-	-
WHITE------MALE----	16	13	17	18	14	14	5	4	3	1	-	-
FEMALE--	8	6	8	7	9	7	8	7	1	-	-	-
ALL OTHER--MALE----	3	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	3	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Melanoma and other malignant neoplasms of skin (C43-C44)												
HAWAII ----------	20	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	46	-	-	-	-	-	-	-	-	2	-	2
WHITE------MALE----	32	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	362	-	-	-	-	-	3	2	3	10	11	16
WHITE------MALE----	225	-	-	-	-	-	2	1	-	7	6	9
FEMALE--	130	-	-	-	-	-	1	1	3	3	5	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	245	-	-	-	-	-	1	1	5	4	12	14
WHITE------MALE----	146	-	-	-	-	-	-	1	2	2	9	8
FEMALE--	94	-	-	-	-	-	1	-	3	2	3	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	134	-	-	-	-	1	1	-	3	5	8	6
WHITE------MALE----	76	-	-	-	-	1	1	-	1	3	4	4
FEMALE--	58	-	-	-	-	-	-	-	2	2	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	107	-	-	-	-	-	-	-	-	4	5	7
WHITE------MALE----	65	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	40	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Melanoma and other malignant neoplasms of skin (C43-C44)												
HAWAII ----------	-	2	3	3	-	6	-	2	2	-	-	-
WHITE------MALE----	-	1	3	3	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	4	4	4	7	8	5	3	4	-	-	-
WHITE------MALE----	1	3	3	4	4	5	4	3	2	-	-	-
FEMALE--	2	1	1	-	3	3	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	20	27	28	47	48	58	44	20	16	8	1	-
WHITE------MALE----	10	17	20	31	38	35	26	11	9	2	1	-
FEMALE--	9	9	7	16	9	22	18	8	7	6	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
INDIANA ----------	18	21	22	23	26	37	28	20	10	2	1	-
WHITE------MALE----	11	13	11	14	15	21	18	13	6	1	1	-
FEMALE--	7	7	11	8	11	15	9	6	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
IOWA ----------	11	5	8	18	9	19	14	15	7	4	-	-
WHITE------MALE----	7	2	6	13	8	11	8	4	3	-	-	-
FEMALE--	4	3	2	5	1	8	6	11	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	10	6	8	10	9	14	15	11	4	4	-	-
WHITE------MALE----	4	5	4	9	7	6	9	9	2	2	-	-
FEMALE--	6	1	4	1	2	7	6	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Melanoma and other malignant neoplasms of skin (C43-C44)												
KENTUCKY ----------	164	-	-	-	-	-	-	2	6	1	11	12
WHITE------MALE----	104	-	-	-	-	-	-	1	6	1	8	8
FEMALE--	56	-	-	-	-	-	-	1	-	-	3	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	105	-	-	-	-	-	-	1	2	2	10	7
WHITE------MALE----	59	-	-	-	-	-	-	-	1	2	6	-
FEMALE--	37	-	-	-	-	-	-	1	-	-	3	7
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
MAINE ----------	47	-	-	-	-	-	-	1	2	2	1	3
WHITE------MALE----	20	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	166	-	-	-	-	-	1	3	-	6	5	7
WHITE------MALE----	95	-	-	-	-	-	-	1	-	5	4	5
FEMALE--	63	-	-	-	-	-	1	2	-	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	234	-	-	-	-	-	1	2	3	13	8	10
WHITE------MALE----	149	-	-	-	-	-	-	1	1	8	6	5
FEMALE--	83	-	-	-	-	-	1	1	2	5	2	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	280	-	-	-	-	1	-	2	3	14	13	22
WHITE------MALE----	175	-	-	-	-	-	-	2	3	7	9	17
FEMALE--	95	-	-	-	-	1	-	-	-	6	4	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Melanoma and other malignant neoplasms of skin (C43-C44)												
KENTUCKY ----------	12	11	17	10	20	18	22	12	5	4	1	-
WHITE------MALE----	6	7	12	6	14	13	12	5	3	2	-	-
FEMALE--	6	4	5	4	4	5	10	5	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
LOUISIANA ----------	6	9	10	5	18	19	6	3	4	3	-	-
WHITE------MALE----	3	6	5	3	10	15	4	3	1	-	-	-
FEMALE--	3	2	3	1	8	3	2	-	2	2	-	-
ALL OTHER--MALE----	-	-	2	1	-	1	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	2	1	-	1	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
MAINE ----------	5	3	5	4	6	4	5	4	-	2	-	-
WHITE------MALE----	3	1	5	1	3	1	1	2	-	-	-	-
FEMALE--	2	2	-	3	3	3	4	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	11	20	9	15	23	19	19	12	14	2	-	-
WHITE------MALE----	3	12	4	12	13	10	9	7	10	-	-	-
FEMALE--	4	7	5	3	10	8	10	4	4	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	9	16	25	23	30	38	28	17	5	5	1	-
WHITE------MALE----	9	14	17	16	20	27	16	8	1	-	-	-
FEMALE--	-	1	7	7	10	11	12	9	4	5	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	25	34	36	24	24	28	24	15	11	3	1	-
WHITE------MALE----	19	23	21	16	16	15	13	8	5	-	1	-
FEMALE--	6	9	13	8	6	12	10	7	6	3	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Melanoma and other malignant neoplasms of skin (C43-C44)												
MINNESOTA ----------	154	-	-	-	-	-	2	2	3	5	13	9
WHITE------MALE----	88	-	-	-	-	-	-	2	1	5	8	5
FEMALE--	65	-	-	-	-	-	2	-	2	-	5	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	70	-	-	-	-	-	-	-	3	3	5	3
WHITE------MALE----	39	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	25	-	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	218	-	-	-	-	-	-	1	2	8	12	14
WHITE------MALE----	142	-	-	-	-	-	-	1	2	5	8	10
FEMALE--	71	-	-	-	-	-	-	-	-	3	4	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	30	-	-	-	-	-	-	-	1	1	2	1
WHITE------MALE----	20	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	66	-	-	-	-	-	-	-	-	3	2	2
WHITE------MALE----	39	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	27	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	76	-	-	-	-	-	-	-	2	1	5	6
WHITE------MALE----	51	-	-	-	-	-	-	-	1	1	4	3
FEMALE--	25	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Melanoma and other malignant neoplasms of skin (C43-C44)												
MINNESOTA ----------	5	12	10	11	13	18	21	20	5	3	2	-
WHITE------MALE----	5	4	8	7	13	12	9	8	1	-	-	-
FEMALE--	-	7	2	4	-	6	12	12	4	3	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	7	3	11	9	7	9	1	2	7	-	-	-
WHITE------MALE----	5	1	7	6	7	4	-	-	2	-	-	-
FEMALE--	2	2	3	3	-	4	1	2	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	14	14	25	17	31	22	22	21	14	1	-	-
WHITE------MALE----	9	12	21	11	20	13	12	11	7	-	-	-
FEMALE--	5	2	3	5	11	9	10	8	6	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
MONTANA ----------	3	2	5	2	1	4	2	3	2	1	-	-
WHITE------MALE----	1	1	3	2	1	3	2	2	2	-	-	-
FEMALE--	1	1	2	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	6	2	8	11	7	9	9	1	1	1	-
WHITE------MALE----	2	4	-	6	7	4	6	4	1	-	1	-
FEMALE--	2	2	2	2	4	3	3	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	8	5	10	11	7	11	5	4	1	-	-	-
WHITE------MALE----	6	5	6	10	3	6	3	2	1	-	-	-
FEMALE--	2	-	4	1	4	5	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Melanoma and other malignant neoplasms of skin (C43-C44)												
NEW HAMPSHIRE ----------	58	-	-	-	-	-	-	-	-	2	3	4
WHITE------MALE----	30	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	293	-	-	-	-	2	1	1	4	5	13	20
WHITE------MALE----	182	-	-	-	-	2	-	-	2	3	9	13
FEMALE--	102	-	-	-	-	-	1	1	1	1	3	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	64	-	-	-	-	-	-	-	-	2	5	1
WHITE------MALE----	39	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	552	1	-	-	-	-	2	5	4	12	16	38
WHITE------MALE----	325	1	-	-	-	-	2	2	1	6	9	22
FEMALE--	203	-	-	-	-	-	-	2	2	6	5	14
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	19	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
NORTH CAROLINA ---------	305	-	-	-	-	1	-	3	3	12	14	21
WHITE------MALE----	195	-	-	-	-	1	-	2	2	9	9	14
FEMALE--	87	-	-	-	-	-	-	1	1	3	3	5
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	19	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Melanoma and other malignant neoplasms of skin (C43-C44)												
NEW HAMPSHIRE ----------	3	5	5	8	7	7	9	1	3	-	1	-
WHITE------MALE----	-	3	2	4	6	3	5	-	1	-	-	-
FEMALE--	3	2	3	4	1	4	4	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	18	28	19	26	37	42	37	22	11	7	-	-
WHITE------MALE----	15	19	12	17	23	22	25	12	8	-	-	-
FEMALE--	2	8	7	9	13	18	11	10	3	7	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
NEW MEXICO ----------	6	6	8	4	13	5	7	4	2	1	-	-
WHITE------MALE----	5	4	6	3	7	1	6	2	1	-	-	-
FEMALE--	1	2	2	1	6	4	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	47	42	44	58	66	80	62	44	24	6	1	-
WHITE------MALE----	28	29	29	33	50	40	38	23	11	1	-	-
FEMALE--	16	10	13	22	15	37	23	19	13	5	1	-
ALL OTHER--MALE----	3	2	2	3	1	3	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	2	2	2	1	3	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	27	23	25	38	31	47	30	20	9	1	-	-
WHITE------MALE----	16	16	20	25	19	33	16	9	4	-	-	-
FEMALE--	8	6	4	10	7	9	13	11	5	1	-	-
ALL OTHER--MALE----	3	1	1	2	4	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	3	1	1	2	4	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	3	2	1	3	4	-	-	1	-
WHITE------MALE----	1	-	-	3	2	1	2	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Melanoma and other malignant neoplasms of skin (C43-C44)												
OHIO ----------	406	-	-	-	-	-	-	3	5	13	21	28
WHITE------MALE----	237	-	-	-	-	-	-	2	2	5	14	15
FEMALE--	157	-	-	-	-	-	-	1	3	8	7	11
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA ----------	192	-	-	-	-	-	1	1	2	6	7	12
WHITE------MALE----	120	-	-	-	-	-	-	-	1	5	7	11
FEMALE--	66	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	130	-	-	-	-	-	1	1	5	6	8	12
WHITE------MALE----	84	-	-	-	-	-	-	-	5	3	4	9
FEMALE--	44	-	-	-	-	-	1	1	-	3	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	452	-	-	-	-	1	-	3	8	4	16	15
WHITE------MALE----	273	-	-	-	-	-	-	3	4	1	13	9
FEMALE--	168	-	-	-	-	-	-	-	4	3	3	5
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	44	-	-	-	-	-	-	-	2	1	1	-
WHITE------MALE----	23	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	138	-	-	-	-	-	2	-	-	6	6	8
WHITE------MALE----	85	-	-	-	-	-	1	-	-	2	3	5
FEMALE--	46	-	-	-	-	-	1	-	-	4	3	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Melanoma and other malignant neoplasms of skin (C43-C44)												
OHIO ----------	34	41	32	44	56	44	43	33	6	3	-	-
WHITE------MALE----	21	29	20	30	31	26	23	17	2	-	-	-
FEMALE--	12	9	11	14	24	18	18	15	3	3	-	-
ALL OTHER--MALE----	1	3	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	1	3	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
OKLAHOMA ----------	12	18	12	22	26	25	21	14	9	3	1	-
WHITE------MALE----	9	12	7	11	21	12	10	9	3	2	-	-
FEMALE--	3	6	4	10	5	12	11	4	5	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON ----------	14	10	10	8	16	17	13	2	5	2	-	-
WHITE------MALE----	11	8	5	5	10	7	13	-	2	2	-	-
FEMALE--	3	2	5	2	6	9	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	35	31	48	53	63	67	61	26	13	7	1	-
WHITE------MALE----	21	24	30	36	37	44	36	8	5	2	-	-
FEMALE--	13	7	16	17	24	20	24	18	8	5	1	-
ALL OTHER--MALE----	1	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
RHODE ISLAND ----------	4	4	4	3	6	6	6	3	1	2	1	-
WHITE------MALE----	1	4	2	2	3	4	2	2	-	1	-	-
FEMALE--	3	-	2	1	3	2	4	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	6	19	16	23	17	9	5	4	2	-	-
WHITE------MALE----	6	6	14	12	12	12	7	3	2	-	-	-
FEMALE--	7	-	3	3	11	4	2	2	2	2	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Melanoma and other malignant neoplasms of skin (C43-C44)												
SOUTH DAKOTA ----------	29	-	-	-	-	-	-	-	-	1	3	2
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	201	-	-	-	-	-	-	1	2	4	11	12
WHITE------MALE----	118	-	-	-	-	-	-	1	1	2	4	8
FEMALE--	79	-	-	-	-	-	-	-	1	2	7	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	641	-	-	-	-	2	2	7	11	10	32	41
WHITE------MALE----	428	-	-	-	-	1	1	4	6	10	26	31
FEMALE--	192	-	-	-	-	-	1	3	5	-	4	10
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	14	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
UTAH ----------	62	-	-	-	-	-	-	-	2	3	3	3
WHITE------MALE----	43	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	19	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	25	-	-	-	-	-	-	1	-	-	1	3
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	238	-	-	-	-	1	-	2	5	8	9	14
WHITE------MALE----	144	-	-	-	-	1	-	2	4	6	1	7
FEMALE--	78	-	-	-	-	-	-	-	1	1	7	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Melanoma and other malignant neoplasms of skin (C43-C44)												
SOUTH DAKOTA ----------	1	3	7	4	3	-	-	3	-	1	1	-
WHITE------MALE----	-	2	4	2	2	-	-	3	-	-	1	-
FEMALE--	1	1	3	2	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	21	17	19	27	19	28	21	12	4	3	-	-
WHITE------MALE----	15	13	11	16	8	21	12	4	2	-	-	-
FEMALE--	6	4	7	9	11	7	8	8	2	3	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	39	48	59	57	81	95	67	51	30	9	-	-
WHITE------MALE----	27	30	44	35	61	69	39	27	15	2	-	-
FEMALE--	12	16	13	18	15	25	26	23	14	7	-	-
ALL OTHER--MALE----	-	2	2	3	4	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	2	3	4	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
UTAH ----------	4	3	8	5	6	12	6	6	1	-	-	-
WHITE------MALE----	2	3	5	5	3	9	5	4	-	-	-	-
FEMALE--	2	-	3	-	3	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	3	3	2	1	-	4	3	-	-	-	-
WHITE------MALE----	3	3	3	-	1	-	2	2	-	-	-	-
FEMALE--	1	-	-	2	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	23	20	19	26	23	32	18	18	16	2	2	-
WHITE------MALE----	15	12	13	19	13	23	9	10	8	1	-	-
FEMALE--	6	6	5	6	7	8	8	8	7	1	2	-
ALL OTHER--MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	1	1	-	1	-	-	-
BLACK---MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Melanoma and other malignant neoplasms of skin (C43-C44)												
WASHINGTON ----------	240	-	-	-	-	-	-	2	4	4	11	18
WHITE------MALE----	138	-	-	-	-	-	-	2	1	3	6	8
FEMALE--	96	-	-	-	-	-	-	-	3	1	5	8
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	84	-	-	-	-	-	-	1	3	7	4	4
WHITE------MALE----	46	-	-	-	-	-	-	-	-	4	2	3
FEMALE--	37	-	-	-	-	-	-	1	3	3	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	185	-	-	-	-	-	2	-	4	7	9	10
WHITE------MALE----	119	-	-	-	-	-	1	-	2	4	5	7
FEMALE--	63	-	-	-	-	-	-	-	2	3	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	24	-	-	-	-	-	1	-	1	-	-	2
WHITE------MALE----	17	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Melanoma and other malignant neoplasms of skin (C43-C44)												
WASHINGTON ----------	10	19	20	24	35	30	35	17	8	2	1	-
WHITE------MALE----	5	11	13	14	22	19	22	8	3	1	-	-
FEMALE--	5	8	6	9	12	11	12	9	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	6	7	14	11	6	5	6	3	1	-	-
WHITE------MALE----	5	4	4	9	7	2	-	5	1	-	-	-
FEMALE--	1	2	3	5	3	4	5	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	8	15	13	25	21	18	26	19	7	1	-	-
WHITE------MALE----	5	10	9	18	15	13	17	8	5	-	-	-
FEMALE--	3	5	4	5	6	5	9	11	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
WYOMING ----------	1	3	2	2	1	2	5	1	3	-	-	-
WHITE------MALE----	-	3	1	2	1	2	4	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
UNITED STATES -	7,215	1	-	1	-	9	30	62	132	239	386	518
WHITE------MALE----	4,459	1	-	-	-	6	14	37	69	149	245	331
FEMALE--	2,627	-	-	1	-	2	14	24	58	87	137	178
ALL OTHER--MALE----	70	-	-	-	-	1	2	1	3	2	1	6
FEMALE--	59	-	-	-	-	-	-	-	2	1	3	3
BLACK---MALE----	48	-	-	-	-	1	-	1	1	1	-	4
FEMALE--	48	-	-	-	-	-	-	-	2	-	3	2
ALABAMA ----------	106	-	-	-	-	-	-	1	1	1	4	10
WHITE------MALE----	72	-	-	-	-	-	-	1	-	-	4	8
FEMALE--	33	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	8	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	151	-	-	-	-	-	1	1	4	6	11	11
WHITE------MALE----	98	-	-	-	-	-	-	-	3	4	4	8
FEMALE--	49	-	-	-	-	-	-	1	1	2	7	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	73	-	-	-	-	-	-	-	2	1	2	5
WHITE------MALE----	40	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	32	-	-	-	-	-	-	-	2	-	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	728	-	-	1	-	-	4	6	13	25	32	77
WHITE------MALE----	457	-	-	-	-	-	2	3	8	17	21	50
FEMALE--	252	-	-	1	-	-	2	3	3	7	10	25
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
UNITED STATES -	602	615	648	791	861	945	694	435	181	53	12	-
WHITE------MALE----	377	420	418	519	564	584	404	219	88	10	4	-
FEMALE--	221	188	218	258	282	340	276	205	88	42	8	-
ALL OTHER--MALE----	3	5	8	7	6	12	6	4	2	1	-	-
FEMALE--	1	2	4	7	9	9	8	7	3	-	-	-
BLACK---MALE----	2	3	7	4	6	8	4	3	2	1	-	-
FEMALE--	1	2	2	7	8	6	7	5	3	-	-	-
ALABAMA ----------	13	7	10	11	19	14	9	3	2	1	-	-
WHITE------MALE----	7	5	6	6	15	10	6	2	2	-	-	-
FEMALE--	6	1	4	5	4	4	3	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	2	-	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	17	11	13	20	14	12	18	10	1	-	1	-
WHITE------MALE----	9	8	11	17	9	7	12	4	1	-	1	-
FEMALE--	8	3	1	2	4	5	6	6	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	6	6	9	6	11	11	11	2	-	-	1	-
WHITE------MALE----	3	4	9	3	6	9	3	1	-	-	-	-
FEMALE--	3	2	-	3	5	2	8	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	59	53	64	80	87	102	56	52	10	6	1	-
WHITE------MALE----	38	34	44	48	58	62	31	33	5	3	-	-
FEMALE--	21	19	19	32	28	32	22	19	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	5	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
COLORADO ----------	93	-	-	-	-	-	-	-	2	4	4	4
WHITE------MALE----	62	-	-	-	-	-	-	-	-	3	4	3
FEMALE--	31	-	-	-	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	87	-	-	-	-	1	-	1	1	1	1	2
WHITE------MALE----	57	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	29	-	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	25	-	-	-	-	-	-	-	-	1	1	3
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	561	-	-	-	-	-	2	3	9	16	30	34
WHITE------MALE----	383	-	-	-	-	-	1	2	8	12	19	24
FEMALE--	173	-	-	-	-	-	1	1	1	4	11	10
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	170	-	-	-	-	-	2	2	2	3	12	15
WHITE------MALE----	102	-	-	-	-	-	2	1	-	3	9	11
FEMALE--	61	-	-	-	-	-	-	1	2	-	3	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
COLORADO ----------	6	15	10	8	13	6	13	7	1	-	-	-
WHITE------MALE----	4	10	5	6	11	4	8	3	1	-	-	-
FEMALE--	2	5	5	2	2	2	5	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	14	8	6	9	7	20	10	4	2	-	-	-
WHITE------MALE----	7	7	2	9	5	12	6	4	1	-	-	-
FEMALE--	7	1	4	-	2	7	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	2	2	1	2	7	1	4	1	-	-	-	-
WHITE------MALE----	1	1	1	2	4	-	4	1	-	-	-	-
FEMALE--	1	1	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	2	-	1	1	1	1	1	1	-	-	-
WHITE------MALE----	2	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	38	41	39	83	65	60	63	48	21	6	3	-
WHITE------MALE----	30	28	28	56	51	34	46	29	12	2	1	-
FEMALE--	8	13	10	25	14	25	16	19	9	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
GEORGIA ----------	21	17	19	22	19	16	9	8	3	-	-	-
WHITE------MALE----	12	11	11	14	11	10	4	1	2	-	-	-
FEMALE--	8	6	7	7	8	5	4	6	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
HAWAII ----------	15	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	33	-	-	-	-	-	-	-	-	2	-	2
WHITE------MALE----	21	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	281	-	-	-	-	-	3	2	3	9	11	16
WHITE------MALE----	169	-	-	-	-	-	2	1	-	6	6	9
FEMALE--	107	-	-	-	-	-	1	1	3	3	5	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	183	-	-	-	-	-	1	1	5	4	11	12
WHITE------MALE----	105	-	-	-	-	-	-	1	2	2	8	6
FEMALE--	74	-	-	-	-	-	1	-	3	2	3	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	95	-	-	-	-	1	1	-	3	4	7	5
WHITE------MALE----	53	-	-	-	-	1	1	-	1	2	3	3
FEMALE--	42	-	-	-	-	-	-	-	2	2	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	84	-	-	-	-	-	-	-	-	4	5	6
WHITE------MALE----	49	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	35	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
HAWAII ----------	-	2	3	2	-	3	-	2	1	-	-	-
WHITE------MALE----	-	1	3	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	2	4	1	6	6	3	2	2	-	-	-
WHITE------MALE----	1	1	3	1	4	3	2	2	1	-	-	-
FEMALE--	2	1	1	-	2	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	20	23	23	33	37	49	29	11	9	3	-	-
WHITE------MALE----	10	14	16	22	27	29	16	6	5	-	-	-
FEMALE--	9	9	6	11	9	19	13	5	4	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
INDIANA ----------	12	18	20	19	19	28	18	10	5	-	-	-
WHITE------MALE----	6	10	10	11	11	17	13	5	3	-	-	-
FEMALE--	6	7	10	8	8	10	4	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA ----------	10	4	7	15	4	17	6	5	5	1	-	-
WHITE------MALE----	6	1	5	11	3	9	4	-	3	-	-	-
FEMALE--	4	3	2	4	1	8	2	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	9	6	7	6	7	9	12	7	2	4	-	-
WHITE------MALE----	4	5	3	5	5	4	7	5	1	2	-	-
FEMALE--	5	1	4	1	2	5	5	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
KENTUCKY ----------	116	-	-	-	-	-	-	2	5	1	11	10
WHITE------MALE----	73	-	-	-	-	-	-	1	5	1	8	6
FEMALE--	40	-	-	-	-	-	-	1	-	-	3	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	84	-	-	-	-	-	-	1	2	2	7	6
WHITE------MALE----	50	-	-	-	-	-	-	-	1	2	5	-
FEMALE--	28	-	-	-	-	-	-	1	-	-	2	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
MAINE ----------	35	-	-	-	-	-	-	1	2	2	1	3
WHITE------MALE----	16	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	112	-	-	-	-	-	1	3	-	6	5	5
WHITE------MALE----	66	-	-	-	-	-	-	1	-	5	4	4
FEMALE--	44	-	-	-	-	-	1	2	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	184	-	-	-	-	-	1	2	3	12	7	9
WHITE------MALE----	113	-	-	-	-	-	-	1	1	7	5	4
FEMALE--	71	-	-	-	-	-	1	1	2	5	2	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	218	-	-	-	-	1	-	2	3	12	13	17
WHITE------MALE----	139	-	-	-	-	-	-	2	3	6	9	13
FEMALE--	74	-	-	-	-	1	-	-	-	6	4	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
KENTUCKY ----------	9	7	14	9	15	11	11	6	3	1	1	-
WHITE------MALE----	4	4	9	5	11	8	7	2	2	-	-	-
FEMALE--	5	3	5	4	3	3	4	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
LOUISIANA ----------	6	7	8	5	15	17	3	-	4	1	-	-
WHITE------MALE----	3	5	5	3	9	14	2	-	1	-	-	-
FEMALE--	3	2	2	1	6	2	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE ----------	4	3	5	1	3	4	3	3	-	-	-	-
WHITE------MALE----	2	1	5	-	1	1	1	2	-	-	-	-
FEMALE--	2	2	-	1	2	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	19	6	11	17	14	10	6	4	-	-	-
WHITE------MALE----	2	11	2	9	8	7	6	4	3	-	-	-
FEMALE--	3	7	4	2	9	6	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	9	11	17	21	24	32	19	10	5	2	-	-
WHITE------MALE----	9	10	11	14	14	22	9	5	1	-	-	-
FEMALE--	-	1	6	7	10	10	10	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	22	30	23	19	19	20	17	12	6	1	1	-
WHITE------MALE----	16	21	11	13	13	12	9	7	3	-	1	-
FEMALE--	6	8	12	6	4	7	7	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
MINNESOTA ----------	118	-	-	-	-	-	2	2	2	5	13	8
WHITE------MALE----	66	-	-	-	-	-	-	2	-	5	8	5
FEMALE--	52	-	-	-	-	-	2	-	2	-	5	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	54	-	-	-	-	-	-	-	2	3	4	1
WHITE------MALE----	30	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	22	-	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	163	-	-	-	-	-	-	1	2	8	11	14
WHITE------MALE----	106	-	-	-	-	-	-	1	2	5	7	10
FEMALE--	55	-	-	-	-	-	-	-	-	3	4	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	24	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	14	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	51	-	-	-	-	-	-	-	-	3	2	1
WHITE------MALE----	31	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	57	-	-	-	-	-	-	-	2	1	5	4
WHITE------MALE----	36	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	21	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
MINNESOTA ----------	5	9	9	8	10	13	15	13	3	1	-	-
WHITE------MALE----	5	2	7	5	10	8	4	5	-	-	-	-
FEMALE--	-	7	2	3	-	5	11	8	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	2	11	8	5	7	1	1	3	-	-	-
WHITE------MALE----	5	-	7	5	5	3	-	-	-	-	-	-
FEMALE--	1	2	3	3	-	4	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	12	12	19	11	17	18	15	13	9	1	-	-
WHITE------MALE----	7	10	17	7	10	11	9	5	5	-	-	-
FEMALE--	5	2	2	4	7	7	6	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
MONTANA ----------	3	2	3	2	1	3	2	2	1	1	-	-
WHITE------MALE----	1	1	1	2	1	2	2	1	1	-	-	-
FEMALE--	1	1	2	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	5	-	8	11	5	7	4	-	-	1	-
WHITE------MALE----	2	4	-	6	7	3	4	1	-	-	1	-
FEMALE--	2	1	-	2	4	2	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	5	7	7	7	9	2	2	-	-	-	-
WHITE------MALE----	4	5	3	6	3	5	1	1	-	-	-	-
FEMALE--	2	-	4	1	4	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
NEW HAMPSHIRE ----------	40	-	-	-	-	-	-	-	-	2	3	3
WHITE------MALE----	20	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	236	-	-	-	-	2	1	1	4	4	12	20
WHITE------MALE----	143	-	-	-	-	2	-	-	2	2	9	13
FEMALE--	89	-	-	-	-	-	1	1	1	1	3	7
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	50	-	-	-	-	-	-	-	-	2	4	1
WHITE------MALE----	29	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	410	1	-	-	-	-	2	5	3	12	15	33
WHITE------MALE----	241	1	-	-	-	-	2	2	1	6	8	19
FEMALE--	161	-	-	-	-	-	-	2	2	6	5	13
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
NORTH CAROLINA ---------	212	-	-	-	-	1	-	3	3	12	11	16
WHITE------MALE----	146	-	-	-	-	1	-	2	2	9	8	13
FEMALE--	62	-	-	-	-	-	-	1	1	3	3	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	16	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
NEW HAMPSHIRE ----------	3	4	3	7	3	3	6	1	2	-	-	-
WHITE------MALE----	-	2	-	4	3	2	3	-	1	-	-	-
FEMALE--	3	2	3	3	-	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	16	25	13	24	25	36	30	15	5	3	-	-
WHITE------MALE----	14	17	7	15	12	19	21	7	3	-	-	-
FEMALE--	2	7	6	9	12	17	9	8	2	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEW MEXICO ----------	4	6	6	3	10	4	5	4	1	-	-	-
WHITE------MALE----	3	4	5	2	5	1	4	2	-	-	-	-
FEMALE--	1	2	1	1	5	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	38	34	34	45	46	64	41	24	9	3	1	-
WHITE------MALE----	23	26	21	25	36	30	23	12	6	-	-	-
FEMALE--	15	8	13	18	10	33	18	11	3	3	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	19	20	17	30	20	30	16	10	4	-	-	-
WHITE------MALE----	12	14	14	21	12	24	10	4	-	-	-	-
FEMALE--	6	6	3	9	6	5	6	6	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	2	2	1	2	4	-	-	-	-
WHITE------MALE----	1	-	-	2	2	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
OHIO ----------	324	-	-	-	-	-	-	3	5	11	21	25
WHITE------MALE----	186	-	-	-	-	-	-	2	2	4	14	13
FEMALE--	133	-	-	-	-	-	-	1	3	7	7	11
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA ----------	143	-	-	-	-	-	1	1	2	5	5	7
WHITE------MALE----	82	-	-	-	-	-	-	-	1	4	5	7
FEMALE--	58	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	112	-	-	-	-	-	1	1	5	5	8	11
WHITE------MALE----	71	-	-	-	-	-	-	-	5	3	4	8
FEMALE--	41	-	-	-	-	-	1	1	-	2	4	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	345	-	-	-	-	-	-	3	7	3	14	13
WHITE------MALE----	210	-	-	-	-	-	-	3	3	-	11	8
FEMALE--	131	-	-	-	-	-	-	-	4	3	3	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	31	-	-	-	-	-	-	-	2	1	1	-
WHITE------MALE----	16	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	97	-	-	-	-	-	2	-	-	6	6	6
WHITE------MALE----	58	-	-	-	-	-	1	-	-	2	3	4
FEMALE--	38	-	-	-	-	-	1	-	-	4	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
OHIO ----------	31	35	25	36	45	31	31	19	3	3	-	-
WHITE------MALE----	19	27	15	25	24	19	14	8	-	-	-	-
FEMALE--	12	8	9	11	21	12	15	11	2	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
OKLAHOMA ----------	11	15	9	18	19	16	15	11	6	1	1	-
WHITE------MALE----	8	9	6	8	14	7	6	6	1	-	-	-
FEMALE--	3	6	3	9	5	9	9	4	4	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	14	8	10	6	12	14	11	2	4	-	-	-
WHITE------MALE----	11	6	5	4	7	6	11	-	1	-	-	-
FEMALE--	3	2	5	2	5	8	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	28	20	36	40	51	57	44	21	4	3	1	-
WHITE------MALE----	16	17	20	26	31	38	26	8	2	1	-	-
FEMALE--	12	3	15	14	19	17	18	13	2	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
RHODE ISLAND ----------	4	2	4	2	4	4	3	3	-	1	-	-
WHITE------MALE----	1	2	2	1	2	3	1	2	-	-	-	-
FEMALE--	3	-	2	1	2	1	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	11	4	14	11	19	10	3	2	2	1	-	-
WHITE------MALE----	4	4	11	8	10	8	2	-	1	-	-	-
FEMALE--	7	-	3	2	9	2	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 890

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
SOUTH DAKOTA ----------	18	-	-	-	-	-	-	-	-	1	3	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	159	-	-	-	-	-	-	1	2	3	10	12
WHITE------MALE----	92	-	-	-	-	-	-	1	1	1	3	8
FEMALE--	66	-	-	-	-	-	-	-	1	2	7	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	465	-	-	-	-	2	2	7	11	10	26	36
WHITE------MALE----	318	-	-	-	-	1	1	4	6	10	22	26
FEMALE--	137	-	-	-	-	-	1	3	5	-	3	10
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
UTAH ----------	50	-	-	-	-	-	-	-	2	3	3	2
WHITE------MALE----	34	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	16	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	19	-	-	-	-	-	-	1	-	-	1	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	166	-	-	-	-	1	-	2	5	5	8	11
WHITE------MALE----	102	-	-	-	-	1	-	2	4	3	1	6
FEMALE--	57	-	-	-	-	-	-	-	1	1	7	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
SOUTH DAKOTA ----------	-	2	4	3	2	-	-	-	-	1	-	-
WHITE------MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	3	2	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	20	15	14	19	17	23	13	8	1	1	-	-
WHITE------MALE----	14	12	8	12	6	17	6	2	1	-	-	-
FEMALE--	6	3	6	7	11	6	6	6	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	29	34	50	44	56	66	44	28	15	5	-	-
WHITE------MALE----	21	21	36	29	43	48	26	16	7	1	-	-
FEMALE--	8	12	12	14	11	18	17	12	7	4	-	-
ALL OTHER--MALE----	-	1	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
UTAH ----------	4	3	5	5	5	9	4	4	1	-	-	-
WHITE------MALE----	2	3	3	5	3	6	3	2	-	-	-	-
FEMALE--	2	-	2	-	2	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	3	1	1	1	-	3	2	-	-	-	-
WHITE------MALE----	3	3	1	-	1	-	1	2	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	18	16	15	20	15	23	7	9	11	-	-	-
WHITE------MALE----	12	10	9	14	8	17	3	6	6	-	-	-
FEMALE--	6	6	5	5	6	5	3	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
WASHINGTON ----------	178	-	-	-	-	-	-	2	4	4	10	16
WHITE------MALE----	104	-	-	-	-	-	-	2	1	3	5	7
FEMALE--	72	-	-	-	-	-	-	-	3	1	5	8
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	65	-	-	-	-	-	-	1	3	6	4	4
WHITE------MALE----	31	-	-	-	-	-	-	-	-	4	2	3
FEMALE--	34	-	-	-	-	-	-	1	3	2	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	142	-	-	-	-	-	2	-	4	7	8	9
WHITE------MALE----	89	-	-	-	-	-	1	-	2	4	4	6
FEMALE--	50	-	-	-	-	-	-	-	2	3	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	18	-	-	-	-	-	1	-	1	-	-	2
WHITE------MALE----	12	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
WASHINGTON ----------	10	16	15	17	24	24	25	7	3	1	-	-
WHITE------MALE----	5	9	11	9	15	14	16	5	1	1	-	-
FEMALE--	5	7	4	8	9	10	8	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	6	6	10	6	6	5	2	1	1	-	-
WHITE------MALE----	3	4	3	6	3	2	-	1	-	-	-	-
FEMALE--	1	2	3	4	3	4	5	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	8	13	8	18	18	15	15	13	4	-	-	-
WHITE------MALE----	5	8	4	13	13	12	8	5	4	-	-	-
FEMALE--	3	5	4	3	5	3	7	8	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
WYOMING ----------	1	3	2	1	1	-	3	1	2	-	-	-
WHITE------MALE----	-	3	1	1	1	-	2	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of skin (C44)												
UNITED STATES -	2,315	-	-	-	-	1	-	-	6	25	37	86
WHITE------MALE----	1,462	-	-	-	-	-	-	-	4	15	27	54
FEMALE--	682	-	-	-	-	-	-	-	-	6	3	12
ALL OTHER--MALE----	128	-	-	-	-	1	-	-	2	2	7	15
FEMALE--	43	-	-	-	-	-	-	-	-	2	-	5
BLACK---MALE----	116	-	-	-	-	1	-	-	2	1	6	15
FEMALE--	31	-	-	-	-	-	-	-	-	2	-	3
ALABAMA ----------	36	-	-	-	-	-	-	-	-	1	1	4
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	41	-	-	-	-	-	-	-	-	-	-	4
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	200	-	-	-	-	-	-	-	1	4	2	7
WHITE------MALE----	118	-	-	-	-	-	-	-	1	2	-	4
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of skin (C44)												
UNITED STATES -	116	133	205	216	299	315	344	266	178	74	14	-
WHITE------MALE----	73	91	146	147	215	198	219	156	93	19	5	-
FEMALE--	20	23	34	53	66	97	118	105	82	54	9	-
ALL OTHER--MALE----	19	14	19	11	15	15	5	1	2	-	-	-
FEMALE--	4	5	6	5	3	5	2	4	1	1	-	-
BLACK---MALE----	19	12	17	10	13	14	4	1	1	-	-	-
FEMALE--	4	5	5	4	-	2	1	4	1	-	-	-
ALABAMA ----------	2	4	3	2	4	4	4	3	2	2	-	-
WHITE------MALE----	1	1	-	1	2	3	3	2	1	-	-	-
FEMALE--	1	1	1	-	2	1	1	1	1	2	-	-
ALL OTHER--MALE----	-	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	4	5	4	3	7	3	5	4	1	-	-
WHITE------MALE----	1	3	4	3	2	4	3	5	4	-	-	-
FEMALE--	-	1	1	1	1	3	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	1	1	2	2	3	3	1	3	2	-	-
WHITE------MALE----	2	-	1	2	2	1	2	-	1	-	-	-
FEMALE--	-	1	-	-	-	2	1	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	6	8	16	18	32	31	31	19	21	4	-	-
WHITE------MALE----	3	5	4	11	21	24	21	10	11	1	-	-
FEMALE--	1	2	6	5	8	6	10	9	10	3	-	-
ALL OTHER--MALE----	2	1	4	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	3	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of skin (C44)												
COLORADO ----------	35	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	32	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	186	-	-	-	-	-	-	-	-	4	3	7
WHITE------MALE----	131	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	50	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
GEORGIA ----------	49	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of skin (C44)												
COLORADO ----------	2	2	1	6	6	8	3	4	1	-	-	-
WHITE------MALE----	2	2	1	4	4	6	3	3	1	-	-	-
FEMALE--	-	-	-	2	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	2	3	1	5	3	7	3	1	2	-	-
WHITE------MALE----	2	1	2	1	5	1	6	2	-	-	-	-
FEMALE--	2	1	1	-	-	2	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	1	1	1	1	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA ----------	9	9	21	13	22	31	26	19	14	6	2	-
WHITE------MALE----	7	8	18	8	17	21	17	14	8	3	2	-
FEMALE--	2	-	2	5	5	10	8	5	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	8	2	9	4	5	6	5	4	1	1	-	-
WHITE------MALE----	4	2	6	4	3	4	1	3	1	1	-	-
FEMALE--	-	-	1	-	1	2	4	1	-	-	-	-
ALL OTHER--MALE----	3	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of skin (C44)												
HAWAII ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	81	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	56	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	62	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	41	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	39	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	23	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	23	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of skin (C44)												
HAWAII ----------	-	-	-	1	-	3	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	2	-	3	1	2	2	1	2	-	-	-
WHITE------MALE----	-	2	-	3	-	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	4	5	14	11	9	15	9	7	5	1	-
WHITE------MALE----	-	3	4	9	11	6	10	5	4	2	1	-
FEMALE--	-	-	1	5	-	3	5	3	3	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
INDIANA ----------	6	3	2	4	7	9	10	10	5	2	1	-
WHITE------MALE----	5	3	1	3	4	4	5	8	3	1	1	-
FEMALE--	1	-	1	-	3	5	5	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IOWA ----------	1	1	1	3	5	2	8	10	2	3	-	-
WHITE------MALE----	1	1	1	2	5	2	4	4	-	-	-	-
FEMALE--	-	-	-	1	-	-	4	6	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	1	4	2	5	3	4	2	-	-	-
WHITE------MALE----	-	-	1	4	2	2	2	4	1	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of skin (C44)												
KENTUCKY ----------	48	-	-	-	-	-	-	-	1	-	-	2
WHITE------MALE----	31	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	21	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	54	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	50	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	36	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	62	-	-	-	-	-	-	-	-	2	-	5
WHITE------MALE----	36	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of skin (C44)												
KENTUCKY ----------	3	4	3	1	5	7	11	6	2	3	-	-
WHITE------MALE----	2	3	3	1	3	5	5	3	1	2	-	-
FEMALE--	1	1	-	-	1	2	6	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	2	2	-	3	2	3	3	-	2	-	-
WHITE------MALE----	-	1	-	-	1	1	2	3	-	-	-	-
FEMALE--	-	-	1	-	2	1	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	3	3	-	2	1	-	2	-	-
WHITE------MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	2	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	1	3	4	6	5	9	6	10	2	-	-
WHITE------MALE----	1	1	2	3	5	3	3	3	7	-	-	-
FEMALE--	1	-	1	1	1	2	6	2	3	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	5	8	2	6	6	9	7	-	3	1	-
WHITE------MALE----	-	4	6	2	6	5	7	3	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	4	-	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	4	13	5	5	8	7	3	5	2	-	-
WHITE------MALE----	3	2	10	3	3	3	4	1	2	-	-	-
FEMALE--	-	1	1	2	2	5	3	2	3	2	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of skin (C44)												
MINNESOTA ----------	36	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	16	-	-	-	-	-	-	-	1	-	1	2
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	55	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	19	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of skin (C44)												
MINNESOTA ----------	-	3	1	3	3	5	6	7	2	2	2	-
WHITE------MALE----	-	2	1	2	3	4	5	3	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	4	1	2	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	1	-	1	2	2	-	1	4	-	-	-
WHITE------MALE----	-	1	-	1	2	1	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	2	6	6	14	4	7	8	5	-	-	-
WHITE------MALE----	2	2	4	4	10	2	3	6	2	-	-	-
FEMALE--	-	-	1	1	4	2	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	-	-	2	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	2	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	2	-	-	2	2	5	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	2	3	1	-	-	-
FEMALE--	-	1	2	-	-	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	3	4	-	2	3	2	1	-	-	-
WHITE------MALE----	2	-	3	4	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of skin (C44)												
NEW HAMPSHIRE ----------	18	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	57	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	39	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	142	-	-	-	-	-	-	-	1	-	1	5
WHITE------MALE----	84	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	93	-	-	-	-	-	-	-	-	-	3	5
WHITE------MALE----	49	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of skin (C44)												
NEW HAMPSHIRE ----------	-	1	2	1	4	4	3	-	1	-	1	-
WHITE------MALE----	-	1	2	-	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	3	6	2	12	6	7	7	6	4	-	-
WHITE------MALE----	1	2	5	2	11	3	4	5	5	-	-	-
FEMALE--	-	1	1	-	1	1	2	2	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	2	-	2	1	3	1	2	-	1	1	-	-
WHITE------MALE----	2	-	1	1	2	-	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	9	8	10	13	20	16	21	20	15	3	-	-
WHITE------MALE----	5	3	8	8	14	10	15	11	5	1	-	-
FEMALE--	1	2	-	4	5	4	5	8	10	2	-	-
ALL OTHER--MALE----	3	2	2	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	2	2	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	8	3	8	8	11	17	14	10	5	1	-	-
WHITE------MALE----	4	2	6	4	7	9	6	5	4	-	-	-
FEMALE--	2	-	1	1	1	4	7	5	1	1	-	-
ALL OTHER--MALE----	2	1	1	2	3	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	1	2	3	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	-	1	-	-	-	1	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of skin (C44)												
OHIO ----------	82	-	-	-	-	-	-	-	-	2	-	3
WHITE------MALE----	51	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	49	-	-	-	-	-	-	-	-	1	2	5
WHITE------MALE----	38	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	18	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	107	-	-	-	-	1	-	-	1	1	2	2
WHITE------MALE----	63	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	41	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of skin (C44)												
OHIO ----------	3	6	7	8	11	13	12	14	3	-	-	-
WHITE------MALE----	2	2	5	5	7	7	9	9	2	-	-	-
FEMALE--	-	1	2	3	3	6	3	4	1	-	-	-
ALL OTHER--MALE----	1	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA ----------	1	3	3	4	7	9	6	3	3	2	-	-
WHITE------MALE----	1	3	1	3	7	5	4	3	2	2	-	-
FEMALE--	-	-	1	1	-	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON ----------	-	2	-	2	4	3	2	-	1	2	-	-
WHITE------MALE----	-	2	-	1	3	1	2	-	1	2	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	7	11	12	13	12	10	17	5	9	4	-	-
WHITE------MALE----	5	7	10	10	6	6	10	-	3	1	-	-
FEMALE--	1	4	1	3	5	3	6	5	6	3	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	2	-	1	2	2	3	-	1	1	1	-
WHITE------MALE----	-	2	-	1	1	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	2	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	2	5	5	4	7	6	3	2	1	-	-
WHITE------MALE----	2	2	3	4	2	4	5	3	1	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	1	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of skin (C44)												
SOUTH DAKOTA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	42	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	26	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	176	-	-	-	-	-	-	-	-	-	6	5
WHITE------MALE----	110	-	-	-	-	-	-	-	-	-	4	5
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	72	-	-	-	-	-	-	-	-	3	1	3
WHITE------MALE----	42	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of skin (C44)												
SOUTH DAKOTA ----------	1	1	3	1	1	-	-	3	-	-	1	-
WHITE------MALE----	-	1	3	1	1	-	-	3	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	2	5	8	2	5	8	4	3	2	-	-
WHITE------MALE----	1	1	3	4	2	4	6	2	1	-	-	-
FEMALE--	-	1	1	2	-	1	2	2	2	2	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	10	14	9	13	25	29	23	23	15	4	-	-
WHITE------MALE----	6	9	8	6	18	21	13	11	8	1	-	-
FEMALE--	4	4	1	4	4	7	9	11	7	3	-	-
ALL OTHER--MALE----	-	1	-	2	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	2	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
UTAH ----------	-	-	3	-	1	3	2	2	-	-	-	-
WHITE------MALE----	-	-	2	-	-	3	2	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	2	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5	4	4	6	8	9	11	9	5	2	2	-
WHITE------MALE----	3	2	4	5	5	6	6	4	2	1	-	-
FEMALE--	-	-	-	1	1	3	5	5	3	1	2	-
ALL OTHER--MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of skin (C44)												
WASHINGTON ----------	62	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	19	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	43	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of skin (C44)												
WASHINGTON ----------	-	3	5	7	11	6	10	10	5	1	1	-
WHITE------MALE----	-	2	2	5	7	5	6	3	2	-	-	-
FEMALE--	-	1	2	1	3	1	4	7	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	1	4	5	-	-	4	2	-	-	-
WHITE------MALE----	2	-	1	3	4	-	-	4	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	2	5	7	3	3	11	6	3	1	-	-
WHITE------MALE----	-	2	5	5	2	1	9	3	1	-	-	-
FEMALE--	-	-	-	2	1	2	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	2	2	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 901

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
UNITED STATES -	6,649	4	18	27	37	65	72	86	108	168	218	281
WHITE------MALE----	3,538	1	7	12	17	35	23	39	47	77	111	118
FEMALE--	2,391	2	6	8	12	15	29	27	31	54	53	121
ALL OTHER--MALE----	360	-	3	2	3	11	14	10	21	20	28	18
FEMALE--	360	1	2	5	5	4	6	10	9	17	26	24
BLACK---MALE----	296	-	2	2	3	10	13	9	13	19	25	14
FEMALE--	291	1	1	4	5	4	5	9	7	14	17	20
ALABAMA ----------	95	-	-	-	-	1	1	3	2	1	2	6
WHITE------MALE----	55	-	-	-	-	-	-	2	-	1	2	5
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	13	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	-	-	-
ALASKA ----------	14	-	-	1	-	1	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	116	-	-	1	1	1	2	2	3	5	6	5
WHITE------MALE----	66	-	-	-	1	1	2	2	2	5	3	1
FEMALE--	45	-	-	1	-	-	-	-	1	-	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	53	-	-	-	-	-	-	-	2	4	2	5
WHITE------MALE----	29	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
CALIFORNIA ----------	733	1	2	3	5	5	10	7	16	24	25	34
WHITE------MALE----	365	1	-	1	5	3	2	2	5	12	12	12
FEMALE--	272	-	1	1	-	-	5	4	4	7	6	16
ALL OTHER--MALE----	49	-	1	-	-	1	2	1	5	2	3	3
FEMALE--	47	-	-	1	-	1	1	-	2	3	4	3
BLACK---MALE----	24	-	1	-	-	-	2	-	1	1	2	1
FEMALE--	21	-	-	1	-	1	-	-	1	2	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
UNITED STATES -	387	455	597	733	975	1,029	775	433	147	31	3	-
WHITE------MALE----	186	249	312	425	565	588	443	214	58	11	-	-
FEMALE--	147	156	212	244	336	365	281	191	81	17	3	-
ALL OTHER--MALE----	24	23	38	34	41	38	21	9	1	1	-	-
FEMALE--	30	27	35	30	33	38	30	19	7	2	-	-
BLACK---MALE----	20	21	34	23	31	31	16	8	1	1	-	-
FEMALE--	22	17	31	23	31	33	24	17	5	1	-	-
ALABAMA ----------	5	6	10	12	13	15	9	6	3	-	-	-
WHITE------MALE----	3	2	3	9	9	8	7	3	1	-	-	-
FEMALE--	2	2	3	2	1	4	2	2	2	-	-	-
ALL OTHER--MALE----	-	2	4	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	2	4	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
ALASKA ----------	2	-	-	3	2	1	2	1	-	-	-	-
WHITE------MALE----	1	-	-	3	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	6	11	8	15	15	17	6	3	-	-	-
WHITE------MALE----	7	4	6	5	8	7	6	4	2	-	-	-
FEMALE--	2	1	4	3	7	8	10	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS ----------	1	5	3	6	10	7	4	3	1	-	-	-
WHITE------MALE----	1	3	2	5	7	3	2	1	-	-	-	-
FEMALE--	-	1	-	-	3	4	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	44	49	68	78	110	111	75	52	9	5	-	-
WHITE------MALE----	16	22	33	45	63	57	39	29	3	3	-	-
FEMALE--	20	22	26	26	40	42	26	20	5	1	-	-
ALL OTHER--MALE----	6	1	3	4	4	8	4	1	-	-	-	-
FEMALE--	2	4	6	3	3	4	6	2	1	1	-	-
BLACK---MALE----	5	-	1	2	2	5	-	1	-	-	-	-
FEMALE--	-	2	3	2	2	2	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
COLORADO ----------	73	-	1	-	1	-	2	2	2	5	1	4
WHITE------MALE----	35	-	1	-	-	-	-	-	1	1	1	-
FEMALE--	32	-	-	-	1	-	2	1	-	3	-	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT ----------	77	-	-	-	-	2	-	-	2	5	2	2
WHITE------MALE----	42	-	-	-	-	-	-	-	1	3	1	2
FEMALE--	29	-	-	-	-	2	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	25	-	-	-	1	-	-	-	-	1	2	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	1	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	12	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	407	-	1	2	-	5	5	3	5	5	5	13
WHITE------MALE----	253	-	-	1	-	4	2	2	1	4	3	5
FEMALE--	127	-	-	1	-	-	1	-	4	1	-	5
ALL OTHER--MALE----	18	-	1	-	-	-	2	1	-	-	1	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	1	3
BLACK---MALE----	17	-	1	-	-	-	2	1	-	-	1	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	1	3
GEORGIA ----------	137	-	1	1	1	1	1	3	2	4	5	7
WHITE------MALE----	63	-	-	1	1	-	-	3	-	1	3	4
FEMALE--	46	-	1	-	-	-	-	-	2	1	1	2
ALL OTHER--MALE----	14	-	-	-	-	1	1	-	-	2	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	1	1	-	-	2	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
COLORADO ----------	5	5	5	8	7	11	10	3	1	-	-	-
WHITE------MALE----	3	3	2	5	6	5	5	2	-	-	-	-
FEMALE--	1	2	3	2	1	5	5	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	7	8	7	8	14	10	4	3	-	-	-
WHITE------MALE----	1	3	6	5	5	7	6	2	-	-	-	-
FEMALE--	2	3	2	1	2	6	4	2	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
DELAWARE ----------	1	2	1	5	6	3	-	2	-	-	-	-
WHITE------MALE----	1	1	1	3	5	3	-	2	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	3	-	2	2	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	2	-	-	-	-
FLORIDA ----------	25	24	29	42	64	74	73	26	6	-	-	-
WHITE------MALE----	12	17	19	30	42	46	48	13	4	-	-	-
FEMALE--	10	5	7	10	18	27	24	12	2	-	-	-
ALL OTHER--MALE----	2	2	2	2	3	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	2	2	2	2	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	-	-
GEORGIA ----------	9	10	19	18	11	13	17	10	3	1	-	-
WHITE------MALE----	3	5	6	9	7	9	7	3	1	-	-	-
FEMALE--	3	4	7	5	4	2	7	4	2	1	-	-
ALL OTHER--MALE----	2	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	1	-	5	2	-	2	2	2	-	-	-	-
BLACK---MALE----	1	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	1	-	5	2	-	2	2	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
HAWAII ----------	16	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	31	-	-	2	-	-	-	-	-	-	2	2
WHITE------MALE----	14	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	324	1	-	3	4	3	2	4	4	9	10	17
WHITE------MALE----	161	-	-	1	1	-	2	-	2	3	5	7
FEMALE--	116	1	-	1	3	2	-	1	-	4	2	8
ALL OTHER--MALE----	27	-	-	1	-	-	-	2	2	2	2	-
FEMALE--	20	-	-	-	-	1	-	1	-	-	1	2
BLACK---MALE----	23	-	-	1	-	-	-	2	2	2	1	-
FEMALE--	18	-	-	-	-	1	-	1	-	-	1	2
INDIANA ----------	153	-	1	-	1	2	1	4	1	3	4	7
WHITE------MALE----	75	-	1	-	1	1	-	1	1	2	1	2
FEMALE--	63	-	-	-	-	-	1	2	-	1	1	4
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	8	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
IOWA ----------	65	-	-	-	1	1	-	2	-	-	1	-
WHITE------MALE----	39	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	26	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	65	-	-	-	-	1	-	1	-	1	1	5
WHITE------MALE----	31	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	32	-	-	-	-	1	-	1	-	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
HAWAII ----------	1	1	1	3	3	3	1	1	1	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	1	4	4	3	4	4	2	1	-	-	-
WHITE------MALE----	-	1	1	2	1	1	4	-	1	-	-	-
FEMALE--	2	-	3	2	2	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	16	21	25	34	47	52	37	22	7	5	1	-
WHITE------MALE----	11	10	12	20	27	28	22	8	1	1	-	-
FEMALE--	2	8	6	12	15	18	12	11	6	3	1	-
ALL OTHER--MALE----	1	2	5	-	3	3	1	2	-	1	-	-
FEMALE--	2	1	2	2	2	3	2	1	-	-	-	-
BLACK---MALE----	1	2	4	-	1	3	1	2	-	1	-	-
FEMALE--	1	-	2	2	2	3	2	1	-	-	-	-
INDIANA ----------	14	14	12	19	25	24	15	4	2	-	-	-
WHITE------MALE----	8	9	4	12	11	14	7	-	-	-	-	-
FEMALE--	5	4	6	4	14	9	6	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	2	-	-	-	-	-	-	-	-
IOWA ----------	7	4	5	6	12	6	9	8	3	-	-	-
WHITE------MALE----	2	3	5	4	9	4	6	3	1	-	-	-
FEMALE--	5	1	-	2	3	2	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	5	6	8	8	8	9	8	2	-	-	-
WHITE------MALE----	1	4	2	5	4	2	7	4	-	-	-	-
FEMALE--	1	1	4	3	4	6	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
KENTUCKY ----------	78	-	-	-	-	1	1	3	2	6	4	2
WHITE------MALE----	42	-	-	-	-	1	-	3	2	3	3	-
FEMALE--	34	-	-	-	-	-	1	-	-	3	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	115	-	-	-	-	1	-	2	1	5	3	3
WHITE------MALE----	56	-	-	-	-	1	-	-	-	2	2	1
FEMALE--	30	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	1
MAINE ----------	50	-	-	-	-	1	-	-	-	1	1	-
WHITE------MALE----	28	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	131	-	2	-	-	2	-	3	3	5	2	6
WHITE------MALE----	69	-	1	-	-	1	-	1	-	3	2	1
FEMALE--	44	-	1	-	-	-	-	1	1	1	-	5
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	8	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	1	1	-	-
MASSACHUSETTS ----------	181	-	-	2	1	-	-	1	1	1	10	2
WHITE------MALE----	111	-	-	2	-	-	-	1	-	-	6	1
FEMALE--	59	-	-	-	-	-	-	-	1	1	4	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN ----------	202	1	1	1	4	1	3	3	1	4	6	8
WHITE------MALE----	100	-	-	1	1	-	-	-	1	1	2	5
FEMALE--	78	-	-	-	3	-	1	3	-	2	2	1
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	15	1	-	-	-	1	2	-	-	1	-	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	14	1	-	-	-	1	2	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
KENTUCKY ----------	4	4	5	12	12	10	7	3	2	-	-	-
WHITE------MALE----	3	3	1	8	7	6	2	-	-	-	-	-
FEMALE--	1	1	4	3	5	4	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	10	5	12	15	21	15	17	4	-	1	-	-
WHITE------MALE----	4	3	8	9	7	4	12	3	-	-	-	-
FEMALE--	3	-	1	4	7	7	4	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	5	1	-	-	-	-	-	-
FEMALE--	3	1	3	1	2	3	1	-	-	1	-	-
BLACK---MALE----	-	1	-	1	5	1	-	-	-	-	-	-
FEMALE--	3	1	3	1	2	3	1	-	-	1	-	-
MAINE ----------	1	5	5	2	8	15	6	3	2	-	-	-
WHITE------MALE----	1	1	3	2	6	6	4	2	2	-	-	-
FEMALE--	-	4	2	-	2	8	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	9	15	9	16	13	19	10	11	5	1	-	-
WHITE------MALE----	3	5	6	12	7	13	6	4	3	1	-	-
FEMALE--	6	8	1	3	5	3	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	3	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	2	-	1	3	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
MASSACHUSETTS ----------	11	14	10	19	28	33	26	12	8	2	-	-
WHITE------MALE----	4	11	7	10	16	24	18	4	7	-	-	-
FEMALE--	6	2	2	5	11	9	6	8	1	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	-	1	-	-	-	-	-
MICHIGAN ----------	8	17	23	27	28	31	22	13	-	-	-	-
WHITE------MALE----	7	9	10	14	15	19	7	8	-	-	-	-
FEMALE--	1	3	10	11	12	9	15	5	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	3	2	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	3	2	1	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
MINNESOTA ----------	117	-	-	-	-	1	3	-	2	2	2	4
WHITE------MALE----	76	-	-	-	-	-	1	-	1	2	2	1
FEMALE--	36	-	-	-	-	-	2	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	54	-	-	-	-	-	1	-	1	1	1	2
WHITE------MALE----	30	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	136	-	1	-	1	-	1	3	3	5	4	6
WHITE------MALE----	80	-	1	-	-	-	-	3	1	3	3	3
FEMALE--	51	-	-	-	1	-	1	-	2	2	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	25	-	-	-	-	-	-	1	-	-	2	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	54	-	-	-	-	-	-	2	2	1	1	3
WHITE------MALE----	29	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	23	-	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
NEVADA ----------	45	-	-	-	-	-	-	-	-	2	2	2
WHITE------MALE----	29	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
MINNESOTA ----------	6	8	17	14	13	17	18	8	1	1	-	-
WHITE------MALE----	5	4	14	10	8	11	12	4	1	-	-	-
FEMALE--	1	3	3	4	4	6	6	4	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	4	6	11	8	8	3	5	-	1	-	-
WHITE------MALE----	1	3	1	8	5	6	2	2	-	-	-	-
FEMALE--	-	1	1	3	2	2	1	3	-	1	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
MISSOURI ----------	4	9	9	15	22	20	17	11	5	-	-	-
WHITE------MALE----	-	5	6	8	17	14	9	5	2	-	-	-
FEMALE--	3	3	3	7	4	6	7	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
MONTANA ----------	-	3	-	3	4	6	2	3	1	-	-	-
WHITE------MALE----	-	2	-	2	4	3	-	2	1	-	-	-
FEMALE--	-	1	-	1	-	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	2	4	4	7	15	5	3	3	-	-	-
WHITE------MALE----	2	2	4	1	4	9	1	3	-	-	-	-
FEMALE--	-	-	-	3	3	5	4	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA ----------	5	2	1	5	9	8	5	4	-	-	-	-
WHITE------MALE----	4	-	-	4	6	4	5	2	-	-	-	-
FEMALE--	1	1	-	1	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
NEW HAMPSHIRE ----------	20	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	252	-	-	1	2	3	-	3	5	4	11	8
WHITE------MALE----	147	-	-	-	-	-	-	2	3	1	2	5
FEMALE--	85	-	-	-	1	2	-	1	-	1	5	3
ALL OTHER--MALE----	12	-	-	-	1	1	-	-	2	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	-	2	4	-
BLACK---MALE----	10	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	2	3	-
NEW MEXICO ----------	38	-	-	1	-	-	1	-	2	2	1	4
WHITE------MALE----	17	-	-	1	-	-	1	-	1	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NEW YORK ----------	452	-	2	2	2	8	3	3	7	6	18	21
WHITE------MALE----	232	-	1	-	1	4	-	1	4	2	4	10
FEMALE--	166	-	-	-	-	2	2	2	2	4	5	5
ALL OTHER--MALE----	23	-	-	1	-	2	1	-	-	-	4	4
FEMALE--	31	-	1	1	1	-	-	-	1	-	5	2
BLACK---MALE----	23	-	-	1	-	2	1	-	-	-	4	4
FEMALE--	26	-	-	1	1	-	-	-	1	-	4	2
NORTH CAROLINA ---------	188	-	-	1	2	3	4	1	1	2	8	7
WHITE------MALE----	88	-	-	-	1	1	2	-	1	1	4	4
FEMALE--	62	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	19	-	-	-	1	1	2	1	-	-	3	-
FEMALE--	19	-	-	1	-	-	-	-	-	1	1	1
BLACK---MALE----	19	-	-	-	1	1	2	1	-	-	3	-
FEMALE--	17	-	-	1	-	-	-	-	-	1	-	1
NORTH DAKOTA ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
NEW HAMPSHIRE ----------	1	3	1	5	3	2	2	-	-	1	-	-
WHITE------MALE----	-	1	-	4	3	2	1	-	-	1	-	-
FEMALE--	1	2	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	11	16	24	34	34	42	30	17	4	2	1	-
WHITE------MALE----	8	8	15	19	21	28	19	13	2	1	-	-
FEMALE--	2	7	7	13	11	14	10	4	2	1	1	-
ALL OTHER--MALE----	1	-	2	2	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	5	5	5	4	3	2	-	-	1	-	-
WHITE------MALE----	-	2	4	1	3	1	1	-	-	-	-	-
FEMALE--	2	3	1	3	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	27	27	46	46	71	70	53	24	14	2	-	-
WHITE------MALE----	14	12	21	22	36	46	33	11	8	2	-	-
FEMALE--	8	13	20	17	33	17	18	12	6	-	-	-
ALL OTHER--MALE----	-	-	2	3	2	3	1	-	-	-	-	-
FEMALE--	5	2	3	4	-	4	1	1	-	-	-	-
BLACK---MALE----	-	-	2	3	2	3	1	-	-	-	-	-
FEMALE--	4	1	3	3	-	4	1	1	-	-	-	-
NORTH CAROLINA ---------	17	19	21	23	15	30	15	16	3	-	-	-
WHITE------MALE----	7	12	5	10	9	16	6	9	-	-	-	-
FEMALE--	5	3	10	10	5	10	8	6	2	-	-	-
ALL OTHER--MALE----	2	3	3	2	-	1	-	-	-	-	-	-
FEMALE--	3	1	3	1	1	3	1	1	1	-	-	-
BLACK---MALE----	2	3	3	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	3	1	1	3	1	1	1	-	-	-
NORTH DAKOTA ----------	-	2	-	3	2	1	2	2	1	1	-	-
WHITE------MALE----	-	-	-	2	1	1	2	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
OHIO ----------	328	-	2	1	1	5	5	5	5	4	10	14
WHITE------MALE----	158	-	-	-	1	5	1	2	-	2	4	4
FEMALE--	130	-	2	-	-	-	3	3	-	1	4	6
ALL OTHER--MALE----	18	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	22	-	-	1	-	-	-	-	3	-	1	2
BLACK---MALE----	18	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	18	-	-	-	-	-	-	-	2	-	1	2
OKLAHOMA ----------	79	-	-	-	1	-	2	2	-	1	2	2
WHITE------MALE----	43	-	-	-	1	-	1	1	-	-	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	96	-	-	-	-	-	1	2	4	-	4	6
WHITE------MALE----	58	-	-	-	-	-	-	2	2	-	3	3
FEMALE--	38	-	-	-	-	-	1	-	2	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	376	1	-	-	1	3	5	6	6	4	11	13
WHITE------MALE----	214	-	-	-	1	3	2	5	2	3	7	7
FEMALE--	133	1	-	-	-	-	-	1	3	1	1	4
ALL OTHER--MALE----	18	-	-	-	-	-	3	-	1	-	3	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	17	-	-	-	-	-	2	-	1	-	3	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND ----------	34	-	-	-	-	-	-	-	3	3	2	-
WHITE------MALE----	18	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	80	-	-	-	-	3	1	3	-	5	3	3
WHITE------MALE----	38	-	-	-	-	2	-	-	-	-	2	1
FEMALE--	22	-	-	-	-	-	1	-	-	3	-	-
ALL OTHER--MALE----	13	-	-	-	-	1	-	3	-	2	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	1	-	3	-	2	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
OHIO ----------	28	19	33	32	54	57	29	19	5	-	-	-
WHITE------MALE----	15	7	18	16	25	33	15	8	2	-	-	-
FEMALE--	7	8	15	14	20	22	12	10	3	-	-	-
ALL OTHER--MALE----	3	2	-	-	4	1	1	-	-	-	-	-
FEMALE--	3	2	-	2	5	1	1	1	-	-	-	-
BLACK---MALE----	3	2	-	-	4	1	1	-	-	-	-	-
FEMALE--	3	1	-	1	5	1	1	1	-	-	-	-
OKLAHOMA ----------	4	7	8	3	9	14	17	6	1	-	-	-
WHITE------MALE----	3	4	4	-	7	8	10	2	-	-	-	-
FEMALE--	-	1	4	3	2	4	6	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OREGON ----------	5	8	5	7	21	15	9	6	2	1	-	-
WHITE------MALE----	2	5	2	5	12	7	7	5	2	1	-	-
FEMALE--	3	3	3	2	9	8	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	22	17	28	45	64	58	51	26	14	-	1	-
WHITE------MALE----	9	9	20	24	39	34	30	15	4	-	-	-
FEMALE--	12	8	6	17	20	21	17	10	10	-	1	-
ALL OTHER--MALE----	1	-	1	3	4	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	2	4	-	-	-	-	-
BLACK---MALE----	1	-	1	3	4	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	2	4	-	-	-	-	-
RHODE ISLAND ----------	-	2	2	5	3	8	3	2	1	-	-	-
WHITE------MALE----	-	2	1	2	3	5	1	-	1	-	-	-
FEMALE--	-	-	1	3	-	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	7	7	9	9	11	12	3	1	-	-	-
WHITE------MALE----	1	5	2	6	6	6	7	-	-	-	-	-
FEMALE--	1	1	3	2	2	3	4	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
SOUTH DAKOTA ----------	17	-	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	104	-	2	-	2	2	4	-	1	4	7	3
WHITE------MALE----	55	-	1	-	-	2	2	-	1	1	5	2
FEMALE--	39	-	-	-	-	-	2	-	-	1	2	-
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	2	-	1
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	1	-	-	-	-	2	-	1
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
TEXAS ----------	400	-	-	3	4	3	3	7	12	13	16	25
WHITE------MALE----	205	-	-	2	1	2	1	3	9	7	11	12
FEMALE--	154	-	-	1	1	1	2	3	3	4	2	9
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	21	-	-	-	2	-	-	1	-	1	1	2
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	17	-	-	-	2	-	-	1	-	-	1	1
UTAH ----------	41	-	-	2	-	-	1	1	1	3	1	3
WHITE------MALE----	19	-	-	1	-	-	-	-	-	2	1	2
FEMALE--	21	-	-	1	-	-	1	1	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	19	-	-	-	-	-	1	1	-	1	1	3
WHITE------MALE----	10	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA ----------	188	-	2	-	1	1	2	2	2	10	9	3
WHITE------MALE----	91	-	1	-	1	1	1	-	-	2	4	-
FEMALE--	57	-	1	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	26	-	-	-	-	-	1	1	1	4	4	-
BLACK---MALE----	13	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	25	-	-	-	-	-	1	1	1	4	4	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
SOUTH DAKOTA ----------	3	-	-	2	1	2	4	1	1	-	-	-
WHITE------MALE----	1	-	-	1	1	1	1	1	1	-	-	-
FEMALE--	2	-	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	7	7	14	14	13	7	9	1	1	-	-
WHITE------MALE----	3	1	3	9	7	8	5	5	-	-	-	-
FEMALE--	2	4	3	5	7	5	2	4	1	1	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	27	26	40	44	59	49	38	22	8	1	-	-
WHITE------MALE----	10	14	22	23	35	21	18	11	3	-	-	-
FEMALE--	12	9	17	20	16	23	16	10	4	1	-	-
ALL OTHER--MALE----	3	1	-	1	5	3	1	-	1	-	-	-
FEMALE--	2	2	1	-	3	2	3	1	-	-	-	-
BLACK---MALE----	2	1	-	1	5	2	1	-	1	-	-	-
FEMALE--	2	-	1	-	3	2	3	1	-	-	-	-
UTAH ----------	2	1	4	5	10	1	2	4	-	-	-	-
WHITE------MALE----	1	-	2	3	5	1	-	1	-	-	-	-
FEMALE--	1	1	2	2	4	-	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	1	3	2	1	-	1	2	1	-	-	-
WHITE------MALE----	-	-	-	2	-	-	1	2	-	-	-	-
FEMALE--	1	1	3	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	7	17	16	15	32	32	21	10	5	1	-	-
WHITE------MALE----	1	13	11	6	15	21	10	3	1	-	-	-
FEMALE--	5	3	4	4	12	7	7	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	3	1	2	2	1	-	-	-	-
FEMALE--	1	1	-	2	4	2	2	1	2	-	-	-
BLACK---MALE----	-	-	1	2	1	2	2	1	-	-	-	-
FEMALE--	1	1	-	1	4	2	2	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
WASHINGTON ----------	138	-	-	-	-	2	1	-	1	4	4	2
WHITE------MALE----	81	-	-	-	-	1	-	-	1	3	1	1
FEMALE--	46	-	-	-	-	1	1	-	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
WEST VIRGINIA ----------	50	-	-	-	-	-	-	-	-	1	2	2
WHITE------MALE----	31	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	138	-	-	-	-	1	5	-	2	-	2	6
WHITE------MALE----	75	-	-	-	-	-	3	-	1	-	2	1
FEMALE--	58	-	-	-	-	1	2	-	-	-	-	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
WYOMING ----------	12	-	-	-	-	1	-	-	-	-	-	4
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
WASHINGTON ----------	7	8	17	13	19	24	17	11	6	2	-	-
WHITE------MALE----	5	4	6	9	14	16	12	5	2	1	-	-
FEMALE--	2	4	9	1	4	7	4	6	3	1	-	-
ALL OTHER--MALE----	-	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	3	4	6	4	9	8	6	3	2	-	-	-
WHITE------MALE----	1	4	4	3	6	5	4	2	-	-	-	-
FEMALE--	2	-	2	1	3	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WISCONSIN ----------	3	11	13	12	22	26	20	9	5	1	-	-
WHITE------MALE----	1	11	9	8	10	10	12	5	2	-	-	-
FEMALE--	2	-	3	4	12	15	7	4	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	3	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mesothelioma (C45)												
UNITED STATES -	2,343	-	-	-	-	-	1	1	3	16	15	48
WHITE------MALE----	1,795	-	-	-	-	-	-	-	3	10	8	33
FEMALE--	427	-	-	-	-	-	1	1	-	5	5	10
ALL OTHER--MALE----	86	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	71	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	3
ALABAMA ----------	32	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	242	-	-	-	-	-	-	1	-	3	2	5
WHITE------MALE----	182	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	47	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mesothelioma (C45)												
UNITED STATES -	88	159	210	320	452	483	349	160	34	4	-	-
WHITE------MALE----	59	116	154	259	360	371	275	117	27	3	-	-
FEMALE--	20	34	40	48	75	88	57	36	6	1	-	-
ALL OTHER--MALE----	7	6	14	8	14	18	10	5	-	-	-	-
FEMALE--	2	3	2	5	3	6	7	2	1	-	-	-
BLACK---MALE----	7	6	13	6	10	14	8	4	-	-	-	-
FEMALE--	1	1	1	4	3	5	6	1	1	-	-	-
ALABAMA ----------	2	2	5	5	5	7	2	1	1	-	-	-
WHITE------MALE----	-	1	1	5	4	5	2	1	1	-	-	-
FEMALE--	2	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	4	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	4	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	3	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	3	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	2	3	3	7	7	4	2	1	-	-	-
WHITE------MALE----	1	1	2	3	6	5	3	2	1	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	2	3	4	4	-	1	-	-	-	-
WHITE------MALE----	-	1	2	2	4	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	13	13	22	34	43	45	35	23	2	1	-	-
WHITE------MALE----	7	10	18	27	36	35	25	15	2	1	-	-
FEMALE--	3	3	2	6	7	6	7	8	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	4	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mesothelioma (C45)												
COLORADO ----------	16	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	29	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	156	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	125	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	29	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mesothelioma (C45)												
COLORADO ----------	-	1	1	3	3	2	4	1	-	-	-	-
WHITE------MALE----	-	-	1	3	3	2	3	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	3	4	3	4	6	6	2	-	-	-	-
WHITE------MALE----	-	2	4	2	4	5	4	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	2	6	1	-	2	-	-	-	-
WHITE------MALE----	-	-	1	2	5	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA ----------	6	8	11	19	33	35	32	8	2	-	-	-
WHITE------MALE----	2	7	11	16	28	24	28	5	2	-	-	-
FEMALE--	3	-	-	3	5	11	4	3	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	3	2	3	6	3	6	3	2	-	-	-	-
WHITE------MALE----	1	1	1	6	3	5	2	1	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mesothelioma (C45)												
HAWAII ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	14	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	119	-	-	-	-	-	-	-	1	-	2	4
WHITE------MALE----	86	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	56	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	42	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	25	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mesothelioma (C45)												
HAWAII ----------	-	-	1	-	2	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	2	2	1	1	4	1	1	-	-	-
WHITE------MALE----	-	1	1	2	1	-	4	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	8	11	16	24	27	12	9	-	-	-	-
WHITE------MALE----	5	4	6	13	17	21	8	6	-	-	-	-
FEMALE--	-	3	2	2	6	5	4	2	-	-	-	-
ALL OTHER--MALE----	-	1	3	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	3	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
INDIANA ----------	5	6	4	10	10	11	7	-	1	-	-	-
WHITE------MALE----	5	5	2	9	7	9	5	-	-	-	-	-
FEMALE--	-	1	1	-	3	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IOWA ----------	1	2	-	4	3	3	4	3	1	-	-	-
WHITE------MALE----	1	2	-	3	3	3	4	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	2	4	3	3	5	6	-	-	-	-
WHITE------MALE----	1	1	2	4	3	2	4	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mesothelioma (C45)												
KENTUCKY ----------	22	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	44	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	28	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	48	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	33	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	76	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	66	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	63	-	-	-	-	-	-	-	-	1	2	2
WHITE------MALE----	48	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mesothelioma (C45)												
KENTUCKY ----------	2	2	2	2	7	5	1	-	-	-	-	-
WHITE------MALE----	1	2	-	2	5	4	-	-	-	-	-	-
FEMALE--	1	-	2	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	3	4	5	8	6	12	-	-	-	-	-
WHITE------MALE----	2	2	4	3	4	3	9	-	-	-	-	-
FEMALE--	2	-	-	1	1	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MAINE ----------	-	3	4	2	5	7	4	2	1	-	-	-
WHITE------MALE----	-	1	3	2	3	4	4	2	1	-	-	-
FEMALE--	-	2	1	-	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	5	1	7	5	11	7	5	2	1	-	-
WHITE------MALE----	1	3	1	6	3	7	6	3	1	1	-	-
FEMALE--	-	2	-	1	2	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	5	4	6	18	18	15	5	2	-	-	-
WHITE------MALE----	2	5	4	5	15	17	12	4	2	-	-	-
FEMALE--	-	-	-	-	3	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	-	8	6	13	11	12	4	4	-	-	-	-
WHITE------MALE----	-	5	4	10	8	10	3	3	-	-	-	-
FEMALE--	-	1	2	2	3	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mesothelioma (C45)												
MINNESOTA ----------	58	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	50	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	20	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	48	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	41	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mesothelioma (C45)												
MINNESOTA ----------	-	2	11	9	7	11	10	4	1	-	-	-
WHITE------MALE----	-	1	10	8	7	9	10	2	1	-	-	-
FEMALE--	-	1	1	1	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	2	-	4	4	4	2	3	-	-	-	-
WHITE------MALE----	-	2	-	4	4	4	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	2	2	8	10	12	9	3	-	-	-	-
WHITE------MALE----	-	2	2	6	10	10	6	3	-	-	-	-
FEMALE--	-	-	-	2	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	-	2	-	1	2	3	-	1	1	-	-	-
WHITE------MALE----	-	2	-	1	2	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	2	-	4	5	-	1	-	-	-	-
WHITE------MALE----	-	1	2	-	3	4	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA ----------	1	1	1	3	6	4	3	3	-	-	-	-
WHITE------MALE----	-	-	-	2	5	3	3	2	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mesothelioma (C45)												
NEW HAMPSHIRE ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	103	-	-	-	-	-	-	-	1	-	-	2
WHITE------MALE----	84	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	16	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	145	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	106	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	53	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	40	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mesothelioma (C45)												
NEW HAMPSHIRE ----------	-	-	1	5	2	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	4	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	6	10	19	18	23	11	9	1	-	-	-
WHITE------MALE----	2	5	7	13	15	20	9	9	1	-	-	-
FEMALE--	-	1	2	6	2	3	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	3	3	3	2	1	-	-	-	-	-	-
WHITE------MALE----	-	2	3	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	5	16	16	29	36	24	6	5	-	-	-
WHITE------MALE----	4	3	8	10	20	30	21	5	3	-	-	-
FEMALE--	1	2	8	6	9	4	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	6	4	6	9	14	9	2	-	-	-	-
WHITE------MALE----	1	5	2	6	6	12	5	2	-	-	-	-
FEMALE--	-	-	1	-	3	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	1	-	-	1	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mesothelioma (C45)												
OHIO ----------	121	-	-	-	-	-	-	-	-	-	3	2
WHITE------MALE----	90	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	152	-	-	-	-	-	-	-	-	-	-	6
WHITE------MALE----	123	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	12	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	25	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mesothelioma (C45)												
OHIO	11	5	16	10	21	28	18	7	-	-	-	-
WHITE--MALE	9	2	12	9	16	23	12	4	-	-	-	-
FEMALE	2	2	4	1	4	5	4	3	-	-	-	-
ALL OTHER--MALE	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE	-	1	-	-	-	-	1	-	-	-	-	-
BLACK--MALE	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA	-	1	2	2	5	3	6	2	-	-	-	-
WHITE--MALE	-	1	2	-	5	2	6	1	-	-	-	-
FEMALE	-	-	-	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	3	1	1	1	8	5	4	4	2	1	-	-
WHITE--MALE	2	1	-	1	7	4	4	4	2	1	-	-
FEMALE	1	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	4	4	9	25	33	31	28	8	4	-	-	-
WHITE--MALE	4	2	9	19	27	23	24	6	4	-	-	-
FEMALE	-	2	-	3	3	6	4	1	-	-	-	-
ALL OTHER--MALE	-	-	-	3	2	1	-	1	-	-	-	-
FEMALE	-	-	-	-	1	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	3	2	1	-	1	-	-	-	-
FEMALE	-	-	-	-	1	1	-	-	-	-	-	-
RHODE ISLAND	-	-	1	3	2	3	1	-	1	-	-	-
WHITE--MALE	-	-	1	2	2	3	-	-	1	-	-	-
FEMALE	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	2	1	3	7	5	6	1	-	-	-	-
WHITE--MALE	-	2	1	2	4	3	4	-	-	-	-	-
FEMALE	-	-	-	-	2	2	2	-	-	-	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mesothelioma (C45)												
SOUTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	29	-	-	-	-	-	1	-	-	1	-	2
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	118	-	-	-	-	-	-	-	-	1	-	4
WHITE------MALE----	84	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	74	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	53	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mesothelioma (C45)												
SOUTH DAKOTA ----------	1	-	-	1	1	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	2	-	6	5	6	4	2	-	-	-	-
WHITE------MALE----	-	1	-	5	5	5	4	2	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	4	13	12	18	25	20	11	9	1	-	-	-
WHITE------MALE----	3	8	9	14	19	12	8	8	1	-	-	-
FEMALE--	-	5	3	4	4	5	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
UTAH ----------	-	-	2	2	4	-	-	-	-	-	-	-
WHITE------MALE----	-	-	2	1	4	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	11	7	4	13	19	13	4	-	-	-	-
WHITE------MALE----	1	11	6	4	9	14	6	2	-	-	-	-
FEMALE--	1	-	-	-	2	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mesothelioma (C45)												
WASHINGTON ----------	70	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	52	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	27	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	48	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mesothelioma (C45)												
WASHINGTON ----------	3	5	7	8	12	14	12	5	4	-	-	-
WHITE------MALE----	2	3	3	7	10	12	9	4	2	-	-	-
FEMALE--	1	2	4	-	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	1	2	2	3	5	6	3	3	-	-	-	-
WHITE------MALE----	1	2	2	3	5	3	3	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WISCONSIN ----------	-	6	5	7	11	9	7	2	-	1	-	-
WHITE------MALE----	-	6	4	7	6	4	7	2	-	-	-	-
FEMALE--	-	-	1	-	5	5	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Kaposi's sarcoma (C46)												
UNITED STATES -	42	-	-	-	-	-	-	1	6	3	4	-
WHITE------MALE----	25	-	-	-	-	-	-	-	4	3	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	2	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	2	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Kaposi's sarcoma (C46)												
UNITED STATES -	1	-	-	-	1	3	6	7	9	1	-	-
WHITE------MALE----	1	-	-	-	1	3	6	3	3	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Kaposi's sarcoma (C46)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Kaposi's sarcoma (C46)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Kaposi's sarcoma (C46)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Kaposi's sarcoma (C46)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Kaposi's sarcoma (C46)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Kaposi's sarcoma (C46)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	2	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Kaposi's sarcoma (C46)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Kaposi's sarcoma (C46)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Kaposi's sarcoma (C46)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Kaposi's sarcoma (C46)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Kaposi's sarcoma (C46)												
OHIO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Kaposi's sarcoma (C46)												
OHIO ----------	-	-	-	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Kaposi's sarcoma (C46)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	-	-	-	-	-	-	-	3	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	3	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Kaposi's sarcoma (C46)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Kaposi's sarcoma (C46)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Kaposi's sarcoma (C46)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other mesothelial and soft tissue (C47-C49)												
UNITED STATES -	4,264	4	18	27	37	65	71	84	99	149	199	233
WHITE------MALE----	1,718	1	7	12	17	35	23	39	40	64	102	85
FEMALE--	1,954	2	6	8	12	15	28	26	31	49	48	111
ALL OTHER--MALE----	267	-	3	2	3	11	14	9	19	20	23	16
FEMALE--	325	1	2	5	5	4	6	10	9	16	26	21
BLACK---MALE----	218	-	2	2	3	10	13	8	11	19	20	13
FEMALE--	264	1	1	4	5	4	5	9	7	13	17	17
ALABAMA ----------	62	-	-	-	-	1	1	3	2	-	2	5
WHITE------MALE----	33	-	-	-	-	-	-	2	-	-	2	4
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	9	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	-	-	-
ALASKA ----------	6	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	85	-	-	1	1	1	2	2	3	5	5	5
WHITE------MALE----	41	-	-	-	1	1	2	2	2	5	2	1
FEMALE--	40	-	-	1	-	-	-	-	1	-	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	38	-	-	-	-	-	-	-	2	4	2	5
WHITE------MALE----	16	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
CALIFORNIA ----------	487	1	2	3	5	5	10	6	15	21	23	29
WHITE------MALE----	180	1	-	1	5	3	2	2	4	9	11	10
FEMALE--	224	-	1	1	-	-	5	3	4	7	5	13
ALL OTHER--MALE----	39	-	1	-	-	1	2	1	5	2	3	3
FEMALE--	44	-	-	1	-	1	1	-	2	3	4	3
BLACK---MALE----	18	-	1	-	-	-	2	-	1	1	2	1
FEMALE--	21	-	-	1	-	1	-	-	1	2	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other mesothelial and soft tissue (C47-C49)												
UNITED STATES -	298	296	387	413	522	543	420	266	104	26	3	-
WHITE------MALE----	126	133	158	166	204	214	162	94	28	8	-	-
FEMALE--	127	122	172	196	261	277	224	152	69	15	3	-
ALL OTHER--MALE----	17	17	24	26	27	20	11	3	1	1	-	-
FEMALE--	28	24	33	25	30	32	23	17	6	2	-	-
BLACK---MALE----	13	15	21	17	21	17	8	3	1	1	-	-
FEMALE--	21	16	30	19	28	28	18	16	4	1	-	-
ALABAMA ----------	3	4	5	7	8	8	7	5	1	-	-	-
WHITE------MALE----	3	1	2	4	5	3	5	2	-	-	-	-
FEMALE--	-	1	3	2	-	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	2	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	2	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
ALASKA ----------	1	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	4	8	5	8	8	13	4	2	-	-	-
WHITE------MALE----	6	3	4	2	2	2	3	2	1	-	-	-
FEMALE--	2	1	3	3	6	6	9	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS ----------	1	4	1	3	6	3	4	2	1	-	-	-
WHITE------MALE----	1	2	-	3	3	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	3	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	31	36	46	44	67	66	39	28	6	4	-	-
WHITE------MALE----	9	12	15	18	27	22	13	13	1	2	-	-
FEMALE--	17	19	24	20	33	36	19	12	4	1	-	-
ALL OTHER--MALE----	3	1	2	4	4	4	2	1	-	-	-	-
FEMALE--	2	4	5	2	3	4	5	2	1	1	-	-
BLACK---MALE----	2	-	1	2	2	2	-	1	-	-	-	-
FEMALE--	-	2	3	2	2	2	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other mesothelial and soft tissue (C47-C49)												
COLORADO ----------	57	-	1	-	1	-	2	2	2	4	1	4
WHITE------MALE----	21	-	1	-	-	-	-	-	1	-	1	-
FEMALE--	30	-	-	-	1	-	2	1	-	3	-	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT ----------	46	-	-	-	-	2	-	-	2	5	2	1
WHITE------MALE----	18	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	24	-	-	-	-	2	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	13	-	-	-	1	-	-	-	-	1	2	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	1	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	249	-	1	2	-	5	5	3	5	4	5	12
WHITE------MALE----	126	-	-	1	-	4	2	2	1	3	3	4
FEMALE--	98	-	-	1	-	-	1	-	4	1	-	5
ALL OTHER--MALE----	16	-	1	-	-	-	2	1	-	-	1	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	1	3
BLACK---MALE----	15	-	1	-	-	-	2	1	-	-	1	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	1	3
GEORGIA ----------	106	-	1	1	1	1	1	3	2	4	4	6
WHITE------MALE----	41	-	-	1	1	-	-	3	-	1	3	3
FEMALE--	40	-	1	-	-	-	-	-	2	1	1	2
ALL OTHER--MALE----	12	-	-	-	-	1	1	-	-	2	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	1	1	-	-	2	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other mesothelial and soft tissue (C47-C49)												
COLORADO ----------	5	4	4	5	4	9	6	2	1	-	-	-
WHITE------MALE----	3	3	1	2	3	3	2	1	-	-	-	-
FEMALE--	1	1	3	2	1	5	4	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	4	4	4	4	8	4	2	1	-	-	-
WHITE------MALE----	1	1	2	3	1	2	2	-	-	-	-	-
FEMALE--	2	3	2	1	2	5	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
DELAWARE ----------	1	2	-	3	-	2	-	-	-	-	-	-
WHITE------MALE----	1	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	2	-	2	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	1	-	-	-	-
FLORIDA ----------	19	16	18	23	31	38	40	18	4	-	-	-
WHITE------MALE----	10	10	8	14	14	21	19	8	2	-	-	-
FEMALE--	7	5	7	7	13	16	20	9	2	-	-	-
ALL OTHER--MALE----	1	1	2	2	3	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	1	2	2	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	-	-
GEORGIA ----------	6	8	16	12	8	7	13	8	3	1	-	-
WHITE------MALE----	2	4	5	3	4	4	4	2	1	-	-	-
FEMALE--	2	3	6	5	4	1	6	3	2	1	-	-
ALL OTHER--MALE----	1	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	1	-	4	2	-	2	2	2	-	-	-	-
BLACK---MALE----	-	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	1	-	4	2	-	2	2	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other mesothelial and soft tissue (C47-C49)												
HAWAII ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	17	-	-	2	-	-	-	-	-	-	2	1
WHITE------MALE----	3	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	201	1	-	3	4	3	2	4	2	8	8	13
WHITE------MALE----	72	-	-	1	1	-	2	-	1	2	4	3
FEMALE--	91	1	-	1	3	2	-	1	-	4	1	8
ALL OTHER--MALE----	19	-	-	1	-	-	-	2	1	2	2	-
FEMALE--	19	-	-	-	-	1	-	1	-	-	1	2
BLACK---MALE----	16	-	-	1	-	-	-	2	1	2	1	-
FEMALE--	17	-	-	-	-	1	-	1	-	-	1	2
INDIANA ----------	97	-	1	-	1	2	1	4	1	2	3	7
WHITE------MALE----	33	-	1	-	1	1	-	1	1	2	1	2
FEMALE--	52	-	-	-	-	-	1	2	-	-	1	4
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
IOWA ----------	44	-	-	-	1	1	-	2	-	-	1	-
WHITE------MALE----	21	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	23	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	40	-	-	-	-	1	-	1	-	1	1	5
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	27	-	-	-	-	1	-	1	-	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other mesothelial and soft tissue (C47-C49)												
HAWAII ----------	1	1	-	3	1	2	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	2	2	2	3	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	2	2	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	10	13	14	18	23	25	25	13	6	5	1	-
WHITE------MALE----	5	6	6	7	10	7	14	2	-	1	-	-
FEMALE--	2	5	4	10	9	13	8	9	6	3	1	-
ALL OTHER--MALE----	1	1	2	-	2	2	1	1	-	1	-	-
FEMALE--	2	1	2	1	2	3	2	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	2	1	1	-	1	-	-
FEMALE--	1	-	2	1	2	3	2	1	-	-	-	-
INDIANA ----------	9	8	8	9	15	13	8	4	1	-	-	-
WHITE------MALE----	3	4	2	3	4	5	2	-	-	-	-	-
FEMALE--	5	3	5	4	11	7	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
IOWA ----------	6	2	5	2	9	3	5	5	2	-	-	-
WHITE------MALE----	1	1	5	1	6	1	2	1	1	-	-	-
FEMALE--	5	1	-	1	3	2	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	4	4	4	5	5	4	2	2	-	-	-
WHITE------MALE----	-	3	-	1	1	-	3	1	-	-	-	-
FEMALE--	1	1	4	3	4	5	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other mesothelial and soft tissue (C47-C49)												
KENTUCKY ----------	56	-	-	-	-	1	1	3	2	6	3	2
WHITE------MALE----	28	-	-	-	-	1	-	3	2	3	3	-
FEMALE--	27	-	-	-	-	-	1	-	-	3	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	71	-	-	-	-	1	-	2	1	5	3	2
WHITE------MALE----	29	-	-	-	-	1	-	-	-	2	2	1
FEMALE--	20	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
MAINE ----------	22	-	-	-	-	1	-	-	-	1	1	-
WHITE------MALE----	8	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	81	-	2	-	-	2	-	3	3	3	2	5
WHITE------MALE----	35	-	1	-	-	1	-	1	-	2	2	1
FEMALE--	32	-	1	-	-	-	-	1	1	1	-	4
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	-
MASSACHUSETTS ----------	102	-	-	2	1	-	-	1	1	1	10	1
WHITE------MALE----	43	-	-	2	-	-	-	1	-	-	6	1
FEMALE--	51	-	-	-	-	-	-	-	1	1	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN ----------	139	1	1	1	4	1	3	3	1	3	4	6
WHITE------MALE----	52	-	-	1	1	-	-	-	1	-	-	3
FEMALE--	66	-	-	-	3	-	1	3	-	2	2	1
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	14	1	-	-	-	1	2	-	-	1	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	13	1	-	-	-	1	2	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other mesothelial and soft tissue (C47-C49)												
KENTUCKY ----------	2	2	3	10	5	5	6	3	2	-	-	-
WHITE------MALE----	2	1	1	6	2	2	2	-	-	-	-	-
FEMALE--	-	1	2	3	3	3	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	2	8	10	13	9	5	4	-	1	-	-
WHITE------MALE----	2	1	4	6	3	1	3	3	-	-	-	-
FEMALE--	1	-	1	3	6	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	2	1	3	-	2	3	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	2	1	3	-	2	3	1	-	-	1	-	-
MAINE ----------	1	2	1	-	3	8	2	1	1	-	-	-
WHITE------MALE----	1	-	-	-	3	2	-	-	1	-	-	-
FEMALE--	-	2	1	-	-	5	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	8	10	8	9	8	8	3	5	2	-	-	-
WHITE------MALE----	2	2	5	6	4	6	-	1	1	-	-	-
FEMALE--	6	6	1	2	3	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
MASSACHUSETTS ----------	9	9	6	13	10	15	9	7	6	1	-	-
WHITE------MALE----	2	6	3	5	1	7	4	-	5	-	-	-
FEMALE--	6	2	2	5	8	8	5	7	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	1	-	-	-	-	-	-	-
MICHIGAN ----------	8	9	17	14	17	19	18	9	-	-	-	-
WHITE------MALE----	7	4	6	4	7	9	4	5	-	-	-	-
FEMALE--	1	2	8	9	9	7	14	4	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	2	2	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	2	2	1	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other mesothelial and soft tissue (C47-C49)												
MINNESOTA ----------	59	-	-	-	-	1	3	-	2	2	1	2
WHITE------MALE----	26	-	-	-	-	-	1	-	1	2	1	-
FEMALE--	29	-	-	-	-	-	2	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	34	-	-	-	-	-	1	-	1	1	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	87	-	1	-	1	-	1	3	3	5	3	5
WHITE------MALE----	39	-	1	-	-	-	-	3	1	3	2	2
FEMALE--	44	-	-	-	1	-	1	-	2	2	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	15	-	-	-	-	-	-	1	-	-	2	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	41	-	-	-	-	-	-	2	2	1	1	3
WHITE------MALE----	18	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	22	-	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
NEVADA ----------	23	-	-	-	-	-	-	-	-	2	2	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other mesothelial and soft tissue (C47-C49)												
MINNESOTA ----------	6	6	6	5	6	6	8	4	-	1	-	-
WHITE------MALE----	5	3	4	2	1	2	2	2	-	-	-	-
FEMALE--	1	2	2	3	4	4	6	2	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	2	6	7	4	4	1	2	-	1	-	-
WHITE------MALE----	1	1	1	4	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	3	2	2	1	2	-	1	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
MISSOURI ----------	4	7	7	7	12	8	8	7	5	-	-	-
WHITE------MALE----	-	3	4	2	7	4	3	2	2	-	-	-
FEMALE--	3	3	3	5	4	4	5	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
MONTANA ----------	-	1	-	2	2	3	2	2	-	-	-	-
WHITE------MALE----	-	-	-	1	2	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	1	2	4	3	10	5	2	3	-	-	-
WHITE------MALE----	2	1	2	1	1	5	1	2	-	-	-	-
FEMALE--	-	-	-	3	2	5	4	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	1	-	2	3	4	2	1	-	-	-	-
WHITE------MALE----	4	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other mesothelial and soft tissue (C47-C49)												
NEW HAMPSHIRE ----------	10	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	147	-	-	1	2	3	-	3	4	4	11	6
WHITE------MALE----	62	-	-	-	-	-	-	2	2	1	2	3
FEMALE--	68	-	-	-	1	2	-	1	-	1	5	3
ALL OTHER--MALE----	9	-	-	-	1	1	-	-	2	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	-	2	4	-
BLACK---MALE----	7	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	2	3	-
NEW MEXICO ----------	22	-	-	1	-	-	1	-	1	1	1	3
WHITE------MALE----	8	-	-	1	-	-	1	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NEW YORK ----------	302	-	2	2	2	8	3	3	7	6	15	19
WHITE------MALE----	123	-	1	-	1	4	-	1	4	2	3	9
FEMALE--	129	-	-	-	-	2	2	2	2	4	5	4
ALL OTHER--MALE----	19	-	-	1	-	2	1	-	-	-	2	4
FEMALE--	31	-	1	1	1	-	-	-	1	-	5	2
BLACK---MALE----	19	-	-	1	-	2	1	-	-	-	2	4
FEMALE--	26	-	-	1	1	-	-	-	1	-	4	2
NORTH CAROLINA ---------	135	-	-	1	2	3	4	1	1	2	7	6
WHITE------MALE----	48	-	-	-	1	1	2	-	1	1	4	3
FEMALE--	54	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	15	-	-	-	1	1	2	1	-	-	2	-
FEMALE--	18	-	-	1	-	-	-	-	-	1	1	1
BLACK---MALE----	15	-	-	-	1	1	2	1	-	-	2	-
FEMALE--	16	-	-	1	-	-	-	-	-	1	-	1
NORTH DAKOTA ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other mesothelial and soft tissue (C47-C49)												
NEW HAMPSHIRE ----------	1	3	-	-	1	1	1	-	-	1	-	-
WHITE------MALE----	-	1	-	-	1	1	-	-	-	1	-	-
FEMALE--	1	2	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	8	10	14	15	16	19	18	8	2	2	1	-
WHITE------MALE----	6	3	8	6	6	8	9	4	1	1	-	-
FEMALE--	2	6	5	7	9	11	8	4	1	1	1	-
ALL OTHER--MALE----	-	-	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	2	2	2	2	2	2	-	-	1	-	-
WHITE------MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	2	1	1	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	22	22	30	30	42	33	29	17	8	2	-	-
WHITE------MALE----	10	9	13	12	16	15	12	5	4	2	-	-
FEMALE--	7	11	12	11	24	13	15	11	4	-	-	-
ALL OTHER--MALE----	-	-	2	3	2	1	1	-	-	-	-	-
FEMALE--	5	2	3	4	-	4	1	1	-	-	-	-
BLACK---MALE----	-	-	2	3	2	1	1	-	-	-	-	-
FEMALE--	4	1	3	3	-	4	1	1	-	-	-	-
NORTH CAROLINA ---------	16	13	17	17	6	16	6	14	3	-	-	-
WHITE------MALE----	6	7	3	4	3	4	1	7	-	-	-	-
FEMALE--	5	3	9	10	2	9	5	6	2	-	-	-
ALL OTHER--MALE----	2	2	2	2	-	-	-	-	-	-	-	-
FEMALE--	3	1	3	1	1	3	-	1	1	-	-	-
BLACK---MALE----	2	2	2	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	3	1	1	3	-	1	1	-	-	-
NORTH DAKOTA ----------	-	1	-	3	1	1	-	2	1	1	-	-
WHITE------MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other mesothelial and soft tissue (C47-C49)												
OHIO ----------	204	-	2	1	1	5	5	5	5	4	7	12
WHITE------MALE----	66	-	-	-	1	5	1	2	-	2	3	2
FEMALE--	102	-	2	-	-	-	3	3	-	1	2	6
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	20	-	-	1	-	-	-	-	3	-	1	2
BLACK---MALE----	16	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	17	-	-	-	-	-	-	-	2	-	1	2
OKLAHOMA ----------	58	-	-	-	1	-	2	2	-	1	2	2
WHITE------MALE----	26	-	-	-	1	-	1	1	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	66	-	-	-	-	-	1	2	4	-	4	6
WHITE------MALE----	32	-	-	-	-	-	-	2	2	-	3	3
FEMALE--	34	-	-	-	-	-	1	-	2	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	222	1	-	-	1	3	5	6	6	4	11	7
WHITE------MALE----	90	-	-	-	1	3	2	5	2	3	7	2
FEMALE--	113	1	-	-	-	-	-	1	3	1	1	4
ALL OTHER--MALE----	11	-	-	-	-	-	3	-	1	-	3	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	2	-	1	-	3	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	22	-	-	-	-	-	-	-	3	2	2	-
WHITE------MALE----	9	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	54	-	-	-	-	3	1	2	-	5	3	3
WHITE------MALE----	22	-	-	-	-	2	-	-	-	-	2	1
FEMALE--	16	-	-	-	-	-	1	-	-	3	-	-
ALL OTHER--MALE----	10	-	-	-	-	1	-	2	-	2	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	1	-	2	-	2	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other mesothelial and soft tissue (C47-C49)												
OHIO ----------	17	14	17	22	32	28	11	11	5	-	-	-
WHITE------MALE----	6	5	6	7	8	9	3	4	2	-	-	-
FEMALE--	5	6	11	13	16	17	8	6	3	-	-	-
ALL OTHER--MALE----	3	2	-	-	3	1	-	-	-	-	-	-
FEMALE--	3	1	-	2	5	1	-	1	-	-	-	-
BLACK---MALE----	3	2	-	-	3	1	-	-	-	-	-	-
FEMALE--	3	1	-	1	5	1	-	1	-	-	-	-
OKLAHOMA ----------	4	6	6	1	4	11	11	4	1	-	-	-
WHITE------MALE----	3	3	2	-	2	6	4	1	-	-	-	-
FEMALE--	-	1	4	1	2	4	6	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OREGON ----------	2	7	4	6	13	10	5	2	-	-	-	-
WHITE------MALE----	-	4	2	4	5	3	3	1	-	-	-	-
FEMALE--	2	3	2	2	8	7	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	18	13	19	20	31	27	23	17	9	-	1	-
WHITE------MALE----	5	7	11	5	12	11	6	8	-	-	-	-
FEMALE--	12	6	6	14	17	15	13	9	9	-	1	-
ALL OTHER--MALE----	1	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	4	-	-	-	-	-
BLACK---MALE----	1	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	4	-	-	-	-	-
RHODE ISLAND ----------	-	2	1	2	1	5	2	2	-	-	-	-
WHITE------MALE----	-	2	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	5	6	6	2	6	6	2	1	-	-	-
WHITE------MALE----	1	3	1	4	2	3	3	-	-	-	-	-
FEMALE--	1	1	3	2	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other mesothelial and soft tissue (C47-C49)												
SOUTH DAKOTA ----------	13	-	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	75	-	2	-	2	2	3	-	1	3	7	1
WHITE------MALE----	32	-	1	-	-	2	2	-	1	1	5	1
FEMALE--	34	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	2	-	-
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	1	-	-	-	-	2	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
TEXAS ----------	277	-	-	3	4	3	3	7	9	11	16	21
WHITE------MALE----	117	-	-	2	1	2	1	3	6	5	11	11
FEMALE--	127	-	-	1	1	1	2	3	3	4	2	7
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	19	-	-	-	2	-	-	1	-	1	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	15	-	-	-	2	-	-	1	-	-	1	-
UTAH ----------	33	-	-	2	-	-	1	1	1	3	1	3
WHITE------MALE----	12	-	-	1	-	-	-	-	-	2	1	2
FEMALE--	20	-	-	1	-	-	1	1	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	13	-	-	-	-	-	1	1	-	-	1	2
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA ----------	114	-	2	-	1	1	2	2	2	9	9	3
WHITE------MALE----	38	-	1	-	1	1	1	-	-	2	4	-
FEMALE--	47	-	1	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	22	-	-	-	-	-	1	1	1	4	4	-
BLACK---MALE----	6	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	21	-	-	-	-	-	1	1	1	4	4	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other mesothelial and soft tissue (C47-C49)												
SOUTH DAKOTA ----------	2	-	-	1	-	2	4	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	2	-	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	5	7	8	9	7	3	7	1	1	-	-
WHITE------MALE----	3	-	3	4	2	3	1	3	-	-	-	-
FEMALE--	2	3	3	4	7	4	2	4	1	1	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	23	13	28	26	34	29	27	12	7	1	-	-
WHITE------MALE----	7	6	13	9	16	9	10	3	2	-	-	-
FEMALE--	12	4	14	16	12	18	14	8	4	1	-	-
ALL OTHER--MALE----	2	1	-	1	3	1	-	-	1	-	-	-
FEMALE--	2	2	1	-	3	1	3	1	-	-	-	-
BLACK---MALE----	1	1	-	1	3	1	-	-	1	-	-	-
FEMALE--	2	-	1	-	3	1	3	1	-	-	-	-
UTAH ----------	2	1	2	3	6	1	2	4	-	-	-	-
WHITE------MALE----	1	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	1	1	2	1	4	-	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	1	2	1	1	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5	6	9	11	19	13	8	6	5	1	-	-
WHITE------MALE----	-	2	5	2	6	7	4	1	1	-	-	-
FEMALE--	4	3	4	4	10	5	4	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	3	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	3	1	-	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other mesothelial and soft tissue (C47-C49)												
WASHINGTON ----------	68	-	-	-	-	2	1	-	1	4	4	2
WHITE------MALE----	29	-	-	-	-	1	-	-	1	3	1	1
FEMALE--	33	-	-	-	-	1	1	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
WEST VIRGINIA ----------	22	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	90	-	-	-	-	1	5	-	2	-	2	6
WHITE------MALE----	39	-	-	-	-	-	3	-	1	-	2	1
FEMALE--	46	-	-	-	-	1	2	-	-	-	-	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
WYOMING ----------	9	-	-	-	-	1	-	-	-	-	-	3
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other mesothelial and soft tissue (C47-C49)												
WASHINGTON ----------	4	3	10	5	7	10	5	6	2	2	-	-
WHITE------MALE----	3	1	3	2	4	4	3	1	-	1	-	-
FEMALE--	1	2	5	1	3	6	2	5	2	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	2	4	1	4	2	3	-	2	-	-	-
WHITE------MALE----	-	2	2	-	1	2	1	-	-	-	-	-
FEMALE--	2	-	2	1	3	-	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	5	8	5	11	17	13	7	5	-	-	-
WHITE------MALE----	1	5	5	1	4	6	5	3	2	-	-	-
FEMALE--	2	-	2	4	7	10	7	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
UNITED STATES -	41,528	-	1	-	1	3	10	86	353	986	1,755	2,619
WHITE------MALE----	312	-	-	-	-	-	-	-	2	-	8	8
FEMALE--	35,073	-	-	-	1	3	5	59	243	700	1,293	1,969
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	1	6	1	3
FEMALE--	6,071	-	1	-	-	-	5	27	107	280	453	639
BLACK---MALE----	67	-	-	-	-	-	-	-	1	6	1	1
FEMALE--	5,358	-	1	-	-	-	5	25	100	255	403	552
ALABAMA ----------	660	-	-	-	-	-	-	1	9	24	37	49
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	460	-	-	-	-	-	-	-	7	5	19	32
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	193	-	-	-	-	-	-	1	2	19	18	16
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	193	-	-	-	-	-	-	1	2	19	18	16
ALASKA ----------	42	-	-	-	-	-	-	-	-	3	3	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	3	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	693	-	-	-	-	-	-	-	7	17	25	38
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	648	-	-	-	-	-	-	-	7	15	21	34
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	2	4	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	3
ARKANSAS ----------	405	-	-	-	-	-	-	2	2	9	18	29
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	316	-	-	-	-	-	-	2	2	6	12	15
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	85	-	-	-	-	-	-	-	-	3	6	14
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	83	-	-	-	-	-	-	-	-	3	5	13
CALIFORNIA ----------	4,086	-	-	-	-	-	1	14	33	92	191	283
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3,499	-	-	-	-	-	1	12	22	67	146	221
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	561	-	-	-	-	-	-	2	11	25	44	61
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	311	-	-	-	-	-	-	1	8	16	25	26

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
UNITED STATES -	3,555	3,682	3,717	4,147	4,962	5,140	4,511	3,428	1,837	611	124	-
WHITE------MALE----	22	29	25	40	45	49	37	30	11	5	1	-
FEMALE--	2,827	2,977	3,080	3,510	4,327	4,549	4,079	3,124	1,670	550	107	-
ALL OTHER--MALE----	8	7	9	7	11	7	5	3	2	2	-	-
FEMALE--	698	669	603	590	579	535	390	271	154	54	16	-
BLACK---MALE----	8	7	9	6	10	6	5	3	2	2	-	-
FEMALE--	606	575	512	517	507	487	358	249	138	52	16	-
ALABAMA ----------	69	62	68	65	56	67	64	43	30	10	6	-
WHITE------MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	47	44	54	48	38	55	52	31	21	4	3	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	22	18	14	16	16	11	11	11	9	6	3	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	22	18	14	16	16	11	11	11	9	6	3	-
ALASKA ----------	6	8	6	4	2	6	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	5	5	4	2	5	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	65	58	54	78	96	85	80	59	19	8	4	-
WHITE------MALE----	-	-	1	3	-	2	3	-	-	-	-	-
FEMALE--	56	52	52	73	92	82	76	59	17	8	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	6	1	2	4	1	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	1	2	1	-	-	-	1	-	-	-
ARKANSAS ----------	30	39	33	33	53	54	43	34	19	7	-	-
WHITE------MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	19	29	26	26	49	46	32	28	17	7	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	11	9	7	6	2	8	11	6	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	11	9	7	6	2	8	11	6	2	-	-	-
CALIFORNIA ----------	410	363	364	416	489	495	417	306	148	56	8	-
WHITE------MALE----	-	5	1	3	4	3	-	3	-	-	-	-
FEMALE--	329	296	298	357	436	454	378	284	136	55	7	-
ALL OTHER--MALE----	1	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	80	61	64	56	47	38	39	19	12	1	1	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	40	36	32	32	22	28	28	12	4	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
COLORADO ----------	489	-	-	-	-	-	-	2	6	12	21	31
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	461	-	-	-	-	-	-	2	6	11	19	30
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT ----------	549	-	-	-	-	-	-	-	3	12	22	29
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	496	-	-	-	-	-	-	-	1	10	15	23
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	2	2	7	6
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	2	2	6	6
DELAWARE ----------	121	-	1	-	-	-	-	-	-	4	9	8
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	94	-	-	-	-	-	-	-	-	4	4	6
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	1	-	-	-	-	-	-	-	5	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	1	-	-	-	-	-	-	-	5	2
DISTRICT OF COLUMBIA ---	118	-	-	-	-	-	-	-	1	2	8	6
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	89	-	-	-	-	-	-	-	1	2	6	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	86	-	-	-	-	-	-	-	-	2	6	5
FLORIDA ----------	2,604	-	-	-	-	-	1	6	12	64	99	152
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2,276	-	-	-	-	-	-	3	6	44	80	107
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	303	-	-	-	-	-	1	3	6	20	19	45
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	294	-	-	-	-	-	1	3	6	20	19	41
GEORGIA ----------	1,016	-	-	-	-	-	1	2	16	38	53	73
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	705	-	-	-	-	-	-	-	9	18	28	36
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	303	-	-	-	-	-	1	2	7	20	24	37
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	299	-	-	-	-	-	1	2	7	20	24	37

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
COLORADO ----------	50	41	38	47	59	55	61	37	22	6	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	40	36	42	57	52	58	35	22	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	2	5	2	3	3	2	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	2	5	2	2	2	2	-	-	1	-
CONNECTICUT ----------	42	47	41	54	50	77	65	59	39	9	-	-
WHITE------MALE----	-	2	-	-	-	2	2	1	-	1	-	-
FEMALE--	37	43	33	49	50	70	62	56	39	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	8	5	-	5	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	7	5	-	5	1	2	-	-	-	-
DELAWARE ----------	8	13	9	10	10	21	17	5	4	2	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	10	6	8	7	19	16	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	3	2	3	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	3	1	3	1	1	-	1	-	-	-
DISTRICT OF COLUMBIA ---	7	10	7	15	10	18	12	15	5	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	5	2	3	1	6	1	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	5	12	9	12	11	10	5	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	5	11	8	12	11	10	5	1	-	-
FLORIDA ----------	208	215	232	275	305	357	328	184	120	41	5	-
WHITE------MALE----	-	2	1	3	4	6	1	3	1	-	-	-
FEMALE--	169	175	200	242	278	325	313	174	117	38	5	-
ALL OTHER--MALE----	1	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	38	38	29	30	23	26	13	7	2	3	-	-
BLACK---MALE----	1	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	36	38	28	28	23	26	13	7	2	3	-	-
GEORGIA ----------	107	101	108	108	108	113	74	69	40	4	1	-
WHITE------MALE----	1	-	1	3	1	-	-	-	-	-	-	-
FEMALE--	78	73	75	69	86	84	61	57	28	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	28	28	32	36	20	29	13	12	12	1	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	27	28	31	34	20	29	13	12	12	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
HAWAII ----------	140	-	-	-	-	-	-	-	2	3	3	8
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	100	-	-	-	-	-	-	-	1	3	3	6
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	172	-	-	-	-	-	-	-	4	3	9	6
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	169	-	-	-	-	-	-	-	4	3	8	6
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ILLINOIS ----------	2,030	-	-	-	-	-	-	5	19	36	63	139
WHITE------MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1,634	-	-	-	-	-	-	3	12	26	42	92
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	373	-	-	-	-	-	-	2	6	8	21	47
BLACK---MALE----	9	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	345	-	-	-	-	-	-	2	6	7	20	43
INDIANA ----------	914	-	-	-	-	-	-	2	6	22	33	47
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	817	-	-	-	-	-	-	1	5	15	28	40
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	81	-	-	-	-	-	-	1	1	7	5	5
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	77	-	-	-	-	-	-	1	1	7	5	5
IOWA ----------	481	-	-	-	-	-	-	-	2	6	13	28
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	471	-	-	-	-	-	-	-	2	6	13	27
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	392	-	-	-	-	1	-	1	4	10	18	28
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	363	-	-	-	-	1	-	1	4	9	15	23
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	3	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	3	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
HAWAII ----------	10	19	21	11	23	22	8	6	3	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	3	2	9	8	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	15	18	9	14	13	4	4	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IDAHO ----------	17	10	16	19	25	14	18	15	9	4	3	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	17	10	16	18	24	14	18	15	9	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	146	192	181	205	234	280	229	164	103	27	7	-
WHITE------MALE----	-	-	1	2	4	3	1	1	1	-	-	-
FEMALE--	110	138	149	169	193	234	201	145	90	25	5	-
ALL OTHER--MALE----	1	-	2	1	-	-	1	2	-	-	-	-
FEMALE--	35	54	29	33	37	43	26	16	12	2	2	-
BLACK---MALE----	1	-	2	1	-	-	1	2	-	-	-	-
FEMALE--	30	47	26	32	36	41	24	16	11	2	2	-
INDIANA ----------	80	75	73	95	111	116	96	78	57	19	4	-
WHITE------MALE----	3	1	3	1	1	2	-	2	-	-	-	-
FEMALE--	67	63	63	92	100	104	93	72	52	18	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	11	7	2	10	10	3	4	5	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	11	6	2	9	8	3	4	5	1	-	-
IOWA ----------	38	34	38	42	68	73	61	34	23	20	1	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	37	34	37	42	63	72	61	33	23	20	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	5	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	4	-	-	1	-	-	-	-
KANSAS ----------	34	31	39	34	43	41	40	31	23	12	2	-
WHITE------MALE----	-	1	-	1	2	1	-	1	-	-	-	-
FEMALE--	30	29	37	30	40	39	39	29	23	12	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	2	3	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	2	3	1	1	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
KENTUCKY ----------	603	-	-	-	-	-	-	2	1	13	30	45
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	552	-	-	-	-	-	-	2	1	12	25	40
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	50	-	-	-	-	-	-	-	-	1	5	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	1	5	5
LOUISIANA ----------	692	-	-	-	-	-	-	3	4	18	29	59
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	440	-	-	-	-	-	-	1	1	7	12	26
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	243	-	-	-	-	-	-	2	3	11	16	33
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	240	-	-	-	-	-	-	2	3	11	15	32
MAINE ----------	219	-	-	-	-	-	-	-	-	4	7	13
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	215	-	-	-	-	-	-	-	-	4	7	13
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	798	-	-	-	-	-	-	2	8	29	29	64
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	571	-	-	-	-	-	-	1	6	15	15	44
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	220	-	-	-	-	-	-	1	2	14	14	20
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	216	-	-	-	-	-	-	1	2	13	14	20
MASSACHUSETTS ----------	1,051	-	-	-	-	-	-	1	7	21	32	52
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1,009	-	-	-	-	-	-	1	6	18	29	49
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	1	3	3	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	1	3	2	1
MICHIGAN ----------	1,547	-	-	-	-	-	-	4	17	40	50	84
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1,293	-	-	-	-	-	-	3	11	26	31	63
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	238	-	-	-	-	-	-	1	6	14	19	20
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	225	-	-	-	-	-	-	1	6	11	18	19

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
KENTUCKY ----------	53	64	61	69	65	72	54	33	34	6	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	47	53	58	61	62	70	52	32	30	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	11	3	8	3	2	2	1	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	10	3	8	3	2	2	1	3	-	-	-
LOUISIANA ----------	73	68	60	62	89	70	65	56	28	7	1	-
WHITE------MALE----	-	-	-	-	-	-	3	-	1	-	-	-
FEMALE--	35	43	48	42	65	50	47	36	22	4	1	-
ALL OTHER--MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	37	25	12	20	22	19	15	20	5	3	-	-
BLACK---MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	37	24	12	20	22	19	15	20	5	3	-	-
MAINE ----------	26	13	22	19	24	29	27	15	12	7	1	-
WHITE------MALE----	-	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	26	13	22	19	24	28	26	15	11	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	78	74	75	70	91	97	84	51	35	9	2	-
WHITE------MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	44	50	48	54	67	78	67	45	29	7	1	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	33	23	26	15	22	18	17	6	6	2	1	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	33	21	26	15	22	18	16	6	6	2	1	-
MASSACHUSETTS ----------	89	98	83	100	128	128	123	110	52	18	9	-
WHITE------MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	81	96	80	95	123	124	120	109	51	18	9	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	2	2	3	5	3	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	1	2	-	5	3	2	1	1	-	-	-
MICHIGAN ----------	127	145	141	158	198	217	171	114	58	20	3	-
WHITE------MALE----	2	2	2	3	2	1	1	1	-	-	-	-
FEMALE--	101	114	116	131	169	195	158	104	55	14	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	29	23	24	27	21	12	9	3	5	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	28	22	22	26	21	12	6	3	5	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
MINNESOTA ----------	674	-	-	-	-	-	-	1	6	24	38	44
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	638	-	-	-	-	-	-	1	6	21	34	40
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	3	4	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	3	3	2
MISSISSIPPI ----------	430	-	-	-	-	-	2	2	6	13	19	26
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	266	-	-	-	-	-	-	1	2	6	6	12
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	163	-	-	-	-	-	2	1	4	7	13	14
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	162	-	-	-	-	-	2	1	4	7	13	14
MISSOURI ----------	866	-	-	-	-	-	-	4	5	20	31	49
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	745	-	-	-	-	-	-	3	4	18	24	34
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	111	-	-	-	-	-	-	1	1	2	6	15
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	103	-	-	-	-	-	-	1	1	2	6	14
MONTANA ----------	125	-	-	-	-	-	-	-	-	1	4	10
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	120	-	-	-	-	-	-	-	-	1	4	10
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	254	-	-	-	-	-	-	-	1	5	6	9
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	237	-	-	-	-	-	-	-	1	5	6	8
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
NEVADA ----------	246	-	-	-	-	1	-	1	1	4	8	15
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	217	-	-	-	-	1	-	1	-	1	7	12
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	1	3	1	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
MINNESOTA ----------	42	48	72	55	73	71	68	76	41	13	2	-
WHITE------MALE----	-	1	1	-	-	-	1	1	-	-	-	-
FEMALE--	40	44	65	52	68	70	67	74	41	13	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	3	6	3	5	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	4	3	2	1	-	-	-	-	-	-
MISSISSIPPI ----------	43	53	33	44	50	51	35	27	19	6	1	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	26	33	19	30	35	34	25	19	14	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	20	14	14	15	17	9	8	5	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	20	14	14	15	17	9	8	5	2	1	-
MISSOURI ----------	52	75	70	113	101	96	104	88	29	21	8	-
WHITE------MALE----	-	-	1	1	2	-	2	1	-	-	-	-
FEMALE--	43	56	60	92	93	89	90	85	26	20	8	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	18	9	20	6	7	11	2	3	1	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	15	7	20	4	7	11	2	3	1	-	-
MONTANA ----------	7	14	6	12	23	14	15	6	8	3	2	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	1	-
FEMALE--	7	14	6	11	21	14	15	5	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	12	22	19	22	33	28	37	36	18	4	2	-
WHITE------MALE----	-	-	-	1	1	-	1	2	-	-	-	-
FEMALE--	12	20	18	21	30	26	34	32	18	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	2	2	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	2	1	2	-	-	-	-
NEVADA ----------	20	26	33	25	30	39	17	19	3	3	1	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	17	23	30	22	27	35	15	19	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	2	3	3	4	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	2	3	3	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 942

Malignant neoplasm of breast (C50)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	187	-	-	-	-	-	-	-	-	4	7	14
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	186	-	-	-	-	-	-	-	-	4	7	14
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,450	-	-	-	-	-	-	2	10	24	61	75
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1,246	-	-	-	-	-	-	1	8	19	46	55
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	190	-	-	-	-	-	-	1	2	5	14	20
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	172	-	-	-	-	-	-	1	2	5	13	17
NEW MEXICO ----------	217	-	-	-	-	-	-	-	2	8	14	21
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	204	-	-	-	-	-	-	-	2	7	13	20
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
NEW YORK ----------	3,168	-	-	-	-	-	-	2	33	50	129	184
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2,602	-	-	-	-	-	-	2	22	34	82	131
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	525	-	-	-	-	-	-	-	11	15	46	53
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	484	-	-	-	-	-	-	-	11	15	36	50
NORTH CAROLINA ---------	1,175	-	-	-	-	-	1	4	16	32	58	94
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	857	-	-	-	-	-	1	1	8	20	32	57
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	311	-	-	-	-	-	-	3	7	12	25	37
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	299	-	-	-	-	-	-	2	7	12	24	35
NORTH DAKOTA ----------	114	-	-	-	-	-	-	-	-	1	5	5
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	108	-	-	-	-	-	-	-	-	1	5	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
NEW HAMPSHIRE ----------	18	22	12	15	25	22	19	19	5	3	2	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	18	22	12	15	25	21	19	19	5	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	129	112	122	155	189	197	149	135	74	16	-	-
WHITE------MALE----	1	4	-	-	-	2	-	2	1	1	-	-
FEMALE--	108	87	98	131	171	173	140	125	70	14	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	20	21	24	24	17	21	9	8	3	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	17	19	22	20	16	20	8	8	3	1	-	-
NEW MEXICO ----------	22	17	22	16	16	26	24	17	9	3	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	20	16	21	15	14	26	22	16	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
NEW YORK ----------	263	272	292	314	405	361	380	270	151	49	13	-
WHITE------MALE----	4	2	3	3	4	9	2	5	2	1	-	-
FEMALE--	202	207	227	268	342	302	345	245	142	39	12	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	57	63	61	42	58	49	33	20	7	9	1	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	54	57	57	39	54	47	30	19	5	9	1	-
NORTH CAROLINA ---------	107	111	111	111	125	131	130	92	38	13	1	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	79	72	81	85	97	104	103	75	31	10	1	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	27	38	30	25	28	26	27	17	7	2	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	27	36	29	24	25	26	27	16	7	2	-	-
NORTH DAKOTA ----------	5	4	6	9	11	19	14	25	8	1	1	-
WHITE------MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	4	4	6	9	8	17	14	25	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
OHIO ----------	1,973	-	-	-	-	-	-	-	7	38	87	113
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1,728	-	-	-	-	-	-	-	4	27	77	94
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	232	-	-	-	-	-	-	-	3	10	10	18
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	226	-	-	-	-	-	-	-	3	10	10	18
OKLAHOMA ----------	523	-	-	-	-	-	-	1	3	12	24	29
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	442	-	-	-	-	-	-	1	2	10	17	22
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	80	-	-	-	-	-	-	-	1	2	7	7
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	49	-	-	-	-	-	-	-	1	2	7	4
OREGON ----------	514	-	-	-	-	-	-	-	2	14	25	30
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	498	-	-	-	-	-	-	-	2	14	24	28
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2,410	-	-	-	-	-	1	2	24	57	71	142
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2,124	-	-	-	-	-	1	2	14	42	55	119
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	262	-	-	-	-	-	-	-	10	13	16	22
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	251	-	-	-	-	-	-	-	10	12	15	19
RHODE ISLAND ----------	180	-	-	-	-	-	-	-	-	1	5	10
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	173	-	-	-	-	-	-	-	-	1	5	9
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	608	-	-	-	-	-	-	3	3	18	30	41
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	413	-	-	-	-	-	-	1	1	7	18	21
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	191	-	-	-	-	-	-	2	2	11	12	20
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	189	-	-	-	-	-	-	2	2	9	12	20

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
OHIO ----------	161	147	178	196	272	272	200	160	99	38	5	-
WHITE------MALE----	1	-	3	3	1	1	1	-	-	-	-	-
FEMALE--	131	125	153	167	244	241	185	151	87	37	5	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	29	22	22	25	27	30	14	9	12	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	28	20	21	25	27	30	14	8	11	1	-	-
OKLAHOMA ----------	40	46	53	54	66	67	52	56	15	4	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	34	44	46	57	58	47	54	13	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	12	9	8	9	9	5	2	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	6	3	4	6	4	4	2	2	1	-	-
OREGON ----------	40	49	34	62	59	69	64	40	21	4	1	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	37	48	32	61	57	68	63	39	20	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	2	1	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	1	-	-	-
PENNSYLVANIA ----------	169	189	193	208	304	325	297	255	128	37	8	-
WHITE------MALE----	3	3	1	3	1	2	6	1	-	-	-	-
FEMALE--	144	164	169	180	266	297	271	241	119	33	7	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	22	22	23	24	37	26	20	13	9	4	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	21	20	23	24	37	23	20	13	9	4	1	-
RHODE ISLAND ----------	10	16	12	9	35	29	19	20	12	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	15	11	9	34	29	19	20	11	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	58	58	61	75	77	63	51	45	18	6	1	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	31	37	37	56	57	49	40	37	16	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	27	21	23	19	19	14	11	7	1	1	1	-
BLACK---MALE----	-	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	27	21	23	19	19	14	11	7	1	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
SOUTH DAKOTA ----------	111	-	-	-	-	-	-	1	1	4	1	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	109	-	-	-	-	-	-	1	1	3	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	844	-	-	-	1	-	-	-	8	28	43	54
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	696	-	-	-	1	-	-	-	5	17	32	41
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	137	-	-	-	-	-	-	-	3	11	11	13
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	135	-	-	-	-	-	-	-	3	11	11	13
TEXAS ----------	2,428	-	-	-	-	-	2	6	27	67	134	179
WHITE------MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2,026	-	-	-	-	-	1	4	17	55	103	134
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	382	-	-	-	-	-	1	2	9	12	31	44
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	355	-	-	-	-	-	1	2	8	12	31	39
UTAH ----------	185	-	-	-	-	-	-	1	4	5	10	12
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	179	-	-	-	-	-	-	1	4	5	10	10
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT ----------	91	-	-	-	-	-	-	-	-	3	3	5
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	89	-	-	-	-	-	-	-	-	3	3	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,014	-	-	-	-	-	-	2	11	30	61	61
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	777	-	-	-	-	-	-	1	8	18	38	43
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	231	-	-	-	-	-	-	1	3	12	22	18
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	221	-	-	-	-	-	-	1	3	12	22	16

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
SOUTH DAKOTA ----------	11	5	3	7	16	15	12	20	8	5	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	11	5	3	7	15	15	12	20	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	72	89	84	100	90	81	88	54	39	10	3	-
WHITE------MALE----	1	1	-	-	1	3	2	-	-	-	-	-
FEMALE--	52	72	73	88	81	69	76	44	33	10	2	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	19	16	10	11	7	9	10	10	6	-	1	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	18	16	9	11	7	9	10	10	6	-	1	-
TEXAS ----------	236	243	240	242	254	263	233	197	78	23	4	-
WHITE------MALE----	1	1	-	-	4	2	-	4	-	-	-	-
FEMALE--	179	209	199	201	218	232	208	175	69	19	3	-
ALL OTHER--MALE----	1	3	-	-	-	1	-	-	1	-	-	-
FEMALE--	55	30	41	41	32	28	25	18	8	4	1	-
BLACK---MALE----	1	3	-	-	-	1	-	-	1	-	-	-
FEMALE--	51	26	35	38	30	26	25	18	8	4	1	-
UTAH ----------	12	16	21	16	21	22	23	12	7	3	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	14	20	15	21	22	23	12	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	8	9	5	11	11	12	10	7	4	2	1	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	8	9	4	11	11	12	9	7	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	95	116	92	103	109	121	96	75	28	11	3	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	77	94	67	75	79	103	79	60	23	9	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	18	21	25	27	29	18	16	15	5	1	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	16	19	24	26	28	18	15	15	5	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
WASHINGTON ----------	733	-	-	-	-	1	-	1	6	13	26	48
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	685	-	-	-	-	1	-	1	6	13	21	44
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	4	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	4	2
WEST VIRGINIA ----------	291	-	-	-	-	-	1	2	5	8	12	14
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	271	-	-	-	-	-	1	2	5	7	11	12
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	2
WISCONSIN ----------	835	-	-	-	-	-	-	4	9	17	38	56
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	787	-	-	-	-	-	-	3	8	14	35	52
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	1	1	3	3	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	1	1	3	2	3
WYOMING ----------	60	-	-	-	-	-	-	-	-	3	3	4
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	3	3	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
WASHINGTON ----------	65	64	54	77	76	102	92	62	32	12	2	-
WHITE------MALE----	-	1	1	-	-	1	2	-	1	-	-	-
FEMALE--	59	60	51	67	72	98	86	61	31	12	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	3	2	10	4	3	4	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	3	1	-	-	1	-	-	-	-
WEST VIRGINIA ----------	29	22	39	32	39	36	26	11	8	6	1	-
WHITE------MALE----	2	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	26	21	37	31	37	34	22	10	8	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	2	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	2	1	3	1	-	-	-	-
WISCONSIN ----------	51	53	78	70	111	87	108	83	50	18	2	-
WHITE------MALE----	-	-	2	2	1	1	2	1	1	-	-	-
FEMALE--	47	50	71	65	108	83	104	81	47	17	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	5	3	2	3	2	1	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	2	3	2	3	2	-	2	1	-	-
WYOMING ----------	5	4	2	5	4	14	11	2	3	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	3	2	4	4	14	11	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of female genital organs (C51-C58)												
UNITED STATES -	25,882	-	1	-	2	11	32	102	224	508	871	1,302
WHITE------FEMALE--	22,326	-	1	-	2	8	26	82	176	400	701	1,091
ALL OTHER--FEMALE--	3,556	-	-	-	-	3	6	20	48	108	170	211
BLACK---FEMALE--	3,052	-	-	-	-	3	5	19	37	85	141	148
ALABAMA ----------	416	-	-	-	-	1	-	-	4	4	16	11
WHITE------FEMALE--	306	-	-	-	-	1	-	-	3	4	12	10
ALL OTHER--FEMALE--	110	-	-	-	-	-	-	-	1	-	4	1
BLACK---FEMALE--	109	-	-	-	-	-	-	-	1	-	4	1
ALASKA ----------	18	-	-	-	-	-	-	1	-	-	-	2
WHITE------FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	383	-	-	-	-	-	-	3	1	10	11	18
WHITE------FEMALE--	366	-	-	-	-	-	-	3	-	10	10	17
ALL OTHER--FEMALE--	17	-	-	-	-	-	-	-	1	-	1	1
BLACK---FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS ----------	253	-	-	-	-	-	-	-	1	6	7	16
WHITE------FEMALE--	211	-	-	-	-	-	-	-	1	4	6	10
ALL OTHER--FEMALE--	42	-	-	-	-	-	-	-	-	2	1	6
BLACK---FEMALE--	42	-	-	-	-	-	-	-	-	2	1	6
CALIFORNIA ----------	2,687	-	-	-	-	-	2	10	29	62	100	172
WHITE------FEMALE--	2,300	-	-	-	-	-	2	7	22	47	74	129
ALL OTHER--FEMALE--	387	-	-	-	-	-	-	3	7	15	26	43
BLACK---FEMALE--	184	-	-	-	-	-	-	3	2	8	11	13

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of female genital organs (C51-C58)												
UNITED STATES -	1,751	1,979	2,423	2,939	3,502	3,795	3,155	2,081	917	254	32	1
WHITE------FEMALE--	1,478	1,667	2,044	2,460	3,017	3,343	2,860	1,895	822	224	28	1
ALL OTHER--FEMALE--	273	312	379	479	485	452	295	186	95	30	4	-
BLACK---FEMALE--	210	263	336	416	450	396	256	167	90	26	4	-
ALABAMA ----------	15	32	41	48	70	72	44	33	18	7	-	-
WHITE------FEMALE--	11	23	30	34	51	57	29	24	13	4	-	-
ALL OTHER--FEMALE--	4	9	11	14	19	15	15	9	5	3	-	-
BLACK---FEMALE--	4	9	11	13	19	15	15	9	5	3	-	-
ALASKA ----------	1	6	2	-	2	2	-	2	-	-	-	-
WHITE------FEMALE--	1	6	2	-	2	2	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	39	31	31	51	57	48	41	29	7	6	-	-
WHITE------FEMALE--	38	29	30	46	55	47	40	29	7	5	-	-
ALL OTHER--FEMALE--	1	2	1	5	2	1	1	-	-	1	-	-
BLACK---FEMALE--	-	-	-	2	1	1	-	-	-	1	-	-
ARKANSAS ----------	17	22	19	31	24	41	27	27	13	1	1	-
WHITE------FEMALE--	16	18	16	25	19	37	20	25	12	1	1	-
ALL OTHER--FEMALE--	1	4	3	6	5	4	7	2	1	-	-	-
BLACK---FEMALE--	1	4	3	6	5	4	7	2	1	-	-	-
CALIFORNIA ----------	185	198	257	314	331	387	330	205	79	23	2	1
WHITE------FEMALE--	144	169	214	271	300	343	294	190	70	21	2	1
ALL OTHER--FEMALE--	41	29	43	43	31	44	36	15	9	2	-	-
BLACK---FEMALE--	15	18	23	22	21	20	12	8	7	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of female genital organs (C51-C58)												
COLORADO ----------	275	-	-	-	-	1	2	1	3	7	14	14
WHITE------FEMALE--	263	-	-	-	-	1	2	1	3	7	14	14
ALL OTHER--FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	347	-	-	-	-	-	-	-	-	4	15	28
WHITE------FEMALE--	321	-	-	-	-	-	-	-	-	4	13	27
ALL OTHER--FEMALE--	26	-	-	-	-	-	-	-	-	-	2	1
BLACK---FEMALE--	24	-	-	-	-	-	-	-	-	-	2	1
DELAWARE ----------	95	-	-	-	-	-	-	1	2	2	5	1
WHITE------FEMALE--	86	-	-	-	-	-	-	1	2	2	4	1
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	75	-	-	-	-	-	-	-	1	2	3	6
WHITE------FEMALE--	13	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--FEMALE--	62	-	-	-	-	-	-	-	-	1	3	4
BLACK---FEMALE--	62	-	-	-	-	-	-	-	-	1	3	4
FLORIDA ----------	1,688	-	-	-	-	-	1	8	15	37	60	72
WHITE------FEMALE--	1,497	-	-	-	-	-	-	5	11	27	50	63
ALL OTHER--FEMALE--	191	-	-	-	-	-	1	3	4	10	10	9
BLACK---FEMALE--	180	-	-	-	-	-	1	3	3	10	10	6
GEORGIA ----------	643	-	-	-	-	-	1	4	2	13	25	37
WHITE------FEMALE--	481	-	-	-	-	-	1	4	2	8	15	29
ALL OTHER--FEMALE--	162	-	-	-	-	-	-	-	-	5	10	8
BLACK---FEMALE--	157	-	-	-	-	-	-	-	-	4	10	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of female genital organs (C51-C58)												
COLORADO ----------	20	24	28	31	32	36	35	20	6	1	-	-
WHITE------FEMALE--	17	23	27	30	29	34	35	19	6	1	-	-
ALL OTHER--FEMALE--	3	1	1	1	3	2	-	1	-	-	-	-
BLACK---FEMALE--	2	1	1	-	1	1	-	1	-	-	-	-
CONNECTICUT ----------	25	26	35	34	43	42	55	24	10	5	1	-
WHITE------FEMALE--	25	23	28	31	40	41	49	24	10	5	1	-
ALL OTHER--FEMALE--	-	3	7	3	3	1	6	-	-	-	-	-
BLACK---FEMALE--	-	3	7	2	2	1	6	-	-	-	-	-
DELAWARE ----------	3	4	13	13	13	15	11	7	4	1	-	-
WHITE------FEMALE--	3	3	12	11	12	14	10	6	4	1	-	-
ALL OTHER--FEMALE--	-	1	1	2	1	1	1	1	-	-	-	-
BLACK---FEMALE--	-	1	1	2	1	1	1	1	-	-	-	-
DISTRICT OF COLUMBIA ---	7	5	5	9	11	9	4	8	4	1	-	-
WHITE------FEMALE--	1	-	1	1	1	-	-	3	2	-	-	-
ALL OTHER--FEMALE--	6	5	4	8	10	9	4	5	2	1	-	-
BLACK---FEMALE--	6	5	4	8	10	9	4	5	2	1	-	-
FLORIDA ----------	96	114	147	197	239	268	209	143	67	13	2	-
WHITE------FEMALE--	80	100	126	173	215	243	197	135	59	11	2	-
ALL OTHER--FEMALE--	16	14	21	24	24	25	12	8	8	2	-	-
BLACK---FEMALE--	13	13	21	24	23	24	11	8	8	2	-	-
GEORGIA ----------	38	56	68	87	83	95	75	32	24	3	-	-
WHITE------FEMALE--	28	41	54	60	64	71	63	25	15	1	-	-
ALL OTHER--FEMALE--	10	15	14	27	19	24	12	7	9	2	-	-
BLACK---FEMALE--	9	15	13	26	19	23	12	7	9	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of female genital organs (C51-C58)												
HAWAII ----------	67	-	-	-	-	-	1	-	2	2	3	7
WHITE------FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	42	-	-	-	-	-	1	-	2	2	2	6
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	111	-	-	-	-	1	-	1	-	1	4	8
WHITE------FEMALE--	111	-	-	-	-	1	-	1	-	1	4	8
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,202	-	-	-	-	-	2	4	12	22	36	77
WHITE------FEMALE--	1,017	-	-	-	-	-	1	4	9	17	29	58
ALL OTHER--FEMALE--	185	-	-	-	-	-	1	-	3	5	7	19
BLACK---FEMALE--	175	-	-	-	-	-	1	-	3	5	7	15
INDIANA ----------	601	-	-	-	-	-	-	3	5	11	18	28
WHITE------FEMALE--	556	-	-	-	-	-	-	2	5	10	14	26
ALL OTHER--FEMALE--	45	-	-	-	-	-	-	1	-	1	4	2
BLACK---FEMALE--	42	-	-	-	-	-	-	1	-	1	4	2
IOWA ----------	299	-	-	-	-	-	1	1	3	7	6	14
WHITE------FEMALE--	298	-	-	-	-	-	1	1	3	7	6	14
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	257	-	-	-	-	-	-	-	-	4	5	6
WHITE------FEMALE--	239	-	-	-	-	-	-	-	-	4	5	6
ALL OTHER--FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of female genital organs (C51-C58)												
HAWAII ----------	5	4	8	8	8	12	4	2	1	-	-	-
WHITE------FEMALE--	1	2	4	5	5	3	2	1	-	-	-	-
ALL OTHER--FEMALE--	4	2	4	3	3	9	2	1	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	9	5	12	15	13	16	17	1	-	-	-
WHITE------FEMALE--	8	9	5	12	15	13	16	17	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	86	105	109	116	157	173	135	102	52	14	-	-
WHITE------FEMALE--	64	89	86	92	136	148	127	96	50	11	-	-
ALL OTHER--FEMALE--	22	16	23	24	21	25	8	6	2	3	-	-
BLACK---FEMALE--	20	15	22	23	21	24	8	6	2	3	-	-
INDIANA ----------	44	51	61	69	68	91	82	40	18	11	1	-
WHITE------FEMALE--	42	45	53	60	66	84	80	40	18	10	1	-
ALL OTHER--FEMALE--	2	6	8	9	2	7	2	-	-	1	-	-
BLACK---FEMALE--	2	5	7	8	2	7	2	-	-	1	-	-
IOWA ----------	13	19	21	25	44	44	54	31	9	7	-	-
WHITE------FEMALE--	13	18	21	25	44	44	54	31	9	7	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	17	13	18	32	43	45	31	21	18	3	1	-
WHITE------FEMALE--	17	10	18	30	41	41	27	19	17	3	1	-
ALL OTHER--FEMALE--	-	3	-	2	2	4	4	2	1	-	-	-
BLACK---FEMALE--	-	3	-	1	2	3	4	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of female genital organs (C51-C58)												
KENTUCKY ----------	412	-	-	-	-	-	-	2	5	4	14	25
WHITE------FEMALE--	386	-	-	-	-	-	-	2	3	3	13	24
ALL OTHER--FEMALE--	26	-	-	-	-	-	-	-	2	1	1	1
BLACK---FEMALE--	25	-	-	-	-	-	-	-	2	1	1	-
LOUISIANA ----------	382	-	-	-	-	2	3	3	1	13	18	20
WHITE------FEMALE--	258	-	-	-	-	1	2	2	-	10	11	15
ALL OTHER--FEMALE--	124	-	-	-	-	1	1	1	1	3	7	5
BLACK---FEMALE--	123	-	-	-	-	1	1	1	1	3	7	4
MAINE ----------	153	-	-	-	-	-	-	-	1	3	6	4
WHITE------FEMALE--	152	-	-	-	-	-	-	-	-	3	6	4
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	449	-	-	-	-	-	-	3	2	9	16	17
WHITE------FEMALE--	341	-	-	-	-	-	-	3	2	7	11	13
ALL OTHER--FEMALE--	108	-	-	-	-	-	-	-	-	2	5	4
BLACK---FEMALE--	103	-	-	-	-	-	-	-	-	2	5	4
MASSACHUSETTS ----------	602	-	-	-	-	-	1	1	5	8	16	21
WHITE------FEMALE--	570	-	-	-	-	-	1	1	5	7	13	20
ALL OTHER--FEMALE--	32	-	-	-	-	-	-	-	-	1	3	1
BLACK---FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN ----------	939	-	-	-	-	-	-	2	9	19	29	43
WHITE------FEMALE--	832	-	-	-	-	-	-	2	8	19	26	38
ALL OTHER--FEMALE--	107	-	-	-	-	-	-	-	1	-	3	5
BLACK---FEMALE--	100	-	-	-	-	-	-	-	1	-	3	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of female genital organs (C51-C58)												
KENTUCKY ----------	34	37	40	33	35	73	47	30	25	8	-	-
WHITE------FEMALE--	31	35	40	31	31	71	45	26	23	8	-	-
ALL OTHER--FEMALE--	3	2	-	2	4	2	2	4	2	-	-	-
BLACK---FEMALE--	3	2	-	2	4	2	2	4	2	-	-	-
LOUISIANA ----------	27	35	37	44	47	43	47	27	14	1	-	-
WHITE------FEMALE--	19	26	25	28	31	27	40	15	6	-	-	-
ALL OTHER--FEMALE--	8	9	12	16	16	16	7	12	8	1	-	-
BLACK---FEMALE--	8	9	12	16	16	16	7	12	8	1	-	-
MAINE ----------	11	10	17	16	21	25	22	10	5	2	-	-
WHITE------FEMALE--	11	10	17	16	21	25	22	10	5	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	32	39	44	52	62	74	50	36	12	1	-	-
WHITE------FEMALE--	22	30	33	34	50	54	43	30	8	1	-	-
ALL OTHER--FEMALE--	10	9	11	18	12	20	7	6	4	-	-	-
BLACK---FEMALE--	10	8	10	16	12	20	6	6	4	-	-	-
MASSACHUSETTS ----------	38	49	54	63	76	88	86	55	32	9	-	-
WHITE------FEMALE--	35	46	52	60	70	84	82	54	32	8	-	-
ALL OTHER--FEMALE--	3	3	2	3	6	4	4	1	-	1	-	-
BLACK---FEMALE--	1	3	2	2	6	4	4	1	-	-	-	-
MICHIGAN ----------	68	65	72	100	136	149	118	80	41	8	-	-
WHITE------FEMALE--	63	57	62	81	114	131	111	76	36	8	-	-
ALL OTHER--FEMALE--	5	8	10	19	22	18	7	4	5	-	-	-
BLACK---FEMALE--	5	8	10	18	19	16	7	4	5	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of female genital organs (C51-C58)												
MINNESOTA ----------	421	-	-	-	-	-	-	1	5	10	11	17
WHITE------FEMALE--	413	-	-	-	-	-	-	1	5	7	11	17
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	-	3	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	280	-	-	-	-	-	-	1	2	9	12	15
WHITE------FEMALE--	164	-	-	-	-	-	-	-	1	5	7	9
ALL OTHER--FEMALE--	116	-	-	-	-	-	-	1	1	4	5	6
BLACK---FEMALE--	114	-	-	-	-	-	-	1	1	4	5	6
MISSOURI ----------	578	-	-	-	-	-	1	2	4	7	12	26
WHITE------FEMALE--	508	-	-	-	-	-	1	2	1	6	11	25
ALL OTHER--FEMALE--	70	-	-	-	-	-	-	-	3	1	1	1
BLACK---FEMALE--	68	-	-	-	-	-	-	-	3	1	1	1
MONTANA ----------	90	-	-	-	-	-	-	-	-	1	4	2
WHITE------FEMALE--	88	-	-	-	-	-	-	-	-	1	4	2
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	161	-	-	-	-	-	-	-	-	4	5	8
WHITE------FEMALE--	154	-	-	-	-	-	-	-	-	4	5	7
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	130	-	-	-	-	-	-	-	1	3	3	11
WHITE------FEMALE--	116	-	-	-	-	-	-	-	1	2	3	10
ALL OTHER--FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of female genital organs (C51-C58)												
MINNESOTA ----------	33	38	29	52	50	65	50	40	10	7	3	-
WHITE------FEMALE--	33	37	28	51	49	65	49	40	10	7	3	-
ALL OTHER--FEMALE--	-	1	1	1	1	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	16	20	18	36	47	40	35	22	4	2	1	-
WHITE------FEMALE--	8	14	5	24	24	29	22	11	3	1	1	-
ALL OTHER--FEMALE--	8	6	13	12	23	11	13	11	1	1	-	-
BLACK---FEMALE--	8	6	12	12	22	11	13	11	1	1	-	-
MISSOURI ----------	47	47	53	69	83	83	74	45	16	8	1	-
WHITE------FEMALE--	40	39	42	61	72	73	70	43	14	7	1	-
ALL OTHER--FEMALE--	7	8	11	8	11	10	4	2	2	1	-	-
BLACK---FEMALE--	6	8	11	7	11	10	4	2	2	1	-	-
MONTANA ----------	8	9	6	10	10	13	14	9	1	3	-	-
WHITE------FEMALE--	8	8	6	9	10	13	14	9	1	3	-	-
ALL OTHER--FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	11	3	12	20	24	21	27	16	7	3	-	-
WHITE------FEMALE--	10	3	12	20	23	18	26	16	7	3	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	3	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
NEVADA ----------	16	9	17	13	15	22	10	9	1	-	-	-
WHITE------FEMALE--	14	9	15	11	15	19	9	8	-	-	-	-
ALL OTHER--FEMALE--	2	-	2	2	-	3	1	1	1	-	-	-
BLACK---FEMALE--	2	-	2	1	-	2	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of female genital organs (C51-C58)												
NEW HAMPSHIRE ----------	107	-	-	-	-	-	-	-	2	-	6	4
WHITE------FEMALE--	107	-	-	-	-	-	-	-	2	-	6	4
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	910	-	-	-	-	-	-	1	4	19	35	32
WHITE------FEMALE--	777	-	-	-	-	-	-	-	3	18	23	24
ALL OTHER--FEMALE--	133	-	-	-	-	-	-	1	1	1	12	8
BLACK---FEMALE--	116	-	-	-	-	-	-	1	1	1	11	7
NEW MEXICO ----------	131	-	-	-	-	-	-	1	1	-	2	9
WHITE------FEMALE--	122	-	-	-	-	-	-	1	1	-	1	8
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,971	-	-	-	1	1	3	6	24	29	58	99
WHITE------FEMALE--	1,603	-	-	-	1	1	2	4	16	18	46	84
ALL OTHER--FEMALE--	368	-	-	-	-	-	1	2	8	11	12	15
BLACK---FEMALE--	325	-	-	-	-	-	1	2	8	9	9	14
NORTH CAROLINA ---------	746	-	-	-	-	-	1	4	6	9	22	29
WHITE------FEMALE--	568	-	-	-	-	-	1	1	5	5	15	24
ALL OTHER--FEMALE--	178	-	-	-	-	-	-	3	1	4	7	5
BLACK---FEMALE--	173	-	-	-	-	-	-	3	1	4	7	4
NORTH DAKOTA ----------	60	-	-	-	-	-	-	-	-	-	1	3
WHITE------FEMALE--	58	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of female genital organs (C51-C58)												
NEW HAMPSHIRE ----------	11	8	10	12	12	19	9	8	3	3	-	-
WHITE------FEMALE--	11	8	10	12	12	19	9	8	3	3	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	61	78	82	105	123	144	113	74	34	4	1	-
WHITE------FEMALE--	47	62	71	86	108	130	103	67	30	4	1	-
ALL OTHER--FEMALE--	14	16	11	19	15	14	10	7	4	-	-	-
BLACK---FEMALE--	13	11	11	17	14	13	8	4	4	-	-	-
NEW MEXICO ----------	11	10	20	10	12	26	11	9	6	2	1	-
WHITE------FEMALE--	10	10	18	10	11	24	11	8	6	2	1	-
ALL OTHER--FEMALE--	1	-	2	-	1	2	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
NEW YORK ----------	150	156	183	218	300	285	230	138	63	21	6	-
WHITE------FEMALE--	115	119	133	165	243	244	202	127	58	20	5	-
ALL OTHER--FEMALE--	35	37	50	53	57	41	28	11	5	1	1	-
BLACK---FEMALE--	27	31	47	46	54	37	27	8	4	-	1	-
NORTH CAROLINA ---------	38	47	84	120	98	107	96	65	18	2	-	-
WHITE------FEMALE--	31	33	65	84	74	85	75	53	16	1	-	-
ALL OTHER--FEMALE--	7	14	19	36	24	22	21	12	2	1	-	-
BLACK---FEMALE--	6	13	19	35	24	21	21	12	2	1	-	-
NORTH DAKOTA ----------	3	4	5	3	7	11	8	9	4	2	-	-
WHITE------FEMALE--	3	3	5	3	7	11	8	8	4	2	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of female genital organs (C51-C58)												
OHIO ----------	1,095	-	-	-	-	-	-	7	7	26	50	70
WHITE------FEMALE--	977	-	-	-	-	-	-	6	6	21	43	64
ALL OTHER--FEMALE--	118	-	-	-	-	-	-	1	1	5	7	6
BLACK---FEMALE--	115	-	-	-	-	-	-	1	1	5	7	5
OKLAHOMA ----------	305	-	-	-	-	-	1	2	6	5	6	16
WHITE------FEMALE--	275	-	-	-	-	-	1	2	6	4	6	14
ALL OTHER--FEMALE--	30	-	-	-	-	-	-	-	-	1	-	2
BLACK---FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	312	-	-	-	-	1	1	-	3	4	12	14
WHITE------FEMALE--	307	-	-	-	-	1	1	-	3	3	12	14
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,525	-	-	-	-	-	-	3	8	24	39	72
WHITE------FEMALE--	1,382	-	-	-	-	-	-	3	7	17	34	63
ALL OTHER--FEMALE--	143	-	-	-	-	-	-	-	1	7	5	9
BLACK---FEMALE--	133	-	-	-	-	-	-	-	-	7	4	9
RHODE ISLAND ----------	102	-	-	-	-	-	-	-	1	1	3	6
WHITE------FEMALE--	99	-	-	-	-	-	-	-	1	1	3	6
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	400	-	-	-	-	1	-	-	5	8	18	20
WHITE------FEMALE--	272	-	-	-	-	-	-	-	4	6	9	13
ALL OTHER--FEMALE--	128	-	-	-	-	1	-	-	1	2	9	7
BLACK---FEMALE--	128	-	-	-	-	1	-	-	1	2	9	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of female genital organs (C51-C58)												
OHIO ----------	76	81	105	121	168	138	116	84	33	11	2	-
WHITE------FEMALE--	67	71	92	110	146	126	108	76	29	10	2	-
ALL OTHER--FEMALE--	9	10	13	11	22	12	8	8	4	1	-	-
BLACK---FEMALE--	8	10	13	10	22	12	8	8	4	1	-	-
OKLAHOMA ----------	15	26	20	38	41	53	33	29	10	4	-	-
WHITE------FEMALE--	14	25	17	33	36	46	32	26	9	4	-	-
ALL OTHER--FEMALE--	1	1	3	5	5	7	1	3	1	-	-	-
BLACK---FEMALE--	-	-	2	2	5	4	1	3	1	-	-	-
OREGON ----------	25	26	27	31	42	39	48	24	13	2	-	-
WHITE------FEMALE--	25	26	27	30	42	38	47	23	13	2	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	86	104	150	180	205	226	209	147	56	14	2	-
WHITE------FEMALE--	80	92	136	155	183	211	195	140	53	12	1	-
ALL OTHER--FEMALE--	6	12	14	25	22	15	14	7	3	2	1	-
BLACK---FEMALE--	4	10	11	24	22	15	14	7	3	2	1	-
RHODE ISLAND ----------	8	7	8	8	15	11	14	17	3	-	-	-
WHITE------FEMALE--	7	7	7	8	15	10	14	17	3	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA ---------	30	28	45	40	58	56	43	28	17	2	1	-
WHITE------FEMALE--	19	17	26	32	42	37	28	23	15	1	-	-
ALL OTHER--FEMALE--	11	11	19	8	16	19	15	5	2	1	1	-
BLACK---FEMALE--	11	11	19	8	16	19	15	5	2	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of female genital organs (C51-C58)												
SOUTH DAKOTA ----------	85	-	-	-	-	-	-	-	-	2	3	2
WHITE------FEMALE--	80	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	544	-	-	-	1	2	2	4	6	11	23	35
WHITE------FEMALE--	466	-	-	-	1	1	2	3	4	8	20	30
ALL OTHER--FEMALE--	78	-	-	-	-	1	-	1	2	3	3	5
BLACK---FEMALE--	75	-	-	-	-	1	-	1	2	3	3	5
TEXAS ----------	1,549	-	1	-	-	1	5	13	23	43	60	82
WHITE------FEMALE--	1,325	-	1	-	-	1	5	12	20	33	51	70
ALL OTHER--FEMALE--	224	-	-	-	-	-	-	1	3	10	9	12
BLACK---FEMALE--	208	-	-	-	-	-	-	1	3	8	9	11
UTAH ----------	123	-	-	-	-	-	1	1	-	2	3	6
WHITE------FEMALE--	119	-	-	-	-	-	1	1	-	1	3	6
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	45	-	-	-	-	-	-	-	1	1	-	3
WHITE------FEMALE--	44	-	-	-	-	-	-	-	1	1	-	3
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	588	-	-	-	-	-	2	3	2	16	20	26
WHITE------FEMALE--	443	-	-	-	-	-	1	3	1	14	14	16
ALL OTHER--FEMALE--	145	-	-	-	-	-	1	-	1	2	6	10
BLACK---FEMALE--	136	-	-	-	-	-	1	-	1	2	6	10

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of female genital organs (C51-C58)												
SOUTH DAKOTA ----------	3	3	10	11	10	15	16	4	5	1	-	-
WHITE------FEMALE--	2	3	10	11	10	14	15	4	5	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	37	47	51	48	86	72	61	39	15	1	3	-
WHITE------FEMALE--	31	39	46	44	70	63	55	33	13	1	2	-
ALL OTHER--FEMALE--	6	8	5	4	16	9	6	6	2	-	1	-
BLACK---FEMALE--	6	6	5	4	15	9	6	6	2	-	1	-
TEXAS ----------	113	116	146	167	225	191	172	112	58	21	-	-
WHITE------FEMALE--	103	97	126	134	189	162	158	96	50	17	-	-
ALL OTHER--FEMALE--	10	19	20	33	36	29	14	16	8	4	-	-
BLACK---FEMALE--	8	18	19	31	35	28	12	15	7	3	-	-
UTAH ----------	8	10	11	20	12	15	16	10	6	2	-	-
WHITE------FEMALE--	8	9	11	20	12	14	15	10	6	2	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT ----------	3	2	4	7	5	8	4	3	4	-	-	-
WHITE------FEMALE--	2	2	4	7	5	8	4	3	4	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	33	56	64	80	75	78	60	49	21	2	1	-
WHITE------FEMALE--	24	43	50	58	54	60	44	41	18	1	1	-
ALL OTHER--FEMALE--	9	13	14	22	21	18	16	8	3	1	-	-
BLACK---FEMALE--	8	10	14	21	18	18	15	8	3	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of female genital organs (C51-C58)												
WASHINGTON ----------	505	-	-	-	-	-	-	1	4	11	12	22
WHITE------FEMALE--	474	-	-	-	-	-	-	1	3	11	10	18
ALL OTHER--FEMALE--	31	-	-	-	-	-	-	-	1	-	2	4
BLACK---FEMALE--	13	-	-	-	-	-	-	-	1	-	1	-
WEST VIRGINIA ----------	218	-	-	-	-	-	-	1	1	1	7	8
WHITE------FEMALE--	210	-	-	-	-	-	-	1	1	1	7	8
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	503	-	-	-	-	-	-	3	5	12	13	15
WHITE------FEMALE--	485	-	-	-	-	-	-	2	4	10	12	14
ALL OTHER--FEMALE--	18	-	-	-	-	-	-	1	1	2	1	1
BLACK---FEMALE--	12	-	-	-	-	-	-	1	-	1	1	-
WYOMING ----------	44	-	-	-	-	-	1	-	-	-	4	3
WHITE------FEMALE--	44	-	-	-	-	-	1	-	-	-	4	3
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of female genital organs (C51-C58)												
WASHINGTON ----------	34	45	53	51	64	76	62	47	20	1	2	-
WHITE------FEMALE--	31	40	50	47	58	76	61	45	20	1	2	-
ALL OTHER--FEMALE--	3	5	3	4	6	-	1	2	-	-	-	-
BLACK---FEMALE--	1	2	1	2	3	-	1	1	-	-	-	-
WEST VIRGINIA ----------	11	14	29	25	37	37	25	14	7	1	-	-
WHITE------FEMALE--	11	12	28	23	35	36	25	14	7	1	-	-
ALL OTHER--FEMALE--	-	2	1	2	2	1	-	-	-	-	-	-
BLACK---FEMALE--	-	2	1	2	2	1	-	-	-	-	-	-
WISCONSIN ----------	32	30	41	58	55	92	74	46	18	9	-	-
WHITE------FEMALE--	31	26	40	55	54	91	73	46	18	9	-	-
ALL OTHER--FEMALE--	1	4	1	3	1	1	1	-	-	-	-	-
BLACK---FEMALE--	1	3	1	2	1	1	-	-	-	-	-	-
WYOMING ----------	3	1	8	1	6	7	2	3	4	1	-	-
WHITE------FEMALE--	3	1	8	1	6	7	2	3	4	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of vulva and vagina (C51-C52)												
UNITED STATES -	1,165	-	-	-	-	-	-	1	4	12	20	26
WHITE------FEMALE--	1,046	-	-	-	-	-	-	1	3	9	17	22
ALL OTHER--FEMALE--	119	-	-	-	-	-	-	-	1	3	3	4
BLACK---FEMALE--	100	-	-	-	-	-	-	-	1	3	2	4
ALABAMA ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	109	-	-	-	-	-	-	1	-	1	2	2
WHITE------FEMALE--	97	-	-	-	-	-	-	1	-	1	1	2
ALL OTHER--FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of vulva and vagina (C51-C52)												
UNITED STATES -	48	45	66	82	132	184	189	214	105	35	2	-
WHITE------FEMALE--	40	33	55	72	117	163	175	203	101	33	2	-
ALL OTHER--FEMALE--	8	12	11	10	15	21	14	11	4	2	-	-
BLACK---FEMALE--	7	8	9	9	13	15	13	11	3	2	-	-
ALABAMA ----------	-	1	1	1	3	2	1	4	4	2	-	-
WHITE------FEMALE--	-	-	1	1	3	2	1	4	4	1	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
ALASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	2	1	-	3	-	1	-	-
WHITE------FEMALE--	-	-	-	1	2	1	-	3	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	-	-	2	-	2	2	-	-	-
WHITE------FEMALE--	1	1	-	-	-	1	-	2	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA ----------	4	7	5	13	13	20	14	19	6	2	-	-
WHITE------FEMALE--	3	5	4	13	11	18	13	18	5	2	-	-
ALL OTHER--FEMALE--	1	2	1	-	2	2	1	1	1	-	-	-
BLACK---FEMALE--	-	1	-	-	2	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of vulva and vagina (C51-C52)												
COLORADO ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	79	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	70	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	31	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of vulva and vagina (C51-C52)												
COLORADO ----------	-	-	3	1	3	3	1	-	-	-	-	-
WHITE------FEMALE--	-	-	3	1	3	3	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	2	2	1	1	8	4	-	-	-	-
WHITE------FEMALE--	3	-	1	2	1	1	6	4	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	1	-	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
FLORIDA ----------	5	5	3	4	5	13	18	17	8	-	-	-
WHITE------FEMALE--	4	5	1	3	4	11	18	15	8	-	-	-
ALL OTHER--FEMALE--	1	-	2	1	1	2	-	2	-	-	-	-
BLACK---FEMALE--	1	-	2	1	1	2	-	2	-	-	-	-
GEORGIA ----------	1	1	-	4	2	8	7	2	4	1	-	-
WHITE------FEMALE--	1	1	-	2	1	7	7	2	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	2	1	1	-	-	2	1	-	-
BLACK---FEMALE--	-	-	-	2	1	1	-	-	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of vulva and vagina (C51-C52)												
HAWAII ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	52	-	-	-	-	-	-	-	-	2	1	1
WHITE------FEMALE--	48	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
INDIANA ----------	33	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	32	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	15	-	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of vulva and vagina (C51-C52)												
HAWAII ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	4	3	2	8	5	10	7	7	1	-	-
WHITE------FEMALE--	1	4	1	1	8	5	10	7	7	1	-	-
ALL OTHER--FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
INDIANA ----------	2	1	7	4	1	7	3	4	2	1	-	-
WHITE------FEMALE--	1	1	7	4	1	7	3	4	2	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	1	-	-	2	2	2	5	2	2	-	-
WHITE------FEMALE--	1	1	-	-	2	2	2	5	2	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	2	2	2	3	3	1	-	-
WHITE------FEMALE--	-	-	1	-	2	2	1	3	3	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of vulva and vagina (C51-C52)												
KENTUCKY ----------	21	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	20	-	-	-	-	-	-	-	-	2	-	-
WHITE------FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	9	-	-	-	-	-	-	-	-	-	1	1
WHITE------FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	19	-	-	-	-	-	-	-	-	2	1	-
WHITE------FEMALE--	15	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	34	-	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	34	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	46	-	-	-	-	-	-	-	-	1	-	1
WHITE------FEMALE--	42	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of vulva and vagina (C51-C52)												
KENTUCKY ----------	1	-	-	-	2	3	5	4	4	1	-	-
WHITE------FEMALE--	1	-	-	-	2	3	5	4	4	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	1	2	1	-	6	4	1	1	-	-	-
WHITE------FEMALE--	1	-	1	1	-	3	2	-	1	-	-	-
ALL OTHER--FEMALE--	1	1	1	-	-	3	2	1	-	-	-	-
BLACK---FEMALE--	1	1	1	-	-	3	2	1	-	-	-	-
MAINE ----------	1	-	-	1	1	1	1	2	-	-	-	-
WHITE------FEMALE--	1	-	-	1	1	1	1	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	2	1	3	2	3	3	1	-	-	-
WHITE------FEMALE--	-	1	1	1	2	2	3	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	1	-	-	2	-	-	-	-
BLACK---FEMALE--	-	-	1	-	1	-	-	2	-	-	-	-
MASSACHUSETTS ----------	-	3	-	1	1	9	6	8	4	1	-	-
WHITE------FEMALE--	-	3	-	1	1	9	6	8	4	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	2	2	7	8	11	11	3	-	-	-
WHITE------FEMALE--	-	-	2	2	5	8	11	10	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of vulva and vagina (C51-C52)												
MINNESOTA ----------	13	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	29	-	-	-	-	-	-	-	-	-	-	2
WHITE------FEMALE--	24	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of vulva and vagina (C51-C52)												
MINNESOTA ----------	-	2	-	1	1	1	1	5	-	1	-	-
WHITE------FEMALE--	-	2	-	1	1	1	1	5	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	1	1	3	1	-	1	-	-	-
WHITE------FEMALE--	-	-	-	1	1	3	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSOURI ----------	-	1	-	4	1	6	5	7	2	1	-	-
WHITE------FEMALE--	-	-	-	1	-	6	5	7	2	1	-	-
ALL OTHER--FEMALE--	-	1	-	3	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	1	-	-	2	1	-	-	-
WHITE------FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	-	2	3	1	1	-	-	-
WHITE------FEMALE--	-	-	-	1	-	1	2	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of vulva and vagina (C51-C52)												
NEW HAMPSHIRE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	42	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	91	-	-	-	-	-	-	-	2	-	2	3
WHITE------FEMALE--	81	-	-	-	-	-	-	-	2	-	2	3
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of vulva and vagina (C51-C52)												
NEW HAMPSHIRE ----------	-	-	2	-	-	-	-	2	-	3	-	-
WHITE------FEMALE--	-	-	2	-	-	-	-	2	-	3	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	2	1	1	8	6	5	14	2	-	-	-
WHITE------FEMALE--	1	-	1	1	7	6	5	13	2	-	-	-
ALL OTHER--FEMALE--	1	2	-	-	1	-	-	1	-	-	-	-
BLACK---FEMALE--	1	1	-	-	1	-	-	1	-	-	-	-
NEW MEXICO ----------	-	-	1	-	-	3	1	1	-	1	-	-
WHITE------FEMALE--	-	-	1	-	-	3	1	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	3	4	7	11	13	16	15	5	4	-	-
WHITE------FEMALE--	5	2	3	6	8	11	16	14	5	4	-	-
ALL OTHER--FEMALE--	1	1	1	1	3	2	-	1	-	-	-	-
BLACK---FEMALE--	1	-	1	1	2	2	-	1	-	-	-	-
NORTH CAROLINA ---------	3	1	2	2	3	4	6	5	1	-	-	-
WHITE------FEMALE--	3	1	2	2	3	2	4	5	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
NORTH DAKOTA ----------	-	1	-	-	-	1	1	2	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of vulva and vagina (C51-C52)												
OHIO ----------	69	-	-	-	-	-	-	-	1	-	3	2
WHITE------FEMALE--	63	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
BLACK---FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
OKLAHOMA ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	78	-	-	-	-	-	-	-	-	1	4	1
WHITE------FEMALE--	72	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of vulva and vagina (C51-C52)												
OHIO ----------	3	2	4	8	7	10	8	13	3	4	1	-
WHITE------FEMALE--	3	1	3	8	7	9	7	13	3	4	1	-
ALL OTHER--FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-
OKLAHOMA ----------	-	1	-	-	-	2	2	1	-	1	-	-
WHITE------FEMALE--	-	1	-	-	-	-	2	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON ----------	2	-	-	-	3	-	5	2	1	-	-	-
WHITE------FEMALE--	2	-	-	-	3	-	5	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	2	5	8	11	10	10	12	11	2	-	-
WHITE------FEMALE--	1	1	5	6	10	10	10	11	11	2	-	-
ALL OTHER--FEMALE--	-	1	-	2	1	-	-	1	-	-	-	-
BLACK---FEMALE--	-	1	-	2	1	-	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	1	-	2	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	1	-	2	1	2	4	2	-	-	-
WHITE------FEMALE--	-	-	1	-	2	1	1	4	2	-	-	-
ALL OTHER--FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of vulva and vagina (C51-C52)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	26	-	-	-	-	-	-	-	-	1	-	2
WHITE------FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
TEXAS ----------	51	-	-	-	-	-	-	-	1	-	1	1
WHITE------FEMALE--	48	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	25	-	-	-	-	-	-	-	-	-	2	1
WHITE------FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of vulva and vagina (C51-C52)												
SOUTH DAKOTA ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	1	2	5	3	3	5	1	-	-	-
WHITE------FEMALE--	3	-	1	2	5	3	3	5	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	1	3	5	10	5	4	10	7	2	-	-
WHITE------FEMALE--	1	1	3	5	8	4	4	10	7	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	1	2	-	3	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	2	-	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	1	3	-	2	1	5	3	3	1	-	-
WHITE------FEMALE--	2	1	3	-	2	-	3	2	3	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	2	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of vulva and vagina (C51-C52)												
WASHINGTON ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	32	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of vulva and vagina (C51-C52)												
WASHINGTON ----------	-	-	-	-	3	2	5	2	3	-	1	-
WHITE------FEMALE--	-	-	-	-	3	2	5	2	3	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	2	1	2	3	1	-	2	-	-	-
WHITE------FEMALE--	-	-	2	1	2	3	1	-	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	4	3	4	7	5	4	3	1	-	-
WHITE------FEMALE--	1	-	4	3	4	7	5	4	3	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of cervix uteri (C53)												
UNITED STATES -	4,205	-	-	-	-	2	10	62	155	292	407	462
WHITE------FEMALE--	3,229	-	-	-	-	-	9	52	124	221	314	371
ALL OTHER--FEMALE--	976	-	-	-	-	2	1	10	31	71	93	91
BLACK---FEMALE--	838	-	-	-	-	2	1	9	27	61	83	68
ALABAMA ----------	63	-	-	-	-	-	-	-	3	3	8	2
WHITE------FEMALE--	38	-	-	-	-	-	-	-	3	3	5	2
ALL OTHER--FEMALE--	25	-	-	-	-	-	-	-	-	-	3	-
BLACK---FEMALE--	24	-	-	-	-	-	-	-	-	-	3	-
ALASKA ----------	6	-	-	-	-	-	-	1	-	-	-	-
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	55	-	-	-	-	-	-	3	1	6	4	4
WHITE------FEMALE--	52	-	-	-	-	-	-	3	-	6	4	4
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS ----------	46	-	-	-	-	-	-	-	1	3	4	3
WHITE------FEMALE--	35	-	-	-	-	-	-	-	1	2	4	2
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
CALIFORNIA ----------	460	-	-	-	-	-	2	4	20	37	51	63
WHITE------FEMALE--	354	-	-	-	-	-	2	3	18	29	37	46
ALL OTHER--FEMALE--	106	-	-	-	-	-	-	1	2	8	14	17
BLACK---FEMALE--	51	-	-	-	-	-	-	1	1	5	7	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of cervix uteri (C53)												
UNITED STATES -	452	393	376	350	346	345	223	199	98	26	6	1
WHITE------FEMALE--	360	298	275	261	242	265	181	161	76	14	4	1
ALL OTHER--FEMALE--	92	95	101	89	104	80	42	38	22	12	2	-
BLACK---FEMALE--	72	80	89	79	97	69	33	35	22	9	2	-
ALABAMA ----------	4	7	7	7	3	6	1	6	4	2	-	-
WHITE------FEMALE--	4	3	3	3	2	3	-	4	2	1	-	-
ALL OTHER--FEMALE--	-	4	4	4	1	3	1	2	2	1	-	-
BLACK---FEMALE--	-	4	4	3	1	3	1	2	2	1	-	-
ALASKA ----------	1	3	-	-	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	3	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	12	3	5	4	6	1	4	1	-	1	-	-
WHITE------FEMALE--	12	3	5	3	6	1	4	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
ARKANSAS ----------	8	5	4	6	4	3	-	3	-	1	1	-
WHITE------FEMALE--	7	2	3	4	2	3	-	3	-	1	1	-
ALL OTHER--FEMALE--	1	3	1	2	2	-	-	-	-	-	-	-
BLACK---FEMALE--	1	3	1	2	2	-	-	-	-	-	-	-
CALIFORNIA ----------	47	38	38	31	26	47	26	14	10	5	-	1
WHITE------FEMALE--	36	32	27	28	21	34	18	12	7	3	-	1
ALL OTHER--FEMALE--	11	6	11	3	5	13	8	2	3	2	-	-
BLACK---FEMALE--	4	4	4	2	1	5	3	2	3	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of cervix uteri (C53)												
COLORADO ----------	42	-	-	-	-	-	1	-	2	4	6	3
WHITE------FEMALE--	39	-	-	-	-	-	1	-	2	4	6	3
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	38	-	-	-	-	-	-	-	-	3	6	8
WHITE------FEMALE--	33	-	-	-	-	-	-	-	-	3	5	7
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
DELAWARE ----------	21	-	-	-	-	-	-	-	1	2	1	1
WHITE------FEMALE--	20	-	-	-	-	-	-	-	1	2	1	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	18	-	-	-	-	-	-	-	1	1	2	3
WHITE------FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--FEMALE--	14	-	-	-	-	-	-	-	-	1	2	2
BLACK---FEMALE--	14	-	-	-	-	-	-	-	-	1	2	2
FLORIDA ----------	271	-	-	-	-	-	-	5	11	29	27	29
WHITE------FEMALE--	205	-	-	-	-	-	-	4	9	20	21	25
ALL OTHER--FEMALE--	66	-	-	-	-	-	-	1	2	9	6	4
BLACK---FEMALE--	65	-	-	-	-	-	-	1	2	9	6	3
GEORGIA ----------	125	-	-	-	-	-	-	4	1	6	11	14
WHITE------FEMALE--	75	-	-	-	-	-	-	4	1	2	8	11
ALL OTHER--FEMALE--	50	-	-	-	-	-	-	-	-	4	3	3
BLACK---FEMALE--	48	-	-	-	-	-	-	-	-	4	3	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of cervix uteri (C53)												
COLORADO ----------	6	5	3	3	3	4	-	2	-	-	-	-
WHITE------FEMALE--	5	5	3	3	2	3	-	2	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT ----------	3	4	7	-	5	-	1	1	-	-	-	-
WHITE------FEMALE--	3	4	4	-	5	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	1	6	1	1	2	1	1	1	-	-	-
WHITE------FEMALE--	2	1	5	1	1	2	1	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	1	5	-	1	1	-	-	-	-
WHITE------FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	4	-	1	-	-	-	-	-
BLACK---FEMALE--	3	-	-	1	4	-	1	-	-	-	-	-
FLORIDA ----------	24	23	27	25	21	20	12	10	5	2	1	-
WHITE------FEMALE--	19	19	19	18	14	14	12	7	3	-	1	-
ALL OTHER--FEMALE--	5	4	8	7	7	6	-	3	2	2	-	-
BLACK---FEMALE--	5	4	8	7	7	6	-	3	2	2	-	-
GEORGIA ----------	11	12	14	12	14	7	9	6	3	1	-	-
WHITE------FEMALE--	5	6	10	4	9	4	5	4	2	-	-	-
ALL OTHER--FEMALE--	6	6	4	8	5	3	4	2	1	1	-	-
BLACK---FEMALE--	5	6	4	7	5	3	4	2	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of cervix uteri (C53)												
HAWAII ----------	10	-	-	-	-	-	-	-	1	1	-	2
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	1	1	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	11	-	-	-	-	-	-	1	-	-	3	2
WHITE------FEMALE--	11	-	-	-	-	-	-	1	-	-	3	2
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	218	-	-	-	-	-	-	1	9	11	19	27
WHITE------FEMALE--	165	-	-	-	-	-	-	1	6	7	15	21
ALL OTHER--FEMALE--	53	-	-	-	-	-	-	-	3	4	4	6
BLACK---FEMALE--	52	-	-	-	-	-	-	-	3	4	4	5
INDIANA ----------	85	-	-	-	-	-	-	1	4	6	9	9
WHITE------FEMALE--	75	-	-	-	-	-	-	1	4	6	6	7
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	-	3	2
BLACK---FEMALE--	9	-	-	-	-	-	-	-	-	-	3	2
IOWA ----------	41	-	-	-	-	-	-	1	2	6	4	3
WHITE------FEMALE--	41	-	-	-	-	-	-	1	2	6	4	3
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	27	-	-	-	-	-	-	-	-	3	2	3
WHITE------FEMALE--	25	-	-	-	-	-	-	-	-	3	2	3
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of cervix uteri (C53)												
HAWAII ----------	2	1	1	-	1	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	2	-	1	-	2	-	-	-	-	-	-
WHITE------FEMALE--	-	2	-	1	-	2	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	24	16	22	21	12	24	7	15	8	2	-	-
WHITE------FEMALE--	13	12	18	14	9	20	7	14	7	1	-	-
ALL OTHER--FEMALE--	11	4	4	7	3	4	-	1	1	1	-	-
BLACK---FEMALE--	11	4	4	7	3	4	-	1	1	1	-	-
INDIANA ----------	8	7	6	13	6	5	4	6	1	-	-	-
WHITE------FEMALE--	8	6	5	11	6	4	4	6	1	-	-	-
ALL OTHER--FEMALE--	-	1	1	2	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	2	-	1	-	-	-	-	-	-
IOWA ----------	4	2	2	4	4	3	2	4	-	-	-	-
WHITE------FEMALE--	4	2	2	4	4	3	2	4	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	1	1	4	2	3	-	2	2	-	-	-
WHITE------FEMALE--	4	1	1	2	2	3	-	2	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of cervix uteri (C53)												
KENTUCKY ----------	88	-	-	-	-	-	-	2	4	3	6	15
WHITE------FEMALE--	79	-	-	-	-	-	-	2	3	2	5	14
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	1	1	1	1
BLACK---FEMALE--	8	-	-	-	-	-	-	-	1	1	1	-
LOUISIANA ----------	70	-	-	-	-	1	1	2	-	6	9	7
WHITE------FEMALE--	41	-	-	-	-	-	-	1	-	5	5	6
ALL OTHER--FEMALE--	29	-	-	-	-	1	1	1	-	1	4	1
BLACK---FEMALE--	28	-	-	-	-	1	1	1	-	1	4	-
MAINE ----------	19	-	-	-	-	-	-	-	-	1	3	1
WHITE------FEMALE--	19	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	76	-	-	-	-	-	-	2	1	5	7	6
WHITE------FEMALE--	49	-	-	-	-	-	-	2	1	4	3	5
ALL OTHER--FEMALE--	27	-	-	-	-	-	-	-	-	1	4	1
BLACK---FEMALE--	25	-	-	-	-	-	-	-	-	1	4	1
MASSACHUSETTS ----------	64	-	-	-	-	-	1	-	2	5	6	7
WHITE------FEMALE--	54	-	-	-	-	-	1	-	2	4	4	6
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	1	2	1
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN ----------	107	-	-	-	-	-	-	1	5	6	10	16
WHITE------FEMALE--	94	-	-	-	-	-	-	1	5	6	9	15
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of cervix uteri (C53)												
KENTUCKY ----------	10	7	7	7	6	9	3	6	3	-	-	-
WHITE------FEMALE--	9	7	7	6	6	8	3	4	3	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	1	-	2	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	1	-	2	-	-	-	-
LOUISIANA ----------	5	10	4	3	7	8	5	2	-	-	-	-
WHITE------FEMALE--	3	5	3	-	3	5	4	1	-	-	-	-
ALL OTHER--FEMALE--	2	5	1	3	4	3	1	1	-	-	-	-
BLACK---FEMALE--	2	5	1	3	4	3	1	1	-	-	-	-
MAINE ----------	2	2	2	1	3	2	1	-	1	-	-	-
WHITE------FEMALE--	2	2	2	1	3	2	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	8	8	7	5	6	7	10	3	1	-	-	-
WHITE------FEMALE--	3	5	3	3	4	4	8	3	1	-	-	-
ALL OTHER--FEMALE--	5	3	4	2	2	3	2	-	-	-	-	-
BLACK---FEMALE--	5	2	4	2	2	3	1	-	-	-	-	-
MASSACHUSETTS ----------	9	7	1	6	5	3	6	5	-	1	-	-
WHITE------FEMALE--	9	5	1	6	4	2	5	4	-	1	-	-
ALL OTHER--FEMALE--	-	2	-	-	1	1	1	1	-	-	-	-
BLACK---FEMALE--	-	2	-	-	1	1	1	1	-	-	-	-
MICHIGAN ----------	15	12	8	4	9	9	2	4	6	-	-	-
WHITE------FEMALE--	13	10	7	2	7	8	2	4	5	-	-	-
ALL OTHER--FEMALE--	2	2	1	2	2	1	-	-	1	-	-	-
BLACK---FEMALE--	2	2	1	2	2	1	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of cervix uteri (C53)												
MINNESOTA ----------	48	-	-	-	-	-	-	1	2	4	4	3
WHITE------FEMALE--	42	-	-	-	-	-	-	1	2	1	4	3
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	3	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	69	-	-	-	-	-	-	1	2	7	4	7
WHITE------FEMALE--	33	-	-	-	-	-	-	-	1	4	3	4
ALL OTHER--FEMALE--	36	-	-	-	-	-	-	1	1	3	1	3
BLACK---FEMALE--	36	-	-	-	-	-	-	1	1	3	1	3
MISSOURI ----------	101	-	-	-	-	-	1	1	4	5	5	7
WHITE------FEMALE--	82	-	-	-	-	-	1	1	1	4	5	7
ALL OTHER--FEMALE--	19	-	-	-	-	-	-	-	3	1	-	-
BLACK---FEMALE--	18	-	-	-	-	-	-	-	3	1	-	-
MONTANA ----------	15	-	-	-	-	-	-	-	-	-	2	1
WHITE------FEMALE--	13	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	25	-	-	-	-	-	-	-	-	3	2	4
WHITE------FEMALE--	23	-	-	-	-	-	-	-	-	3	2	3
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	23	-	-	-	-	-	-	-	1	2	2	4
WHITE------FEMALE--	20	-	-	-	-	-	-	-	1	2	2	3
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of cervix uteri (C53)												
MINNESOTA ----------	4	5	4	5	6	2	4	1	1	1	1	-
WHITE------FEMALE--	4	4	3	5	5	2	4	1	1	1	1	-
ALL OTHER--FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	7	3	4	11	6	6	4	1	-	-	-
WHITE------FEMALE--	1	5	1	3	2	4	4	1	-	-	-	-
ALL OTHER--FEMALE--	5	2	2	1	9	2	2	3	1	-	-	-
BLACK---FEMALE--	5	2	2	1	9	2	2	3	1	-	-	-
MISSOURI ----------	17	11	13	7	5	7	4	8	4	2	-	-
WHITE------FEMALE--	12	10	7	7	4	6	4	8	3	2	-	-
ALL OTHER--FEMALE--	5	1	6	-	1	1	-	-	1	-	-	-
BLACK---FEMALE--	4	1	6	-	1	1	-	-	1	-	-	-
MONTANA ----------	2	3	1	2	1	2	1	-	-	-	-	-
WHITE------FEMALE--	2	2	1	1	1	2	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	3	2	3	-	3	2	-	-	-	-
WHITE------FEMALE--	2	-	3	2	3	-	3	2	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	2	3	2	2	2	-	-	-	-	-	-
WHITE------FEMALE--	3	2	3	1	2	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of cervix uteri (C53)												
NEW HAMPSHIRE ----------	13	-	-	-	-	-	-	-	1	-	2	1
WHITE------FEMALE--	13	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	152	-	-	-	-	-	-	1	3	9	15	9
WHITE------FEMALE--	104	-	-	-	-	-	-	-	2	9	9	5
ALL OTHER--FEMALE--	48	-	-	-	-	-	-	1	1	-	6	4
BLACK---FEMALE--	42	-	-	-	-	-	-	1	1	-	6	3
NEW MEXICO ----------	22	-	-	-	-	-	-	-	-	-	1	2
WHITE------FEMALE--	21	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	338	-	-	-	-	-	-	2	15	20	31	38
WHITE------FEMALE--	242	-	-	-	-	-	-	1	8	13	25	28
ALL OTHER--FEMALE--	96	-	-	-	-	-	-	1	7	7	6	10
BLACK---FEMALE--	86	-	-	-	-	-	-	1	7	6	6	9
NORTH CAROLINA ---------	140	-	-	-	-	-	-	1	6	6	12	13
WHITE------FEMALE--	84	-	-	-	-	-	-	1	5	3	9	9
ALL OTHER--FEMALE--	56	-	-	-	-	-	-	-	1	3	3	4
BLACK---FEMALE--	53	-	-	-	-	-	-	-	1	3	3	3
NORTH DAKOTA ----------	10	-	-	-	-	-	-	-	-	-	-	2
WHITE------FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of cervix uteri (C53)												
NEW HAMPSHIRE ----------	2	1	-	2	1	1	1	1	-	-	-	-
WHITE------FEMALE--	2	1	-	2	1	1	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	16	13	18	16	16	17	10	6	3	-	-	-
WHITE------FEMALE--	12	10	11	10	11	12	7	4	2	-	-	-
ALL OTHER--FEMALE--	4	3	7	6	5	5	3	2	1	-	-	-
BLACK---FEMALE--	4	2	7	5	5	5	2	-	1	-	-	-
NEW MEXICO ----------	1	3	6	2	1	2	1	1	2	-	-	-
WHITE------FEMALE--	1	3	5	2	1	2	1	1	2	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	40	31	29	26	36	26	23	12	7	1	1	-
WHITE------FEMALE--	32	21	17	19	22	21	20	10	5	-	-	-
ALL OTHER--FEMALE--	8	10	12	7	14	5	3	2	2	1	1	-
BLACK---FEMALE--	7	9	11	5	13	5	3	1	2	-	1	-
NORTH CAROLINA ---------	7	15	17	19	13	7	13	9	1	1	-	-
WHITE------FEMALE--	6	6	10	6	9	4	8	6	1	1	-	-
ALL OTHER--FEMALE--	1	9	7	13	4	3	5	3	-	-	-	-
BLACK---FEMALE--	-	8	7	13	4	3	5	3	-	-	-	-
NORTH DAKOTA ----------	1	1	1	1	1	2	-	-	1	-	-	-
WHITE------FEMALE--	1	1	1	1	1	2	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of cervix uteri (C53)												
OHIO ----------	167	-	-	-	-	-	-	6	5	15	18	19
WHITE------FEMALE--	132	-	-	-	-	-	-	5	5	11	14	16
ALL OTHER--FEMALE--	35	-	-	-	-	-	-	1	-	4	4	3
BLACK---FEMALE--	35	-	-	-	-	-	-	1	-	4	4	3
OKLAHOMA ----------	66	-	-	-	-	-	1	2	5	2	2	9
WHITE------FEMALE--	59	-	-	-	-	-	1	2	5	2	2	8
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	36	-	-	-	-	-	1	-	2	2	5	3
WHITE------FEMALE--	35	-	-	-	-	-	1	-	2	2	5	3
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	214	-	-	-	-	-	-	-	6	14	13	24
WHITE------FEMALE--	169	-	-	-	-	-	-	-	5	10	9	18
ALL OTHER--FEMALE--	45	-	-	-	-	-	-	-	1	4	4	6
BLACK---FEMALE--	39	-	-	-	-	-	-	-	-	4	3	6
RHODE ISLAND ----------	11	-	-	-	-	-	-	-	1	1	3	2
WHITE------FEMALE--	11	-	-	-	-	-	-	-	1	1	3	2
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	74	-	-	-	-	1	-	-	2	4	11	11
WHITE------FEMALE--	41	-	-	-	-	-	-	-	2	3	4	7
ALL OTHER--FEMALE--	33	-	-	-	-	1	-	-	-	1	7	4
BLACK---FEMALE--	33	-	-	-	-	1	-	-	-	1	7	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of cervix uteri (C53)												
OHIO ----------	17	16	17	9	15	11	6	10	3	-	-	-
WHITE------FEMALE--	12	15	12	9	11	8	5	8	1	-	-	-
ALL OTHER--FEMALE--	5	1	5	-	4	3	1	2	2	-	-	-
BLACK---FEMALE--	5	1	5	-	4	3	1	2	2	-	-	-
OKLAHOMA ----------	4	5	7	4	6	5	4	7	3	-	-	-
WHITE------FEMALE--	4	5	4	4	4	5	4	6	3	-	-	-
ALL OTHER--FEMALE--	-	-	3	-	2	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	2	-	2	-	-	1	-	-	-	-
OREGON ----------	3	4	5	4	2	2	2	1	-	-	-	-
WHITE------FEMALE--	3	4	5	4	2	2	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	28	19	17	31	17	14	13	13	5	-	-	-
WHITE------FEMALE--	25	14	13	27	12	11	10	10	5	-	-	-
ALL OTHER--FEMALE--	3	5	4	4	5	3	3	3	-	-	-	-
BLACK---FEMALE--	1	4	3	4	5	3	3	3	-	-	-	-
RHODE ISLAND ----------	-	1	1	-	1	-	1	-	-	-	-	-
WHITE------FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	9	7	7	7	5	4	3	2	-	1	-	-
WHITE------FEMALE--	8	2	2	6	2	2	3	-	-	-	-	-
ALL OTHER--FEMALE--	1	5	5	1	3	2	-	2	-	1	-	-
BLACK---FEMALE--	1	5	5	1	3	2	-	2	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of cervix uteri (C53)												
SOUTH DAKOTA ----------	8	-	-	-	-	-	-	-	-	1	1	1
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	108	-	-	-	-	-	1	3	5	5	15	10
WHITE------FEMALE--	82	-	-	-	-	-	1	3	4	2	12	8
ALL OTHER--FEMALE--	26	-	-	-	-	-	-	-	1	3	3	2
BLACK---FEMALE--	26	-	-	-	-	-	-	-	1	3	3	2
TEXAS ----------	302	-	-	-	-	-	-	9	16	23	36	36
WHITE------FEMALE--	243	-	-	-	-	-	-	8	13	17	29	31
ALL OTHER--FEMALE--	59	-	-	-	-	-	-	1	3	6	7	5
BLACK---FEMALE--	56	-	-	-	-	-	-	1	3	5	7	5
UTAH ----------	15	-	-	-	-	-	-	1	-	-	1	3
WHITE------FEMALE--	13	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	8	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	99	-	-	-	-	-	-	1	1	8	7	9
WHITE------FEMALE--	61	-	-	-	-	-	-	1	-	6	4	6
ALL OTHER--FEMALE--	38	-	-	-	-	-	-	-	1	2	3	3
BLACK---FEMALE--	34	-	-	-	-	-	-	-	1	2	3	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of cervix uteri (C53)												
SOUTH DAKOTA ----------	-	-	-	1	-	1	2	-	1	-	-	-
WHITE------FEMALE--	-	-	-	1	-	1	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	10	14	5	5	11	12	2	6	2	1	1	-
WHITE------FEMALE--	7	11	5	4	7	10	2	4	1	1	-	-
ALL OTHER--FEMALE--	3	3	-	1	4	2	-	2	1	-	1	-
BLACK---FEMALE--	3	3	-	1	4	2	-	2	1	-	1	-
TEXAS ----------	34	31	23	14	19	25	14	8	11	3	-	-
WHITE------FEMALE--	31	23	23	10	11	19	11	7	8	2	-	-
ALL OTHER--FEMALE--	3	8	-	4	8	6	3	1	3	1	-	-
BLACK---FEMALE--	2	8	-	4	8	6	3	1	3	-	-	-
UTAH ----------	3	1	-	-	1	3	-	1	1	-	-	-
WHITE------FEMALE--	3	-	-	-	1	2	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	2	-	-	-	2	1	-	-	-	-	-
WHITE------FEMALE--	2	2	-	-	-	2	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	11	7	14	9	10	6	6	2	1	1	-
WHITE------FEMALE--	4	8	3	10	4	5	4	4	1	-	1	-
ALL OTHER--FEMALE--	2	3	4	4	5	5	2	2	1	1	-	-
BLACK---FEMALE--	1	-	4	4	5	5	2	2	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of cervix uteri (C53)												
WASHINGTON ----------	59	-	-	-	-	-	-	1	4	4	5	6
WHITE------FEMALE--	53	-	-	-	-	-	-	1	3	4	5	6
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	39	-	-	-	-	-	-	1	1	1	3	4
WHITE------FEMALE--	39	-	-	-	-	-	-	1	1	1	3	4
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	69	-	-	-	-	-	-	3	3	9	5	5
WHITE------FEMALE--	61	-	-	-	-	-	-	2	2	7	4	4
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	1	1	2	1	1
BLACK---FEMALE--	5	-	-	-	-	-	-	1	-	1	1	-
WYOMING ----------	13	-	-	-	-	-	1	-	-	-	4	1
WHITE------FEMALE--	13	-	-	-	-	-	1	-	-	-	4	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of cervix uteri (C53)												
WASHINGTON ----------	6	7	9	6	2	4	2	2	1	-	-	-
WHITE------FEMALE--	5	7	8	5	1	4	2	1	1	-	-	-
ALL OTHER--FEMALE--	1	-	1	1	1	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
WEST VIRGINIA ----------	6	3	3	4	7	2	1	2	1	-	-	-
WHITE------FEMALE--	6	3	3	4	7	2	1	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	8	4	4	4	4	8	5	4	3	-	-	-
WHITE------FEMALE--	8	3	4	4	3	8	5	4	3	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	2	-	1	-	2	2	-	-	-	-	-	-
WHITE------FEMALE--	2	-	1	-	2	2	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of corpus uteri and uterus, part unspecified (C54-C55)												
UNITED STATES -	6,468	-	-	-	-	-	2	11	12	38	104	182
WHITE------FEMALE--	5,386	-	-	-	-	-	2	8	10	31	78	150
ALL OTHER--FEMALE--	1,082	-	-	-	-	-	-	3	2	7	26	32
BLACK---FEMALE--	987	-	-	-	-	-	-	3	2	5	23	18
ALABAMA ----------	115	-	-	-	-	-	-	-	-	-	4	2
WHITE------FEMALE--	72	-	-	-	-	-	-	-	-	-	4	2
ALL OTHER--FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	96	-	-	-	-	-	-	-	-	1	1	4
WHITE------FEMALE--	91	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	56	-	-	-	-	-	-	-	-	1	-	2
WHITE------FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
CALIFORNIA ----------	659	-	-	-	-	-	-	-	-	2	11	26
WHITE------FEMALE--	570	-	-	-	-	-	-	-	-	1	8	20
ALL OTHER--FEMALE--	89	-	-	-	-	-	-	-	-	1	3	6
BLACK---FEMALE--	53	-	-	-	-	-	-	-	-	1	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of corpus uteri and uterus, part unspecified (C54-C55)												
UNITED STATES -	286	427	592	835	972	1,061	947	593	290	100	16	-
WHITE------FEMALE--	236	342	474	630	805	904	835	523	253	91	14	-
ALL OTHER--FEMALE--	50	85	118	205	167	157	112	70	37	9	2	-
BLACK---FEMALE--	39	76	113	189	161	144	103	65	35	9	2	-
ALABAMA ----------	3	3	12	17	23	24	13	10	3	1	-	-
WHITE------FEMALE--	1	1	6	12	12	18	7	6	2	1	-	-
ALL OTHER--FEMALE--	2	2	6	5	11	6	6	4	1	-	-	-
BLACK---FEMALE--	2	2	6	5	11	6	6	4	1	-	-	-
ALASKA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	8	10	15	10	10	13	12	5	2	-	-
WHITE------FEMALE--	5	7	9	14	9	10	13	12	5	2	-	-
ALL OTHER--FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ARKANSAS ----------	4	3	6	4	5	10	11	5	5	-	-	-
WHITE------FEMALE--	4	3	5	3	4	8	6	5	4	-	-	-
ALL OTHER--FEMALE--	-	-	1	1	1	2	5	-	1	-	-	-
BLACK---FEMALE--	-	-	1	1	1	2	5	-	1	-	-	-
CALIFORNIA ----------	29	43	58	88	91	113	103	59	27	8	1	-
WHITE------FEMALE--	23	36	47	70	84	101	91	55	25	8	1	-
ALL OTHER--FEMALE--	6	7	11	18	7	12	12	4	2	-	-	-
BLACK---FEMALE--	1	6	10	11	5	7	4	3	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of corpus uteri and uterus, part unspecified (C54-C55)												
COLORADO ----------	46	-	-	-	-	-	-	-	-	-	1	3
WHITE------FEMALE--	44	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	93	-	-	-	-	-	-	-	-	-	3	3
WHITE------FEMALE--	81	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	25	-	-	-	-	-	-	1	-	-	-	-
WHITE------FEMALE--	20	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	391	-	-	-	-	-	-	1	-	2	6	8
WHITE------FEMALE--	335	-	-	-	-	-	-	-	-	1	5	8
ALL OTHER--FEMALE--	56	-	-	-	-	-	-	1	-	1	1	-
BLACK---FEMALE--	53	-	-	-	-	-	-	1	-	1	1	-
GEORGIA ----------	132	-	-	-	-	-	-	-	-	1	2	10
WHITE------FEMALE--	96	-	-	-	-	-	-	-	-	1	1	10
ALL OTHER--FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of corpus uteri and uterus, part unspecified (C54-C55)												
COLORADO ----------	2	4	5	3	2	4	12	6	4	-	-	-
WHITE------FEMALE--	2	3	4	3	2	4	12	6	4	-	-	-
ALL OTHER--FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	7	7	14	12	15	16	7	4	3	-	-
WHITE------FEMALE--	2	6	6	11	10	15	12	7	4	3	-	-
ALL OTHER--FEMALE--	-	1	1	3	2	-	4	-	-	-	-	-
BLACK---FEMALE--	-	1	1	2	2	-	4	-	-	-	-	-
DELAWARE ----------	1	1	1	1	5	4	6	3	2	-	-	-
WHITE------FEMALE--	1	-	1	-	4	4	5	2	2	-	-	-
ALL OTHER--FEMALE--	-	1	-	1	1	-	1	1	-	-	-	-
BLACK---FEMALE--	-	1	-	1	1	-	1	1	-	-	-	-
DISTRICT OF COLUMBIA ---	2	3	4	5	1	2	1	2	1	1	-	-
WHITE------FEMALE--	1	-	1	-	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	1	3	3	5	1	2	1	1	-	1	-	-
BLACK---FEMALE--	1	3	3	5	1	2	1	1	-	1	-	-
FLORIDA ----------	19	28	24	48	61	66	61	39	22	5	1	-
WHITE------FEMALE--	14	23	22	39	53	56	54	37	17	5	1	-
ALL OTHER--FEMALE--	5	5	2	9	8	10	7	2	5	-	-	-
BLACK---FEMALE--	3	5	2	9	8	9	7	2	5	-	-	-
GEORGIA ----------	3	6	10	20	22	27	14	9	8	-	-	-
WHITE------FEMALE--	2	6	4	15	14	17	13	7	6	-	-	-
ALL OTHER--FEMALE--	1	-	6	5	8	10	1	2	2	-	-	-
BLACK---FEMALE--	1	-	6	5	8	10	1	2	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of corpus uteri and uterus, part unspecified (C54-C55)												
HAWAII ----------	20	-	-	-	-	-	-	-	-	-	1	4
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	14	-	-	-	-	-	-	-	-	-	1	4
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	26	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	307	-	-	-	-	-	-	2	1	1	5	11
WHITE------FEMALE--	255	-	-	-	-	-	-	2	1	1	3	8
ALL OTHER--FEMALE--	52	-	-	-	-	-	-	-	-	-	2	3
BLACK---FEMALE--	50	-	-	-	-	-	-	-	-	-	2	3
INDIANA ----------	149	-	-	-	-	-	-	-	-	1	3	5
WHITE------FEMALE--	135	-	-	-	-	-	-	-	-	1	3	5
ALL OTHER--FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	76	-	-	-	-	-	-	-	-	-	1	2
WHITE------FEMALE--	76	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	71	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	65	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of corpus uteri and uterus, part unspecified (C54-C55)												
HAWAII ----------	1	1	2	2	3	4	-	1	1	-	-	-
WHITE------FEMALE--	-	-	1	2	2	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	1	1	-	1	3	-	1	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	2	3	5	5	4	4	1	-	-	-
WHITE------FEMALE--	-	1	2	3	5	5	4	4	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	12	24	34	33	43	49	45	25	15	7	-	-
WHITE------FEMALE--	11	19	25	25	34	40	43	24	14	5	-	-
ALL OTHER--FEMALE--	1	5	9	8	9	9	2	1	1	2	-	-
BLACK---FEMALE--	1	4	8	8	9	9	2	1	1	2	-	-
INDIANA ----------	12	11	14	20	16	22	24	9	6	5	1	-
WHITE------FEMALE--	12	10	12	15	16	17	24	9	6	4	1	-
ALL OTHER--FEMALE--	-	1	2	5	-	5	-	-	-	1	-	-
BLACK---FEMALE--	-	1	2	4	-	5	-	-	-	1	-	-
IOWA ----------	2	7	9	5	5	12	19	8	2	4	-	-
WHITE------FEMALE--	2	7	9	5	5	12	19	8	2	4	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	3	4	13	14	9	11	6	4	2	1	-
WHITE------FEMALE--	3	1	4	13	14	8	10	4	4	2	1	-
ALL OTHER--FEMALE--	-	2	-	-	-	1	1	2	-	-	-	-
BLACK---FEMALE--	-	2	-	-	-	1	1	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of corpus uteri and uterus, part unspecified (C54-C55)												
KENTUCKY ----------	91	-	-	-	-	-	-	-	1	1	4	2
WHITE------FEMALE--	86	-	-	-	-	-	-	-	-	1	4	2
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA ----------	100	-	-	-	-	-	1	-	-	-	1	3
WHITE------FEMALE--	56	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--FEMALE--	44	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	44	-	-	-	-	-	-	-	-	-	-	2
MAINE ----------	40	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	40	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	129	-	-	-	-	-	-	-	-	-	2	1
WHITE------FEMALE--	95	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	160	-	-	-	-	-	-	-	-	-	-	3
WHITE------FEMALE--	151	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	234	-	-	-	-	-	-	-	1	3	5	6
WHITE------FEMALE--	191	-	-	-	-	-	-	-	1	3	3	5
ALL OTHER--FEMALE--	43	-	-	-	-	-	-	-	-	-	2	1
BLACK---FEMALE--	43	-	-	-	-	-	-	-	-	-	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of corpus uteri and uterus, part unspecified (C54-C55)												
KENTUCKY ----------	3	9	5	9	4	22	13	5	9	4	-	-
WHITE------FEMALE--	2	8	5	8	4	22	13	5	8	4	-	-
ALL OTHER--FEMALE--	1	1	-	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	1	-	1	-	-	-	-	1	-	-	-
LOUISIANA ----------	6	6	9	19	12	10	10	12	10	1	-	-
WHITE------FEMALE--	3	5	7	9	7	5	8	5	4	-	-	-
ALL OTHER--FEMALE--	3	1	2	10	5	5	2	7	6	1	-	-
BLACK---FEMALE--	3	1	2	10	5	5	2	7	6	1	-	-
MAINE ----------	3	1	2	4	9	9	7	1	2	1	-	-
WHITE------FEMALE--	3	1	2	4	9	9	7	1	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	9	11	13	15	23	20	17	14	4	-	-	-
WHITE------FEMALE--	6	8	12	9	17	12	15	12	2	-	-	-
ALL OTHER--FEMALE--	3	3	1	6	6	8	2	2	2	-	-	-
BLACK---FEMALE--	3	3	1	6	6	8	2	2	2	-	-	-
MASSACHUSETTS ----------	9	11	12	16	26	22	31	17	11	2	-	-
WHITE------FEMALE--	8	11	11	14	22	21	31	17	11	2	-	-
ALL OTHER--FEMALE--	1	-	1	2	4	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	1	4	1	-	-	-	-	-	-
MICHIGAN ----------	10	9	17	35	26	48	33	23	14	4	-	-
WHITE------FEMALE--	9	8	13	25	22	39	28	20	11	4	-	-
ALL OTHER--FEMALE--	1	1	4	10	4	9	5	3	3	-	-	-
BLACK---FEMALE--	1	1	4	10	4	9	5	3	3	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of corpus uteri and uterus, part unspecified (C54-C55)												
MINNESOTA ----------	122	-	-	-	-	-	-	-	1	1	-	5
WHITE------FEMALE--	122	-	-	-	-	-	-	-	1	1	-	5
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	62	-	-	-	-	-	-	-	-	1	2	-
WHITE------FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	34	-	-	-	-	-	-	-	-	1	2	-
BLACK---FEMALE--	34	-	-	-	-	-	-	-	-	1	2	-
MISSOURI ----------	142	-	-	-	-	-	-	1	-	-	2	3
WHITE------FEMALE--	122	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	19	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	50	-	-	-	-	-	-	-	-	-	1	1
WHITE------FEMALE--	47	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of corpus uteri and uterus, part unspecified (C54-C55)												
MINNESOTA ----------	8	9	12	12	17	20	18	8	6	3	2	-
WHITE------FEMALE--	8	9	12	12	17	20	18	8	6	3	2	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	7	7	9	14	6	9	5	1	1	-	-
WHITE------FEMALE--	-	3	3	3	7	4	4	2	1	1	-	-
ALL OTHER--FEMALE--	-	4	4	6	7	2	5	3	-	-	-	-
BLACK---FEMALE--	-	4	4	6	7	2	5	3	-	-	-	-
MISSOURI ----------	9	12	7	20	27	20	22	12	4	2	1	-
WHITE------FEMALE--	9	9	7	15	24	18	19	11	3	1	1	-
ALL OTHER--FEMALE--	-	3	-	5	3	2	3	1	1	1	-	-
BLACK---FEMALE--	-	3	-	5	3	2	3	1	1	1	-	-
MONTANA ----------	-	-	1	2	3	2	6	2	-	2	-	-
WHITE------FEMALE--	-	-	1	2	3	2	6	2	-	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	1	2	6	8	9	10	5	3	2	-	-
WHITE------FEMALE--	2	1	2	6	7	7	10	5	3	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
NEVADA ----------	3	2	1	1	3	5	2	3	-	-	-	-
WHITE------FEMALE--	2	2	-	1	3	4	2	2	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	1	-	1	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of corpus uteri and uterus, part unspecified (C54-C55)												
NEW HAMPSHIRE ----------	25	-	-	-	-	-	-	-	-	-	2	-
WHITE------FEMALE--	25	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	226	-	-	-	-	-	-	-	-	3	6	3
WHITE------FEMALE--	190	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--FEMALE--	36	-	-	-	-	-	-	-	-	1	4	1
BLACK---FEMALE--	32	-	-	-	-	-	-	-	-	1	4	1
NEW MEXICO ----------	36	-	-	-	-	-	-	1	1	-	1	1
WHITE------FEMALE--	31	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	524	-	-	-	-	-	-	-	3	-	4	12
WHITE------FEMALE--	403	-	-	-	-	-	-	-	3	-	2	10
ALL OTHER--FEMALE--	121	-	-	-	-	-	-	-	-	-	2	2
BLACK---FEMALE--	117	-	-	-	-	-	-	-	-	-	2	2
NORTH CAROLINA ---------	167	-	-	-	-	-	-	1	-	1	2	2
WHITE------FEMALE--	116	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--FEMALE--	51	-	-	-	-	-	-	1	-	-	1	1
BLACK---FEMALE--	51	-	-	-	-	-	-	1	-	-	1	1
NORTH DAKOTA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of corpus uteri and uterus, part unspecified (C54-C55)												
NEW HAMPSHIRE ----------	3	4	2	2	3	5	2	2	-	-	-	-
WHITE------FEMALE--	3	4	2	2	3	5	2	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	10	17	21	34	22	46	31	21	10	1	1	-
WHITE------FEMALE--	8	15	20	24	19	43	27	18	8	1	1	-
ALL OTHER--FEMALE--	2	2	1	10	3	3	4	3	2	-	-	-
BLACK---FEMALE--	1	2	1	9	2	2	4	3	2	-	-	-
NEW MEXICO ----------	3	3	4	2	3	7	2	5	1	1	1	-
WHITE------FEMALE--	3	3	4	2	2	6	2	4	1	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEW YORK ----------	27	29	62	63	103	82	63	43	23	8	2	-
WHITE------FEMALE--	19	17	39	42	82	67	51	40	21	8	2	-
ALL OTHER--FEMALE--	8	12	23	21	21	15	12	3	2	-	-	-
BLACK---FEMALE--	7	10	23	21	21	15	12	3	1	-	-	-
NORTH CAROLINA ---------	4	6	16	37	26	28	22	17	4	1	-	-
WHITE------FEMALE--	3	6	12	21	19	22	17	10	3	-	-	-
ALL OTHER--FEMALE--	1	-	4	16	7	6	5	7	1	1	-	-
BLACK---FEMALE--	1	-	4	16	7	6	5	7	1	1	-	-
NORTH DAKOTA ----------	-	1	2	1	-	1	3	1	2	2	-	-
WHITE------FEMALE--	-	1	2	1	-	1	3	-	2	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of corpus uteri and uterus, part unspecified (C54-C55)												
OHIO ----------	286	-	-	-	-	-	-	1	-	3	10	13
WHITE------FEMALE--	258	-	-	-	-	-	-	1	-	3	10	12
ALL OTHER--FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA ----------	76	-	-	-	-	-	-	-	-	1	3	-
WHITE------FEMALE--	68	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	70	-	-	-	-	-	-	-	-	-	1	1
WHITE------FEMALE--	68	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	413	-	-	-	-	-	-	-	-	1	3	10
WHITE------FEMALE--	365	-	-	-	-	-	-	-	-	1	3	9
ALL OTHER--FEMALE--	48	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	31	-	-	-	-	-	-	-	-	-	-	2
WHITE------FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	113	-	-	-	-	-	-	-	2	1	2	2
WHITE------FEMALE--	58	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--FEMALE--	55	-	-	-	-	-	-	-	1	-	1	-
BLACK---FEMALE--	55	-	-	-	-	-	-	-	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of corpus uteri and uterus, part unspecified (C54-C55)												
OHIO ----------	14	17	29	33	60	38	40	16	9	3	-	-
WHITE------FEMALE--	13	14	26	30	51	34	38	15	8	3	-	-
ALL OTHER--FEMALE--	1	3	3	3	9	4	2	1	1	-	-	-
BLACK---FEMALE--	1	3	3	3	9	4	2	1	1	-	-	-
OKLAHOMA ----------	3	3	5	11	12	19	9	8	1	1	-	-
WHITE------FEMALE--	3	3	5	8	11	18	9	7	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	3	1	1	-	1	1	-	-	-
BLACK---FEMALE--	-	-	-	2	1	-	-	1	1	-	-	-
OREGON ----------	3	2	7	5	11	12	15	5	7	1	-	-
WHITE------FEMALE--	3	2	7	4	11	11	15	5	7	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	9	23	42	47	66	73	63	54	13	7	2	-
WHITE------FEMALE--	9	19	38	37	57	66	56	52	12	5	1	-
ALL OTHER--FEMALE--	-	4	4	10	9	7	7	2	1	2	1	-
BLACK---FEMALE--	-	3	3	9	9	7	7	2	1	2	1	-
RHODE ISLAND ----------	2	2	1	6	6	2	3	5	2	-	-	-
WHITE------FEMALE--	2	2	1	6	6	2	3	5	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	6	6	14	9	21	15	19	9	5	1	1	-
WHITE------FEMALE--	1	4	5	4	12	7	9	6	4	1	-	-
ALL OTHER--FEMALE--	5	2	9	5	9	8	10	3	1	-	1	-
BLACK---FEMALE--	5	2	9	5	9	8	10	3	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of corpus uteri and uterus, part unspecified (C54-C55)												
SOUTH DAKOTA ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	117	-	-	-	-	-	-	1	-	1	3	5
WHITE------FEMALE--	94	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--FEMALE--	23	-	-	-	-	-	-	1	-	-	-	1
BLACK---FEMALE--	22	-	-	-	-	-	-	1	-	-	-	1
TEXAS ----------	399	-	-	-	-	-	1	2	1	4	8	8
WHITE------FEMALE--	321	-	-	-	-	-	1	2	1	4	6	7
ALL OTHER--FEMALE--	78	-	-	-	-	-	-	-	-	-	2	1
BLACK---FEMALE--	74	-	-	-	-	-	-	-	-	-	2	-
UTAH ----------	22	-	-	-	-	-	-	-	-	1	-	1
WHITE------FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	138	-	-	-	-	-	-	-	-	3	1	6
WHITE------FEMALE--	94	-	-	-	-	-	-	-	-	3	-	4
ALL OTHER--FEMALE--	44	-	-	-	-	-	-	-	-	-	1	2
BLACK---FEMALE--	44	-	-	-	-	-	-	-	-	-	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of corpus uteri and uterus, part unspecified (C54-C55)												
SOUTH DAKOTA ----------	-	1	3	2	2	1	4	1	-	-	-	-
WHITE------FEMALE--	-	1	3	2	2	1	4	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	9	11	14	29	13	16	7	2	-	1	-
WHITE------FEMALE--	4	7	9	13	20	11	13	6	2	-	1	-
ALL OTHER--FEMALE--	1	2	2	1	9	2	3	1	-	-	-	-
BLACK---FEMALE--	1	1	2	1	9	2	3	1	-	-	-	-
TEXAS ----------	20	32	36	65	61	61	45	36	13	6	-	-
WHITE------FEMALE--	18	26	28	46	50	48	39	27	12	6	-	-
ALL OTHER--FEMALE--	2	6	8	19	11	13	6	9	1	-	-	-
BLACK---FEMALE--	2	6	8	17	11	13	6	8	1	-	-	-
UTAH ----------	1	2	-	4	2	3	2	4	1	1	-	-
WHITE------FEMALE--	1	2	-	4	2	3	2	4	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	3	1	3	1	1	-	-	-	-
WHITE------FEMALE--	-	-	-	3	1	3	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5	14	18	24	17	21	16	8	5	-	-	-
WHITE------FEMALE--	3	8	12	14	12	17	12	5	4	-	-	-
ALL OTHER--FEMALE--	2	6	6	10	5	4	4	3	1	-	-	-
BLACK---FEMALE--	2	6	6	10	5	4	4	3	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of corpus uteri and uterus, part unspecified (C54-C55)												
WASHINGTON ----------	116	-	-	-	-	-	-	-	-	-	1	5
WHITE------FEMALE--	106	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	61	-	-	-	-	-	-	-	-	-	1	2
WHITE------FEMALE--	57	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	142	-	-	-	-	-	-	-	1	1	1	1
WHITE------FEMALE--	136	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	14	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of corpus uteri and uterus, part unspecified (C54-C55)												
WASHINGTON ----------	5	14	10	12	13	13	22	14	6	-	1	-
WHITE------FEMALE--	5	11	10	10	11	13	21	14	6	-	1	-
ALL OTHER--FEMALE--	-	3	-	2	2	-	1	-	-	-	-	-
BLACK---FEMALE--	-	2	-	1	1	-	1	-	-	-	-	-
WEST VIRGINIA ----------	-	3	8	5	8	15	11	5	2	1	-	-
WHITE------FEMALE--	-	2	7	4	8	14	11	5	2	1	-	-
ALL OTHER--FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
WISCONSIN ----------	4	7	8	16	14	32	26	18	8	5	-	-
WHITE------FEMALE--	3	6	8	14	14	31	25	18	8	5	-	-
ALL OTHER--FEMALE--	1	1	-	2	-	1	1	-	-	-	-	-
BLACK---FEMALE--	1	1	-	2	-	1	-	-	-	-	-	-
WYOMING ----------	-	-	3	1	2	2	1	1	2	1	-	-
WHITE------FEMALE--	-	-	3	1	2	2	1	1	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of ovary (C56)												
UNITED STATES -	13,627	-	1	-	2	9	18	26	51	162	334	616
WHITE------FEMALE--	12,302	-	1	-	2	8	14	20	37	136	288	535
ALL OTHER--FEMALE--	1,325	-	-	-	-	1	4	6	14	26	46	81
BLACK---FEMALE--	1,079	-	-	-	-	1	3	6	7	16	31	55
ALABAMA ----------	213	-	-	-	-	1	-	-	1	1	4	7
WHITE------FEMALE--	175	-	-	-	-	1	-	-	-	1	3	6
ALL OTHER--FEMALE--	38	-	-	-	-	-	-	-	1	-	1	1
BLACK---FEMALE--	38	-	-	-	-	-	-	-	1	-	1	1
ALASKA ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	220	-	-	-	-	-	-	-	-	3	6	9
WHITE------FEMALE--	212	-	-	-	-	-	-	-	-	3	5	9
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	142	-	-	-	-	-	-	-	-	2	3	11
WHITE------FEMALE--	125	-	-	-	-	-	-	-	-	2	2	7
ALL OTHER--FEMALE--	17	-	-	-	-	-	-	-	-	-	1	4
BLACK---FEMALE--	17	-	-	-	-	-	-	-	-	-	1	4
CALIFORNIA ----------	1,425	-	-	-	-	-	-	4	9	22	36	79
WHITE------FEMALE--	1,248	-	-	-	-	-	-	3	4	16	28	59
ALL OTHER--FEMALE--	177	-	-	-	-	-	-	1	5	6	8	20
BLACK---FEMALE--	75	-	-	-	-	-	-	1	1	2	2	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of ovary (C56)												
UNITED STATES -	933	1,081	1,345	1,626	1,986	2,143	1,732	1,052	412	91	7	-
WHITE------FEMALE--	814	965	1,199	1,455	1,799	1,956	1,614	987	381	84	7	-
ALL OTHER--FEMALE--	119	116	146	171	187	187	118	65	31	7	-	-
BLACK---FEMALE--	89	95	122	136	168	162	98	54	30	6	-	-
ALABAMA ----------	8	19	20	22	41	40	28	13	6	2	-	-
WHITE------FEMALE--	6	18	19	18	34	34	20	10	4	1	-	-
ALL OTHER--FEMALE--	2	1	1	4	7	6	8	3	2	1	-	-
BLACK---FEMALE--	2	1	1	4	7	6	8	3	2	1	-	-
ALASKA ----------	-	1	2	-	1	1	-	1	-	-	-	-
WHITE------FEMALE--	-	1	2	-	1	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	21	20	16	31	38	35	24	13	2	2	-	-
WHITE------FEMALE--	21	19	16	28	37	34	23	13	2	2	-	-
ALL OTHER--FEMALE--	-	1	-	3	1	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS ----------	4	13	9	21	15	25	16	17	6	-	-	-
WHITE------FEMALE--	4	12	8	18	13	24	14	15	6	-	-	-
ALL OTHER--FEMALE--	-	1	1	3	2	1	2	2	-	-	-	-
BLACK---FEMALE--	-	1	1	3	2	1	2	2	-	-	-	-
CALIFORNIA ----------	101	108	151	176	197	203	184	112	34	8	1	-
WHITE------FEMALE--	78	94	131	155	180	186	169	104	32	8	1	-
ALL OTHER--FEMALE--	23	14	20	21	17	17	15	8	2	-	-	-
BLACK---FEMALE--	10	7	9	9	13	8	5	2	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of ovary (C56)												
COLORADO ----------	170	-	-	-	-	1	1	1	1	3	7	8
WHITE------FEMALE--	164	-	-	-	-	1	1	1	1	3	7	8
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	187	-	-	-	-	-	-	-	-	1	6	17
WHITE------FEMALE--	182	-	-	-	-	-	-	-	-	1	6	17
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	44	-	-	-	-	-	-	-	1	-	3	-
WHITE------FEMALE--	41	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	32	-	-	-	-	-	-	-	-	1	1	3
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--FEMALE--	27	-	-	-	-	-	-	-	-	-	1	2
BLACK---FEMALE--	27	-	-	-	-	-	-	-	-	-	1	2
FLORIDA ----------	923	-	-	-	-	-	-	2	4	6	27	33
WHITE------FEMALE--	865	-	-	-	-	-	-	1	2	6	24	28
ALL OTHER--FEMALE--	58	-	-	-	-	-	-	1	2	-	3	5
BLACK---FEMALE--	51	-	-	-	-	-	-	1	1	-	3	3
GEORGIA ----------	346	-	-	-	-	-	1	-	1	6	11	11
WHITE------FEMALE--	280	-	-	-	-	-	1	-	1	5	6	6
ALL OTHER--FEMALE--	66	-	-	-	-	-	-	-	-	1	5	5
BLACK---FEMALE--	63	-	-	-	-	-	-	-	-	-	5	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of ovary (C56)												
COLORADO ----------	10	14	17	24	24	22	22	12	2	1	-	-
WHITE------FEMALE--	8	14	17	23	22	22	22	11	2	1	-	-
ALL OTHER--FEMALE--	2	-	-	1	2	-	-	1	-	-	-	-
BLACK---FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
CONNECTICUT ----------	17	13	19	16	23	24	30	12	6	2	1	-
WHITE------FEMALE--	17	11	17	16	23	23	30	12	6	2	1	-
ALL OTHER--FEMALE--	-	2	2	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	2	2	-	-	1	-	-	-	-	-	-
DELAWARE ----------	-	2	6	10	7	8	4	2	1	-	-	-
WHITE------FEMALE--	-	2	6	9	7	7	4	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	2	1	3	4	6	2	5	2	-	-	-
WHITE------FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	2	2	1	2	4	6	2	4	1	-	-	-
BLACK---FEMALE--	2	2	1	2	4	6	2	4	1	-	-	-
FLORIDA ----------	45	57	90	117	151	162	115	76	32	6	-	-
WHITE------FEMALE--	40	52	81	110	143	155	110	76	31	6	-	-
ALL OTHER--FEMALE--	5	5	9	7	8	7	5	-	1	-	-	-
BLACK---FEMALE--	4	4	9	7	7	7	4	-	1	-	-	-
GEORGIA ----------	22	37	42	50	45	53	43	14	9	1	-	-
WHITE------FEMALE--	20	28	38	38	40	43	37	11	5	1	-	-
ALL OTHER--FEMALE--	2	9	4	12	5	10	6	3	4	-	-	-
BLACK---FEMALE--	2	9	3	12	5	9	6	3	4	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of ovary (C56)												
HAWAII ----------	34	-	-	-	-	-	1	-	1	1	2	1
WHITE------FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	19	-	-	-	-	-	1	-	1	1	1	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	71	-	-	-	-	1	-	-	-	1	1	5
WHITE------FEMALE--	71	-	-	-	-	1	-	-	-	1	1	5
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	604	-	-	-	-	-	2	1	2	8	11	38
WHITE------FEMALE--	530	-	-	-	-	-	1	1	2	8	10	28
ALL OTHER--FEMALE--	74	-	-	-	-	-	1	-	-	-	1	10
BLACK---FEMALE--	67	-	-	-	-	-	1	-	-	-	1	7
INDIANA ----------	323	-	-	-	-	-	-	2	1	3	6	12
WHITE------FEMALE--	304	-	-	-	-	-	-	1	1	2	5	12
ALL OTHER--FEMALE--	19	-	-	-	-	-	-	1	-	1	1	-
BLACK---FEMALE--	18	-	-	-	-	-	-	1	-	1	1	-
IOWA ----------	160	-	-	-	-	-	1	-	1	1	1	9
WHITE------FEMALE--	159	-	-	-	-	-	1	-	1	1	1	9
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	138	-	-	-	-	-	-	-	-	-	2	3
WHITE------FEMALE--	129	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of ovary (C56)												
HAWAII ----------	2	2	4	6	3	6	4	1	-	-	-	-
WHITE------FEMALE--	1	2	2	3	1	2	2	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	2	3	2	4	2	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	5	3	8	10	6	10	13	-	-	-	-
WHITE------FEMALE--	8	5	3	8	10	6	10	13	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	48	57	45	59	91	93	69	54	22	4	-	-
WHITE------FEMALE--	38	51	37	51	82	81	64	50	22	4	-	-
ALL OTHER--FEMALE--	10	6	8	8	9	12	5	4	-	-	-	-
BLACK---FEMALE--	8	6	8	7	9	11	5	4	-	-	-	-
INDIANA ----------	22	32	33	31	44	57	47	20	8	5	-	-
WHITE------FEMALE--	21	28	28	29	42	56	46	20	8	5	-	-
ALL OTHER--FEMALE--	1	4	5	2	2	1	1	-	-	-	-	-
BLACK---FEMALE--	1	4	4	2	2	1	1	-	-	-	-	-
IOWA ----------	5	9	10	16	30	27	31	13	5	1	-	-
WHITE------FEMALE--	5	8	10	16	30	27	31	13	5	1	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	10	9	11	12	25	30	18	10	8	-	-	-
WHITE------FEMALE--	10	8	11	12	23	27	16	10	7	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	2	3	2	-	1	-	-	-
BLACK---FEMALE--	-	1	-	-	2	2	2	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of ovary (C56)												
KENTUCKY ----------	208	-	-	-	-	-	-	-	-	-	4	7
WHITE------FEMALE--	197	-	-	-	-	-	-	-	-	-	4	7
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	184	-	-	-	-	1	1	1	1	5	8	10
WHITE------FEMALE--	145	-	-	-	-	1	1	1	-	4	5	8
ALL OTHER--FEMALE--	39	-	-	-	-	-	-	-	1	1	3	2
BLACK---FEMALE--	39	-	-	-	-	-	-	-	1	1	3	2
MAINE ----------	81	-	-	-	-	-	-	-	1	1	2	2
WHITE------FEMALE--	80	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	214	-	-	-	-	-	-	1	-	2	6	10
WHITE------FEMALE--	174	-	-	-	-	-	-	1	-	1	5	8
ALL OTHER--FEMALE--	40	-	-	-	-	-	-	-	-	1	1	2
BLACK---FEMALE--	37	-	-	-	-	-	-	-	-	1	1	2
MASSACHUSETTS ----------	332	-	-	-	-	-	-	1	3	3	9	11
WHITE------FEMALE--	319	-	-	-	-	-	-	1	3	3	8	11
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	533	-	-	-	-	-	-	1	3	8	12	18
WHITE------FEMALE--	487	-	-	-	-	-	-	1	2	8	12	16
ALL OTHER--FEMALE--	46	-	-	-	-	-	-	-	1	-	-	2
BLACK---FEMALE--	40	-	-	-	-	-	-	-	1	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of ovary (C56)												
KENTUCKY ----------	20	21	28	16	22	38	25	15	9	3	-	-
WHITE------FEMALE--	19	20	28	16	19	37	23	13	8	3	-	-
ALL OTHER--FEMALE--	1	1	-	-	3	1	2	2	1	-	-	-
BLACK---FEMALE--	1	1	-	-	3	1	2	2	1	-	-	-
LOUISIANA ----------	14	18	22	20	25	18	25	12	3	-	-	-
WHITE------FEMALE--	12	16	14	17	19	13	24	9	1	-	-	-
ALL OTHER--FEMALE--	2	2	8	3	6	5	1	3	2	-	-	-
BLACK---FEMALE--	2	2	8	3	6	5	1	3	2	-	-	-
MAINE ----------	5	7	11	9	8	13	12	7	2	1	-	-
WHITE------FEMALE--	5	7	11	9	8	13	12	7	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	18	21	30	27	43	19	16	6	1	-	-
WHITE------FEMALE--	13	15	16	21	24	35	16	14	4	1	-	-
ALL OTHER--FEMALE--	1	3	5	9	3	8	3	2	2	-	-	-
BLACK---FEMALE--	1	3	4	7	3	8	3	2	2	-	-	-
MASSACHUSETTS ----------	18	27	38	40	39	53	43	25	17	5	-	-
WHITE------FEMALE--	16	26	37	39	38	51	40	25	17	4	-	-
ALL OTHER--FEMALE--	2	1	1	1	1	2	3	-	-	1	-	-
BLACK---FEMALE--	1	1	1	1	1	2	3	-	-	-	-	-
MICHIGAN ----------	43	42	45	58	90	83	69	41	16	4	-	-
WHITE------FEMALE--	41	37	40	51	77	75	67	41	15	4	-	-
ALL OTHER--FEMALE--	2	5	5	7	13	8	2	-	1	-	-	-
BLACK---FEMALE--	2	5	5	6	10	6	2	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of ovary (C56)												
MINNESOTA ----------	226	-	-	-	-	-	-	-	1	4	7	9
WHITE------FEMALE--	224	-	-	-	-	-	-	-	1	4	7	9
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	136	-	-	-	-	-	-	-	-	1	6	6
WHITE------FEMALE--	94	-	-	-	-	-	-	-	-	1	4	3
ALL OTHER--FEMALE--	42	-	-	-	-	-	-	-	-	-	2	3
BLACK---FEMALE--	40	-	-	-	-	-	-	-	-	-	2	3
MISSOURI ----------	299	-	-	-	-	-	-	-	-	2	5	13
WHITE------FEMALE--	274	-	-	-	-	-	-	-	-	2	5	12
ALL OTHER--FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
MONTANA ----------	52	-	-	-	-	-	-	-	-	-	2	1
WHITE------FEMALE--	52	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	77	-	-	-	-	-	-	-	-	1	2	3
WHITE------FEMALE--	77	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	82	-	-	-	-	-	-	-	-	-	1	7
WHITE------FEMALE--	76	-	-	-	-	-	-	-	-	-	1	7
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of ovary (C56)												
MINNESOTA ----------	19	21	13	32	25	42	25	23	3	2	-	-
WHITE------FEMALE--	19	21	13	31	25	42	24	23	3	2	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	10	5	8	22	20	25	17	13	1	1	1	-
WHITE------FEMALE--	7	5	1	17	14	18	14	8	1	-	1	-
ALL OTHER--FEMALE--	3	-	7	5	6	7	3	5	-	1	-	-
BLACK---FEMALE--	3	-	6	5	5	7	3	5	-	1	-	-
MISSOURI ----------	20	23	32	38	50	48	42	17	6	3	-	-
WHITE------FEMALE--	18	20	27	38	44	42	41	16	6	3	-	-
ALL OTHER--FEMALE--	2	3	5	-	6	6	1	1	-	-	-	-
BLACK---FEMALE--	2	3	5	-	6	6	1	1	-	-	-	-
MONTANA ----------	6	6	4	6	5	9	7	5	-	1	-	-
WHITE------FEMALE--	6	6	4	6	5	9	7	5	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	6	2	6	11	13	10	11	8	3	1	-	-
WHITE------FEMALE--	6	2	6	11	13	10	11	8	3	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	10	5	12	9	8	15	8	6	1	-	-	-
WHITE------FEMALE--	9	5	11	8	8	14	7	6	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	1	-	1	1	-	1	-	-	-
BLACK---FEMALE--	1	-	1	1	-	1	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of ovary (C56)												
NEW HAMPSHIRE ----------	60	-	-	-	-	-	-	-	1	-	2	3
WHITE------FEMALE--	60	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	477	-	-	-	-	-	-	-	1	7	14	17
WHITE------FEMALE--	434	-	-	-	-	-	-	-	1	7	12	14
ALL OTHER--FEMALE--	43	-	-	-	-	-	-	-	-	-	2	3
BLACK---FEMALE--	37	-	-	-	-	-	-	-	-	-	1	3
NEW MEXICO ----------	64	-	-	-	-	-	-	-	-	-	-	5
WHITE------FEMALE--	61	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	988	-	-	-	1	1	3	3	4	9	21	46
WHITE------FEMALE--	857	-	-	-	1	1	2	2	3	5	17	43
ALL OTHER--FEMALE--	131	-	-	-	-	-	1	1	1	4	4	3
BLACK---FEMALE--	104	-	-	-	-	-	1	1	1	3	1	3
NORTH CAROLINA ---------	401	-	-	-	-	-	1	2	-	2	7	14
WHITE------FEMALE--	336	-	-	-	-	-	1	-	-	1	5	14
ALL OTHER--FEMALE--	65	-	-	-	-	-	-	2	-	1	2	-
BLACK---FEMALE--	64	-	-	-	-	-	-	2	-	1	2	-
NORTH DAKOTA ----------	31	-	-	-	-	-	-	-	-	-	1	1
WHITE------FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of ovary (C56)												
NEW HAMPSHIRE ----------	5	2	6	8	8	13	6	3	3	-	-	-
WHITE------FEMALE--	5	2	6	8	8	13	6	3	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	32	45	42	51	76	72	65	33	19	3	-	-
WHITE------FEMALE--	25	36	39	48	70	67	62	32	18	3	-	-
ALL OTHER--FEMALE--	7	9	3	3	6	5	3	1	1	-	-	-
BLACK---FEMALE--	7	6	3	3	6	5	2	-	1	-	-	-
NEW MEXICO ----------	7	4	9	6	8	13	7	2	3	-	-	-
WHITE------FEMALE--	6	4	8	6	8	12	7	2	3	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEW YORK ----------	75	92	84	122	142	158	123	67	27	8	2	-
WHITE------FEMALE--	58	78	72	98	126	140	113	62	26	8	2	-
ALL OTHER--FEMALE--	17	14	12	24	16	18	10	5	1	-	-	-
BLACK---FEMALE--	11	12	10	19	15	14	9	3	1	-	-	-
NORTH CAROLINA ---------	24	25	47	62	53	66	53	34	11	-	-	-
WHITE------FEMALE--	19	20	39	55	40	56	44	32	10	-	-	-
ALL OTHER--FEMALE--	5	5	8	7	13	10	9	2	1	-	-	-
BLACK---FEMALE--	5	5	8	6	13	10	9	2	1	-	-	-
NORTH DAKOTA ----------	2	1	2	1	6	7	4	5	1	-	-	-
WHITE------FEMALE--	2	1	2	1	6	7	4	5	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of ovary (C56)												
OHIO ----------	562	-	-	-	-	-	-	-	1	8	19	36
WHITE------FEMALE--	514	-	-	-	-	-	-	-	1	7	17	34
ALL OTHER--FEMALE--	48	-	-	-	-	-	-	-	-	1	2	2
BLACK---FEMALE--	45	-	-	-	-	-	-	-	-	1	2	1
OKLAHOMA ----------	152	-	-	-	-	-	-	-	1	2	1	6
WHITE------FEMALE--	139	-	-	-	-	-	-	-	1	2	1	5
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	191	-	-	-	-	1	-	-	1	2	6	10
WHITE------FEMALE--	189	-	-	-	-	1	-	-	1	1	6	10
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	795	-	-	-	-	-	-	3	2	8	19	36
WHITE------FEMALE--	752	-	-	-	-	-	-	3	2	6	18	34
ALL OTHER--FEMALE--	43	-	-	-	-	-	-	-	-	2	1	2
BLACK---FEMALE--	42	-	-	-	-	-	-	-	-	2	1	2
RHODE ISLAND ----------	56	-	-	-	-	-	-	-	-	-	-	2
WHITE------FEMALE--	53	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	193	-	-	-	-	-	-	-	1	3	5	6
WHITE------FEMALE--	157	-	-	-	-	-	-	-	1	2	4	3
ALL OTHER--FEMALE--	36	-	-	-	-	-	-	-	-	1	1	3
BLACK---FEMALE--	36	-	-	-	-	-	-	-	-	1	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of ovary (C56)												
OHIO ----------	41	46	53	69	86	76	59	45	18	4	1	-
WHITE------FEMALE--	38	41	49	62	77	72	55	40	17	3	1	-
ALL OTHER--FEMALE--	3	5	4	7	9	4	4	5	1	1	-	-
BLACK---FEMALE--	2	5	4	6	9	4	4	5	1	1	-	-
OKLAHOMA ----------	8	17	8	23	22	27	17	12	6	2	-	-
WHITE------FEMALE--	7	16	8	21	20	23	16	11	6	2	-	-
ALL OTHER--FEMALE--	1	1	-	2	2	4	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	2	3	1	1	-	-	-	-
OREGON ----------	17	20	15	22	25	25	26	16	4	1	-	-
WHITE------FEMALE--	17	20	15	22	25	25	26	15	4	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	48	55	86	90	108	124	119	65	27	5	-	-
WHITE------FEMALE--	45	54	80	81	101	119	115	64	25	5	-	-
ALL OTHER--FEMALE--	3	1	6	9	7	5	4	1	2	-	-	-
BLACK---FEMALE--	3	1	5	9	7	5	4	1	2	-	-	-
RHODE ISLAND ----------	6	4	6	2	8	8	10	10	-	-	-	-
WHITE------FEMALE--	5	4	5	2	8	7	10	10	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA ---------	14	13	22	24	29	36	17	13	10	-	-	-
WHITE------FEMALE--	10	10	18	22	25	27	13	13	9	-	-	-
ALL OTHER--FEMALE--	4	3	4	2	4	9	4	-	1	-	-	-
BLACK---FEMALE--	4	3	4	2	4	9	4	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of ovary (C56)												
SOUTH DAKOTA ----------	57	-	-	-	-	-	-	-	-	1	2	-
WHITE------FEMALE--	54	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	279	-	-	-	1	2	1	-	1	4	5	18
WHITE------FEMALE--	253	-	-	-	1	1	1	-	-	4	5	18
ALL OTHER--FEMALE--	26	-	-	-	-	1	-	-	1	-	-	-
BLACK---FEMALE--	24	-	-	-	-	1	-	-	1	-	-	-
TEXAS ----------	760	-	1	-	-	1	3	2	5	15	15	35
WHITE------FEMALE--	682	-	1	-	-	1	3	2	5	11	15	31
ALL OTHER--FEMALE--	78	-	-	-	-	-	-	-	-	4	-	4
BLACK---FEMALE--	70	-	-	-	-	-	-	-	-	3	-	4
UTAH ----------	80	-	-	-	-	-	1	-	-	1	2	2
WHITE------FEMALE--	79	-	-	-	-	-	1	-	-	1	2	2
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	24	-	-	-	-	-	-	-	-	1	-	3
WHITE------FEMALE--	23	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	316	-	-	-	-	-	2	2	1	5	9	9
WHITE------FEMALE--	261	-	-	-	-	-	1	2	1	5	8	6
ALL OTHER--FEMALE--	55	-	-	-	-	-	1	-	-	-	1	3
BLACK---FEMALE--	50	-	-	-	-	-	1	-	-	-	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of ovary (C56)												
SOUTH DAKOTA ----------	3	2	7	8	7	11	9	3	4	-	-	-
WHITE------FEMALE--	2	2	7	8	7	10	9	3	4	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	18	23	31	26	40	41	39	18	10	-	1	-
WHITE------FEMALE--	16	20	28	24	38	36	36	15	9	-	1	-
ALL OTHER--FEMALE--	2	3	3	2	2	5	3	3	1	-	-	-
BLACK---FEMALE--	2	2	3	2	1	5	3	3	1	-	-	-
TEXAS ----------	52	49	82	77	131	96	104	56	26	10	-	-
WHITE------FEMALE--	47	45	70	67	117	88	99	51	22	7	-	-
ALL OTHER--FEMALE--	5	4	12	10	14	8	5	5	4	3	-	-
BLACK---FEMALE--	4	3	11	10	14	7	3	5	3	3	-	-
UTAH ----------	4	7	11	16	9	8	12	5	1	1	-	-
WHITE------FEMALE--	4	7	11	16	9	8	11	5	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT ----------	1	-	3	4	4	2	1	1	4	-	-	-
WHITE------FEMALE--	-	-	3	4	4	2	1	1	4	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	18	30	35	40	47	45	31	31	11	-	-	-
WHITE------FEMALE--	14	26	31	32	36	37	23	29	10	-	-	-
ALL OTHER--FEMALE--	4	4	4	8	11	8	8	2	1	-	-	-
BLACK---FEMALE--	4	4	4	7	8	8	7	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of ovary (C56)												
WASHINGTON ----------	307	-	-	-	-	-	-	-	-	7	6	11
WHITE------FEMALE--	292	-	-	-	-	-	-	-	-	7	4	9
ALL OTHER--FEMALE--	15	-	-	-	-	-	-	-	-	-	2	2
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	104	-	-	-	-	-	-	-	-	-	3	2
WHITE------FEMALE--	101	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	251	-	-	-	-	-	-	-	1	1	6	9
WHITE------FEMALE--	247	-	-	-	-	-	-	-	1	1	6	9
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	16	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of ovary (C56)												
WASHINGTON ----------	23	23	32	33	46	55	32	29	9	1	-	-
WHITE------FEMALE--	21	21	30	32	43	55	32	28	9	1	-	-
ALL OTHER--FEMALE--	2	2	2	1	3	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	1	2	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	8	16	15	17	17	12	7	2	-	-	-
WHITE------FEMALE--	5	7	16	14	16	17	12	7	2	-	-	-
ALL OTHER--FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
WISCONSIN ----------	19	19	25	34	31	45	35	20	4	2	-	-
WHITE------FEMALE--	19	17	24	33	31	45	35	20	4	2	-	-
ALL OTHER--FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	1	4	-	2	3	1	1	2	-	-	-
WHITE------FEMALE--	1	1	4	-	2	3	1	1	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified female genital organs (C57)												
UNITED STATES -	408	-	-	-	-	-	-	-	-	3	4	16
WHITE------FEMALE--	359	-	-	-	-	-	-	-	-	3	4	13
ALL OTHER--FEMALE--	49	-	-	-	-	-	-	-	-	-	-	3
BLACK---FEMALE--	44	-	-	-	-	-	-	-	-	-	-	3
ALABAMA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	33	-	-	-	-	-	-	-	-	-	-	2
WHITE------FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified female genital organs (C57)												
UNITED STATES -	32	33	44	46	66	62	64	23	12	2	1	-
WHITE------FEMALE--	28	29	41	42	54	55	55	21	11	2	1	-
ALL OTHER--FEMALE--	4	4	3	4	12	7	9	2	1	-	-	-
BLACK---FEMALE--	3	4	3	3	11	6	9	2	-	-	-	-
ALABAMA ----------	-	2	1	1	-	-	1	-	1	-	-	-
WHITE------FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALASKA ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	1	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	2	5	6	4	4	3	1	2	-	-	-
WHITE------FEMALE--	4	2	5	5	4	4	3	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified female genital organs (C57)												
COLORADO ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	23	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified female genital organs (C57)												
COLORADO ----------	2	1	-	-	-	3	-	-	-	-	-	-
WHITE------FEMALE--	2	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	2	-	2	2	2	-	-	-	-	-	-
WHITE------FEMALE--	-	2	-	2	1	2	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	3	1	3	3	1	7	3	1	-	-	-	-
WHITE------FEMALE--	3	1	3	3	1	7	3	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA ----------	1	-	2	1	-	-	2	1	-	-	-	-
WHITE------FEMALE--	-	-	2	1	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified female genital organs (C57)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	11	-	-	-	-	-	-	-	-	-	-	2
WHITE------FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified female genital organs (C57)												
HAWAII ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	4	5	1	3	2	4	1	-	-	-	-
WHITE------FEMALE--	1	3	5	1	3	2	3	1	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
INDIANA ----------	-	-	1	1	1	-	4	1	1	-	-	-
WHITE------FEMALE--	-	-	1	1	1	-	3	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA ----------	1	-	-	-	3	-	-	1	-	-	-	-
WHITE------FEMALE--	1	-	-	-	3	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	3	-	1	-	-	1	-	-	-
WHITE------FEMALE--	-	-	1	3	-	1	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified female genital organs (C57)												
KENTUCKY ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	19	-	-	-	-	-	-	-	-	1	2	2
WHITE------FEMALE--	18	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified female genital organs (C57)												
KENTUCKY ----------	-	-	-	1	1	1	1	-	-	-	-	-
WHITE------FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	1	3	1	3	-	-	-	-	-
WHITE------FEMALE--	-	-	-	1	2	1	2	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MAINE ----------	-	-	2	1	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	-	2	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	1	1	3	2	1	-	-	-	-	-
WHITE------FEMALE--	-	1	1	-	3	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	2	1	3	-	5	1	-	-	-	-	-	-
WHITE------FEMALE--	2	1	3	-	5	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	2	-	1	4	1	3	1	2	-	-	-
WHITE------FEMALE--	-	2	-	1	3	1	3	1	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified female genital organs (C57)												
MINNESOTA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified female genital organs (C57)												
MINNESOTA ----------	2	1	-	2	1	-	2	3	-	-	-	-
WHITE------FEMALE--	2	1	-	2	1	-	2	3	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	-	1	-	2	-	-	-	-	-
WHITE------FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
MISSOURI ----------	1	-	1	-	-	2	1	1	-	-	-	-
WHITE------FEMALE--	1	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified female genital organs (C57)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	13	-	-	-	-	-	-	-	-	-	-	2
WHITE------FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	29	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified female genital organs (C57)												
NEW HAMPSHIRE ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	1	-	3	1	3	2	-	-	-	-	-
WHITE------FEMALE--	1	1	-	3	1	2	2	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	1	4	-	8	6	5	1	1	-	1	-
WHITE------FEMALE--	1	1	2	-	5	5	2	1	1	-	1	-
ALL OTHER--FEMALE--	1	-	2	-	3	1	3	-	-	-	-	-
BLACK---FEMALE--	1	-	2	-	3	1	3	-	-	-	-	-
NORTH CAROLINA ---------	-	-	2	-	3	2	2	-	1	-	-	-
WHITE------FEMALE--	-	-	2	-	3	1	2	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified female genital organs (C57)												
OHIO ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	25	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified female genital organs (C57)												
OHIO ----------	1	-	2	2	-	3	3	-	-	-	-	-
WHITE------FEMALE--	1	-	2	1	-	3	3	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	5	-	4	3	5	4	3	-	-	-	-
WHITE------FEMALE--	-	4	-	4	3	5	4	3	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	1	-	1	-	2	-	-	-	-	-
WHITE------FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified female genital organs (C57)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	36	-	-	-	-	-	-	-	-	1	-	2
WHITE------FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	10	-	-	-	-	-	-	-	-	-	1	1
WHITE------FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified female genital organs (C57)												
SOUTH DAKOTA ----------	-	-	-	-	1	1	-	-	-	1	-	-
WHITE------FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	3	1	1	3	1	3	-	-	-	-
WHITE------FEMALE--	1	1	3	1	-	3	1	3	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS ----------	6	3	2	6	4	4	5	2	1	-	-	-
WHITE------FEMALE--	6	2	2	6	3	3	5	1	1	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
BLACK---FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	1	2	-	1	2	1	-	-	-	-
WHITE------FEMALE--	1	-	1	2	-	1	2	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified female genital organs (C57)												
WASHINGTON ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	9	-	-	-	-	-	-	-	-	1	1	-
WHITE------FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified female genital organs (C57)												
WASHINGTON ----------	-	1	2	-	-	2	1	-	1	-	-	-
WHITE------FEMALE--	-	1	2	-	-	2	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	3	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	1	2	-	3	-	-	1	-	-
WHITE------FEMALE--	-	-	-	1	2	-	3	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1000

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of placenta (C58)												
UNITED STATES -	9	...	...	...	-	-	2	2	2	1	2	-
WHITE------FEMALE--	4	...	...	...	-	-	1	1	2	-	-	-
ALL OTHER--FEMALE--	5	...	...	...	-	-	1	1	-	1	2	-
BLACK---FEMALE--	4	...	...	...	-	-	1	1	-	-	2	-
ALABAMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1000

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of placenta (C58)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of placenta (C58)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
GEORGIA ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1001

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of placenta (C58)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1002

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of placenta (C58)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of placenta (C58)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1003

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of placenta (C58)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1003

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of placenta (C58)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1004

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of placenta (C58)												
MINNESOTA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1004

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of placenta (C58)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1005

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of placenta (C58)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of placenta (C58)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1006

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of placenta (C58)												
OHIO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of placenta (C58)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1007

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of placenta (C58)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TEXAS ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of placenta (C58)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of placenta (C58)												
WASHINGTON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of placenta (C58)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of male genital organs (C60-C63)												
UNITED STATES -	32,350	1	-	-	2	5	28	49	54	66	96	148
WHITE------MALE----	26,561	1	-	-	2	4	24	45	49	60	82	114
ALL OTHER--MALE----	5,789	-	-	-	-	1	4	4	5	6	14	34
BLACK---MALE----	5,408	-	-	-	-	1	2	3	3	6	12	32
ALABAMA ----------	623	-	-	-	-	-	-	-	-	2	-	5
WHITE------MALE----	383	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	240	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	239	-	-	-	-	-	-	-	-	-	-	3
ALASKA ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	511	-	-	-	-	-	1	1	1	-	2	2
WHITE------MALE----	491	-	-	-	-	-	1	1	1	-	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	387	-	-	-	-	-	-	1	1	1	1	-
WHITE------MALE----	295	-	-	-	-	-	-	1	1	1	1	-
ALL OTHER--MALE----	92	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	92	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3,150	-	-	-	-	1	7	6	8	12	7	22
WHITE------MALE----	2,679	-	-	-	-	1	7	6	7	12	7	15
ALL OTHER--MALE----	471	-	-	-	-	-	-	-	1	-	-	7
BLACK---MALE----	340	-	-	-	-	-	-	-	-	-	-	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of male genital organs (C60-C63)												
UNITED STATES -	304	668	1,343	2,753	4,644	6,570	6,949	5,449	2,482	647	91	1
WHITE------MALE----	222	501	958	2,103	3,684	5,381	5,936	4,662	2,135	525	72	1
ALL OTHER--MALE----	82	167	385	650	960	1,189	1,013	787	347	122	19	-
BLACK---MALE----	78	159	366	624	917	1,105	947	719	312	103	19	-
ALABAMA ----------	8	14	25	59	96	118	126	104	47	16	3	-
WHITE------MALE----	3	9	13	31	55	75	79	72	30	10	2	-
ALL OTHER--MALE----	5	5	12	28	41	43	47	32	17	6	1	-
BLACK---MALE----	5	5	12	28	41	43	46	32	17	6	1	-
ALASKA ----------	-	-	1	4	3	5	4	3	1	-	-	-
WHITE------MALE----	-	-	1	2	3	5	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	9	25	39	74	113	129	72	33	4	-	-
WHITE------MALE----	5	9	25	38	72	110	123	69	30	3	-	-
ALL OTHER--MALE----	1	-	-	1	2	3	6	3	3	1	-	-
BLACK---MALE----	1	-	-	1	1	1	3	2	3	-	-	-
ARKANSAS ----------	4	8	14	26	55	76	84	67	42	7	-	-
WHITE------MALE----	2	7	9	20	41	57	63	54	32	6	-	-
ALL OTHER--MALE----	2	1	5	6	14	19	21	13	10	1	-	-
BLACK---MALE----	2	1	5	6	14	19	21	13	10	1	-	-
CALIFORNIA ----------	30	89	132	279	432	631	617	551	253	63	10	-
WHITE------MALE----	21	73	104	231	363	533	533	487	219	50	10	-
ALL OTHER--MALE----	9	16	28	48	69	98	84	64	34	13	-	-
BLACK---MALE----	8	15	22	44	54	72	60	37	16	5	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1010

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of male genital organs (C60-C63)												
COLORADO ----------	369	-	-	-	-	-	1	2	-	-	1	1
WHITE------MALE----	357	-	-	-	-	-	1	2	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	409	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	374	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	95	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	68	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	113	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	89	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2,288	-	-	-	-	-	2	1	3	5	12	1
WHITE------MALE----	1,959	-	-	-	-	-	2	1	2	2	11	1
ALL OTHER--MALE----	329	-	-	-	-	-	-	-	1	3	1	-
BLACK---MALE----	324	-	-	-	-	-	-	-	1	3	1	-
GEORGIA ----------	829	-	-	-	-	1	-	2	1	1	4	5
WHITE------MALE----	495	-	-	-	-	-	-	2	1	1	4	3
ALL OTHER--MALE----	334	-	-	-	-	1	-	-	-	-	-	2
BLACK---MALE----	333	-	-	-	-	1	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of male genital organs (C60-C63)												
COLORADO ----------	3	4	13	33	56	68	95	62	21	6	2	1
WHITE------MALE----	3	4	12	31	54	65	94	59	21	6	2	1
ALL OTHER--MALE----	-	-	1	2	2	3	1	3	-	-	-	-
BLACK---MALE----	-	-	1	2	2	2	1	3	-	-	-	-
CONNECTICUT ----------	6	9	17	27	67	73	101	75	25	6	1	-
WHITE------MALE----	5	8	13	22	61	68	94	72	24	5	-	-
ALL OTHER--MALE----	1	1	4	5	6	5	7	3	1	1	1	-
BLACK---MALE----	1	1	4	5	6	5	7	3	1	1	1	-
DELAWARE ----------	2	4	6	7	14	23	18	15	4	2	-	-
WHITE------MALE----	2	3	3	4	9	16	15	12	2	2	-	-
ALL OTHER--MALE----	-	1	3	3	5	7	3	3	2	-	-	-
BLACK---MALE----	-	1	3	3	5	7	3	3	2	-	-	-
DISTRICT OF COLUMBIA ---	3	3	3	9	29	17	18	20	7	4	-	-
WHITE------MALE----	-	1	-	2	5	2	5	4	2	1	-	-
ALL OTHER--MALE----	3	2	3	7	24	15	13	16	5	3	-	-
BLACK---MALE----	3	2	3	7	24	14	13	15	5	3	-	-
FLORIDA ----------	20	43	75	189	316	458	509	391	202	53	8	-
WHITE------MALE----	13	32	51	153	259	390	465	343	182	46	6	-
ALL OTHER--MALE----	7	11	24	36	57	68	44	48	20	7	2	-
BLACK---MALE----	7	11	24	36	56	65	44	48	19	7	2	-
GEORGIA ----------	7	20	44	97	105	179	179	126	51	7	-	-
WHITE------MALE----	2	7	21	59	59	106	121	78	27	4	-	-
ALL OTHER--MALE----	5	13	23	38	46	73	58	48	24	3	-	-
BLACK---MALE----	5	13	23	38	45	73	58	48	24	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of male genital organs (C60-C63)												
HAWAII ----------	120	-	-	-	-	-	1	1	-	-	1	1
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	85	-	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	163	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	162	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,447	1	-	-	-	-	1	1	5	1	5	4
WHITE------MALE----	1,160	1	-	-	-	-	-	1	5	1	3	3
ALL OTHER--MALE----	287	-	-	-	-	-	1	-	-	-	2	1
BLACK---MALE----	281	-	-	-	-	-	1	-	-	-	2	1
INDIANA ----------	762	-	-	-	-	-	-	-	2	2	-	1
WHITE------MALE----	662	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	100	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	97	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	423	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	411	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	317	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	293	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of male genital organs (C60-C63)												
HAWAII ----------	-	2	2	9	9	22	24	29	14	5	-	-
WHITE------MALE----	-	1	-	2	3	7	11	8	3	-	-	-
ALL OTHER--MALE----	-	1	2	7	6	15	13	21	11	5	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	3	8	17	21	31	50	18	9	1	2	-
WHITE------MALE----	1	3	8	16	21	31	50	18	9	1	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	15	22	64	133	194	289	323	255	104	25	5	-
WHITE------MALE----	13	17	39	95	144	235	264	225	88	21	5	-
ALL OTHER--MALE----	2	5	25	38	50	54	59	30	16	4	-	-
BLACK---MALE----	2	5	25	37	49	54	58	28	16	3	-	-
INDIANA ----------	7	12	36	72	99	158	174	135	43	19	2	-
WHITE------MALE----	6	11	24	58	86	138	157	122	37	19	1	-
ALL OTHER--MALE----	1	1	12	14	13	20	17	13	6	-	1	-
BLACK---MALE----	1	1	12	14	11	20	17	13	6	-	1	-
IOWA ----------	1	7	14	25	59	83	105	68	48	10	1	-
WHITE------MALE----	1	7	14	25	58	80	100	67	46	10	1	-
ALL OTHER--MALE----	-	-	-	-	1	3	5	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	3	5	1	2	-	-	-
KANSAS ----------	-	7	14	26	33	64	65	72	29	5	-	-
WHITE------MALE----	-	7	13	24	29	58	64	65	28	5	-	-
ALL OTHER--MALE----	-	-	1	2	4	6	1	7	1	-	-	-
BLACK---MALE----	-	-	-	1	4	6	1	7	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of male genital organs (C60-C63)												
KENTUCKY ----------	471	-	-	-	-	-	1	-	1	1	1	3
WHITE------MALE----	430	-	-	-	-	-	1	-	1	1	-	2
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	1	1
LOUISIANA ----------	558	-	-	-	-	-	-	1	-	3	1	5
WHITE------MALE----	317	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	241	-	-	-	-	-	-	1	-	1	1	4
BLACK---MALE----	240	-	-	-	-	-	-	1	-	1	1	4
MAINE ----------	150	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	148	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	589	-	-	-	-	-	-	1	3	-	3	3
WHITE------MALE----	390	-	-	-	-	-	-	1	2	-	2	1
ALL OTHER--MALE----	199	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	193	-	-	-	-	-	-	-	1	-	1	2
MASSACHUSETTS ----------	818	-	-	-	-	-	-	-	2	1	3	5
WHITE------MALE----	780	-	-	-	-	-	-	-	2	1	3	5
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1,161	-	-	-	-	-	-	3	2	3	4	4
WHITE------MALE----	935	-	-	-	-	-	-	2	1	3	4	3
ALL OTHER--MALE----	226	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	221	-	-	-	-	-	-	1	1	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of male genital organs (C60-C63)												
KENTUCKY ----------	4	12	27	35	75	97	92	75	30	15	2	-
WHITE------MALE----	3	12	25	31	71	88	85	67	28	13	2	-
ALL OTHER--MALE----	1	-	2	4	4	9	7	8	2	2	-	-
BLACK---MALE----	1	-	2	4	4	8	7	8	2	1	-	-
LOUISIANA ----------	11	12	30	47	82	117	106	74	52	11	6	-
WHITE------MALE----	9	5	14	25	40	68	62	48	33	7	3	-
ALL OTHER--MALE----	2	7	16	22	42	49	44	26	19	4	3	-
BLACK---MALE----	2	7	15	22	42	49	44	26	19	4	3	-
MAINE ----------	-	1	7	16	25	22	41	22	11	4	-	-
WHITE------MALE----	-	1	7	16	25	22	39	22	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND ----------	9	11	26	52	95	124	112	86	48	15	1	-
WHITE------MALE----	7	6	15	28	55	87	81	57	38	9	1	-
ALL OTHER--MALE----	2	5	11	24	40	37	31	29	10	6	-	-
BLACK---MALE----	2	5	11	23	39	35	30	28	10	6	-	-
MASSACHUSETTS ----------	5	13	16	50	106	167	198	146	84	20	2	-
WHITE------MALE----	4	13	16	44	100	157	193	142	81	17	2	-
ALL OTHER--MALE----	1	-	-	6	6	10	5	4	3	3	-	-
BLACK---MALE----	-	-	-	6	5	9	4	4	2	1	-	-
MICHIGAN ----------	12	22	42	101	169	247	256	196	79	19	2	-
WHITE------MALE----	8	11	31	77	130	199	216	167	65	16	2	-
ALL OTHER--MALE----	4	11	11	24	39	48	40	29	14	3	-	-
BLACK---MALE----	4	11	10	24	38	46	39	29	14	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of male genital organs (C60-C63)												
MINNESOTA ----------	580	-	-	-	-	-	-	1	2	1	1	2
WHITE------MALE----	568	-	-	-	-	-	-	1	2	1	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	432	-	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	217	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	215	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	214	-	-	-	-	-	-	-	-	-	-	1
MISSOURI ----------	669	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	567	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	102	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	99	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	133	-	-	-	-	1	-	1	-	-	1	-
WHITE------MALE----	131	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	194	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	190	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	197	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	184	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of male genital organs (C60-C63)												
MINNESOTA ----------	4	9	18	50	75	121	126	104	50	15	1	-
WHITE------MALE----	3	9	18	49	72	118	125	101	50	15	1	-
ALL OTHER--MALE----	1	-	-	1	3	3	1	3	-	-	-	-
BLACK---MALE----	-	-	-	1	3	3	-	3	-	-	-	-
MISSISSIPPI ----------	3	14	16	36	67	89	88	63	37	13	3	-
WHITE------MALE----	1	6	7	12	32	48	55	29	20	5	-	-
ALL OTHER--MALE----	2	8	9	24	35	41	33	34	17	8	3	-
BLACK---MALE----	2	8	9	24	35	41	32	34	17	8	3	-
MISSOURI ----------	9	15	15	68	96	137	130	127	57	11	1	-
WHITE------MALE----	6	13	12	51	79	121	109	111	50	11	1	-
ALL OTHER--MALE----	3	2	3	17	17	16	21	16	7	-	-	-
BLACK---MALE----	3	2	3	16	16	16	21	15	7	-	-	-
MONTANA ----------	2	1	5	8	9	35	27	23	15	4	1	-
WHITE------MALE----	2	1	5	8	9	35	26	22	15	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	1	5	13	28	38	38	34	23	7	1	-
WHITE------MALE----	4	1	5	13	28	36	38	33	23	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	1	-	-
NEVADA ----------	1	8	14	22	33	43	45	18	9	2	-	-
WHITE------MALE----	1	6	13	21	30	39	44	18	9	1	-	-
ALL OTHER--MALE----	-	2	1	1	3	4	1	-	-	1	-	-
BLACK---MALE----	-	1	1	-	2	3	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of male genital organs (C60-C63)												
NEW HAMPSHIRE ----------	122	-	-	-	-	-	-	1	-	-	2	-
WHITE------MALE----	122	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	984	-	-	-	-	-	2	-	-	3	1	4
WHITE------MALE----	820	-	-	-	-	-	2	-	-	2	1	4
ALL OTHER--MALE----	164	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	156	-	-	-	-	-	-	-	-	1	-	-
NEW MEXICO ----------	200	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	190	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2,095	-	-	-	-	-	1	1	1	5	4	13
WHITE------MALE----	1,656	-	-	-	-	-	1	1	1	5	3	10
ALL OTHER--MALE----	439	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	423	-	-	-	-	-	-	-	-	-	1	3
NORTH CAROLINA ---------	929	-	-	-	-	1	-	-	-	2	3	8
WHITE------MALE----	624	-	-	-	-	1	-	-	-	2	3	6
ALL OTHER--MALE----	305	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	294	-	-	-	-	-	-	-	-	-	-	2
NORTH DAKOTA ----------	92	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	92	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of male genital organs (C60-C63)												
NEW HAMPSHIRE ----------	3	2	3	5	19	23	25	22	14	3	-	-
WHITE------MALE----	3	2	3	5	19	23	25	22	14	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	12	20	55	93	141	220	168	179	59	24	3	-
WHITE------MALE----	11	15	35	71	106	188	145	158	55	24	3	-
ALL OTHER--MALE----	1	5	20	22	35	32	23	21	4	-	-	-
BLACK---MALE----	1	5	19	20	34	30	21	21	4	-	-	-
NEW MEXICO ----------	1	3	4	14	22	46	52	37	15	4	-	-
WHITE------MALE----	1	3	4	12	21	43	50	36	15	4	-	-
ALL OTHER--MALE----	-	-	-	2	1	3	2	1	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	-	-	-	-	-
NEW YORK ----------	25	39	99	200	326	395	430	334	168	48	6	-
WHITE------MALE----	19	24	56	144	245	309	367	281	145	41	4	-
ALL OTHER--MALE----	6	15	43	56	81	86	63	53	23	7	2	-
BLACK---MALE----	5	15	41	56	79	77	62	52	23	7	2	-
NORTH CAROLINA ---------	7	25	56	89	145	175	201	137	60	19	1	-
WHITE------MALE----	5	15	40	55	98	112	136	101	40	10	-	-
ALL OTHER--MALE----	2	10	16	34	47	63	65	36	20	9	1	-
BLACK---MALE----	2	9	15	33	44	61	62	36	20	9	1	-
NORTH DAKOTA ----------	-	1	4	6	17	22	16	17	7	2	-	-
WHITE------MALE----	-	1	4	6	17	22	16	17	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of male genital organs (C60-C63)												
OHIO ----------	1,367	-	-	-	-	-	1	3	3	3	4	5
WHITE------MALE----	1,139	-	-	-	-	-	1	3	3	3	4	5
ALL OTHER--MALE----	228	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	225	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	406	-	-	-	-	-	-	-	2	1	3	1
WHITE------MALE----	352	-	-	-	-	-	-	-	2	1	3	1
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	452	-	-	-	1	1	1	-	1	1	3	1
WHITE------MALE----	445	-	-	-	1	1	1	-	1	1	3	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,745	-	-	-	-	-	2	1	3	3	1	9
WHITE------MALE----	1,513	-	-	-	-	-	2	1	3	2	1	8
ALL OTHER--MALE----	232	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	229	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND ----------	135	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	127	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	542	-	-	-	-	-	-	2	-	1	3	1
WHITE------MALE----	300	-	-	-	-	-	-	2	-	1	2	1
ALL OTHER--MALE----	242	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	239	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of male genital organs (C60-C63)												
OHIO ----------	4	28	58	111	208	301	300	228	89	20	1	-
WHITE------MALE----	4	21	33	91	165	249	254	208	77	17	1	-
ALL OTHER--MALE----	-	7	25	20	43	52	46	20	12	3	-	-
BLACK---MALE----	-	7	24	20	43	51	45	20	12	3	-	-
OKLAHOMA ----------	3	8	18	31	48	86	90	79	24	11	1	-
WHITE------MALE----	3	6	11	26	42	74	84	68	23	7	1	-
ALL OTHER--MALE----	-	2	7	5	6	12	6	11	1	4	-	-
BLACK---MALE----	-	1	7	4	6	9	6	9	1	4	-	-
OREGON ----------	4	7	12	19	66	92	99	92	42	9	1	-
WHITE------MALE----	4	7	12	19	65	89	98	90	42	9	1	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	3	1	-	-	-	-	-
PENNSYLVANIA ----------	17	27	67	136	256	356	396	293	151	20	7	-
WHITE------MALE----	9	23	58	111	211	300	356	268	138	16	6	-
ALL OTHER--MALE----	8	4	9	25	45	56	40	25	13	4	1	-
BLACK---MALE----	8	4	9	25	44	55	40	24	13	4	1	-
RHODE ISLAND ----------	2	1	4	10	21	26	32	30	6	2	-	-
WHITE------MALE----	2	1	4	8	21	22	31	29	6	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	4	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	3	1	1	-	-	-	-
SOUTH CAROLINA ---------	5	10	36	45	88	124	112	70	34	9	2	-
WHITE------MALE----	5	5	19	20	46	75	61	36	22	5	-	-
ALL OTHER--MALE----	-	5	17	25	42	49	51	34	12	4	2	-
BLACK---MALE----	-	5	17	25	41	49	50	34	11	4	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of male genital organs (C60-C63)												
SOUTH DAKOTA ----------	119	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	118	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	671	-	-	-	-	-	-	2	-	1	3	3
WHITE------MALE----	507	-	-	-	-	-	-	2	-	1	2	3
ALL OTHER--MALE----	164	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	164	-	-	-	-	-	-	-	-	-	1	-
TEXAS ----------	1,821	-	-	-	-	-	4	6	6	5	4	17
WHITE------MALE----	1,491	-	-	-	-	-	3	5	6	5	4	16
ALL OTHER--MALE----	330	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	324	-	-	-	-	-	1	1	-	-	-	1
UTAH ----------	196	-	-	-	-	-	-	2	1	-	1	-
WHITE------MALE----	189	-	-	-	-	-	-	2	1	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	80	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	80	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	802	-	-	-	-	-	1	1	2	1	3	7
WHITE------MALE----	538	-	-	-	-	-	-	1	2	1	1	6
ALL OTHER--MALE----	264	-	-	-	-	-	1	-	-	-	2	1
BLACK---MALE----	259	-	-	-	-	-	-	-	-	-	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of male genital organs (C60-C63)												
SOUTH DAKOTA ----------	1	3	5	11	18	23	23	17	15	3	-	-
WHITE------MALE----	1	3	5	11	18	23	23	16	15	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	18	31	57	98	141	134	126	43	11	1	-
WHITE------MALE----	1	13	22	40	77	108	103	96	32	6	1	-
ALL OTHER--MALE----	1	5	9	17	21	33	31	30	11	5	-	-
BLACK---MALE----	1	5	9	17	21	33	31	30	11	5	-	-
TEXAS ----------	16	49	73	167	264	352	381	298	129	42	8	-
WHITE------MALE----	13	38	52	126	214	280	316	259	115	33	6	-
ALL OTHER--MALE----	3	11	21	41	50	72	65	39	14	9	2	-
BLACK---MALE----	3	10	20	41	50	70	63	39	14	9	2	-
UTAH ----------	-	5	6	16	30	41	43	33	11	6	1	-
WHITE------MALE----	-	4	5	16	29	40	43	31	10	6	1	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	-	-	-	-
VERMONT ----------	-	1	4	6	15	17	12	13	10	1	-	-
WHITE------MALE----	-	1	4	6	15	17	12	13	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	10	12	47	77	126	166	162	133	44	10	-	-
WHITE------MALE----	4	6	29	45	77	115	120	90	34	7	-	-
ALL OTHER--MALE----	6	6	18	32	49	51	42	43	10	3	-	-
BLACK---MALE----	6	6	18	32	49	49	40	43	10	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of male genital organs (C60-C63)												
WASHINGTON ----------	614	-	-	-	-	-	-	2	2	1	2	5
WHITE------MALE----	580	-	-	-	-	-	-	2	2	1	2	4
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	248	-	-	-	-	-	-	1	-	1	1	1
WHITE------MALE----	232	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	694	-	-	-	-	-	1	2	1	3	2	2
WHITE------MALE----	674	-	-	-	-	-	1	2	1	3	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	57	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	54	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of male genital organs (C60-C63)												
WASHINGTON ----------	5	7	12	45	77	122	161	114	49	10	-	-
WHITE------MALE----	3	5	10	43	73	113	156	108	48	10	-	-
ALL OTHER--MALE----	2	2	2	2	4	9	5	6	1	-	-	-
BLACK---MALE----	2	2	1	1	2	7	3	3	-	-	-	-
WEST VIRGINIA ----------	5	5	10	19	38	52	60	34	16	3	2	-
WHITE------MALE----	5	5	10	18	35	45	57	33	16	2	2	-
ALL OTHER--MALE----	-	-	-	1	3	7	3	1	-	1	-	-
BLACK---MALE----	-	-	-	1	3	7	3	1	-	1	-	-
WISCONSIN ----------	5	19	23	38	92	136	161	123	64	20	2	-
WHITE------MALE----	4	17	22	35	90	131	159	120	64	19	2	-
ALL OTHER--MALE----	1	2	1	3	2	5	2	3	-	1	-	-
BLACK---MALE----	1	1	1	3	2	4	2	3	-	1	-	-
WYOMING ----------	-	3	2	9	7	9	11	9	4	1	1	-
WHITE------MALE----	-	3	2	7	7	9	10	9	4	1	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1018

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of prostate (C61)												
UNITED STATES -	31,729	1	-	-	-	-	1	1	1	5	28	100
WHITE------MALE----	26,005	1	-	-	-	-	1	1	1	4	21	68
ALL OTHER--MALE----	5,724	-	-	-	-	-	-	-	-	1	7	32
BLACK---MALE----	5,357	-	-	-	-	-	-	-	-	1	6	31
ALABAMA ----------	613	-	-	-	-	-	-	-	-	-	-	5
WHITE------MALE----	374	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	239	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	238	-	-	-	-	-	-	-	-	-	-	3
ALASKA ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	498	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	478	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	378	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	287	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	91	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3,077	-	-	-	-	-	-	1	-	1	-	14
WHITE------MALE----	2,609	-	-	-	-	-	-	1	-	1	-	8
ALL OTHER--MALE----	468	-	-	-	-	-	-	-	-	-	-	6
BLACK---MALE----	339	-	-	-	-	-	-	-	-	-	-	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of prostate (C61)												
UNITED STATES -	274	636	1,310	2,711	4,605	6,532	6,903	5,418	2,467	644	91	1
WHITE------MALE----	198	471	933	2,065	3,650	5,348	5,892	4,635	2,120	523	72	1
ALL OTHER--MALE----	76	165	377	646	955	1,184	1,011	783	347	121	19	-
BLACK---MALE----	75	157	358	622	912	1,101	945	716	312	102	19	-
ALABAMA ----------	8	13	24	58	96	117	124	103	46	16	3	-
WHITE------MALE----	3	8	12	30	55	74	78	71	29	10	2	-
ALL OTHER--MALE----	5	5	12	28	41	43	46	32	17	6	1	-
BLACK---MALE----	5	5	12	28	41	43	45	32	17	6	1	-
ALASKA ----------	-	-	1	3	3	5	4	3	1	-	-	-
WHITE------MALE----	-	-	1	2	3	5	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	7	25	37	74	112	128	72	33	4	-	-
WHITE------MALE----	4	7	25	36	72	109	122	69	30	3	-	-
ALL OTHER--MALE----	1	-	-	1	2	3	6	3	3	1	-	-
BLACK---MALE----	1	-	-	1	1	1	3	2	3	-	-	-
ARKANSAS ----------	3	7	14	24	55	76	84	66	42	7	-	-
WHITE------MALE----	1	6	9	19	41	57	63	53	32	6	-	-
ALL OTHER--MALE----	2	1	5	5	14	19	21	13	10	1	-	-
BLACK---MALE----	2	1	5	5	14	19	21	13	10	1	-	-
CALIFORNIA ----------	27	85	127	277	428	630	614	550	251	62	10	-
WHITE------MALE----	19	69	99	229	359	532	530	486	217	49	10	-
ALL OTHER--MALE----	8	16	28	48	69	98	84	64	34	13	-	-
BLACK---MALE----	8	15	22	44	54	72	60	37	16	5	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1019

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of prostate (C61)												
COLORADO ----------	362	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	350	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	404	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	369	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	93	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	67	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	113	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	89	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2,245	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	1,928	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	317	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	312	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	813	-	-	-	-	-	-	-	-	-	-	5
WHITE------MALE----	483	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	330	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	329	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of prostate (C61)												
COLORADO ----------	3	4	13	33	55	68	94	62	21	6	2	1
WHITE------MALE----	3	4	12	31	53	65	93	59	21	6	2	1
ALL OTHER--MALE----	-	-	1	2	2	3	1	3	-	-	-	-
BLACK---MALE----	-	-	1	2	2	2	1	3	-	-	-	-
CONNECTICUT ----------	6	9	17	27	66	73	101	74	24	6	1	-
WHITE------MALE----	5	8	13	22	60	68	94	71	23	5	-	-
ALL OTHER--MALE----	1	1	4	5	6	5	7	3	1	1	1	-
BLACK---MALE----	1	1	4	5	6	5	7	3	1	1	1	-
DELAWARE ----------	2	4	6	7	14	22	17	15	4	2	-	-
WHITE------MALE----	2	3	3	4	9	15	15	12	2	2	-	-
ALL OTHER--MALE----	-	1	3	3	5	7	2	3	2	-	-	-
BLACK---MALE----	-	1	3	3	5	7	2	3	2	-	-	-
DISTRICT OF COLUMBIA ---	3	3	3	9	29	17	18	20	7	4	-	-
WHITE------MALE----	-	1	-	2	5	2	5	4	2	1	-	-
ALL OTHER--MALE----	3	2	3	7	24	15	13	16	5	3	-	-
BLACK---MALE----	3	2	3	7	24	14	13	15	5	3	-	-
FLORIDA ----------	19	41	71	185	312	456	508	389	200	53	8	-
WHITE------MALE----	12	30	51	150	257	388	464	341	180	46	6	-
ALL OTHER--MALE----	7	11	20	35	55	68	44	48	20	7	2	-
BLACK---MALE----	7	11	20	35	54	65	44	48	19	7	2	-
GEORGIA ----------	5	19	44	97	103	179	178	126	50	7	-	-
WHITE------MALE----	1	7	21	59	58	106	120	78	26	4	-	-
ALL OTHER--MALE----	4	12	23	38	45	73	58	48	24	3	-	-
BLACK---MALE----	4	12	23	38	44	73	58	48	24	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1020

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of prostate (C61)												
HAWAII ----------	117	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	82	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	159	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	158	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,423	1	-	-	-	-	-	-	-	-	3	2
WHITE------MALE----	1,140	1	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	283	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	277	-	-	-	-	-	-	-	-	-	1	1
INDIANA ----------	746	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	648	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	98	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	96	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	417	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	405	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	314	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	290	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of prostate (C61)												
HAWAII ----------	-	2	2	9	9	22	24	29	14	5	-	-
WHITE------MALE----	-	1	-	2	3	7	11	8	3	-	-	-
ALL OTHER--MALE----	-	1	2	7	6	15	13	21	11	5	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	3	8	17	21	31	48	18	9	1	2	-
WHITE------MALE----	1	3	8	16	21	31	48	18	9	1	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	14	22	63	130	194	286	322	253	104	24	5	-
WHITE------MALE----	13	17	39	92	144	232	263	223	88	20	5	-
ALL OTHER--MALE----	1	5	24	38	50	54	59	30	16	4	-	-
BLACK---MALE----	1	5	24	37	49	54	58	28	16	3	-	-
INDIANA ----------	5	12	35	69	99	157	171	133	43	19	2	-
WHITE------MALE----	4	11	23	55	86	137	154	121	37	19	1	-
ALL OTHER--MALE----	1	1	12	14	13	20	17	12	6	-	1	-
BLACK---MALE----	1	1	12	14	11	20	17	12	6	-	1	-
IOWA ----------	1	5	14	23	59	82	104	68	48	10	1	-
WHITE------MALE----	1	5	14	23	58	79	99	67	46	10	1	-
ALL OTHER--MALE----	-	-	-	-	1	3	5	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	3	5	1	2	-	-	-
KANSAS ----------	-	6	14	25	33	64	65	71	29	5	-	-
WHITE------MALE----	-	6	13	23	29	58	64	64	28	5	-	-
ALL OTHER--MALE----	-	-	1	2	4	6	1	7	1	-	-	-
BLACK---MALE----	-	-	-	1	4	6	1	7	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1021

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of prostate (C61)												
KENTUCKY ----------	462	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	421	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	1	1
LOUISIANA ----------	551	-	-	-	-	-	-	-	-	-	1	5
WHITE------MALE----	313	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	238	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	237	-	-	-	-	-	-	-	-	-	1	4
MAINE ----------	148	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	146	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	580	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	385	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	195	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	189	-	-	-	-	-	-	-	-	-	-	2
MASSACHUSETTS ----------	801	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	764	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1,139	-	-	-	-	-	-	-	-	1	1	4
WHITE------MALE----	915	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	224	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	219	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of prostate (C61)												
KENTUCKY ----------	3	11	27	34	75	96	91	75	30	15	2	-
WHITE------MALE----	2	11	25	30	71	87	84	67	28	13	2	-
ALL OTHER--MALE----	1	-	2	4	4	9	7	8	2	2	-	-
BLACK---MALE----	1	-	2	4	4	8	7	8	2	1	-	-
LOUISIANA ----------	11	11	30	47	81	117	106	73	52	11	6	-
WHITE------MALE----	9	4	14	25	40	68	62	47	33	7	3	-
ALL OTHER--MALE----	2	7	16	22	41	49	44	26	19	4	3	-
BLACK---MALE----	2	7	15	22	41	49	44	26	19	4	3	-
MAINE ----------	-	1	7	16	25	22	40	22	11	4	-	-
WHITE------MALE----	-	1	7	16	25	22	38	22	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND ----------	9	11	25	52	95	124	112	85	48	15	1	-
WHITE------MALE----	7	6	15	28	55	87	81	57	38	9	1	-
ALL OTHER--MALE----	2	5	10	24	40	37	31	28	10	6	-	-
BLACK---MALE----	2	5	10	23	39	35	30	27	10	6	-	-
MASSACHUSETTS ----------	4	12	15	49	106	164	198	146	84	20	2	-
WHITE------MALE----	4	12	15	43	100	154	193	142	81	17	2	-
ALL OTHER--MALE----	-	-	-	6	6	10	5	4	3	3	-	-
BLACK---MALE----	-	-	-	6	5	9	4	4	2	1	-	-
MICHIGAN ----------	12	21	42	99	165	245	255	195	78	19	2	-
WHITE------MALE----	8	10	31	75	126	197	215	166	64	16	2	-
ALL OTHER--MALE----	4	11	11	24	39	48	40	29	14	3	-	-
BLACK---MALE----	4	11	10	24	38	46	39	29	14	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1022

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of prostate (C61)												
MINNESOTA ----------	567	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	555	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	426	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	211	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	215	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	214	-	-	-	-	-	-	-	-	-	-	1
MISSOURI ----------	662	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	561	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	101	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	98	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	129	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	127	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	188	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	184	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	196	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	183	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of prostate (C61)												
MINNESOTA ----------	3	8	17	50	74	120	125	103	48	15	1	-
WHITE------MALE----	2	8	17	49	71	117	124	100	48	15	1	-
ALL OTHER--MALE----	1	-	-	1	3	3	1	3	-	-	-	-
BLACK---MALE----	-	-	-	1	3	3	-	3	-	-	-	-
MISSISSIPPI ----------	2	14	15	36	67	88	87	63	37	13	3	-
WHITE------MALE----	-	6	6	12	32	47	54	29	20	5	-	-
ALL OTHER--MALE----	2	8	9	24	35	41	33	34	17	8	3	-
BLACK---MALE----	2	8	9	24	35	41	32	34	17	8	3	-
MISSOURI ----------	9	15	15	67	96	136	128	126	57	11	1	-
WHITE------MALE----	6	13	12	50	79	121	107	110	50	11	1	-
ALL OTHER--MALE----	3	2	3	17	17	15	21	16	7	-	-	-
BLACK---MALE----	3	2	3	16	16	15	21	15	7	-	-	-
MONTANA ----------	2	1	5	8	9	35	27	22	15	4	1	-
WHITE------MALE----	2	1	5	8	9	35	26	21	15	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	1	4	13	28	37	36	33	23	7	1	-
WHITE------MALE----	4	1	4	13	28	35	36	32	23	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	1	-	-
NEVADA ----------	1	8	14	22	33	43	45	18	9	2	-	-
WHITE------MALE----	1	6	13	21	30	39	44	18	9	1	-	-
ALL OTHER--MALE----	-	2	1	1	3	4	1	-	-	1	-	-
BLACK---MALE----	-	1	1	-	2	3	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of prostate (C61)												
NEW HAMPSHIRE ----------	119	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	119	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	966	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	805	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	161	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	154	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	197	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	188	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2,056	-	-	-	-	-	-	-	-	-	1	10
WHITE------MALE----	1,623	-	-	-	-	-	-	-	-	-	1	7
ALL OTHER--MALE----	433	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	418	-	-	-	-	-	-	-	-	-	-	3
NORTH CAROLINA ---------	911	-	-	-	-	-	-	-	-	1	2	5
WHITE------MALE----	606	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	305	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	294	-	-	-	-	-	-	-	-	-	-	2
NORTH DAKOTA ----------	88	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	88	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of prostate (C61)												
NEW HAMPSHIRE ----------	2	2	3	5	19	23	25	22	14	3	-	-
WHITE------MALE----	2	2	3	5	19	23	25	22	14	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	11	20	53	91	140	218	167	179	58	24	3	-
WHITE------MALE----	10	15	34	69	105	187	144	158	54	24	3	-
ALL OTHER--MALE----	1	5	19	22	35	31	23	21	4	-	-	-
BLACK---MALE----	1	5	18	20	34	30	21	21	4	-	-	-
NEW MEXICO ----------	1	3	4	14	22	46	51	37	15	4	-	-
WHITE------MALE----	1	3	4	12	21	43	49	36	15	4	-	-
ALL OTHER--MALE----	-	-	-	2	1	3	2	1	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	-	-	-	-	-
NEW YORK ----------	22	36	97	196	322	393	425	332	168	48	6	-
WHITE------MALE----	18	21	54	140	242	308	362	280	145	41	4	-
ALL OTHER--MALE----	4	15	43	56	80	85	63	52	23	7	2	-
BLACK---MALE----	4	15	41	56	78	76	62	51	23	7	2	-
NORTH CAROLINA ---------	6	25	54	86	142	174	200	136	60	19	1	-
WHITE------MALE----	4	15	38	52	95	111	135	100	40	10	-	-
ALL OTHER--MALE----	2	10	16	34	47	63	65	36	20	9	1	-
BLACK---MALE----	2	9	15	33	44	61	62	36	20	9	1	-
NORTH DAKOTA ----------	-	1	4	5	16	20	16	17	7	2	-	-
WHITE------MALE----	-	1	4	5	16	20	16	17	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1024

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of prostate (C61)												
OHIO ----------	1,342	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	1,114	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	228	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	225	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	393	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	340	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	446	-	-	-	-	-	1	-	-	-	3	-
WHITE------MALE----	439	-	-	-	-	-	1	-	-	-	3	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,720	-	-	-	-	-	-	-	1	1	-	8
WHITE------MALE----	1,489	-	-	-	-	-	-	-	1	-	-	7
ALL OTHER--MALE----	231	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	228	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND ----------	133	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	125	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	533	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	293	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	240	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	237	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1024

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of prostate (C61)												
OHIO ----------	1	27	57	111	206	301	298	227	89	20	1	-
WHITE------MALE----	1	20	32	91	163	249	252	207	77	17	1	-
ALL OTHER--MALE----	-	7	25	20	43	52	46	20	12	3	-	-
BLACK---MALE----	-	7	24	20	43	51	45	20	12	3	-	-
OKLAHOMA ----------	2	8	18	30	48	84	88	79	23	11	1	-
WHITE------MALE----	2	6	11	26	42	72	82	68	22	7	1	-
ALL OTHER--MALE----	-	2	7	4	6	12	6	11	1	4	-	-
BLACK---MALE----	-	1	7	4	6	9	6	9	1	4	-	-
OREGON ----------	4	7	12	19	66	91	99	92	42	9	1	-
WHITE------MALE----	4	7	12	19	65	88	98	90	42	9	1	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	3	1	-	-	-	-	-
PENNSYLVANIA ----------	15	26	67	136	250	353	394	291	151	20	7	-
WHITE------MALE----	7	22	58	111	205	298	354	266	138	16	6	-
ALL OTHER--MALE----	8	4	9	25	45	55	40	25	13	4	1	-
BLACK---MALE----	8	4	9	25	44	54	40	24	13	4	1	-
RHODE ISLAND ----------	1	1	4	10	21	26	32	30	6	2	-	-
WHITE------MALE----	1	1	4	8	21	22	31	29	6	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	4	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	3	1	1	-	-	-	-
SOUTH CAROLINA ---------	5	9	35	45	88	124	112	69	34	9	2	-
WHITE------MALE----	5	5	18	20	46	75	61	35	22	5	-	-
ALL OTHER--MALE----	-	4	17	25	42	49	51	34	12	4	2	-
BLACK---MALE----	-	4	17	25	41	49	50	34	11	4	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1025

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of prostate (C61)												
SOUTH DAKOTA ----------	114	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	114	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	661	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	498	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	163	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	163	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1,774	-	-	-	-	-	-	-	-	-	-	9
WHITE------MALE----	1,447	-	-	-	-	-	-	-	-	-	-	8
ALL OTHER--MALE----	327	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	321	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	190	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	183	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	79	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	79	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	787	-	-	-	-	-	-	-	-	1	2	5
WHITE------MALE----	526	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	261	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	257	-	-	-	-	-	-	-	-	-	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of prostate (C61)												
SOUTH DAKOTA ----------	1	3	5	11	17	23	23	14	14	3	-	-
WHITE------MALE----	1	3	5	11	17	23	23	14	14	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	17	30	57	98	140	133	126	43	11	1	-
WHITE------MALE----	1	12	21	40	77	107	102	96	32	6	1	-
ALL OTHER--MALE----	1	5	9	17	21	33	31	30	11	5	-	-
BLACK---MALE----	1	5	9	17	21	33	31	30	11	5	-	-
TEXAS ----------	15	45	70	164	263	352	381	296	129	42	8	-
WHITE------MALE----	12	34	50	123	213	280	316	257	115	33	6	-
ALL OTHER--MALE----	3	11	20	41	50	72	65	39	14	9	2	-
BLACK---MALE----	3	10	19	41	50	70	63	39	14	9	2	-
UTAH ----------	-	4	6	16	29	41	43	33	11	6	1	-
WHITE------MALE----	-	3	5	16	28	40	43	31	10	6	1	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	-	-	-	-
VERMONT ----------	-	1	4	6	15	17	12	13	10	1	-	-
WHITE------MALE----	-	1	4	6	15	17	12	13	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	12	45	76	126	164	162	133	43	9	-	-
WHITE------MALE----	3	6	27	44	77	114	120	90	33	7	-	-
ALL OTHER--MALE----	6	6	18	32	49	50	42	43	10	2	-	-
BLACK---MALE----	6	6	18	32	49	48	40	43	10	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of prostate (C61)												
WASHINGTON ----------	600	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	566	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	241	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	225	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	681	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	661	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	57	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	54	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of prostate (C61)												
WASHINGTON ----------	5	7	12	45	77	121	158	113	49	10	-	-
WHITE------MALE----	3	5	10	43	73	112	153	107	48	10	-	-
ALL OTHER--MALE----	2	2	2	2	4	9	5	6	1	-	-	-
BLACK---MALE----	2	2	1	1	2	7	3	3	-	-	-	-
WEST VIRGINIA ----------	5	5	8	18	38	52	59	34	16	3	2	-
WHITE------MALE----	5	5	8	17	35	45	56	33	16	2	2	-
ALL OTHER--MALE----	-	-	-	1	3	7	3	1	-	1	-	-
BLACK---MALE----	-	-	-	1	3	7	3	1	-	1	-	-
WISCONSIN ----------	5	18	23	38	91	136	160	123	63	20	2	-
WHITE------MALE----	4	16	22	35	89	131	158	120	63	19	2	-
ALL OTHER--MALE----	1	2	1	3	2	5	2	3	-	1	-	-
BLACK---MALE----	1	1	1	3	2	4	2	3	-	1	-	-
WYOMING ----------	-	3	2	9	7	9	11	9	4	1	1	-
WHITE------MALE----	-	3	2	7	7	9	10	9	4	1	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of testis (C62)												
UNITED STATES -	378	-	-	-	2	5	27	48	52	55	59	43
WHITE------MALE----	347	-	-	-	2	4	23	44	47	50	55	41
ALL OTHER--MALE----	31	-	-	-	-	1	4	4	5	5	4	2
BLACK---MALE----	23	-	-	-	-	1	2	3	3	5	3	1
ALABAMA ----------	3	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	-	-	-	-	-	1	1	1	-	2	1
WHITE------MALE----	8	-	-	-	-	-	1	1	1	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	7	-	-	-	-	-	-	1	1	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	54	-	-	-	-	1	7	5	8	10	5	7
WHITE------MALE----	51	-	-	-	-	1	7	5	7	10	5	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of testis (C62)												
UNITED STATES -	19	16	11	11	10	2	13	5	-	-	-	-
WHITE------MALE----	16	16	9	11	9	2	13	5	-	-	-	-
ALL OTHER--MALE----	3	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	2	-	1	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	3	3	1	-	-	1	-	-	-	-	-
WHITE------MALE----	2	3	3	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of testis (C62)												
COLORADO ----------	7	-	-	-	-	-	1	2	-	-	1	1
WHITE------MALE----	7	-	-	-	-	-	1	2	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	24	-	-	-	-	-	2	1	3	5	8	-
WHITE------MALE----	18	-	-	-	-	-	2	1	2	2	8	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	3	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	3	-	-
GEORGIA ----------	10	-	-	-	-	1	-	2	1	1	4	-
WHITE------MALE----	8	-	-	-	-	-	-	2	1	1	4	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of testis (C62)												
COLORADO ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	1	1	2	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of testis (C62)												
HAWAII ----------	3	-	-	-	-	-	1	1	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	3	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	12	-	-	-	-	-	1	1	5	1	2	1
WHITE------MALE----	10	-	-	-	-	-	-	1	5	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	1	-
INDIANA ----------	7	-	-	-	-	-	-	-	2	2	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of testis (C62)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	2	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	2	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of testis (C62)												
KENTUCKY ----------	5	-	-	-	-	-	1	-	1	-	-	1
WHITE------MALE----	5	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	-	-	-	-	1	-	3	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
MAINE ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	-	-	-	-	-	-	1	3	-	2	-
WHITE------MALE----	5	-	-	-	-	-	-	1	2	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS ----------	11	-	-	-	-	-	-	-	2	1	3	3
WHITE------MALE----	11	-	-	-	-	-	-	-	2	1	3	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	10	-	-	-	-	-	-	3	1	1	3	-
WHITE------MALE----	8	-	-	-	-	-	-	2	-	1	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of testis (C62)												
KENTUCKY ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of testis (C62)												
MINNESOTA ----------	5	-	-	-	-	-	-	1	2	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	1	-	1	-	-	1	-
WHITE------MALE----	3	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of testis (C62)												
MINNESOTA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of testis (C62)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	10	-	-	-	-	-	2	-	-	3	-	3
WHITE------MALE----	8	-	-	-	-	-	2	-	-	2	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
NEW MEXICO ----------	2	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	19	-	-	-	-	-	1	1	1	5	3	3
WHITE------MALE----	17	-	-	-	-	-	1	1	1	5	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	12	-	-	-	-	1	-	-	-	1	1	3
WHITE------MALE----	12	-	-	-	-	1	-	-	-	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of testis (C62)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	2	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	2	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	1	1	2	-	1	-	-	-	-	-
WHITE------MALE----	1	-	1	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of testis (C62)												
OHIO ----------	18	-	-	-	-	-	1	3	3	3	3	2
WHITE------MALE----	18	-	-	-	-	-	1	3	3	3	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	7	-	-	-	-	-	-	-	2	1	2	1
WHITE------MALE----	7	-	-	-	-	-	-	-	2	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	4	-	-	-	1	1	-	-	1	1	-	-
WHITE------MALE----	4	-	-	-	1	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	15	-	-	-	-	-	2	1	2	1	1	1
WHITE------MALE----	15	-	-	-	-	-	2	1	2	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	-	-	-	-	-	2	-	1	2	-
WHITE------MALE----	5	-	-	-	-	-	-	2	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of testis (C62)												
OHIO ----------	1	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	1	-	-	3	-	1	-	-	-	-	-
WHITE------MALE----	2	1	-	-	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of testis (C62)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	-	-	-	-	-	-	2	-	1	2	1
WHITE------MALE----	6	-	-	-	-	-	-	2	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
TEXAS ----------	33	-	-	-	-	-	4	6	6	3	3	7
WHITE------MALE----	31	-	-	-	-	-	3	5	6	3	3	7
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	1	-	-	-	-
UTAH ----------	4	-	-	-	-	-	-	2	1	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	-	-	-	-	-	1	1	2	-	1	2
WHITE------MALE----	8	-	-	-	-	-	-	1	2	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of testis (C62)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	2	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of testis (C62)												
WASHINGTON ----------	11	-	-	-	-	-	-	2	2	1	1	3
WHITE------MALE----	11	-	-	-	-	-	-	2	2	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	10	-	-	-	-	-	1	2	1	3	1	1
WHITE------MALE----	10	-	-	-	-	-	1	2	1	3	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of testis (C62)												
WASHINGTON ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1036

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of penis and other and unspecified male genital organs (C60,C63)												
UNITED STATES -	243	-	-	-	-	-	-	-	1	6	9	5
WHITE------MALE----	209	-	-	-	-	-	-	-	1	6	6	5
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	3	-
ALABAMA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	19	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of penis and other and unspecified male genital organs (C60,C63)												
UNITED STATES -	11	16	22	31	29	36	33	26	15	3	-	-
WHITE------MALE----	8	14	16	27	25	31	31	22	15	2	-	-
ALL OTHER--MALE----	3	2	6	4	4	5	2	4	-	1	-	-
BLACK---MALE----	1	2	6	2	4	4	2	3	-	1	-	-
ALABAMA ----------	-	1	1	-	-	1	2	1	1	-	-	-
WHITE------MALE----	-	1	1	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	2	-	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	2	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	1	2	1	4	1	2	1	2	1	-	-
WHITE------MALE----	-	1	2	1	4	1	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of penis and other and unspecified male genital organs (C60,C63)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	19	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of penis and other and unspecified male genital organs (C60,C63)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	1	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	2	3	3	2	2	1	1	2	-	-	-
WHITE------MALE----	1	2	-	2	1	2	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	3	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	3	1	1	-	-	-	-	-	-	-
GEORGIA ----------	1	1	-	-	2	-	1	-	1	-	-	-
WHITE------MALE----	1	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of penis and other and unspecified male genital organs (C60,C63)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of penis and other and unspecified male genital organs (C60,C63)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	1	2	-	3	1	2	-	1	-	-
WHITE------MALE----	-	-	-	2	-	3	1	2	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	1	3	-	1	3	1	-	-	-	-
WHITE------MALE----	-	-	1	3	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
IOWA ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of penis and other and unspecified male genital organs (C60,C63)												
KENTUCKY ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	12	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of penis and other and unspecified male genital organs (C60,C63)												
KENTUCKY ----------	1	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	1	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	1	-	-	1	-	3	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	2	4	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	2	4	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of penis and other and unspecified male genital organs (C60,C63)												
MINNESOTA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of penis and other and unspecified male genital organs (C60,C63)												
MINNESOTA ----------	1	1	1	-	-	1	1	1	2	-	-	-
WHITE------MALE----	1	1	1	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	1	-	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of penis and other and unspecified male genital organs (C60,C63)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of penis and other and unspecified male genital organs (C60,C63)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	1	2	1	2	1	-	1	-	-	-
WHITE------MALE----	-	-	1	2	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	1	2	3	4	2	4	2	-	-	-	-
WHITE------MALE----	1	1	2	3	3	1	4	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
NORTH CAROLINA ---------	-	-	1	2	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	1	2	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of penis and other and unspecified male genital organs (C60,C63)												
OHIO ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of penis and other and unspecified male genital organs (C60,C63)												
OHIO ----------	2	1	1	-	1	-	1	1	-	-	-	-
WHITE------MALE----	2	1	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	1	-	2	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	3	3	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	3	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of penis and other and unspecified male genital organs (C60,C63)												
SOUTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	14	-	-	-	-	-	-	-	-	2	1	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of penis and other and unspecified male genital organs (C60,C63)												
SOUTH DAKOTA ----------	-	-	-	-	1	-	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	2	3	2	1	-	-	2	-	-	-	-
WHITE------MALE----	-	2	2	2	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
UTAH ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	1	-	2	-	-	1	1	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of penis and other and unspecified male genital organs (C60,C63)												
WASHINGTON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of penis and other and unspecified male genital organs (C60,C63)												
WASHINGTON ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1045

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of urinary tract (C64-C68)												
UNITED STATES -	23,667	2	19	23	11	8	10	32	39	140	312	577
WHITE------MALE----	13,948	1	8	10	2	4	3	9	17	65	177	344
FEMALE--	7,371	1	4	9	5	1	2	9	8	37	79	123
ALL OTHER--MALE----	1,361	-	3	2	3	-	4	10	11	26	36	76
FEMALE--	987	-	4	2	1	3	1	4	3	12	20	34
BLACK---MALE----	1,133	-	2	1	2	-	4	9	9	26	30	62
FEMALE--	869	-	2	2	1	3	1	4	3	10	16	31
ALABAMA ----------	299	-	1	-	-	-	-	-	1	1	2	11
WHITE------MALE----	153	-	-	-	-	-	-	-	1	1	1	7
FEMALE--	81	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	-	1	-	-	-	-	-	-	-	1	1
ALASKA ----------	28	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	410	1	2	-	1	-	-	1	1	4	1	8
WHITE------MALE----	263	-	1	-	-	-	-	1	-	4	-	7
FEMALE--	130	1	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	220	-	-	-	-	-	-	-	-	2	3	7
WHITE------MALE----	122	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	71	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA ----------	2,310	-	2	5	-	2	-	4	2	11	39	58
WHITE------MALE----	1,350	-	1	1	-	1	-	1	1	6	18	33
FEMALE--	677	-	-	3	-	-	-	1	-	2	11	13
ALL OTHER--MALE----	168	-	-	-	-	-	-	1	1	2	6	6
FEMALE--	115	-	1	1	-	1	-	1	-	1	4	6
BLACK---MALE----	90	-	-	-	-	-	-	1	-	2	3	3
FEMALE--	74	-	-	1	-	1	-	1	-	-	2	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1045

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of urinary tract (C64-C68)												
UNITED STATES -	1,063	1,482	1,944	2,565	3,601	3,991	3,567	2,665	1,230	349	36	1
WHITE------MALE----	646	943	1,245	1,616	2,219	2,468	2,066	1,410	551	128	15	1
FEMALE--	267	351	481	672	1,044	1,194	1,247	1,062	576	179	20	-
ALL OTHER--MALE----	112	123	136	170	189	189	127	84	42	18	-	-
FEMALE--	38	65	82	107	149	140	127	109	61	24	1	-
BLACK---MALE----	97	110	113	139	154	154	103	72	31	15	-	-
FEMALE--	34	58	69	96	136	121	108	98	54	21	1	-
ALABAMA ----------	15	21	33	40	53	48	35	23	12	3	-	-
WHITE------MALE----	8	9	17	17	31	22	20	12	7	-	-	-
FEMALE--	3	5	5	13	12	19	7	10	4	2	-	-
ALL OTHER--MALE----	4	4	6	7	7	4	4	1	-	-	-	-
FEMALE--	-	3	5	3	3	3	4	-	1	1	-	-
BLACK---MALE----	4	4	6	7	7	4	4	1	-	-	-	-
FEMALE--	-	3	5	3	3	3	4	-	1	1	-	-
ALASKA ----------	-	4	-	2	9	3	5	3	1	-	-	-
WHITE------MALE----	-	3	-	-	4	-	5	-	1	-	-	-
FEMALE--	-	1	-	1	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	17	31	31	42	58	75	53	53	20	10	1	-
WHITE------MALE----	10	21	22	31	35	46	37	31	11	6	-	-
FEMALE--	5	9	8	9	22	27	15	18	8	4	1	-
ALL OTHER--MALE----	2	1	1	2	-	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	13	11	20	26	31	40	25	19	15	7	1	-
WHITE------MALE----	8	9	13	12	19	28	12	9	5	2	-	-
FEMALE--	3	-	4	10	9	10	11	7	8	4	1	-
ALL OTHER--MALE----	2	1	2	2	1	1	1	-	2	-	-	-
FEMALE--	-	1	1	2	2	1	1	3	-	1	-	-
BLACK---MALE----	2	1	2	2	1	1	1	-	2	-	-	-
FEMALE--	-	-	1	2	2	1	1	3	-	1	-	-
CALIFORNIA ----------	106	126	190	237	363	409	357	233	129	32	5	-
WHITE------MALE----	64	82	122	135	230	241	204	133	65	11	1	-
FEMALE--	22	36	42	63	102	111	121	85	47	15	3	-
ALL OTHER--MALE----	16	6	20	24	18	32	17	6	10	3	-	-
FEMALE--	4	2	6	15	13	25	15	9	7	3	1	-
BLACK---MALE----	12	4	9	14	9	18	6	3	5	1	-	-
FEMALE--	3	1	1	11	10	17	8	7	4	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of urinary tract (C64-C68)												
COLORADO ----------	279	-	-	-	-	-	-	1	1	1	4	7
WHITE------MALE----	172	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	99	-	-	-	-	-	-	-	1	-	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	325	-	-	1	-	-	-	-	1	2	4	6
WHITE------MALE----	195	-	-	1	-	-	-	-	-	-	4	5
FEMALE--	118	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
DELAWARE ----------	81	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	37	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1,629	-	-	1	2	-	-	-	2	9	16	34
WHITE------MALE----	1,014	-	-	1	-	-	-	-	-	5	10	23
FEMALE--	499	-	-	-	1	-	-	-	-	1	4	5
ALL OTHER--MALE----	71	-	-	-	1	-	-	-	2	2	2	4
FEMALE--	45	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	66	-	-	-	1	-	-	-	2	2	2	4
FEMALE--	45	-	-	-	-	-	-	-	-	1	-	2
GEORGIA ----------	486	-	1	-	-	-	2	1	2	3	9	13
WHITE------MALE----	247	-	-	-	-	-	-	-	2	2	7	4
FEMALE--	133	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	64	-	1	-	-	-	2	1	-	1	1	5
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	62	-	1	-	-	-	2	1	-	1	1	5
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of urinary tract (C64-C68)												
COLORADO ----------	16	22	31	19	38	40	44	28	24	3	-	-
WHITE------MALE----	12	18	23	12	28	29	22	13	6	2	-	-
FEMALE--	3	4	7	6	8	11	20	15	18	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	11	20	38	28	45	64	54	32	14	5	-	-
WHITE------MALE----	6	9	23	17	23	44	34	21	5	3	-	-
FEMALE--	5	9	15	11	19	19	18	10	7	2	-	-
ALL OTHER--MALE----	-	2	-	-	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	-	2	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
DELAWARE ----------	2	4	6	13	7	13	17	11	1	4	-	-
WHITE------MALE----	1	1	1	8	4	7	10	3	-	1	-	-
FEMALE--	-	3	3	1	3	6	7	5	-	1	-	-
ALL OTHER--MALE----	-	-	1	3	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	2	1	2	-	-
BLACK---MALE----	-	-	1	3	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	2	1	2	-	-
DISTRICT OF COLUMBIA ---	5	5	-	5	5	5	5	4	2	1	-	-
WHITE------MALE----	-	-	-	2	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	3	-	2	2	2	2	2	1	1	-	-
FEMALE--	1	2	-	1	-	3	2	1	1	-	-	-
BLACK---MALE----	3	3	-	2	2	2	2	2	1	1	-	-
FEMALE--	1	2	-	1	-	3	2	1	1	-	-	-
FLORIDA ----------	44	83	107	179	247	304	291	207	79	21	3	-
WHITE------MALE----	22	52	65	114	157	203	191	119	42	8	2	-
FEMALE--	15	20	34	48	71	79	94	80	36	10	1	-
ALL OTHER--MALE----	4	8	4	11	12	16	2	2	-	1	-	-
FEMALE--	3	3	4	6	7	6	4	6	1	2	-	-
BLACK---MALE----	3	8	3	9	12	15	2	2	-	1	-	-
FEMALE--	3	3	4	6	7	6	4	6	1	2	-	-
GEORGIA ----------	26	46	48	51	76	74	64	45	20	4	1	-
WHITE------MALE----	15	25	32	30	39	41	33	11	6	-	-	-
FEMALE--	2	8	7	12	23	21	23	19	11	3	1	-
ALL OTHER--MALE----	6	8	5	7	5	9	7	5	-	1	-	-
FEMALE--	3	5	4	2	9	3	1	10	3	-	-	-
BLACK---MALE----	6	7	5	6	5	9	7	5	-	1	-	-
FEMALE--	3	5	4	2	8	3	1	10	3	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of urinary tract (C64-C68)												
HAWAII ----------	78	-	-	-	-	-	-	-	-	-	3	4
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	99	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	70	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,068	-	1	1	-	1	1	2	3	5	18	20
WHITE------MALE----	585	-	-	-	-	-	-	1	2	1	8	10
FEMALE--	358	-	1	-	-	-	1	-	-	1	5	8
ALL OTHER--MALE----	76	-	-	1	-	-	-	1	1	3	3	2
FEMALE--	49	-	-	-	-	1	-	-	-	-	2	-
BLACK---MALE----	73	-	-	1	-	-	-	1	1	3	3	2
FEMALE--	46	-	-	-	-	1	-	-	-	-	2	-
INDIANA ----------	589	-	1	-	1	-	-	-	-	3	8	11
WHITE------MALE----	367	-	1	-	-	-	-	-	-	2	4	7
FEMALE--	192	-	-	-	1	-	-	-	-	1	2	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
IOWA ----------	289	-	1	-	1	-	-	-	-	2	3	3
WHITE------MALE----	181	-	1	-	-	-	-	-	-	1	2	3
FEMALE--	104	-	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	223	-	-	-	-	-	-	1	1	1	-	5
WHITE------MALE----	133	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	77	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of urinary tract (C64-C68)												
HAWAII ----------	3	2	2	7	14	11	13	10	6	3	-	-
WHITE------MALE----	2	1	1	2	3	2	4	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	1	-	-
ALL OTHER--MALE----	1	-	1	3	9	7	5	3	2	1	-	-
FEMALE--	-	1	-	2	1	1	3	3	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IDAHO ----------	7	12	8	17	10	13	14	8	4	4	-	-
WHITE------MALE----	7	9	6	10	8	8	11	6	1	2	-	-
FEMALE--	-	3	2	6	2	5	3	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	43	73	93	99	160	169	162	126	63	27	1	-
WHITE------MALE----	23	40	56	58	95	100	87	70	20	14	-	-
FEMALE--	15	20	22	31	45	46	61	50	39	12	1	-
ALL OTHER--MALE----	5	8	10	8	8	13	9	2	1	1	-	-
FEMALE--	-	5	5	2	12	10	5	4	3	-	-	-
BLACK---MALE----	5	8	10	7	8	11	9	2	1	1	-	-
FEMALE--	-	4	5	2	12	10	4	3	3	-	-	-
INDIANA ----------	37	38	44	63	85	93	82	77	38	8	-	-
WHITE------MALE----	26	28	30	46	56	59	47	38	20	3	-	-
FEMALE--	9	7	13	14	25	29	33	36	14	5	-	-
ALL OTHER--MALE----	2	2	-	1	-	3	2	2	-	-	-	-
FEMALE--	-	1	1	2	4	2	-	1	4	-	-	-
BLACK---MALE----	2	2	-	-	-	3	2	2	-	-	-	-
FEMALE--	-	1	1	2	4	2	-	1	4	-	-	-
IOWA ----------	2	10	22	41	38	61	51	33	15	6	-	-
WHITE------MALE----	2	9	16	29	25	43	25	19	4	2	-	-
FEMALE--	-	1	6	11	12	17	25	14	11	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
KANSAS ----------	10	12	16	29	40	26	30	23	23	6	-	-
WHITE------MALE----	7	7	15	20	22	15	18	14	10	1	-	-
FEMALE--	3	3	1	8	17	9	11	8	11	5	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	2	-	-	1	2	-	-	2	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	2	-	-	1	2	-	-	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1048

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of urinary tract (C64-C68)												
KENTUCKY ----------	369	-	-	-	-	-	-	-	1	1	4	8
WHITE------MALE----	213	-	-	-	-	-	-	-	1	1	4	4
FEMALE--	135	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	347	-	-	-	-	-	-	-	-	-	3	9
WHITE------MALE----	175	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	87	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	52	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	155	-	-	1	-	-	-	-	1	1	1	4
WHITE------MALE----	107	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	47	-	-	1	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	413	-	-	1	-	-	1	-	1	6	4	16
WHITE------MALE----	205	-	-	1	-	-	-	-	-	2	3	8
FEMALE--	126	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	2	-	5
FEMALE--	34	-	-	-	-	-	1	-	-	2	-	-
BLACK---MALE----	47	-	-	-	-	-	-	-	-	2	-	5
FEMALE--	34	-	-	-	-	-	1	-	-	2	-	-
MASSACHUSETTS ----------	624	-	-	1	-	-	-	-	-	6	7	16
WHITE------MALE----	378	-	-	-	-	-	-	-	-	2	6	8
FEMALE--	223	-	-	-	-	-	-	-	-	1	-	7
ALL OTHER--MALE----	12	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
MICHIGAN ----------	895	-	-	1	-	-	2	1	-	9	10	24
WHITE------MALE----	515	-	-	-	-	-	-	1	-	1	3	14
FEMALE--	279	-	-	-	-	-	-	-	-	3	5	7
ALL OTHER--MALE----	44	-	-	-	-	-	2	-	-	4	1	2
FEMALE--	57	-	-	1	-	-	-	-	-	1	1	1
BLACK---MALE----	41	-	-	-	-	-	2	-	-	4	1	2
FEMALE--	55	-	-	1	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of urinary tract (C64-C68)												
KENTUCKY ----------	16	29	29	42	56	69	55	38	15	5	1	-
WHITE------MALE----	7	19	22	27	36	46	27	15	2	1	1	-
FEMALE--	8	8	4	13	18	20	25	21	13	3	-	-
ALL OTHER--MALE----	1	2	2	1	-	2	1	-	-	1	-	-
FEMALE--	-	-	1	1	2	1	2	2	-	-	-	-
BLACK---MALE----	1	2	2	1	-	2	1	-	-	1	-	-
FEMALE--	-	-	1	1	1	1	2	2	-	-	-	-
LOUISIANA ----------	18	29	28	29	66	71	37	41	10	6	-	-
WHITE------MALE----	7	12	18	13	39	39	16	16	6	3	-	-
FEMALE--	5	8	6	7	13	21	11	13	2	1	-	-
ALL OTHER--MALE----	3	8	4	6	10	4	6	5	1	1	-	-
FEMALE--	3	1	-	3	4	7	4	7	1	1	-	-
BLACK---MALE----	2	8	4	6	10	4	6	5	1	1	-	-
FEMALE--	2	1	-	3	4	7	4	6	1	1	-	-
MAINE ----------	6	13	14	15	24	22	26	19	6	2	-	-
WHITE------MALE----	3	11	11	13	17	15	14	15	3	1	-	-
FEMALE--	3	2	2	2	7	7	12	4	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	22	24	29	40	64	73	66	37	25	3	1	-
WHITE------MALE----	11	13	14	16	31	47	29	17	11	1	1	-
FEMALE--	4	6	8	14	18	22	23	13	11	2	-	-
ALL OTHER--MALE----	6	5	4	6	9	3	5	2	1	-	-	-
FEMALE--	1	-	3	4	6	1	9	5	2	-	-	-
BLACK---MALE----	5	5	4	6	9	3	5	2	1	-	-	-
FEMALE--	1	-	3	4	6	1	9	5	2	-	-	-
MASSACHUSETTS ----------	21	36	40	68	95	99	97	83	43	9	3	-
WHITE------MALE----	11	20	29	44	56	59	62	53	23	4	1	-
FEMALE--	8	14	11	22	37	35	35	28	19	4	2	-
ALL OTHER--MALE----	1	1	-	2	2	3	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	2	1	1	-	-
BLACK---MALE----	1	1	-	2	2	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	2	1	1	-	-
MICHIGAN ----------	43	60	75	103	124	146	127	119	40	9	2	-
WHITE------MALE----	25	37	46	72	64	92	80	61	16	1	2	-
FEMALE--	8	15	20	25	43	48	36	45	17	7	-	-
ALL OTHER--MALE----	5	4	6	3	6	4	3	4	-	-	-	-
FEMALE--	5	4	3	3	11	2	8	9	7	1	-	-
BLACK---MALE----	5	4	5	2	5	4	3	4	-	-	-	-
FEMALE--	5	4	3	3	11	2	8	8	6	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of urinary tract (C64-C68)												
MINNESOTA ----------	415	-	1	1	-	-	-	1	-	2	3	12
WHITE------MALE----	262	-	-	1	-	-	-	1	-	1	3	10
FEMALE--	144	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	246	-	-	-	-	-	1	2	-	2	3	7
WHITE------MALE----	127	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	32	-	-	-	-	-	-	2	-	1	2	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	31	-	-	-	-	-	-	2	-	1	2	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
MISSOURI ----------	497	-	-	-	-	-	-	-	-	1	4	18
WHITE------MALE----	291	-	-	-	-	-	-	-	-	1	2	10
FEMALE--	179	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
MONTANA ----------	82	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	51	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	154	1	-	-	-	-	-	1	-	2	2	8
WHITE------MALE----	95	1	-	-	-	-	-	-	-	1	1	5
FEMALE--	55	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	144	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	98	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of urinary tract (C64-C68)												
MINNESOTA ----------	23	21	29	39	66	55	54	63	34	9	2	-
WHITE------MALE----	18	17	20	31	39	42	30	30	16	2	1	-
FEMALE--	5	3	7	8	26	12	24	32	18	6	1	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
MISSISSIPPI ----------	12	17	21	23	43	29	37	26	19	4	-	-
WHITE------MALE----	8	10	14	14	25	16	17	10	7	-	-	-
FEMALE--	2	3	1	2	11	7	8	11	6	2	-	-
ALL OTHER--MALE----	2	3	3	3	5	3	2	3	3	-	-	-
FEMALE--	-	1	3	4	2	3	10	2	3	2	-	-
BLACK---MALE----	2	3	3	3	5	3	2	2	3	-	-	-
FEMALE--	-	1	3	4	2	3	10	2	3	2	-	-
MISSOURI ----------	25	33	46	61	75	72	74	53	29	5	1	-
WHITE------MALE----	16	21	31	39	43	43	43	31	10	1	-	-
FEMALE--	8	11	12	17	27	28	28	20	18	4	1	-
ALL OTHER--MALE----	1	-	1	1	3	1	1	1	-	-	-	-
FEMALE--	-	1	2	4	2	-	2	1	1	-	-	-
BLACK---MALE----	1	-	1	1	3	1	1	1	-	-	-	-
FEMALE--	-	1	1	3	2	-	1	1	1	-	-	-
MONTANA ----------	3	4	11	6	13	13	17	5	5	2	-	-
WHITE------MALE----	2	3	6	5	7	6	13	3	2	1	-	-
FEMALE--	1	-	4	1	6	4	4	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	6	7	10	16	13	31	29	18	6	4	-	-
WHITE------MALE----	3	7	6	11	9	20	18	10	2	1	-	-
FEMALE--	1	-	3	5	4	10	11	8	4	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	15	17	18	33	19	17	11	1	2	-	-
WHITE------MALE----	4	12	12	13	22	13	11	6	1	-	-	-
FEMALE--	1	2	2	4	8	5	6	4	-	2	-	-
ALL OTHER--MALE----	-	1	3	-	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1050

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of urinary tract (C64-C68)												
NEW HAMPSHIRE ----------	109	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	61	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	806	-	-	-	-	-	1	1	3	6	16	13
WHITE------MALE----	473	-	-	-	-	-	-	-	2	3	9	9
FEMALE--	253	-	-	-	-	-	1	1	-	2	4	2
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	55	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	138	-	-	-	-	-	-	-	-	-	4	5
WHITE------MALE----	92	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,614	-	-	3	1	-	-	4	1	5	24	32
WHITE------MALE----	972	-	-	3	-	-	-	2	-	3	17	18
FEMALE--	484	-	-	-	-	-	-	1	-	1	3	6
ALL OTHER--MALE----	84	-	-	-	1	-	-	1	1	-	4	7
FEMALE--	74	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	67	-	-	-	-	-	-	1	1	-	4	7
FEMALE--	68	-	-	-	-	-	-	-	-	1	-	1
NORTH CAROLINA ---------	689	-	1	-	1	-	-	1	4	7	13	16
WHITE------MALE----	368	-	-	-	-	-	-	-	2	3	4	8
FEMALE--	203	-	-	-	-	-	-	-	1	2	5	4
ALL OTHER--MALE----	72	-	1	-	1	-	-	1	-	2	3	-
FEMALE--	46	-	-	-	-	-	-	-	1	-	1	4
BLACK---MALE----	68	-	-	-	1	-	-	-	-	2	2	-
FEMALE--	46	-	-	-	-	-	-	-	1	-	1	4
NORTH DAKOTA ----------	80	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	53	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of urinary tract (C64-C68)												
NEW HAMPSHIRE ----------	9	8	5	8	13	20	17	12	11	3	-	-
WHITE------MALE----	7	6	4	6	6	13	8	6	4	1	-	-
FEMALE--	2	2	1	2	6	7	9	6	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	36	44	47	100	128	125	117	121	34	12	2	-
WHITE------MALE----	20	25	29	58	81	76	64	72	20	5	-	-
FEMALE--	14	9	12	29	36	33	44	45	13	6	2	-
ALL OTHER--MALE----	2	6	5	10	7	9	8	3	-	1	-	-
FEMALE--	-	4	1	3	4	7	1	1	1	-	-	-
BLACK---MALE----	2	5	5	10	7	9	8	2	-	1	-	-
FEMALE--	-	3	1	3	3	6	1	1	1	-	-	-
NEW MEXICO ----------	9	11	18	15	18	23	21	9	4	1	-	-
WHITE------MALE----	5	7	11	11	15	19	12	5	3	-	-	-
FEMALE--	3	4	6	3	2	3	9	4	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	58	75	134	162	240	297	246	207	93	30	2	-
WHITE------MALE----	33	44	84	109	154	185	145	118	46	10	1	-
FEMALE--	15	19	32	35	62	94	85	74	39	17	1	-
ALL OTHER--MALE----	7	7	8	13	9	8	7	6	5	-	-	-
FEMALE--	3	5	10	5	15	10	9	9	3	3	-	-
BLACK---MALE----	5	6	6	11	7	7	5	5	2	-	-	-
FEMALE--	3	5	9	4	15	9	6	9	3	3	-	-
NORTH CAROLINA ---------	34	53	58	76	100	131	93	59	34	8	-	-
WHITE------MALE----	20	31	36	44	55	70	48	30	15	2	-	-
FEMALE--	9	7	8	18	30	45	31	26	15	2	-	-
ALL OTHER--MALE----	5	10	9	10	9	11	4	1	2	3	-	-
FEMALE--	-	5	5	4	6	5	10	2	2	1	-	-
BLACK---MALE----	5	9	9	10	9	11	4	1	2	3	-	-
FEMALE--	-	5	5	4	6	5	10	2	2	1	-	-
NORTH DAKOTA ----------	3	5	7	11	17	9	11	8	5	2	-	-
WHITE------MALE----	3	4	5	8	13	5	6	3	2	2	-	-
FEMALE--	-	1	2	3	4	3	5	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1051

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of urinary tract (C64-C68)												
OHIO ----------	1,179	-	2	1	-	1	-	2	3	5	16	41
WHITE------MALE----	699	-	-	-	-	1	-	-	-	3	11	28
FEMALE--	389	-	1	1	-	-	-	-	1	2	5	8
ALL OTHER--MALE----	53	-	1	-	-	-	-	1	2	-	-	4
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	53	-	1	-	-	-	-	1	2	-	-	4
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	1
OKLAHOMA ----------	332	-	1	-	-	-	1	-	3	2	2	8
WHITE------MALE----	185	-	-	-	-	-	1	-	2	2	-	3
FEMALE--	113	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	316	-	-	-	-	-	-	-	-	1	7	9
WHITE------MALE----	213	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	90	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,313	-	1	3	1	1	-	4	2	10	15	19
WHITE------MALE----	791	-	1	1	-	1	-	2	2	4	9	10
FEMALE--	441	-	-	2	-	-	-	2	-	4	4	9
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	44	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	37	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	42	-	-	-	1	-	-	-	-	-	1	-
RHODE ISLAND ----------	134	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	79	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	320	-	-	-	-	-	-	2	1	1	-	5
WHITE------MALE----	166	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	77	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	36	-	-	-	-	-	-	2	-	1	-	1
BLACK---MALE----	40	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	36	-	-	-	-	-	-	2	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of urinary tract (C64-C68)												
OHIO ----------	52	58	102	125	161	201	206	128	60	14	1	-
WHITE------MALE----	32	41	66	81	101	126	118	61	21	9	-	-
FEMALE--	15	16	28	34	46	58	77	59	33	4	1	-
ALL OTHER--MALE----	3	-	4	6	7	10	5	6	3	1	-	-
FEMALE--	2	1	4	4	7	7	6	2	3	-	-	-
BLACK---MALE----	3	-	4	6	7	10	5	6	3	1	-	-
FEMALE--	2	1	4	4	7	7	6	2	3	-	-	-
OKLAHOMA ----------	14	22	28	48	55	64	36	28	16	4	-	-
WHITE------MALE----	7	12	15	23	38	39	17	16	10	-	-	-
FEMALE--	7	6	7	18	12	20	18	12	4	4	-	-
ALL OTHER--MALE----	-	4	5	5	4	5	-	-	2	-	-	-
FEMALE--	-	-	1	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	2	3	2	1	3	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
OREGON ----------	11	22	24	37	30	57	59	42	13	4	-	-
WHITE------MALE----	9	15	13	25	22	43	43	24	6	2	-	-
FEMALE--	2	5	11	10	8	13	14	16	7	2	-	-
ALL OTHER--MALE----	-	2	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	44	68	81	133	202	242	230	153	80	21	3	-
WHITE------MALE----	33	51	50	85	130	154	130	72	44	10	2	-
FEMALE--	7	12	20	35	62	77	91	75	31	9	1	-
ALL OTHER--MALE----	3	2	4	5	6	5	5	2	1	1	-	-
FEMALE--	1	3	7	8	4	6	4	4	4	1	-	-
BLACK---MALE----	3	2	4	5	6	5	5	2	1	1	-	-
FEMALE--	1	3	7	8	4	5	3	4	4	1	-	-
RHODE ISLAND ----------	9	4	10	12	22	25	17	20	10	2	1	-
WHITE------MALE----	6	3	6	7	15	12	14	9	4	-	1	-
FEMALE--	3	1	4	5	5	13	3	11	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	18	27	26	35	58	64	35	31	12	5	-	-
WHITE------MALE----	8	11	17	17	40	38	15	12	3	2	-	-
FEMALE--	4	3	4	9	8	15	13	14	6	1	-	-
ALL OTHER--MALE----	5	8	3	6	4	6	3	4	-	-	-	-
FEMALE--	1	5	2	3	6	5	4	1	3	2	-	-
BLACK---MALE----	4	8	3	6	4	6	3	4	-	-	-	-
FEMALE--	1	5	2	3	6	5	4	1	3	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of urinary tract (C64-C68)												
SOUTH DAKOTA ----------	66	-	-	-	-	1	-	-	-	-	2	2
WHITE------MALE----	49	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	461	-	1	1	-	-	-	-	1	7	3	17
WHITE------MALE----	273	-	-	-	-	-	-	-	-	4	2	9
FEMALE--	127	-	1	1	-	-	-	-	1	1	-	4
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	1
TEXAS ----------	1,380	-	1	2	-	1	-	1	3	9	19	42
WHITE------MALE----	835	-	1	1	-	-	-	-	2	4	12	28
FEMALE--	408	-	-	1	-	1	-	1	1	3	5	4
ALL OTHER--MALE----	83	-	-	-	-	-	-	-	-	2	2	8
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	77	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	2
UTAH ----------	101	-	-	-	1	-	-	-	-	1	2	4
WHITE------MALE----	68	-	-	-	1	-	-	-	-	1	2	4
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	60	-	-	-	-	-	-	-	-	1	3	1
WHITE------MALE----	44	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	556	-	-	-	-	1	-	2	-	5	11	14
WHITE------MALE----	301	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	158	-	-	-	-	-	-	1	-	1	6	2
ALL OTHER--MALE----	54	-	-	-	-	-	-	1	-	-	-	6
FEMALE--	43	-	-	-	-	1	-	-	-	2	2	1
BLACK---MALE----	53	-	-	-	-	-	-	1	-	-	-	6
FEMALE--	43	-	-	-	-	1	-	-	-	2	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of urinary tract (C64-C68)												
SOUTH DAKOTA ----------	3	3	5	12	8	9	9	7	4	1	-	-
WHITE------MALE----	3	2	3	10	6	7	7	3	3	1	-	-
FEMALE--	-	-	2	2	2	2	2	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	28	41	36	55	75	66	65	43	11	9	1	1
WHITE------MALE----	18	23	20	35	51	43	39	17	5	5	1	1
FEMALE--	5	12	10	14	19	14	19	17	5	4	-	-
ALL OTHER--MALE----	4	2	5	3	4	5	4	4	1	-	-	-
FEMALE--	1	4	1	3	1	4	3	5	-	-	-	-
BLACK---MALE----	4	2	5	2	4	5	4	4	1	-	-	-
FEMALE--	1	4	1	3	1	4	3	5	-	-	-	-
TEXAS ----------	81	106	138	159	210	215	184	138	55	13	3	-
WHITE------MALE----	51	77	99	108	123	122	110	74	18	4	1	-
FEMALE--	19	22	31	36	64	70	57	54	30	7	2	-
ALL OTHER--MALE----	9	6	4	6	16	9	10	4	6	1	-	-
FEMALE--	2	1	4	9	7	14	7	6	1	1	-	-
BLACK---MALE----	9	6	4	5	15	7	10	4	6	1	-	-
FEMALE--	2	1	3	9	7	13	7	5	1	1	-	-
UTAH ----------	5	2	8	9	24	17	9	12	6	1	-	-
WHITE------MALE----	3	1	6	6	17	10	5	10	2	-	-	-
FEMALE--	1	1	2	3	7	7	4	2	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	2	9	5	10	12	9	5	2	1	-	-
WHITE------MALE----	-	2	8	2	9	8	7	3	2	-	-	-
FEMALE--	-	-	1	3	1	4	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	29	43	61	67	96	55	82	63	23	4	-	-
WHITE------MALE----	17	23	38	42	55	34	41	31	9	1	-	-
FEMALE--	4	13	14	13	24	15	31	20	12	2	-	-
ALL OTHER--MALE----	6	6	8	6	7	2	4	6	1	1	-	-
FEMALE--	2	1	1	6	10	4	6	6	1	-	-	-
BLACK---MALE----	6	5	8	6	7	2	4	6	1	1	-	-
FEMALE--	2	1	1	6	10	4	6	6	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of urinary tract (C64-C68)												
WASHINGTON ----------	474	-	2	-	1	-	-	-	1	2	7	15
WHITE------MALE----	308	-	2	-	-	-	-	-	-	-	5	13
FEMALE--	141	-	-	-	1	-	-	-	-	2	1	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	195	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	113	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	77	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	506	-	-	-	1	-	-	-	-	3	8	8
WHITE------MALE----	329	-	-	-	1	-	-	-	-	1	3	6
FEMALE--	163	-	-	-	-	-	-	-	-	1	4	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
WYOMING ----------	47	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of urinary tract (C64-C68)												
WASHINGTON ----------	26	32	49	57	61	69	80	52	16	4	-	-
WHITE------MALE----	16	26	31	41	38	50	44	33	8	1	-	-
FEMALE--	9	4	14	14	17	18	33	16	8	3	-	-
ALL OTHER--MALE----	-	1	2	2	3	1	2	2	-	-	-	-
FEMALE--	1	1	2	-	3	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
WEST VIRGINIA ----------	9	14	23	20	35	35	24	19	10	2	-	-
WHITE------MALE----	7	7	16	12	20	17	15	13	4	-	-	-
FEMALE--	2	6	6	8	15	16	8	6	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
WISCONSIN ----------	25	32	34	52	81	98	73	56	30	4	1	-
WHITE------MALE----	18	25	16	37	57	66	53	25	19	2	-	-
FEMALE--	7	7	15	13	22	32	17	30	11	2	1	-
ALL OTHER--MALE----	-	-	3	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	3	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
WYOMING ----------	2	2	3	9	6	10	6	4	2	-	-	-
WHITE------MALE----	2	2	1	8	4	5	5	3	1	-	-	-
FEMALE--	-	-	2	1	2	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1054

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of kidney and renal pelvis (C64-C65)												
UNITED STATES -	11,116	2	19	23	10	8	9	25	29	105	237	427
WHITE------MALE----	6,112	1	8	10	1	4	3	7	13	51	138	255
FEMALE--	3,766	1	4	9	5	1	2	7	5	25	57	91
ALL OTHER--MALE----	755	-	3	2	3	-	4	8	9	19	28	55
FEMALE--	483	-	4	2	1	3	-	3	2	10	14	26
BLACK---MALE----	622	-	2	1	2	-	4	8	8	19	23	44
FEMALE--	413	-	2	2	1	3	-	3	2	8	11	23
ALABAMA ----------	157	-	1	-	-	-	-	-	1	-	2	7
WHITE------MALE----	77	-	-	-	-	-	-	-	1	-	1	6
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	1	-	-	-	-	-	-	-	1	-
ALASKA ----------	18	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	196	1	2	-	1	-	-	-	-	3	1	7
WHITE------MALE----	123	-	1	-	-	-	-	-	-	3	-	6
FEMALE--	61	1	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	108	-	-	-	-	-	-	-	-	1	3	5
WHITE------MALE----	56	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1,069	-	2	5	-	2	-	3	1	9	30	37
WHITE------MALE----	574	-	1	1	-	1	-	1	-	6	15	22
FEMALE--	342	-	-	3	-	-	-	-	-	1	8	8
ALL OTHER--MALE----	94	-	-	-	-	-	-	1	1	1	5	4
FEMALE--	59	-	1	1	-	1	-	1	-	1	2	3
BLACK---MALE----	50	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	36	-	-	1	-	1	-	1	-	-	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of kidney and renal pelvis (C64-C65)												
UNITED STATES -	720	959	1,152	1,374	1,702	1,696	1,314	867	341	91	6	-
WHITE------MALE----	427	586	724	798	961	927	660	394	124	20	-	-
FEMALE--	189	255	303	428	570	614	551	408	179	57	5	-
ALL OTHER--MALE----	79	85	79	96	103	89	41	27	16	9	-	-
FEMALE--	25	33	46	52	68	66	62	38	22	5	1	-
BLACK---MALE----	65	74	66	77	83	72	32	21	13	8	-	-
FEMALE--	22	28	38	45	60	57	52	34	18	3	1	-
ALABAMA ----------	13	14	23	22	26	21	16	8	3	-	-	-
WHITE------MALE----	8	6	12	9	15	7	9	3	-	-	-	-
FEMALE--	2	3	4	8	6	11	2	5	2	-	-	-
ALL OTHER--MALE----	3	2	4	3	4	1	3	-	-	-	-	-
FEMALE--	-	3	3	2	1	2	2	-	1	-	-	-
BLACK---MALE----	3	2	4	3	4	1	3	-	-	-	-	-
FEMALE--	-	3	3	2	1	2	2	-	1	-	-	-
ALASKA ----------	-	3	-	2	7	2	2	1	-	-	-	-
WHITE------MALE----	-	3	-	-	4	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	11	19	20	18	33	40	20	12	4	4	-	-
WHITE------MALE----	6	13	15	11	19	24	13	8	2	2	-	-
FEMALE--	4	5	4	5	13	15	6	2	1	2	-	-
ALL OTHER--MALE----	1	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	11	6	9	14	18	15	11	8	5	1	1	-
WHITE------MALE----	7	4	6	5	9	10	7	3	1	-	-	-
FEMALE--	2	-	2	7	7	3	3	4	3	1	1	-
ALL OTHER--MALE----	2	1	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	1	2	1	1	1	-	-	-	-
BLACK---MALE----	2	1	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	1	2	1	1	1	-	-	-	-
CALIFORNIA ----------	75	79	116	123	170	187	114	69	41	4	2	-
WHITE------MALE----	42	46	77	60	105	97	49	36	15	-	-	-
FEMALE--	15	26	25	41	50	66	50	25	20	3	1	-
ALL OTHER--MALE----	15	5	12	14	10	13	4	4	5	-	-	-
FEMALE--	3	2	2	8	5	11	11	4	1	1	1	-
BLACK---MALE----	11	3	6	7	5	6	1	2	2	-	-	-
FEMALE--	2	1	-	6	2	8	5	4	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of kidney and renal pelvis (C64-C65)												
COLORADO ----------	148	-	-	-	-	-	-	1	1	1	2	7
WHITE------MALE----	88	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	55	-	-	-	-	-	-	-	1	-	-	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	151	-	-	1	-	-	-	-	1	1	4	5
WHITE------MALE----	84	-	-	1	-	-	-	-	-	-	4	4
FEMALE--	60	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DELAWARE ----------	36	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	718	-	-	1	2	-	-	-	2	7	14	20
WHITE------MALE----	418	-	-	1	-	-	-	-	-	4	8	13
FEMALE--	238	-	-	-	1	-	-	-	-	1	4	3
ALL OTHER--MALE----	40	-	-	-	1	-	-	-	2	1	2	3
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	38	-	-	-	1	-	-	-	2	1	2	3
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	1
GEORGIA ----------	232	-	1	-	-	-	2	1	2	2	6	12
WHITE------MALE----	110	-	-	-	-	-	-	-	2	1	4	4
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	35	-	1	-	-	-	2	1	-	1	1	4
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	34	-	1	-	-	-	2	1	-	1	1	4
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of kidney and renal pelvis (C64-C65)												
COLORADO ----------	12	17	14	10	22	25	16	14	6	-	-	-
WHITE------MALE----	8	13	10	7	14	18	4	5	3	-	-	-
FEMALE--	3	4	3	2	7	7	12	9	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	7	12	21	10	27	32	18	7	3	2	-	-
WHITE------MALE----	4	4	13	4	10	24	9	4	2	1	-	-
FEMALE--	3	6	8	6	14	8	8	3	1	1	-	-
ALL OTHER--MALE----	-	2	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	3	4	3	3	9	6	4	-	1	-	-
WHITE------MALE----	1	1	-	1	1	4	3	2	-	-	-	-
FEMALE--	-	2	2	1	2	5	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	2	2	-	2	2	1	2	1	-	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	2	1	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	2	1	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	27	48	66	84	132	116	112	60	21	6	-	-
WHITE------MALE----	12	29	41	50	81	70	64	32	12	1	-	-
FEMALE--	9	12	21	26	41	35	46	25	9	5	-	-
ALL OTHER--MALE----	3	5	2	5	6	8	1	1	-	-	-	-
FEMALE--	3	2	2	3	4	3	1	2	-	-	-	-
BLACK---MALE----	2	5	1	5	6	8	1	1	-	-	-	-
FEMALE--	3	2	2	3	4	3	1	2	-	-	-	-
GEORGIA ----------	18	31	26	18	34	34	20	16	8	1	-	-
WHITE------MALE----	11	15	18	8	16	16	9	4	2	-	-	-
FEMALE--	-	7	4	7	9	13	7	7	5	1	-	-
ALL OTHER--MALE----	4	6	3	2	3	4	3	-	-	-	-	-
FEMALE--	3	3	1	1	6	1	1	5	1	-	-	-
BLACK---MALE----	4	5	3	2	3	4	3	-	-	-	-	-
FEMALE--	3	3	1	1	5	1	1	5	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1056

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of kidney and renal pelvis (C64-C65)												
HAWAII ----------	32	-	-	-	-	-	-	-	-	-	2	4
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	50	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	32	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	490	-	1	1	-	1	1	2	2	4	11	13
WHITE------MALE----	249	-	-	-	-	-	-	1	1	1	5	8
FEMALE--	176	-	1	-	-	-	1	-	-	1	3	4
ALL OTHER--MALE----	45	-	-	1	-	-	-	1	1	2	2	1
FEMALE--	20	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	44	-	-	1	-	-	-	1	1	2	2	1
FEMALE--	18	-	-	-	-	1	-	-	-	-	1	-
INDIANA ----------	273	-	1	-	1	-	-	-	-	2	7	9
WHITE------MALE----	161	-	1	-	-	-	-	-	-	2	4	6
FEMALE--	99	-	-	-	1	-	-	-	-	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
IOWA ----------	154	-	1	-	1	-	-	-	-	2	1	2
WHITE------MALE----	96	-	1	-	-	-	-	-	-	1	-	2
FEMALE--	55	-	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	106	-	-	-	-	-	-	-	1	-	-	4
WHITE------MALE----	64	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of kidney and renal pelvis (C64-C65)												
HAWAII ----------	2	1	1	2	5	5	2	3	3	2	-	-
WHITE------MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	4	4	1	1	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	2	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IDAHO ----------	5	12	4	9	2	6	7	2	-	2	-	-
WHITE------MALE----	5	9	2	4	2	2	5	2	-	-	-	-
FEMALE--	-	3	2	4	-	4	2	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	22	53	57	57	69	76	61	37	13	9	-	-
WHITE------MALE----	10	30	33	27	39	40	30	19	2	3	-	-
FEMALE--	9	15	13	23	23	25	26	17	10	5	-	-
ALL OTHER--MALE----	3	6	8	6	3	6	3	1	-	1	-	-
FEMALE--	-	2	3	1	4	5	2	-	1	-	-	-
BLACK---MALE----	3	6	8	5	3	6	3	1	-	1	-	-
FEMALE--	-	1	3	1	4	5	1	-	1	-	-	-
INDIANA ----------	29	24	26	30	38	33	37	26	8	2	-	-
WHITE------MALE----	18	17	17	22	21	16	20	13	3	1	-	-
FEMALE--	9	6	8	8	15	15	16	13	4	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	1	-	-	-
BLACK---MALE----	2	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	1	-	-	-
IOWA ----------	2	6	17	25	25	30	23	13	5	1	-	-
WHITE------MALE----	2	5	12	18	17	18	11	8	1	-	-	-
FEMALE--	-	1	5	6	7	11	12	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS ----------	8	6	11	20	20	12	10	7	6	1	-	-
WHITE------MALE----	7	3	10	14	9	4	7	4	3	-	-	-
FEMALE--	1	2	1	5	11	7	3	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1057

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of kidney and renal pelvis (C64-C65)												
KENTUCKY ----------	172	-	-	-	-	-	-	-	1	1	2	5
WHITE------MALE----	98	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	195	-	-	-	-	-	-	-	-	-	1	9
WHITE------MALE----	91	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	70	-	-	1	-	-	-	-	1	1	-	4
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	24	-	-	1	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	170	-	-	1	-	-	-	-	1	6	3	11
WHITE------MALE----	76	-	-	1	-	-	-	-	-	2	3	6
FEMALE--	57	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	14	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	14	-	-	-	-	-	-	-	-	2	-	-
MASSACHUSETTS ----------	269	-	-	1	-	-	-	-	-	3	5	11
WHITE------MALE----	144	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	117	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN ----------	432	-	-	1	-	-	2	1	-	7	8	17
WHITE------MALE----	216	-	-	-	-	-	-	1	-	1	1	9
FEMALE--	165	-	-	-	-	-	-	-	-	2	5	5
ALL OTHER--MALE----	24	-	-	-	-	-	2	-	-	3	1	2
FEMALE--	27	-	-	1	-	-	-	-	-	1	1	1
BLACK---MALE----	23	-	-	-	-	-	2	-	-	3	1	2
FEMALE--	26	-	-	1	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of kidney and renal pelvis (C64-C65)												
KENTUCKY ----------	14	20	18	25	25	25	17	16	2	1	-	-
WHITE------MALE----	7	12	13	16	17	14	6	7	-	1	-	-
FEMALE--	7	7	2	7	8	9	9	8	2	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	2	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
LOUISIANA ----------	16	26	17	14	39	34	12	19	5	3	-	-
WHITE------MALE----	6	11	10	7	21	19	4	5	3	-	-	-
FEMALE--	4	8	3	5	10	10	6	10	1	1	-	-
ALL OTHER--MALE----	3	7	4	1	5	1	-	1	1	1	-	-
FEMALE--	3	-	-	1	3	4	2	3	-	1	-	-
BLACK---MALE----	2	7	4	1	5	1	-	1	1	1	-	-
FEMALE--	2	-	-	1	3	4	2	3	-	1	-	-
MAINE ----------	3	7	10	8	9	9	10	4	2	1	-	-
WHITE------MALE----	2	5	8	7	7	6	3	4	-	1	-	-
FEMALE--	1	2	2	1	2	3	7	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	17	12	16	21	24	23	19	10	4	2	-	-
WHITE------MALE----	10	6	7	9	10	10	5	5	1	1	-	-
FEMALE--	2	3	5	8	8	12	10	4	2	1	-	-
ALL OTHER--MALE----	4	3	2	4	3	-	-	-	1	-	-	-
FEMALE--	1	-	2	-	3	1	4	1	-	-	-	-
BLACK---MALE----	3	3	2	4	3	-	-	-	1	-	-	-
FEMALE--	1	-	2	-	3	1	4	1	-	-	-	-
MASSACHUSETTS ----------	13	24	22	35	45	36	36	24	11	2	1	-
WHITE------MALE----	7	12	16	20	23	17	23	11	4	-	-	-
FEMALE--	6	11	6	14	21	18	13	13	7	2	1	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN ----------	28	42	50	58	58	61	52	32	11	4	-	-
WHITE------MALE----	13	25	30	35	23	35	26	13	3	1	-	-
FEMALE--	7	13	15	20	27	24	21	17	6	3	-	-
ALL OTHER--MALE----	4	3	3	2	3	1	-	-	-	-	-	-
FEMALE--	4	1	2	1	5	1	5	2	2	-	-	-
BLACK---MALE----	4	3	3	1	3	1	-	-	-	-	-	-
FEMALE--	4	1	2	1	5	1	5	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of kidney and renal pelvis (C64-C65)												
MINNESOTA ----------	199	-	1	1	-	-	-	1	-	2	3	8
WHITE------MALE----	126	-	-	1	-	-	-	1	-	1	3	6
FEMALE--	67	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	132	-	-	-	-	-	1	2	-	2	2	6
WHITE------MALE----	61	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
MISSOURI ----------	264	-	-	-	-	-	-	-	-	1	4	11
WHITE------MALE----	131	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	119	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	2
MONTANA ----------	37	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	70	1	-	-	-	-	-	1	-	2	-	6
WHITE------MALE----	41	1	-	-	-	-	-	-	-	1	-	3
FEMALE--	27	-	-	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	69	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	45	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1058

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of kidney and renal pelvis (C64-C65)												
MINNESOTA ----------	14	14	19	20	36	24	21	18	15	2	-	-
WHITE------MALE----	9	11	14	16	20	16	12	9	7	-	-	-
FEMALE--	5	2	3	4	15	8	9	9	8	2	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	10	15	14	21	13	18	12	8	-	-	-
WHITE------MALE----	5	7	10	8	10	5	7	2	2	-	-	-
FEMALE--	2	1	1	2	5	5	4	8	4	-	-	-
ALL OTHER--MALE----	1	2	2	3	5	1	-	2	1	-	-	-
FEMALE--	-	-	2	1	1	2	7	-	1	-	-	-
BLACK---MALE----	1	2	2	3	5	1	-	1	1	-	-	-
FEMALE--	-	-	2	1	1	2	7	-	1	-	-	-
MISSOURI ----------	16	26	26	41	43	29	34	20	10	3	-	-
WHITE------MALE----	10	15	15	25	19	11	15	9	4	-	-	-
FEMALE--	6	10	11	13	22	17	18	9	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	3	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	1	-	-	-	-
MONTANA ----------	2	3	4	2	6	9	6	1	1	-	-	-
WHITE------MALE----	1	2	2	1	4	4	4	1	-	-	-	-
FEMALE--	1	-	2	1	2	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	4	5	9	5	12	11	5	3	1	-	-
WHITE------MALE----	3	4	2	6	4	8	7	1	1	-	-	-
FEMALE--	1	-	2	3	1	4	4	4	2	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	8	11	6	19	6	7	2	-	2	-	-
WHITE------MALE----	3	6	7	4	13	5	4	-	-	-	-	-
FEMALE--	1	2	1	1	5	-	3	2	-	2	-	-
ALL OTHER--MALE----	-	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1059

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of kidney and renal pelvis (C64-C65)												
NEW HAMPSHIRE ----------	43	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	328	-	-	-	-	-	1	1	2	3	10	10
WHITE------MALE----	167	-	-	-	-	-	-	-	1	1	6	7
FEMALE--	121	-	-	-	-	-	1	1	-	1	3	2
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	28	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	73	-	-	-	-	-	-	-	-	-	4	4
WHITE------MALE----	44	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	655	-	-	3	1	-	-	2	1	5	17	25
WHITE------MALE----	369	-	-	3	-	-	-	1	-	3	13	15
FEMALE--	217	-	-	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	37	-	-	-	1	-	-	-	1	-	3	7
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	28	-	-	-	-	-	-	-	1	-	3	7
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	1
NORTH CAROLINA ---------	345	-	1	-	1	-	-	-	2	4	12	16
WHITE------MALE----	177	-	-	-	-	-	-	-	2	1	4	8
FEMALE--	106	-	-	-	-	-	-	-	-	1	4	4
ALL OTHER--MALE----	38	-	1	-	1	-	-	-	-	2	3	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	35	-	-	-	1	-	-	-	-	2	2	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	4
NORTH DAKOTA ----------	39	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of kidney and renal pelvis (C64-C65)												
NEW HAMPSHIRE ----------	6	5	2	5	2	4	8	3	5	-	-	-
WHITE------MALE----	5	5	1	3	-	2	3	1	2	-	-	-
FEMALE--	1	-	1	2	1	2	5	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	20	28	26	50	51	43	35	35	8	4	1	-
WHITE------MALE----	11	15	16	23	23	21	16	20	7	-	-	-
FEMALE--	8	6	7	19	23	16	15	15	-	3	1	-
ALL OTHER--MALE----	1	5	3	6	2	3	4	-	-	1	-	-
FEMALE--	-	2	-	2	3	3	-	-	1	-	-	-
BLACK---MALE----	1	4	3	6	2	3	4	-	-	1	-	-
FEMALE--	-	2	-	2	2	3	-	-	1	-	-	-
NEW MEXICO ----------	6	10	11	7	8	8	9	3	3	-	-	-
WHITE------MALE----	3	6	6	5	7	6	4	1	2	-	-	-
FEMALE--	2	4	4	2	1	1	5	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	31	42	70	90	93	107	78	66	18	6	-	-
WHITE------MALE----	17	27	42	59	55	59	41	29	4	1	-	-
FEMALE--	10	10	20	22	30	41	31	33	11	4	-	-
ALL OTHER--MALE----	3	3	1	8	3	3	1	2	1	-	-	-
FEMALE--	1	2	7	1	5	4	5	2	2	1	-	-
BLACK---MALE----	1	2	1	6	2	3	-	1	1	-	-	-
FEMALE--	1	2	6	1	5	4	4	2	2	1	-	-
NORTH CAROLINA ---------	22	33	37	49	47	56	39	17	7	2	-	-
WHITE------MALE----	12	19	24	30	21	27	16	9	3	1	-	-
FEMALE--	5	6	5	13	18	22	17	8	3	-	-	-
ALL OTHER--MALE----	5	5	5	5	5	4	1	-	-	1	-	-
FEMALE--	-	3	3	1	3	3	5	-	1	-	-	-
BLACK---MALE----	5	4	5	5	5	4	1	-	-	1	-	-
FEMALE--	-	3	3	1	3	3	5	-	1	-	-	-
NORTH DAKOTA ----------	2	3	6	7	10	3	3	2	1	1	-	-
WHITE------MALE----	2	2	5	5	8	2	1	1	-	1	-	-
FEMALE--	-	1	1	2	2	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1060

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of kidney and renal pelvis (C64-C65)												
OHIO ----------	540	-	2	1	-	1	-	2	2	5	14	35
WHITE------MALE----	297	-	-	-	-	1	-	-	-	3	9	24
FEMALE--	198	-	1	1	-	-	-	-	-	2	5	7
ALL OTHER--MALE----	29	-	1	-	-	-	-	1	2	-	-	3
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	29	-	1	-	-	-	-	1	2	-	-	3
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	1
OKLAHOMA ----------	179	-	1	-	-	-	1	-	3	2	-	7
WHITE------MALE----	83	-	-	-	-	-	1	-	2	2	-	2
FEMALE--	69	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	133	-	-	-	-	-	-	-	-	-	6	8
WHITE------MALE----	85	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	576	-	1	3	1	1	-	4	2	6	11	12
WHITE------MALE----	319	-	1	1	-	1	-	2	2	2	7	4
FEMALE--	213	-	-	2	-	-	-	2	-	2	3	8
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	24	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	23	-	-	-	1	-	-	-	-	-	1	-
RHODE ISLAND ----------	62	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	158	-	-	-	-	-	-	1	1	1	-	4
WHITE------MALE----	80	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	1	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of kidney and renal pelvis (C64-C65)												
OHIO ----------	34	32	54	62	76	82	75	43	18	2	-	-
WHITE------MALE----	22	21	33	35	42	47	36	19	5	-	-	-
FEMALE--	10	10	19	23	26	26	35	21	11	1	-	-
ALL OTHER--MALE----	1	-	1	2	4	7	2	3	1	1	-	-
FEMALE--	1	1	1	2	4	2	2	-	1	-	-	-
BLACK---MALE----	1	-	1	2	4	7	2	3	1	1	-	-
FEMALE--	1	1	1	2	4	2	2	-	1	-	-	-
OKLAHOMA ----------	12	17	15	32	27	31	16	10	4	1	-	-
WHITE------MALE----	6	8	9	12	18	13	6	2	2	-	-	-
FEMALE--	6	5	2	14	5	14	9	8	2	1	-	-
ALL OTHER--MALE----	-	4	3	5	3	4	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	2	2	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
OREGON ----------	8	11	13	23	8	22	18	10	5	1	-	-
WHITE------MALE----	7	8	7	14	4	16	13	6	1	-	-	-
FEMALE--	1	1	6	7	4	5	4	4	4	1	-	-
ALL OTHER--MALE----	-	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	26	43	49	70	89	99	75	58	22	4	-	-
WHITE------MALE----	20	35	26	41	51	61	39	16	9	1	-	-
FEMALE--	4	6	13	21	32	34	35	39	10	2	-	-
ALL OTHER--MALE----	2	1	4	4	4	-	-	2	-	1	-	-
FEMALE--	-	1	6	4	2	4	1	1	3	-	-	-
BLACK---MALE----	2	1	4	4	4	-	-	2	-	1	-	-
FEMALE--	-	1	6	4	2	3	1	1	3	-	-	-
RHODE ISLAND ----------	7	2	6	6	7	14	8	7	2	1	-	-
WHITE------MALE----	5	1	2	3	5	5	7	4	-	-	-	-
FEMALE--	2	1	4	3	1	9	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	16	10	21	31	30	10	12	6	-	-	-
WHITE------MALE----	7	9	7	9	25	12	4	2	2	-	-	-
FEMALE--	3	2	2	7	3	11	2	8	2	-	-	-
ALL OTHER--MALE----	4	4	1	3	2	4	2	2	-	-	-	-
FEMALE--	1	1	-	2	1	3	2	-	2	-	-	-
BLACK---MALE----	3	4	1	3	2	4	2	2	-	-	-	-
FEMALE--	1	1	-	2	1	3	2	-	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1061

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of kidney and renal pelvis (C64-C65)												
SOUTH DAKOTA ----------	34	-	-	-	-	1	-	-	-	-	2	1
WHITE------MALE----	26	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	237	-	1	1	-	-	-	-	-	6	2	14
WHITE------MALE----	140	-	-	-	-	-	-	-	-	4	1	8
FEMALE--	71	-	1	1	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1
TEXAS ----------	747	-	1	2	-	1	-	1	2	7	15	34
WHITE------MALE----	427	-	1	1	-	-	-	-	1	3	10	26
FEMALE--	237	-	-	1	-	1	-	1	1	3	3	3
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	53	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	37	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	26	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	25	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	283	-	-	-	-	1	-	2	-	4	10	9
WHITE------MALE----	146	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	85	-	-	-	-	-	-	1	-	1	5	2
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	20	-	-	-	-	1	-	-	-	1	2	1
BLACK---MALE----	32	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	20	-	-	-	-	1	-	-	-	1	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of kidney and renal pelvis (C64-C65)												
SOUTH DAKOTA ----------	2	2	3	2	6	4	4	5	2	-	-	-
WHITE------MALE----	2	1	2	2	6	3	3	3	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	20	27	17	27	33	34	33	16	4	2	-	-
WHITE------MALE----	16	13	12	14	23	20	19	8	1	1	-	-
FEMALE--	4	11	4	9	8	9	11	4	3	1	-	-
ALL OTHER--MALE----	-	1	1	2	2	3	2	1	-	-	-	-
FEMALE--	-	2	-	2	-	2	1	3	-	-	-	-
BLACK---MALE----	-	1	1	2	2	3	2	1	-	-	-	-
FEMALE--	-	2	-	2	-	2	1	3	-	-	-	-
TEXAS ----------	59	82	89	95	95	107	75	58	18	5	1	-
WHITE------MALE----	34	56	64	59	46	58	36	26	4	2	-	-
FEMALE--	15	19	22	24	38	37	31	26	9	2	1	-
ALL OTHER--MALE----	8	6	2	4	10	6	5	-	5	1	-	-
FEMALE--	2	1	1	8	1	6	3	6	-	-	-	-
BLACK---MALE----	8	6	2	4	10	6	5	-	5	1	-	-
FEMALE--	2	1	-	8	1	6	3	5	-	-	-	-
UTAH ----------	3	1	5	3	9	6	2	3	1	-	-	-
WHITE------MALE----	2	-	3	2	7	4	2	2	-	-	-	-
FEMALE--	-	1	2	1	2	2	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	6	3	5	2	4	2	-	-	-	-
WHITE------MALE----	-	1	6	1	4	1	2	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	18	27	37	42	45	28	30	21	6	3	-	-
WHITE------MALE----	10	15	22	30	24	16	10	8	1	1	-	-
FEMALE--	3	7	9	7	11	10	16	6	5	2	-	-
ALL OTHER--MALE----	4	5	6	3	5	1	1	4	-	-	-	-
FEMALE--	1	-	-	2	5	1	3	3	-	-	-	-
BLACK---MALE----	4	5	6	3	5	1	1	4	-	-	-	-
FEMALE--	1	-	-	2	5	1	3	3	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of kidney and renal pelvis (C64-C65)												
WASHINGTON ----------	234	-	2	-	1	-	-	-	-	2	6	10
WHITE------MALE----	135	-	2	-	-	-	-	-	-	-	5	8
FEMALE--	86	-	-	-	1	-	-	-	-	2	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	92	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	56	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	246	-	-	-	1	-	-	-	-	2	6	6
WHITE------MALE----	159	-	-	-	1	-	-	-	-	1	3	5
FEMALE--	80	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WYOMING ----------	20	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of kidney and renal pelvis (C64-C65)												
WASHINGTON ----------	16	15	30	32	37	32	26	22	3	-	-	-
WHITE------MALE----	8	11	16	23	18	19	10	14	1	-	-	-
FEMALE--	8	3	11	8	15	12	14	8	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
WEST VIRGINIA ----------	7	9	15	12	16	13	11	5	1	1	-	-
WHITE------MALE----	5	3	10	8	9	8	8	3	1	-	-	-
FEMALE--	2	5	4	4	7	4	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	18	20	22	28	42	42	32	18	9	-	-	-
WHITE------MALE----	13	14	10	20	29	26	22	8	7	-	-	-
FEMALE--	5	6	10	8	11	16	9	10	2	-	-	-
ALL OTHER--MALE----	-	-	2	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	1	1	6	2	4	3	-	-	-	-	-
WHITE------MALE----	2	1	-	5	2	1	3	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1063

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of bladder (C67)												
UNITED STATES -	11,911	-	-	-	1	-	1	6	10	32	68	140
WHITE------MALE----	7,520	-	-	-	1	-	-	1	4	13	36	87
FEMALE--	3,343	-	-	-	-	-	-	2	3	10	21	27
ALL OTHER--MALE----	585	-	-	-	-	-	-	2	2	7	7	20
FEMALE--	463	-	-	-	-	-	1	1	1	2	4	6
BLACK---MALE----	496	-	-	-	-	-	-	1	1	7	6	17
FEMALE--	422	-	-	-	-	-	1	1	1	2	3	6
ALABAMA ----------	138	-	-	-	-	-	-	-	-	1	-	4
WHITE------MALE----	74	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	204	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	136	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	109	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	65	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA ----------	1,184	-	-	-	-	-	-	1	1	1	9	20
WHITE------MALE----	742	-	-	-	-	-	-	-	1	-	3	11
FEMALE--	320	-	-	-	-	-	-	1	-	-	3	5
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	40	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1063

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of bladder (C67)												
UNITED STATES -	323	492	752	1,126	1,797	2,178	2,139	1,714	852	249	30	1
WHITE------MALE----	210	340	503	778	1,199	1,477	1,351	985	412	107	15	1
FEMALE--	73	89	161	227	439	534	646	607	375	114	15	-
ALL OTHER--MALE----	33	34	56	71	84	98	82	54	26	9	-	-
FEMALE--	7	29	32	50	75	69	60	68	39	19	-	-
BLACK---MALE----	32	32	46	60	70	82	68	49	18	7	-	-
FEMALE--	7	27	28	47	70	60	54	61	36	18	-	-
ALABAMA ----------	2	7	10	17	27	26	18	14	9	3	-	-
WHITE------MALE----	-	3	5	8	16	14	11	8	7	-	-	-
FEMALE--	1	2	1	5	6	8	4	5	2	2	-	-
ALL OTHER--MALE----	1	2	2	3	3	3	1	1	-	-	-	-
FEMALE--	-	-	2	1	2	1	2	-	-	1	-	-
BLACK---MALE----	1	2	2	3	3	3	1	1	-	-	-	-
FEMALE--	-	-	2	1	2	1	2	-	-	1	-	-
ALASKA ----------	-	1	-	-	2	-	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	11	11	24	24	34	30	39	15	6	1	-
WHITE------MALE----	4	7	7	20	16	21	23	23	9	4	-	-
FEMALE--	1	4	4	4	8	12	7	15	6	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	5	11	10	13	25	13	11	10	6	-	-
WHITE------MALE----	1	5	7	6	10	18	5	6	4	2	-	-
FEMALE--	1	-	2	2	2	7	7	3	5	3	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	1	-	-
BLACK---MALE----	-	-	2	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	1	-	-
CALIFORNIA ----------	29	43	69	113	188	206	234	155	84	28	3	-
WHITE------MALE----	21	34	42	74	121	133	151	91	48	11	1	-
FEMALE--	7	8	16	22	52	43	67	57	25	12	2	-
ALL OTHER--MALE----	1	1	8	10	8	18	12	2	5	3	-	-
FEMALE--	-	-	3	7	7	12	4	5	6	2	-	-
BLACK---MALE----	1	1	3	7	4	12	5	1	3	1	-	-
FEMALE--	-	-	1	5	7	8	3	3	3	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1064

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of bladder (C67)												
COLORADO ----------	124	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	82	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	167	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	108	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	55	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	42	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	867	-	-	-	-	-	-	-	-	2	2	14
WHITE------MALE----	580	-	-	-	-	-	-	-	-	1	2	10
FEMALE--	235	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	28	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
GEORGIA ----------	240	-	-	-	-	-	-	-	-	1	3	1
WHITE------MALE----	132	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1064

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of bladder (C67)												
COLORADO ----------	4	5	17	8	15	15	27	12	16	3	-	-
WHITE------MALE----	4	5	13	5	13	11	18	7	3	2	-	-
FEMALE--	-	-	4	3	1	4	8	5	13	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	8	16	17	18	30	34	24	11	3	-	-
WHITE------MALE----	2	5	10	12	13	19	24	17	3	2	-	-
FEMALE--	2	3	6	5	5	10	10	6	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
DELAWARE ----------	1	1	2	9	4	4	10	7	1	3	-	-
WHITE------MALE----	-	-	1	6	3	3	6	1	-	1	-	-
FEMALE--	-	1	1	-	1	1	4	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	2	1	1	-	-
BLACK---MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	2	1	1	-	-
DISTRICT OF COLUMBIA ---	2	3	-	3	3	4	3	3	2	-	-	-
WHITE------MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	1	-	1	1	2	1	-	-	-
FEMALE--	-	1	-	1	-	3	2	1	1	-	-	-
BLACK---MALE----	1	2	-	1	-	1	1	2	1	-	-	-
FEMALE--	-	1	-	1	-	3	2	1	1	-	-	-
FLORIDA ----------	14	34	39	90	104	179	175	141	56	14	3	-
WHITE------MALE----	9	23	24	60	71	129	125	87	30	7	2	-
FEMALE--	4	7	11	21	25	39	46	50	25	4	1	-
ALL OTHER--MALE----	1	3	2	6	6	8	1	1	-	1	-	-
FEMALE--	-	1	2	3	2	3	3	3	1	2	-	-
BLACK---MALE----	1	3	2	4	6	7	1	1	-	1	-	-
FEMALE--	-	1	2	3	2	3	3	3	1	2	-	-
GEORGIA ----------	8	15	21	31	37	37	42	28	12	3	1	-
WHITE------MALE----	4	10	14	20	22	24	23	7	4	-	-	-
FEMALE--	2	1	3	5	10	6	16	11	6	2	1	-
ALL OTHER--MALE----	2	2	2	5	2	5	3	5	-	1	-	-
FEMALE--	-	2	2	1	3	2	-	5	2	-	-	-
BLACK---MALE----	2	2	2	4	2	5	3	5	-	1	-	-
FEMALE--	-	2	2	1	3	2	-	5	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1065

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of bladder (C67)												
HAWAII ----------	43	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	48	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	560	-	-	-	-	-	-	-	1	1	7	6
WHITE------MALE----	330	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	171	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
INDIANA ----------	299	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	198	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	85	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	127	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	82	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	105	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	63	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of bladder (C67)												
HAWAII ----------	1	1	1	5	9	5	9	7	3	1	-	-
WHITE------MALE----	1	-	-	2	2	2	3	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	2	5	2	4	2	2	-	-	-
FEMALE--	-	1	-	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	4	8	8	6	7	6	4	2	-	-
WHITE------MALE----	2	-	4	6	6	5	6	4	1	2	-	-
FEMALE--	-	-	-	2	2	1	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	21	18	34	42	88	90	98	85	50	18	1	-
WHITE------MALE----	13	9	23	31	54	59	56	50	18	11	-	-
FEMALE--	6	5	7	8	21	19	33	30	29	7	1	-
ALL OTHER--MALE----	2	1	2	2	5	7	6	1	1	-	-	-
FEMALE--	-	3	2	1	8	5	3	4	2	-	-	-
BLACK---MALE----	2	1	2	2	5	5	6	1	1	-	-	-
FEMALE--	-	3	2	1	8	5	3	3	2	-	-	-
INDIANA ----------	7	14	16	30	45	59	43	50	26	6	-	-
WHITE------MALE----	7	11	11	22	35	43	26	25	15	2	-	-
FEMALE--	-	1	5	6	8	13	16	22	8	4	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	2	-	-	-	-
FEMALE--	-	1	-	1	2	2	-	1	3	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	1	-	1	2	2	-	1	3	-	-	-
IOWA ----------	-	4	5	15	13	30	26	17	9	5	-	-
WHITE------MALE----	-	4	4	11	8	24	13	10	3	2	-	-
FEMALE--	-	-	1	4	5	6	12	7	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS ----------	2	5	5	8	18	13	18	14	15	5	-	-
WHITE------MALE----	-	3	5	5	12	10	11	9	7	1	-	-
FEMALE--	2	1	-	3	5	2	6	4	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1066

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of bladder (C67)												
KENTUCKY ----------	186	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	109	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	144	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	81	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	83	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	59	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	231	-	-	-	-	-	1	-	-	-	1	5
WHITE------MALE----	126	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	346	-	-	-	-	-	-	-	-	3	2	4
WHITE------MALE----	229	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	102	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN ----------	443	-	-	-	-	-	-	-	-	1	2	6
WHITE------MALE----	287	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	108	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of bladder (C67)												
KENTUCKY ----------	2	9	11	14	29	40	38	20	13	4	1	-
WHITE------MALE----	-	7	9	9	18	29	21	8	2	-	1	-
FEMALE--	1	1	2	5	9	10	16	11	11	3	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
LOUISIANA ----------	2	3	10	15	27	34	24	20	5	3	-	-
WHITE------MALE----	1	1	7	6	18	19	12	11	3	3	-	-
FEMALE--	1	-	3	2	3	9	4	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	5	5	3	6	3	-	-	-	-
FEMALE--	-	1	-	2	1	3	2	4	1	-	-	-
BLACK---MALE----	-	1	-	5	5	3	6	3	-	-	-	-
FEMALE--	-	1	-	2	1	3	2	3	1	-	-	-
MAINE ----------	3	6	4	7	15	13	15	15	3	1	-	-
WHITE------MALE----	1	6	3	6	10	9	10	11	2	-	-	-
FEMALE--	2	-	-	1	5	4	5	4	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	12	11	19	40	48	41	26	20	1	1	-
WHITE------MALE----	1	7	7	7	21	36	23	11	10	-	1	-
FEMALE--	2	3	2	6	10	9	9	9	8	1	-	-
ALL OTHER--MALE----	2	2	2	2	6	3	4	2	-	-	-	-
FEMALE--	-	-	-	4	3	-	5	4	2	-	-	-
BLACK---MALE----	2	2	2	2	6	3	4	2	-	-	-	-
FEMALE--	-	-	-	4	3	-	5	4	2	-	-	-
MASSACHUSETTS ----------	8	11	18	33	50	62	58	57	31	7	2	-
WHITE------MALE----	4	7	13	24	33	42	37	41	19	4	1	-
FEMALE--	2	3	5	8	16	16	21	14	11	2	1	-
ALL OTHER--MALE----	1	-	-	1	1	3	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	2	1	1	-	-
BLACK---MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	2	1	1	-	-
MICHIGAN ----------	13	17	23	42	63	81	73	86	29	5	2	-
WHITE------MALE----	11	12	14	35	39	54	52	48	13	-	2	-
FEMALE--	1	2	5	4	15	23	15	27	11	4	-	-
ALL OTHER--MALE----	1	1	3	1	3	3	3	4	-	-	-	-
FEMALE--	-	2	1	2	6	1	3	7	5	1	-	-
BLACK---MALE----	1	1	2	1	2	3	3	4	-	-	-	-
FEMALE--	-	2	1	2	6	1	3	6	5	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1067

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of bladder (C67)												
MINNESOTA ----------	200	-	-	-	-	-	-	-	-	-	-	4
WHITE------MALE----	130	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	110	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	63	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	217	-	-	-	-	-	-	-	-	-	-	6
WHITE------MALE----	152	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	42	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	75	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	53	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	70	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	51	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of bladder (C67)												
MINNESOTA ----------	7	7	10	17	26	30	31	41	18	7	2	-
WHITE------MALE----	7	6	6	13	18	26	18	21	8	2	1	-
FEMALE--	-	1	4	4	8	3	13	19	10	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
MISSISSIPPI ----------	4	6	6	9	21	14	19	14	11	4	-	-
WHITE------MALE----	3	2	4	6	15	9	10	8	5	-	-	-
FEMALE--	-	2	-	-	5	2	4	3	2	2	-	-
ALL OTHER--MALE----	1	1	1	-	-	2	2	1	2	-	-	-
FEMALE--	-	1	1	3	1	1	3	2	2	2	-	-
BLACK---MALE----	1	1	1	-	-	2	2	1	2	-	-	-
FEMALE--	-	1	1	3	1	1	3	2	2	2	-	-
MISSOURI ----------	9	6	18	19	31	41	37	31	17	1	1	-
WHITE------MALE----	6	5	14	13	23	32	28	21	5	1	-	-
FEMALE--	2	1	1	4	5	9	7	10	11	-	1	-
ALL OTHER--MALE----	1	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	1	-	-	-
MONTANA ----------	1	1	7	4	6	3	10	4	4	2	-	-
WHITE------MALE----	1	1	4	4	3	2	9	2	2	1	-	-
FEMALE--	-	-	2	-	3	1	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	3	4	6	7	19	15	12	3	2	-	-
WHITE------MALE----	-	3	4	5	4	12	11	9	1	1	-	-
FEMALE--	-	-	-	1	3	6	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	7	5	10	13	13	9	9	1	-	-	-
WHITE------MALE----	1	6	5	7	9	8	7	6	1	-	-	-
FEMALE--	-	-	-	3	2	5	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1068

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of bladder (C67)												
NEW HAMPSHIRE ----------	66	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	39	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	457	-	-	-	-	-	-	-	1	3	4	3
WHITE------MALE----	293	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	126	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	63	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	921	-	-	-	-	-	-	2	-	-	6	7
WHITE------MALE----	582	-	-	-	-	-	-	1	-	-	3	3
FEMALE--	257	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	44	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	36	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	318	-	-	-	-	-	-	1	2	3	1	-
WHITE------MALE----	174	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	93	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	-
NORTH DAKOTA ----------	39	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of bladder (C67)												
NEW HAMPSHIRE ----------	3	3	3	3	11	16	9	9	6	3	-	-
WHITE------MALE----	2	1	3	3	6	11	5	5	2	1	-	-
FEMALE--	1	2	-	-	5	5	4	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	16	16	21	46	74	78	80	81	25	8	1	-
WHITE------MALE----	9	10	13	33	56	53	46	48	13	5	-	-
FEMALE--	6	3	5	8	12	16	29	29	12	3	1	-
ALL OTHER--MALE----	1	1	2	4	5	6	4	3	-	-	-	-
FEMALE--	-	2	1	1	1	3	1	1	-	-	-	-
BLACK---MALE----	1	1	2	4	5	6	4	2	-	-	-	-
FEMALE--	-	1	1	1	1	2	1	1	-	-	-	-
NEW MEXICO ----------	3	1	7	8	10	15	12	5	1	1	-	-
WHITE------MALE----	2	1	5	6	8	13	8	4	1	-	-	-
FEMALE--	1	-	2	1	1	2	4	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	25	31	60	69	137	187	161	138	73	23	2	-
WHITE------MALE----	15	17	40	49	91	124	101	88	40	9	1	-
FEMALE--	4	8	11	13	31	52	50	41	28	12	1	-
ALL OTHER--MALE----	4	3	6	5	6	5	6	3	4	-	-	-
FEMALE--	2	3	3	2	9	6	4	6	1	2	-	-
BLACK---MALE----	4	3	4	5	5	4	5	3	1	-	-	-
FEMALE--	2	3	3	2	9	5	2	6	1	2	-	-
NORTH CAROLINA ---------	11	18	18	26	49	68	51	39	25	6	-	-
WHITE------MALE----	7	11	10	14	31	38	30	19	11	1	-	-
FEMALE--	4	1	3	5	12	21	14	17	11	2	-	-
ALL OTHER--MALE----	-	4	4	5	4	7	3	1	2	2	-	-
FEMALE--	-	2	1	2	2	2	4	2	1	1	-	-
BLACK---MALE----	-	4	4	5	4	7	3	1	2	2	-	-
FEMALE--	-	2	1	2	2	2	4	2	1	1	-	-
NORTH DAKOTA ----------	1	2	1	4	7	5	8	5	4	1	-	-
WHITE------MALE----	1	2	-	3	5	3	5	1	2	1	-	-
FEMALE--	-	-	1	1	2	2	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1069

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of bladder (C67)												
OHIO ----------	608	-	-	-	-	-	-	-	1	-	2	6
WHITE------MALE----	386	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	179	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	144	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	97	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	169	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	117	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	698	-	-	-	-	-	-	-	-	4	4	6
WHITE------MALE----	448	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	214	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	66	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	41	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	151	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	82	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of bladder (C67)												
OHIO ----------	18	24	48	59	79	111	126	82	40	11	1	-
WHITE------MALE----	10	19	33	44	57	75	78	41	15	8	-	-
FEMALE--	5	5	9	10	17	29	41	36	21	3	1	-
ALL OTHER--MALE----	2	-	3	3	2	3	3	3	2	-	-	-
FEMALE--	1	-	3	2	3	4	4	2	2	-	-	-
BLACK---MALE----	2	-	3	3	2	3	3	3	2	-	-	-
FEMALE--	1	-	3	2	3	4	4	2	2	-	-	-
OKLAHOMA ----------	2	5	12	14	28	31	18	17	11	3	-	-
WHITE------MALE----	1	4	6	10	20	24	10	13	8	-	-	-
FEMALE--	1	1	4	4	7	6	8	4	1	3	-	-
ALL OTHER--MALE----	-	-	2	-	1	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	9	11	12	21	34	36	29	8	3	-	-
WHITE------MALE----	2	5	6	10	17	26	26	16	5	2	-	-
FEMALE--	1	4	5	2	4	8	9	11	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	17	22	30	61	105	137	148	90	55	16	3	-
WHITE------MALE----	12	13	23	42	73	90	86	54	34	9	2	-
FEMALE--	3	6	6	14	28	40	54	34	19	6	1	-
ALL OTHER--MALE----	1	1	-	1	2	5	5	-	1	-	-	-
FEMALE--	1	2	1	4	2	2	3	2	1	1	-	-
BLACK---MALE----	1	1	-	1	2	5	5	-	1	-	-	-
FEMALE--	1	2	1	4	2	2	2	2	1	1	-	-
RHODE ISLAND ----------	2	2	4	5	14	10	8	12	8	-	1	-
WHITE------MALE----	1	2	4	3	9	6	6	5	4	-	1	-
FEMALE--	1	-	-	2	4	4	2	7	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	10	15	14	25	31	21	19	6	5	-	-
WHITE------MALE----	1	2	10	8	15	24	9	10	1	2	-	-
FEMALE--	1	1	1	2	4	3	10	6	4	1	-	-
ALL OTHER--MALE----	1	4	2	3	2	2	-	2	-	-	-	-
FEMALE--	-	3	2	1	4	2	2	1	1	2	-	-
BLACK---MALE----	1	4	2	3	2	2	-	2	-	-	-	-
FEMALE--	-	3	2	1	4	2	2	1	1	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1070

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of bladder (C67)												
SOUTH DAKOTA ----------	31	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	210	-	-	-	-	-	-	-	1	1	1	3
WHITE------MALE----	129	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	50	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	594	-	-	-	-	-	-	-	1	2	4	6
WHITE------MALE----	390	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	154	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	62	-	-	-	1	-	-	-	-	-	-	3
WHITE------MALE----	41	-	-	-	1	-	-	-	-	-	-	3
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	33	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	255	-	-	-	-	-	-	-	-	1	1	4
WHITE------MALE----	147	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	64	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1070

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of bladder (C67)												
SOUTH DAKOTA ----------	1	1	2	9	2	5	5	2	2	1	-	-
WHITE------MALE----	1	1	1	8	-	4	4	-	2	1	-	-
FEMALE--	-	-	1	1	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	12	18	24	41	32	31	26	6	6	1	1
WHITE------MALE----	2	10	8	19	27	23	20	9	3	4	1	1
FEMALE--	-	1	5	4	11	5	7	12	2	2	-	-
ALL OTHER--MALE----	4	-	4	-	2	2	2	3	1	-	-	-
FEMALE--	-	1	1	1	1	2	2	2	-	-	-	-
BLACK---MALE----	4	-	4	-	2	2	2	3	1	-	-	-
FEMALE--	-	1	1	1	1	2	2	2	-	-	-	-
TEXAS ----------	21	22	46	60	103	101	103	79	36	8	2	-
WHITE------MALE----	17	20	33	48	71	60	71	47	14	2	1	-
FEMALE--	3	2	8	9	22	31	23	28	20	5	1	-
ALL OTHER--MALE----	1	-	2	2	5	3	5	4	1	-	-	-
FEMALE--	-	-	3	1	5	7	4	-	1	1	-	-
BLACK---MALE----	1	-	2	1	5	1	5	4	1	-	-	-
FEMALE--	-	-	3	1	5	6	4	-	1	1	-	-
UTAH ----------	2	1	3	6	14	10	7	9	5	1	-	-
WHITE------MALE----	1	1	3	4	9	6	3	8	2	-	-	-
FEMALE--	1	-	-	2	5	4	4	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	3	2	5	8	5	3	2	1	-	-
WHITE------MALE----	-	1	2	1	5	6	5	2	2	-	-	-
FEMALE--	-	-	1	1	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	11	15	24	22	47	25	51	36	17	1	-	-
WHITE------MALE----	7	8	16	10	27	17	31	22	8	-	-	-
FEMALE--	1	5	5	5	13	4	14	9	7	-	-	-
ALL OTHER--MALE----	2	1	2	3	2	1	3	2	1	1	-	-
FEMALE--	1	1	1	4	5	3	3	3	1	-	-	-
BLACK---MALE----	2	-	2	3	2	1	3	2	1	1	-	-
FEMALE--	1	1	1	4	5	3	3	3	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of bladder (C67)												
WASHINGTON ----------	225	-	-	-	-	-	-	-	1	-	-	5
WHITE------MALE----	163	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	98	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	57	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	244	-	-	-	-	-	-	-	-	1	2	2
WHITE------MALE----	158	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	79	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	24	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of bladder (C67)												
WASHINGTON ----------	9	17	18	25	22	35	48	29	12	4	-	-
WHITE------MALE----	8	15	14	18	18	30	30	18	6	1	-	-
FEMALE--	1	1	3	6	2	5	17	8	6	3	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WEST VIRGINIA ----------	2	5	8	8	18	20	12	13	9	1	-	-
WHITE------MALE----	2	4	6	4	11	9	7	10	3	-	-	-
FEMALE--	-	1	2	4	7	10	4	3	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WISCONSIN ----------	7	11	11	21	37	53	37	37	21	3	1	-
WHITE------MALE----	5	10	6	14	26	38	27	17	12	2	-	-
FEMALE--	2	1	4	5	11	15	8	19	9	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
WYOMING ----------	-	1	1	3	4	5	3	4	1	-	-	-
WHITE------MALE----	-	1	1	3	2	4	2	3	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1072

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the urinary tract (C66,C68)												
UNITED STATES -	640	-	-	-	-	-	-	1	-	3	7	10
WHITE------MALE----	316	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	262	-	-	-	-	-	-	-	-	2	1	5
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	41	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	2	2
ALABAMA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	10	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	57	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the urinary tract (C66,C68)												
UNITED STATES -	20	31	40	65	102	117	114	84	37	9	-	-
WHITE------MALE----	9	17	18	40	59	64	55	31	15	1	-	-
FEMALE--	5	7	17	17	35	46	50	47	22	8	-	-
ALL OTHER--MALE----	-	4	1	3	2	2	4	3	-	-	-	-
FEMALE--	6	3	4	5	6	5	5	3	-	-	-	-
BLACK---MALE----	-	4	1	2	1	-	3	2	-	-	-	-
FEMALE--	5	3	3	4	6	4	2	3	-	-	-	-
ALABAMA ----------	-	-	-	1	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	-	1	1	3	2	1	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	2	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	4	5	1	5	16	9	9	4	-	-	-
WHITE------MALE----	1	2	3	1	4	11	4	6	2	-	-	-
FEMALE--	-	2	1	-	-	2	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the urinary tract (C66,C68)												
COLORADO ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	44	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the urinary tract (C66,C68)												
COLORADO ----------	-	-	-	1	1	-	1	2	2	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	1	-	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	3	1	2	5	11	9	4	6	2	1	-	-
WHITE------MALE----	1	-	-	4	5	4	2	-	-	-	-	-
FEMALE--	2	1	2	1	5	5	2	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
GEORGIA ----------	-	-	1	2	5	3	2	1	-	-	-	-
WHITE------MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	4	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the urinary tract (C66,C68)												
HAWAII ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	18	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	17	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	12	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the urinary tract (C66,C68)												
HAWAII ----------	-	-	-	-	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	2	2	-	3	3	3	4	-	-	-	-
WHITE------MALE----	-	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	2	2	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	2	3	2	1	2	1	4	-	-	-
WHITE------MALE----	1	-	2	2	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	1	-	1	2	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	1	2	1	2	2	2	-	-	-
WHITE------MALE----	-	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the urinary tract (C66,C68)												
KENTUCKY ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	8	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	20	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the urinary tract (C66,C68)												
KENTUCKY ----------	-	-	-	3	2	4	-	2	-	-	-	-
WHITE------MALE----	-	-	-	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	-	3	1	2	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	2	-	-	2	6	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	-	-	-	1	3	2	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	1	2	3	3	4	2	1	-	-	-	-
WHITE------MALE----	1	-	2	2	2	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the urinary tract (C66,C68)												
MINNESOTA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	16	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the urinary tract (C66,C68)												
MINNESOTA ----------	2	-	-	2	4	1	2	4	1	-	-	-
WHITE------MALE----	2	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	3	1	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	-	1	2	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	1	2	1	1	2	3	2	2	1	-	-
WHITE------MALE----	-	1	2	1	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	1	1	1	-	3	1	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	1	2	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the urinary tract (C66,C68)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	21	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	38	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	26	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the urinary tract (C66,C68)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	4	3	4	2	5	1	-	-	-
WHITE------MALE----	-	-	-	2	2	2	2	4	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	2	4	3	10	3	7	3	2	1	-	-
WHITE------MALE----	1	-	2	1	8	2	3	1	2	-	-	-
FEMALE--	1	1	1	-	1	1	4	-	-	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
NORTH CAROLINA ---------	1	2	3	1	4	7	3	3	2	-	-	-
WHITE------MALE----	1	1	2	-	3	5	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the urinary tract (C66,C68)												
OHIO ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	39	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the urinary tract (C66,C68)												
OHIO ----------	-	2	-	4	6	8	5	3	2	1	-	-
WHITE------MALE----	-	1	-	2	2	4	4	1	1	1	-	-
FEMALE--	-	1	-	1	3	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA ----------	-	-	1	2	-	2	2	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON ----------	-	2	-	2	1	1	5	3	-	-	-	-
WHITE------MALE----	-	2	-	1	1	1	4	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	3	2	2	8	6	7	5	3	1	-	-
WHITE------MALE----	1	3	1	2	6	3	5	2	1	-	-	-
FEMALE--	-	-	1	-	2	3	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	1	1	1	1	1	-	1	-	-
WHITE------MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	1	-	2	3	4	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the urinary tract (C66,C68)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	39	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	18	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the urinary tract (C66,C68)												
SOUTH DAKOTA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	2	1	4	1	-	1	1	1	1	-	-
WHITE------MALE----	-	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	2	3	4	12	7	6	1	1	-	-	-
WHITE------MALE----	-	1	2	1	6	4	3	1	-	-	-	-
FEMALE--	1	1	1	3	4	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
UTAH ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	3	4	2	1	6	-	-	-	-
WHITE------MALE----	-	-	-	2	4	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites within the urinary tract (C66,C68)												
WASHINGTON ----------	15	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites within the urinary tract (C66,C68)												
WASHINGTON ----------	1	-	1	-	2	2	6	1	1	-	-	-
WHITE------MALE----	-	-	1	-	2	1	4	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	2	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	1	3	2	3	4	1	-	1	-	-
WHITE------MALE----	-	1	-	3	2	2	4	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1081

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of eye and adnexa (C69)												
UNITED STATES -	227	-	6	2	-	1	1	-	-	9	7	12
WHITE------MALE----	103	-	3	1	-	1	-	-	-	1	3	3
FEMALE--	115	-	3	-	-	-	-	-	-	6	3	8
ALL OTHER--MALE----	3	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	1
ALABAMA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	27	-	1	1	-	-	-	-	-	3	-	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	1	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1081

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of eye and adnexa (C69)												
UNITED STATES -	14	14	18	20	31	26	31	17	14	4	-	-
WHITE------MALE----	9	6	11	13	20	14	7	7	3	1	-	-
FEMALE--	5	6	7	6	11	12	24	10	11	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
ALABAMA ----------	-	1	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	1	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	1	3	3	2	5	2	1	1	-	-	-
WHITE------MALE----	2	-	3	2	1	4	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of eye and adnexa (C69)												
COLORADO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	43	-	-	-	-	-	-	-	-	3	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
GEORGIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of eye and adnexa (C69)												
COLORADO ----------	-	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	3	2	3	4	7	5	6	7	3	-	-	-
WHITE------MALE----	3	-	1	2	5	1	3	3	2	-	-	-
FEMALE--	-	2	2	2	2	4	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	1	-	2	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1083

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of eye and adnexa (C69)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	12	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	4	-	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of eye and adnexa (C69)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	1	-	2	1	3	1	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	1	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1084

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of eye and adnexa (C69)												
KENTUCKY ----------	6	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of eye and adnexa (C69)												
KENTUCKY ----------	-	-	1	-	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	1	-	2	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	1	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	1	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of eye and adnexa (C69)												
MINNESOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of eye and adnexa (C69)												
MINNESOTA ----------	-	1	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of eye and adnexa (C69)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	4	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of eye and adnexa (C69)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	1	-	1	-	2	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	1	-	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of eye and adnexa (C69)												
OHIO ----------	12	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of eye and adnexa (C69)												
OHIO ----------	2	-	-	2	1	-	2	1	1	-	-	-
WHITE------MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	1	-	1	2	1	-	2	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of eye and adnexa (C69)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	14	-	-	-	-	-	-	-	-	-	3	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of eye and adnexa (C69)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	1	1	4	1	1	1	1	-	-	-
WHITE------MALE----	1	-	1	1	3	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of eye and adnexa (C69)												
WASHINGTON ----------	7	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasm of eye and adnexa (C69)												
WASHINGTON ----------	-	1	-	-	2	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1090

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
UNITED STATES -	12,765	10	113	184	124	115	103	177	267	443	622	842
WHITE------MALE----	6,492	6	49	75	50	50	51	97	153	249	328	463
FEMALE--	5,327	1	47	64	53	36	34	68	85	159	230	312
ALL OTHER--MALE----	509	2	7	21	8	19	11	7	19	19	42	44
FEMALE--	437	1	10	24	13	10	7	5	10	16	22	23
BLACK---MALE----	404	2	5	18	7	15	9	6	17	15	33	39
FEMALE--	360	1	7	19	11	8	5	4	9	11	18	20
ALABAMA ----------	210	-	3	3	1	2	-	2	6	8	14	16
WHITE------MALE----	103	-	2	2	-	2	-	1	2	4	7	9
FEMALE--	83	-	-	-	-	-	-	1	-	3	5	7
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	4	-	1	-
FEMALE--	12	-	-	1	1	-	-	-	-	1	1	-
BLACK---MALE----	12	-	1	-	-	-	-	-	4	-	1	-
FEMALE--	12	-	-	1	1	-	-	-	-	1	1	-
ALASKA ----------	19	-	-	-	-	1	2	-	1	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	226	-	4	3	2	1	2	3	4	5	13	18
WHITE------MALE----	126	-	-	1	1	1	1	2	4	4	7	11
FEMALE--	94	-	3	1	1	-	1	1	-	1	5	7
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	172	-	1	2	3	3	1	4	2	4	7	7
WHITE------MALE----	92	-	1	1	2	2	-	1	2	4	3	3
FEMALE--	67	-	-	1	-	-	1	3	-	-	3	3
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA ----------	1,442	2	13	27	27	13	17	21	25	46	61	108
WHITE------MALE----	704	2	3	9	11	4	9	13	18	25	31	59
FEMALE--	603	-	9	12	12	4	5	6	6	14	25	38
ALL OTHER--MALE----	69	-	-	1	1	3	2	1	-	2	3	7
FEMALE--	66	-	1	5	3	2	1	1	1	5	2	4
BLACK---MALE----	29	-	-	-	1	-	1	-	-	1	1	4
FEMALE--	35	-	1	3	1	1	-	-	-	1	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1090

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
UNITED STATES -	1,038	1,206	1,247	1,498	1,621	1,543	949	496	144	22	1	-
WHITE------MALE----	560	625	691	807	834	745	424	183	45	6	1	-
FEMALE--	390	498	462	593	711	718	476	290	86	14	-	-
ALL OTHER--MALE----	53	45	56	51	36	40	17	9	2	1	-	-
FEMALE--	35	38	38	47	40	40	32	14	11	1	-	-
BLACK---MALE----	43	35	41	42	26	30	11	8	2	-	-	-
FEMALE--	27	35	31	35	32	37	29	13	7	1	-	-
ALABAMA ----------	17	19	19	23	25	28	14	7	3	-	-	-
WHITE------MALE----	9	10	6	12	15	15	2	3	2	-	-	-
FEMALE--	6	7	13	8	10	8	10	4	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	2	2	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	2	2	-	-	-	-	-
ALASKA ----------	1	5	5	-	3	1	-	-	-	-	-	-
WHITE------MALE----	-	2	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	3	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	22	16	21	35	18	31	25	3	-	-	-	-
WHITE------MALE----	13	12	7	20	8	16	18	-	-	-	-	-
FEMALE--	7	4	14	14	10	15	7	3	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	15	21	17	18	25	13	11	13	5	-	-	-
WHITE------MALE----	6	14	8	7	19	7	5	4	3	-	-	-
FEMALE--	7	7	7	10	6	4	6	9	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	2	-	-	-
BLACK---MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	2	-	-	-
CALIFORNIA ----------	125	137	146	162	166	162	107	58	17	2	-	-
WHITE------MALE----	64	70	73	89	77	70	50	22	5	-	-	-
FEMALE--	51	57	57	60	73	81	48	35	9	1	-	-
ALL OTHER--MALE----	7	6	8	6	8	6	6	-	1	1	-	-
FEMALE--	3	4	8	7	8	5	3	1	2	-	-	-
BLACK---MALE----	5	3	3	2	4	1	2	-	1	-	-	-
FEMALE--	2	4	5	3	4	3	1	1	1	-	-	-

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
COLORADO ----------	163	-	1	2	-	1	-	3	3	4	8	13
WHITE------MALE----	99	-	1	1	-	-	-	1	3	3	4	8
FEMALE--	58	-	-	1	-	1	-	2	-	1	3	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT ----------	157	-	-	2	-	-	-	1	4	3	10	7
WHITE------MALE----	96	-	-	-	-	-	-	1	3	3	6	3
FEMALE--	53	-	-	1	-	-	-	-	1	-	3	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	1	-
DELAWARE ----------	36	-	1	-	-	-	-	-	-	3	3	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	17	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-
DISTRICT OF COLUMBIA ---	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	773	-	5	7	7	3	7	8	19	17	41	29
WHITE------MALE----	397	-	1	4	2	1	3	6	8	7	20	13
FEMALE--	322	-	1	2	4	1	1	1	10	7	19	13
ALL OTHER--MALE----	25	-	1	1	-	-	1	-	-	2	2	2
FEMALE--	29	-	2	-	1	1	2	1	1	1	-	1
BLACK---MALE----	23	-	1	1	-	-	1	-	-	2	2	2
FEMALE--	28	-	2	-	1	1	2	1	1	1	-	1
GEORGIA ----------	288	-	1	6	6	5	4	3	9	9	14	16
WHITE------MALE----	137	-	-	-	2	2	2	2	5	3	6	10
FEMALE--	102	-	-	2	1	2	-	1	-	5	5	3
ALL OTHER--MALE----	29	-	-	2	2	1	1	-	3	1	3	3
FEMALE--	20	-	1	2	1	-	1	-	1	-	-	-
BLACK---MALE----	27	-	-	1	2	1	1	-	3	1	3	3
FEMALE--	19	-	1	2	1	-	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
COLORADO ----------	17	12	29	17	17	22	8	6	-	-	-	-
WHITE------MALE----	7	7	23	9	12	15	4	1	-	-	-	-
FEMALE--	8	5	5	8	5	7	4	4	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT ----------	12	11	10	22	24	21	20	8	2	-	-	-
WHITE------MALE----	12	6	6	13	12	13	11	7	-	-	-	-
FEMALE--	-	5	4	5	12	7	8	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
DELAWARE ----------	2	4	5	2	7	3	3	1	1	-	-	-
WHITE------MALE----	1	2	1	1	3	2	1	-	-	-	-	-
FEMALE--	1	2	2	1	4	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	3	3	3	-	2	-	2	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	2	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	2	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
FLORIDA ----------	42	68	59	111	116	117	68	37	10	2	-	-
WHITE------MALE----	23	32	31	46	64	70	39	22	4	1	-	-
FEMALE--	17	29	24	56	48	43	26	14	5	1	-	-
ALL OTHER--MALE----	2	2	3	5	2	1	-	1	-	-	-	-
FEMALE--	-	5	1	4	2	3	3	-	1	-	-	-
BLACK---MALE----	2	2	3	4	1	1	-	1	-	-	-	-
FEMALE--	-	4	1	4	2	3	3	-	1	-	-	-
GEORGIA ----------	27	27	37	32	31	27	18	12	4	-	-	-
WHITE------MALE----	15	17	20	19	15	12	7	-	-	-	-	-
FEMALE--	9	7	12	9	12	13	8	10	3	-	-	-
ALL OTHER--MALE----	2	1	4	3	1	1	-	1	-	-	-	-
FEMALE--	1	2	1	1	3	1	3	1	1	-	-	-
BLACK---MALE----	2	1	4	2	1	1	-	1	-	-	-	-
FEMALE--	-	2	1	1	3	1	3	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1092

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
HAWAII ----------	30	-	1	-	-	1	-	-	2	-	-	2
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	79	-	-	2	1	-	4	3	3	5	3	7
WHITE------MALE----	48	-	-	1	1	-	3	2	3	1	2	4
FEMALE--	30	-	-	1	-	-	1	1	-	4	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	527	-	4	5	8	11	5	8	14	21	19	28
WHITE------MALE----	272	-	2	1	2	4	3	2	8	14	8	21
FEMALE--	221	-	2	2	4	4	1	5	4	7	8	6
ALL OTHER--MALE----	19	-	-	1	1	2	1	1	1	-	2	1
FEMALE--	15	-	-	1	1	1	-	-	1	-	1	-
BLACK---MALE----	17	-	-	1	1	2	1	1	1	-	2	1
FEMALE--	15	-	-	1	1	1	-	-	1	-	1	-
INDIANA ----------	289	-	1	3	2	2	2	4	4	11	11	21
WHITE------MALE----	144	-	-	2	1	2	-	1	2	8	5	15
FEMALE--	134	-	1	-	1	-	2	3	2	2	6	5
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	166	-	1	1	1	1	-	4	4	6	7	9
WHITE------MALE----	89	-	1	1	-	1	-	2	3	3	3	4
FEMALE--	75	-	-	-	1	-	-	2	1	3	4	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	140	-	2	1	-	2	2	3	4	10	8	6
WHITE------MALE----	67	-	-	1	-	-	2	1	1	5	4	4
FEMALE--	69	-	2	-	-	2	-	2	3	5	3	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
HAWAII ----------	3	2	3	4	5	2	3	1	1	-	-	-
WHITE------MALE----	-	1	2	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	3	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	10	6	11	4	11	1	1	-	-	-	-
WHITE------MALE----	3	5	4	9	3	5	1	1	-	-	-	-
FEMALE--	4	5	2	1	1	6	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	40	43	51	54	75	65	40	30	4	2	-	-
WHITE------MALE----	23	30	28	25	41	27	17	14	1	1	-	-
FEMALE--	15	12	19	28	32	33	20	15	3	1	-	-
ALL OTHER--MALE----	2	1	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	3	3	1	-	-	-	-
BLACK---MALE----	2	-	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	3	3	1	-	-	-	-
INDIANA ----------	24	28	25	26	47	34	27	11	6	-	-	-
WHITE------MALE----	16	14	16	12	18	14	14	3	1	-	-	-
FEMALE--	7	13	7	13	29	20	11	7	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	2	1	-	-	-	-
IOWA ----------	9	13	14	18	24	21	22	10	1	-	-	-
WHITE------MALE----	9	8	5	10	12	11	13	2	1	-	-	-
FEMALE--	-	5	8	7	12	10	9	8	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	9	18	12	10	16	13	11	11	2	-	-	-
WHITE------MALE----	6	7	4	5	13	6	5	3	-	-	-	-
FEMALE--	3	11	7	5	3	6	6	8	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
KENTUCKY ----------	188	-	2	1	2	1	2	2	4	5	7	13
WHITE------MALE----	97	-	1	-	2	-	1	1	3	3	5	11
FEMALE--	85	-	1	1	-	1	1	1	1	1	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	182	-	1	2	2	1	1	4	1	4	10	16
WHITE------MALE----	81	-	-	1	-	1	-	2	1	3	3	7
FEMALE--	70	-	1	-	2	-	-	1	-	1	4	7
ALL OTHER--MALE----	15	-	-	1	-	-	-	-	-	-	2	1
FEMALE--	16	-	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	15	-	-	1	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	-	-	-	1	1	-	-	1	1
MAINE ----------	77	-	-	3	-	2	1	-	3	1	2	3
WHITE------MALE----	36	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	40	-	-	3	-	2	1	-	2	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	197	-	-	3	1	3	2	3	4	10	6	8
WHITE------MALE----	97	-	-	3	-	1	-	1	1	5	3	5
FEMALE--	71	-	-	-	-	1	2	2	1	2	1	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	14	-	-	-	1	1	-	-	1	1	1	-
BLACK---MALE----	15	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	13	-	-	-	1	1	-	-	1	1	1	-
MASSACHUSETTS ----------	305	-	4	4	2	2	2	4	3	15	21	22
WHITE------MALE----	165	-	-	2	1	2	2	3	2	10	13	11
FEMALE--	135	-	3	2	1	-	-	1	1	5	8	10
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN ----------	436	-	1	9	1	3	-	6	4	20	24	35
WHITE------MALE----	239	-	1	1	1	1	-	5	1	7	17	19
FEMALE--	169	-	-	3	-	-	-	1	3	11	7	14
ALL OTHER--MALE----	14	-	-	4	-	2	-	-	-	-	-	1
FEMALE--	14	-	-	1	-	-	-	-	-	2	-	1
BLACK---MALE----	13	-	-	4	-	2	-	-	-	-	-	1
FEMALE--	13	-	-	1	-	-	-	-	-	2	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
KENTUCKY ----------	21	20	19	19	32	15	10	8	4	1	-	-
WHITE------MALE----	11	14	6	12	16	5	4	2	-	-	-	-
FEMALE--	10	6	12	7	16	9	6	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
LOUISIANA ----------	10	18	22	21	18	29	19	3	-	-	-	-
WHITE------MALE----	5	8	13	12	6	12	5	2	-	-	-	-
FEMALE--	3	7	4	7	9	13	10	1	-	-	-	-
ALL OTHER--MALE----	2	2	3	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	2	1	2	3	3	-	-	-	-	-
BLACK---MALE----	2	2	3	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	3	3	-	-	-	-	-
MAINE ----------	13	7	4	8	10	8	4	5	3	-	-	-
WHITE------MALE----	7	5	3	3	4	4	1	2	1	-	-	-
FEMALE--	6	2	1	5	5	4	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	23	19	25	24	23	24	10	5	1	2	1	-
WHITE------MALE----	12	7	14	16	7	12	4	3	1	1	1	-
FEMALE--	6	8	9	5	14	10	5	1	-	1	-	-
ALL OTHER--MALE----	3	1	1	2	1	1	1	1	-	-	-	-
FEMALE--	2	3	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	3	1	1	2	1	1	1	1	-	-	-	-
FEMALE--	2	3	1	1	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	23	23	26	30	38	42	31	8	4	1	-	-
WHITE------MALE----	13	17	15	20	22	18	12	1	1	-	-	-
FEMALE--	10	6	11	9	16	23	19	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN ----------	36	32	48	49	52	66	32	13	4	1	-	-
WHITE------MALE----	25	17	27	30	29	34	18	4	2	-	-	-
FEMALE--	8	14	17	16	21	30	13	8	2	1	-	-
ALL OTHER--MALE----	1	1	3	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	2	1	2	1	1	-	-	-	-
BLACK---MALE----	1	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	1	2	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
MINNESOTA ----------	243	-	-	4	-	9	2	5	11	16	13	8
WHITE------MALE----	136	-	-	2	-	2	1	3	8	10	8	5
FEMALE--	103	-	-	2	-	6	-	2	3	6	5	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI ----------	174	1	-	-	3	-	-	4	6	6	9	12
WHITE------MALE----	83	-	-	-	-	-	-	3	3	3	5	7
FEMALE--	57	-	-	-	-	-	-	1	2	2	3	3
ALL OTHER--MALE----	19	1	-	-	2	-	-	-	1	1	1	1
FEMALE--	15	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	19	1	-	-	2	-	-	-	1	1	1	1
FEMALE--	15	-	-	-	1	-	-	-	-	-	-	1
MISSOURI ----------	288	1	3	3	-	1	-	1	12	8	15	18
WHITE------MALE----	136	-	2	3	-	-	-	-	6	4	8	12
FEMALE--	139	-	1	-	-	1	-	1	5	4	7	5
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	48	-	-	-	2	1	-	-	1	3	2	2
WHITE------MALE----	22	-	-	-	1	-	-	-	-	2	2	-
FEMALE--	25	-	-	-	1	1	-	-	1	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	96	-	-	2	2	3	-	-	1	2	4	7
WHITE------MALE----	51	-	-	2	2	3	-	-	-	1	3	5
FEMALE--	45	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	81	-	1	-	1	-	-	4	-	2	3	3
WHITE------MALE----	41	-	1	-	-	-	-	-	-	2	2	3
FEMALE--	39	-	-	-	1	-	-	4	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
MINNESOTA ----------	14	31	22	26	31	21	23	5	2	-	-	-
WHITE------MALE----	5	18	13	12	19	11	15	4	-	-	-	-
FEMALE--	8	12	9	14	12	10	8	1	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	16	18	18	14	26	18	10	11	2	-	-	-
WHITE------MALE----	8	10	13	4	12	9	4	1	1	-	-	-
FEMALE--	3	4	1	9	12	5	5	7	-	-	-	-
ALL OTHER--MALE----	2	1	3	-	-	3	1	1	1	-	-	-
FEMALE--	3	3	1	1	2	1	-	2	-	-	-	-
BLACK---MALE----	2	1	3	-	-	3	1	1	1	-	-	-
FEMALE--	3	3	1	1	2	1	-	2	-	-	-	-
MISSOURI ----------	23	28	18	41	39	34	29	6	6	2	-	-
WHITE------MALE----	13	9	9	23	19	14	11	1	1	1	-	-
FEMALE--	10	16	9	17	19	19	14	5	5	1	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	4	-	-	-	-	-
BLACK---MALE----	-	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	4	-	-	-	-	-
MONTANA ----------	5	4	9	7	4	6	1	1	-	-	-	-
WHITE------MALE----	5	1	3	2	2	3	1	-	-	-	-	-
FEMALE--	-	2	6	5	2	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	9	15	11	11	11	6	6	3	1	-	-
WHITE------MALE----	1	5	5	6	5	8	1	3	1	-	-	-
FEMALE--	1	4	10	5	6	3	5	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	9	9	10	12	9	5	4	-	-	-	-
WHITE------MALE----	4	5	4	6	7	2	3	2	-	-	-	-
FEMALE--	5	3	5	4	5	7	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1095

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	62	-	-	-	1	-	-	-	4	3	2	4
WHITE------MALE----	33	-	-	-	-	-	-	-	3	3	-	2
FEMALE--	29	-	-	-	1	-	-	-	1	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	349	-	6	6	4	2	-	3	8	11	11	29
WHITE------MALE----	153	-	3	1	1	1	-	2	4	10	9	11
FEMALE--	167	-	2	2	2	-	-	-	4	1	2	13
ALL OTHER--MALE----	15	-	-	2	-	1	-	1	-	-	-	2
FEMALE--	14	-	1	1	1	-	-	-	-	-	-	3
BLACK---MALE----	12	-	-	2	-	1	-	1	-	-	-	2
FEMALE--	12	-	-	1	1	-	-	-	-	-	-	3
NEW MEXICO ----------	68	-	-	3	-	1	2	-	-	2	1	7
WHITE------MALE----	32	-	-	-	-	1	-	-	-	2	-	4
FEMALE--	32	-	-	2	-	-	2	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	761	-	12	8	6	4	8	13	9	20	36	53
WHITE------MALE----	380	-	7	2	3	1	6	6	4	10	20	30
FEMALE--	319	-	4	2	3	-	2	6	3	8	10	21
ALL OTHER--MALE----	35	-	-	1	-	2	-	1	2	1	4	1
FEMALE--	27	-	1	3	-	1	-	-	-	1	2	1
BLACK---MALE----	31	-	-	1	-	2	-	1	2	1	2	1
FEMALE--	18	-	1	2	-	1	-	-	-	-	2	1
NORTH CAROLINA ---------	372	1	2	3	4	4	5	2	12	7	16	28
WHITE------MALE----	180	1	2	1	-	1	2	2	3	6	6	17
FEMALE--	152	-	-	1	4	1	1	-	4	1	5	9
ALL OTHER--MALE----	18	-	-	1	-	1	1	-	2	-	4	1
FEMALE--	22	-	-	-	-	1	1	-	3	-	1	1
BLACK---MALE----	16	-	-	1	-	1	1	-	2	-	3	1
FEMALE--	20	-	-	-	-	1	1	-	3	-	1	1
NORTH DAKOTA ----------	39	-	1	-	-	1	1	-	1	1	2	2
WHITE------MALE----	19	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	20	-	-	-	-	1	1	-	1	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
NEW HAMPSHIRE ----------	4	6	5	11	9	6	3	3	1	-	-	-
WHITE------MALE----	1	2	2	7	5	3	2	3	-	-	-	-
FEMALE--	3	4	3	4	4	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	31	26	41	44	45	35	33	12	2	-	-	-
WHITE------MALE----	12	12	15	19	26	11	10	5	1	-	-	-
FEMALE--	16	11	22	23	19	20	22	7	1	-	-	-
ALL OTHER--MALE----	2	1	3	1	-	2	-	-	-	-	-	-
FEMALE--	1	2	1	1	-	2	1	-	-	-	-	-
BLACK---MALE----	1	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	1	2	1	-	-	2	1	-	-	-	-	-
NEW MEXICO ----------	4	6	6	8	8	8	7	4	1	-	-	-
WHITE------MALE----	4	3	3	3	6	3	3	-	-	-	-	-
FEMALE--	-	3	3	4	2	4	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	62	83	68	90	90	101	55	26	15	2	-	-
WHITE------MALE----	36	40	38	51	48	42	24	6	4	2	-	-
FEMALE--	20	34	25	33	36	55	28	19	10	-	-	-
ALL OTHER--MALE----	4	7	2	2	2	3	3	-	-	-	-	-
FEMALE--	2	2	3	4	4	1	-	1	1	-	-	-
BLACK---MALE----	3	7	2	2	2	3	2	-	-	-	-	-
FEMALE--	1	2	1	3	2	1	-	1	-	-	-	-
NORTH CAROLINA ---------	38	45	30	42	53	50	15	12	3	-	-	-
WHITE------MALE----	15	23	15	21	20	28	8	7	2	-	-	-
FEMALE--	16	19	13	17	29	21	7	4	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	2	-	-	-	-	-	-	-
FEMALE--	4	1	1	4	2	1	-	1	1	-	-	-
BLACK---MALE----	3	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	3	1	1	4	2	1	-	-	1	-	-	-
NORTH DAKOTA ----------	3	3	3	4	5	8	4	-	-	-	-	-
WHITE------MALE----	2	1	1	2	4	6	-	-	-	-	-	-
FEMALE--	1	2	2	2	1	2	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1096

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
OHIO ----------	555	1	3	9	3	5	1	8	17	18	20	38
WHITE------MALE----	282	-	-	3	2	2	-	4	11	10	12	22
FEMALE--	232	1	2	4	1	1	1	3	5	8	8	14
ALL OTHER--MALE----	22	-	1	-	-	1	-	1	1	-	-	1
FEMALE--	19	-	-	2	-	1	-	-	-	-	-	1
BLACK---MALE----	22	-	1	-	-	1	-	1	1	-	-	1
FEMALE--	18	-	-	2	-	1	-	-	-	-	-	1
OKLAHOMA ----------	166	-	2	1	1	1	-	1	1	3	11	12
WHITE------MALE----	82	-	2	-	-	-	-	1	1	-	6	8
FEMALE--	77	-	-	1	1	1	-	-	-	2	3	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	155	-	1	3	4	2	-	5	5	7	6	9
WHITE------MALE----	94	-	1	2	2	2	-	3	4	6	3	3
FEMALE--	59	-	-	1	2	-	-	2	1	1	2	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	619	-	7	10	3	4	5	8	11	16	33	36
WHITE------MALE----	318	-	2	6	2	2	2	4	6	11	18	13
FEMALE--	262	-	5	3	-	1	2	4	3	2	13	19
ALL OTHER--MALE----	18	-	-	1	-	1	1	-	1	1	1	2
FEMALE--	21	-	-	-	1	-	-	-	1	2	1	2
BLACK---MALE----	17	-	-	1	-	1	1	-	1	-	1	2
FEMALE--	21	-	-	-	1	-	-	-	1	2	1	2
RHODE ISLAND ----------	65	-	-	1	3	-	-	2	2	5	3	5
WHITE------MALE----	27	-	-	1	1	-	-	2	1	4	1	4
FEMALE--	38	-	-	-	2	-	-	-	1	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	217	-	3	3	2	3	2	1	5	9	15	14
WHITE------MALE----	103	-	1	2	1	2	1	-	3	3	7	3
FEMALE--	74	-	1	-	1	-	1	1	2	4	6	6
ALL OTHER--MALE----	25	-	-	1	-	1	-	-	-	2	1	3
FEMALE--	15	-	1	-	-	-	-	-	-	-	1	2
BLACK---MALE----	25	-	-	1	-	1	-	-	-	2	1	3
FEMALE--	15	-	1	-	-	-	-	-	-	-	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
OHIO ----------	50	55	54	66	69	66	48	19	5	-	-	-
WHITE------MALE----	32	23	31	31	39	29	21	8	2	-	-	-
FEMALE--	16	29	19	25	25	33	24	10	3	-	-	-
ALL OTHER--MALE----	1	3	1	8	2	2	-	-	-	-	-	-
FEMALE--	1	-	3	2	3	2	3	1	-	-	-	-
BLACK---MALE----	1	3	1	8	2	2	-	-	-	-	-	-
FEMALE--	1	-	3	1	3	2	3	1	-	-	-	-
OKLAHOMA ----------	17	22	19	20	17	18	8	7	5	-	-	-
WHITE------MALE----	10	9	11	12	7	8	4	2	1	-	-	-
FEMALE--	7	12	8	7	9	9	4	5	4	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	14	16	10	16	21	19	8	9	-	-	-	-
WHITE------MALE----	10	9	7	9	15	9	6	3	-	-	-	-
FEMALE--	4	7	3	7	6	10	1	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	44	62	61	74	73	88	58	17	8	1	-	-
WHITE------MALE----	18	29	45	44	36	47	24	4	5	-	-	-
FEMALE--	24	28	12	28	31	39	32	12	3	1	-	-
ALL OTHER--MALE----	1	1	1	1	1	2	2	1	-	-	-	-
FEMALE--	1	4	3	1	5	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	1	2	2	1	-	-	-	-
FEMALE--	1	4	3	1	5	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	4	4	5	9	6	5	6	3	-	-	-
WHITE------MALE----	1	1	3	1	2	3	-	1	1	-	-	-
FEMALE--	1	3	1	4	7	3	5	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	20	17	20	28	33	27	7	8	-	-	-	-
WHITE------MALE----	9	11	11	16	16	12	2	3	-	-	-	-
FEMALE--	5	4	3	8	13	11	5	3	-	-	-	-
ALL OTHER--MALE----	5	1	4	2	2	2	-	1	-	-	-	-
FEMALE--	1	1	2	2	2	2	-	1	-	-	-	-
BLACK---MALE----	5	1	4	2	2	2	-	1	-	-	-	-
FEMALE--	1	1	2	2	2	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1097

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
SOUTH DAKOTA ----------	61	-	-	1	1	-	-	1	1	4	3	4
WHITE------MALE----	30	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	30	-	-	-	1	-	-	1	-	3	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TENNESSEE ----------	281	-	1	2	1	4	5	8	6	10	13	23
WHITE------MALE----	145	-	-	1	1	-	-	5	4	8	8	14
FEMALE--	110	-	1	1	-	3	3	2	2	1	3	5
ALL OTHER--MALE----	18	-	-	-	-	1	2	-	-	1	2	3
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	16	-	-	-	-	1	2	-	-	1	2	2
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	847	1	14	21	8	6	6	15	14	30	40	58
WHITE------MALE----	436	1	9	9	4	4	3	8	7	15	22	29
FEMALE--	355	-	4	8	2	2	3	6	5	14	12	21
ALL OTHER--MALE----	29	-	1	2	1	-	-	-	1	-	3	7
FEMALE--	27	-	-	2	1	-	-	1	1	1	3	1
BLACK---MALE----	24	-	1	2	-	-	-	-	1	-	3	6
FEMALE--	27	-	-	2	1	-	-	1	1	1	3	1
UTAH ----------	85	-	1	-	-	2	1	-	5	5	1	4
WHITE------MALE----	46	-	1	-	-	2	1	-	3	1	-	1
FEMALE--	39	-	-	-	-	-	-	-	2	4	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	23	-	-	-	1	-	-	-	1	2	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	286	1	3	5	3	1	2	4	4	11	22	32
WHITE------MALE----	144	-	2	2	1	-	1	1	3	5	9	20
FEMALE--	109	-	-	2	2	-	1	1	1	4	11	10
ALL OTHER--MALE----	16	-	-	-	-	1	-	2	-	1	1	2
FEMALE--	17	1	1	1	-	-	-	-	-	1	1	-
BLACK---MALE----	16	-	-	-	-	1	-	2	-	1	1	2
FEMALE--	14	1	1	1	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
SOUTH DAKOTA ----------	3	3	7	5	8	9	6	2	2	1	-	-
WHITE------MALE----	2	1	5	5	2	5	2	1	1	-	-	-
FEMALE--	1	2	2	-	6	4	4	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	12	25	31	37	35	34	20	10	3	1	-	-
WHITE------MALE----	5	17	17	17	18	18	6	5	1	-	-	-
FEMALE--	4	8	12	16	15	15	12	4	2	1	-	-
ALL OTHER--MALE----	1	-	2	1	2	1	1	1	-	-	-	-
FEMALE--	2	-	-	3	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	2	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	-	3	-	-	1	-	-	-	-	-
TEXAS ----------	76	77	80	105	112	94	51	29	9	1	-	-
WHITE------MALE----	40	38	55	64	57	44	17	8	2	-	-	-
FEMALE--	30	33	23	37	50	45	33	20	7	-	-	-
ALL OTHER--MALE----	3	3	2	2	2	2	-	-	-	-	-	-
FEMALE--	3	3	-	2	3	3	1	1	-	1	-	-
BLACK---MALE----	3	2	1	2	2	1	-	-	-	-	-	-
FEMALE--	3	3	-	2	3	3	1	1	-	1	-	-
UTAH ----------	6	13	6	15	12	7	5	2	-	-	-	-
WHITE------MALE----	2	8	5	10	6	4	1	1	-	-	-	-
FEMALE--	4	5	1	5	6	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	4	1	6	1	3	-	-	-	-	-	-
WHITE------MALE----	1	3	-	4	1	2	-	-	-	-	-	-
FEMALE--	3	1	1	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	21	27	36	32	21	32	17	11	1	-	-	-
WHITE------MALE----	11	12	21	19	10	15	9	3	-	-	-	-
FEMALE--	6	11	12	9	10	14	7	7	1	-	-	-
ALL OTHER--MALE----	1	1	2	3	1	1	-	-	-	-	-	-
FEMALE--	3	3	1	1	-	2	1	1	-	-	-	-
BLACK---MALE----	1	1	2	3	1	1	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	2	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
WASHINGTON ----------	336	1	3	8	3	1	7	3	2	21	23	21
WHITE------MALE----	178	1	-	5	3	1	6	3	1	10	11	8
FEMALE--	138	-	1	1	-	-	1	-	-	9	9	12
ALL OTHER--MALE----	15	-	2	1	-	-	-	-	1	2	2	1
FEMALE--	5	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	90	1	-	2	1	-	-	1	2	1	4	5
WHITE------MALE----	47	1	-	1	-	-	-	1	1	-	1	4
FEMALE--	43	-	-	1	1	-	-	-	1	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	253	-	4	2	1	2	2	2	2	12	21	22
WHITE------MALE----	144	-	2	1	-	2	2	2	1	6	11	14
FEMALE--	101	-	2	-	1	-	-	-	1	6	9	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	1
WYOMING ----------	29	-	-	1	-	-	-	-	1	1	3	1
WHITE------MALE----	17	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
WASHINGTON ----------	32	29	29	34	37	41	22	18	-	1	-	-
WHITE------MALE----	15	13	19	20	19	25	9	9	-	-	-	-
FEMALE--	14	14	10	11	18	15	13	9	-	1	-	-
ALL OTHER--MALE----	2	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	7	10	14	19	10	5	2	-	-	-	-
WHITE------MALE----	4	4	6	5	11	3	4	1	-	-	-	-
FEMALE--	2	3	4	9	8	7	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	21	15	26	30	39	25	13	12	1	1	-	-
WHITE------MALE----	14	9	16	19	21	13	6	5	-	-	-	-
FEMALE--	7	6	6	11	18	11	7	7	1	1	-	-
ALL OTHER--MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
WYOMING ----------	1	6	3	4	6	-	1	1	-	-	-	-
WHITE------MALE----	-	3	2	2	3	-	-	1	-	-	-	-
FEMALE--	-	3	1	2	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1099

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of brain (C71)												
UNITED STATES -	12,484	8	110	180	118	108	100	172	260	430	606	828
WHITE------MALE----	6,365	4	48	71	50	48	49	93	152	238	319	456
FEMALE--	5,211	1	46	64	48	32	34	68	82	158	225	306
ALL OTHER--MALE----	487	2	6	21	8	19	10	6	16	18	41	43
FEMALE--	421	1	10	24	12	9	7	5	10	16	21	23
BLACK---MALE----	387	2	5	18	7	15	8	6	14	14	32	39
FEMALE--	346	1	7	19	10	7	5	4	9	11	17	20
ALABAMA ----------	209	-	3	3	1	2	-	2	6	7	14	16
WHITE------MALE----	102	-	2	2	-	2	-	1	2	3	7	9
FEMALE--	83	-	-	-	-	-	-	1	-	3	5	7
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	4	-	1	-
FEMALE--	12	-	-	1	1	-	-	-	-	1	1	-
BLACK---MALE----	12	-	1	-	-	-	-	-	4	-	1	-
FEMALE--	12	-	-	1	1	-	-	-	-	1	1	-
ALASKA ----------	19	-	-	-	-	1	2	-	1	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	226	-	4	3	2	1	2	3	4	5	13	18
WHITE------MALE----	126	-	-	1	1	1	1	2	4	4	7	11
FEMALE--	94	-	3	1	1	-	1	1	-	1	5	7
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	171	-	1	2	3	3	1	4	2	4	7	6
WHITE------MALE----	91	-	1	1	2	2	-	1	2	4	3	2
FEMALE--	67	-	-	1	-	-	1	3	-	-	3	3
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA ----------	1,406	1	12	27	25	12	16	19	25	43	60	106
WHITE------MALE----	692	1	3	9	11	4	8	12	18	23	31	59
FEMALE--	583	-	8	12	10	3	5	6	6	13	24	37
ALL OTHER--MALE----	65	-	-	1	1	3	2	-	-	2	3	6
FEMALE--	66	-	1	5	3	2	1	1	1	5	2	4
BLACK---MALE----	27	-	-	-	1	-	1	-	-	1	1	4
FEMALE--	35	-	1	3	1	1	-	-	-	1	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1099

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of brain (C71)												
UNITED STATES -	1,011	1,187	1,223	1,478	1,587	1,508	926	481	141	21	1	-
WHITE------MALE----	551	617	680	795	818	730	417	177	45	6	1	-
FEMALE--	377	491	454	585	696	701	463	283	84	13	-	-
ALL OTHER--MALE----	50	44	53	51	33	39	16	8	2	1	-	-
FEMALE--	33	35	36	47	40	38	30	13	10	1	-	-
BLACK---MALE----	40	34	40	42	23	29	10	7	2	-	-	-
FEMALE--	26	32	29	35	32	35	27	12	7	1	-	-
ALABAMA ----------	17	19	19	23	25	28	14	7	3	-	-	-
WHITE------MALE----	9	10	6	12	15	15	2	3	2	-	-	-
FEMALE--	6	7	13	8	10	8	10	4	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	2	2	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	2	2	-	-	-	-	-
ALASKA ----------	1	5	5	-	3	1	-	-	-	-	-	-
WHITE------MALE----	-	2	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	3	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	22	16	21	35	18	31	25	3	-	-	-	-
WHITE------MALE----	13	12	7	20	8	16	18	-	-	-	-	-
FEMALE--	7	4	14	14	10	15	7	3	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	15	21	17	18	25	13	11	13	5	-	-	-
WHITE------MALE----	6	14	8	7	19	7	5	4	3	-	-	-
FEMALE--	7	7	7	10	6	4	6	9	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	2	-	-	-
BLACK---MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	2	-	-	-
CALIFORNIA ----------	122	136	143	158	163	159	103	57	17	2	-	-
WHITE------MALE----	63	69	72	87	77	70	49	21	5	-	-	-
FEMALE--	50	57	55	58	71	78	45	35	9	1	-	-
ALL OTHER--MALE----	6	6	8	6	7	6	6	-	1	1	-	-
FEMALE--	3	4	8	7	8	5	3	1	2	-	-	-
BLACK---MALE----	4	3	3	2	3	1	2	-	1	-	-	-
FEMALE--	2	4	5	3	4	3	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of brain (C71)												
COLORADO ----------	157	-	1	2	-	1	-	3	2	4	7	13
WHITE------MALE----	95	-	1	1	-	-	-	1	2	3	3	8
FEMALE--	56	-	-	1	-	1	-	2	-	1	3	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT ----------	153	-	-	2	-	-	-	1	4	3	10	7
WHITE-----MALE----	94	-	-	-	-	-	-	1	3	3	6	3
FEMALE--	51	-	-	1	-	-	-	-	1	-	3	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	1	-
DELAWARE ----------	36	-	1	-	-	-	-	-	-	3	3	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	17	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-
DISTRICT OF COLUMBIA ---	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	753	-	5	5	7	3	7	7	18	17	39	29
WHITE------MALE----	384	-	1	2	2	1	3	5	8	7	19	13
FEMALE--	317	-	1	2	4	1	1	1	9	7	18	13
ALL OTHER--MALE----	24	-	1	1	-	-	1	-	-	2	2	2
FEMALE--	28	-	2	-	1	1	2	1	1	1	-	1
BLACK---MALE----	22	-	1	1	-	-	1	-	-	2	2	2
FEMALE--	27	-	2	-	1	1	2	1	1	1	-	1
GEORGIA ----------	282	-	1	6	6	4	4	3	8	9	14	14
WHITE------MALE----	135	-	-	-	2	2	2	2	5	3	6	9
FEMALE--	99	-	-	2	1	1	-	1	-	5	5	2
ALL OTHER--MALE----	28	-	-	2	2	1	1	-	2	1	3	3
FEMALE--	20	-	1	2	1	-	1	-	1	-	-	-
BLACK---MALE----	26	-	-	1	2	1	1	-	2	1	3	3
FEMALE--	19	-	1	2	1	-	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of brain (C71)												
COLORADO ----------	14	12	29	17	17	21	8	6	-	-	-	-
WHITE------MALE----	6	7	23	9	12	14	4	1	-	-	-	-
FEMALE--	6	5	5	8	5	7	4	4	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT ----------	11	10	10	22	23	21	19	8	2	-	-	-
WHITE------MALE----	11	5	6	13	12	13	11	7	-	-	-	-
FEMALE--	-	5	4	5	11	7	7	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
DELAWARE ----------	2	4	5	2	7	3	3	1	1	-	-	-
WHITE------MALE----	1	2	1	1	3	2	1	-	-	-	-	-
FEMALE--	1	2	2	1	4	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	3	3	3	-	2	-	2	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	2	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	2	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
FLORIDA ----------	42	65	58	111	114	111	67	36	10	2	-	-
WHITE------MALE----	23	30	31	46	63	66	38	21	4	1	-	-
FEMALE--	17	29	24	56	47	41	26	14	5	1	-	-
ALL OTHER--MALE----	2	2	2	5	2	1	-	1	-	-	-	-
FEMALE--	-	4	1	4	2	3	3	-	1	-	-	-
BLACK---MALE----	2	2	2	4	1	1	-	1	-	-	-	-
FEMALE--	-	3	1	4	2	3	3	-	1	-	-	-
GEORGIA ----------	27	26	37	32	31	27	18	11	4	-	-	-
WHITE------MALE----	15	16	20	19	15	12	7	-	-	-	-	-
FEMALE--	9	7	12	9	12	13	8	9	3	-	-	-
ALL OTHER--MALE----	2	1	4	3	1	1	-	1	-	-	-	-
FEMALE--	1	2	1	1	3	1	3	1	1	-	-	-
BLACK---MALE----	2	1	4	2	1	1	-	1	-	-	-	-
FEMALE--	-	2	1	1	3	1	3	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1101

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of brain (C71)												
HAWAII ----------	30	-	1	-	-	1	-	-	2	-	-	2
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	79	-	-	2	1	-	4	3	3	5	3	7
WHITE------MALE----	48	-	-	1	1	-	3	2	3	1	2	4
FEMALE--	30	-	-	1	-	-	1	1	-	4	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	520	-	4	5	8	11	4	8	14	21	18	28
WHITE------MALE----	269	-	2	1	2	4	3	2	8	14	8	21
FEMALE--	219	-	2	2	4	4	1	5	4	7	7	6
ALL OTHER--MALE----	18	-	-	1	1	2	-	1	1	-	2	1
FEMALE--	14	-	-	1	1	1	-	-	1	-	1	-
BLACK---MALE----	16	-	-	1	1	2	-	1	1	-	2	1
FEMALE--	14	-	-	1	1	1	-	-	1	-	1	-
INDIANA ----------	286	-	1	3	2	2	2	4	4	11	11	21
WHITE------MALE----	143	-	-	2	1	2	-	1	2	8	5	15
FEMALE--	132	-	1	-	1	-	2	3	2	2	6	5
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	165	-	1	1	1	1	-	4	4	6	7	9
WHITE------MALE----	89	-	1	1	-	1	-	2	3	3	3	4
FEMALE--	74	-	-	-	1	-	-	2	1	3	4	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	134	-	2	1	-	2	2	3	4	7	8	6
WHITE------MALE----	63	-	-	1	-	-	2	1	1	2	4	4
FEMALE--	67	-	2	-	-	2	-	2	3	5	3	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of brain (C71)												
HAWAII ----------	3	2	3	4	5	2	3	1	1	-	-	-
WHITE------MALE----	-	1	2	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	3	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	10	6	11	4	11	1	1	-	-	-	-
WHITE------MALE----	3	5	4	9	3	5	1	1	-	-	-	-
FEMALE--	4	5	2	1	1	6	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	39	42	51	53	74	64	40	30	4	2	-	-
WHITE------MALE----	23	29	28	24	40	27	17	14	1	1	-	-
FEMALE--	14	12	19	28	32	33	20	15	3	1	-	-
ALL OTHER--MALE----	2	1	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	2	3	1	-	-	-	-
BLACK---MALE----	2	-	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	2	3	1	-	-	-	-
INDIANA ----------	24	27	25	26	47	32	27	11	6	-	-	-
WHITE------MALE----	16	14	16	12	18	13	14	3	1	-	-	-
FEMALE--	7	12	7	13	29	19	11	7	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	2	1	-	-	-	-
IOWA ----------	9	13	14	18	24	21	21	10	1	-	-	-
WHITE------MALE----	9	8	5	10	12	11	13	2	1	-	-	-
FEMALE--	-	5	8	7	12	10	8	8	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	9	18	11	10	16	12	11	10	2	-	-	-
WHITE------MALE----	6	7	4	5	13	6	5	2	-	-	-	-
FEMALE--	3	11	6	5	3	5	6	8	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of brain (C71)												
KENTUCKY ----------	186	-	2	1	2	1	2	2	4	5	7	12
WHITE------MALE----	95	-	1	-	2	-	1	1	3	3	5	10
FEMALE--	85	-	1	1	-	1	1	1	1	1	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	175	-	1	2	2	1	1	4	1	4	9	16
WHITE------MALE----	77	-	-	1	-	1	-	2	1	3	2	7
FEMALE--	69	-	1	-	2	-	-	1	-	1	4	7
ALL OTHER--MALE----	15	-	-	1	-	-	-	-	-	-	2	1
FEMALE--	14	-	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	15	-	-	1	-	-	-	-	-	-	2	1
FEMALE--	13	-	-	-	-	-	1	1	-	-	1	1
MAINE ----------	77	-	-	3	-	2	1	-	3	1	2	3
WHITE------MALE----	36	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	40	-	-	3	-	2	1	-	2	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	196	-	-	3	1	3	2	3	4	10	6	8
WHITE------MALE----	97	-	-	3	-	1	-	1	1	5	3	5
FEMALE--	70	-	-	-	-	1	2	2	1	2	1	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	14	-	-	-	1	1	-	-	1	1	1	-
BLACK---MALE----	15	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	13	-	-	-	1	1	-	-	1	1	1	-
MASSACHUSETTS ----------	299	-	4	4	2	2	2	4	3	15	21	22
WHITE------MALE----	163	-	-	2	1	2	2	3	2	10	13	11
FEMALE--	132	-	3	2	1	-	-	1	1	5	8	10
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN ----------	422	-	1	9	1	3	-	6	3	20	23	34
WHITE------MALE----	235	-	1	1	1	1	-	5	1	7	16	18
FEMALE--	162	-	-	3	-	-	-	1	2	11	7	14
ALL OTHER--MALE----	13	-	-	4	-	2	-	-	-	-	-	1
FEMALE--	12	-	-	1	-	-	-	-	-	2	-	1
BLACK---MALE----	13	-	-	4	-	2	-	-	-	-	-	1
FEMALE--	11	-	-	1	-	-	-	-	-	2	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of brain (C71)												
KENTUCKY ----------	21	20	19	18	32	15	10	8	4	1	-	-
WHITE------MALE----	11	14	6	11	16	5	4	2	-	-	-	-
FEMALE--	10	6	12	7	16	9	6	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
LOUISIANA ----------	9	18	21	21	17	28	17	3	-	-	-	-
WHITE------MALE----	4	8	12	12	5	12	5	2	-	-	-	-
FEMALE--	3	7	4	7	9	12	10	1	-	-	-	-
ALL OTHER--MALE----	2	2	3	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	2	1	2	3	1	-	-	-	-	-
BLACK---MALE----	2	2	3	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	3	1	-	-	-	-	-
MAINE ----------	13	7	4	8	10	8	4	5	3	-	-	-
WHITE------MALE----	7	5	3	3	4	4	1	2	1	-	-	-
FEMALE--	6	2	1	5	5	4	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	23	19	25	24	22	24	10	5	1	2	1	-
WHITE------MALE----	12	7	14	16	7	12	4	3	1	1	1	-
FEMALE--	6	8	9	5	13	10	5	1	-	1	-	-
ALL OTHER--MALE----	3	1	1	2	1	1	1	1	-	-	-	-
FEMALE--	2	3	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	3	1	1	2	1	1	1	1	-	-	-	-
FEMALE--	2	3	1	1	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	23	23	25	29	38	41	30	7	3	1	-	-
WHITE------MALE----	13	17	14	20	22	18	12	-	1	-	-	-
FEMALE--	10	6	11	8	16	22	18	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN ----------	35	32	45	48	50	65	31	12	4	-	-	-
WHITE------MALE----	25	17	27	29	29	34	17	4	2	-	-	-
FEMALE--	7	14	16	16	19	29	13	8	2	-	-	-
ALL OTHER--MALE----	1	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	2	1	2	1	-	-	-	-	-
BLACK---MALE----	1	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	2	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of brain (C71)												
MINNESOTA ----------	238	-	-	4	-	9	2	5	11	16	13	8
WHITE------MALE----	135	-	-	2	-	2	1	3	8	10	8	5
FEMALE--	99	-	-	2	-	6	-	2	3	6	5	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI ----------	172	1	-	-	3	-	-	4	6	6	9	12
WHITE------MALE----	82	-	-	-	-	-	-	3	3	3	5	7
FEMALE--	57	-	-	-	-	-	-	1	2	2	3	3
ALL OTHER--MALE----	19	1	-	-	2	-	-	-	1	1	1	1
FEMALE--	14	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	19	1	-	-	2	-	-	-	1	1	1	1
FEMALE--	14	-	-	-	1	-	-	-	-	-	-	1
MISSOURI ----------	275	1	3	3	-	1	-	1	11	8	15	18
WHITE------MALE----	129	-	2	3	-	-	-	-	6	4	8	12
FEMALE--	134	-	1	-	-	1	-	1	4	4	7	5
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	47	-	-	-	1	1	-	-	1	3	2	2
WHITE------MALE----	22	-	-	-	1	-	-	-	-	2	2	-
FEMALE--	24	-	-	-	-	1	-	-	1	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	94	-	-	2	2	3	-	-	1	2	3	7
WHITE------MALE----	49	-	-	2	2	3	-	-	-	1	2	5
FEMALE--	45	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	81	-	1	-	1	-	-	4	-	2	3	3
WHITE------MALE----	41	-	1	-	-	-	-	-	-	2	2	3
FEMALE--	39	-	-	-	1	-	-	4	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of brain (C71)												
MINNESOTA ----------	14	30	22	25	28	21	23	5	2	-	-	-
WHITE------MALE----	5	18	13	12	18	11	15	4	-	-	-	-
FEMALE--	8	11	9	13	10	10	8	1	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	15	18	17	14	26	18	10	11	2	-	-	-
WHITE------MALE----	8	10	12	4	12	9	4	1	1	-	-	-
FEMALE--	3	4	1	9	12	5	5	7	-	-	-	-
ALL OTHER--MALE----	2	1	3	-	-	3	1	1	1	-	-	-
FEMALE--	2	3	1	1	2	1	-	2	-	-	-	-
BLACK---MALE----	2	1	3	-	-	3	1	1	1	-	-	-
FEMALE--	2	3	1	1	2	1	-	2	-	-	-	-
MISSOURI ----------	21	27	18	40	36	31	28	6	5	2	-	-
WHITE------MALE----	12	8	9	22	17	13	10	1	1	1	-	-
FEMALE--	9	16	9	17	19	17	14	5	4	1	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	4	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	4	-	-	-	-	-
MONTANA ----------	5	4	9	7	4	6	1	1	-	-	-	-
WHITE------MALE----	5	1	3	2	2	3	1	-	-	-	-	-
FEMALE--	-	2	6	5	2	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	9	15	11	10	11	6	6	3	1	-	-
WHITE------MALE----	1	5	5	6	4	8	1	3	1	-	-	-
FEMALE--	1	4	10	5	6	3	5	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	9	9	10	12	9	5	4	-	-	-	-
WHITE------MALE----	4	5	4	6	7	2	3	2	-	-	-	-
FEMALE--	5	3	5	4	5	7	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1104

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of brain (C71)												
NEW HAMPSHIRE ----------	60	-	-	-	1	-	-	-	4	3	2	4
WHITE------MALE----	33	-	-	-	-	-	-	-	3	3	-	2
FEMALE--	27	-	-	-	1	-	-	-	1	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	341	-	6	6	3	2	-	3	8	11	10	29
WHITE------MALE----	151	-	3	1	1	1	-	2	4	10	8	11
FEMALE--	164	-	2	2	2	-	-	-	4	1	2	13
ALL OTHER--MALE----	13	-	-	2	-	1	-	1	-	-	-	2
FEMALE--	13	-	1	1	-	-	-	-	-	-	-	3
BLACK---MALE----	11	-	-	2	-	1	-	1	-	-	-	2
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	3
NEW MEXICO ----------	68	-	-	3	-	1	2	-	-	2	1	7
WHITE------MALE----	32	-	-	-	-	1	-	-	-	2	-	4
FEMALE--	32	-	-	2	-	-	2	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	744	-	12	8	5	4	8	12	9	19	34	51
WHITE------MALE----	374	-	7	2	3	1	6	5	4	9	19	29
FEMALE--	311	-	4	2	2	-	2	6	3	8	10	20
ALL OTHER--MALE----	34	-	-	1	-	2	-	1	2	1	4	1
FEMALE--	25	-	1	3	-	1	-	-	-	1	1	1
BLACK---MALE----	30	-	-	1	-	2	-	1	2	1	2	1
FEMALE--	16	-	1	2	-	1	-	-	-	-	1	1
NORTH CAROLINA ---------	359	1	2	3	4	2	5	2	11	6	15	26
WHITE------MALE----	178	1	2	1	-	1	2	2	3	5	6	17
FEMALE--	145	-	-	1	4	-	1	-	4	1	4	7
ALL OTHER--MALE----	15	-	-	1	-	1	1	-	1	-	4	1
FEMALE--	21	-	-	-	-	-	1	-	3	-	1	1
BLACK---MALE----	13	-	-	1	-	1	1	-	1	-	3	1
FEMALE--	19	-	-	-	-	-	1	-	3	-	1	1
NORTH DAKOTA ----------	38	-	1	-	-	1	1	-	1	1	2	2
WHITE------MALE----	19	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	19	-	-	-	-	1	1	-	1	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of brain (C71)												
NEW HAMPSHIRE ----------	4	5	4	11	9	6	3	3	1	-	-	-
WHITE------MALE----	1	2	2	7	5	3	2	3	-	-	-	-
FEMALE--	3	3	2	4	4	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	28	26	40	44	45	34	33	11	2	-	-	-
WHITE------MALE----	12	12	15	19	26	10	10	5	1	-	-	-
FEMALE--	14	11	22	23	19	20	22	6	1	-	-	-
ALL OTHER--MALE----	1	1	2	1	-	2	-	-	-	-	-	-
FEMALE--	1	2	1	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	1	2	1	-	-	2	1	-	-	-	-	-
NEW MEXICO ----------	4	6	6	8	8	8	7	4	1	-	-	-
WHITE------MALE----	4	3	3	3	6	3	3	-	-	-	-	-
FEMALE--	-	3	3	4	2	4	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	62	82	66	89	86	100	55	26	14	2	-	-
WHITE------MALE----	36	40	38	50	47	42	24	6	4	2	-	-
FEMALE--	20	33	24	33	34	54	28	19	9	-	-	-
ALL OTHER--MALE----	4	7	2	2	1	3	3	-	-	-	-	-
FEMALE--	2	2	2	4	4	1	-	1	1	-	-	-
BLACK---MALE----	3	7	2	2	1	3	2	-	-	-	-	-
FEMALE--	1	2	-	3	2	1	-	1	-	-	-	-
NORTH CAROLINA ---------	37	43	29	41	52	50	15	12	3	-	-	-
WHITE------MALE----	15	22	15	21	20	28	8	7	2	-	-	-
FEMALE--	16	19	12	16	28	21	7	4	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	4	1	1	4	2	1	-	1	1	-	-	-
BLACK---MALE----	2	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	3	1	1	4	2	1	-	-	1	-	-	-
NORTH DAKOTA ----------	3	2	3	4	5	8	4	-	-	-	-	-
WHITE------MALE----	2	1	1	2	4	6	-	-	-	-	-	-
FEMALE--	1	1	2	2	1	2	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of brain (C71)												
OHIO ----------	543	1	3	9	3	5	1	8	16	18	20	37
WHITE------MALE----	276	-	-	3	2	2	-	4	11	10	12	21
FEMALE--	227	1	2	4	1	1	1	3	5	8	8	14
ALL OTHER--MALE----	21	-	1	-	-	1	-	1	-	-	-	1
FEMALE--	19	-	-	2	-	1	-	-	-	-	-	1
BLACK---MALE----	21	-	1	-	-	1	-	1	-	-	-	1
FEMALE--	18	-	-	2	-	1	-	-	-	-	-	1
OKLAHOMA ----------	164	-	2	1	1	1	-	1	1	3	11	12
WHITE------MALE----	80	-	2	-	-	-	-	1	1	-	6	8
FEMALE--	77	-	-	1	1	1	-	-	-	2	3	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	150	-	1	2	4	1	-	5	5	7	6	9
WHITE------MALE----	90	-	1	1	2	1	-	3	4	6	3	3
FEMALE--	58	-	-	1	2	-	-	2	1	1	2	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	602	-	7	10	3	4	5	8	11	16	33	35
WHITE------MALE----	311	-	2	6	2	2	2	4	6	11	18	13
FEMALE--	254	-	5	3	-	1	2	4	3	2	13	18
ALL OTHER--MALE----	16	-	-	1	-	1	1	-	1	1	1	2
FEMALE--	21	-	-	-	1	-	-	-	1	2	1	2
BLACK---MALE----	15	-	-	1	-	1	1	-	1	-	1	2
FEMALE--	21	-	-	-	1	-	-	-	1	2	1	2
RHODE ISLAND ----------	64	-	-	1	3	-	-	1	2	5	3	5
WHITE------MALE----	26	-	-	1	1	-	-	1	1	4	1	4
FEMALE--	38	-	-	-	2	-	-	-	1	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	213	-	3	3	1	3	2	1	5	8	14	14
WHITE------MALE----	102	-	1	2	1	2	1	-	3	3	6	3
FEMALE--	73	-	1	-	-	-	1	1	2	4	6	6
ALL OTHER--MALE----	23	-	-	1	-	1	-	-	-	1	1	3
FEMALE--	15	-	1	-	-	-	-	-	-	-	1	2
BLACK---MALE----	23	-	-	1	-	1	-	-	-	1	1	3
FEMALE--	15	-	1	-	-	-	-	-	-	-	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of brain (C71)												
OHIO ----------	49	55	54	63	67	63	47	19	5	-	-	-
WHITE------MALE----	31	23	31	30	37	28	21	8	2	-	-	-
FEMALE--	16	29	19	23	25	31	23	10	3	-	-	-
ALL OTHER--MALE----	1	3	1	8	2	2	-	-	-	-	-	-
FEMALE--	1	-	3	2	3	2	3	1	-	-	-	-
BLACK---MALE----	1	3	1	8	2	2	-	-	-	-	-	-
FEMALE--	1	-	3	1	3	2	3	1	-	-	-	-
OKLAHOMA ----------	16	22	19	19	17	18	8	7	5	-	-	-
WHITE------MALE----	9	9	11	11	7	8	4	2	1	-	-	-
FEMALE--	7	12	8	7	9	9	4	5	4	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	14	16	9	16	21	18	8	8	-	-	-	-
WHITE------MALE----	10	9	6	9	15	9	6	2	-	-	-	-
FEMALE--	4	7	3	7	6	9	1	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	42	62	57	73	71	85	55	16	8	1	-	-
WHITE------MALE----	18	29	41	43	35	46	24	4	5	-	-	-
FEMALE--	22	28	12	28	30	38	30	11	3	1	-	-
ALL OTHER--MALE----	1	1	1	1	1	1	1	1	-	-	-	-
FEMALE--	1	4	3	1	5	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	1	1	1	1	-	-	-	-
FEMALE--	1	4	3	1	5	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	4	4	5	9	6	5	6	3	-	-	-
WHITE------MALE----	1	1	3	1	2	3	-	1	1	-	-	-
FEMALE--	1	3	1	4	7	3	5	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	20	17	20	28	33	27	7	7	-	-	-	-
WHITE------MALE----	9	11	11	16	16	12	2	3	-	-	-	-
FEMALE--	5	4	3	8	13	11	5	3	-	-	-	-
ALL OTHER--MALE----	5	1	4	2	2	2	-	-	-	-	-	-
FEMALE--	1	1	2	2	2	2	-	1	-	-	-	-
BLACK---MALE----	5	1	4	2	2	2	-	-	-	-	-	-
FEMALE--	1	1	2	2	2	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1106

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of brain (C71)												
SOUTH DAKOTA ----------	60	-	-	1	1	-	-	1	1	4	2	4
WHITE------MALE----	29	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	30	-	-	-	1	-	-	1	-	3	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TENNESSEE ----------	274	-	1	1	1	4	5	8	6	10	13	23
WHITE------MALE----	140	-	-	-	1	-	-	5	4	8	8	14
FEMALE--	108	-	1	1	-	3	3	2	2	1	3	5
ALL OTHER--MALE----	18	-	-	-	-	1	2	-	-	1	2	3
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	16	-	-	-	-	1	2	-	-	1	2	2
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	832	-	13	21	8	4	6	15	14	29	40	58
WHITE------MALE----	426	-	8	9	4	3	3	8	7	14	22	29
FEMALE--	352	-	4	8	2	1	3	6	5	14	12	21
ALL OTHER--MALE----	29	-	1	2	1	-	-	-	1	-	3	7
FEMALE--	25	-	-	2	1	-	-	1	1	1	3	1
BLACK---MALE----	24	-	1	2	-	-	-	-	1	-	3	6
FEMALE--	25	-	-	2	1	-	-	1	1	1	3	1
UTAH ----------	83	-	1	-	-	2	1	-	5	5	1	4
WHITE------MALE----	45	-	1	-	-	2	1	-	3	1	-	1
FEMALE--	38	-	-	-	-	-	-	-	2	4	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	23	-	-	-	1	-	-	-	1	2	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	277	1	3	5	3	1	2	4	4	11	22	31
WHITE------MALE----	141	-	2	2	1	-	1	1	3	5	9	19
FEMALE--	104	-	-	2	2	-	1	1	1	4	11	10
ALL OTHER--MALE----	16	-	-	-	-	1	-	2	-	1	1	2
FEMALE--	16	1	1	1	-	-	-	-	-	1	1	-
BLACK---MALE----	16	-	-	-	-	1	-	2	-	1	1	2
FEMALE--	13	1	1	1	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of brain (C71)												
SOUTH DAKOTA ----------	3	3	7	5	8	9	6	2	2	1	-	-
WHITE------MALE----	2	1	5	5	2	5	2	1	1	-	-	-
FEMALE--	1	2	2	-	6	4	4	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	12	25	30	37	33	33	18	10	3	1	-	-
WHITE------MALE----	5	17	16	17	16	17	6	5	1	-	-	-
FEMALE--	4	8	12	16	15	15	10	4	2	1	-	-
ALL OTHER--MALE----	1	-	2	1	2	1	1	1	-	-	-	-
FEMALE--	2	-	-	3	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	2	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	-	3	-	-	1	-	-	-	-	-
TEXAS ----------	75	76	80	105	111	90	50	27	9	1	-	-
WHITE------MALE----	39	38	55	64	56	41	17	7	2	-	-	-
FEMALE--	30	33	23	37	50	45	32	19	7	-	-	-
ALL OTHER--MALE----	3	3	2	2	2	2	-	-	-	-	-	-
FEMALE--	3	2	-	2	3	2	1	1	-	1	-	-
BLACK---MALE----	3	2	1	2	2	1	-	-	-	-	-	-
FEMALE--	3	2	-	2	3	2	1	1	-	1	-	-
UTAH ----------	6	13	6	15	10	7	5	2	-	-	-	-
WHITE------MALE----	2	8	5	10	5	4	1	1	-	-	-	-
FEMALE--	4	5	1	5	5	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	4	1	6	1	3	-	-	-	-	-	-
WHITE------MALE----	1	3	-	4	1	2	-	-	-	-	-	-
FEMALE--	3	1	1	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	21	25	35	31	21	31	16	9	1	-	-	-
WHITE------MALE----	11	12	21	19	10	14	8	3	-	-	-	-
FEMALE--	6	10	11	8	10	14	7	5	1	-	-	-
ALL OTHER--MALE----	1	1	2	3	1	1	-	-	-	-	-	-
FEMALE--	3	2	1	1	-	2	1	1	-	-	-	-
BLACK---MALE----	1	1	2	3	1	1	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	2	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of brain (C71)												
WASHINGTON ----------	327	1	2	8	3	1	6	3	2	20	22	21
WHITE------MALE----	174	1	-	5	3	1	5	3	1	9	11	8
FEMALE--	135	-	1	1	-	-	1	-	-	9	9	12
ALL OTHER--MALE----	13	-	1	1	-	-	-	-	1	2	1	1
FEMALE--	5	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	88	1	-	2	1	-	-	1	2	1	3	5
WHITE------MALE----	46	1	-	1	-	-	-	1	1	-	1	4
FEMALE--	42	-	-	1	1	-	-	-	1	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	244	-	4	2	1	2	2	2	2	11	21	22
WHITE------MALE----	139	-	2	1	-	2	2	2	1	5	11	14
FEMALE--	97	-	2	-	1	-	-	-	1	6	9	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	1
WYOMING ----------	28	-	-	1	-	-	-	-	1	1	3	1
WHITE------MALE----	17	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of brain (C71)												
WASHINGTON ----------	30	28	29	34	36	41	21	18	-	1	-	-
WHITE------MALE----	15	13	19	20	18	25	8	9	-	-	-	-
FEMALE--	12	13	10	11	18	15	13	9	-	1	-	-
ALL OTHER--MALE----	2	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	7	10	14	19	10	4	2	-	-	-	-
WHITE------MALE----	4	4	6	5	11	3	3	1	-	-	-	-
FEMALE--	2	3	4	9	8	7	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	19	15	25	28	38	25	12	11	1	1	-	-
WHITE------MALE----	13	9	15	17	21	13	6	5	-	-	-	-
FEMALE--	6	6	6	11	17	11	6	6	1	1	-	-
ALL OTHER--MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
WYOMING ----------	-	6	3	4	6	-	1	1	-	-	-	-
WHITE------MALE----	-	3	2	2	3	-	-	1	-	-	-	-
FEMALE--	-	3	1	2	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1108

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other parts of central nervous system (C70,C72)												
UNITED STATES -	281	2	3	4	6	7	3	5	7	13	16	14
WHITE------MALE----	127	2	1	4	-	2	2	4	1	11	9	7
FEMALE--	116	-	1	-	5	4	-	-	3	1	5	6
ALL OTHER--MALE----	22	-	1	-	-	-	1	1	3	1	1	1
FEMALE--	16	-	-	-	1	1	-	-	-	-	1	-
BLACK---MALE----	17	-	-	-	-	-	1	-	3	1	1	-
FEMALE--	14	-	-	-	1	1	-	-	-	-	1	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	36	1	1	-	2	1	1	2	-	3	1	2
WHITE------MALE----	12	1	-	-	-	-	1	1	-	2	-	-
FEMALE--	20	-	1	-	2	1	-	-	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1108

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other parts of central nervous system (C70,C72)												
UNITED STATES -	27	19	24	20	34	35	23	15	3	1	-	-
WHITE------MALE----	9	8	11	12	16	15	7	6	-	-	-	-
FEMALE--	13	7	8	8	15	17	13	7	2	1	-	-
ALL OTHER--MALE----	3	1	3	-	3	1	1	1	-	-	-	-
FEMALE--	2	3	2	-	-	2	2	1	1	-	-	-
BLACK---MALE----	3	1	1	-	3	1	1	1	-	-	-	-
FEMALE--	1	3	2	-	-	2	2	1	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	1	3	4	3	3	4	1	-	-	-	-
WHITE------MALE----	1	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	1	-	2	2	2	3	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1109

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other parts of central nervous system (C70,C72)												
COLORADO ----------	6	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	20	-	-	2	-	-	-	1	1	-	2	-
WHITE------MALE----	13	-	-	2	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	6	-	-	-	-	1	-	-	1	-	-	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other parts of central nervous system (C70,C72)												
COLORADO ----------	3	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	3	1	-	2	6	1	1	-	-	-	-
WHITE------MALE----	-	2	-	-	1	4	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other parts of central nervous system (C70,C72)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	7	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	6	-	-	-	-	-	-	-	-	3	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other parts of central nervous system (C70,C72)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
INDIANA ----------	-	1	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other parts of central nervous system (C70,C72)												
KENTUCKY ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	14	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other parts of central nervous system (C70,C72)												
KENTUCKY ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	1	-	1	1	2	-	-	-	-	-
WHITE------MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	1	1	-	1	1	1	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	3	1	2	1	1	1	-	1	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	2	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other parts of central nervous system (C70,C72)												
MINNESOTA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	13	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other parts of central nervous system (C70,C72)												
MINNESOTA ----------	-	1	-	1	3	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	1	-	1	3	3	1	-	1	-	-	-
WHITE------MALE----	1	1	-	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other parts of central nervous system (C70,C72)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	8	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	17	-	-	-	1	-	-	1	-	1	2	2
WHITE------MALE----	6	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	13	-	-	-	-	2	-	-	1	1	1	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other parts of central nervous system (C70,C72)												
NEW HAMPSHIRE ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	2	1	4	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	2	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other parts of central nervous system (C70,C72)												
OHIO ----------	12	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	5	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	4	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	17	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	-	-	-	1	-	-	-	-	1	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other parts of central nervous system (C70,C72)												
OHIO ----------	1	-	-	3	2	3	1	-	-	-	-	-
WHITE------MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	4	1	2	3	3	1	-	-	-	-
WHITE------MALE----	-	-	4	1	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other parts of central nervous system (C70,C72)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	15	1	1	-	-	2	-	-	-	1	-	-
WHITE------MALE----	10	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other parts of central nervous system (C70,C72)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	2	1	2	-	-	-	-	-
WHITE------MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	1	-	-	1	4	1	2	-	-	-	-
WHITE------MALE----	1	-	-	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
UTAH ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	2	1	1	-	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other parts of central nervous system (C70,C72)												
WASHINGTON ----------	9	-	1	-	-	-	1	-	-	1	1	-
WHITE------MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	9	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other parts of central nervous system (C70,C72)												
WASHINGTON ----------	2	1	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	1	2	1	-	1	1	-	-	-	-
WHITE------MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1117

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
UNITED STATES -	2,007	5	74	77	25	13	13	10	21	50	52	85
WHITE------MALE----	802	2	39	34	7	3	6	6	8	20	23	37
FEMALE--	945	2	26	28	8	5	4	4	9	20	16	39
ALL OTHER--MALE----	111	1	4	7	7	4	1	-	2	5	7	4
FEMALE--	149	-	5	8	3	1	2	-	2	5	6	5
BLACK---MALE----	89	-	4	5	6	4	1	-	1	4	6	4
FEMALE--	112	-	4	7	2	1	2	-	2	5	5	4
ALABAMA ----------	40	-	2	2	1	1	-	2	-	-	4	1
WHITE------MALE----	13	-	1	1	-	-	-	1	-	-	2	-
FEMALE--	13	-	1	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	6	-	-	1	-	1	-	-	-	-	1	-
FEMALE--	8	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	-	-	-	1	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	29	-	1	1	-	-	-	-	-	3	-	1
WHITE------MALE----	15	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	20	-	1	-	-	-	1	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA ----------	209	1	3	9	5	1	-	1	2	3	4	15
WHITE------MALE----	83	-	2	4	1	-	-	1	1	-	2	11
FEMALE--	90	-	1	4	2	1	-	-	1	2	2	4
ALL OTHER--MALE----	17	1	-	-	2	-	-	-	-	1	-	-
FEMALE--	19	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
UNITED STATES -	101	144	173	193	230	284	216	152	70	16	3	-
WHITE------MALE----	53	54	75	84	107	114	77	35	14	4	-	-
FEMALE--	37	68	72	85	95	139	122	107	47	10	2	-
ALL OTHER--MALE----	6	13	10	9	12	6	5	5	2	-	1	-
FEMALE--	5	9	16	15	16	25	12	5	7	2	-	-
BLACK---MALE----	4	12	7	8	10	4	4	4	-	-	1	-
FEMALE--	4	8	12	9	13	15	7	4	7	1	-	-
ALABAMA ----------	1	4	5	3	6	2	4	-	2	-	-	-
WHITE------MALE----	-	1	1	-	3	-	3	-	-	-	-	-
FEMALE--	1	1	-	3	1	2	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	2	3	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	2	3	-	1	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	3	2	5	3	1	6	-	-	-	-	-
WHITE------MALE----	3	1	2	2	2	1	3	-	-	-	-	-
FEMALE--	-	2	-	3	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	1	3	5	-	2	-	2	2	-	-	-
WHITE------MALE----	1	-	2	3	-	2	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
CALIFORNIA ----------	13	15	19	26	20	23	23	16	7	3	-	-
WHITE------MALE----	6	5	11	11	8	5	12	3	-	-	-	-
FEMALE--	6	7	3	11	10	10	6	11	7	2	-	-
ALL OTHER--MALE----	1	1	3	-	2	2	3	1	-	-	-	-
FEMALE--	-	2	2	4	-	6	2	1	-	1	-	-
BLACK---MALE----	-	1	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
COLORADO ----------	32	-	2	-	-	-	-	-	1	1	-	2
WHITE------MALE----	13	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	1	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	21	-	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
FLORIDA ----------	134	-	4	1	-	-	1	-	2	1	6	7
WHITE------MALE----	59	-	1	1	-	-	-	-	-	1	4	5
FEMALE--	62	-	2	-	-	-	1	-	2	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	1
GEORGIA ----------	34	-	3	1	1	1	-	-	1	2	-	1
WHITE------MALE----	18	-	2	-	1	1	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	1	-	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
COLORADO ----------	2	2	2	4	3	3	4	4	2	-	-	-
WHITE------MALE----	1	1	1	1	2	3	2	1	-	-	-	-
FEMALE--	1	1	1	3	-	-	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	1	5	2	1	2	2	-	4	-	1	-	-
WHITE------MALE----	1	1	1	1	2	1	-	3	-	-	-	-
FEMALE--	-	4	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DELAWARE ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
FLORIDA ----------	5	13	12	16	19	21	14	8	4	-	-	-
WHITE------MALE----	1	4	6	5	10	9	8	3	1	-	-	-
FEMALE--	1	8	6	9	7	12	5	5	2	-	-	-
ALL OTHER--MALE----	3	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	1	-	-	-
BLACK---MALE----	3	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	1	-	-	-
GEORGIA ----------	1	3	4	4	6	2	1	2	1	-	-	-
WHITE------MALE----	1	1	4	2	2	2	-	1	-	-	-	-
FEMALE--	-	2	-	-	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
HAWAII ----------	12	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	-	-	1	-	-	-	-	-	1	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	87	-	6	7	1	-	2	2	1	4	1	3
WHITE------MALE----	39	-	3	4	1	-	-	1	-	2	1	1
FEMALE--	32	-	2	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	13	-	1	3	-	-	1	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	3	-	-	1	-	1	-	-	1
INDIANA ----------	44	-	3	-	1	-	-	1	2	1	3	2
WHITE------MALE----	19	-	-	-	1	-	-	-	1	-	3	-
FEMALE--	21	-	3	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
IOWA ----------	29	-	1	1	-	-	2	-	-	1	1	1
WHITE------MALE----	12	-	1	-	-	-	1	-	-	1	1	1
FEMALE--	17	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	22	-	3	-	-	-	-	-	1	-	-	3
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	11	-	2	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
HAWAII ----------	2	2	-	2	1	2	-	1	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	2	1	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	-	-	2	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	9	6	4	12	5	10	6	1	1	-	-
WHITE------MALE----	2	5	3	1	8	2	1	4	-	-	-	-
FEMALE--	2	2	2	2	4	3	8	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	-	-	-	-	-	-	-
INDIANA ----------	3	2	6	3	6	6	4	1	-	-	-	-
WHITE------MALE----	2	-	3	-	5	3	1	-	-	-	-	-
FEMALE--	1	2	2	2	-	3	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	1	1	1	2	6	6	3	2	-	-	-
WHITE------MALE----	-	-	1	-	1	2	3	-	-	-	-	-
FEMALE--	-	1	-	1	1	4	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	2	1	-	2	2	3	2	2	1	-	-
WHITE------MALE----	-	1	1	-	1	1	-	1	-	1	-	-
FEMALE--	-	1	-	-	-	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
KENTUCKY ----------	35	-	-	1	-	-	-	-	-	1	-	3
WHITE------MALE----	11	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	29	-	-	-	-	3	-	1	-	1	1	2
WHITE------MALE----	13	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	10	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
MAINE ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	30	1	1	4	-	-	-	-	-	-	1	2
WHITE------MALE----	15	1	1	1	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	43	-	1	3	-	-	-	-	1	-	1	3
WHITE------MALE----	15	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	2	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	74	-	2	8	1	1	-	-	-	3	-	1
WHITE------MALE----	29	-	2	3	-	-	-	-	-	1	-	1
FEMALE--	38	-	-	5	1	1	-	-	-	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
KENTUCKY ----------	1	3	8	4	6	5	-	1	2	-	-	-
WHITE------MALE----	1	1	1	2	3	2	-	-	-	-	-	-
FEMALE--	-	2	7	2	3	2	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA ----------	1	1	2	3	4	3	3	-	3	1	-	-
WHITE------MALE----	1	-	1	3	1	2	-	-	1	1	-	-
FEMALE--	-	-	1	-	2	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
MAINE ----------	1	-	1	-	3	1	2	2	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	5	1	-	4	4	3	-	1	-	-	-
WHITE------MALE----	1	3	-	-	3	2	1	-	-	-	-	-
FEMALE--	2	-	1	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	2	4	4	8	5	4	4	1	-	-
WHITE------MALE----	-	-	2	2	2	5	-	1	1	-	-	-
FEMALE--	2	-	-	2	2	2	5	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	2	6	5	8	14	11	6	4	-	-	-
WHITE------MALE----	1	1	1	3	6	4	5	1	-	-	-	-
FEMALE--	1	-	4	2	1	7	6	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
MINNESOTA ----------	41	-	2	1	-	-	1	1	1	-	-	4
WHITE------MALE----	19	-	2	1	-	-	1	1	1	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	29	-	2	-	2	-	-	-	1	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	1	-	-	-	-	-	-	-
MISSOURI ----------	43	-	-	-	-	-	-	-	-	3	-	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MONTANA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	12	-	-	-	1	-	1	-	-	1	2	-
WHITE------MALE----	6	-	-	-	1	-	1	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	13	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
MINNESOTA ----------	1	2	4	2	3	6	4	9	-	-	-	-
WHITE------MALE----	1	-	1	-	1	2	2	4	-	-	-	-
FEMALE--	-	2	3	2	2	4	1	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	3	1	2	9	2	3	2	-	-	-
WHITE------MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	4	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	-	1	-	-	-
MISSOURI ----------	2	8	5	2	4	8	3	5	3	-	-	-
WHITE------MALE----	-	3	4	1	2	4	1	-	2	-	-	-
FEMALE--	1	4	1	1	2	3	1	5	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
MONTANA ----------	1	-	1	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	2	1	1	2	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	2	1	-	2	3	2	2	-	-	-	-
WHITE------MALE----	-	1	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
NEW HAMPSHIRE ----------	11	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	68	-	2	-	-	-	-	-	1	2	3	3
WHITE------MALE----	24	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	31	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	1
NEW MEXICO ----------	20	1	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	11	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	136	-	2	5	1	1	-	-	-	2	2	3
WHITE------MALE----	46	-	1	1	-	-	-	-	-	1	1	1
FEMALE--	67	-	-	3	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	6	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	1
NORTH CAROLINA ---------	46	-	3	1	2	1	-	-	1	1	2	3
WHITE------MALE----	19	-	1	1	-	-	-	-	-	-	1	2
FEMALE--	14	-	1	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	1	-	2	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	7	-	1	-	2	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
NORTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
NEW HAMPSHIRE ----------	2	-	1	1	3	-	1	-	1	-	-	-
WHITE------MALE----	2	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	-	7	7	6	14	3	12	1	2	1	-
WHITE------MALE----	4	-	2	3	1	6	2	2	1	-	-	-
FEMALE--	-	-	-	2	3	8	1	10	-	2	1	-
ALL OTHER--MALE----	-	-	2	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	5	1	1	2	2	1	3	-	-	-	-
WHITE------MALE----	2	3	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	10	8	11	17	15	22	21	10	5	1	-	-
WHITE------MALE----	5	2	5	10	3	6	8	1	1	-	-	-
FEMALE--	5	3	3	5	9	12	11	9	4	1	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	2	4	2	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	1	4	2	-	-	-	-	-
NORTH CAROLINA ---------	3	3	5	4	3	5	2	2	4	-	1	-
WHITE------MALE----	2	-	-	3	2	4	1	-	2	-	-	-
FEMALE--	-	2	4	1	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	2	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	2	-	-	-
NORTH DAKOTA ----------	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
OHIO ----------	100	-	2	6	-	-	-	1	2	2	3	3
WHITE------MALE----	45	-	2	2	-	-	-	-	1	-	1	2
FEMALE--	50	-	-	3	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA ----------	20	1	-	2	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
OREGON ----------	32	-	-	1	-	-	-	-	1	1	-	2
WHITE------MALE----	13	-	-	1	-	-	-	-	-	1	-	2
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	109	1	5	3	2	2	2	-	1	3	2	2
WHITE------MALE----	40	-	3	2	1	2	1	-	1	1	1	1
FEMALE--	64	1	2	-	1	-	1	-	-	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	7	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	26	-	-	-	1	-	-	-	-	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
OHIO ----------	3	7	6	14	13	18	12	4	4	-	-	-
WHITE------MALE----	1	4	3	9	7	6	6	1	-	-	-	-
FEMALE--	2	3	3	4	6	11	6	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	1	-	-	4	4	3	2	-	1	-	-
WHITE------MALE----	-	-	-	-	3	3	2	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	4	4	3	2	5	2	2	3	-	-	-
WHITE------MALE----	1	2	1	2	1	1	-	-	1	-	-	-
FEMALE--	1	2	3	1	1	4	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	8	9	10	7	14	19	7	4	4	-	-
WHITE------MALE----	1	4	3	6	2	7	1	1	-	2	-	-
FEMALE--	3	4	5	4	5	6	16	6	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
RHODE ISLAND ----------	2	1	-	1	1	-	1	-	-	-	-	-
WHITE------MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	2	2	3	4	6	2	2	1	-	-	-
WHITE------MALE----	1	-	-	1	3	2	-	-	-	-	-	-
FEMALE--	1	1	1	2	-	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
SOUTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	30	-	3	2	1	-	-	1	-	1	-	1
WHITE------MALE----	9	-	2	1	1	-	-	1	-	-	-	-
FEMALE--	20	-	1	1	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	119	-	8	8	3	-	3	-	-	3	5	3
WHITE------MALE----	38	-	4	1	-	-	2	-	-	2	1	-
FEMALE--	66	-	3	5	3	-	1	-	-	-	3	3
ALL OTHER--MALE----	7	-	1	2	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	1	1	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
UTAH ----------	16	-	2	1	-	-	-	-	-	-	1	2
WHITE------MALE----	9	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	57	-	2	1	-	1	-	-	-	4	2	-
WHITE------MALE----	17	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	29	-	1	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	5	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
SOUTH DAKOTA ----------	-	-	1	1	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	2	4	2	4	6	3	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	3	2	3	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	8	9	15	11	20	10	7	1	-	-	-
WHITE------MALE----	3	4	3	6	-	5	4	2	1	-	-	-
FEMALE--	1	3	5	8	8	14	6	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	-	2	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	2	-	-	-	-
UTAH ----------	-	-	1	2	3	2	1	-	1	-	-	-
WHITE------MALE----	-	-	-	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	2	-	-	3	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	2	5	9	12	7	3	6	-	-	-	-
WHITE------MALE----	2	2	2	1	3	3	1	-	-	-	-	-
FEMALE--	1	-	2	6	6	3	2	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
WASHINGTON ----------	35	-	2	1	1	1	-	-	-	-	1	4
WHITE------MALE----	12	-	1	1	-	-	-	-	-	-	1	1
FEMALE--	20	-	1	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	22	-	1	2	-	-	-	-	-	-	1	-
WHITE------MALE----	13	-	1	1	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	37	-	2	1	-	-	-	-	1	-	2	2
WHITE------MALE----	18	-	-	1	-	-	-	-	1	-	-	1
FEMALE--	18	-	2	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	5	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
WASHINGTON ----------	2	3	4	1	4	5	5	-	-	-	1	-
WHITE------MALE----	1	-	2	-	2	3	-	-	-	-	-	-
FEMALE--	1	2	2	1	2	2	5	-	-	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	2	2	1	4	6	1	1	-	-	-
WHITE------MALE----	-	-	1	2	-	4	2	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	3	2	4	5	5	7	1	-	-	-
WHITE------MALE----	1	1	2	1	1	3	2	3	1	-	-	-
FEMALE--	-	-	1	1	3	2	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	1	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1126

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
UNITED STATES -	43,850	4	15	17	20	31	72	100	193	393	859	1,379
WHITE------MALE----	19,121	3	6	7	10	17	35	52	87	155	335	597
FEMALE--	18,839	1	6	8	5	9	18	32	65	147	322	462
ALL OTHER--MALE----	3,028	-	2	2	4	3	11	6	27	42	101	203
FEMALE--	2,862	-	1	-	1	2	8	10	14	49	101	117
BLACK---MALE----	2,583	-	2	-	2	2	7	3	19	32	84	177
FEMALE--	2,447	-	-	-	1	1	5	10	9	41	90	107
ALABAMA ----------	1,023	-	-	-	-	2	1	2	4	9	20	32
WHITE------MALE----	416	-	-	-	-	1	-	1	3	1	6	14
FEMALE--	381	-	-	-	-	1	-	1	1	4	5	7
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	-	4	3	4
FEMALE--	113	-	-	-	-	-	1	-	-	-	6	7
BLACK---MALE----	113	-	-	-	-	-	-	-	-	4	3	4
FEMALE--	110	-	-	-	-	-	1	-	-	-	6	7
ALASKA ----------	64	-	-	-	-	1	-	-	-	2	4	5
WHITE------MALE----	22	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	22	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	726	-	-	-	1	2	4	2	1	5	11	14
WHITE------MALE----	363	-	-	-	1	1	2	2	-	2	4	7
FEMALE--	318	-	-	-	-	1	2	-	-	2	6	5
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	439	-	-	-	-	-	-	-	3	5	2	13
WHITE------MALE----	213	-	-	-	-	-	-	-	1	3	1	3
FEMALE--	171	-	-	-	-	-	-	-	2	2	1	4
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA ----------	3,843	-	2	3	3	2	7	16	19	36	88	122
WHITE------MALE----	1,631	-	1	-	3	1	3	10	5	14	33	58
FEMALE--	1,664	-	-	3	-	-	-	4	10	11	26	42
ALL OTHER--MALE----	278	-	-	-	-	1	2	1	4	6	16	13
FEMALE--	270	-	1	-	-	-	2	1	-	5	13	9
BLACK---MALE----	130	-	-	-	-	-	-	-	-	4	8	4
FEMALE--	138	-	-	-	-	-	1	1	-	2	8	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
UNITED STATES -	2,073	2,893	3,834	5,020	6,586	7,104	6,260	4,379	1,975	566	76	1
WHITE------MALE----	943	1,355	1,823	2,383	3,145	3,204	2,602	1,625	595	128	13	1
FEMALE--	716	986	1,354	1,941	2,595	3,132	3,073	2,364	1,176	375	52	-
ALL OTHER--MALE----	242	321	367	384	444	369	249	158	72	21	-	-
FEMALE--	172	231	290	312	402	399	336	232	132	42	11	-
BLACK---MALE----	209	289	325	338	372	306	210	128	59	19	-	-
FEMALE--	146	186	248	255	337	351	288	212	113	36	11	-
ALABAMA ----------	60	77	113	133	154	141	137	86	34	18	-	-
WHITE------MALE----	21	35	47	60	70	66	57	22	8	4	-	-
FEMALE--	23	21	38	51	52	49	55	47	16	10	-	-
ALL OTHER--MALE----	9	16	13	13	15	9	11	7	6	3	-	-
FEMALE--	7	5	15	9	17	17	14	10	4	1	-	-
BLACK---MALE----	9	16	13	13	15	9	11	7	6	3	-	-
FEMALE--	7	5	15	8	16	16	14	10	4	1	-	-
ALASKA ----------	2	12	8	6	6	7	9	2	-	-	-	-
WHITE------MALE----	2	5	4	2	2	1	-	-	-	-	-	-
FEMALE--	-	3	2	2	2	4	5	1	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	1	1	4	-	-	-	-	-
FEMALE--	-	2	1	2	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	29	39	86	80	111	128	106	72	26	7	2	-
WHITE------MALE----	13	21	39	48	55	71	51	30	11	4	1	-
FEMALE--	11	14	39	26	50	51	52	40	15	3	1	-
ALL OTHER--MALE----	2	1	5	3	4	3	1	1	-	-	-	-
FEMALE--	3	3	3	3	2	3	2	1	-	-	-	-
BLACK---MALE----	1	1	2	2	1	2	-	1	-	-	-	-
FEMALE--	2	-	2	2	-	2	-	1	-	-	-	-
ARKANSAS ----------	25	32	37	50	69	77	55	46	18	7	-	-
WHITE------MALE----	12	17	21	28	33	38	24	23	8	1	-	-
FEMALE--	10	11	13	13	29	29	26	20	9	2	-	-
ALL OTHER--MALE----	1	3	1	5	2	6	4	1	1	1	-	-
FEMALE--	2	1	2	4	5	4	1	2	-	3	-	-
BLACK---MALE----	1	3	1	4	2	6	4	1	1	1	-	-
FEMALE--	2	1	2	4	5	4	1	1	-	3	-	-
CALIFORNIA ----------	189	249	322	443	582	633	560	358	162	43	4	-
WHITE------MALE----	84	108	137	204	287	271	233	119	49	11	-	-
FEMALE--	67	107	130	166	215	289	275	192	96	27	4	-
ALL OTHER--MALE----	21	14	29	32	43	42	23	24	5	2	-	-
FEMALE--	17	20	26	41	37	31	29	23	12	3	-	-
BLACK---MALE----	10	8	15	16	22	20	11	8	3	1	-	-
FEMALE--	11	11	14	17	13	16	15	16	7	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
COLORADO ----------	463	-	-	-	-	-	2	4	3	2	13	20
WHITE------MALE----	219	-	-	-	-	-	2	-	3	1	10	12
FEMALE--	214	-	-	-	-	-	-	3	-	1	3	7
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT ----------	622	-	-	-	-	-	-	1	1	5	11	12
WHITE------MALE----	294	-	-	-	-	-	-	1	1	1	6	7
FEMALE--	292	-	-	-	-	-	-	-	-	4	3	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
DELAWARE ----------	151	-	-	-	-	-	1	1	-	1	4	5
WHITE------MALE----	62	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	68	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	1
DISTRICT OF COLUMBIA ---	128	-	-	-	-	-	-	-	-	-	1	5
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	55	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
FLORIDA ----------	2,833	-	2	-	1	1	3	8	10	9	46	76
WHITE------MALE----	1,352	-	-	-	-	-	2	5	6	1	19	40
FEMALE--	1,210	-	1	-	1	1	-	2	-	6	17	22
ALL OTHER--MALE----	145	-	1	-	-	-	1	1	2	1	3	11
FEMALE--	126	-	-	-	-	-	-	-	2	1	7	3
BLACK---MALE----	139	-	1	-	-	-	1	1	2	1	3	11
FEMALE--	118	-	-	-	-	-	-	-	1	1	7	3
GEORGIA ----------	1,189	-	-	1	1	-	2	-	5	13	28	52
WHITE------MALE----	449	-	-	-	-	-	-	-	3	4	5	11
FEMALE--	401	-	-	-	-	-	1	-	-	2	10	17
ALL OTHER--MALE----	177	-	-	1	1	-	1	-	1	3	7	12
FEMALE--	162	-	-	-	-	-	-	-	1	4	6	12
BLACK---MALE----	172	-	-	-	1	-	1	-	1	2	7	12
FEMALE--	160	-	-	-	-	-	-	-	1	4	6	12

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
COLORADO ----------	30	27	41	55	52	69	66	48	24	4	3	-
WHITE------MALE----	17	15	21	30	17	30	32	17	9	2	1	-
FEMALE--	8	10	18	23	31	32	31	30	13	2	2	-
ALL OTHER--MALE----	3	1	1	1	2	3	2	1	1	-	-	-
FEMALE--	2	1	1	1	2	4	1	-	1	-	-	-
BLACK---MALE----	2	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	1	1	1	1	1	4	1	-	-	-	-	-
CONNECTICUT ----------	23	36	32	62	89	97	114	85	40	14	-	-
WHITE------MALE----	13	22	17	36	47	43	49	31	14	6	-	-
FEMALE--	5	9	11	24	37	49	62	53	24	8	-	-
ALL OTHER--MALE----	3	5	2	1	3	2	1	-	-	-	-	-
FEMALE--	2	-	2	1	2	3	2	1	2	-	-	-
BLACK---MALE----	3	5	2	1	2	2	1	-	-	-	-	-
FEMALE--	2	-	1	1	2	3	2	1	2	-	-	-
DELAWARE ----------	8	5	13	13	24	28	24	14	8	1	1	-
WHITE------MALE----	3	3	8	6	8	13	8	8	2	-	-	-
FEMALE--	5	2	2	6	13	13	12	4	5	1	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	3	-	1	-	-	-
FEMALE--	-	-	1	-	2	2	1	2	-	-	1	-
BLACK---MALE----	-	-	2	1	1	-	3	-	1	-	-	-
FEMALE--	-	-	1	-	2	2	1	2	-	-	1	-
DISTRICT OF COLUMBIA ---	12	14	14	16	17	15	17	13	3	-	1	-
WHITE------MALE----	3	1	-	1	-	1	2	3	-	-	-	-
FEMALE--	1	2	1	3	3	1	1	3	-	-	1	-
ALL OTHER--MALE----	3	7	8	8	8	9	5	3	-	-	-	-
FEMALE--	5	4	5	4	6	4	9	4	3	-	-	-
BLACK---MALE----	3	7	8	8	8	9	5	3	-	-	-	-
FEMALE--	5	4	5	4	6	4	9	4	3	-	-	-
FLORIDA ----------	121	166	226	313	409	504	424	328	142	39	4	1
WHITE------MALE----	63	81	119	161	211	249	187	144	52	10	1	1
FEMALE--	35	56	70	124	169	226	206	168	80	24	2	-
ALL OTHER--MALE----	15	15	26	16	18	12	12	5	2	4	-	-
FEMALE--	8	14	11	12	11	17	19	11	8	1	1	-
BLACK---MALE----	14	15	25	16	16	11	11	5	2	4	-	-
FEMALE--	7	14	10	11	9	17	19	11	6	1	1	-
GEORGIA ----------	91	96	114	148	185	166	146	90	40	11	-	-
WHITE------MALE----	33	43	50	64	77	64	49	36	9	1	-	-
FEMALE--	23	22	27	53	54	62	65	37	22	6	-	-
ALL OTHER--MALE----	23	20	22	19	30	15	12	7	2	1	-	-
FEMALE--	12	11	15	12	24	25	20	10	7	3	-	-
BLACK---MALE----	21	19	22	19	30	15	12	7	2	1	-	-
FEMALE--	12	10	15	12	23	25	20	10	7	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
HAWAII ----------	156	-	-	-	-	-	-	-	-	2	6	5
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	46	-	-	-	-	-	-	-	-	1	5	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
IDAHO ----------	188	-	-	1	-	-	-	-	-	2	1	5
WHITE------MALE----	93	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	95	-	-	1	-	-	-	-	-	2	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,992	1	-	-	1	1	4	2	5	18	48	49
WHITE------MALE----	775	1	-	-	1	-	2	2	1	5	13	20
FEMALE--	868	-	-	-	-	-	1	-	2	6	18	19
ALL OTHER--MALE----	167	-	-	-	-	1	-	-	1	1	8	9
FEMALE--	182	-	-	-	-	-	1	-	1	6	9	1
BLACK---MALE----	161	-	-	-	-	1	-	-	1	1	7	9
FEMALE--	172	-	-	-	-	-	1	-	1	6	8	1
INDIANA ----------	952	-	1	-	2	-	-	1	3	14	17	37
WHITE------MALE----	445	-	1	-	2	-	-	1	1	7	9	21
FEMALE--	443	-	-	-	-	-	-	-	2	7	8	10
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	37	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	454	-	-	-	-	-	1	-	-	1	5	8
WHITE------MALE----	217	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	233	-	-	-	-	-	1	-	-	1	3	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	370	-	-	-	-	1	-	-	1	5	9	8
WHITE------MALE----	175	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	177	-	-	-	-	1	-	-	1	4	5	5
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
HAWAII ----------	7	10	8	11	28	25	29	13	10	2	-	-
WHITE------MALE----	1	3	-	2	4	7	6	1	1	-	-	-
FEMALE--	1	1	-	-	1	4	6	3	2	-	-	-
ALL OTHER--MALE----	4	4	5	5	13	11	9	4	5	-	-	-
FEMALE--	1	2	3	4	10	3	8	5	2	2	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	12	22	17	23	37	29	25	4	4	-	-
WHITE------MALE----	2	7	14	7	14	20	13	10	2	1	-	-
FEMALE--	4	5	8	10	9	17	16	15	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	81	129	159	232	299	293	304	236	102	23	5	-
WHITE------MALE----	41	49	78	94	138	112	107	75	32	3	1	-
FEMALE--	27	42	45	86	106	140	161	134	59	19	3	-
ALL OTHER--MALE----	8	24	18	25	26	21	12	11	2	-	-	-
FEMALE--	5	14	18	27	29	20	24	16	9	1	1	-
BLACK---MALE----	8	22	17	25	26	19	12	11	2	-	-	-
FEMALE--	3	12	18	27	26	19	24	16	8	1	1	-
INDIANA ----------	44	56	89	114	141	167	123	95	40	8	-	-
WHITE------MALE----	25	28	43	58	74	80	42	33	17	3	-	-
FEMALE--	15	23	40	46	59	74	75	59	20	5	-	-
ALL OTHER--MALE----	2	5	2	6	5	7	4	1	1	-	-	-
FEMALE--	2	-	4	4	3	6	2	2	2	-	-	-
BLACK---MALE----	2	5	2	6	4	7	4	1	1	-	-	-
FEMALE--	2	-	4	4	3	5	2	2	2	-	-	-
IOWA ----------	12	44	42	46	65	65	80	52	24	8	1	-
WHITE------MALE----	4	24	17	27	38	35	29	26	9	3	-	-
FEMALE--	8	16	25	19	27	30	51	26	15	5	1	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	12	32	38	31	46	69	41	40	28	7	2	-
WHITE------MALE----	6	16	22	17	26	32	20	17	9	2	-	-
FEMALE--	5	13	12	12	19	33	19	23	18	5	2	-
ALL OTHER--MALE----	1	2	4	2	-	3	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	2	3	2	-	3	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
KENTUCKY ----------	688	-	-	-	-	-	-	2	4	11	16	16
WHITE------MALE----	323	-	-	-	-	-	-	-	4	8	7	9
FEMALE--	326	-	-	-	-	-	-	2	-	3	8	6
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA ----------	926	-	-	-	1	1	-	2	7	11	18	43
WHITE------MALE----	355	-	-	-	1	-	-	-	3	3	4	12
FEMALE--	280	-	-	-	-	1	-	2	1	3	8	10
ALL OTHER--MALE----	149	-	-	-	-	-	-	-	-	1	3	16
FEMALE--	142	-	-	-	-	-	-	-	3	4	3	5
BLACK---MALE----	148	-	-	-	-	-	-	-	-	1	3	15
FEMALE--	137	-	-	-	-	-	-	-	2	3	3	5
MAINE ----------	255	-	-	-	-	-	-	-	1	1	3	6
WHITE------MALE----	126	-	-	-	-	-	-	-	1	-	3	4
FEMALE--	128	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	831	-	-	-	-	1	-	1	5	11	17	37
WHITE------MALE----	319	-	-	-	-	1	-	-	2	3	6	12
FEMALE--	296	-	-	-	-	-	-	-	1	3	5	13
ALL OTHER--MALE----	106	-	-	-	-	-	-	-	2	3	4	5
FEMALE--	110	-	-	-	-	-	-	1	-	2	2	7
BLACK---MALE----	100	-	-	-	-	-	-	-	1	2	4	5
FEMALE--	101	-	-	-	-	-	-	1	-	2	2	7
MASSACHUSETTS ----------	1,258	-	-	-	-	-	4	4	6	8	11	34
WHITE------MALE----	578	-	-	-	-	-	1	4	4	4	6	15
FEMALE--	616	-	-	-	-	-	2	-	2	2	2	16
ALL OTHER--MALE----	34	-	-	-	-	-	1	-	-	1	3	2
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1,568	-	-	-	-	1	1	1	9	20	34	62
WHITE------MALE----	699	-	-	-	-	-	-	1	3	7	14	27
FEMALE--	664	-	-	-	-	1	1	-	3	9	11	20
ALL OTHER--MALE----	119	-	-	-	-	-	-	-	2	2	8	11
FEMALE--	86	-	-	-	-	-	-	-	1	2	1	4
BLACK---MALE----	112	-	-	-	-	-	-	-	1	2	8	10
FEMALE--	79	-	-	-	-	-	-	-	1	2	1	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
KENTUCKY ----------	36	48	65	75	113	108	87	67	28	10	2	-
WHITE------MALE----	17	30	33	37	59	43	46	23	7	-	-	-
FEMALE--	18	16	29	29	45	59	35	43	21	10	2	-
ALL OTHER--MALE----	-	1	2	4	3	4	3	-	-	-	-	-
FEMALE--	1	1	1	5	6	2	3	1	-	-	-	-
BLACK---MALE----	-	1	2	4	3	4	3	-	-	-	-	-
FEMALE--	1	1	1	5	6	2	3	1	-	-	-	-
LOUISIANA ----------	50	76	93	129	156	123	115	68	24	8	1	-
WHITE------MALE----	18	34	42	57	63	44	37	32	4	1	-	-
FEMALE--	12	11	27	32	48	44	46	20	10	4	1	-
ALL OTHER--MALE----	9	17	14	24	23	14	15	9	3	1	-	-
FEMALE--	11	14	10	16	22	21	17	7	7	2	-	-
BLACK---MALE----	9	17	14	24	23	14	15	9	3	1	-	-
FEMALE--	11	13	10	16	21	20	17	7	7	2	-	-
MAINE ----------	6	14	15	31	44	41	46	26	17	3	1	-
WHITE------MALE----	5	8	6	14	22	19	21	16	6	-	1	-
FEMALE--	1	6	9	16	22	22	25	10	11	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	52	63	74	103	111	147	111	58	28	11	1	-
WHITE------MALE----	27	25	24	44	40	63	47	17	5	3	-	-
FEMALE--	11	13	21	33	43	59	42	25	19	7	1	-
ALL OTHER--MALE----	8	15	20	16	12	10	6	5	-	-	-	-
FEMALE--	6	10	9	10	16	15	16	11	4	1	-	-
BLACK---MALE----	7	15	20	15	11	10	6	4	-	-	-	-
FEMALE--	6	9	9	9	14	13	14	10	4	1	-	-
MASSACHUSETTS ----------	47	67	86	143	181	220	177	168	81	21	-	-
WHITE------MALE----	25	35	37	80	99	98	79	63	24	4	-	-
FEMALE--	17	27	42	55	75	113	91	101	56	15	-	-
ALL OTHER--MALE----	1	1	2	5	4	7	3	3	1	-	-	-
FEMALE--	4	4	5	3	3	2	4	1	-	2	-	-
BLACK---MALE----	1	1	2	4	2	6	2	2	1	-	-	-
FEMALE--	4	2	3	3	2	1	1	1	-	2	-	-
MICHIGAN ----------	67	94	149	205	238	247	213	147	61	17	2	-
WHITE------MALE----	31	42	73	92	114	106	91	68	26	4	-	-
FEMALE--	21	38	50	82	96	109	107	70	31	13	2	-
ALL OTHER--MALE----	6	12	12	20	17	19	4	4	2	-	-	-
FEMALE--	9	2	14	11	11	13	11	5	2	-	-	-
BLACK---MALE----	6	12	11	20	15	18	4	3	2	-	-	-
FEMALE--	9	1	12	8	11	13	10	5	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
MINNESOTA ----------	730	-	-	-	-	1	3	2	4	4	13	20
WHITE------MALE----	333	-	-	-	-	1	2	2	1	2	4	10
FEMALE--	376	-	-	-	-	-	1	-	3	2	7	7
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	421	-	-	-	-	-	-	1	3	4	16	23
WHITE------MALE----	160	-	-	-	-	-	-	1	-	2	6	9
FEMALE--	145	-	-	-	-	-	-	-	1	1	2	7
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	2	1	3	5
FEMALE--	56	-	-	-	-	-	-	-	-	-	5	2
BLACK---MALE----	59	-	-	-	-	-	-	-	2	1	3	5
FEMALE--	55	-	-	-	-	-	-	-	-	-	5	2
MISSOURI ----------	978	-	-	1	-	1	1	2	3	3	17	36
WHITE------MALE----	474	-	-	-	-	1	-	1	-	1	6	21
FEMALE--	417	-	-	1	-	-	-	1	2	1	6	8
ALL OTHER--MALE----	43	-	-	-	-	-	1	-	-	-	2	6
FEMALE--	44	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	42	-	-	-	-	-	1	-	-	-	2	6
FEMALE--	40	-	-	-	-	-	-	-	1	1	3	1
MONTANA ----------	160	-	-	-	-	-	1	1	1	1	2	1
WHITE------MALE----	76	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	78	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	241	-	-	-	-	-	-	-	1	2	5	7
WHITE------MALE----	110	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	120	-	-	-	-	-	-	-	1	2	3	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	330	-	-	1	-	-	-	1	1	5	5	6
WHITE------MALE----	174	-	-	1	-	-	-	1	-	3	3	6
FEMALE--	130	-	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
MINNESOTA ----------	27	40	58	64	104	122	129	83	42	14	-	-
WHITE------MALE----	15	21	32	33	52	50	62	30	11	5	-	-
FEMALE--	10	17	24	31	48	69	64	53	31	9	-	-
ALL OTHER--MALE----	2	2	-	-	3	2	2	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
MISSISSIPPI ----------	23	29	34	45	51	63	52	45	25	6	1	-
WHITE------MALE----	6	13	11	22	23	26	23	14	4	-	-	-
FEMALE--	8	8	11	13	16	23	20	21	10	4	-	-
ALL OTHER--MALE----	5	3	6	4	9	6	3	6	6	1	-	-
FEMALE--	4	5	6	6	3	8	6	4	5	1	1	-
BLACK---MALE----	5	3	6	4	9	5	3	6	6	1	-	-
FEMALE--	3	5	6	6	3	8	6	4	5	1	1	-
MISSOURI ----------	34	74	92	123	147	156	130	105	38	14	1	-
WHITE------MALE----	16	40	47	68	84	79	61	39	7	3	-	-
FEMALE--	13	26	33	40	53	71	62	61	28	10	1	-
ALL OTHER--MALE----	5	3	7	6	4	3	4	2	-	-	-	-
FEMALE--	-	5	5	9	6	3	3	3	3	1	-	-
BLACK---MALE----	5	3	6	6	4	3	4	2	-	-	-	-
FEMALE--	-	4	4	9	5	3	3	3	2	1	-	-
MONTANA ----------	8	12	12	18	32	23	25	16	6	1	-	-
WHITE------MALE----	6	7	8	7	19	13	8	3	2	-	-	-
FEMALE--	2	4	4	11	10	10	16	13	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	11	17	20	26	33	41	33	26	14	5	-	-
WHITE------MALE----	2	11	9	11	20	22	14	10	3	2	-	-
FEMALE--	8	3	10	14	12	17	19	15	11	3	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	1	-	-	-	-
NEVADA ----------	18	29	37	45	54	59	39	17	8	5	-	-
WHITE------MALE----	10	19	27	24	27	29	15	7	2	-	-	-
FEMALE--	8	5	6	16	24	27	22	9	5	4	-	-
ALL OTHER--MALE----	-	3	1	4	2	1	2	-	-	-	-	-
FEMALE--	-	2	3	1	1	2	-	1	1	1	-	-
BLACK---MALE----	-	1	1	3	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	2	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
NEW HAMPSHIRE ----------	187	-	-	-	-	-	-	-	1	1	8	2
WHITE------MALE----	95	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	88	-	-	-	-	-	-	-	1	1	6	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,560	-	1	-	-	1	4	3	5	17	37	55
WHITE------MALE----	623	-	-	-	-	1	1	1	2	6	13	26
FEMALE--	726	-	1	-	-	-	2	2	2	5	21	16
ALL OTHER--MALE----	98	-	-	-	-	-	-	-	1	1	2	9
FEMALE--	113	-	-	-	-	-	1	-	-	5	1	4
BLACK---MALE----	86	-	-	-	-	-	-	-	1	1	1	6
FEMALE--	101	-	-	-	-	-	1	-	-	4	1	4
NEW MEXICO ----------	297	-	-	-	-	-	1	-	1	1	4	7
WHITE------MALE----	132	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	135	-	-	-	-	-	1	-	1	-	3	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2,811	3	2	2	2	5	5	11	16	22	46	86
WHITE------MALE----	1,167	2	1	1	1	4	1	4	10	12	17	33
FEMALE--	1,222	1	1	1	-	-	1	4	4	6	16	25
ALL OTHER--MALE----	218	-	-	-	1	-	1	1	2	1	8	17
FEMALE--	204	-	-	-	-	1	2	2	-	3	5	11
BLACK---MALE----	191	-	-	-	1	-	-	-	1	1	7	16
FEMALE--	179	-	-	-	-	1	-	2	-	3	5	10
NORTH CAROLINA ---------	1,323	-	1	2	1	2	2	5	2	19	33	55
WHITE------MALE----	523	-	-	1	-	2	1	1	-	5	16	14
FEMALE--	496	-	1	-	-	-	1	2	1	8	7	28
ALL OTHER--MALE----	171	-	-	1	-	-	-	1	1	6	6	8
FEMALE--	133	-	-	-	1	-	-	1	-	-	4	5
BLACK---MALE----	164	-	-	-	-	-	-	-	1	6	6	8
FEMALE--	124	-	-	-	1	-	-	1	-	-	4	5
NORTH DAKOTA ----------	108	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	51	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
NEW HAMPSHIRE ----------	9	11	19	25	19	29	28	25	6	4	-	-
WHITE------MALE----	5	7	11	16	10	18	11	10	4	-	-	-
FEMALE--	3	4	7	8	8	11	17	15	2	4	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	69	102	135	170	227	237	243	159	72	21	2	-
WHITE------MALE----	32	39	55	78	99	101	93	48	25	3	-	-
FEMALE--	25	37	51	71	99	110	130	95	39	18	2	-
ALL OTHER--MALE----	5	14	17	15	10	9	8	5	2	-	-	-
FEMALE--	7	12	12	6	19	17	12	11	6	-	-	-
BLACK---MALE----	5	11	14	15	10	9	8	3	2	-	-	-
FEMALE--	6	9	12	5	17	15	11	10	6	-	-	-
NEW MEXICO ----------	15	10	22	44	39	61	47	31	10	3	1	-
WHITE------MALE----	7	5	13	19	15	30	25	11	4	-	-	-
FEMALE--	5	4	4	21	22	24	18	18	5	3	1	-
ALL OTHER--MALE----	2	1	3	2	1	2	1	-	-	-	-	-
FEMALE--	1	-	2	2	1	5	3	2	1	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	-	-	-	-
NEW YORK ----------	142	189	240	293	437	462	380	287	126	48	7	-
WHITE------MALE----	54	87	109	116	201	204	162	100	30	16	2	-
FEMALE--	64	61	81	122	175	203	185	159	81	27	5	-
ALL OTHER--MALE----	16	21	29	33	30	26	15	10	5	2	-	-
FEMALE--	8	20	21	22	31	29	18	18	10	3	-	-
BLACK---MALE----	13	19	25	30	26	25	13	9	3	2	-	-
FEMALE--	7	16	18	21	27	24	17	17	8	3	-	-
NORTH CAROLINA ---------	72	89	119	171	199	184	194	117	45	10	1	-
WHITE------MALE----	26	35	49	81	88	79	79	35	11	-	-	-
FEMALE--	19	25	38	63	72	68	72	59	22	10	-	-
ALL OTHER--MALE----	17	21	20	17	24	16	20	9	4	-	-	-
FEMALE--	10	8	12	10	15	21	23	14	8	-	1	-
BLACK---MALE----	16	21	20	17	22	15	19	9	4	-	-	-
FEMALE--	9	4	10	10	15	21	21	14	8	-	1	-
NORTH DAKOTA ----------	6	4	7	12	15	13	24	12	7	1	2	-
WHITE------MALE----	4	-	3	6	11	5	13	7	-	-	1	-
FEMALE--	2	4	3	5	4	8	9	5	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
OHIO ----------	2,105	-	1	1	2	1	5	5	10	19	45	77
WHITE------MALE----	937	-	-	1	-	-	2	-	5	8	22	35
FEMALE--	966	-	1	-	2	1	2	4	3	9	20	30
ALL OTHER--MALE----	94	-	-	-	-	-	1	-	2	2	-	5
FEMALE--	108	-	-	-	-	-	-	1	-	-	3	7
BLACK---MALE----	91	-	-	-	-	-	1	-	2	2	-	5
FEMALE--	108	-	-	-	-	-	-	1	-	-	3	7
OKLAHOMA ----------	617	-	-	-	1	-	1	4	5	3	14	17
WHITE------MALE----	303	-	-	-	-	-	1	4	2	1	7	8
FEMALE--	234	-	-	-	-	-	-	-	2	-	4	3
ALL OTHER--MALE----	41	-	-	-	1	-	-	-	1	1	-	5
FEMALE--	39	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	20	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	1	2	1
OREGON ----------	563	-	-	-	2	1	-	-	2	5	6	8
WHITE------MALE----	261	-	-	-	-	-	-	-	2	3	4	5
FEMALE--	285	-	-	-	1	1	-	-	-	1	2	3
ALL OTHER--MALE----	10	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA ----------	2,634	-	-	1	-	-	1	9	13	20	39	61
WHITE------MALE----	1,159	-	-	-	-	-	-	4	10	13	17	25
FEMALE--	1,219	-	-	1	-	-	1	3	1	5	16	27
ALL OTHER--MALE----	115	-	-	-	-	-	-	2	-	-	2	7
FEMALE--	141	-	-	-	-	-	-	-	2	2	4	2
BLACK---MALE----	107	-	-	-	-	-	-	2	-	-	2	6
FEMALE--	130	-	-	-	-	-	-	-	1	2	4	2
RHODE ISLAND ----------	187	-	-	-	-	-	-	1	-	2	2	4
WHITE------MALE----	72	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	105	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	589	-	1	-	-	-	2	1	6	6	20	33
WHITE------MALE----	222	-	1	-	-	-	2	-	1	2	4	11
FEMALE--	175	-	-	-	-	-	-	-	4	-	8	6
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	1	1	4	9
FEMALE--	99	-	-	-	-	-	-	1	-	3	4	7
BLACK---MALE----	92	-	-	-	-	-	-	-	1	-	4	9
FEMALE--	97	-	-	-	-	-	-	1	-	3	4	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
OHIO ----------	92	120	154	246	339	372	308	200	83	20	5	-
WHITE------MALE----	44	53	76	128	156	184	118	76	25	4	-	-
FEMALE--	36	53	54	99	144	167	166	106	53	13	3	-
ALL OTHER--MALE----	9	8	9	11	19	8	10	8	1	1	-	-
FEMALE--	3	6	15	8	20	13	14	10	4	2	2	-
BLACK---MALE----	9	8	8	10	18	8	10	8	1	1	-	-
FEMALE--	3	6	15	8	20	13	14	10	4	2	2	-
OKLAHOMA ----------	26	44	65	75	83	91	89	57	32	9	1	-
WHITE------MALE----	11	25	36	35	42	48	45	28	8	2	-	-
FEMALE--	8	16	20	33	29	29	36	26	21	6	1	-
ALL OTHER--MALE----	1	3	5	4	8	8	3	-	1	-	-	-
FEMALE--	6	-	4	3	4	6	5	3	2	1	-	-
BLACK---MALE----	-	1	4	2	4	4	2	-	1	-	-	-
FEMALE--	3	-	4	-	4	5	2	2	2	1	-	-
OREGON ----------	28	28	39	65	77	99	87	68	36	10	2	-
WHITE------MALE----	14	15	20	27	30	48	42	31	19	1	-	-
FEMALE--	13	13	16	37	46	47	43	36	16	8	2	-
ALL OTHER--MALE----	1	-	2	1	-	3	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	1	1	-	-
BLACK---MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-
PENNSYLVANIA ----------	108	157	216	262	431	487	416	257	120	27	9	-
WHITE------MALE----	53	66	129	125	205	213	161	104	25	7	2	-
FEMALE--	38	62	64	108	185	230	231	142	81	18	6	-
ALL OTHER--MALE----	13	14	11	11	21	17	8	4	5	-	-	-
FEMALE--	4	15	12	18	20	27	16	7	9	2	1	-
BLACK---MALE----	12	14	10	11	20	15	7	4	4	-	-	-
FEMALE--	3	15	11	14	19	26	15	7	8	2	1	-
RHODE ISLAND ----------	11	9	16	17	23	34	34	20	8	6	-	-
WHITE------MALE----	7	2	6	7	12	14	10	5	4	2	-	-
FEMALE--	4	6	8	7	11	19	23	15	4	4	-	-
ALL OTHER--MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
SOUTH CAROLINA ---------	33	49	59	66	79	94	68	53	15	4	-	-
WHITE------MALE----	6	16	24	32	35	38	28	18	4	-	-	-
FEMALE--	7	12	17	18	22	24	27	21	7	2	-	-
ALL OTHER--MALE----	14	10	12	7	12	13	4	3	2	1	-	-
FEMALE--	6	11	6	9	10	19	9	11	2	1	-	-
BLACK---MALE----	14	10	12	7	12	13	4	3	2	1	-	-
FEMALE--	6	11	6	8	10	19	8	11	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
SOUTH DAKOTA ----------	112	-	-	-	-	-	-	-	-	1	1	4
WHITE------MALE----	48	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	57	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	968	-	1	1	-	-	2	1	6	10	17	31
WHITE------MALE----	401	-	-	1	-	-	1	-	2	7	11	10
FEMALE--	428	-	-	-	-	-	-	1	4	1	5	13
ALL OTHER--MALE----	67	-	1	-	-	-	1	-	-	-	1	3
FEMALE--	72	-	-	-	-	-	-	-	-	2	-	5
BLACK---MALE----	66	-	1	-	-	-	1	-	-	-	1	3
FEMALE--	71	-	-	-	-	-	-	-	-	2	-	4
TEXAS ----------	2,282	-	-	1	1	4	6	4	12	19	52	64
WHITE------MALE----	1,055	-	-	1	-	3	4	3	5	7	22	29
FEMALE--	899	-	-	-	1	-	1	1	4	9	20	22
ALL OTHER--MALE----	181	-	-	-	-	1	1	-	3	1	6	9
FEMALE--	147	-	-	-	-	-	-	-	-	2	4	4
BLACK---MALE----	166	-	-	-	-	1	1	-	3	1	5	9
FEMALE--	137	-	-	-	-	-	-	-	-	2	4	4
UTAH ----------	235	-	-	1	-	-	2	-	2	4	5	10
WHITE------MALE----	109	-	-	-	-	-	2	-	-	-	3	4
FEMALE--	117	-	-	1	-	-	-	-	1	4	2	6
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	105	-	-	-	-	-	-	-	1	1	1	2
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	58	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,185	-	2	-	-	2	4	2	4	14	24	44
WHITE------MALE----	471	-	2	-	-	1	2	1	1	6	8	18
FEMALE--	456	-	-	-	-	1	-	-	-	5	7	8
ALL OTHER--MALE----	132	-	-	-	-	-	1	-	2	2	2	8
FEMALE--	126	-	-	-	-	-	1	1	1	1	7	10
BLACK---MALE----	126	-	-	-	-	-	1	-	1	2	2	8
FEMALE--	115	-	-	-	-	-	1	1	1	1	7	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
SOUTH DAKOTA ----------	-	5	9	11	12	18	23	18	5	5	-	-
WHITE------MALE----	-	2	5	3	6	7	12	8	3	-	-	-
FEMALE--	-	1	3	5	6	10	11	10	2	5	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	44	76	100	115	149	149	103	103	48	11	1	-
WHITE------MALE----	17	36	49	48	64	68	45	33	9	-	-	-
FEMALE--	19	26	29	52	68	69	47	54	31	9	-	-
ALL OTHER--MALE----	4	9	13	8	7	7	4	4	4	1	-	-
FEMALE--	4	5	9	7	10	5	7	12	4	1	1	-
BLACK---MALE----	4	9	13	7	7	7	4	4	4	1	-	-
FEMALE--	4	5	9	7	10	5	7	12	4	1	1	-
TEXAS ----------	124	181	220	278	355	354	266	197	96	40	8	-
WHITE------MALE----	57	94	108	134	191	176	99	77	34	10	1	-
FEMALE--	41	53	80	103	113	134	140	95	55	22	5	-
ALL OTHER--MALE----	13	22	21	26	28	21	12	12	3	2	-	-
FEMALE--	13	12	11	15	23	23	15	13	4	6	2	-
BLACK---MALE----	13	21	21	23	24	17	11	12	2	2	-	-
FEMALE--	10	12	11	13	23	20	13	13	4	6	2	-
UTAH ----------	12	13	19	31	34	27	33	24	17	1	-	-
WHITE------MALE----	7	5	9	15	21	10	17	11	5	-	-	-
FEMALE--	5	6	9	14	12	17	14	13	12	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT ----------	11	6	7	17	13	17	15	9	3	2	-	-
WHITE------MALE----	7	4	2	9	4	8	5	4	1	1	-	-
FEMALE--	3	2	5	8	9	9	10	5	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	58	86	122	139	174	194	159	102	48	7	-	-
WHITE------MALE----	23	33	46	59	68	85	69	34	14	1	-	-
FEMALE--	21	30	48	49	60	73	68	56	26	4	-	-
ALL OTHER--MALE----	9	13	15	13	28	19	11	5	4	-	-	-
FEMALE--	5	10	13	18	18	17	11	7	4	2	-	-
BLACK---MALE----	9	11	15	13	25	19	11	5	4	-	-	-
FEMALE--	4	8	12	17	16	16	11	6	4	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1134

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
WASHINGTON ----------	617	-	1	-	-	-	2	-	2	7	7	19
WHITE------MALE----	282	-	-	-	-	-	2	-	1	4	1	13
FEMALE--	295	-	1	-	-	-	-	-	1	2	4	4
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	430	-	-	-	1	-	-	-	3	6	9	9
WHITE------MALE----	216	-	-	-	1	-	-	-	2	5	3	6
FEMALE--	195	-	-	-	-	-	-	-	1	1	6	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	884	-	-	-	-	-	-	-	2	6	15	26
WHITE------MALE----	421	-	-	-	-	-	-	-	2	1	6	13
FEMALE--	426	-	-	-	-	-	-	-	-	4	5	10
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	2
WYOMING ----------	72	-	-	1	-	-	-	-	-	-	2	2
WHITE------MALE----	34	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
WASHINGTON ----------	31	37	46	66	95	93	107	54	36	11	3	-
WHITE------MALE----	19	20	24	31	42	42	49	17	13	3	1	-
FEMALE--	10	14	18	29	50	45	54	34	21	6	2	-
ALL OTHER--MALE----	1	2	1	3	1	5	3	2	-	1	-	-
FEMALE--	1	1	3	3	2	1	1	1	2	1	-	-
BLACK---MALE----	1	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	1	-	1	-	-
WEST VIRGINIA ----------	16	27	41	41	77	72	55	46	19	6	2	-
WHITE------MALE----	10	21	22	20	44	26	29	19	5	2	1	-
FEMALE--	4	6	18	18	28	43	23	27	12	4	1	-
ALL OTHER--MALE----	1	-	-	1	1	-	3	-	-	-	-	-
FEMALE--	1	-	1	2	4	3	-	-	2	-	-	-
BLACK---MALE----	1	-	-	1	1	-	3	-	-	-	-	-
FEMALE--	1	-	1	2	4	3	-	-	2	-	-	-
WISCONSIN ----------	30	47	73	93	127	140	147	106	64	8	-	-
WHITE------MALE----	16	24	39	57	65	72	74	32	18	2	-	-
FEMALE--	10	19	29	32	59	63	73	72	44	6	-	-
ALL OTHER--MALE----	2	2	3	4	2	4	-	1	1	-	-	-
FEMALE--	2	2	2	-	1	1	-	1	1	-	-	-
BLACK---MALE----	2	2	3	3	2	4	-	1	1	-	-	-
FEMALE--	1	-	2	-	1	1	-	1	1	-	-	-
WYOMING ----------	5	4	7	6	18	6	13	5	2	1	-	-
WHITE------MALE----	3	3	2	3	13	3	3	-	1	1	-	-
FEMALE--	2	1	5	3	5	3	9	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1135

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
UNITED STATES -	56,318	30	137	142	209	303	417	423	537	837	1,076	1,648
WHITE------MALE----	26,558	12	63	70	90	136	213	186	245	408	518	816
FEMALE--	23,631	12	55	44	67	96	119	146	174	269	344	546
ALL OTHER--MALE----	3,163	-	12	14	32	44	44	55	71	89	129	170
FEMALE--	2,966	6	7	14	20	27	41	36	47	71	85	116
BLACK---MALE----	2,590	-	9	11	28	33	41	43	55	74	108	141
FEMALE--	2,498	4	6	10	14	21	39	29	33	61	71	98
ALABAMA ----------	881	-	1	1	8	4	8	9	6	23	16	24
WHITE------MALE----	364	-	-	1	3	2	2	3	2	7	8	14
FEMALE--	354	-	1	-	4	1	1	3	1	10	6	6
ALL OTHER--MALE----	74	-	-	-	1	-	2	1	2	3	1	2
FEMALE--	89	-	-	-	-	1	3	2	1	3	1	2
BLACK---MALE----	73	-	-	-	1	-	2	1	2	3	1	2
FEMALE--	89	-	-	-	-	1	3	2	1	3	1	2
ALASKA ----------	62	-	2	-	1	-	-	-	1	1	3	4
WHITE------MALE----	31	-	-	-	1	-	-	-	-	1	1	2
FEMALE--	23	-	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	996	-	1	3	2	5	7	9	5	18	19	27
WHITE------MALE----	512	-	1	2	2	1	2	6	3	8	8	17
FEMALE--	428	-	-	1	-	3	4	2	2	7	7	5
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	-	2	2	3
FEMALE--	25	-	-	-	-	1	1	-	-	1	2	2
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	-	-	-	-	-	1	-	-	-	1	2
ARKANSAS ----------	609	1	-	1	1	2	4	6	7	3	12	16
WHITE------MALE----	284	-	-	-	1	1	1	3	3	-	3	13
FEMALE--	256	-	-	-	-	1	1	-	2	1	5	2
ALL OTHER--MALE----	33	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	36	1	-	1	-	-	1	1	2	2	4	1
BLACK---MALE----	32	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	34	1	-	-	-	-	1	-	2	2	4	1
CALIFORNIA ----------	5,623	3	23	21	31	46	58	57	75	96	119	190
WHITE------MALE----	2,736	2	12	11	17	23	31	19	26	56	64	90
FEMALE--	2,136	-	10	4	9	15	23	24	23	24	32	68
ALL OTHER--MALE----	416	-	1	2	2	6	4	7	14	13	16	21
FEMALE--	335	1	-	4	3	2	-	7	12	3	7	11
BLACK---MALE----	192	-	1	1	1	2	2	3	8	6	7	12
FEMALE--	179	-	-	3	-	1	-	2	3	1	3	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1135

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
UNITED STATES -	2,302	3,346	4,208	5,996	8,336	9,596	8,493	5,468	2,233	526	55	-
WHITE------MALE----	1,168	1,673	2,144	3,068	4,219	4,683	3,761	2,176	750	142	17	-
FEMALE--	751	1,163	1,460	2,229	3,310	4,095	4,148	2,917	1,315	341	30	-
ALL OTHER--MALE----	214	284	325	368	412	419	237	161	66	13	4	-
FEMALE--	169	226	279	331	395	399	347	214	102	30	4	-
BLACK---MALE----	183	243	260	311	338	335	189	123	51	10	4	-
FEMALE--	139	192	232	274	330	332	293	196	91	29	4	-
ALABAMA ----------	36	48	69	113	116	159	122	68	36	14	-	-
WHITE------MALE----	15	26	34	54	55	67	44	17	7	3	-	-
FEMALE--	10	12	21	38	44	73	59	34	23	7	-	-
ALL OTHER--MALE----	6	5	9	10	7	8	9	6	1	1	-	-
FEMALE--	5	5	5	11	10	11	10	11	5	3	-	-
BLACK---MALE----	6	5	9	9	7	8	9	6	1	1	-	-
FEMALE--	5	5	5	11	10	11	10	11	5	3	-	-
ALASKA ----------	5	7	6	4	7	9	5	6	1	-	-	-
WHITE------MALE----	2	4	3	2	3	7	2	3	-	-	-	-
FEMALE--	1	3	2	2	2	2	3	3	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	33	46	80	125	146	193	161	71	40	5	-	-
WHITE------MALE----	16	26	41	72	79	101	77	30	18	2	-	-
FEMALE--	15	17	33	49	61	83	77	38	21	3	-	-
ALL OTHER--MALE----	2	3	2	3	4	4	3	1	1	-	-	-
FEMALE--	-	-	4	1	2	5	4	2	-	-	-	-
BLACK---MALE----	2	3	1	2	-	2	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	2	1	-	-	-	-
ARKANSAS ----------	15	39	35	70	89	103	91	74	34	4	2	-
WHITE------MALE----	8	17	18	37	53	42	45	28	11	-	-	-
FEMALE--	5	15	15	26	31	51	38	40	18	4	1	-
ALL OTHER--MALE----	2	4	2	5	3	6	4	1	3	-	-	-
FEMALE--	-	3	-	2	2	4	4	5	2	-	1	-
BLACK---MALE----	2	4	2	5	3	6	4	1	2	-	-	-
FEMALE--	-	3	-	2	2	4	4	5	2	-	1	-
CALIFORNIA ----------	269	334	421	569	836	935	800	477	220	37	6	-
WHITE------MALE----	146	171	219	301	434	450	365	201	88	9	1	-
FEMALE--	69	111	133	194	302	363	358	231	114	25	4	-
ALL OTHER--MALE----	31	30	40	47	52	59	35	25	10	1	-	-
FEMALE--	23	22	29	27	48	63	42	20	8	2	1	-
BLACK---MALE----	24	13	16	26	24	22	10	9	5	-	-	-
FEMALE--	17	14	14	15	25	36	21	11	4	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
COLORADO ----------	673	1	-	3	1	2	6	8	7	11	14	25
WHITE------MALE----	337	-	-	1	-	-	3	4	4	7	11	9
FEMALE--	311	1	-	1	1	2	2	4	3	4	3	13
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	2
BLACK---MALE----	11	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	1
CONNECTICUT ----------	696	-	2	1	4	4	5	6	3	14	9	15
WHITE------MALE----	345	-	-	-	4	3	4	2	1	4	3	9
FEMALE--	305	-	2	1	-	1	1	2	-	6	4	6
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	23	-	-	-	-	-	-	1	1	2	2	-
BLACK---MALE----	20	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	20	-	-	-	-	-	-	1	-	2	2	-
DELAWARE ----------	130	-	-	-	-	-	-	1	2	4	2	2
WHITE------MALE----	59	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	52	-	-	-	-	-	-	1	2	2	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	108	-	1	-	-	1	-	-	-	-	3	4
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	42	-	1	-	-	1	-	-	-	-	1	2
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	41	-	1	-	-	1	-	-	-	-	-	2
FLORIDA ----------	3,889	2	6	1	9	20	19	23	30	47	69	94
WHITE------MALE----	1,952	1	3	1	5	8	4	12	13	27	36	52
FEMALE--	1,626	1	2	-	1	6	11	7	7	13	22	29
ALL OTHER--MALE----	171	-	1	-	2	4	3	3	8	4	8	10
FEMALE--	140	-	-	-	1	2	1	1	2	3	3	3
BLACK---MALE----	162	-	1	-	2	4	3	3	7	3	8	10
FEMALE--	131	-	-	-	1	1	1	1	2	3	3	3
GEORGIA ----------	1,231	-	3	4	4	4	13	15	19	28	28	38
WHITE------MALE----	507	-	1	2	1	2	5	2	6	11	9	16
FEMALE--	448	-	-	2	1	1	3	7	5	10	7	11
ALL OTHER--MALE----	147	-	1	-	1	1	3	4	3	5	7	3
FEMALE--	129	-	1	-	1	-	2	2	5	2	5	8
BLACK---MALE----	143	-	1	-	1	1	3	4	3	5	7	3
FEMALE--	126	-	1	-	1	-	2	2	5	2	5	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
COLORADO ----------	39	56	52	67	82	105	107	56	26	5	-	-
WHITE------MALE----	19	30	25	35	40	56	53	26	11	3	-	-
FEMALE--	16	25	25	29	36	45	54	30	15	2	-	-
ALL OTHER--MALE----	3	1	1	2	3	3	-	-	-	-	-	-
FEMALE--	1	-	1	1	3	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	3	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
CONNECTICUT ----------	22	37	41	80	102	130	115	60	34	12	-	-
WHITE------MALE----	16	24	24	38	54	66	52	26	14	1	-	-
FEMALE--	5	10	10	37	40	57	61	33	19	10	-	-
ALL OTHER--MALE----	1	1	3	3	5	4	1	-	1	-	-	-
FEMALE--	-	2	4	2	3	3	1	1	-	1	-	-
BLACK---MALE----	1	1	3	2	4	4	-	-	1	-	-	-
FEMALE--	-	2	3	1	3	3	1	1	-	1	-	-
DELAWARE ----------	4	7	8	18	23	24	18	14	3	-	-	-
WHITE------MALE----	2	3	7	6	9	11	8	7	2	-	-	-
FEMALE--	2	-	-	9	10	10	8	6	1	-	-	-
ALL OTHER--MALE----	-	2	-	2	1	1	1	1	-	-	-	-
FEMALE--	-	2	1	1	3	2	1	-	-	-	-	-
BLACK---MALE----	-	2	-	2	1	1	1	1	-	-	-	-
FEMALE--	-	2	1	1	3	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	10	4	10	21	17	22	8	2	1	1	-
WHITE------MALE----	-	1	1	3	7	-	2	2	-	1	-	-
FEMALE--	-	2	1	1	-	3	6	1	1	-	-	-
ALL OTHER--MALE----	1	3	2	2	7	4	7	2	1	-	1	-
FEMALE--	2	4	-	4	7	10	7	3	-	-	-	-
BLACK---MALE----	1	3	2	1	7	3	7	2	1	-	1	-
FEMALE--	2	4	-	4	7	10	7	3	-	-	-	-
FLORIDA ----------	131	179	253	399	611	718	637	444	153	39	5	-
WHITE------MALE----	75	94	131	202	318	393	322	183	57	12	3	-
FEMALE--	38	59	81	164	239	298	288	244	90	24	2	-
ALL OTHER--MALE----	9	13	23	14	34	15	9	7	2	2	-	-
FEMALE--	9	13	18	19	20	12	18	10	4	1	-	-
BLACK---MALE----	9	12	22	13	31	15	8	7	2	2	-	-
FEMALE--	8	10	16	19	19	12	18	9	4	1	-	-
GEORGIA ----------	56	92	109	136	165	193	161	112	44	5	2	-
WHITE------MALE----	17	44	54	67	81	80	63	30	13	2	1	-
FEMALE--	16	25	28	38	54	82	71	58	26	2	1	-
ALL OTHER--MALE----	14	13	16	22	17	18	7	10	1	1	-	-
FEMALE--	9	10	11	9	13	13	20	14	4	-	-	-
BLACK---MALE----	14	12	16	21	17	16	7	10	1	1	-	-
FEMALE--	9	10	10	9	11	13	20	14	4	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
HAWAII ----------	203	-	-	-	1	3	1	2	3	3	6	7
WHITE------MALE----	39	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	23	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	80	-	-	-	-	2	-	1	3	1	1	4
FEMALE--	61	-	-	-	1	1	1	-	-	-	3	2
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	242	1	2	-	2	1	4	4	1	3	3	6
WHITE------MALE----	137	1	2	-	1	-	1	4	-	-	3	4
FEMALE--	103	-	-	-	1	-	3	-	1	3	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2,595	1	5	3	6	10	23	11	19	36	35	88
WHITE------MALE----	1,201	-	3	1	1	5	13	5	10	18	12	44
FEMALE--	1,098	1	2	1	2	2	5	3	7	12	17	23
ALL OTHER--MALE----	146	-	-	1	2	2	2	2	2	4	1	10
FEMALE--	150	-	-	-	1	1	3	1	-	2	5	11
BLACK---MALE----	133	-	-	-	2	2	2	2	2	3	1	8
FEMALE--	145	-	-	-	1	1	3	1	-	2	5	11
INDIANA ----------	1,307	1	5	3	3	3	8	8	17	15	15	32
WHITE------MALE----	627	-	4	1	3	2	6	2	9	9	8	18
FEMALE--	600	1	1	2	-	-	1	5	7	5	6	13
ALL OTHER--MALE----	37	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	43	-	-	-	-	1	1	-	-	1	1	-
BLACK---MALE----	36	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	43	-	-	-	-	1	1	-	-	1	1	-
IOWA ----------	699	-	-	1	2	2	4	5	4	5	12	11
WHITE------MALE----	351	-	-	1	-	2	1	2	4	1	4	5
FEMALE--	329	-	-	-	2	-	3	2	-	3	5	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
KANSAS ----------	573	-	2	2	-	1	5	3	6	5	4	17
WHITE------MALE----	276	-	2	-	-	-	3	2	2	3	2	9
FEMALE--	264	-	-	1	-	-	1	1	4	2	1	6
ALL OTHER--MALE----	16	-	-	1	-	1	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	16	-	-	1	-	1	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
HAWAII ----------	5	6	19	19	29	42	26	19	11	1	-	-
WHITE------MALE----	1	3	7	4	5	9	2	3	1	-	-	-
FEMALE--	1	-	1	-	4	5	4	2	4	-	-	-
ALL OTHER--MALE----	2	-	7	6	11	17	10	11	4	-	-	-
FEMALE--	1	3	4	9	9	11	10	3	2	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	19	19	22	36	41	33	26	7	4	1	-
WHITE------MALE----	5	8	11	14	20	28	14	17	3	1	-	-
FEMALE--	2	11	8	8	15	13	19	9	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	110	159	207	275	353	458	391	265	113	24	3	-
WHITE------MALE----	57	74	109	135	173	223	159	103	46	9	1	-
FEMALE--	31	59	63	99	144	201	208	143	63	11	1	-
ALL OTHER--MALE----	17	17	14	20	19	16	8	6	2	1	-	-
FEMALE--	5	9	21	21	17	18	16	13	2	3	1	-
BLACK---MALE----	14	16	12	19	18	16	8	5	2	1	-	-
FEMALE--	5	8	21	19	16	18	15	13	2	3	1	-
INDIANA ----------	51	75	97	164	214	227	180	107	67	14	1	-
WHITE------MALE----	23	49	48	87	104	116	79	37	19	2	1	-
FEMALE--	19	20	42	67	96	99	90	67	47	12	-	-
ALL OTHER--MALE----	4	4	4	4	4	8	5	-	1	-	-	-
FEMALE--	5	2	3	6	10	4	6	3	-	-	-	-
BLACK---MALE----	4	4	3	4	4	8	5	-	1	-	-	-
FEMALE--	5	2	3	6	10	4	6	3	-	-	-	-
IOWA ----------	23	35	52	79	110	118	118	75	31	12	-	-
WHITE------MALE----	13	15	28	45	66	67	50	37	6	4	-	-
FEMALE--	8	19	22	31	42	50	67	37	24	8	-	-
ALL OTHER--MALE----	-	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	2	2	-	1	1	1	-	-	-
BLACK---MALE----	-	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	1	1	-	-	-
KANSAS ----------	21	34	47	67	84	96	100	46	27	4	2	-
WHITE------MALE----	12	14	19	33	44	47	55	17	12	-	-	-
FEMALE--	7	19	21	32	38	44	44	27	10	4	2	-
ALL OTHER--MALE----	2	-	4	1	1	1	1	1	1	-	-	-
FEMALE--	-	1	3	1	1	4	-	1	4	-	-	-
BLACK---MALE----	2	-	4	1	1	1	1	1	1	-	-	-
FEMALE--	-	1	3	1	1	4	-	1	4	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
KENTUCKY ----------	816	-	-	1	2	4	6	-	9	10	16	23
WHITE------MALE----	399	-	-	1	2	2	5	-	5	5	9	12
FEMALE--	367	-	-	-	-	2	1	-	4	4	7	9
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	1
LOUISIANA ----------	885	-	4	1	4	11	7	8	6	7	26	33
WHITE------MALE----	348	-	2	1	1	2	2	3	2	4	7	9
FEMALE--	322	-	1	-	-	4	-	3	2	1	5	13
ALL OTHER--MALE----	114	-	1	-	1	3	2	1	1	1	8	7
FEMALE--	101	-	-	-	2	2	3	1	1	1	6	4
BLACK---MALE----	113	-	1	-	1	3	2	1	-	1	8	7
FEMALE--	99	-	-	-	2	2	3	1	1	1	6	4
MAINE ----------	279	1	1	-	2	3	2	1	2	1	6	6
WHITE------MALE----	155	1	1	-	2	-	-	-	1	-	2	6
FEMALE--	122	-	-	-	-	3	2	1	1	1	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1,016	-	4	5	6	7	5	5	13	17	20	27
WHITE------MALE----	443	-	-	2	1	6	1	1	7	10	10	10
FEMALE--	343	-	2	-	-	-	2	2	1	3	5	8
ALL OTHER--MALE----	125	-	1	2	4	1	1	2	2	2	2	7
FEMALE--	105	-	1	1	1	-	1	-	3	2	3	2
BLACK---MALE----	120	-	1	2	4	1	1	2	2	2	2	7
FEMALE--	98	-	1	1	1	-	1	-	3	2	2	2
MASSACHUSETTS ----------	1,410	1	3	2	5	4	9	12	15	23	25	33
WHITE------MALE----	674	-	2	2	2	-	5	4	8	8	14	19
FEMALE--	670	1	1	-	2	3	3	6	6	14	9	10
ALL OTHER--MALE----	36	-	-	-	1	1	-	1	1	-	1	3
FEMALE--	30	-	-	-	-	-	1	1	-	1	1	1
BLACK---MALE----	24	-	-	-	-	1	-	1	-	-	-	2
FEMALE--	24	-	-	-	-	-	1	1	-	1	1	-
MICHIGAN ----------	2,080	1	5	5	6	12	11	15	24	23	40	71
WHITE------MALE----	1,015	1	2	3	4	6	4	6	10	11	22	44
FEMALE--	832	-	3	1	1	2	4	6	9	7	11	21
ALL OTHER--MALE----	112	-	-	-	-	2	3	-	3	3	5	2
FEMALE--	121	-	-	1	1	2	-	3	2	2	2	4
BLACK---MALE----	101	-	-	-	-	2	3	-	3	3	5	2
FEMALE--	115	-	-	1	-	2	-	3	2	2	2	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
KENTUCKY ----------	41	66	84	89	108	131	125	57	37	7	-	-
WHITE------MALE----	25	40	41	45	57	58	55	25	8	4	-	-
FEMALE--	12	21	32	36	44	70	66	29	27	3	-	-
ALL OTHER--MALE----	3	4	4	5	2	2	2	1	2	-	-	-
FEMALE--	1	1	7	3	5	1	2	2	-	-	-	-
BLACK---MALE----	3	4	4	5	2	2	2	1	2	-	-	-
FEMALE--	1	1	6	3	5	1	-	2	-	-	-	-
LOUISIANA ----------	27	57	90	93	138	150	105	84	25	8	1	-
WHITE------MALE----	12	19	38	48	53	69	38	28	7	3	-	-
FEMALE--	8	19	29	26	50	50	54	40	11	5	1	-
ALL OTHER--MALE----	3	11	15	8	16	19	6	10	1	-	-	-
FEMALE--	4	8	8	11	19	12	7	6	6	-	-	-
BLACK---MALE----	3	11	15	8	16	19	6	10	1	-	-	-
FEMALE--	3	8	8	10	19	12	7	6	6	-	-	-
MAINE ----------	6	16	23	41	45	48	36	25	12	2	-	-
WHITE------MALE----	3	7	14	21	29	24	22	17	4	1	-	-
FEMALE--	3	9	9	20	15	23	14	8	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	45	81	74	105	156	165	150	77	42	12	-	-
WHITE------MALE----	22	32	28	46	80	80	55	31	17	4	-	-
FEMALE--	4	19	25	27	51	55	73	37	22	7	-	-
ALL OTHER--MALE----	9	23	10	14	15	18	8	3	-	1	-	-
FEMALE--	10	7	11	18	10	12	14	6	3	-	-	-
BLACK---MALE----	9	22	9	14	15	17	6	3	-	1	-	-
FEMALE--	9	7	9	17	9	12	14	6	2	-	-	-
MASSACHUSETTS ----------	53	84	102	146	196	246	229	150	49	20	3	-
WHITE------MALE----	28	40	57	84	102	129	102	54	12	2	-	-
FEMALE--	21	41	36	51	85	111	122	93	35	17	3	-
ALL OTHER--MALE----	3	1	5	6	6	3	1	2	1	-	-	-
FEMALE--	1	2	4	5	3	3	4	1	1	1	-	-
BLACK---MALE----	2	1	4	6	4	1	1	-	1	-	-	-
FEMALE--	1	2	3	3	2	3	3	1	1	1	-	-
MICHIGAN ----------	83	124	164	233	321	340	329	179	75	18	1	-
WHITE------MALE----	43	69	83	132	176	154	142	75	24	4	-	-
FEMALE--	24	37	56	76	111	148	164	88	48	14	1	-
ALL OTHER--MALE----	9	8	14	11	18	18	10	5	1	-	-	-
FEMALE--	7	10	11	14	16	20	13	11	2	-	-	-
BLACK---MALE----	8	6	12	10	18	16	9	3	1	-	-	-
FEMALE--	7	9	10	14	16	20	10	11	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
MINNESOTA ----------	1,094	1	3	4	2	8	7	8	6	15	19	23
WHITE------MALE----	556	1	1	1	1	4	3	2	4	9	12	12
FEMALE--	506	-	2	-	-	4	2	6	-	6	6	9
ALL OTHER--MALE----	18	-	-	2	-	-	1	-	1	-	1	2
FEMALE--	14	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	8	-	-	1	-	-	-	-	1	-	1	1
FEMALE--	7	-	-	-	1	-	1	-	-	-	-	-
MISSISSIPPI ----------	531	-	1	3	4	2	6	5	5	4	13	14
WHITE------MALE----	222	-	-	-	1	-	3	2	2	3	5	2
FEMALE--	184	-	-	-	1	2	-	2	2	-	4	3
ALL OTHER--MALE----	59	-	1	2	2	-	-	1	1	1	1	3
FEMALE--	66	-	-	1	-	-	3	-	-	-	3	6
BLACK---MALE----	59	-	1	2	2	-	-	1	1	1	1	3
FEMALE--	64	-	-	1	-	-	3	-	-	-	3	6
MISSOURI ----------	1,256	-	2	5	4	4	9	11	8	24	16	28
WHITE------MALE----	584	-	-	3	2	4	4	4	4	10	10	15
FEMALE--	554	-	1	1	1	-	1	4	2	10	4	12
ALL OTHER--MALE----	60	-	-	1	1	-	3	1	2	3	1	-
FEMALE--	58	-	1	-	-	-	1	2	-	1	1	1
BLACK---MALE----	59	-	-	1	1	-	3	1	2	3	1	-
FEMALE--	54	-	1	-	-	-	1	2	-	1	1	1
MONTANA ----------	207	-	-	-	-	2	-	1	-	2	4	6
WHITE------MALE----	103	-	-	-	-	1	-	-	-	2	2	3
FEMALE--	100	-	-	-	-	1	-	-	-	-	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	413	-	2	-	-	4	1	5	3	7	7	14
WHITE------MALE----	196	-	-	-	-	2	1	1	1	4	3	6
FEMALE--	200	-	2	-	-	1	-	3	1	1	3	8
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	6	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	-
NEVADA ----------	279	-	-	-	-	4	1	4	1	6	7	13
WHITE------MALE----	139	-	-	-	-	2	-	2	1	2	5	7
FEMALE--	115	-	-	-	-	2	1	1	-	3	2	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
MINNESOTA ----------	37	68	67	96	147	186	193	134	52	16	2	-
WHITE------MALE----	16	41	36	55	90	90	103	58	13	3	1	-
FEMALE--	17	26	25	40	56	91	88	76	39	13	-	-
ALL OTHER--MALE----	2	1	3	-	-	4	-	-	-	-	1	-
FEMALE--	2	-	3	1	1	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	2	-	2	-	-	1	-	-	-	-	-	-
MISSISSIPPI ----------	30	27	43	59	77	93	76	52	14	1	2	-
WHITE------MALE----	15	12	22	29	30	38	37	16	4	-	1	-
FEMALE--	7	7	11	20	25	40	29	25	5	1	-	-
ALL OTHER--MALE----	4	4	4	8	9	8	3	6	-	-	1	-
FEMALE--	4	4	6	2	13	7	7	5	5	-	-	-
BLACK---MALE----	4	4	4	8	9	8	3	6	-	-	1	-
FEMALE--	3	4	6	2	13	6	7	5	5	-	-	-
MISSOURI ----------	49	69	102	144	190	202	197	119	56	12	5	-
WHITE------MALE----	24	34	56	72	90	99	78	49	18	5	3	-
FEMALE--	19	23	33	55	80	94	108	65	33	6	2	-
ALL OTHER--MALE----	5	5	6	11	8	4	4	3	2	-	-	-
FEMALE--	1	7	7	6	12	5	7	2	3	1	-	-
BLACK---MALE----	5	5	6	10	8	4	4	3	2	-	-	-
FEMALE--	1	6	7	5	11	5	7	2	2	1	-	-
MONTANA ----------	11	12	10	26	26	35	35	30	7	-	-	-
WHITE------MALE----	4	5	5	13	13	23	15	13	4	-	-	-
FEMALE--	7	6	5	13	11	12	20	17	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	16	15	26	37	60	70	72	50	22	2	-	-
WHITE------MALE----	8	8	12	17	37	35	31	22	8	-	-	-
FEMALE--	7	7	13	18	21	32	39	28	14	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	1	-	-	-	-	-
NEVADA ----------	17	16	29	23	50	56	34	16	2	-	-	-
WHITE------MALE----	4	9	12	13	25	26	22	9	-	-	-	-
FEMALE--	11	6	12	7	22	25	9	7	2	-	-	-
ALL OTHER--MALE----	-	-	4	-	1	2	1	-	-	-	-	-
FEMALE--	2	1	1	3	2	3	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
NEW HAMPSHIRE ----------	224	-	1	2	-	1	-	-	2	3	5	9
WHITE------MALE----	125	-	-	2	-	-	-	-	2	3	1	7
FEMALE--	96	-	1	-	-	1	-	-	-	-	4	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,858	-	8	2	5	12	17	10	16	30	45	47
WHITE------MALE----	841	-	4	-	1	4	7	4	10	11	19	25
FEMALE--	800	-	4	2	3	5	6	4	-	8	18	11
ALL OTHER--MALE----	116	-	-	-	1	3	3	2	4	6	7	6
FEMALE--	101	-	-	-	-	-	1	-	2	5	1	5
BLACK---MALE----	98	-	-	-	1	2	3	1	4	5	6	5
FEMALE--	88	-	-	-	-	-	1	-	2	4	-	5
NEW MEXICO ----------	287	-	-	-	3	2	1	3	4	3	7	10
WHITE------MALE----	155	-	-	-	-	2	1	1	2	3	6	3
FEMALE--	118	-	-	-	2	-	-	2	2	-	1	5
ALL OTHER--MALE----	8	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3,748	1	8	7	18	18	20	42	36	66	89	123
WHITE------MALE----	1,670	-	4	3	6	6	14	22	20	24	40	61
FEMALE--	1,600	1	3	2	9	3	3	12	9	23	25	38
ALL OTHER--MALE----	238	-	1	1	2	4	2	3	6	10	15	16
FEMALE--	240	-	-	1	1	5	1	5	1	9	9	8
BLACK---MALE----	198	-	1	1	2	2	2	3	5	10	11	13
FEMALE--	216	-	-	1	1	4	1	5	1	8	8	7
NORTH CAROLINA ---------	1,555	1	1	2	6	8	9	11	13	29	33	48
WHITE------MALE----	657	-	-	-	3	2	4	5	7	12	16	17
FEMALE--	600	1	-	2	1	1	-	2	-	9	8	20
ALL OTHER--MALE----	153	-	-	-	2	4	-	4	4	5	4	7
FEMALE--	145	-	1	-	-	1	5	-	2	3	5	4
BLACK---MALE----	151	-	-	-	2	4	-	4	3	5	4	7
FEMALE--	138	-	1	-	-	1	4	-	2	3	5	4
NORTH DAKOTA ----------	164	-	-	1	1	-	-	-	2	-	4	3
WHITE------MALE----	85	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	76	-	-	1	1	-	-	-	1	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
NEW HAMPSHIRE ----------	11	22	11	25	23	29	43	27	9	1	-	-
WHITE------MALE----	7	15	6	17	12	16	22	10	4	1	-	-
FEMALE--	3	7	5	8	11	12	21	16	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	70	105	128	188	271	319	272	208	83	20	2	-
WHITE------MALE----	39	42	60	81	140	161	121	76	27	7	2	-
FEMALE--	20	37	42	76	103	136	142	121	52	10	-	-
ALL OTHER--MALE----	9	13	14	14	14	9	4	4	2	1	-	-
FEMALE--	2	13	12	17	14	13	5	7	2	2	-	-
BLACK---MALE----	7	10	13	11	13	9	3	4	1	-	-	-
FEMALE--	2	12	10	13	12	11	5	7	2	2	-	-
NEW MEXICO ----------	12	18	26	34	47	46	38	20	10	3	-	-
WHITE------MALE----	6	9	19	21	26	23	21	10	1	1	-	-
FEMALE--	5	7	5	12	21	21	15	9	9	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	2	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
NEW YORK ----------	171	195	275	401	555	601	561	385	131	44	1	-
WHITE------MALE----	77	83	130	185	259	277	245	159	42	13	-	-
FEMALE--	58	70	97	159	235	263	281	205	78	25	1	-
ALL OTHER--MALE----	18	21	30	30	25	28	12	8	5	1	-	-
FEMALE--	18	21	18	27	36	33	23	13	6	5	-	-
BLACK---MALE----	16	16	25	25	19	25	10	7	4	1	-	-
FEMALE--	16	19	17	21	35	29	21	12	5	5	-	-
NORTH CAROLINA ---------	74	100	125	171	227	274	208	139	61	14	1	-
WHITE------MALE----	38	42	56	80	101	134	75	50	10	5	-	-
FEMALE--	18	31	41	60	88	104	95	67	42	9	1	-
ALL OTHER--MALE----	12	11	15	18	23	17	18	7	2	-	-	-
FEMALE--	6	16	13	13	15	19	20	15	7	-	-	-
BLACK---MALE----	12	11	15	18	23	16	18	7	2	-	-	-
FEMALE--	6	16	12	13	12	19	19	15	6	-	-	-
NORTH DAKOTA ----------	4	7	8	18	28	31	26	23	5	2	1	-
WHITE------MALE----	2	5	3	12	19	14	10	11	3	-	-	-
FEMALE--	1	2	4	6	8	17	16	12	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
OHIO ----------	2,596	1	5	8	6	14	18	17	19	40	47	71
WHITE------MALE----	1,236	-	2	2	5	9	11	10	9	19	24	26
FEMALE--	1,144	1	1	5	1	4	2	5	9	15	16	36
ALL OTHER--MALE----	116	-	1	-	-	-	1	2	-	2	5	4
FEMALE--	100	-	1	1	-	1	4	-	1	4	2	5
BLACK---MALE----	111	-	1	-	-	-	1	2	-	2	5	4
FEMALE--	97	-	-	1	-	1	4	-	1	4	2	5
OKLAHOMA ----------	698	-	4	2	2	4	6	10	5	11	12	15
WHITE------MALE----	326	-	1	-	1	2	4	4	2	5	7	8
FEMALE--	306	-	2	2	1	1	1	1	1	4	3	6
ALL OTHER--MALE----	34	-	1	-	-	1	-	2	1	-	2	1
FEMALE--	32	-	-	-	-	-	1	3	1	2	-	-
BLACK---MALE----	18	-	-	-	-	1	-	1	1	-	2	-
FEMALE--	13	-	-	-	-	-	1	3	-	1	-	-
OREGON ----------	736	-	2	2	2	3	6	5	9	7	9	16
WHITE------MALE----	379	-	1	1	1	3	5	3	2	7	5	8
FEMALE--	330	-	1	1	1	-	1	-	6	-	3	5
ALL OTHER--MALE----	14	-	-	-	-	-	-	2	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3,165	1	5	9	6	11	20	11	27	35	52	87
WHITE------MALE----	1,492	1	2	3	5	5	13	6	12	18	31	45
FEMALE--	1,452	-	2	4	1	3	4	3	11	12	16	25
ALL OTHER--MALE----	109	-	-	1	-	3	3	-	3	2	2	9
FEMALE--	112	-	1	1	-	-	-	2	1	3	3	8
BLACK---MALE----	106	-	-	1	-	3	3	-	1	2	2	9
FEMALE--	100	-	1	-	-	-	-	2	1	3	3	5
RHODE ISLAND ----------	219	-	1	1	-	1	3	3	1	4	4	3
WHITE------MALE----	92	-	-	-	-	1	1	1	-	2	2	3
FEMALE--	120	-	1	1	-	-	1	1	-	2	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA ---------	704	1	3	1	5	2	5	4	10	6	6	22
WHITE------MALE----	262	-	1	1	1	1	1	2	3	2	1	8
FEMALE--	270	-	1	-	1	1	1	-	2	1	3	6
ALL OTHER--MALE----	89	-	1	-	2	-	2	2	4	1	2	7
FEMALE--	83	1	-	-	1	-	1	-	1	2	-	1
BLACK---MALE----	89	-	1	-	2	-	2	2	4	1	2	7
FEMALE--	82	1	-	-	1	-	1	-	1	2	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
OHIO ----------	80	152	184	250	422	471	392	268	105	25	1	-
WHITE------MALE----	42	81	104	132	206	230	174	111	31	8	-	-
FEMALE--	34	50	61	100	179	209	191	142	66	16	1	-
ALL OTHER--MALE----	3	13	8	13	22	17	14	7	4	-	-	-
FEMALE--	1	8	11	5	15	15	13	8	4	1	-	-
BLACK---MALE----	3	12	7	12	21	16	14	7	4	-	-	-
FEMALE--	1	8	11	5	14	15	12	8	4	1	-	-
OKLAHOMA ----------	24	37	56	69	109	126	102	67	26	10	1	-
WHITE------MALE----	15	21	30	28	63	57	44	24	6	3	1	-
FEMALE--	9	9	22	35	40	57	50	40	16	6	-	-
ALL OTHER--MALE----	-	3	1	6	1	6	5	2	2	-	-	-
FEMALE--	-	4	3	-	5	6	3	1	2	1	-	-
BLACK---MALE----	-	2	-	2	-	2	4	1	2	-	-	-
FEMALE--	-	-	2	-	2	1	-	-	2	1	-	-
OREGON ----------	29	45	45	58	106	153	110	89	33	7	-	-
WHITE------MALE----	13	25	31	36	62	70	50	40	15	1	-	-
FEMALE--	15	18	12	18	41	79	60	48	16	5	-	-
ALL OTHER--MALE----	-	1	1	1	2	3	-	-	-	1	-	-
FEMALE--	1	1	1	3	1	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	2	-	-	-
PENNSYLVANIA ----------	103	164	207	306	510	578	557	329	120	25	2	-
WHITE------MALE----	59	91	109	160	256	267	246	112	43	8	-	-
FEMALE--	36	61	78	121	225	267	292	204	70	15	2	-
ALL OTHER--MALE----	2	7	11	13	13	20	8	7	3	2	-	-
FEMALE--	6	5	9	12	16	24	11	6	4	-	-	-
BLACK---MALE----	2	6	11	13	13	20	8	7	3	2	-	-
FEMALE--	4	5	9	10	15	22	10	6	4	-	-	-
RHODE ISLAND ----------	8	19	11	21	25	43	34	22	12	3	-	-
WHITE------MALE----	4	7	7	7	11	18	17	8	2	1	-	-
FEMALE--	3	10	4	13	14	25	17	14	10	2	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	34	52	56	90	109	110	91	65	28	4	-	-
WHITE------MALE----	13	18	24	38	46	43	33	20	5	1	-	-
FEMALE--	8	15	24	28	45	40	44	35	13	2	-	-
ALL OTHER--MALE----	5	10	7	12	11	10	6	2	5	-	-	-
FEMALE--	8	9	1	12	7	17	8	8	5	1	-	-
BLACK---MALE----	5	10	7	12	11	10	6	2	5	-	-	-
FEMALE--	8	9	1	11	7	17	8	8	5	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
SOUTH DAKOTA ----------	188	1	1	-	1	2	-	3	1	1	-	6
WHITE------MALE----	106	1	1	-	-	1	-	-	1	1	-	4
FEMALE--	78	-	-	-	1	1	-	3	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,229	-	1	2	7	2	11	6	9	22	21	30
WHITE------MALE----	594	-	1	2	3	1	2	4	6	13	14	18
FEMALE--	485	-	-	-	2	1	3	2	2	4	3	7
ALL OTHER--MALE----	74	-	-	-	2	-	4	-	1	3	1	3
FEMALE--	76	-	-	-	-	-	2	-	-	2	3	2
BLACK---MALE----	70	-	-	-	2	-	4	-	1	3	1	3
FEMALE--	74	-	-	-	-	-	2	-	-	2	3	2
TEXAS ----------	3,320	6	11	14	21	27	34	24	40	55	75	115
WHITE------MALE----	1,521	1	7	9	6	10	20	13	22	25	30	50
FEMALE--	1,409	3	3	3	10	13	10	7	16	15	27	42
ALL OTHER--MALE----	182	-	1	1	2	1	2	2	1	8	12	13
FEMALE--	208	2	-	1	3	3	2	2	1	7	6	10
BLACK---MALE----	163	-	-	1	1	-	2	2	1	7	11	11
FEMALE--	184	1	-	1	3	3	2	2	1	4	5	8
UTAH ----------	327	2	1	3	1	2	13	4	4	6	9	12
WHITE------MALE----	187	1	-	3	-	2	9	1	2	4	3	5
FEMALE--	131	1	1	-	-	-	4	3	2	2	4	6
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	140	-	-	-	-	-	-	1	2	2	4	4
WHITE------MALE----	59	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	81	-	-	-	-	-	-	-	1	2	3	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,390	-	3	6	9	6	7	10	13	25	29	52
WHITE------MALE----	604	-	1	4	1	1	4	7	2	9	14	26
FEMALE--	531	-	2	2	3	1	3	1	8	7	7	9
ALL OTHER--MALE----	131	-	-	-	3	2	-	2	1	4	5	13
FEMALE--	124	-	-	-	2	2	-	-	2	5	3	4
BLACK---MALE----	124	-	-	-	3	2	-	2	1	4	5	12
FEMALE--	114	-	-	-	2	2	-	-	2	4	3	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
SOUTH DAKOTA ----------	16	11	11	19	27	20	30	26	10	2	-	-
WHITE------MALE----	9	7	9	10	14	15	16	11	5	1	-	-
FEMALE--	5	4	2	7	13	5	14	15	5	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	53	98	101	133	178	201	174	123	41	13	3	-
WHITE------MALE----	27	46	55	72	93	107	71	42	15	2	-	-
FEMALE--	18	33	34	41	72	77	86	69	21	8	2	-
ALL OTHER--MALE----	5	14	9	8	4	7	5	4	2	1	1	-
FEMALE--	3	5	3	12	9	10	12	8	3	2	-	-
BLACK---MALE----	4	14	7	8	4	6	5	4	2	1	1	-
FEMALE--	2	5	3	12	8	10	12	8	3	2	-	-
TEXAS ----------	145	218	269	384	474	503	427	324	124	29	1	-
WHITE------MALE----	60	113	135	199	229	234	186	126	41	5	-	-
FEMALE--	65	76	93	131	198	223	210	171	72	21	-	-
ALL OTHER--MALE----	8	18	14	24	23	25	11	12	4	-	-	-
FEMALE--	12	11	27	30	24	21	20	15	7	3	1	-
BLACK---MALE----	7	16	13	22	19	24	11	12	3	-	-	-
FEMALE--	11	10	23	27	22	16	20	14	7	3	1	-
UTAH ----------	12	11	22	31	48	55	46	30	10	4	1	-
WHITE------MALE----	7	4	15	21	29	37	20	17	7	-	-	-
FEMALE--	4	5	7	10	19	17	25	13	3	4	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	7	11	11	15	25	13	29	7	8	1	-	-
WHITE------MALE----	3	7	4	9	12	3	11	2	4	-	-	-
FEMALE--	4	4	7	6	13	10	18	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	74	86	101	160	182	244	214	112	44	13	-	-
WHITE------MALE----	31	41	49	81	81	123	76	38	12	3	-	-
FEMALE--	21	24	33	54	75	92	96	60	25	8	-	-
ALL OTHER--MALE----	11	13	10	14	14	21	13	4	1	-	-	-
FEMALE--	11	8	9	11	12	8	29	10	6	2	-	-
BLACK---MALE----	10	12	9	13	13	21	12	4	1	-	-	-
FEMALE--	8	6	9	11	12	8	26	10	6	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
WASHINGTON ----------	1,220	-	2	6	3	6	10	8	10	26	22	31
WHITE------MALE----	633	-	-	3	1	3	7	6	5	16	6	20
FEMALE--	532	-	2	3	2	1	3	1	4	10	13	10
ALL OTHER--MALE----	32	-	-	-	-	2	-	1	-	-	3	1
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	451	-	-	1	1	2	1	5	3	4	8	14
WHITE------MALE----	216	-	-	1	-	-	1	3	2	4	4	9
FEMALE--	222	-	-	-	1	2	-	1	1	-	2	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1,245	2	2	2	2	7	6	4	14	11	24	37
WHITE------MALE----	665	1	2	1	1	5	4	2	6	6	14	20
FEMALE--	538	-	-	1	1	2	2	2	7	3	4	13
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	2	5	1
FEMALE--	18	1	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	21	-	-	-	-	-	-	-	1	1	5	1
FEMALE--	16	1	-	-	-	-	-	-	-	-	1	3
WYOMING ----------	71	-	-	1	-	-	1	-	-	-	3	2
WHITE------MALE----	44	-	-	1	-	-	1	-	-	-	1	2
FEMALE--	26	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
WASHINGTON ----------	51	71	88	125	161	218	192	126	53	9	2	-
WHITE------MALE----	35	38	48	65	91	116	90	62	18	2	1	-
FEMALE--	13	29	31	53	61	96	98	62	32	7	1	-
ALL OTHER--MALE----	1	-	6	4	5	3	4	1	1	-	-	-
FEMALE--	2	4	3	3	4	3	-	1	2	-	-	-
BLACK---MALE----	-	-	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	1	-	-	-
WEST VIRGINIA ----------	20	33	32	51	78	76	65	40	13	4	-	-
WHITE------MALE----	11	20	13	27	32	38	31	17	3	-	-	-
FEMALE--	9	13	18	23	43	35	33	22	10	4	-	-
ALL OTHER--MALE----	-	-	1	1	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
WISCONSIN ----------	54	66	103	128	186	187	198	133	63	14	2	-
WHITE------MALE----	35	34	49	72	107	105	102	64	29	5	1	-
FEMALE--	17	28	48	50	73	79	95	69	34	9	1	-
ALL OTHER--MALE----	2	2	2	2	4	3	-	-	-	-	-	-
FEMALE--	-	2	4	4	2	-	1	-	-	-	-	-
BLACK---MALE----	2	2	1	2	4	2	-	-	-	-	-	-
FEMALE--	-	2	4	3	1	-	1	-	-	-	-	-
WYOMING ----------	5	7	5	10	7	8	16	4	2	-	-	-
WHITE------MALE----	4	5	5	5	3	7	8	2	-	-	-	-
FEMALE--	-	2	-	5	4	1	8	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1144

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
UNITED STATES -	1,403	-	1	-	9	31	63	77	71	90	75	82
WHITE------MALE----	708	-	1	-	3	17	28	32	40	49	43	41
FEMALE--	555	-	-	-	4	9	21	28	22	31	23	31
ALL OTHER--MALE----	77	-	-	-	-	3	7	10	4	7	4	7
FEMALE--	63	-	-	-	2	2	7	7	5	3	5	3
BLACK---MALE----	75	-	-	-	-	3	7	10	4	7	4	7
FEMALE--	53	-	-	-	1	2	7	7	5	3	4	3
ALABAMA ----------	29	-	-	-	-	-	3	3	1	4	3	-
WHITE------MALE----	14	-	-	-	-	-	1	-	-	1	3	-
FEMALE--	8	-	-	-	-	-	-	3	-	2	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	20	-	-	-	-	-	1	2	-	3	1	1
WHITE------MALE----	15	-	-	-	-	-	-	2	-	3	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	7	-	-	-	-	-	1	2	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	158	-	-	-	-	2	6	5	6	6	10	12
WHITE------MALE----	73	-	-	-	-	2	2	1	2	3	6	4
FEMALE--	69	-	-	-	-	-	4	2	4	1	2	6
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hodgkin's disease (C81)												
UNITED STATES -	83	87	91	120	163	149	113	70	22	5	1	-
WHITE------MALE----	42	49	58	64	84	67	49	25	15	1	-	-
FEMALE--	32	29	27	42	70	77	61	37	6	4	1	-
ALL OTHER--MALE----	8	5	3	8	4	2	1	3	1	-	-	-
FEMALE--	1	4	3	6	5	3	2	5	-	-	-	-
BLACK---MALE----	8	5	3	8	4	2	1	1	1	-	-	-
FEMALE--	1	4	2	3	3	3	-	5	-	-	-	-
ALABAMA ----------	2	1	4	2	3	1	1	1	-	-	-	-
WHITE------MALE----	-	1	4	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	1	2	5	1	2	-	-	-	-	-
WHITE------MALE----	-	-	1	2	5	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	13	10	8	14	21	18	12	13	2	-	-	-
WHITE------MALE----	7	6	4	4	9	8	7	6	2	-	-	-
FEMALE--	4	2	4	9	11	10	5	5	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1145

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
COLORADO ----------	18	-	-	-	-	-	1	1	2	2	1	1
WHITE------MALE----	13	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	15	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	87	-	-	-	2	3	5	10	3	5	5	3
WHITE------MALE----	50	-	-	-	2	2	-	6	-	3	5	2
FEMALE--	29	-	-	-	-	-	4	2	1	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	4	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	4	-	-	-	-	1	1	-	1	-	-	-
GEORGIA ----------	30	-	-	-	-	2	-	2	3	3	1	3
WHITE------MALE----	13	-	-	-	-	1	-	-	1	1	-	2
FEMALE--	9	-	-	-	-	-	-	1	2	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hodgkin's disease (C81)												
COLORADO ----------	3	2	2	-	1	1	1	-	-	-	-	-
WHITE------MALE----	2	2	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	1	2	-	2	4	-	1	-	-	-	-
WHITE------MALE----	1	1	1	-	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	-	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA ----------	9	2	4	6	7	7	12	2	2	-	-	-
WHITE------MALE----	6	2	2	3	5	3	6	1	2	-	-	-
FEMALE--	2	-	2	3	2	4	6	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	2	5	4	1	1	2	-	-	-
WHITE------MALE----	-	1	-	1	3	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
HAWAII ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	57	-	-	-	1	-	4	4	1	1	3	3
WHITE------MALE----	33	-	-	-	-	-	2	1	1	1	1	2
FEMALE--	18	-	-	-	1	-	-	2	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
INDIANA ----------	32	-	1	-	-	2	1	-	2	2	1	2
WHITE------MALE----	18	-	1	-	-	1	1	-	2	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
IOWA ----------	12	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	21	-	-	-	-	1	1	-	3	1	1	3
WHITE------MALE----	8	-	-	-	-	-	1	-	1	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	2	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hodgkin's disease (C81)												
HAWAII ----------	-	-	-	-	-	-	3	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	5	8	7	4	3	4	2	2	-	-	-
WHITE------MALE----	4	1	6	6	1	1	2	2	2	-	-	-
FEMALE--	1	4	2	1	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
INDIANA ----------	2	-	2	4	4	5	2	1	-	1	-	-
WHITE------MALE----	1	-	1	3	2	3	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	2	1	-	2	2	1	-	-	-	-
WHITE------MALE----	-	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	2	2	-	-	-	4	-	1	-	1	-
WHITE------MALE----	-	1	1	-	-	-	2	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
KENTUCKY ----------	15	-	-	-	-	1	1	-	1	1	-	-
WHITE------MALE----	8	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	14	-	-	-	-	1	2	1	-	-	2	-
WHITE------MALE----	10	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
MAINE ----------	5	-	-	-	-	-	1	-	-	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	29	-	-	-	-	2	-	1	2	4	2	1
WHITE------MALE----	10	-	-	-	-	1	-	-	1	3	-	-
FEMALE--	9	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	48	-	-	-	-	1	1	2	4	3	2	3
WHITE------MALE----	25	-	-	-	-	-	1	1	3	-	1	2
FEMALE--	21	-	-	-	-	1	-	1	1	3	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	57	-	-	-	1	1	3	3	5	2	2	5
WHITE------MALE----	23	-	-	-	-	-	1	2	3	1	1	2
FEMALE--	30	-	-	-	-	1	2	1	1	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hodgkin's disease (C81)												
KENTUCKY ----------	2	1	-	2	-	2	3	1	-	-	-	-
WHITE------MALE----	1	1	-	1	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	3	2	1	-	-	1	-	-
WHITE------MALE----	-	-	1	-	1	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	3	-	5	2	2	2	1	1	-	-	-
WHITE------MALE----	1	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	5	5	3	3	7	4	3	2	-	-	-	-
WHITE------MALE----	3	1	1	2	4	2	2	2	-	-	-	-
FEMALE--	1	4	1	1	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	4	4	5	2	9	7	1	2	-	-	-
WHITE------MALE----	-	1	3	2	-	4	2	-	1	-	-	-
FEMALE--	1	2	1	2	2	5	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
MINNESOTA ----------	30	-	-	-	-	-	1	1	-	2	2	2
WHITE------MALE----	17	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	12	-	-	-	-	-	1	1	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	16	-	-	-	-	-	1	2	1	1	1	-
WHITE------MALE----	9	-	-	-	-	-	-	2	1	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
MISSOURI ----------	29	-	-	-	-	1	-	1	3	2	2	2
WHITE------MALE----	13	-	-	-	-	1	-	-	2	-	2	2
FEMALE--	14	-	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	21	-	-	-	-	1	1	-	1	1	-	1
WHITE------MALE----	14	-	-	-	-	1	1	-	1	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hodgkin's disease (C81)												
MINNESOTA ----------	1	3	4	3	4	2	2	3	-	-	-	-
WHITE------MALE----	-	1	3	2	4	-	1	3	-	-	-	-
FEMALE--	-	2	1	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	1	2	-	2	3	1	-	-	-
WHITE------MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	1	1	3	1	4	3	3	1	1	-	-	-
WHITE------MALE----	-	-	2	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	1	2	6	2	2	2	-	-	-	-
WHITE------MALE----	-	1	1	1	4	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
NEW HAMPSHIRE ----------	6	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	48	-	-	-	-	-	2	1	3	2	6	4
WHITE------MALE----	21	-	-	-	-	-	-	1	3	-	5	2
FEMALE--	22	-	-	-	-	-	2	-	-	1	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	10	-	-	-	-	1	-	2	1	-	-	1
WHITE------MALE----	5	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	100	-	-	-	-	2	3	7	6	8	5	6
WHITE------MALE----	42	-	-	-	-	1	2	1	3	3	2	2
FEMALE--	46	-	-	-	-	1	1	4	2	4	3	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	1	-	-
NORTH CAROLINA ---------	32	-	-	-	-	1	2	2	-	4	-	2
WHITE------MALE----	13	-	-	-	-	1	1	-	-	3	-	-
FEMALE--	15	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hodgkin's disease (C81)												
NEW HAMPSHIRE ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	4	4	2	4	3	4	4	-	1	-	-
WHITE------MALE----	1	2	2	2	2	-	-	1	-	-	-	-
FEMALE--	3	2	1	-	2	3	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	-	-	3	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	6	8	12	11	11	3	6	-	-	-	-
WHITE------MALE----	3	4	5	4	6	4	1	1	-	-	-	-
FEMALE--	2	2	3	5	4	5	2	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
NORTH CAROLINA ---------	1	3	3	1	5	3	1	3	1	-	-	-
WHITE------MALE----	-	3	1	1	1	-	-	1	1	-	-	-
FEMALE--	1	-	1	-	4	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	-	1	-	3	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1150

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
OHIO ----------	70	-	-	-	-	-	3	5	-	6	5	5
WHITE------MALE----	34	-	-	-	-	-	2	4	-	4	3	2
FEMALE--	32	-	-	-	-	-	-	1	-	2	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA ----------	21	-	-	-	1	-	-	2	-	2	-	1
WHITE------MALE----	9	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	9	-	-	-	1	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
OREGON ----------	15	-	-	-	-	1	2	1	-	1	-	-
WHITE------MALE----	10	-	-	-	-	1	2	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	77	-	-	-	-	2	4	5	4	4	4	4
WHITE------MALE----	35	-	-	-	-	2	3	1	1	2	1	1
FEMALE--	36	-	-	-	-	-	1	2	2	2	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	2	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	2	1	-	1	-
RHODE ISLAND ----------	12	-	-	-	-	-	-	1	-	1	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	7	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hodgkin's disease (C81)												
OHIO ----------	4	4	4	4	6	10	7	4	2	1	-	-
WHITE------MALE----	2	2	2	2	3	4	1	2	1	-	-	-
FEMALE--	2	1	2	1	3	6	6	1	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA ----------	1	1	3	-	2	5	2	1	-	-	-	-
WHITE------MALE----	1	-	3	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	2	2	2	2	1	-	-	-	-	-
WHITE------MALE----	1	-	2	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	6	3	5	12	10	8	2	1	1	-	-
WHITE------MALE----	2	6	1	1	5	4	5	-	-	-	-	-
FEMALE--	-	-	2	3	7	6	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	1	-	1	2	-	1	2	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	3	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	29	-	-	-	-	-	5	1	4	2	-	2
WHITE------MALE----	13	-	-	-	-	-	2	1	2	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	3	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	3	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	89	-	-	-	3	1	4	3	3	4	7	4
WHITE------MALE----	52	-	-	-	1	1	2	1	3	4	4	2
FEMALE--	30	-	-	-	1	-	1	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	1	-	1	1	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	1	-	1	1	-	-	1	1
UTAH ----------	7	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	29	-	-	-	1	-	-	3	2	2	2	-
WHITE------MALE----	14	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	10	-	-	-	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hodgkin's disease (C81)												
SOUTH DAKOTA ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	2	1	-	3	4	2	2	1	-	-	-
WHITE------MALE----	-	1	1	-	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	2	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	8	5	13	15	6	4	3	1	-	-	-
WHITE------MALE----	2	3	4	8	11	3	2	-	1	-	-	-
FEMALE--	3	4	1	5	4	3	2	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	2	2	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	2	3	6	4	2	1	-	-	-
WHITE------MALE----	-	-	-	-	2	6	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
WASHINGTON ----------	34	-	-	-	-	-	1	-	3	6	2	1
WHITE------MALE----	19	-	-	-	-	-	-	-	2	4	-	1
FEMALE--	14	-	-	-	-	-	1	-	-	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	7	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	23	-	-	-	-	2	1	1	3	-	-	2
WHITE------MALE----	10	-	-	-	-	-	-	-	3	-	-	1
FEMALE--	11	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hodgkin's disease (C81)												
WASHINGTON ----------	-	-	1	6	4	6	3	1	-	-	-	-
WHITE------MALE----	-	-	1	5	2	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	2	2	1	2	2	2	1	-	-	-
WHITE------MALE----	1	1	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1153

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
UNITED STATES -	22,885	3	17	12	25	51	93	109	181	326	467	699
WHITE------MALE----	10,804	1	8	7	16	22	49	48	83	163	245	387
FEMALE--	10,213	-	6	1	2	14	25	31	53	92	130	197
ALL OTHER--MALE----	1,029	-	1	2	5	8	12	21	27	41	62	73
FEMALE--	839	2	2	2	2	7	7	9	18	30	30	42
BLACK---MALE----	789	-	1	2	4	6	12	17	22	36	51	59
FEMALE--	660	2	1	1	2	7	7	7	12	26	26	35
ALABAMA ----------	334	-	-	-	2	-	1	2	1	8	8	5
WHITE------MALE----	136	-	-	-	1	-	-	1	-	5	4	2
FEMALE--	159	-	-	-	-	-	-	-	-	2	4	3
ALL OTHER--MALE----	18	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	21	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	18	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	21	-	-	-	-	-	1	1	-	1	-	-
ALASKA ----------	22	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	414	-	1	1	-	-	2	5	1	5	8	17
WHITE------MALE----	206	-	1	1	-	-	2	2	1	2	3	11
FEMALE--	183	-	-	-	-	-	-	2	-	2	2	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	261	1	-	-	-	1	-	1	1	1	7	10
WHITE------MALE----	121	-	-	-	-	1	-	-	1	-	1	9
FEMALE--	116	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	13	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	3	-
CALIFORNIA ----------	2,236	-	3	1	2	3	9	13	28	38	55	80
WHITE------MALE----	1,096	-	-	-	1	2	6	5	9	26	32	38
FEMALE--	878	-	3	-	1	-	3	5	9	7	11	24
ALL OTHER--MALE----	156	-	-	1	-	1	-	1	3	5	9	14
FEMALE--	106	-	-	-	-	-	-	2	7	-	3	4
BLACK---MALE----	64	-	-	1	-	-	-	1	2	3	4	8
FEMALE--	48	-	-	-	-	-	-	-	3	-	3	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
UNITED STATES -	1,051	1,420	1,746	2,451	3,414	4,023	3,556	2,207	838	178	18	-
WHITE------MALE----	578	755	894	1,253	1,708	1,919	1,499	842	273	47	7	-
FEMALE--	349	501	679	1,006	1,465	1,852	1,910	1,255	518	118	9	-
ALL OTHER--MALE----	77	101	104	107	116	142	50	53	19	6	2	-
FEMALE--	47	63	69	85	125	110	97	57	28	7	-	-
BLACK---MALE----	65	82	74	90	84	100	33	33	11	5	2	-
FEMALE--	35	57	52	64	93	80	76	47	24	6	-	-
ALABAMA ----------	16	19	31	48	46	61	43	25	11	7	-	-
WHITE------MALE----	7	11	13	24	22	24	11	7	2	2	-	-
FEMALE--	8	6	13	18	20	33	28	15	6	3	-	-
ALL OTHER--MALE----	1	1	4	2	1	2	1	2	1	1	-	-
FEMALE--	-	1	1	4	3	2	3	1	2	1	-	-
BLACK---MALE----	1	1	4	2	1	2	1	2	1	1	-	-
FEMALE--	-	1	1	4	3	2	3	1	2	1	-	-
ALASKA ----------	2	3	3	1	1	4	-	2	1	-	-	-
WHITE------MALE----	2	2	1	1	1	4	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	18	17	29	48	62	80	73	31	15	1	-	-
WHITE------MALE----	9	13	7	25	28	41	35	16	8	1	-	-
FEMALE--	9	4	19	21	32	35	32	15	7	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	2	3	-	-	-	-	-
FEMALE--	-	-	2	1	-	2	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ARKANSAS ----------	6	16	20	30	38	49	39	29	12	-	-	-
WHITE------MALE----	3	5	9	18	21	19	22	7	5	-	-	-
FEMALE--	2	8	9	9	14	27	16	21	6	-	-	-
ALL OTHER--MALE----	1	2	2	2	2	2	1	-	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	1	2	2	2	2	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
CALIFORNIA ----------	117	146	178	213	359	377	332	185	84	12	1	-
WHITE------MALE----	67	79	91	116	184	183	146	77	31	3	-	-
FEMALE--	31	46	60	75	141	150	163	91	48	9	1	-
ALL OTHER--MALE----	13	13	19	13	12	28	9	11	4	-	-	-
FEMALE--	6	8	8	9	22	16	14	6	1	-	-	-
BLACK---MALE----	9	5	7	8	4	7	2	2	1	-	-	-
FEMALE--	3	6	4	3	8	7	8	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
COLORADO ----------	255	-	-	-	-	-	2	1	1	3	4	10
WHITE------MALE----	113	-	-	-	-	-	-	1	1	1	4	5
FEMALE--	132	-	-	-	-	-	2	-	-	2	-	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	302	-	1	-	1	2	1	1	1	4	4	4
WHITE------MALE----	146	-	-	-	1	2	1	-	-	-	2	4
FEMALE--	139	-	1	-	-	-	-	1	-	4	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	49	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	20	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	36	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1,572	-	1	1	-	3	7	3	11	15	28	43
WHITE------MALE----	782	-	1	1	-	1	1	2	6	8	15	29
FEMALE--	708	-	-	-	-	2	4	-	4	3	9	10
ALL OTHER--MALE----	48	-	-	-	-	-	2	1	1	2	3	3
FEMALE--	34	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	45	-	-	-	-	-	2	1	1	1	3	3
FEMALE--	31	-	-	-	-	-	-	-	-	2	1	1
GEORGIA ----------	479	-	1	-	1	-	5	5	10	12	13	16
WHITE------MALE----	205	-	-	-	1	-	1	1	4	6	5	10
FEMALE--	192	-	-	-	-	-	1	1	1	4	2	4
ALL OTHER--MALE----	50	-	1	-	-	-	3	2	2	2	4	1
FEMALE--	32	-	-	-	-	-	-	1	3	-	2	1
BLACK---MALE----	48	-	1	-	-	-	3	2	2	2	4	1
FEMALE--	32	-	-	-	-	-	-	1	3	-	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
COLORADO ----------	17	23	21	24	33	35	46	25	7	3	-	-
WHITE------MALE----	8	10	9	11	12	19	21	7	2	2	-	-
FEMALE--	8	13	10	12	18	14	25	18	5	1	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
CONNECTICUT ----------	14	18	19	38	50	52	48	30	11	3	-	-
WHITE------MALE----	10	15	11	18	25	22	20	10	5	-	-	-
FEMALE--	3	2	7	19	19	27	27	20	5	3	-	-
ALL OTHER--MALE----	1	1	-	1	3	2	1	-	1	-	-	-
FEMALE--	-	-	1	-	3	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	2	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	3	1	-	-	-	-	-	-
DELAWARE ----------	3	1	2	4	9	12	7	6	1	-	-	-
WHITE------MALE----	1	1	2	2	3	6	1	2	-	-	-	-
FEMALE--	2	-	-	2	6	6	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	2	2	5	5	4	5	5	1	1	1	-
WHITE------MALE----	-	-	-	1	2	-	-	2	-	1	-	-
FEMALE--	-	1	1	1	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	2	2	-	-	1	-
FEMALE--	1	1	-	2	2	4	1	1	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	2	2	-	-	1	-
FEMALE--	1	1	-	2	2	4	1	1	-	-	-	-
FLORIDA ----------	51	77	100	157	252	304	247	187	65	18	2	-
WHITE------MALE----	31	42	54	78	134	158	114	80	21	5	1	-
FEMALE--	16	27	35	71	102	137	128	103	43	13	1	-
ALL OTHER--MALE----	2	4	7	4	10	6	1	1	1	-	-	-
FEMALE--	2	4	4	4	6	3	4	3	-	-	-	-
BLACK---MALE----	2	4	7	3	9	6	1	1	1	-	-	-
FEMALE--	2	4	3	4	5	3	4	2	-	-	-	-
GEORGIA ----------	24	31	45	44	68	90	52	44	16	1	1	-
WHITE------MALE----	8	17	20	27	30	37	22	12	4	-	-	-
FEMALE--	8	9	14	11	29	43	28	26	10	-	1	-
ALL OTHER--MALE----	6	5	7	2	5	6	-	3	-	1	-	-
FEMALE--	2	-	4	4	4	4	2	3	2	-	-	-
BLACK---MALE----	6	4	7	2	5	5	-	3	-	1	-	-
FEMALE--	2	-	4	4	4	4	2	3	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
HAWAII ----------	94	-	-	-	-	-	-	1	3	1	3	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	41	-	-	-	-	-	-	1	3	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	99	-	1	-	-	-	-	-	-	1	1	3
WHITE------MALE----	51	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	48	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,061	-	-	-	-	3	1	1	6	17	14	34
WHITE------MALE----	518	-	-	-	-	1	1	1	3	7	7	20
FEMALE--	457	-	-	-	-	-	-	-	2	5	6	6
ALL OTHER--MALE----	49	-	-	-	-	1	-	-	1	3	-	4
FEMALE--	37	-	-	-	-	1	-	-	-	2	1	4
BLACK---MALE----	45	-	-	-	-	1	-	-	1	2	-	4
FEMALE--	35	-	-	-	-	1	-	-	-	2	1	4
INDIANA ----------	540	-	1	-	2	-	2	2	4	7	9	11
WHITE------MALE----	264	-	1	-	2	-	1	1	2	4	6	8
FEMALE--	254	-	-	-	-	-	-	-	1	2	3	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	1	-	-
IOWA ----------	286	-	-	-	-	-	1	2	3	3	4	5
WHITE------MALE----	143	-	-	-	-	-	-	1	3	1	1	2
FEMALE--	136	-	-	-	-	-	1	-	-	1	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
KANSAS ----------	230	-	1	-	-	-	2	1	1	1	3	2
WHITE------MALE----	111	-	1	-	-	-	1	1	-	-	2	2
FEMALE--	107	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
HAWAII ----------	4	3	7	8	10	26	11	11	4	1	-	-
WHITE------MALE----	1	2	3	1	2	5	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	4	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	2	4	6	9	4	7	2	-	-	-
FEMALE--	1	1	2	3	2	8	5	3	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	9	8	10	18	19	17	6	1	1	-	-
WHITE------MALE----	3	4	2	4	9	13	6	5	1	-	-	-
FEMALE--	1	5	6	6	9	6	11	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	43	69	88	125	145	200	162	100	42	9	2	-
WHITE------MALE----	29	38	51	64	75	98	62	39	17	4	1	-
FEMALE--	8	20	27	49	61	95	93	56	24	4	1	-
ALL OTHER--MALE----	5	8	7	7	6	3	1	2	1	-	-	-
FEMALE--	1	3	3	5	3	4	6	3	-	1	-	-
BLACK---MALE----	5	7	6	6	6	3	1	2	1	-	-	-
FEMALE--	1	2	3	4	3	4	6	3	-	1	-	-
INDIANA ----------	21	32	40	67	92	95	83	45	23	4	-	-
WHITE------MALE----	10	19	18	31	45	52	39	18	6	1	-	-
FEMALE--	10	11	22	34	43	38	42	26	17	3	-	-
ALL OTHER--MALE----	1	2	-	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	1	-	-	-	-
BLACK---MALE----	1	2	-	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	1	-	-	-	-
IOWA ----------	13	18	21	30	54	51	43	23	14	1	-	-
WHITE------MALE----	10	7	9	17	34	29	16	10	3	-	-	-
FEMALE--	3	10	11	12	19	22	27	13	11	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
KANSAS ----------	12	15	14	32	33	39	40	22	11	1	-	-
WHITE------MALE----	7	6	7	17	15	19	21	10	2	-	-	-
FEMALE--	4	9	6	14	17	18	19	11	6	1	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	3	-	-	-
BLACK---MALE----	1	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1156

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
KENTUCKY ----------	322	-	-	-	1	-	2	-	5	3	7	9
WHITE------MALE----	156	-	-	-	1	-	1	-	4	2	4	4
FEMALE--	156	-	-	-	-	-	1	-	1	1	3	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	353	-	-	1	-	2	-	3	4	3	13	14
WHITE------MALE----	139	-	-	1	-	1	-	-	1	2	3	5
FEMALE--	163	-	-	-	-	1	-	2	2	1	4	5
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	23	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	28	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	22	-	-	-	-	-	-	-	1	-	2	1
MAINE ----------	121	-	-	-	-	1	-	1	1	-	3	3
WHITE------MALE----	63	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	57	-	-	-	-	1	-	1	1	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	403	-	2	1	3	1	2	1	4	8	12	14
WHITE------MALE----	188	-	-	-	1	1	1	-	3	4	8	8
FEMALE--	152	-	1	-	-	-	1	-	-	2	2	2
ALL OTHER--MALE----	33	-	-	-	1	-	-	1	-	2	1	3
FEMALE--	30	-	1	1	1	-	-	-	1	-	1	1
BLACK---MALE----	33	-	-	-	1	-	-	1	-	2	1	3
FEMALE--	27	-	1	1	1	-	-	-	1	-	1	1
MASSACHUSETTS ----------	589	-	-	-	1	2	2	5	7	12	10	13
WHITE------MALE----	275	-	-	-	-	-	2	2	5	5	6	7
FEMALE--	291	-	-	-	-	2	-	2	1	6	3	3
ALL OTHER--MALE----	12	-	-	-	1	-	-	-	1	-	-	3
FEMALE--	11	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	1	-	1	1	-
MICHIGAN ----------	873	-	-	-	1	1	1	2	9	11	20	29
WHITE------MALE----	434	-	-	-	1	1	-	-	2	3	13	23
FEMALE--	374	-	-	-	-	-	-	2	4	4	4	3
ALL OTHER--MALE----	36	-	-	-	-	-	1	-	2	2	2	1
FEMALE--	29	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE----	32	-	-	-	-	-	1	-	2	2	2	1
FEMALE--	27	-	-	-	-	-	-	-	1	2	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
KENTUCKY ----------	19	34	31	31	38	44	58	26	14	-	-	-
WHITE------MALE----	13	22	15	12	20	17	25	12	4	-	-	-
FEMALE--	4	10	13	18	18	27	32	14	10	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	16	26	40	36	49	54	45	36	9	2	-	-
WHITE------MALE----	6	9	14	21	17	23	18	16	1	1	-	-
FEMALE--	7	12	20	11	26	25	23	19	4	1	-	-
ALL OTHER--MALE----	2	3	4	1	3	5	1	1	-	-	-	-
FEMALE--	1	2	2	3	3	1	3	-	4	-	-	-
BLACK---MALE----	2	3	4	1	3	5	1	1	-	-	-	-
FEMALE--	1	2	2	2	3	1	3	-	4	-	-	-
MAINE ----------	5	8	11	20	20	18	17	8	4	1	-	-
WHITE------MALE----	3	2	4	13	14	9	10	4	1	-	-	-
FEMALE--	2	6	7	7	5	9	7	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	25	27	28	36	53	63	61	37	19	6	-	-
WHITE------MALE----	13	13	15	17	28	30	22	15	7	2	-	-
FEMALE--	3	8	9	12	18	25	34	21	11	3	-	-
ALL OTHER--MALE----	3	4	1	5	5	5	1	-	-	1	-	-
FEMALE--	6	2	3	2	2	3	4	1	1	-	-	-
BLACK---MALE----	3	4	1	5	5	5	1	-	-	1	-	-
FEMALE--	5	2	2	2	2	3	4	1	-	-	-	-
MASSACHUSETTS ----------	23	38	40	61	81	110	93	66	21	2	2	-
WHITE------MALE----	12	20	26	35	39	53	39	18	6	-	-	-
FEMALE--	9	17	13	24	39	56	53	45	14	2	2	-
ALL OTHER--MALE----	2	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	2	2	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	1	1	-	-	-
MICHIGAN ----------	46	50	70	111	136	136	135	72	32	10	1	-
WHITE------MALE----	24	30	42	61	79	63	55	26	8	3	-	-
FEMALE--	14	16	22	43	50	67	75	39	23	7	1	-
ALL OTHER--MALE----	6	1	4	4	6	4	-	3	-	-	-	-
FEMALE--	2	3	2	3	1	2	5	4	1	-	-	-
BLACK---MALE----	5	-	4	4	6	3	-	2	-	-	-	-
FEMALE--	2	3	2	3	1	2	3	4	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
MINNESOTA ----------	437	1	-	2	1	1	1	-	3	5	6	7
WHITE------MALE----	212	1	-	-	1	-	-	-	3	4	3	4
FEMALE--	213	-	-	-	-	1	-	-	-	1	3	3
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI ----------	203	-	-	-	-	1	2	3	1	2	3	8
WHITE------MALE----	89	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	73	-	-	-	-	1	-	2	-	-	1	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	20	-	-	-	-	-	1	-	-	-	-	4
BLACK---MALE----	21	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	20	-	-	-	-	-	1	-	-	-	-	4
MISSOURI ----------	516	-	-	-	-	-	1	5	2	7	9	11
WHITE------MALE----	235	-	-	-	-	-	1	2	-	4	6	6
FEMALE--	249	-	-	-	-	-	-	1	1	3	2	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	-
MONTANA ----------	82	-	-	-	-	-	-	-	-	2	2	2
WHITE------MALE----	30	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	171	-	-	-	-	-	-	1	1	2	2	5
WHITE------MALE----	83	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	83	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	114	-	-	-	-	-	-	3	-	1	2	5
WHITE------MALE----	56	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	49	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
MINNESOTA ----------	22	27	27	43	60	69	80	59	16	6	1	-
WHITE------MALE----	10	17	12	21	33	33	39	23	5	2	1	-
FEMALE--	12	9	10	22	26	36	39	36	11	4	-	-
ALL OTHER--MALE----	-	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	13	10	18	23	31	28	36	19	3	-	2	-
WHITE------MALE----	8	5	9	11	14	12	18	5	1	-	1	-
FEMALE--	4	1	7	9	10	11	14	9	2	-	-	-
ALL OTHER--MALE----	1	3	-	2	4	2	-	4	-	-	1	-
FEMALE--	-	1	2	1	3	3	4	1	-	-	-	-
BLACK---MALE----	1	3	-	2	4	2	-	4	-	-	1	-
FEMALE--	-	1	2	1	3	3	4	1	-	-	-	-
MISSOURI ----------	19	35	46	52	78	88	89	48	19	5	2	-
WHITE------MALE----	9	22	29	29	41	33	23	20	6	3	1	-
FEMALE--	8	8	15	19	32	52	63	26	11	2	1	-
ALL OTHER--MALE----	1	1	1	3	1	2	-	-	1	-	-	-
FEMALE--	1	4	1	1	4	1	3	2	1	-	-	-
BLACK---MALE----	1	1	1	2	1	2	-	-	1	-	-	-
FEMALE--	1	4	1	1	3	1	3	2	-	-	-	-
MONTANA ----------	5	4	3	11	5	13	20	12	3	-	-	-
WHITE------MALE----	-	1	1	5	1	7	4	4	2	-	-	-
FEMALE--	5	2	2	6	4	6	16	8	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	9	12	13	24	33	32	18	11	-	-	-
WHITE------MALE----	4	3	7	5	12	16	15	10	5	-	-	-
FEMALE--	3	6	5	8	11	16	16	8	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
NEVADA ----------	8	7	13	11	23	23	12	6	-	-	-	-
WHITE------MALE----	2	4	4	5	13	11	7	4	-	-	-	-
FEMALE--	5	3	7	5	9	10	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
NEW HAMPSHIRE ----------	89	-	-	-	-	-	-	-	1	2	3	3
WHITE------MALE----	47	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	772	-	-	-	-	3	3	6	7	12	18	15
WHITE------MALE----	345	-	-	-	-	1	-	2	3	3	8	10
FEMALE--	350	-	-	-	-	1	1	3	-	3	7	3
ALL OTHER--MALE----	42	-	-	-	-	1	2	1	2	2	2	1
FEMALE--	35	-	-	-	-	-	-	-	2	4	1	1
BLACK---MALE----	36	-	-	-	-	1	2	1	2	2	2	-
FEMALE--	29	-	-	-	-	-	-	-	2	3	-	1
NEW MEXICO ----------	106	-	-	-	-	-	-	-	1	1	5	2
WHITE------MALE----	55	-	-	-	-	-	-	-	1	1	4	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,499	-	1	1	3	9	5	13	5	36	35	58
WHITE------MALE----	650	-	1	1	3	3	5	7	2	10	15	26
FEMALE--	679	-	-	-	-	2	-	2	1	11	10	18
ALL OTHER--MALE----	96	-	-	-	-	2	-	2	2	8	8	8
FEMALE--	74	-	-	-	-	2	-	2	-	7	2	6
BLACK---MALE----	79	-	-	-	-	1	-	2	2	8	6	7
FEMALE--	69	-	-	-	-	2	-	2	-	6	2	6
NORTH CAROLINA ---------	603	-	-	-	1	2	1	1	2	12	15	22
WHITE------MALE----	278	-	-	-	-	-	-	1	1	6	9	11
FEMALE--	251	-	-	-	-	-	-	-	-	3	3	6
ALL OTHER--MALE----	38	-	-	-	1	1	-	-	1	3	2	2
FEMALE--	36	-	-	-	-	1	1	-	-	-	1	3
BLACK---MALE----	38	-	-	-	1	1	-	-	1	3	2	2
FEMALE--	35	-	-	-	-	1	1	-	-	-	1	3
NORTH DAKOTA ----------	65	-	-	-	-	-	-	-	2	-	1	1
WHITE------MALE----	37	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
NEW HAMPSHIRE ----------	5	9	1	8	8	15	17	10	7	-	-	-
WHITE------MALE----	4	5	1	5	4	7	10	2	3	-	-	-
FEMALE--	1	4	-	3	4	7	7	7	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	31	47	49	83	108	141	116	93	33	7	-	-
WHITE------MALE----	20	20	21	33	62	67	50	32	12	1	-	-
FEMALE--	6	15	23	41	37	65	65	56	20	4	-	-
ALL OTHER--MALE----	5	7	3	6	3	5	1	1	-	-	-	-
FEMALE--	-	5	2	3	6	4	-	4	1	2	-	-
BLACK---MALE----	4	6	2	5	3	5	-	1	-	-	-	-
FEMALE--	-	5	1	2	5	3	-	4	1	2	-	-
NEW MEXICO ----------	3	6	10	15	18	22	16	7	-	-	-	-
WHITE------MALE----	2	3	7	8	8	9	9	3	-	-	-	-
FEMALE--	1	3	3	7	10	13	7	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	72	84	111	161	215	238	241	152	47	12	-	-
WHITE------MALE----	36	35	52	71	87	109	104	67	13	3	-	-
FEMALE--	22	33	45	72	107	111	126	82	30	7	-	-
ALL OTHER--MALE----	6	9	11	12	9	9	4	3	2	1	-	-
FEMALE--	8	7	3	6	12	9	7	-	2	1	-	-
BLACK---MALE----	6	8	9	12	4	7	2	3	1	1	-	-
FEMALE--	7	7	3	4	12	8	7	-	2	1	-	-
NORTH CAROLINA ---------	25	37	45	67	97	122	83	47	20	4	-	-
WHITE------MALE----	19	19	22	31	51	59	27	17	3	2	-	-
FEMALE--	4	12	16	30	35	53	47	24	16	2	-	-
ALL OTHER--MALE----	1	3	3	5	6	5	3	2	-	-	-	-
FEMALE--	1	3	4	1	5	5	6	4	1	-	-	-
BLACK---MALE----	1	3	3	5	6	5	3	2	-	-	-	-
FEMALE--	1	3	4	1	4	5	6	4	1	-	-	-
NORTH DAKOTA ----------	-	2	4	8	12	16	9	8	2	-	-	-
WHITE------MALE----	-	2	1	5	9	8	4	5	1	-	-	-
FEMALE--	-	-	3	3	2	8	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
OHIO ----------	1,105	-	1	-	1	4	3	5	3	12	18	35
WHITE------MALE----	533	-	-	-	1	2	2	2	1	6	9	17
FEMALE--	512	-	-	-	-	1	1	1	2	4	6	15
ALL OTHER--MALE----	30	-	-	-	-	-	-	2	-	1	3	2
FEMALE--	30	-	1	-	-	1	-	-	-	1	-	1
BLACK---MALE----	25	-	-	-	-	-	-	2	-	1	3	2
FEMALE--	29	-	-	-	-	1	-	-	-	1	-	1
OKLAHOMA ----------	315	-	2	-	-	-	5	2	-	2	6	9
WHITE------MALE----	136	-	1	-	-	-	4	2	-	1	4	6
FEMALE--	157	-	1	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
OREGON ----------	313	-	-	-	-	1	3	2	3	4	5	10
WHITE------MALE----	154	-	-	-	-	1	2	2	1	4	4	5
FEMALE--	147	-	-	-	-	-	1	-	1	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,344	-	-	2	-	1	3	1	9	14	27	42
WHITE------MALE----	639	-	-	2	-	-	2	1	4	7	18	21
FEMALE--	650	-	-	-	-	-	1	-	4	5	7	15
ALL OTHER--MALE----	28	-	-	-	-	1	-	-	1	2	1	3
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	28	-	-	-	-	1	-	-	1	2	1	3
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	2
RHODE ISLAND ----------	90	-	-	1	-	-	1	2	-	1	-	-
WHITE------MALE----	35	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	53	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	269	1	-	-	1	-	-	1	2	1	5	6
WHITE------MALE----	104	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	109	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	25	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	24	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
OHIO ----------	38	71	81	107	170	211	184	105	47	9	-	-
WHITE------MALE----	23	40	47	53	77	115	84	38	14	2	-	-
FEMALE--	14	23	29	47	83	88	97	63	31	7	-	-
ALL OTHER--MALE----	1	6	1	5	2	3	2	-	2	-	-	-
FEMALE--	-	2	4	2	8	5	1	4	-	-	-	-
BLACK---MALE----	1	5	-	4	1	2	2	-	2	-	-	-
FEMALE--	-	2	4	2	8	5	1	4	-	-	-	-
OKLAHOMA ----------	12	12	23	33	54	61	46	31	14	3	-	-
WHITE------MALE----	8	8	10	11	26	27	15	9	4	-	-	-
FEMALE--	4	2	12	19	25	30	27	21	9	3	-	-
ALL OTHER--MALE----	-	1	-	3	-	1	3	1	-	-	-	-
FEMALE--	-	1	1	-	3	3	1	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
OREGON ----------	17	20	20	20	40	66	49	39	11	3	-	-
WHITE------MALE----	6	13	13	15	23	25	21	14	5	-	-	-
FEMALE--	10	7	6	4	17	39	28	24	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	53	71	92	134	213	252	239	141	43	7	-	-
WHITE------MALE----	32	38	52	73	109	114	97	49	17	3	-	-
FEMALE--	17	30	35	57	97	126	137	90	25	4	-	-
ALL OTHER--MALE----	1	3	3	2	2	7	2	-	-	-	-	-
FEMALE--	3	-	2	2	5	5	3	2	1	-	-	-
BLACK---MALE----	1	3	3	2	2	7	2	-	-	-	-	-
FEMALE--	2	-	2	1	4	4	3	2	1	-	-	-
RHODE ISLAND ----------	1	6	5	10	9	19	17	11	5	2	-	-
WHITE------MALE----	1	4	3	3	5	7	8	3	-	-	-	-
FEMALE--	-	2	2	7	4	12	9	8	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	26	23	38	37	45	35	22	10	1	-	-
WHITE------MALE----	6	9	7	16	17	18	17	6	3	1	-	-
FEMALE--	3	9	14	13	16	15	15	14	5	-	-	-
ALL OTHER--MALE----	2	3	2	6	3	5	2	-	1	-	-	-
FEMALE--	4	5	-	3	1	7	1	2	1	-	-	-
BLACK---MALE----	2	3	2	6	3	5	2	-	1	-	-	-
FEMALE--	4	5	-	2	1	7	1	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1160

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
SOUTH DAKOTA ----------	84	-	-	-	-	-	-	1	1	-	-	3
WHITE------MALE----	44	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	477	-	1	-	-	-	1	1	3	7	8	14
WHITE------MALE----	228	-	1	-	-	-	-	-	2	4	6	9
FEMALE--	209	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	20	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	18	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	2	1	1
TEXAS ----------	1,366	-	-	1	1	5	11	4	15	19	34	56
WHITE------MALE----	641	-	-	1	1	2	4	3	9	10	15	27
FEMALE--	615	-	-	-	-	2	5	1	4	5	10	19
ALL OTHER--MALE----	60	-	-	-	-	-	2	-	1	2	6	6
FEMALE--	50	-	-	-	-	1	-	-	1	2	3	4
BLACK---MALE----	52	-	-	-	-	-	2	-	1	2	6	5
FEMALE--	44	-	-	-	-	1	-	-	1	1	3	3
UTAH ----------	122	-	-	-	-	-	4	2	2	2	2	4
WHITE------MALE----	73	-	-	-	-	-	4	1	2	2	1	2
FEMALE--	46	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	71	-	-	-	-	-	-	1	1	-	2	3
WHITE------MALE----	28	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	43	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	530	-	-	-	2	2	1	3	3	12	7	15
WHITE------MALE----	237	-	-	-	-	-	-	2	1	5	4	7
FEMALE--	229	-	-	-	-	-	1	-	2	2	1	3
ALL OTHER--MALE----	35	-	-	-	1	1	-	1	-	3	1	5
FEMALE--	29	-	-	-	1	1	-	-	-	2	1	-
BLACK---MALE----	33	-	-	-	1	1	-	1	-	3	1	4
FEMALE--	24	-	-	-	1	1	-	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
SOUTH DAKOTA ----------	7	4	8	10	7	9	14	14	5	1	-	-
WHITE------MALE----	4	3	6	5	3	5	6	7	2	-	-	-
FEMALE--	3	1	2	3	4	4	8	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	21	36	48	47	73	81	70	46	16	3	1	-
WHITE------MALE----	11	19	27	24	37	43	28	12	5	-	-	-
FEMALE--	8	13	18	19	31	35	38	31	9	2	1	-
ALL OTHER--MALE----	1	3	3	3	2	2	-	-	-	1	-	-
FEMALE--	1	1	-	1	3	1	4	3	2	-	-	-
BLACK---MALE----	-	3	2	3	2	2	-	-	-	1	-	-
FEMALE--	-	1	-	1	3	1	4	3	2	-	-	-
TEXAS ----------	66	87	111	165	213	217	178	130	41	12	-	-
WHITE------MALE----	31	48	65	90	100	97	70	51	16	1	-	-
FEMALE--	30	30	38	60	96	105	102	73	24	11	-	-
ALL OTHER--MALE----	4	6	1	4	12	8	2	5	1	-	-	-
FEMALE--	1	3	7	11	5	7	4	1	-	-	-	-
BLACK---MALE----	3	4	1	4	8	8	2	5	1	-	-	-
FEMALE--	-	3	6	11	5	5	4	1	-	-	-	-
UTAH ----------	7	7	9	12	15	23	17	11	5	-	-	-
WHITE------MALE----	5	3	5	8	8	16	7	6	3	-	-	-
FEMALE--	1	3	4	4	7	6	10	5	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	4	6	6	12	9	18	5	2	1	-	-
WHITE------MALE----	1	2	2	4	5	2	8	1	1	-	-	-
FEMALE--	-	2	4	2	7	7	10	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	34	38	33	68	70	97	83	38	15	9	-	-
WHITE------MALE----	16	17	18	39	30	52	29	10	5	2	-	-
FEMALE--	13	11	12	23	36	40	46	24	9	6	-	-
ALL OTHER--MALE----	3	7	3	2	1	5	2	-	-	-	-	-
FEMALE--	2	3	-	4	3	-	6	4	1	1	-	-
BLACK---MALE----	3	7	3	2	1	5	1	-	-	-	-	-
FEMALE--	1	2	-	4	3	-	4	4	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
WASHINGTON ----------	498	-	-	-	-	1	2	1	5	11	7	16
WHITE------MALE----	259	-	-	-	-	1	1	1	2	7	2	13
FEMALE--	216	-	-	-	-	-	1	-	3	4	4	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	172	-	-	-	-	-	1	1	1	2	2	5
WHITE------MALE----	83	-	-	-	-	-	1	-	1	2	2	4
FEMALE--	88	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	520	-	-	-	1	2	5	-	5	3	12	14
WHITE------MALE----	278	-	-	-	-	2	4	-	2	3	7	8
FEMALE--	228	-	-	-	1	-	1	-	2	-	2	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
WYOMING ----------	21	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
WASHINGTON ----------	26	36	41	46	64	93	84	42	17	5	1	-
WHITE------MALE----	18	21	25	22	38	46	37	20	4	-	1	-
FEMALE--	8	15	10	21	22	43	46	21	11	5	-	-
ALL OTHER--MALE----	-	-	3	2	2	2	1	-	1	-	-	-
FEMALE--	-	-	3	1	2	2	-	1	1	-	-	-
BLACK---MALE----	-	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	12	16	20	30	28	26	18	4	-	-	-
WHITE------MALE----	3	9	7	11	11	12	13	6	1	-	-	-
FEMALE--	3	3	9	9	18	16	13	12	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	32	29	40	58	74	79	83	54	24	4	1	-
WHITE------MALE----	20	16	15	36	44	44	43	23	8	2	1	-
FEMALE--	11	13	22	21	28	33	39	31	16	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	-	-	-	-	-
WYOMING ----------	3	2	3	3	2	2	5	-	-	-	-	-
WHITE------MALE----	2	2	3	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1162

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
UNITED STATES -	22,802	2	16	12	25	51	93	109	180	324	465	696
WHITE------MALE----	10,768	-	8	7	16	22	49	48	82	163	244	386
FEMALE--	10,173	-	5	1	2	14	25	31	53	90	130	196
ALL OTHER--MALE----	1,026	-	1	2	5	8	12	21	27	41	62	73
FEMALE--	835	2	2	2	2	7	7	9	18	30	29	41
BLACK---MALE----	786	-	1	2	4	6	12	17	22	36	51	59
FEMALE--	657	2	1	1	2	7	7	7	12	26	25	34
ALABAMA ----------	333	-	-	-	2	-	1	2	1	8	8	5
WHITE------MALE----	135	-	-	-	1	-	-	1	-	5	4	2
FEMALE--	159	-	-	-	-	-	-	-	-	2	4	3
ALL OTHER--MALE----	18	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	21	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	18	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	21	-	-	-	-	-	1	1	-	1	-	-
ALASKA ----------	22	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	413	-	1	1	-	-	2	5	1	5	8	17
WHITE------MALE----	205	-	1	1	-	-	2	2	1	2	3	11
FEMALE--	183	-	-	-	-	-	-	2	-	2	2	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	261	1	-	-	-	1	-	1	1	1	7	10
WHITE------MALE----	121	-	-	-	-	1	-	-	1	-	1	9
FEMALE--	116	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	13	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	3	-
CALIFORNIA ----------	2,224	-	2	1	2	3	9	13	27	37	55	80
WHITE------MALE----	1,093	-	-	-	1	2	6	5	8	26	32	38
FEMALE--	870	-	2	-	1	-	3	5	9	6	11	24
ALL OTHER--MALE----	156	-	-	1	-	1	-	1	3	5	9	14
FEMALE--	105	-	-	-	-	-	-	2	7	-	3	4
BLACK---MALE----	64	-	-	1	-	-	-	1	2	3	4	8
FEMALE--	48	-	-	-	-	-	-	-	3	-	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1162

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
UNITED STATES -	1,045	1,414	1,740	2,441	3,407	4,009	3,545	2,198	834	178	18	-
WHITE------MALE----	576	751	892	1,248	1,705	1,911	1,494	839	273	47	7	-
FEMALE--	346	500	675	1,001	1,461	1,847	1,905	1,250	514	118	9	-
ALL OTHER--MALE----	76	100	104	107	116	141	50	53	19	6	2	-
FEMALE--	47	63	69	85	125	110	96	56	28	7	-	-
BLACK---MALE----	64	81	74	90	84	99	33	33	11	5	2	-
FEMALE--	35	57	52	64	93	80	76	46	24	6	-	-
ALABAMA ----------	16	19	31	48	45	61	43	25	11	7	-	-
WHITE------MALE----	7	11	13	24	21	24	11	7	2	2	-	-
FEMALE--	8	6	13	18	20	33	28	15	6	3	-	-
ALL OTHER--MALE----	1	1	4	2	1	2	1	2	1	1	-	-
FEMALE--	-	1	1	4	3	2	3	1	2	1	-	-
BLACK---MALE----	1	1	4	2	1	2	1	2	1	1	-	-
FEMALE--	-	1	1	4	3	2	3	1	2	1	-	-
ALASKA ----------	2	3	3	1	1	4	-	2	1	-	-	-
WHITE------MALE----	2	2	1	1	1	4	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	18	17	29	48	62	79	73	31	15	1	-	-
WHITE------MALE----	9	13	7	25	28	40	35	16	8	1	-	-
FEMALE--	9	4	19	21	32	35	32	15	7	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	2	3	-	-	-	-	-
FEMALE--	-	-	2	1	-	2	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ARKANSAS ----------	6	16	20	30	38	49	39	29	12	-	-	-
WHITE------MALE----	3	5	9	18	21	19	22	7	5	-	-	-
FEMALE--	2	8	9	9	14	27	16	21	6	-	-	-
ALL OTHER--MALE----	1	2	2	2	2	2	1	-	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	1	2	2	2	2	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
CALIFORNIA ----------	116	146	177	212	357	376	330	184	84	12	1	-
WHITE------MALE----	67	79	91	115	184	183	146	76	31	3	-	-
FEMALE--	30	46	59	75	139	149	162	91	48	9	1	-
ALL OTHER--MALE----	13	13	19	13	12	28	9	11	4	-	-	-
FEMALE--	6	8	8	9	22	16	13	6	1	-	-	-
BLACK---MALE----	9	5	7	8	4	7	2	2	1	-	-	-
FEMALE--	3	6	4	3	8	7	8	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1163

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
COLORADO ----------	255	-	-	-	-	-	2	1	1	3	4	10
WHITE------MALE----	113	-	-	-	-	-	-	1	1	1	4	5
FEMALE--	132	-	-	-	-	-	2	-	-	2	-	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	301	-	1	-	1	2	1	1	1	4	4	4
WHITE------MALE----	146	-	-	-	1	2	1	-	-	-	2	4
FEMALE--	138	-	1	-	-	-	-	1	-	4	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	49	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	20	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	36	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1,567	-	1	1	-	3	7	3	11	14	28	43
WHITE------MALE----	780	-	1	1	-	1	1	2	6	8	15	29
FEMALE--	705	-	-	-	-	2	4	-	4	2	9	10
ALL OTHER--MALE----	48	-	-	-	-	-	2	1	1	2	3	3
FEMALE--	34	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	45	-	-	-	-	-	2	1	1	1	3	3
FEMALE--	31	-	-	-	-	-	-	-	-	2	1	1
GEORGIA ----------	477	-	1	-	1	-	5	5	10	12	13	16
WHITE------MALE----	205	-	-	-	1	-	1	1	4	6	5	10
FEMALE--	191	-	-	-	-	-	1	1	1	4	2	4
ALL OTHER--MALE----	49	-	1	-	-	-	3	2	2	2	4	1
FEMALE--	32	-	-	-	-	-	-	1	3	-	2	1
BLACK---MALE----	47	-	1	-	-	-	3	2	2	2	4	1
FEMALE--	32	-	-	-	-	-	-	1	3	-	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
COLORADO ----------	17	23	21	24	33	35	46	25	7	3	-	-
WHITE------MALE----	8	10	9	11	12	19	21	7	2	2	-	-
FEMALE--	8	13	10	12	18	14	25	18	5	1	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
CONNECTICUT ----------	14	18	19	37	50	52	48	30	11	3	-	-
WHITE------MALE----	10	15	11	18	25	22	20	10	5	-	-	-
FEMALE--	3	2	7	18	19	27	27	20	5	3	-	-
ALL OTHER--MALE----	1	1	-	1	3	2	1	-	1	-	-	-
FEMALE--	-	-	1	-	3	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	2	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	3	1	-	-	-	-	-	-
DELAWARE ----------	3	1	2	4	9	12	7	6	1	-	-	-
WHITE------MALE----	1	1	2	2	3	6	1	2	-	-	-	-
FEMALE--	2	-	-	2	6	6	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	2	2	5	5	4	5	5	1	1	1	-
WHITE------MALE----	-	-	-	1	2	-	-	2	-	1	-	-
FEMALE--	-	1	1	1	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	2	2	-	-	1	-
FEMALE--	1	1	-	2	2	4	1	1	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	2	2	-	-	1	-
FEMALE--	1	1	-	2	2	4	1	1	-	-	-	-
FLORIDA ----------	50	77	100	157	252	302	247	187	64	18	2	-
WHITE------MALE----	30	42	54	78	134	157	114	80	21	5	1	-
FEMALE--	16	27	35	71	102	136	128	103	42	13	1	-
ALL OTHER--MALE----	2	4	7	4	10	6	1	1	1	-	-	-
FEMALE--	2	4	4	4	6	3	4	3	-	-	-	-
BLACK---MALE----	2	4	7	3	9	6	1	1	1	-	-	-
FEMALE--	2	4	3	4	5	3	4	2	-	-	-	-
GEORGIA ----------	23	31	45	43	68	90	52	44	16	1	1	-
WHITE------MALE----	8	17	20	27	30	37	22	12	4	-	-	-
FEMALE--	8	9	14	10	29	43	28	26	10	-	1	-
ALL OTHER--MALE----	5	5	7	2	5	6	-	3	-	1	-	-
FEMALE--	2	-	4	4	4	4	2	3	2	-	-	-
BLACK---MALE----	5	4	7	2	5	5	-	3	-	1	-	-
FEMALE--	2	-	4	4	4	4	2	3	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
HAWAII ----------	94	-	-	-	-	-	-	1	3	1	3	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	41	-	-	-	-	-	-	1	3	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	99	-	1	-	-	-	-	-	-	1	1	3
WHITE------MALE----	51	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	48	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,061	-	-	-	-	3	1	1	6	17	14	34
WHITE------MALE----	518	-	-	-	-	1	1	1	3	7	7	20
FEMALE--	457	-	-	-	-	-	-	-	2	5	6	6
ALL OTHER--MALE----	49	-	-	-	-	1	-	-	1	3	-	4
FEMALE--	37	-	-	-	-	1	-	-	-	2	1	4
BLACK---MALE----	45	-	-	-	-	1	-	-	1	2	-	4
FEMALE--	35	-	-	-	-	1	-	-	-	2	1	4
INDIANA ----------	539	-	1	-	2	-	2	2	4	7	9	11
WHITE------MALE----	263	-	1	-	2	-	1	1	2	4	6	8
FEMALE--	254	-	-	-	-	-	-	-	1	2	3	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	1	-	-
IOWA ----------	284	-	-	-	-	-	1	2	3	3	4	5
WHITE------MALE----	143	-	-	-	-	-	-	1	3	1	1	2
FEMALE--	134	-	-	-	-	-	1	-	-	1	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
KANSAS ----------	228	-	1	-	-	-	2	1	1	1	3	2
WHITE------MALE----	110	-	1	-	-	-	1	1	-	-	2	2
FEMALE--	106	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
HAWAII ----------	4	3	7	8	10	26	11	11	4	1	-	-
WHITE------MALE----	1	2	3	1	2	5	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	4	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	2	4	6	9	4	7	2	-	-	-
FEMALE--	1	1	2	3	2	8	5	3	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	9	8	10	18	19	17	6	1	1	-	-
WHITE------MALE----	3	4	2	4	9	13	6	5	1	-	-	-
FEMALE--	1	5	6	6	9	6	11	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	43	69	88	125	145	200	162	100	42	9	2	-
WHITE------MALE----	29	38	51	64	75	98	62	39	17	4	1	-
FEMALE--	8	20	27	49	61	95	93	56	24	4	1	-
ALL OTHER--MALE----	5	8	7	7	6	3	1	2	1	-	-	-
FEMALE--	1	3	3	5	3	4	6	3	-	1	-	-
BLACK---MALE----	5	7	6	6	6	3	1	2	1	-	-	-
FEMALE--	1	2	3	4	3	4	6	3	-	1	-	-
INDIANA ----------	21	31	40	67	92	95	83	45	23	4	-	-
WHITE------MALE----	10	18	18	31	45	52	39	18	6	1	-	-
FEMALE--	10	11	22	34	43	38	42	26	17	3	-	-
ALL OTHER--MALE----	1	2	-	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	1	-	-	-	-
BLACK---MALE----	1	2	-	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	1	-	-	-	-
IOWA ----------	13	18	21	30	54	51	43	22	13	1	-	-
WHITE------MALE----	10	7	9	17	34	29	16	10	3	-	-	-
FEMALE--	3	10	11	12	19	22	27	12	10	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
KANSAS ----------	12	14	14	32	33	39	40	21	11	1	-	-
WHITE------MALE----	7	6	7	17	15	19	21	9	2	-	-	-
FEMALE--	4	8	6	14	17	18	19	11	6	1	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	3	-	-	-
BLACK---MALE----	1	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1165

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
KENTUCKY ----------	321	-	-	-	1	-	2	-	5	3	7	9
WHITE------MALE----	156	-	-	-	1	-	1	-	4	2	4	4
FEMALE--	155	-	-	-	-	-	1	-	1	1	3	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	353	-	-	1	-	2	-	3	4	3	13	14
WHITE------MALE----	139	-	-	1	-	1	-	-	1	2	3	5
FEMALE--	163	-	-	-	-	1	-	2	2	1	4	5
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	23	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	28	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	22	-	-	-	-	-	-	-	1	-	2	1
MAINE ----------	121	-	-	-	-	1	-	1	1	-	3	3
WHITE------MALE----	63	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	57	-	-	-	-	1	-	1	1	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	402	-	2	1	3	1	2	1	4	8	12	14
WHITE------MALE----	187	-	-	-	1	1	1	-	3	4	8	8
FEMALE--	152	-	1	-	-	-	1	-	-	2	2	2
ALL OTHER--MALE----	33	-	-	-	1	-	-	1	-	2	1	3
FEMALE--	30	-	1	1	1	-	-	-	1	-	1	1
BLACK---MALE----	33	-	-	-	1	-	-	1	-	2	1	3
FEMALE--	27	-	1	1	1	-	-	-	1	-	1	1
MASSACHUSETTS ----------	589	-	-	-	1	2	2	5	7	12	10	13
WHITE------MALE----	275	-	-	-	-	-	2	2	5	5	6	7
FEMALE--	291	-	-	-	-	2	-	2	1	6	3	3
ALL OTHER--MALE----	12	-	-	-	1	-	-	-	1	-	-	3
FEMALE--	11	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	1	-	1	1	-
MICHIGAN ----------	871	-	-	-	1	1	1	2	9	11	20	29
WHITE------MALE----	432	-	-	-	1	1	-	-	2	3	13	23
FEMALE--	374	-	-	-	-	-	-	2	4	4	4	3
ALL OTHER--MALE----	36	-	-	-	-	-	1	-	2	2	2	1
FEMALE--	29	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE----	32	-	-	-	-	-	1	-	2	2	2	1
FEMALE--	27	-	-	-	-	-	-	-	1	2	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
KENTUCKY ----------	19	34	31	31	38	44	58	26	13	-	-	-
WHITE------MALE----	13	22	15	12	20	17	25	12	4	-	-	-
FEMALE--	4	10	13	18	18	27	32	14	9	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	16	26	40	36	49	54	45	36	9	2	-	-
WHITE------MALE----	6	9	14	21	17	23	18	16	1	1	-	-
FEMALE--	7	12	20	11	26	25	23	19	4	1	-	-
ALL OTHER--MALE----	2	3	4	1	3	5	1	1	-	-	-	-
FEMALE--	1	2	2	3	3	1	3	-	4	-	-	-
BLACK---MALE----	2	3	4	1	3	5	1	1	-	-	-	-
FEMALE--	1	2	2	2	3	1	3	-	4	-	-	-
MAINE ----------	5	8	11	20	20	18	17	8	4	1	-	-
WHITE------MALE----	3	2	4	13	14	9	10	4	1	-	-	-
FEMALE--	2	6	7	7	5	9	7	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	25	27	27	36	53	63	61	37	19	6	-	-
WHITE------MALE----	13	13	14	17	28	30	22	15	7	2	-	-
FEMALE--	3	8	9	12	18	25	34	21	11	3	-	-
ALL OTHER--MALE----	3	4	1	5	5	5	1	-	-	1	-	-
FEMALE--	6	2	3	2	2	3	4	1	1	-	-	-
BLACK---MALE----	3	4	1	5	5	5	1	-	-	1	-	-
FEMALE--	5	2	2	2	2	3	4	1	-	-	-	-
MASSACHUSETTS ----------	23	38	40	61	81	110	93	66	21	2	2	-
WHITE------MALE----	12	20	26	35	39	53	39	18	6	-	-	-
FEMALE--	9	17	13	24	39	56	53	45	14	2	2	-
ALL OTHER--MALE----	2	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	2	2	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	1	1	-	-	-
MICHIGAN ----------	45	50	70	111	136	135	135	72	32	10	1	-
WHITE------MALE----	23	30	42	61	79	62	55	26	8	3	-	-
FEMALE--	14	16	22	43	50	67	75	39	23	7	1	-
ALL OTHER--MALE----	6	1	4	4	6	4	-	3	-	-	-	-
FEMALE--	2	3	2	3	1	2	5	4	1	-	-	-
BLACK---MALE----	5	-	4	4	6	3	-	2	-	-	-	-
FEMALE--	2	3	2	3	1	2	3	4	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
MINNESOTA ----------	434	-	-	2	1	1	1	-	3	5	6	7
WHITE------MALE----	210	-	-	-	1	-	-	-	3	4	3	4
FEMALE--	212	-	-	-	-	1	-	-	-	1	3	3
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI ----------	202	-	-	-	-	1	2	3	1	2	3	7
WHITE------MALE----	89	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	73	-	-	-	-	1	-	2	-	-	1	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	3
BLACK---MALE----	21	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	3
MISSOURI ----------	515	-	-	-	-	-	1	5	2	7	9	11
WHITE------MALE----	234	-	-	-	-	-	1	2	-	4	6	6
FEMALE--	249	-	-	-	-	-	-	1	1	3	2	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	-
MONTANA ----------	82	-	-	-	-	-	-	-	-	2	2	2
WHITE------MALE----	30	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	170	-	-	-	-	-	-	1	1	2	2	5
WHITE------MALE----	82	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	83	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	114	-	-	-	-	-	-	3	-	1	2	5
WHITE------MALE----	56	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	49	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
MINNESOTA ----------	22	27	27	42	60	68	80	59	16	6	1	-
WHITE------MALE----	10	17	12	21	33	32	39	23	5	2	1	-
FEMALE--	12	9	10	21	26	36	39	36	11	4	-	-
ALL OTHER--MALE----	-	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	13	10	18	23	31	28	36	19	3	-	2	-
WHITE------MALE----	8	5	9	11	14	12	18	5	1	-	1	-
FEMALE--	4	1	7	9	10	11	14	9	2	-	-	-
ALL OTHER--MALE----	1	3	-	2	4	2	-	4	-	-	1	-
FEMALE--	-	1	2	1	3	3	4	1	-	-	-	-
BLACK---MALE----	1	3	-	2	4	2	-	4	-	-	1	-
FEMALE--	-	1	2	1	3	3	4	1	-	-	-	-
MISSOURI ----------	19	35	46	52	77	88	89	48	19	5	2	-
WHITE------MALE----	9	22	29	29	40	33	23	20	6	3	1	-
FEMALE--	8	8	15	19	32	52	63	26	11	2	1	-
ALL OTHER--MALE----	1	1	1	3	1	2	-	-	1	-	-	-
FEMALE--	1	4	1	1	4	1	3	2	1	-	-	-
BLACK---MALE----	1	1	1	2	1	2	-	-	1	-	-	-
FEMALE--	1	4	1	1	3	1	3	2	-	-	-	-
MONTANA ----------	5	4	3	11	5	13	20	12	3	-	-	-
WHITE------MALE----	-	1	1	5	1	7	4	4	2	-	-	-
FEMALE--	5	2	2	6	4	6	16	8	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	9	12	13	24	32	32	18	11	-	-	-
WHITE------MALE----	4	3	7	5	12	15	15	10	5	-	-	-
FEMALE--	3	6	5	8	11	16	16	8	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
NEVADA ----------	8	7	13	11	23	23	12	6	-	-	-	-
WHITE------MALE----	2	4	4	5	13	11	7	4	-	-	-	-
FEMALE--	5	3	7	5	9	10	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
NEW HAMPSHIRE ----------	89	-	-	-	-	-	-	-	1	2	3	3
WHITE------MALE----	47	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	769	-	-	-	-	3	3	6	7	12	18	15
WHITE------MALE----	344	-	-	-	-	1	-	2	3	3	8	10
FEMALE--	348	-	-	-	-	1	1	3	-	3	7	3
ALL OTHER--MALE----	42	-	-	-	-	1	2	1	2	2	2	1
FEMALE--	35	-	-	-	-	-	-	-	2	4	1	1
BLACK---MALE----	36	-	-	-	-	1	2	1	2	2	2	-
FEMALE--	29	-	-	-	-	-	-	-	2	3	-	1
NEW MEXICO ----------	105	-	-	-	-	-	-	-	1	1	5	2
WHITE------MALE----	54	-	-	-	-	-	-	-	1	1	4	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,491	-	1	1	3	9	5	13	5	36	35	58
WHITE------MALE----	647	-	1	1	3	3	5	7	2	10	15	26
FEMALE--	675	-	-	-	-	2	-	2	1	11	10	18
ALL OTHER--MALE----	95	-	-	-	-	2	-	2	2	8	8	8
FEMALE--	74	-	-	-	-	2	-	2	-	7	2	6
BLACK---MALE----	78	-	-	-	-	1	-	2	2	8	6	7
FEMALE--	69	-	-	-	-	2	-	2	-	6	2	6
NORTH CAROLINA ---------	599	-	-	-	1	2	1	1	2	12	15	21
WHITE------MALE----	278	-	-	-	-	-	-	1	1	6	9	11
FEMALE--	247	-	-	-	-	-	-	-	-	3	3	5
ALL OTHER--MALE----	38	-	-	-	1	1	-	-	1	3	2	2
FEMALE--	36	-	-	-	-	1	1	-	-	-	1	3
BLACK---MALE----	38	-	-	-	1	1	-	-	1	3	2	2
FEMALE--	35	-	-	-	-	1	1	-	-	-	1	3
NORTH DAKOTA ----------	65	-	-	-	-	-	-	-	2	-	1	1
WHITE------MALE----	37	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
NEW HAMPSHIRE ----------	5	9	1	8	8	15	17	10	7	-	-	-
WHITE------MALE----	4	5	1	5	4	7	10	2	3	-	-	-
FEMALE--	1	4	-	3	4	7	7	7	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	31	47	49	83	108	139	116	92	33	7	-	-
WHITE------MALE----	20	20	21	33	62	66	50	32	12	1	-	-
FEMALE--	6	15	23	41	37	64	65	55	20	4	-	-
ALL OTHER--MALE----	5	7	3	6	3	5	1	1	-	-	-	-
FEMALE--	-	5	2	3	6	4	-	4	1	2	-	-
BLACK---MALE----	4	6	2	5	3	5	-	1	-	-	-	-
FEMALE--	-	5	1	2	5	3	-	4	1	2	-	-
NEW MEXICO ----------	3	6	10	15	18	22	15	7	-	-	-	-
WHITE------MALE----	2	3	7	8	8	9	8	3	-	-	-	-
FEMALE--	1	3	3	7	10	13	7	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	70	84	111	158	215	237	239	152	47	12	-	-
WHITE------MALE----	36	35	52	69	87	109	103	67	13	3	-	-
FEMALE--	20	33	45	71	107	111	125	82	30	7	-	-
ALL OTHER--MALE----	6	9	11	12	9	8	4	3	2	1	-	-
FEMALE--	8	7	3	6	12	9	7	-	2	1	-	-
BLACK---MALE----	6	8	9	12	4	6	2	3	1	1	-	-
FEMALE--	7	7	3	4	12	8	7	-	2	1	-	-
NORTH CAROLINA ---------	25	37	43	67	97	122	82	47	20	4	-	-
WHITE------MALE----	19	19	22	31	51	59	27	17	3	2	-	-
FEMALE--	4	12	14	30	35	53	46	24	16	2	-	-
ALL OTHER--MALE----	1	3	3	5	6	5	3	2	-	-	-	-
FEMALE--	1	3	4	1	5	5	6	4	1	-	-	-
BLACK---MALE----	1	3	3	5	6	5	3	2	-	-	-	-
FEMALE--	1	3	4	1	4	5	6	4	1	-	-	-
NORTH DAKOTA ----------	-	2	4	8	12	16	9	8	2	-	-	-
WHITE------MALE----	-	2	1	5	9	8	4	5	1	-	-	-
FEMALE--	-	-	3	3	2	8	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1168

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
OHIO ----------	1,102	-	1	-	1	4	3	5	3	12	18	35
WHITE------MALE----	532	-	-	-	1	2	2	2	1	6	9	17
FEMALE--	510	-	-	-	-	1	1	1	2	4	6	15
ALL OTHER--MALE----	30	-	-	-	-	-	-	2	-	1	3	2
FEMALE--	30	-	1	-	-	1	-	-	-	1	-	1
BLACK---MALE----	25	-	-	-	-	-	-	2	-	1	3	2
FEMALE--	29	-	-	-	-	1	-	-	-	1	-	1
OKLAHOMA ----------	314	-	2	-	-	-	5	2	-	2	6	9
WHITE------MALE----	136	-	1	-	-	-	4	2	-	1	4	6
FEMALE--	156	-	1	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
OREGON ----------	312	-	-	-	-	1	3	2	3	4	5	10
WHITE------MALE----	154	-	-	-	-	1	2	2	1	4	4	5
FEMALE--	146	-	-	-	-	-	1	-	1	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,338	-	-	2	-	1	3	1	9	14	27	41
WHITE------MALE----	635	-	-	2	-	-	2	1	4	7	18	20
FEMALE--	648	-	-	-	-	-	1	-	4	5	7	15
ALL OTHER--MALE----	28	-	-	-	-	1	-	-	1	2	1	3
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	28	-	-	-	-	1	-	-	1	2	1	3
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	2
RHODE ISLAND ----------	90	-	-	1	-	-	1	2	-	1	-	-
WHITE------MALE----	35	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	53	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	264	1	-	-	1	-	-	1	2	1	5	6
WHITE------MALE----	102	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	107	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	25	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	24	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
OHIO ----------	38	71	81	106	170	210	184	105	46	9	-	-
WHITE------MALE----	23	40	47	53	77	114	84	38	14	2	-	-
FEMALE--	14	23	29	46	83	88	97	63	30	7	-	-
ALL OTHER--MALE----	1	6	1	5	2	3	2	-	2	-	-	-
FEMALE--	-	2	4	2	8	5	1	4	-	-	-	-
BLACK---MALE----	1	5	-	4	1	2	2	-	2	-	-	-
FEMALE--	-	2	4	2	8	5	1	4	-	-	-	-
OKLAHOMA ----------	12	12	23	33	54	60	46	31	14	3	-	-
WHITE------MALE----	8	8	10	11	26	27	15	9	4	-	-	-
FEMALE--	4	2	12	19	25	29	27	21	9	3	-	-
ALL OTHER--MALE----	-	1	-	3	-	1	3	1	-	-	-	-
FEMALE--	-	1	1	-	3	3	1	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
OREGON ----------	17	20	20	20	40	65	49	39	11	3	-	-
WHITE------MALE----	6	13	13	15	23	25	21	14	5	-	-	-
FEMALE--	10	7	6	4	17	38	28	24	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	53	70	92	134	211	251	239	140	43	7	-	-
WHITE------MALE----	32	37	52	73	108	113	97	49	17	3	-	-
FEMALE--	17	30	35	57	96	126	137	89	25	4	-	-
ALL OTHER--MALE----	1	3	3	2	2	7	2	-	-	-	-	-
FEMALE--	3	-	2	2	5	5	3	2	1	-	-	-
BLACK---MALE----	1	3	3	2	2	7	2	-	-	-	-	-
FEMALE--	2	-	2	1	4	4	3	2	1	-	-	-
RHODE ISLAND ----------	1	6	5	10	9	19	17	11	5	2	-	-
WHITE------MALE----	1	4	3	3	5	7	8	3	-	-	-	-
FEMALE--	-	2	2	7	4	12	9	8	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	24	23	37	37	45	34	21	10	1	-	-
WHITE------MALE----	6	8	7	15	17	18	17	6	3	1	-	-
FEMALE--	3	9	14	13	16	15	14	13	5	-	-	-
ALL OTHER--MALE----	2	2	2	6	3	5	2	-	1	-	-	-
FEMALE--	4	5	-	3	1	7	1	2	1	-	-	-
BLACK---MALE----	2	2	2	6	3	5	2	-	1	-	-	-
FEMALE--	4	5	-	2	1	7	1	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1169

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
SOUTH DAKOTA ----------	84	-	-	-	-	-	-	1	1	-	-	3
WHITE------MALE----	44	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	475	-	1	-	-	-	1	1	3	7	8	14
WHITE------MALE----	227	-	1	-	-	-	-	-	2	4	6	9
FEMALE--	208	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	20	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	18	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	2	1	1
TEXAS ----------	1,361	-	-	1	1	5	11	4	15	19	33	56
WHITE------MALE----	640	-	-	1	1	2	4	3	9	10	15	27
FEMALE--	613	-	-	-	-	2	5	1	4	5	10	19
ALL OTHER--MALE----	60	-	-	-	-	-	2	-	1	2	6	6
FEMALE--	48	-	-	-	-	1	-	-	1	2	2	4
BLACK---MALE----	52	-	-	-	-	-	2	-	1	2	6	5
FEMALE--	42	-	-	-	-	1	-	-	1	1	2	3
UTAH ----------	122	-	-	-	-	-	4	2	2	2	2	4
WHITE------MALE----	73	-	-	-	-	-	4	1	2	2	1	2
FEMALE--	46	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	71	-	-	-	-	-	-	1	1	-	2	3
WHITE------MALE----	28	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	43	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	530	-	-	-	2	2	1	3	3	12	7	15
WHITE------MALE----	237	-	-	-	-	-	-	2	1	5	4	7
FEMALE--	229	-	-	-	-	-	1	-	2	2	1	3
ALL OTHER--MALE----	35	-	-	-	1	1	-	1	-	3	1	5
FEMALE--	29	-	-	-	1	1	-	-	-	2	1	-
BLACK---MALE----	33	-	-	-	1	1	-	1	-	3	1	4
FEMALE--	24	-	-	-	1	1	-	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
SOUTH DAKOTA ----------	7	4	8	10	7	9	14	14	5	1	-	-
WHITE------MALE----	4	3	6	5	3	5	6	7	2	-	-	-
FEMALE--	3	1	2	3	4	4	8	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	21	36	48	47	72	81	69	46	16	3	1	-
WHITE------MALE----	11	19	27	24	37	43	27	12	5	-	-	-
FEMALE--	8	13	18	19	30	35	38	31	9	2	1	-
ALL OTHER--MALE----	1	3	3	3	2	2	-	-	-	1	-	-
FEMALE--	1	1	-	1	3	1	4	3	2	-	-	-
BLACK---MALE----	-	3	2	3	2	2	-	-	-	1	-	-
FEMALE--	-	1	-	1	3	1	4	3	2	-	-	-
TEXAS ----------	66	87	110	165	213	217	177	128	41	12	-	-
WHITE------MALE----	31	48	65	90	100	97	69	51	16	1	-	-
FEMALE--	30	30	37	60	96	105	102	72	24	11	-	-
ALL OTHER--MALE----	4	6	1	4	12	8	2	5	1	-	-	-
FEMALE--	1	3	7	11	5	7	4	-	-	-	-	-
BLACK---MALE----	3	4	1	4	8	8	2	5	1	-	-	-
FEMALE--	-	3	6	11	5	5	4	-	-	-	-	-
UTAH ----------	7	7	9	12	15	23	17	11	5	-	-	-
WHITE------MALE----	5	3	5	8	8	16	7	6	3	-	-	-
FEMALE--	1	3	4	4	7	6	10	5	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	4	6	6	12	9	18	5	2	1	-	-
WHITE------MALE----	1	2	2	4	5	2	8	1	1	-	-	-
FEMALE--	-	2	4	2	7	7	10	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	34	38	33	68	70	97	83	38	15	9	-	-
WHITE------MALE----	16	17	18	39	30	52	29	10	5	2	-	-
FEMALE--	13	11	12	23	36	40	46	24	9	6	-	-
ALL OTHER--MALE----	3	7	3	2	1	5	2	-	-	-	-	-
FEMALE--	2	3	-	4	3	-	6	4	1	1	-	-
BLACK---MALE----	3	7	3	2	1	5	1	-	-	-	-	-
FEMALE--	1	2	-	4	3	-	4	4	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1170

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
WASHINGTON ----------	493	-	-	-	-	1	2	1	5	11	6	16
WHITE------MALE----	255	-	-	-	-	1	1	1	2	7	1	13
FEMALE--	215	-	-	-	-	-	1	-	3	4	4	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	172	-	-	-	-	-	1	1	1	2	2	5
WHITE------MALE----	83	-	-	-	-	-	1	-	1	2	2	4
FEMALE--	88	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	518	-	-	-	1	2	5	-	5	3	12	14
WHITE------MALE----	276	-	-	-	-	2	4	-	2	3	7	8
FEMALE--	228	-	-	-	1	-	1	-	2	-	2	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
WYOMING ----------	21	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
WASHINGTON ----------	26	35	40	45	64	93	83	42	17	5	1	-
WHITE------MALE----	18	20	24	21	38	46	37	20	4	-	1	-
FEMALE--	8	15	10	21	22	43	45	21	11	5	-	-
ALL OTHER--MALE----	-	-	3	2	2	2	1	-	1	-	-	-
FEMALE--	-	-	3	1	2	2	-	1	1	-	-	-
BLACK---MALE----	-	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	12	16	20	30	28	26	18	4	-	-	-
WHITE------MALE----	3	9	7	11	11	12	13	6	1	-	-	-
FEMALE--	3	3	9	9	18	16	13	12	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	32	29	40	58	74	79	82	53	24	4	1	-
WHITE------MALE----	20	16	15	36	44	44	42	22	8	2	1	-
FEMALE--	11	13	22	21	28	33	39	31	16	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	-	-	-	-	-
WYOMING ----------	3	2	3	3	2	2	5	-	-	-	-	-
WHITE------MALE----	2	2	3	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
UNITED STATES -	83	1	1	-	-	-	-	-	1	2	2	3
WHITE------MALE----	36	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	40	-	1	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	12	-	1	-	-	-	-	-	1	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
UNITED STATES -	6	6	6	10	7	14	11	9	4	-	-	-
WHITE------MALE----	2	4	2	5	3	8	5	3	-	-	-	-
FEMALE--	3	1	4	5	4	5	5	5	4	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALABAMA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	1	1	2	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	2	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	1	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	1	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	1	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
MINNESOTA ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
MINNESOTA ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	-	3	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	2	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
OHIO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
OHIO ----------	-	-	-	1	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	-	2	1	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	2	-	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	1	-	-	-	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
WASHINGTON ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)												
WASHINGTON ----------	-	1	1	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1180

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant immunoproliferative diseases (C88)												
UNITED STATES -	451	-	-	-	-	-	-	-	1	1	-	6
WHITE------MALE----	228	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	193	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALABAMA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	47	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1180

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant immunoproliferative diseases (C88)												
UNITED STATES -	10	15	40	33	64	90	79	64	39	9	-	-
WHITE------MALE----	4	7	22	22	39	45	40	29	16	1	-	-
FEMALE--	2	5	13	10	23	35	38	33	23	8	-	-
ALL OTHER--MALE----	2	2	4	1	2	5	1	-	-	-	-	-
FEMALE--	2	1	1	-	-	5	-	2	-	-	-	-
BLACK---MALE----	2	1	4	1	1	2	1	-	-	-	-	-
FEMALE--	2	1	1	-	-	3	-	2	-	-	-	-
ALABAMA ----------	-	-	-	-	-	1	1	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	2	-	2	4	-	1	2	-	-	-
WHITE------MALE----	-	-	2	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	1	2	4	4	12	8	7	6	1	-	-
WHITE------MALE----	1	-	1	4	4	3	5	3	1	-	-	-
FEMALE--	-	-	1	-	-	4	3	4	5	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant immunoproliferative diseases (C88)												
COLORADO ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant immunoproliferative diseases (C88)												
COLORADO ----------	-	1	1	1	-	3	1	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	-	-	5	1	-	3	-	-	-
WHITE------MALE----	-	-	1	-	-	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	2	1	2	9	7	5	1	3	-	-	-
WHITE------MALE----	-	2	-	2	6	2	1	1	3	-	-	-
FEMALE--	-	-	-	-	3	5	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	-	-	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant immunoproliferative diseases (C88)												
HAWAII ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant immunoproliferative diseases (C88)												
HAWAII ----------	-	-	1	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	1	1	-	4	3	2	1	-	-	-
WHITE------MALE----	-	1	1	1	-	2	2	1	1	-	-	-
FEMALE--	1	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	1	2	1	1	2	2	2	-	-	-
WHITE------MALE----	-	-	1	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	1	3	-	1	1	6	2	2	-	-	-
WHITE------MALE----	-	-	-	-	1	1	5	2	1	-	-	-
FEMALE--	-	1	2	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	3	-	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	3	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant immunoproliferative diseases (C88)												
KENTUCKY ----------	7	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	23	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant immunoproliferative diseases (C88)												
KENTUCKY ----------	-	-	-	-	1	2	2	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	3	2	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	2	-	2	1	3	1	1	1	-	-	-
WHITE------MALE----	1	2	-	2	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	2	1	1	1	1	5	1	1	-	-	-
WHITE------MALE----	-	-	1	1	1	1	1	-	1	-	-	-
FEMALE--	-	2	-	-	-	-	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	2	2	4	4	5	1	1	1	-	-
WHITE------MALE----	-	1	-	1	3	2	3	1	-	-	-	-
FEMALE--	-	-	2	1	-	1	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant immunoproliferative diseases (C88)												
MINNESOTA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant immunoproliferative diseases (C88)												
MINNESOTA	1	-	1	2	3	-	1	5	1	-	-	-
WHITE--MALE	-	-	1	1	3	-	-	3	1	-	-	-
FEMALE	-	-	-	1	-	-	1	2	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	1	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	1	2	3	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	2	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	1	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

Malignant immunoproliferative diseases (C88)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	29	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	7	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant immunoproliferative diseases (C88)												
NEW HAMPSHIRE ----------	-	-	-	-	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	2	-	2	3	3	1	-	-	-	-
WHITE------MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	6	-	5	6	3	4	4	1	-	-
WHITE------MALE----	-	-	4	-	1	3	2	2	1	1	-	-
FEMALE--	-	-	2	-	4	3	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	1	1	1	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant immunoproliferative diseases (C88)												
OHIO ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	28	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant immunoproliferative diseases (C88)												
OHIO	1	-	3	1	4	2	1	5	2	-	-	-
WHITE--MALE	1	-	-	1	4	-	-	2	-	-	-	-
FEMALE	-	-	3	-	-	2	1	3	2	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	1	-	-	1	2	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	1	-	-	1	1	1	4	-	-	-	-	-
WHITE--MALE	-	-	-	1	-	1	3	-	-	-	-	-
FEMALE	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	1	2	-	3	7	8	4	2	1	-	-
WHITE--MALE	-	-	1	-	1	5	4	-	1	-	-	-
FEMALE	-	1	-	-	2	2	4	4	1	1	-	-
ALL OTHER--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	1	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-

Malignant immunoproliferative diseases (C88)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	23	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant immunoproliferative diseases (C88)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	1	2	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	3	2	3	4	3	3	2	1	-	-
WHITE------MALE----	-	-	1	-	1	3	2	1	-	-	-	-
FEMALE--	-	-	1	2	2	1	1	2	2	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	1	1	3	1	3	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant immunoproliferative diseases (C88)												
WASHINGTON ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant immunoproliferative diseases (C88)												
WASHINGTON ----------	-	-	-	1	1	-	2	5	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	4	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	1	1	1	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	4	1	4	1	2	2	2	-	-	-
WHITE------MALE----	-	-	4	1	2	1	2	1	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and malignant plasma cell neoplasms (C90)												
UNITED STATES -	10,565	-	-	-	-	-	-	3	18	46	109	235
WHITE------MALE----	4,423	-	-	-	-	-	-	2	7	26	38	99
FEMALE--	4,166	-	-	-	-	-	-	-	4	9	30	77
ALL OTHER--MALE----	915	-	-	-	-	-	-	-	6	7	24	30
FEMALE--	1,061	-	-	-	-	-	-	1	1	4	17	29
BLACK---MALE----	821	-	-	-	-	-	-	-	6	6	24	28
FEMALE--	959	-	-	-	-	-	-	1	-	3	16	28
ALABAMA ----------	171	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	61	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	170	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	83	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	72	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	119	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	54	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA ----------	1,051	-	-	-	-	-	-	1	4	7	8	35
WHITE------MALE----	475	-	-	-	-	-	-	1	2	6	6	17
FEMALE--	392	-	-	-	-	-	-	-	-	1	2	14
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	109	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	46	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	76	-	-	-	-	-	-	-	-	-	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple myeloma and malignant plasma cell neoplasms (C90)												
UNITED STATES -	414	712	927	1,314	1,761	1,933	1,686	976	350	76	5	-
WHITE------MALE----	184	299	419	588	745	837	689	369	96	24	1	-
FEMALE--	109	216	271	473	703	780	782	466	203	42	1	-
ALL OTHER--MALE----	56	103	112	118	154	139	90	52	21	1	2	-
FEMALE--	65	94	125	135	159	177	125	89	30	9	1	-
BLACK---MALE----	52	94	98	100	137	123	84	47	19	1	2	-
FEMALE--	61	85	112	118	140	158	110	88	29	9	1	-
ALABAMA ----------	10	10	15	30	26	31	24	11	8	3	-	-
WHITE------MALE----	3	4	7	10	11	15	9	1	-	1	-	-
FEMALE--	-	2	3	12	7	11	9	2	6	1	-	-
ALL OTHER--MALE----	3	2	3	4	3	3	4	3	-	-	-	-
FEMALE--	4	2	2	4	5	2	2	5	2	1	-	-
BLACK---MALE----	3	2	3	3	3	3	4	3	-	-	-	-
FEMALE--	4	2	2	4	5	2	2	5	2	1	-	-
ALASKA ----------	1	3	2	1	3	3	1	1	-	-	-	-
WHITE------MALE----	-	2	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	8	17	24	26	41	24	14	6	-	-	-
WHITE------MALE----	2	5	7	15	14	19	13	4	2	-	-	-
FEMALE--	4	3	8	8	8	19	10	8	3	-	-	-
ALL OTHER--MALE----	1	-	1	1	2	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	2	2	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ARKANSAS ----------	4	10	3	16	21	22	15	16	7	1	-	-
WHITE------MALE----	3	5	2	6	13	8	6	7	2	-	-	-
FEMALE--	-	2	1	7	6	10	6	5	2	1	-	-
ALL OTHER--MALE----	1	2	-	2	1	2	1	1	1	-	-	-
FEMALE--	-	1	-	1	1	2	2	3	2	-	-	-
BLACK---MALE----	1	2	-	2	1	2	1	1	1	-	-	-
FEMALE--	-	1	-	1	1	2	2	3	2	-	-	-
CALIFORNIA ----------	51	73	84	135	174	198	162	82	33	3	1	-
WHITE------MALE----	26	36	42	67	75	89	68	29	10	1	-	-
FEMALE--	10	23	26	45	70	71	72	37	19	2	-	-
ALL OTHER--MALE----	5	7	7	12	14	12	3	9	3	-	-	-
FEMALE--	10	7	9	11	15	26	19	7	1	-	1	-
BLACK---MALE----	4	3	5	7	9	5	1	6	3	-	-	-
FEMALE--	9	6	5	9	10	17	9	6	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and malignant plasma cell neoplasms (C90)												
COLORADO ----------	114	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	60	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	137	-	-	-	-	-	-	-	-	2	1	5
WHITE------MALE----	57	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	69	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	35	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2
FLORIDA ----------	711	-	-	-	-	-	-	-	1	2	11	16
WHITE------MALE----	327	-	-	-	-	-	-	-	-	2	5	9
FEMALE--	282	-	-	-	-	-	-	-	-	-	3	5
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	55	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	267	-	-	-	-	-	-	-	-	-	4	7
WHITE------MALE----	91	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	74	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	45	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple myeloma and malignant plasma cell neoplasms (C90)												
COLORADO ----------	6	11	11	17	20	21	15	11	1	-	-	-
WHITE------MALE----	2	9	4	13	10	8	7	6	-	-	-	-
FEMALE--	4	2	7	4	8	11	8	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	7	8	19	22	26	25	12	4	3	-	-
WHITE------MALE----	2	2	5	7	9	11	10	5	1	1	-	-
FEMALE--	1	3	1	10	12	13	14	7	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	2	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	1	-	-	-	-	-
DELAWARE ----------	-	1	2	5	6	2	5	1	-	-	-	-
WHITE------MALE----	-	-	1	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	2	1	-	-	-	-	-
BLACK---MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	5	1	3	9	7	4	2	-	-	-	-
WHITE------MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	4	3	2	-	-	-	-	-
FEMALE--	1	3	-	2	3	3	1	2	-	-	-	-
BLACK---MALE----	-	2	-	-	4	3	2	-	-	-	-	-
FEMALE--	1	3	-	2	3	3	1	2	-	-	-	-
FLORIDA ----------	27	34	55	82	131	133	122	69	19	7	2	-
WHITE------MALE----	17	16	22	38	54	67	68	21	4	3	1	-
FEMALE--	3	9	18	31	53	57	44	41	13	4	1	-
ALL OTHER--MALE----	4	5	8	5	16	3	5	3	1	-	-	-
FEMALE--	3	4	7	8	8	6	5	4	1	-	-	-
BLACK---MALE----	4	5	8	5	15	3	5	3	1	-	-	-
FEMALE--	3	3	7	8	8	6	5	4	1	-	-	-
GEORGIA ----------	12	25	35	39	44	37	33	25	5	1	-	-
WHITE------MALE----	2	7	18	14	22	10	11	4	3	-	-	-
FEMALE--	3	4	7	11	11	11	11	9	2	1	-	-
ALL OTHER--MALE----	3	5	3	9	7	9	4	4	-	-	-	-
FEMALE--	4	9	7	5	4	7	7	8	-	-	-	-
BLACK---MALE----	3	5	3	8	7	8	4	4	-	-	-	-
FEMALE--	4	9	6	5	4	7	7	8	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and malignant plasma cell neoplasms (C90)												
HAWAII ----------	38	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	48	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	487	-	-	-	-	-	-	-	1	1	5	16
WHITE------MALE----	182	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	200	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	61	-	-	-	-	-	-	-	-	-	1	3
INDIANA ----------	225	-	-	-	-	-	-	-	-	-	1	5
WHITE------MALE----	86	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	109	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
IOWA ----------	119	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	55	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
KANSAS ----------	97	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple myeloma and malignant plasma cell neoplasms (C90)												
HAWAII ----------	1	3	6	7	11	3	4	2	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	4	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	5	2	3	2	2	1	-	-	-	-
FEMALE--	-	2	1	4	4	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	3	4	8	10	8	7	3	1	-	-
WHITE------MALE----	1	-	2	2	5	7	4	4	1	-	-	-
FEMALE--	-	-	1	2	2	3	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	20	33	48	47	73	92	84	48	15	4	-	-
WHITE------MALE----	7	11	20	21	30	36	29	14	5	2	-	-
FEMALE--	5	13	13	15	31	36	45	24	9	1	-	-
ALL OTHER--MALE----	4	5	6	3	7	8	4	1	1	-	-	-
FEMALE--	4	4	9	8	5	12	6	9	-	1	-	-
BLACK---MALE----	3	5	5	3	6	8	4	1	1	-	-	-
FEMALE--	4	4	9	7	5	12	6	9	-	1	-	-
INDIANA ----------	12	14	30	24	42	45	25	16	7	4	-	-
WHITE------MALE----	3	8	15	12	17	15	10	3	1	1	-	-
FEMALE--	4	3	9	9	22	26	12	11	6	3	-	-
ALL OTHER--MALE----	1	2	4	-	1	3	2	-	-	-	-	-
FEMALE--	4	1	2	3	2	1	1	2	-	-	-	-
BLACK---MALE----	1	2	3	-	1	3	2	-	-	-	-	-
FEMALE--	4	1	2	3	2	1	1	2	-	-	-	-
IOWA ----------	2	7	5	16	22	23	21	15	5	1	-	-
WHITE------MALE----	1	2	3	9	13	12	8	6	1	-	-	-
FEMALE--	1	5	2	7	9	10	13	9	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	3	16	8	16	17	23	8	4	-	-	-
WHITE------MALE----	2	1	5	4	8	8	15	2	1	-	-	-
FEMALE--	-	1	6	4	7	7	8	5	3	-	-	-
ALL OTHER--MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1192

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and malignant plasma cell neoplasms (C90)												
KENTUCKY ----------	170	-	-	-	-	-	-	-	1	1	4	5
WHITE------MALE----	80	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	74	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	177	-	-	-	-	-	-	-	-	-	3	4
WHITE------MALE----	52	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	2
MAINE ----------	64	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	226	-	-	-	-	-	-	-	-	1	2	5
WHITE------MALE----	70	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	72	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	38	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	44	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	1	1
MASSACHUSETTS ----------	239	-	-	-	-	-	-	-	-	-	3	4
WHITE------MALE----	106	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	109	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	390	-	-	-	-	-	-	1	-	-	4	8
WHITE------MALE----	177	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	136	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	46	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	46	-	-	-	-	-	-	1	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple myeloma and malignant plasma cell neoplasms (C90)												
KENTUCKY ----------	10	9	18	29	29	27	20	13	4	-	-	-
WHITE------MALE----	7	4	9	14	14	11	8	6	-	-	-	-
FEMALE--	2	2	8	12	12	16	11	4	3	-	-	-
ALL OTHER--MALE----	-	3	-	3	-	-	1	1	1	-	-	-
FEMALE--	1	-	1	-	3	-	-	2	-	-	-	-
BLACK---MALE----	-	3	-	3	-	-	1	1	1	-	-	-
FEMALE--	1	-	1	-	3	-	-	2	-	-	-	-
LOUISIANA ----------	3	15	22	17	38	35	19	16	5	-	-	-
WHITE------MALE----	-	4	7	5	14	10	5	4	2	-	-	-
FEMALE--	1	3	5	6	7	11	9	6	1	-	-	-
ALL OTHER--MALE----	1	4	6	3	8	7	3	5	1	-	-	-
FEMALE--	1	4	4	3	9	7	2	1	1	-	-	-
BLACK---MALE----	1	4	6	3	8	7	3	5	1	-	-	-
FEMALE--	1	4	4	3	9	7	2	1	1	-	-	-
MAINE ----------	-	4	4	13	11	13	7	7	4	1	-	-
WHITE------MALE----	-	3	4	4	7	6	4	4	2	1	-	-
FEMALE--	-	1	-	9	4	6	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	24	26	29	44	36	31	14	6	2	-	-
WHITE------MALE----	4	2	3	12	16	14	8	6	2	1	-	-
FEMALE--	-	8	10	4	16	10	15	5	2	1	-	-
ALL OTHER--MALE----	1	12	6	5	8	7	5	-	-	-	-	-
FEMALE--	1	2	7	8	4	5	3	3	2	-	-	-
BLACK---MALE----	1	11	5	5	8	7	5	-	-	-	-	-
FEMALE--	1	2	7	8	3	5	3	3	2	-	-	-
MASSACHUSETTS ----------	6	12	24	34	35	46	47	18	3	7	-	-
WHITE------MALE----	4	4	12	13	15	21	22	10	-	1	-	-
FEMALE--	2	6	6	15	16	22	23	8	2	6	-	-
ALL OTHER--MALE----	-	1	3	4	3	1	-	-	1	-	-	-
FEMALE--	-	1	3	2	1	2	2	-	-	-	-	-
BLACK---MALE----	-	1	3	4	2	1	-	-	1	-	-	-
FEMALE--	-	1	2	1	1	2	2	-	-	-	-	-
MICHIGAN ----------	10	24	34	45	71	79	61	40	13	-	-	-
WHITE------MALE----	4	12	14	23	37	34	25	15	7	-	-	-
FEMALE--	3	5	9	15	22	26	27	20	6	-	-	-
ALL OTHER--MALE----	2	5	4	2	5	4	6	1	-	-	-	-
FEMALE--	1	2	7	5	7	15	3	4	-	-	-	-
BLACK---MALE----	2	4	3	2	5	4	6	1	-	-	-	-
FEMALE--	1	2	7	5	7	15	3	4	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and malignant plasma cell neoplasms (C90)												
MINNESOTA ----------	179	-	-	-	-	-	-	-	2	-	1	3
WHITE------MALE----	82	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	89	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	101	-	-	-	-	-	-	-	1	-	3	2
WHITE------MALE----	37	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	1
MISSOURI ----------	218	-	-	-	-	-	-	-	-	2	2	1
WHITE------MALE----	75	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	104	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	34	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	62	-	-	-	-	-	-	-	-	1	-	5
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
NEVADA ----------	43	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple myeloma and malignant plasma cell neoplasms (C90)												
MINNESOTA ----------	5	9	14	16	25	34	34	22	13	-	1	-
WHITE------MALE----	3	3	7	13	10	13	17	11	3	-	-	-
FEMALE--	2	6	6	3	15	18	17	11	10	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
MISSISSIPPI ----------	5	6	8	16	19	22	11	3	4	1	-	-
WHITE------MALE----	2	2	6	6	4	10	4	1	1	-	-	-
FEMALE--	1	2	-	6	5	8	4	1	-	1	-	-
ALL OTHER--MALE----	1	1	2	3	1	3	2	1	-	-	-	-
FEMALE--	1	1	-	1	9	1	1	-	3	-	-	-
BLACK---MALE----	1	1	2	3	1	3	2	1	-	-	-	-
FEMALE--	1	1	-	1	9	-	1	-	3	-	-	-
MISSOURI ----------	6	15	16	35	41	32	37	22	8	1	-	-
WHITE------MALE----	1	5	8	13	11	15	13	8	-	-	-	-
FEMALE--	3	5	2	16	22	14	20	13	7	-	-	-
ALL OTHER--MALE----	2	3	2	2	2	-	2	1	1	-	-	-
FEMALE--	-	2	4	4	6	3	2	-	-	1	-	-
BLACK---MALE----	2	3	2	2	2	-	2	1	1	-	-	-
FEMALE--	-	1	4	4	6	3	2	-	-	1	-	-
MONTANA ----------	-	3	3	3	7	8	7	2	1	-	-	-
WHITE------MALE----	-	1	2	2	4	5	6	1	-	-	-	-
FEMALE--	-	2	1	1	3	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	2	4	8	9	10	14	4	2	-	-	-
WHITE------MALE----	2	2	1	4	7	6	3	3	-	-	-	-
FEMALE--	1	-	3	3	1	4	10	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
NEVADA ----------	3	5	2	2	6	12	6	3	1	-	-	-
WHITE------MALE----	-	2	-	1	3	5	5	3	-	-	-	-
FEMALE--	3	2	1	1	2	6	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1194

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and malignant plasma cell neoplasms (C90)												
NEW HAMPSHIRE ----------	33	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	317	-	-	-	-	-	-	-	-	3	2	9
WHITE------MALE----	120	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	138	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	2
NEW MEXICO ----------	58	-	-	-	-	-	-	-	-	-	-	5
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	689	-	-	-	-	-	-	1	2	2	10	14
WHITE------MALE----	279	-	-	-	-	-	-	1	2	2	5	8
FEMALE--	273	-	-	-	-	-	-	-	-	-	3	4
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	85	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	48	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	76	-	-	-	-	-	-	-	-	-	2	-
NORTH CAROLINA ---------	338	-	-	-	-	-	-	-	1	1	2	7
WHITE------MALE----	115	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	110	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	48	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	64	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	46	-	-	-	-	-	-	-	-	1	-	-
NORTH DAKOTA ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple myeloma and malignant plasma cell neoplasms (C90)												
NEW HAMPSHIRE ----------	3	4	2	4	3	6	7	4	-	-	-	-
WHITE------MALE----	2	3	1	2	-	4	3	1	-	-	-	-
FEMALE--	1	1	1	2	3	2	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	12	20	24	36	50	56	56	30	19	-	-	-
WHITE------MALE----	5	6	13	13	14	24	25	9	6	-	-	-
FEMALE--	3	7	2	12	25	25	30	20	12	-	-	-
ALL OTHER--MALE----	3	4	3	3	5	1	-	1	-	-	-	-
FEMALE--	1	3	6	8	6	6	1	-	1	-	-	-
BLACK---MALE----	3	4	3	3	5	1	-	1	-	-	-	-
FEMALE--	1	3	6	7	5	6	1	-	1	-	-	-
NEW MEXICO ----------	3	5	4	9	7	7	10	3	4	1	-	-
WHITE------MALE----	2	4	2	6	4	3	5	1	1	-	-	-
FEMALE--	1	1	1	3	3	4	4	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEW YORK ----------	31	44	52	83	107	126	117	72	19	9	-	-
WHITE------MALE----	11	13	25	33	46	51	48	26	6	2	-	-
FEMALE--	10	14	13	29	41	48	59	37	10	5	-	-
ALL OTHER--MALE----	5	6	8	7	9	10	4	1	-	-	-	-
FEMALE--	5	11	6	14	11	17	6	8	3	2	-	-
BLACK---MALE----	5	4	8	6	9	9	4	1	-	-	-	-
FEMALE--	4	10	6	12	10	15	5	8	2	2	-	-
NORTH CAROLINA ---------	15	23	41	38	52	62	53	34	8	1	-	-
WHITE------MALE----	4	5	13	11	17	28	16	15	1	1	-	-
FEMALE--	2	5	12	15	19	20	18	12	4	-	-	-
ALL OTHER--MALE----	6	6	9	5	12	7	12	4	1	-	-	-
FEMALE--	3	7	7	7	4	7	7	3	2	-	-	-
BLACK---MALE----	6	6	9	5	12	6	12	4	1	-	-	-
FEMALE--	3	7	6	7	3	7	7	3	2	-	-	-
NORTH DAKOTA ----------	1	1	4	2	4	4	5	6	-	-	-	-
WHITE------MALE----	-	-	2	-	2	1	2	-	-	-	-	-
FEMALE--	-	1	1	2	2	3	3	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and malignant plasma cell neoplasms (C90)												
OHIO ----------	472	-	-	-	-	-	-	-	-	6	6	9
WHITE------MALE----	200	-	-	-	-	-	-	-	-	4	2	3
FEMALE--	196	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	42	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	2
OKLAHOMA ----------	85	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	38	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	148	-	-	-	-	-	-	-	1	1	1	2
WHITE------MALE----	85	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	57	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	556	-	-	-	-	-	-	-	-	1	6	10
WHITE------MALE----	245	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	229	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	38	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	177	-	-	-	-	-	-	-	1	-	-	3
WHITE------MALE----	54	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple myeloma and malignant plasma cell neoplasms (C90)												
OHIO ----------	13	31	30	61	99	90	60	50	14	3	-	-
WHITE------MALE----	4	15	14	28	40	36	23	24	5	2	-	-
FEMALE--	7	9	10	27	44	42	24	21	6	-	-	-
ALL OTHER--MALE----	1	3	4	5	10	7	6	2	1	-	-	-
FEMALE--	1	4	2	1	5	5	7	3	2	1	-	-
BLACK---MALE----	1	3	4	5	10	7	6	2	1	-	-	-
FEMALE--	1	4	2	1	4	5	7	3	2	1	-	-
OKLAHOMA ----------	2	8	6	12	16	14	12	5	2	4	-	-
WHITE------MALE----	2	6	2	4	7	5	6	3	-	2	-	-
FEMALE--	-	-	3	7	6	5	3	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	1	1	-	2	3	2	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	1	-	-
OREGON ----------	3	11	8	14	29	29	23	19	7	-	-	-
WHITE------MALE----	2	7	5	7	18	14	11	14	4	-	-	-
FEMALE--	1	3	2	6	10	14	12	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
PENNSYLVANIA ----------	14	32	35	66	89	112	107	64	17	3	-	-
WHITE------MALE----	10	16	17	36	36	46	46	21	6	1	-	-
FEMALE--	2	10	8	20	41	44	53	38	9	1	-	-
ALL OTHER--MALE----	-	3	3	6	5	9	4	3	2	1	-	-
FEMALE--	2	3	7	4	7	13	4	2	-	-	-	-
BLACK---MALE----	-	3	3	6	5	9	4	3	2	1	-	-
FEMALE--	2	3	7	3	7	12	4	2	-	-	-	-
RHODE ISLAND ----------	2	3	4	2	6	13	3	2	-	1	-	-
WHITE------MALE----	1	-	3	-	3	5	2	-	-	1	-	-
FEMALE--	-	3	1	1	3	8	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	11	12	17	25	27	32	31	13	4	1	-	-
WHITE------MALE----	4	5	8	11	7	10	6	2	-	-	-	-
FEMALE--	2	3	6	6	11	12	17	7	1	1	-	-
ALL OTHER--MALE----	2	1	3	3	4	3	2	2	2	-	-	-
FEMALE--	3	3	-	5	5	7	6	2	1	-	-	-
BLACK---MALE----	2	1	3	3	4	3	2	2	2	-	-	-
FEMALE--	3	3	-	5	5	7	6	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and malignant plasma cell neoplasms (C90)												
SOUTH DAKOTA ----------	27	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	253	-	-	-	-	-	-	-	-	2	4	4
WHITE------MALE----	120	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	79	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	2	-
TEXAS ----------	659	-	-	-	-	-	-	-	1	8	5	15
WHITE------MALE----	248	-	-	-	-	-	-	-	-	5	1	4
FEMALE--	267	-	-	-	-	-	-	-	1	1	1	6
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	87	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	53	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	81	-	-	-	-	-	-	-	-	-	1	3
UTAH ----------	61	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	24	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	332	-	-	-	-	-	-	-	1	-	6	9
WHITE------MALE----	112	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	112	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	48	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	56	-	-	-	-	-	-	-	-	-	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple myeloma and malignant plasma cell neoplasms (C90)												
SOUTH DAKOTA ----------	2	2	1	2	7	1	4	6	-	1	-	-
WHITE------MALE----	2	2	1	2	5	1	2	2	-	1	-	-
FEMALE--	-	-	-	-	2	-	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	27	24	41	28	43	34	26	5	1	1	-
WHITE------MALE----	5	10	12	21	14	25	15	10	2	-	-	-
FEMALE--	4	8	6	9	11	11	14	10	3	1	-	-
ALL OTHER--MALE----	2	7	3	4	-	3	3	2	-	-	1	-
FEMALE--	2	2	3	7	3	4	2	4	-	-	-	-
BLACK---MALE----	2	7	3	4	-	2	3	2	-	-	1	-
FEMALE--	2	2	3	7	2	4	2	4	-	-	-	-
TEXAS ----------	28	53	68	80	97	107	93	65	35	4	-	-
WHITE------MALE----	9	24	25	32	36	43	37	24	8	-	-	-
FEMALE--	10	17	22	29	40	48	41	29	20	2	-	-
ALL OTHER--MALE----	3	6	8	10	8	7	3	3	3	-	-	-
FEMALE--	6	6	13	9	13	9	12	9	4	2	-	-
BLACK---MALE----	3	6	7	8	8	7	3	3	2	-	-	-
FEMALE--	6	5	12	7	12	8	12	9	4	2	-	-
UTAH ----------	1	3	4	5	15	12	9	5	2	-	-	-
WHITE------MALE----	-	1	4	5	10	7	3	2	1	-	-	-
FEMALE--	1	1	-	-	5	5	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	3	2	4	4	2	5	1	1	-	-	-
WHITE------MALE----	1	2	-	2	-	1	1	1	-	-	-	-
FEMALE--	1	1	2	2	4	1	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	23	16	35	37	44	66	66	19	9	1	-	-
WHITE------MALE----	10	4	16	13	13	24	21	6	1	-	-	-
FEMALE--	6	4	9	13	17	25	24	6	5	1	-	-
ALL OTHER--MALE----	2	5	3	6	7	11	7	2	-	-	-	-
FEMALE--	5	3	7	5	7	6	14	5	3	-	-	-
BLACK---MALE----	2	5	3	5	6	11	7	2	-	-	-	-
FEMALE--	4	3	7	5	7	6	13	5	3	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and malignant plasma cell neoplasms (C90)												
WASHINGTON ----------	226	-	-	-	-	-	-	-	-	1	2	3
WHITE------MALE----	113	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	103	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	92	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	215	-	-	-	-	-	-	-	-	-	-	5
WHITE------MALE----	114	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	91	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple myeloma and malignant plasma cell neoplasms (C90)												
WASHINGTON ----------	8	14	17	33	32	42	37	24	12	1	-	-
WHITE------MALE----	6	9	11	15	16	25	13	13	3	-	-	-
FEMALE--	2	5	4	15	15	17	22	11	8	1	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	4	10	5	11	21	13	16	8	2	-	-	-
WHITE------MALE----	3	4	-	5	9	7	5	5	-	-	-	-
FEMALE--	1	6	5	6	12	5	10	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
WISCONSIN ----------	6	13	26	24	34	30	47	16	9	5	-	-
WHITE------MALE----	3	8	15	12	20	19	20	9	4	2	-	-
FEMALE--	2	4	10	10	11	10	27	7	5	3	-	-
ALL OTHER--MALE----	1	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	-	2	2	1	1	1	2	-	-	-	-	-
WHITE------MALE----	-	2	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1198

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
UNITED STATES -	21,014	27	119	130	175	221	261	234	266	374	425	626
WHITE------MALE----	10,395	11	54	63	71	97	136	104	115	170	192	286
FEMALE--	8,504	12	49	43	61	73	73	87	95	137	161	238
ALL OTHER--MALE----	1,124	-	11	12	27	33	25	24	33	34	39	60
FEMALE--	991	4	5	12	16	18	27	19	23	33	33	42
BLACK---MALE----	892	-	8	9	24	24	22	16	22	25	29	47
FEMALE--	816	2	5	9	11	12	25	14	16	28	25	32
ALABAMA ----------	343	-	1	1	6	4	4	4	4	10	5	17
WHITE------MALE----	152	-	-	1	2	2	1	2	2	1	1	12
FEMALE--	129	-	1	-	4	1	1	-	1	5	2	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	-	3	1	2
FEMALE--	36	-	-	-	-	1	2	1	1	1	1	1
BLACK---MALE----	26	-	-	-	-	-	-	1	-	3	1	2
FEMALE--	36	-	-	-	-	1	2	1	1	1	1	1
ALASKA ----------	21	-	2	-	1	-	-	-	-	-	1	2
WHITE------MALE----	7	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	11	-	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	381	-	-	2	2	5	4	2	4	10	8	8
WHITE------MALE----	203	-	-	1	2	1	-	2	2	3	4	4
FEMALE--	162	-	-	1	-	3	3	-	2	5	3	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	1	1	-	-	1	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	1
ARKANSAS ----------	222	-	-	1	1	1	3	3	5	2	4	3
WHITE------MALE----	107	-	-	-	1	-	1	2	2	-	2	2
FEMALE--	95	-	-	-	-	1	-	-	1	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	13	-	-	1	-	-	1	1	2	1	1	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	2	1	1	-
CALIFORNIA ----------	2,131	3	20	20	29	41	43	38	37	45	46	63
WHITE------MALE----	1,070	2	12	11	16	19	23	12	13	21	20	31
FEMALE--	779	-	7	4	8	15	16	17	10	15	17	24
ALL OTHER--MALE----	168	-	1	1	2	5	4	5	9	6	5	4
FEMALE--	114	1	-	4	3	2	-	4	5	3	4	4
BLACK---MALE----	69	-	1	-	1	2	2	1	4	1	1	1
FEMALE--	52	-	-	3	-	1	-	1	-	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1198

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leukemia (C91-C95)												
UNITED STATES -	744	1,112	1,404	2,078	2,934	3,401	3,059	2,151	984	258	31	-
WHITE------MALE----	360	563	751	1,141	1,643	1,815	1,484	911	350	69	9	-
FEMALE--	259	412	470	698	1,049	1,351	1,357	1,126	565	169	19	-
ALL OTHER--MALE----	71	73	102	134	136	131	95	53	25	6	-	-
FEMALE--	54	64	81	105	106	104	123	61	44	14	3	-
BLACK---MALE----	56	61	81	112	112	108	70	42	20	4	-	-
FEMALE--	40	45	65	89	94	88	107	54	38	14	3	-
ALABAMA ----------	8	18	19	33	41	65	53	31	15	4	-	-
WHITE------MALE----	5	10	10	18	21	26	24	9	5	-	-	-
FEMALE--	2	4	5	8	15	29	20	17	9	3	-	-
ALL OTHER--MALE----	-	2	2	4	3	3	4	1	-	-	-	-
FEMALE--	1	2	2	3	2	7	5	4	1	1	-	-
BLACK---MALE----	-	2	2	4	3	3	4	1	-	-	-	-
FEMALE--	1	2	2	3	2	7	5	4	1	1	-	-
ALASKA ----------	2	1	-	1	3	2	3	3	-	-	-	-
WHITE------MALE----	-	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	21	31	51	51	67	62	25	17	4	-	-
WHITE------MALE----	5	8	24	30	31	39	28	10	8	1	-	-
FEMALE--	1	10	6	20	20	26	34	14	9	3	-	-
ALL OTHER--MALE----	1	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	13	12	24	29	32	37	29	15	3	2	-
WHITE------MALE----	1	7	7	13	19	15	17	14	4	-	-	-
FEMALE--	2	5	5	10	10	14	16	14	10	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	2	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	-	-	1	-
BLACK---MALE----	-	-	-	1	-	2	2	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	-	-	1	-
CALIFORNIA ----------	86	104	149	203	278	330	286	190	95	21	4	-
WHITE------MALE----	45	50	81	110	162	167	139	86	44	5	1	-
FEMALE--	24	40	42	65	80	128	115	94	42	13	3	-
ALL OTHER--MALE----	10	7	14	22	26	16	23	4	3	1	-	-
FEMALE--	7	7	12	6	10	19	9	6	6	2	-	-
BLACK---MALE----	8	3	4	11	11	9	7	1	1	-	-	-
FEMALE--	5	2	5	3	6	12	4	3	2	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
COLORADO ----------	278	1	-	3	1	2	3	6	4	6	9	13
WHITE------MALE----	147	-	-	1	-	-	2	2	2	5	6	3
FEMALE--	120	1	-	1	1	2	-	4	2	1	3	8
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	1
CONNECTICUT ----------	232	-	1	1	3	2	4	5	1	7	3	6
WHITE------MALE----	128	-	-	-	3	1	3	2	-	2	1	2
FEMALE--	88	-	1	1	-	1	1	1	-	2	1	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	1	2	1	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	2	1	-
DELAWARE ----------	55	-	-	-	-	-	-	-	1	2	1	1
WHITE------MALE----	32	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	32	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	1	-	-	1	-	-	-	-	-	-
FLORIDA ----------	1,489	2	5	-	7	14	7	10	15	25	25	32
WHITE------MALE----	776	1	2	-	3	5	3	4	7	14	11	12
FEMALE--	595	1	2	-	1	4	3	5	2	9	10	13
ALL OTHER--MALE----	63	-	1	-	2	4	1	-	5	1	2	5
FEMALE--	55	-	-	-	1	1	-	1	1	1	2	2
BLACK---MALE----	58	-	1	-	2	4	1	-	4	1	2	5
FEMALE--	50	-	-	-	1	-	-	1	1	1	2	2
GEORGIA ----------	450	-	2	4	3	2	8	8	6	13	10	12
WHITE------MALE----	196	-	1	2	-	1	4	1	1	4	4	4
FEMALE--	170	-	-	2	1	1	2	5	2	6	3	4
ALL OTHER--MALE----	46	-	-	-	1	-	-	2	1	1	1	1
FEMALE--	38	-	1	-	1	-	2	-	2	2	2	3
BLACK---MALE----	46	-	-	-	1	-	-	2	1	1	1	1
FEMALE--	38	-	1	-	1	-	2	-	2	2	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leukemia (C91-C95)												
COLORADO ----------	13	19	17	25	28	45	44	19	18	2	-	-
WHITE------MALE----	7	8	11	11	17	26	23	13	9	1	-	-
FEMALE--	3	10	6	12	10	19	21	6	9	1	-	-
ALL OTHER--MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	11	11	23	28	43	41	17	16	6	-	-
WHITE------MALE----	3	6	6	13	19	27	22	10	8	-	-	-
FEMALE--	-	5	2	8	8	15	19	6	8	5	-	-
ALL OTHER--MALE----	-	-	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	1	-	-
DELAWARE ----------	1	5	3	8	8	10	6	7	2	-	-	-
WHITE------MALE----	1	2	3	4	4	5	6	4	2	-	-	-
FEMALE--	-	-	-	4	3	4	-	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	2	1	2	6	4	13	1	1	-	-	-
WHITE------MALE----	-	1	-	2	3	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	3	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	5	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	3	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	5	-	-	-	-	-
FLORIDA ----------	44	64	93	152	212	267	251	185	64	14	1	-
WHITE------MALE----	21	32	53	81	119	163	133	80	27	4	1	-
FEMALE--	17	23	26	59	79	95	106	99	34	7	-	-
ALL OTHER--MALE----	3	4	8	5	8	6	3	3	-	2	-	-
FEMALE--	3	5	6	7	6	3	9	3	3	1	-	-
BLACK---MALE----	3	3	7	5	7	6	2	3	-	2	-	-
FEMALE--	2	3	5	7	6	3	9	3	3	1	-	-
GEORGIA ----------	20	34	29	51	48	60	75	41	20	3	1	-
WHITE------MALE----	7	19	16	25	26	31	30	13	4	2	1	-
FEMALE--	5	11	7	16	14	24	31	22	13	1	-	-
ALL OTHER--MALE----	5	3	6	10	5	3	3	3	1	-	-	-
FEMALE--	3	1	-	-	3	2	11	3	2	-	-	-
BLACK---MALE----	5	3	6	10	5	3	3	3	1	-	-	-
FEMALE--	3	1	-	-	3	2	11	3	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1200

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
HAWAII ----------	65	-	-	-	1	3	1	1	-	2	2	6
WHITE------MALE----	17	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	2	-	-	-	1	-	3
FEMALE--	17	-	-	-	1	1	1	-	-	-	1	2
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	92	1	1	-	2	1	3	4	1	1	2	1
WHITE------MALE----	57	1	1	-	1	-	-	4	-	-	2	1
FEMALE--	34	-	-	-	1	-	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	975	1	5	3	5	7	18	6	11	17	13	34
WHITE------MALE----	459	-	3	1	1	4	10	3	5	10	3	17
FEMALE--	417	1	2	1	1	2	5	1	5	6	7	11
ALL OTHER--MALE----	51	-	-	1	2	1	1	1	1	1	1	2
FEMALE--	48	-	-	-	1	-	2	1	-	-	2	4
BLACK---MALE----	46	-	-	-	2	1	1	1	1	1	1	1
FEMALE--	46	-	-	-	1	-	2	1	-	-	2	4
INDIANA ----------	498	1	3	3	1	1	5	6	11	6	4	14
WHITE------MALE----	254	-	2	1	1	1	4	1	5	4	2	8
FEMALE--	219	1	1	2	-	-	1	5	6	2	2	6
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	266	-	-	1	2	2	3	2	1	1	6	5
WHITE------MALE----	136	-	-	1	-	2	1	-	1	-	2	3
FEMALE--	121	-	-	-	2	-	2	2	-	1	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	218	-	1	2	-	-	2	2	2	3	-	12
WHITE------MALE----	107	-	1	-	-	-	1	1	1	3	-	5
FEMALE--	103	-	-	1	-	-	1	1	1	-	-	5
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1200

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leukemia (C91-C95)												
HAWAII ----------	-	-	5	4	8	11	8	6	7	-	-	-
WHITE------MALE----	-	-	3	2	3	4	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	5	4	3	2	-	-	-
FEMALE--	-	-	1	2	3	2	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	8	8	8	10	12	8	13	3	2	1	-
WHITE------MALE----	1	3	7	8	6	8	4	8	1	1	-	-
FEMALE--	1	5	1	-	4	4	4	5	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	41	51	62	95	131	159	138	113	53	11	1	-
WHITE------MALE----	17	23	31	43	67	86	64	47	21	3	-	-
FEMALE--	16	22	21	34	51	66	67	62	30	6	-	-
ALL OTHER--MALE----	8	4	1	10	5	5	3	3	-	1	-	-
FEMALE--	-	2	9	8	8	2	4	1	2	1	1	-
BLACK---MALE----	6	4	1	10	5	5	3	2	-	1	-	-
FEMALE--	-	2	9	8	7	2	3	1	2	1	1	-
INDIANA ----------	15	29	24	67	75	81	68	43	35	5	1	-
WHITE------MALE----	9	22	13	40	40	45	28	16	11	-	1	-
FEMALE--	4	6	10	22	29	33	34	27	23	5	-	-
ALL OTHER--MALE----	1	-	-	2	1	2	3	-	1	-	-	-
FEMALE--	1	1	1	3	5	1	3	-	-	-	-	-
BLACK---MALE----	1	-	-	2	1	2	3	-	1	-	-	-
FEMALE--	1	1	1	3	5	1	3	-	-	-	-	-
IOWA ----------	7	9	21	32	33	41	46	34	10	10	-	-
WHITE------MALE----	2	6	15	18	18	23	20	19	1	4	-	-
FEMALE--	3	3	6	12	14	18	25	14	8	6	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	1	-	-	-
KANSAS ----------	6	14	15	24	35	38	33	15	10	3	1	-
WHITE------MALE----	3	6	6	9	21	20	17	5	8	-	-	-
FEMALE--	2	8	8	14	14	17	16	10	1	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1201

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
KENTUCKY ----------	302	-	-	1	1	3	3	-	2	4	5	9
WHITE------MALE----	153	-	-	1	1	2	3	-	-	2	2	5
FEMALE--	127	-	-	-	-	1	-	-	2	2	3	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	334	-	4	-	4	8	5	4	2	4	8	15
WHITE------MALE----	143	-	2	-	1	-	1	2	1	2	3	3
FEMALE--	106	-	1	-	-	3	-	1	-	-	1	8
ALL OTHER--MALE----	45	-	1	-	1	3	2	-	1	1	2	3
FEMALE--	40	-	-	-	2	2	2	1	-	1	2	1
BLACK---MALE----	44	-	1	-	1	3	2	-	-	1	2	3
FEMALE--	39	-	-	-	2	2	2	1	-	1	2	1
MAINE ----------	86	1	1	-	2	2	1	-	1	1	2	2
WHITE------MALE----	51	1	1	-	2	-	-	-	1	-	1	2
FEMALE--	35	-	-	-	-	2	1	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	346	-	2	4	3	4	3	3	7	4	4	7
WHITE------MALE----	166	-	-	2	-	4	-	1	3	3	1	1
FEMALE--	108	-	1	-	-	-	1	1	-	1	2	5
ALL OTHER--MALE----	40	-	1	2	3	-	1	1	2	-	-	1
FEMALE--	32	-	-	-	-	-	1	-	2	-	1	-
BLACK---MALE----	37	-	1	2	3	-	1	1	2	-	-	1
FEMALE--	30	-	-	-	-	-	1	-	2	-	-	-
MASSACHUSETTS ----------	521	1	3	2	4	1	6	5	4	8	10	13
WHITE------MALE----	262	-	2	2	2	-	2	1	-	3	5	8
FEMALE--	242	1	1	-	2	-	3	3	4	5	4	4
ALL OTHER--MALE----	9	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	737	1	5	5	4	10	7	9	10	10	14	27
WHITE------MALE----	369	1	2	3	3	5	3	4	5	7	7	13
FEMALE--	283	-	3	1	1	1	2	3	4	2	5	12
ALL OTHER--MALE----	44	-	-	-	-	2	2	-	1	1	1	1
FEMALE--	41	-	-	1	-	2	-	2	-	-	1	1
BLACK---MALE----	39	-	-	-	-	2	2	-	1	1	1	1
FEMALE--	38	-	-	1	-	2	-	2	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1201

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leukemia (C91-C95)												
KENTUCKY ----------	10	22	35	27	40	56	42	17	19	6	-	-
WHITE------MALE----	4	13	17	18	22	29	19	7	4	4	-	-
FEMALE--	5	9	11	5	14	25	21	10	14	2	-	-
ALL OTHER--MALE----	1	-	3	2	2	2	-	-	1	-	-	-
FEMALE--	-	-	4	2	2	-	2	-	-	-	-	-
BLACK---MALE----	1	-	3	2	2	2	-	-	1	-	-	-
FEMALE--	-	-	3	2	2	-	-	-	-	-	-	-
LOUISIANA ----------	8	16	27	37	46	58	40	31	11	5	1	-
WHITE------MALE----	6	6	16	20	20	33	14	8	4	1	-	-
FEMALE--	-	4	4	8	14	14	22	15	6	4	1	-
ALL OTHER--MALE----	-	4	5	4	5	7	2	4	-	-	-	-
FEMALE--	2	2	2	5	7	4	2	4	1	-	-	-
BLACK---MALE----	-	4	5	4	5	7	2	4	-	-	-	-
FEMALE--	1	2	2	5	7	4	2	4	1	-	-	-
MAINE ----------	-	4	8	8	14	17	12	6	4	-	-	-
WHITE------MALE----	-	2	6	4	8	9	8	5	1	-	-	-
FEMALE--	-	2	2	4	6	8	4	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	25	20	33	56	61	55	24	15	4	-	-
WHITE------MALE----	3	13	10	15	34	34	25	9	7	1	-	-
FEMALE--	1	3	6	10	16	19	21	10	8	3	-	-
ALL OTHER--MALE----	5	7	3	2	2	5	2	3	-	-	-	-
FEMALE--	3	2	1	6	4	3	7	2	-	-	-	-
BLACK---MALE----	5	7	3	2	2	4	-	3	-	-	-	-
FEMALE--	3	2	-	6	4	3	7	2	-	-	-	-
MASSACHUSETTS ----------	19	27	34	47	72	85	81	63	24	11	1	-
WHITE------MALE----	9	15	17	33	43	52	38	24	5	1	-	-
FEMALE--	9	12	16	11	27	31	41	39	19	9	1	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	2	2	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	1	-	-
MICHIGAN ----------	26	45	54	70	108	112	121	65	27	7	-	-
WHITE------MALE----	15	25	24	45	57	51	57	33	8	1	-	-
FEMALE--	6	14	22	15	37	49	55	28	17	6	-	-
ALL OTHER--MALE----	1	2	6	5	6	10	4	1	1	-	-	-
FEMALE--	4	4	2	5	8	2	5	3	1	-	-	-
BLACK---MALE----	1	2	5	4	6	9	3	-	1	-	-	-
FEMALE--	4	3	1	5	8	2	4	3	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1202

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
MINNESOTA ----------	434	-	3	2	1	7	5	7	1	8	10	11
WHITE------MALE----	236	-	1	1	-	4	3	2	1	4	7	6
FEMALE--	188	-	2	-	-	3	1	5	-	4	2	4
ALL OTHER--MALE----	7	-	-	1	-	-	1	-	-	-	1	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	210	-	1	3	4	1	3	-	2	1	6	4
WHITE------MALE----	86	-	-	-	1	-	2	-	-	1	2	1
FEMALE--	79	-	-	-	1	1	-	-	2	-	3	1
ALL OTHER--MALE----	22	-	1	2	2	-	-	-	-	-	-	1
FEMALE--	23	-	-	1	-	-	1	-	-	-	1	1
BLACK---MALE----	22	-	1	2	2	-	-	-	-	-	-	1
FEMALE--	22	-	-	1	-	-	1	-	-	-	1	1
MISSOURI ----------	486	-	2	5	4	3	8	5	3	13	3	14
WHITE------MALE----	257	-	-	3	2	3	3	2	2	6	2	6
FEMALE--	184	-	1	1	1	-	1	2	-	4	1	7
ALL OTHER--MALE----	29	-	-	1	1	-	3	-	1	2	-	-
FEMALE--	16	-	1	-	-	-	1	1	-	1	-	1
BLACK---MALE----	29	-	-	1	1	-	3	-	1	2	-	-
FEMALE--	15	-	1	-	-	-	1	1	-	1	-	1
MONTANA ----------	86	-	-	-	-	1	-	1	-	-	2	4
WHITE------MALE----	50	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	158	-	2	-	-	3	-	4	1	3	5	3
WHITE------MALE----	69	-	-	-	-	1	-	-	-	2	2	1
FEMALE--	81	-	2	-	-	1	-	3	-	-	3	2
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	115	-	-	-	-	3	1	1	-	4	4	7
WHITE------MALE----	58	-	-	-	-	2	-	1	-	2	3	4
FEMALE--	47	-	-	-	-	1	1	-	-	2	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leukemia (C91-C95)												
MINNESOTA ----------	8	29	21	32	55	81	76	45	22	10	-	-
WHITE------MALE----	3	20	13	18	40	44	46	18	4	1	-	-
FEMALE--	3	9	8	13	15	35	30	27	18	9	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	12	10	17	19	24	43	27	27	6	-	-	-
WHITE------MALE----	5	5	7	11	10	16	14	10	1	-	-	-
FEMALE--	2	4	4	5	9	21	10	13	3	-	-	-
ALL OTHER--MALE----	2	-	2	3	4	3	1	1	-	-	-	-
FEMALE--	3	1	4	-	1	3	2	3	2	-	-	-
BLACK---MALE----	2	-	2	3	4	3	1	1	-	-	-	-
FEMALE--	2	1	4	-	1	3	2	3	2	-	-	-
MISSOURI ----------	23	18	37	56	66	77	65	47	28	6	3	-
WHITE------MALE----	14	7	17	30	36	48	40	20	12	2	2	-
FEMALE--	8	9	15	19	24	26	21	25	14	4	1	-
ALL OTHER--MALE----	1	1	3	6	4	2	2	2	-	-	-	-
FEMALE--	-	1	2	1	2	1	2	-	2	-	-	-
BLACK---MALE----	1	1	3	6	4	2	2	2	-	-	-	-
FEMALE--	-	1	2	-	2	1	2	-	2	-	-	-
MONTANA ----------	6	5	4	12	13	13	8	14	3	-	-	-
WHITE------MALE----	4	3	2	6	7	11	5	7	2	-	-	-
FEMALE--	2	2	2	6	4	2	3	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	3	9	14	21	25	24	25	9	2	-	-
WHITE------MALE----	2	2	3	7	14	13	12	7	3	-	-	-
FEMALE--	3	1	5	6	7	10	12	18	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
NEVADA ----------	5	4	14	8	20	20	16	7	1	-	-	-
WHITE------MALE----	1	3	8	5	8	9	10	2	-	-	-	-
FEMALE--	3	1	4	1	11	9	5	5	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1203

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
NEW HAMPSHIRE ----------	93	-	1	2	-	1	-	-	1	1	2	3
WHITE------MALE----	55	-	-	2	-	-	-	-	1	1	-	2
FEMALE--	37	-	1	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	709	-	8	2	5	9	12	3	6	13	19	19
WHITE------MALE----	352	-	4	-	1	3	7	1	4	7	6	9
FEMALE--	284	-	4	2	3	4	3	1	-	4	11	5
ALL OTHER--MALE----	42	-	-	-	1	2	1	1	2	1	2	3
FEMALE--	31	-	-	-	-	-	1	-	-	1	-	2
BLACK---MALE----	31	-	-	-	1	1	1	-	2	1	1	3
FEMALE--	26	-	-	-	-	-	1	-	-	1	-	2
NEW MEXICO ----------	111	-	-	-	3	1	1	1	2	2	2	2
WHITE------MALE----	66	-	-	-	-	1	1	1	1	2	2	1
FEMALE--	35	-	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,431	1	7	6	15	7	12	21	23	20	39	45
WHITE------MALE----	685	-	3	2	3	2	7	13	13	9	18	25
FEMALE--	587	1	3	2	9	-	2	6	6	8	9	13
ALL OTHER--MALE----	83	-	1	1	2	2	2	-	3	2	7	5
FEMALE--	76	-	-	1	1	3	1	2	1	1	5	2
BLACK---MALE----	64	-	1	1	2	1	2	-	2	2	5	3
FEMALE--	66	-	-	1	1	2	1	2	1	1	4	1
NORTH CAROLINA ---------	575	1	1	2	5	5	6	8	9	12	16	17
WHITE------MALE----	249	-	-	-	3	1	3	4	5	3	6	4
FEMALE--	221	1	-	2	1	1	-	1	-	5	5	9
ALL OTHER--MALE----	47	-	-	-	1	3	-	3	2	2	1	3
FEMALE--	58	-	1	-	-	-	3	-	2	2	4	1
BLACK---MALE----	46	-	-	-	1	3	-	3	1	2	1	3
FEMALE--	54	-	1	-	-	-	2	-	2	2	4	1
NORTH DAKOTA ----------	64	-	-	1	1	-	-	-	-	-	2	2
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	31	-	-	1	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leukemia (C91-C95)												
NEW HAMPSHIRE ----------	3	9	8	13	10	7	17	12	2	1	-	-
WHITE------MALE----	1	7	4	10	8	4	7	6	1	1	-	-
FEMALE--	1	2	4	3	2	3	10	6	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	22	34	49	67	107	116	93	80	31	12	2	-
WHITE------MALE----	13	14	23	33	61	69	46	34	9	6	2	-
FEMALE--	8	13	16	23	38	41	41	42	20	5	-	-
ALL OTHER--MALE----	1	2	6	5	6	3	2	1	2	1	-	-
FEMALE--	-	5	4	6	2	3	4	3	-	-	-	-
BLACK---MALE----	-	-	6	3	5	3	2	1	1	-	-	-
FEMALE--	-	4	3	4	2	2	4	3	-	-	-	-
NEW MEXICO ----------	6	5	12	10	19	15	12	10	6	2	-	-
WHITE------MALE----	2	2	10	7	12	10	7	6	-	1	-	-
FEMALE--	3	2	1	2	7	3	4	3	6	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	62	61	98	145	217	220	197	151	61	22	1	-
WHITE------MALE----	27	31	44	77	119	110	90	63	22	7	-	-
FEMALE--	24	21	34	53	79	96	93	79	35	13	1	-
ALL OTHER--MALE----	6	6	11	9	7	8	4	4	3	-	-	-
FEMALE--	5	3	9	6	12	6	10	5	1	2	-	-
BLACK---MALE----	4	4	8	5	6	8	4	3	3	-	-	-
FEMALE--	5	2	8	4	12	5	9	4	1	2	-	-
NORTH CAROLINA ---------	33	37	36	64	72	86	70	54	32	8	1	-
WHITE------MALE----	15	15	20	37	31	46	32	17	5	2	-	-
FEMALE--	11	14	12	15	30	28	28	29	22	6	1	-
ALL OTHER--MALE----	5	2	3	7	5	5	3	1	1	-	-	-
FEMALE--	2	6	1	5	6	7	7	7	4	-	-	-
BLACK---MALE----	5	2	3	7	5	5	3	1	1	-	-	-
FEMALE--	2	6	1	5	5	7	6	7	3	-	-	-
NORTH DAKOTA ----------	3	3	-	5	10	11	11	9	3	2	1	-
WHITE------MALE----	2	2	-	4	6	5	3	6	2	-	-	-
FEMALE--	1	1	-	1	4	6	8	3	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1204

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
OHIO ----------	930	1	4	8	5	10	12	7	16	16	18	22
WHITE------MALE----	461	-	2	2	4	7	7	4	8	5	10	4
FEMALE--	393	1	1	5	1	3	1	3	7	7	7	15
ALL OTHER--MALE----	42	-	1	-	-	-	1	-	-	1	-	1
FEMALE--	34	-	-	1	-	-	3	-	1	3	1	2
BLACK---MALE----	42	-	1	-	-	-	1	-	-	1	-	1
FEMALE--	33	-	-	1	-	-	3	-	1	3	1	2
OKLAHOMA ----------	273	-	2	2	1	4	1	6	5	6	5	3
WHITE------MALE----	141	-	-	-	1	2	-	1	2	3	3	1
FEMALE--	108	-	1	2	-	1	1	1	1	3	1	1
ALL OTHER--MALE----	16	-	1	-	-	1	-	2	1	-	1	1
FEMALE--	8	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	8	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	2	-	-	-	-
OREGON ----------	252	-	2	2	2	1	1	2	5	1	3	4
WHITE------MALE----	125	-	1	1	1	1	1	1	1	1	1	1
FEMALE--	121	-	1	1	1	-	-	-	4	-	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,160	1	5	7	6	8	13	5	14	16	15	31
WHITE------MALE----	561	1	2	1	5	3	8	4	7	8	9	17
FEMALE--	522	-	2	4	1	3	2	1	5	5	5	7
ALL OTHER--MALE----	39	-	-	1	-	2	3	-	2	-	-	3
FEMALE--	38	-	1	1	-	-	-	-	-	3	1	4
BLACK---MALE----	36	-	-	1	-	2	3	-	-	-	-	3
FEMALE--	33	-	1	-	-	-	-	-	-	3	1	2
RHODE ISLAND ----------	78	-	1	-	-	1	2	-	1	2	2	1
WHITE------MALE----	35	-	-	-	-	1	1	-	-	1	-	1
FEMALE--	40	-	1	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA ---------	249	-	3	1	4	2	4	2	7	5	1	13
WHITE------MALE----	98	-	1	1	-	1	1	1	3	2	-	5
FEMALE--	95	-	1	-	1	1	1	-	1	1	1	4
ALL OTHER--MALE----	32	-	1	-	2	-	1	1	2	-	-	3
FEMALE--	24	-	-	-	1	-	1	-	1	2	-	1
BLACK---MALE----	32	-	1	-	2	-	1	1	2	-	-	3
FEMALE--	24	-	-	-	1	-	1	-	1	2	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1204

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leukemia (C91-C95)												
OHIO ----------	24	46	66	77	143	158	140	104	40	12	1	-
WHITE------MALE----	12	24	41	48	82	75	66	45	11	4	-	-
FEMALE--	11	17	17	25	49	71	63	54	26	8	1	-
ALL OTHER--MALE----	1	3	3	2	10	7	6	5	1	-	-	-
FEMALE--	-	2	5	2	2	5	5	-	2	-	-	-
BLACK---MALE----	1	3	3	2	10	7	6	5	1	-	-	-
FEMALE--	-	2	5	2	2	5	4	-	2	-	-	-
OKLAHOMA ----------	9	16	23	24	37	45	40	30	10	3	1	-
WHITE------MALE----	4	7	15	13	29	22	22	12	2	1	1	-
FEMALE--	5	6	6	9	8	20	17	17	6	2	-	-
ALL OTHER--MALE----	-	1	1	2	-	3	1	-	1	-	-	-
FEMALE--	-	2	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
OREGON ----------	7	14	15	21	34	55	33	31	15	4	-	-
WHITE------MALE----	4	5	11	12	21	29	14	12	6	1	-	-
FEMALE--	3	8	4	8	12	25	19	19	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA ----------	34	54	75	101	193	197	195	118	57	13	2	-
WHITE------MALE----	15	31	38	50	105	98	94	42	19	4	-	-
FEMALE--	17	20	33	41	78	89	95	70	34	8	2	-
ALL OTHER--MALE----	1	1	4	4	6	4	2	4	1	1	-	-
FEMALE--	1	2	-	6	4	6	4	2	3	-	-	-
BLACK---MALE----	1	-	4	4	6	4	2	4	1	1	-	-
FEMALE--	-	2	-	6	4	6	3	2	3	-	-	-
RHODE ISLAND ----------	4	9	2	8	8	11	12	7	7	-	-	-
WHITE------MALE----	2	2	1	3	3	6	7	5	2	-	-	-
FEMALE--	2	5	1	5	5	5	5	2	5	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	8	11	16	27	44	31	25	29	14	2	-	-
WHITE------MALE----	3	2	9	11	21	13	10	12	2	-	-	-
FEMALE--	3	3	4	9	18	13	12	14	7	1	-	-
ALL OTHER--MALE----	1	6	2	3	4	2	2	-	2	-	-	-
FEMALE--	1	-	1	4	1	3	1	3	3	1	-	-
BLACK---MALE----	1	6	2	3	4	2	2	-	2	-	-	-
FEMALE--	1	-	1	4	1	3	1	3	3	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1205

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
SOUTH DAKOTA ----------	74	1	1	-	1	2	-	2	-	1	-	2
WHITE------MALE----	41	1	1	-	-	1	-	-	-	1	-	1
FEMALE--	31	-	-	-	1	1	-	2	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	465	-	-	2	7	2	5	4	2	11	9	9
WHITE------MALE----	231	-	-	2	3	1	-	3	2	7	6	4
FEMALE--	183	-	-	-	2	1	3	1	-	2	3	4
ALL OTHER--MALE----	24	-	-	-	2	-	-	-	-	2	-	-
FEMALE--	27	-	-	-	-	-	2	-	-	-	-	1
BLACK---MALE----	23	-	-	-	2	-	-	-	-	2	-	-
FEMALE--	27	-	-	-	-	-	2	-	-	-	-	1
TEXAS ----------	1,183	6	11	13	17	21	19	17	21	24	29	39
WHITE------MALE----	571	1	7	8	4	7	14	9	10	6	10	16
FEMALE--	485	3	3	3	9	11	4	6	11	9	14	16
ALL OTHER--MALE----	61	-	1	1	2	1	-	1	-	4	4	5
FEMALE--	66	2	-	1	2	2	1	1	-	5	1	2
BLACK---MALE----	54	-	-	1	1	-	-	1	-	3	3	4
FEMALE--	54	1	-	1	2	2	1	1	-	3	-	1
UTAH ----------	135	2	1	3	1	2	9	2	1	3	5	5
WHITE------MALE----	75	1	-	3	-	2	5	-	-	2	2	2
FEMALE--	56	1	1	-	-	-	4	2	1	1	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	43	-	-	-	-	-	-	-	-	2	2	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	488	-	3	6	6	4	6	4	7	11	14	27
WHITE------MALE----	238	-	1	4	1	1	4	3	1	3	7	17
FEMALE--	172	-	2	2	2	1	2	1	5	5	4	4
ALL OTHER--MALE----	42	-	-	-	2	1	-	-	-	-	2	4
FEMALE--	36	-	-	-	1	1	-	-	1	3	1	2
BLACK---MALE----	39	-	-	-	2	1	-	-	-	-	2	4
FEMALE--	33	-	-	-	1	1	-	-	1	3	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leukemia (C91-C95)												
SOUTH DAKOTA ----------	7	5	1	7	12	10	11	6	5	-	-	-
WHITE------MALE----	3	2	1	3	6	9	7	2	3	-	-	-
FEMALE--	2	3	-	4	6	1	4	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	19	33	28	44	72	73	68	49	19	8	1	-
WHITE------MALE----	11	16	15	27	40	38	27	20	7	2	-	-
FEMALE--	6	11	10	12	27	28	33	26	9	4	1	-
ALL OTHER--MALE----	2	4	3	1	2	2	2	2	2	-	-	-
FEMALE--	-	2	-	4	3	5	6	1	1	2	-	-
BLACK---MALE----	2	4	2	1	2	2	2	2	2	-	-	-
FEMALE--	-	2	-	4	3	5	6	1	1	2	-	-
TEXAS ----------	46	69	82	124	146	169	149	123	45	12	1	-
WHITE------MALE----	18	38	40	69	81	88	75	50	16	4	-	-
FEMALE--	22	25	31	35	56	66	64	64	26	7	-	-
ALL OTHER--MALE----	1	4	4	10	3	10	6	4	-	-	-	-
FEMALE--	5	2	7	10	6	5	4	5	3	1	1	-
BLACK---MALE----	1	4	4	10	3	9	6	4	-	-	-	-
FEMALE--	5	2	5	9	5	3	4	4	3	1	1	-
UTAH ----------	4	1	8	12	16	19	20	13	3	4	1	-
WHITE------MALE----	2	-	5	6	11	13	10	8	3	-	-	-
FEMALE--	2	1	3	6	5	6	9	5	-	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	4	3	4	9	2	6	1	5	-	-	-
WHITE------MALE----	1	3	2	3	7	-	2	-	3	-	-	-
FEMALE--	3	1	1	1	2	2	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	17	32	31	52	64	72	60	50	19	3	-	-
WHITE------MALE----	5	20	14	28	36	41	25	21	5	1	-	-
FEMALE--	2	9	12	17	20	24	22	26	11	1	-	-
ALL OTHER--MALE----	6	1	3	5	6	5	4	2	1	-	-	-
FEMALE--	4	2	2	2	2	2	9	1	2	1	-	-
BLACK---MALE----	5	-	2	5	6	5	4	2	1	-	-	-
FEMALE--	3	1	2	2	2	2	9	1	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
WASHINGTON ----------	453	-	2	6	3	5	7	7	2	8	11	11
WHITE------MALE----	236	-	-	3	1	2	6	5	1	4	4	5
FEMALE--	196	-	2	3	2	1	1	1	1	4	6	6
ALL OTHER--MALE----	12	-	-	-	-	2	-	1	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	175	-	-	1	1	1	-	4	2	2	5	7
WHITE------MALE----	89	-	-	1	-	-	-	3	1	2	2	3
FEMALE--	78	-	-	-	1	1	-	-	1	-	2	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	471	2	2	2	1	3	-	3	6	8	12	16
WHITE------MALE----	250	1	2	1	1	3	-	2	1	3	7	9
FEMALE--	205	-	-	1	-	-	-	1	5	3	2	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	2
WYOMING ----------	39	-	-	1	-	-	1	-	-	-	2	2
WHITE------MALE----	25	-	-	1	-	-	1	-	-	-	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Leukemia (C91-C95)												
WASHINGTON ----------	17	21	29	39	60	77	66	54	24	3	1	-
WHITE------MALE----	11	8	11	23	34	42	38	25	11	2	-	-
FEMALE--	3	9	17	15	22	33	27	28	13	1	1	-
ALL OTHER--MALE----	1	-	1	1	2	1	1	1	-	-	-	-
FEMALE--	2	4	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WEST VIRGINIA ----------	7	11	11	19	25	33	22	14	7	3	-	-
WHITE------MALE----	4	7	6	11	11	18	12	6	2	-	-	-
FEMALE--	3	4	4	7	12	13	10	8	5	3	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WISCONSIN ----------	15	23	31	43	73	75	64	59	27	5	1	-
WHITE------MALE----	11	9	15	22	41	40	36	31	14	1	-	-
FEMALE--	4	11	15	18	31	35	28	28	13	4	1	-
ALL OTHER--MALE----	-	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
WYOMING ----------	1	3	-	6	4	4	9	4	2	-	-	-
WHITE------MALE----	1	1	-	4	1	4	7	2	-	-	-	-
FEMALE--	-	2	-	2	3	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1207

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lymphoid leukemia (C91)												
UNITED STATES -	6,252	10	46	65	79	94	99	69	67	78	76	116
WHITE------MALE----	3,266	4	24	37	32	50	57	38	37	39	38	60
FEMALE--	2,410	3	19	21	27	26	26	21	21	23	28	38
ALL OTHER--MALE----	331	-	2	4	13	15	7	6	6	7	9	11
FEMALE--	245	3	1	3	7	3	9	4	3	9	1	7
BLACK---MALE----	293	-	1	4	10	13	6	5	5	6	7	9
FEMALE--	214	1	1	2	5	2	7	3	2	8	1	5
ALABAMA ----------	106	-	-	1	3	1	2	-	3	3	1	5
WHITE------MALE----	45	-	-	1	-	-	1	-	2	-	-	3
FEMALE--	35	-	-	-	3	1	1	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	1
ALASKA ----------	7	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	128	-	-	1	1	2	2	1	3	2	1	-
WHITE------MALE----	83	-	-	1	1	1	-	1	2	-	-	-
FEMALE--	43	-	-	-	-	1	2	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	56	-	-	-	1	-	-	-	3	-	-	-
WHITE------MALE----	26	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA ----------	620	3	8	7	12	23	19	12	9	13	8	8
WHITE------MALE----	338	2	4	3	7	10	11	6	3	8	4	5
FEMALE--	220	-	4	3	3	10	7	4	3	4	2	2
ALL OTHER--MALE----	37	-	-	-	1	2	1	1	2	-	2	1
FEMALE--	25	1	-	1	1	1	-	1	1	1	-	-
BLACK---MALE----	23	-	-	-	-	2	-	1	2	-	-	-
FEMALE--	13	-	-	-	-	1	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lymphoid leukemia (C91)												
UNITED STATES -	179	282	378	572	820	983	961	740	399	120	19	-
WHITE------MALE----	111	162	227	336	470	539	490	335	138	37	5	-
FEMALE--	44	79	99	170	286	378	410	369	235	75	12	-
ALL OTHER--MALE----	17	25	32	44	40	37	27	17	9	3	-	-
FEMALE--	7	16	20	22	24	29	34	19	17	5	2	-
BLACK---MALE----	15	23	26	42	36	32	25	16	9	3	-	-
FEMALE--	6	14	17	21	23	24	31	18	16	5	2	-
ALABAMA ----------	1	7	5	10	19	16	12	13	4	-	-	-
WHITE------MALE----	1	3	1	6	7	9	5	4	2	-	-	-
FEMALE--	-	2	1	2	7	4	4	7	2	-	-	-
ALL OTHER--MALE----	-	1	2	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	3	3	2	-	-	-	-
BLACK---MALE----	-	1	2	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	3	3	2	-	-	-	-
ALASKA ----------	1	-	-	-	1	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	4	14	16	18	25	16	9	9	3	-	-
WHITE------MALE----	1	1	12	14	14	15	8	6	6	-	-	-
FEMALE--	-	3	2	2	4	9	8	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	4	1	3	9	7	12	8	5	1	2	-
WHITE------MALE----	-	2	1	1	4	2	7	5	2	-	-	-
FEMALE--	-	1	-	1	5	4	5	3	3	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-
CALIFORNIA ----------	22	23	38	55	78	95	90	57	28	9	3	-
WHITE------MALE----	16	13	28	37	41	48	48	27	14	3	-	-
FEMALE--	2	6	7	15	28	36	36	29	12	4	3	-
ALL OTHER--MALE----	2	3	3	2	7	6	4	-	-	-	-	-
FEMALE--	2	1	-	1	2	5	2	1	2	2	-	-
BLACK---MALE----	2	2	1	1	4	5	3	-	-	-	-	-
FEMALE--	2	-	-	1	1	2	1	1	1	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1208

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lymphoid leukemia (C91)												
COLORADO ----------	83	-	-	2	-	1	1	1	1	-	2	3
WHITE------MALE----	49	-	-	1	-	-	1	-	-	-	1	1
FEMALE--	33	-	-	1	-	1	-	1	1	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	69	-	-	-	2	2	2	2	-	-	2	2
WHITE------MALE----	39	-	-	-	2	1	1	1	-	-	1	-
FEMALE--	27	-	-	-	-	1	1	1	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	15	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	411	1	2	-	4	5	2	2	4	4	4	6
WHITE------MALE----	225	-	1	-	-	3	-	2	3	4	3	2
FEMALE--	157	1	1	-	1	-	2	-	-	-	1	1
ALL OTHER--MALE----	15	-	-	-	2	2	-	-	1	-	-	2
FEMALE--	14	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	2	2	-	-	-	-	-	2
FEMALE--	13	-	-	-	1	-	-	-	-	-	-	1
GEORGIA ----------	127	-	1	2	3	1	3	-	1	4	1	1
WHITE------MALE----	63	-	1	1	-	1	1	-	1	1	1	-
FEMALE--	39	-	-	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	12	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	1	-	2	-	-	1	-	1
BLACK---MALE----	12	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	1	-	2	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lymphoid leukemia (C91)												
COLORADO ----------	5	4	1	7	10	19	10	8	6	2	-	-
WHITE------MALE----	2	4	1	5	7	12	4	6	3	1	-	-
FEMALE--	2	-	-	2	3	7	6	2	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	3	3	6	9	11	10	5	6	2	-	-
WHITE------MALE----	2	2	2	3	7	9	5	2	1	-	-	-
FEMALE--	-	1	1	2	1	2	5	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DELAWARE ----------	1	1	2	2	2	3	1	2	-	-	-	-
WHITE------MALE----	1	-	2	2	2	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	1	-	2	2	3	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
FLORIDA ----------	12	16	23	40	39	77	72	65	25	8	-	-
WHITE------MALE----	10	10	14	22	22	48	39	33	7	2	-	-
FEMALE--	1	4	7	14	14	28	30	31	16	5	-	-
ALL OTHER--MALE----	1	-	-	3	1	1	1	-	-	1	-	-
FEMALE--	-	2	2	1	2	-	2	1	2	-	-	-
BLACK---MALE----	1	-	-	3	1	1	1	-	-	1	-	-
FEMALE--	-	1	2	1	2	-	2	1	2	-	-	-
GEORGIA ----------	3	8	7	18	6	13	28	15	9	2	1	-
WHITE------MALE----	1	6	5	11	5	7	12	5	2	1	1	-
FEMALE--	1	2	1	4	1	4	9	7	6	1	-	-
ALL OTHER--MALE----	1	-	1	3	-	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	6	-	1	-	-	-
BLACK---MALE----	1	-	1	3	-	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	6	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lymphoid leukemia (C91)												
HAWAII ----------	13	-	-	-	1	-	1	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	32	1	1	-	-	1	1	-	-	1	-	1
WHITE------MALE----	17	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	266	-	3	1	3	2	1	2	3	3	4	5
WHITE------MALE----	133	-	2	1	1	1	-	1	1	2	-	4
FEMALE--	105	-	1	-	-	-	1	-	2	-	4	1
ALL OTHER--MALE----	18	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	10	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	18	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	10	-	-	-	1	-	-	1	-	-	-	-
INDIANA ----------	150	1	1	1	1	1	2	1	2	1	1	2
WHITE------MALE----	81	-	1	1	1	1	2	-	1	-	-	1
FEMALE--	59	1	-	-	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	76	-	-	1	1	1	1	-	1	-	1	1
WHITE------MALE----	46	-	-	1	-	1	-	-	1	-	1	1
FEMALE--	30	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	78	-	-	-	-	-	-	1	1	2	-	3
WHITE------MALE----	37	-	-	-	-	-	-	1	1	2	-	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lymphoid leukemia (C91)												
HAWAII ----------	-	-	1	1	1	1	3	2	1	-	-	-
WHITE------MALE----	-	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	3	2	3	3	1	3	6	2	1	1	-
WHITE------MALE----	1	2	1	3	2	-	-	4	-	1	-	-
FEMALE--	-	1	1	-	1	1	3	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	15	12	15	35	33	44	34	28	16	7	-	-
WHITE------MALE----	6	6	8	13	23	20	17	13	11	3	-	-
FEMALE--	5	4	5	13	9	21	16	15	5	3	-	-
ALL OTHER--MALE----	4	2	-	6	1	1	-	-	-	1	-	-
FEMALE--	-	-	2	3	-	2	1	-	-	-	-	-
BLACK---MALE----	4	2	-	6	1	1	-	-	-	1	-	-
FEMALE--	-	-	2	3	-	2	1	-	-	-	-	-
INDIANA ----------	2	9	7	18	25	19	26	16	12	1	1	-
WHITE------MALE----	-	8	5	11	13	10	12	8	5	-	1	-
FEMALE--	1	1	2	5	9	9	11	8	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	2	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	2	-	2	-	-	-	-	-
IOWA ----------	1	3	7	7	7	14	13	9	3	5	-	-
WHITE------MALE----	-	2	5	5	6	7	8	5	1	2	-	-
FEMALE--	1	1	2	2	1	7	5	4	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	5	6	4	14	12	14	7	6	2	-	-
WHITE------MALE----	-	-	3	1	8	6	7	3	4	-	-	-
FEMALE--	1	5	3	3	6	6	7	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1210

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lymphoid leukemia (C91)												
KENTUCKY ----------	110	-	-	1	-	2	1	-	-	2	1	3
WHITE------MALE----	59	-	-	1	-	1	1	-	-	2	-	1
FEMALE--	45	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	84	-	2	-	-	2	-	-	-	1	2	1
WHITE------MALE----	34	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	36	-	1	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	22	-	1	-	2	1	-	-	-	-	1	1
WHITE------MALE----	16	-	1	-	2	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	115	-	-	3	1	1	2	3	2	-	1	2
WHITE------MALE----	58	-	-	2	-	1	-	1	1	-	1	1
FEMALE--	32	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	16	-	-	1	1	-	1	1	1	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	15	-	-	1	1	-	1	1	1	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	143	-	3	1	1	1	1	1	1	1	3	3
WHITE------MALE----	73	-	2	1	-	-	1	-	-	-	2	2
FEMALE--	65	-	1	-	1	-	-	1	1	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	221	-	-	5	1	6	3	3	3	1	1	4
WHITE------MALE----	115	-	-	3	-	2	2	1	2	1	1	3
FEMALE--	75	-	-	1	1	1	-	1	1	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	17	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	12	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	17	-	-	1	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lymphoid leukemia (C91)												
KENTUCKY ----------	3	10	8	11	15	19	16	7	8	3	-	-
WHITE------MALE----	3	7	7	5	9	11	6	3	1	1	-	-
FEMALE--	-	3	1	2	6	7	10	4	7	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	6	4	8	11	15	12	13	3	1	1	-
WHITE------MALE----	2	3	2	6	4	7	3	3	2	-	-	-
FEMALE--	-	-	1	1	5	6	9	8	1	1	1	-
ALL OTHER--MALE----	-	3	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	3	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
MAINE ----------	-	-	4	1	3	3	2	1	2	-	-	-
WHITE------MALE----	-	-	3	1	2	3	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	10	7	9	12	21	17	11	6	-	-	-
WHITE------MALE----	2	6	4	3	11	8	10	5	2	-	-	-
FEMALE--	1	-	1	5	-	9	6	4	4	-	-	-
ALL OTHER--MALE----	3	3	1	-	-	4	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	1	2	-	-	-	-
BLACK---MALE----	3	3	1	-	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	2	-	-	-	-
MASSACHUSETTS ----------	8	4	3	11	18	21	25	25	6	6	-	-
WHITE------MALE----	5	3	3	8	11	12	11	10	1	1	-	-
FEMALE--	3	1	-	2	6	8	13	15	5	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	6	14	14	12	35	36	37	22	15	3	-	-
WHITE------MALE----	4	9	5	8	22	19	19	12	2	-	-	-
FEMALE--	1	4	6	2	8	12	14	8	11	3	-	-
ALL OTHER--MALE----	-	1	2	-	1	4	2	-	1	-	-	-
FEMALE--	1	-	1	2	4	1	2	2	1	-	-	-
BLACK---MALE----	-	1	2	-	1	3	1	-	1	-	-	-
FEMALE--	1	-	1	2	4	1	2	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1211

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lymphoid leukemia (C91)												
MINNESOTA ----------	158	-	1	1	-	2	3	1	1	-	3	3
WHITE------MALE----	92	-	-	1	-	1	2	1	1	-	2	2
FEMALE--	65	-	1	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	57	-	1	3	1	-	-	-	-	1	3	-
WHITE------MALE----	17	-	-	-	1	-	-	-	-	1	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	6	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	-
MISSOURI ----------	145	-	1	2	3	2	5	1	1	1	-	2
WHITE------MALE----	83	-	-	2	2	2	2	-	1	1	-	1
FEMALE--	45	-	-	-	1	-	-	1	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	1	-	-	-	-	-
MONTANA ----------	24	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	15	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	50	-	1	-	-	1	-	1	-	1	2	1
WHITE------MALE----	24	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	25	-	1	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	31	-	-	-	-	1	-	1	-	1	-	1
WHITE------MALE----	16	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lymphoid leukemia (C91)												
MINNESOTA ----------	1	8	3	13	19	34	31	19	11	4	-	-
WHITE------MALE----	1	6	3	8	16	17	21	7	2	1	-	-
FEMALE--	-	2	-	5	3	17	10	12	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	3	4	4	6	15	4	6	4	-	-	-
WHITE------MALE----	-	2	-	2	2	3	2	2	1	-	-	-
FEMALE--	1	1	1	1	2	10	2	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	3	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	3	-	1	1	-	-	1	-	-	-
MISSOURI ----------	5	3	5	16	21	24	21	14	13	4	1	-
WHITE------MALE----	3	1	3	7	12	17	16	7	3	2	1	-
FEMALE--	1	1	-	6	8	5	5	6	8	2	-	-
ALL OTHER--MALE----	1	-	2	2	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	2	-	-	-
BLACK---MALE----	1	-	2	2	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	2	-	-	-
MONTANA ----------	1	2	2	4	1	5	2	4	1	-	-	-
WHITE------MALE----	1	1	-	3	1	4	2	1	-	-	-	-
FEMALE--	-	1	2	1	-	1	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	2	-	2	8	7	8	11	2	2	-	-
WHITE------MALE----	1	1	-	1	5	4	5	2	2	-	-	-
FEMALE--	-	1	-	1	3	3	3	9	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	3	3	7	5	6	-	1	-	-	-
WHITE------MALE----	1	1	2	3	3	1	3	-	-	-	-	-
FEMALE--	-	-	1	-	4	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1212

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lymphoid leukemia (C91)												
NEW HAMPSHIRE ----------	35	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	23	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	211	-	2	2	2	4	3	2	1	3	2	2
WHITE------MALE----	106	-	1	-	1	1	3	1	-	2	1	2
FEMALE--	87	-	1	2	-	2	-	1	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
NEW MEXICO ----------	30	-	-	-	2	-	-	1	-	1	-	1
WHITE------MALE----	19	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	410	-	2	5	3	2	7	4	7	5	6	10
WHITE------MALE----	206	-	1	2	-	1	4	2	5	2	2	7
FEMALE--	155	-	1	2	2	-	1	2	1	1	2	3
ALL OTHER--MALE----	31	-	-	1	1	1	1	-	1	1	2	-
FEMALE--	18	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	28	-	-	1	1	1	1	-	1	1	2	-
FEMALE--	18	-	-	-	-	-	1	-	-	1	-	-
NORTH CAROLINA ---------	176	-	-	-	2	3	3	4	2	-	3	3
WHITE------MALE----	72	-	-	-	1	1	2	1	2	-	3	1
FEMALE--	70	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	1	1	-	3	-	-	-	1
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	23	-	-	-	1	1	-	3	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	19	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lymphoid leukemia (C91)												
NEW HAMPSHIRE ----------	1	2	4	6	1	3	8	6	1	1	-	-
WHITE------MALE----	1	2	2	5	1	2	2	4	1	1	-	-
FEMALE--	-	-	2	1	-	1	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	7	17	24	33	30	24	35	8	7	1	-
WHITE------MALE----	2	2	8	13	17	18	14	14	1	4	1	-
FEMALE--	-	3	6	9	12	11	10	19	7	3	-	-
ALL OTHER--MALE----	-	1	3	1	3	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	3	1	3	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
NEW MEXICO ----------	1	1	4	2	5	3	4	2	2	1	-	-
WHITE------MALE----	1	-	3	1	4	2	3	1	-	1	-	-
FEMALE--	-	1	-	1	1	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	15	17	31	33	63	59	57	48	26	10	-	-
WHITE------MALE----	8	11	11	21	33	32	29	22	11	2	-	-
FEMALE--	5	4	9	11	23	23	23	22	13	7	-	-
ALL OTHER--MALE----	2	2	7	-	4	2	1	3	2	-	-	-
FEMALE--	-	-	4	1	3	2	4	1	-	1	-	-
BLACK---MALE----	1	2	5	-	4	2	1	3	2	-	-	-
FEMALE--	-	-	4	1	3	2	4	1	-	1	-	-
NORTH CAROLINA ---------	4	8	11	18	22	28	27	16	17	4	1	-
WHITE------MALE----	1	4	7	11	8	15	9	2	3	1	-	-
FEMALE--	-	1	3	3	9	10	14	12	13	3	1	-
ALL OTHER--MALE----	2	1	1	4	4	2	2	-	1	-	-	-
FEMALE--	1	2	-	-	1	1	2	2	-	-	-	-
BLACK---MALE----	2	1	1	4	4	2	2	-	1	-	-	-
FEMALE--	1	2	-	-	1	1	1	2	-	-	-	-
NORTH DAKOTA ----------	1	-	-	1	1	1	6	5	1	1	-	-
WHITE------MALE----	1	-	-	1	-	1	2	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1213

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lymphoid leukemia (C91)												
OHIO ----------	285	-	3	5	3	7	4	1	2	2	1	5
WHITE------MALE----	147	-	2	2	3	6	2	1	1	1	-	1
FEMALE--	114	-	1	3	-	1	-	-	1	1	1	3
ALL OTHER--MALE----	18	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA ----------	92	-	-	-	1	2	1	3	-	2	2	2
WHITE------MALE----	50	-	-	-	1	1	-	1	-	1	1	-
FEMALE--	33	-	-	-	-	-	1	1	-	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	98	-	2	1	2	1	-	-	3	-	2	-
WHITE------MALE----	50	-	1	-	1	1	-	-	1	-	1	-
FEMALE--	45	-	1	1	1	-	-	-	2	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	358	-	2	2	2	2	8	3	3	4	3	5
WHITE------MALE----	178	-	1	1	2	1	6	3	2	2	1	3
FEMALE--	165	-	1	1	-	1	2	-	1	2	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND ----------	25	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	73	-	-	1	2	1	1	-	1	-	-	3
WHITE------MALE----	29	-	-	1	-	1	1	-	1	-	-	1
FEMALE--	28	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lymphoid leukemia (C91)												
OHIO ----------	4	10	20	21	43	39	56	36	20	3	-	-
WHITE------MALE----	2	4	12	14	27	19	30	17	3	-	-	-
FEMALE--	2	3	5	5	12	16	22	18	17	3	-	-
ALL OTHER--MALE----	-	2	2	2	3	2	4	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	2	2	2	3	2	4	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	-	-	-	-	-
OKLAHOMA ----------	3	3	7	6	11	15	14	12	7	-	1	-
WHITE------MALE----	2	3	6	3	9	5	8	6	2	-	1	-
FEMALE--	1	-	1	2	2	9	5	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON ----------	1	3	7	2	17	26	12	12	5	2	-	-
WHITE------MALE----	1	2	6	-	8	14	5	6	3	-	-	-
FEMALE--	-	1	1	2	8	11	7	6	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA ----------	13	14	19	31	49	62	55	42	27	10	2	-
WHITE------MALE----	7	10	13	15	22	38	25	15	8	3	-	-
FEMALE--	6	2	5	14	24	23	29	25	18	6	2	-
ALL OTHER--MALE----	-	-	1	2	2	1	1	2	-	1	-	-
FEMALE--	-	2	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	2	2	1	1	2	-	1	-	-
FEMALE--	-	2	-	-	1	-	-	-	1	-	-	-
RHODE ISLAND ----------	-	4	-	2	5	2	5	3	2	-	-	-
WHITE------MALE----	-	-	-	1	2	1	5	3	-	-	-	-
FEMALE--	-	3	-	1	3	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	3	5	8	8	10	6	14	8	1	-	-
WHITE------MALE----	1	1	2	4	4	5	1	5	1	-	-	-
FEMALE--	-	-	3	1	4	3	4	7	4	1	-	-
ALL OTHER--MALE----	-	2	-	1	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	2	-	1	-	2	1	-	-	-
BLACK---MALE----	-	2	-	1	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	2	-	1	-	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lymphoid leukemia (C91)												
SOUTH DAKOTA ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	145	-	-	1	4	1	-	2	-	4	1	1
WHITE------MALE----	80	-	-	1	2	1	-	2	-	2	1	1
FEMALE--	50	-	-	-	2	-	-	-	-	2	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	345	2	6	6	10	7	11	9	4	5	6	12
WHITE------MALE----	175	-	3	3	1	4	7	4	2	2	2	6
FEMALE--	130	1	3	3	6	2	3	4	2	2	2	4
ALL OTHER--MALE----	20	-	-	-	2	1	-	-	-	1	2	-
FEMALE--	20	1	-	-	1	-	1	1	-	-	-	2
BLACK---MALE----	18	-	-	-	1	-	-	-	-	1	2	-
FEMALE--	17	-	-	-	1	-	1	1	-	-	-	1
UTAH ----------	30	1	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	21	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	14	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	141	-	-	2	3	-	2	1	1	6	5	2
WHITE------MALE----	71	-	-	1	1	-	2	1	-	2	2	1
FEMALE--	49	-	-	1	1	-	-	-	1	2	2	-
ALL OTHER--MALE----	12	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	11	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lymphoid leukemia (C91)												
SOUTH DAKOTA ----------	3	2	-	3	3	2	6	2	2	-	-	-
WHITE------MALE----	3	1	-	2	-	2	4	1	1	-	-	-
FEMALE--	-	1	-	1	3	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	7	7	15	26	20	21	18	9	5	-	-
WHITE------MALE----	2	5	3	8	14	14	8	10	4	2	-	-
FEMALE--	1	2	2	5	11	4	9	7	3	2	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	2	1	2	2	1	1	1	-	-
BLACK---MALE----	-	-	2	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	2	1	2	2	1	1	1	-	-
TEXAS ----------	11	12	20	32	38	44	48	38	17	6	1	-
WHITE------MALE----	7	7	12	20	25	23	22	15	8	2	-	-
FEMALE--	4	1	5	7	10	17	22	20	8	4	-	-
ALL OTHER--MALE----	-	2	1	3	1	3	2	2	-	-	-	-
FEMALE--	-	2	2	2	2	1	2	1	1	-	1	-
BLACK---MALE----	-	2	1	3	1	3	2	2	-	-	-	-
FEMALE--	-	2	1	2	2	1	2	1	1	-	1	-
UTAH ----------	1	-	5	-	4	5	7	2	2	-	1	-
WHITE------MALE----	-	-	4	-	2	5	4	2	2	-	-	-
FEMALE--	1	-	1	-	2	-	3	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	1	-	3	3	1	1	1	1	-	-	-
WHITE------MALE----	1	-	-	3	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	9	9	13	15	21	21	19	11	1	-	-
WHITE------MALE----	-	5	5	6	7	13	13	9	2	1	-	-
FEMALE--	-	3	2	3	7	6	6	7	8	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	2	2	-	-	-	-
FEMALE--	-	1	1	2	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	2	1	1	2	2	-	-	-	-
FEMALE--	-	1	1	2	-	1	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lymphoid leukemia (C91)												
WASHINGTON ----------	138	-	1	2	1	3	4	4	1	1	1	3
WHITE------MALE----	79	-	-	2	1	2	4	3	1	1	-	1
FEMALE--	57	-	1	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	64	-	-	1	-	-	-	1	-	1	-	2
WHITE------MALE----	38	-	-	1	-	-	-	1	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	127	1	1	1	-	1	-	1	2	-	2	4
WHITE------MALE----	70	-	1	-	-	1	-	1	-	-	2	3
FEMALE--	55	-	-	1	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	7	-	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lymphoid leukemia (C91)												
WASHINGTON ----------	4	4	7	14	8	18	26	17	17	1	1	-
WHITE------MALE----	4	2	3	7	5	11	15	9	7	1	-	-
FEMALE--	-	2	3	7	3	7	11	8	10	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	5	5	9	11	11	8	7	2	-	-	-
WHITE------MALE----	-	3	3	5	7	9	4	3	1	-	-	-
FEMALE--	1	2	2	3	3	2	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	4	10	9	21	18	17	21	9	1	1	-
WHITE------MALE----	3	1	7	6	10	7	11	11	5	1	-	-
FEMALE--	-	3	3	2	11	11	6	10	4	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	1	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myeloid leukemia (C92)												
UNITED STATES -	9,284	8	54	32	63	76	112	124	142	220	267	388
WHITE------MALE----	4,500	3	21	9	28	27	50	49	56	100	108	168
FEMALE--	3,803	5	22	12	23	26	34	50	53	85	107	158
ALL OTHER--MALE----	519	-	8	5	5	11	15	13	20	18	25	35
FEMALE--	462	-	3	6	7	12	13	12	13	17	27	27
BLACK---MALE----	395	-	6	4	5	8	14	9	14	13	18	27
FEMALE--	360	-	3	6	5	8	13	9	8	14	21	20
ALABAMA ----------	117	-	1	-	2	1	-	3	1	2	3	11
WHITE------MALE----	57	-	-	-	2	-	-	2	-	-	1	8
FEMALE--	48	-	1	-	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	1	-	1	-	-	-	-
ALASKA ----------	10	-	1	-	1	-	-	-	-	-	1	1
WHITE------MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	143	-	-	1	1	1	1	1	1	5	5	5
WHITE------MALE----	69	-	-	-	1	-	-	1	-	2	3	1
FEMALE--	63	-	-	1	-	-	1	-	1	2	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS ----------	83	-	-	-	-	1	2	1	2	1	3	1
WHITE------MALE----	38	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	38	-	-	-	-	1	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	1	-
CALIFORNIA ----------	990	-	9	5	12	11	16	21	25	26	32	40
WHITE------MALE----	473	-	6	3	6	7	8	4	9	11	11	18
FEMALE--	370	-	2	-	4	2	6	11	6	8	14	17
ALL OTHER--MALE----	85	-	1	-	1	1	2	3	6	5	3	2
FEMALE--	62	-	-	2	1	1	-	3	4	2	4	3
BLACK---MALE----	32	-	1	-	1	-	2	-	2	1	1	1
FEMALE--	27	-	-	2	-	-	-	1	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Myeloid leukemia (C92)												
UNITED STATES -	423	607	699	1,030	1,348	1,430	1,197	742	251	64	7	-
WHITE------MALE----	191	297	352	542	745	739	589	322	87	14	3	-
FEMALE--	162	244	256	377	489	592	527	386	145	46	4	-
ALL OTHER--MALE----	40	33	53	63	62	54	35	15	8	1	-	-
FEMALE--	30	33	38	48	52	45	46	19	11	3	-	-
BLACK---MALE----	30	26	41	48	49	42	24	11	6	-	-	-
FEMALE--	19	18	31	39	43	37	38	16	9	3	-	-
ALABAMA ----------	5	7	8	11	13	23	17	6	2	1	-	-
WHITE------MALE----	3	4	4	6	7	6	14	-	-	-	-	-
FEMALE--	2	1	3	4	6	15	3	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	1	-	-
ALASKA ----------	1	1	-	1	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	8	13	21	15	26	27	3	5	1	-	-
WHITE------MALE----	2	3	8	9	5	14	15	2	2	1	-	-
FEMALE--	-	3	4	11	10	11	12	1	3	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	5	9	14	8	9	13	10	2	-	-	-
WHITE------MALE----	-	2	5	8	7	6	4	3	-	-	-	-
FEMALE--	2	3	4	6	1	2	7	7	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA ----------	50	69	76	95	136	139	121	75	24	7	1	-
WHITE------MALE----	22	32	32	50	82	68	60	35	7	1	1	-
FEMALE--	18	28	28	31	35	58	48	34	14	6	-	-
ALL OTHER--MALE----	6	4	9	12	14	5	8	2	1	-	-	-
FEMALE--	4	5	7	2	5	8	5	4	2	-	-	-
BLACK---MALE----	5	1	3	4	6	1	2	1	-	-	-	-
FEMALE--	2	2	4	2	2	5	3	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myeloid leukemia (C92)												
COLORADO ----------	138	-	-	1	-	1	2	5	3	6	5	9
WHITE------MALE----	69	-	-	-	-	-	1	2	2	5	3	2
FEMALE--	59	-	-	-	-	1	-	3	1	1	2	5
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	1
CONNECTICUT ----------	90	-	1	1	1	-	2	3	-	5	1	2
WHITE------MALE----	48	-	-	-	1	-	2	1	-	2	-	1
FEMALE--	33	-	1	1	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	2	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	2	1	-
DELAWARE ----------	28	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	14	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	1	-	-	-	-	-	-
FLORIDA ----------	713	1	2	-	2	7	3	6	8	12	16	20
WHITE------MALE----	373	1	-	-	2	2	2	2	4	6	6	8
FEMALE--	287	-	1	-	-	3	-	3	2	5	8	9
ALL OTHER--MALE----	26	-	1	-	-	1	1	-	2	1	1	2
FEMALE--	27	-	-	-	-	1	-	1	-	-	1	1
BLACK---MALE----	23	-	1	-	-	1	1	-	2	1	1	2
FEMALE--	23	-	-	-	-	-	-	1	-	-	1	1
GEORGIA ----------	198	-	-	-	-	-	3	6	3	4	6	8
WHITE------MALE----	86	-	-	-	-	-	2	-	-	1	2	3
FEMALE--	76	-	-	-	-	-	1	4	1	3	2	4
ALL OTHER--MALE----	22	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	2	-	2	1
BLACK---MALE----	22	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	2	-	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Myeloid leukemia (C92)												
COLORADO ----------	7	10	13	15	11	18	21	8	3	-	-	-
WHITE------MALE----	4	2	9	3	6	10	12	6	2	-	-	-
FEMALE--	1	7	4	10	4	8	9	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	5	5	11	11	20	13	5	3	-	-	-
WHITE------MALE----	1	3	3	6	8	12	3	3	2	-	-	-
FEMALE--	-	2	-	4	3	7	10	2	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	-	3	1	5	5	3	3	3	1	-	-	-
WHITE------MALE----	-	2	1	2	2	-	3	1	1	-	-	-
FEMALE--	-	-	-	3	2	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	2	2	2	5	-	-	-	-	-
WHITE------MALE----	-	1	-	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
FLORIDA ----------	27	37	49	77	114	124	117	69	18	3	1	-
WHITE------MALE----	11	15	28	42	68	72	62	31	10	-	1	-
FEMALE--	12	17	14	30	38	49	50	36	8	2	-	-
ALL OTHER--MALE----	1	2	4	2	5	1	1	1	-	-	-	-
FEMALE--	3	3	3	3	3	2	4	1	-	1	-	-
BLACK---MALE----	1	1	3	2	4	1	1	1	-	-	-	-
FEMALE--	2	2	2	3	3	2	4	1	-	1	-	-
GEORGIA ----------	9	20	12	26	31	23	28	14	4	1	-	-
WHITE------MALE----	2	12	5	11	17	10	15	4	1	1	-	-
FEMALE--	3	5	4	10	9	11	8	9	2	-	-	-
ALL OTHER--MALE----	3	2	3	5	3	2	1	-	1	-	-	-
FEMALE--	1	1	-	-	2	-	4	1	-	-	-	-
BLACK---MALE----	3	2	3	5	3	2	1	-	1	-	-	-
FEMALE--	1	1	-	-	2	-	4	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1218

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myeloid leukemia (C92)												
HAWAII ----------	34	-	-	-	-	2	-	1	-	1	1	5
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	1	-	-	-	-	-	3
FEMALE--	8	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	41	-	-	-	1	-	2	3	1	-	2	-
WHITE------MALE----	26	-	-	-	-	-	-	3	-	-	2	-
FEMALE--	15	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	417	-	1	1	1	3	9	1	6	11	6	18
WHITE------MALE----	199	-	-	-	-	1	6	-	3	6	2	7
FEMALE--	178	-	1	1	-	2	2	-	2	5	2	7
ALL OTHER--MALE----	18	-	-	-	1	-	-	1	1	-	-	1
FEMALE--	22	-	-	-	-	-	1	-	-	-	2	3
BLACK---MALE----	15	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	20	-	-	-	-	-	1	-	-	-	2	3
INDIANA ----------	206	-	2	-	-	-	3	4	8	4	2	11
WHITE------MALE----	109	-	1	-	-	-	2	1	3	3	1	7
FEMALE--	91	-	1	-	-	-	1	3	5	1	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	154	-	-	-	1	1	2	2	-	1	5	4
WHITE------MALE----	70	-	-	-	-	1	1	-	-	-	1	2
FEMALE--	76	-	-	-	1	-	1	2	-	1	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	90	-	1	1	-	-	1	-	-	1	-	8
WHITE------MALE----	42	-	1	-	-	-	1	-	-	1	-	3
FEMALE--	43	-	-	1	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Myeloid leukemia (C92)												
HAWAII ----------	-	-	2	1	4	8	3	4	2	-	-	-
WHITE------MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	4	3	2	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	3	3	3	6	8	2	4	1	1	-	-
WHITE------MALE----	-	1	3	3	3	6	1	3	1	-	-	-
FEMALE--	1	2	-	-	3	2	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	19	27	28	36	59	68	57	50	14	2	-	-
WHITE------MALE----	10	14	13	16	29	38	30	20	4	-	-	-
FEMALE--	7	10	9	15	23	28	24	28	10	2	-	-
ALL OTHER--MALE----	2	2	1	2	3	2	1	1	-	-	-	-
FEMALE--	-	1	5	3	4	-	2	1	-	-	-	-
BLACK---MALE----	-	2	1	2	3	2	1	1	-	-	-	-
FEMALE--	-	1	5	3	3	-	1	1	-	-	-	-
INDIANA ----------	11	12	13	35	27	27	26	14	6	1	-	-
WHITE------MALE----	7	8	6	22	14	18	10	5	1	-	-	-
FEMALE--	3	4	7	11	13	9	13	9	5	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
IOWA ----------	6	5	11	25	25	19	21	17	5	4	-	-
WHITE------MALE----	2	3	8	13	12	10	7	9	-	1	-	-
FEMALE--	2	2	3	10	12	9	13	8	4	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
KANSAS ----------	2	7	5	12	16	17	10	6	2	-	1	-
WHITE------MALE----	2	4	1	3	8	10	5	1	2	-	-	-
FEMALE--	-	3	3	8	8	6	5	5	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myeloid leukemia (C92)												
KENTUCKY ----------	125	-	-	-	-	1	2	-	1	-	3	5
WHITE------MALE----	64	-	-	-	-	1	2	-	-	-	1	4
FEMALE--	51	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	173	-	1	-	3	6	4	4	1	3	4	12
WHITE------MALE----	74	-	1	-	1	-	-	2	-	2	-	3
FEMALE--	47	-	-	-	-	2	-	1	-	-	1	5
ALL OTHER--MALE----	23	-	-	-	-	2	2	-	1	1	1	3
FEMALE--	29	-	-	-	2	2	2	1	-	-	2	1
BLACK---MALE----	22	-	-	-	-	2	2	-	-	1	1	3
FEMALE--	28	-	-	-	2	2	2	1	-	-	2	1
MAINE ----------	37	-	-	-	-	1	1	-	1	-	1	1
WHITE------MALE----	17	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	20	-	-	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	140	-	2	1	-	2	1	-	2	2	3	3
WHITE------MALE----	72	-	-	-	-	2	-	-	1	1	-	-
FEMALE--	44	-	1	-	-	-	1	-	-	1	2	3
ALL OTHER--MALE----	13	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	12	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	216	1	-	1	2	-	5	3	3	4	6	8
WHITE------MALE----	104	-	-	1	2	-	1	1	-	1	3	5
FEMALE--	106	1	-	-	-	-	3	2	3	3	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	311	1	4	-	2	4	3	5	3	8	9	18
WHITE------MALE----	161	1	2	-	2	3	-	3	1	6	4	9
FEMALE--	122	-	2	-	-	-	2	2	1	2	3	7
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	1	-	1	1
FEMALE--	11	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	16	-	-	-	-	-	1	-	1	-	1	1
FEMALE--	8	-	-	-	-	1	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Myeloid leukemia (C92)												
KENTUCKY ----------	5	7	21	12	12	26	17	5	7	1	-	-
WHITE------MALE----	1	3	10	9	8	12	9	1	2	1	-	-
FEMALE--	3	4	6	3	3	13	7	4	4	-	-	-
ALL OTHER--MALE----	1	-	3	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	3	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
LOUISIANA ----------	4	7	12	26	21	30	19	10	2	4	-	-
WHITE------MALE----	3	3	8	11	9	17	9	3	1	1	-	-
FEMALE--	-	2	2	7	5	7	7	4	1	3	-	-
ALL OTHER--MALE----	-	1	1	3	2	4	1	1	-	-	-	-
FEMALE--	1	1	1	5	5	2	2	2	-	-	-	-
BLACK---MALE----	-	1	1	3	2	4	1	1	-	-	-	-
FEMALE--	-	1	1	5	5	2	2	2	-	-	-	-
MAINE ----------	-	2	4	5	4	9	5	3	-	-	-	-
WHITE------MALE----	-	-	3	2	1	4	3	2	-	-	-	-
FEMALE--	-	2	1	3	3	5	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	10	10	17	32	22	16	6	4	4	-	-
WHITE------MALE----	1	6	5	9	19	13	10	2	2	1	-	-
FEMALE--	-	2	3	4	11	6	2	3	2	3	-	-
ALL OTHER--MALE----	2	1	2	1	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	3	1	2	3	-	-	-	-	-
BLACK---MALE----	2	1	2	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	3	1	2	3	-	-	-	-	-
MASSACHUSETTS ----------	9	17	18	25	32	39	25	11	5	1	1	-
WHITE------MALE----	4	8	7	16	19	20	11	5	-	-	-	-
FEMALE--	5	9	10	9	12	18	13	6	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
MICHIGAN ----------	13	24	28	31	39	41	52	19	6	1	-	-
WHITE------MALE----	8	13	14	19	19	20	20	12	4	1	-	-
FEMALE--	3	8	9	9	18	18	29	7	2	-	-	-
ALL OTHER--MALE----	1	1	4	2	1	3	1	-	-	-	-	-
FEMALE--	1	2	1	1	1	-	2	-	-	-	-	-
BLACK---MALE----	1	1	3	2	1	3	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myeloid leukemia (C92)												
MINNESOTA ----------	201	-	1	1	1	2	2	4	-	8	6	5
WHITE------MALE----	104	-	-	-	-	1	1	1	-	4	4	2
FEMALE--	92	-	1	-	-	1	-	3	-	4	2	3
ALL OTHER--MALE----	3	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	82	-	-	-	1	-	2	-	1	-	3	3
WHITE------MALE----	35	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	27	-	-	-	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	1	-	-	-	1	1
MISSOURI ----------	232	-	-	3	1	-	1	4	2	7	3	8
WHITE------MALE----	113	-	-	1	-	-	-	2	1	3	2	4
FEMALE--	100	-	-	1	-	-	-	1	-	3	1	4
ALL OTHER--MALE----	13	-	-	1	1	-	1	-	1	1	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	13	-	-	1	1	-	1	-	1	1	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
MONTANA ----------	41	-	-	-	-	-	-	1	-	-	2	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	66	-	-	-	-	1	-	3	1	2	2	2
WHITE------MALE----	25	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	37	-	-	-	-	1	-	2	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	42	-	-	-	-	-	1	-	-	1	3	2
WHITE------MALE----	21	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	17	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Myeloid leukemia (C92)												
MINNESOTA ----------	5	21	14	16	28	36	26	17	6	2	-	-
WHITE------MALE----	2	14	9	7	17	22	14	5	1	-	-	-
FEMALE--	3	7	5	8	11	13	12	12	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	5	9	8	7	12	17	7	1	-	-	-
WHITE------MALE----	5	2	4	5	2	5	7	2	-	-	-	-
FEMALE--	-	2	2	1	4	4	7	3	1	-	-	-
ALL OTHER--MALE----	1	-	2	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	2	2	-	-	-	-
BLACK---MALE----	1	-	2	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	2	2	-	-	-	-
MISSOURI ----------	14	9	18	29	33	42	27	20	9	1	1	-
WHITE------MALE----	10	3	6	17	16	21	12	8	6	-	1	-
FEMALE--	4	5	11	9	14	20	11	12	3	1	-	-
ALL OTHER--MALE----	-	1	1	3	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	-	-	-
BLACK---MALE----	-	1	1	3	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	-	-	-
MONTANA ----------	3	3	2	7	8	4	3	5	2	-	-	-
WHITE------MALE----	1	2	2	2	2	3	1	3	2	-	-	-
FEMALE--	2	1	-	5	4	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	5	8	10	7	9	7	6	-	-	-
WHITE------MALE----	1	-	2	4	6	2	3	3	1	-	-	-
FEMALE--	2	-	3	3	4	4	6	4	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
NEVADA ----------	3	1	9	2	7	7	4	2	-	-	-	-
WHITE------MALE----	-	1	6	1	3	3	2	1	-	-	-	-
FEMALE--	3	-	1	-	4	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myeloid leukemia (C92)												
NEW HAMPSHIRE ----------	44	-	1	-	-	1	-	-	-	1	2	2
WHITE------MALE----	26	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	17	-	1	-	-	1	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	278	-	3	-	2	2	5	-	3	8	13	17
WHITE------MALE----	135	-	1	-	-	1	1	-	2	4	2	7
FEMALE--	107	-	2	-	2	1	2	-	-	3	9	5
ALL OTHER--MALE----	22	-	-	-	-	-	1	-	1	1	2	3
FEMALE--	14	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	17	-	-	-	-	-	1	-	1	1	1	3
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	2
NEW MEXICO ----------	52	-	-	-	1	1	-	-	1	1	1	1
WHITE------MALE----	28	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	20	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	668	-	4	1	10	3	4	13	13	12	24	28
WHITE------MALE----	319	-	2	-	2	-	2	9	7	4	11	15
FEMALE--	269	-	1	-	7	-	1	2	4	7	5	8
ALL OTHER--MALE----	36	-	1	-	-	1	1	-	1	1	5	4
FEMALE--	44	-	-	1	1	2	-	2	1	-	3	1
BLACK---MALE----	27	-	1	-	-	-	1	-	1	1	3	3
FEMALE--	37	-	-	1	1	2	-	2	1	-	3	-
NORTH CAROLINA ---------	254	-	1	1	2	2	3	4	5	9	10	10
WHITE------MALE----	119	-	-	-	2	-	1	3	2	1	3	2
FEMALE--	90	-	-	1	-	-	-	1	-	5	2	6
ALL OTHER--MALE----	16	-	-	-	-	2	-	-	1	1	1	2
FEMALE--	29	-	1	-	-	-	2	-	2	2	4	-
BLACK---MALE----	16	-	-	-	-	2	-	-	1	1	1	2
FEMALE--	28	-	1	-	-	-	2	-	2	2	4	-
NORTH DAKOTA ----------	32	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Myeloid leukemia (C92)												
NEW HAMPSHIRE ----------	1	7	3	6	6	2	5	6	1	-	-	-
WHITE------MALE----	-	5	2	5	5	1	3	2	-	-	-	-
FEMALE--	-	2	1	1	1	1	2	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	16	15	20	25	42	41	37	19	7	3	-	-
WHITE------MALE----	9	8	8	15	25	25	16	8	2	1	-	-
FEMALE--	6	5	7	7	14	13	18	9	3	1	-	-
ALL OTHER--MALE----	1	-	3	2	2	1	2	-	2	1	-	-
FEMALE--	-	2	2	1	1	2	1	2	-	-	-	-
BLACK---MALE----	-	-	3	1	2	1	2	-	1	-	-	-
FEMALE--	-	1	2	-	1	1	1	2	-	-	-	-
NEW MEXICO ----------	4	4	3	5	13	5	4	4	3	1	-	-
WHITE------MALE----	-	2	2	3	7	4	3	4	-	-	-	-
FEMALE--	3	1	1	1	6	1	1	-	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	36	34	45	81	92	101	87	54	18	8	-	-
WHITE------MALE----	13	14	24	40	55	45	45	20	8	3	-	-
FEMALE--	15	16	15	29	30	48	37	31	9	4	-	-
ALL OTHER--MALE----	3	2	2	7	1	5	2	-	-	-	-	-
FEMALE--	5	2	4	5	6	3	3	3	1	1	-	-
BLACK---MALE----	2	1	2	4	1	5	2	-	-	-	-	-
FEMALE--	5	1	3	3	6	2	2	3	1	1	-	-
NORTH CAROLINA ---------	23	23	18	33	33	34	22	14	4	3	-	-
WHITE------MALE----	11	10	11	17	15	22	12	7	-	-	-	-
FEMALE--	8	10	5	11	13	9	9	5	2	3	-	-
ALL OTHER--MALE----	3	1	1	2	-	1	-	1	-	-	-	-
FEMALE--	1	2	1	3	5	2	1	1	2	-	-	-
BLACK---MALE----	3	1	1	2	-	1	-	1	-	-	-	-
FEMALE--	1	2	1	3	4	2	1	1	2	-	-	-
NORTH DAKOTA ----------	1	3	-	4	5	9	2	2	1	1	1	-
WHITE------MALE----	-	2	-	3	2	4	1	1	1	-	-	-
FEMALE--	1	1	-	1	3	5	1	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myeloid leukemia (C92)												
OHIO ----------	387	1	1	1	1	3	5	5	9	9	12	14
WHITE------MALE----	187	-	-	-	1	1	3	2	3	3	7	3
FEMALE--	170	1	-	-	-	2	1	3	5	4	4	10
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	1	-	-	1	-	1	1	1	1
BLACK---MALE----	12	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	1	-	-	1	-	1	1	1	1
OKLAHOMA ----------	122	-	1	2	-	1	-	2	5	4	1	1
WHITE------MALE----	56	-	-	-	-	-	-	-	2	2	-	1
FEMALE--	53	-	-	2	-	1	-	-	1	2	-	-
ALL OTHER--MALE----	9	-	1	-	-	-	-	1	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
OREGON ----------	112	-	-	-	-	-	1	1	1	1	1	4
WHITE------MALE----	56	-	-	-	-	-	1	1	-	1	-	1
FEMALE--	54	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	461	-	3	4	3	5	3	2	4	11	11	14
WHITE------MALE----	227	-	1	-	2	2	1	1	2	5	7	8
FEMALE--	196	-	1	3	1	2	-	1	1	3	4	2
ALL OTHER--MALE----	18	-	-	1	-	1	2	-	1	-	-	1
FEMALE--	20	-	1	-	-	-	-	-	-	3	-	3
BLACK---MALE----	16	-	-	1	-	1	2	-	-	-	-	1
FEMALE--	16	-	1	-	-	-	-	-	-	3	-	1
RHODE ISLAND ----------	32	-	1	-	-	1	-	-	-	2	1	1
WHITE------MALE----	14	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	17	-	1	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	119	-	2	-	1	-	2	1	4	5	1	8
WHITE------MALE----	43	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	46	-	1	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	20	-	1	-	1	-	1	1	2	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	2	-	1
BLACK---MALE----	20	-	1	-	1	-	1	1	2	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	2	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Myeloid leukemia (C92)												
OHIO ----------	15	25	32	37	67	69	42	27	9	3	-	-
WHITE------MALE----	9	16	22	21	31	31	16	14	3	1	-	-
FEMALE--	5	9	6	14	30	34	22	13	5	2	-	-
ALL OTHER--MALE----	1	-	1	-	5	2	1	-	-	-	-	-
FEMALE--	-	-	3	2	1	2	3	-	1	-	-	-
BLACK---MALE----	1	-	1	-	5	2	1	-	-	-	-	-
FEMALE--	-	-	3	2	1	2	2	-	1	-	-	-
OKLAHOMA ----------	2	11	14	12	19	19	15	11	2	-	-	-
WHITE------MALE----	-	4	7	5	15	10	7	3	-	-	-	-
FEMALE--	2	5	5	6	4	7	8	8	2	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON ----------	5	9	7	16	11	20	15	14	5	1	-	-
WHITE------MALE----	2	1	4	10	9	12	9	4	1	-	-	-
FEMALE--	3	7	3	5	2	8	6	10	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	17	26	39	43	87	66	69	38	15	1	-	-
WHITE------MALE----	8	14	19	21	47	32	38	15	4	-	-	-
FEMALE--	8	11	17	17	34	30	29	22	9	1	-	-
ALL OTHER--MALE----	-	1	3	1	3	1	1	1	1	-	-	-
FEMALE--	1	-	-	4	3	3	1	-	1	-	-	-
BLACK---MALE----	-	-	3	1	3	1	1	1	1	-	-	-
FEMALE--	-	-	-	4	3	3	-	-	1	-	-	-
RHODE ISLAND ----------	2	5	1	4	2	4	4	1	3	-	-	-
WHITE------MALE----	2	2	-	2	1	1	2	1	-	-	-	-
FEMALE--	-	2	1	2	1	3	2	-	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	6	8	12	27	12	11	11	3	-	-	-
WHITE------MALE----	1	1	5	4	13	6	3	4	1	-	-	-
FEMALE--	2	2	-	5	10	4	8	6	1	-	-	-
ALL OTHER--MALE----	1	3	2	2	4	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	1	1	-	-	-
BLACK---MALE----	1	3	2	2	4	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myeloid leukemia (C92)												
SOUTH DAKOTA ----------	36	-	1	-	-	1	-	1	-	1	-	2
WHITE------MALE----	20	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	14	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	185	-	-	-	2	-	3	1	2	6	6	6
WHITE------MALE----	82	-	-	-	1	-	-	1	2	4	3	1
FEMALE--	79	-	-	-	-	-	1	-	-	-	3	4
ALL OTHER--MALE----	16	-	-	-	1	-	-	-	-	2	-	-
FEMALE--	8	-	-	-	-	-	2	-	-	-	-	1
BLACK---MALE----	15	-	-	-	1	-	-	-	-	2	-	-
FEMALE--	8	-	-	-	-	-	2	-	-	-	-	1
TEXAS ----------	517	2	4	4	6	4	6	5	11	15	14	20
WHITE------MALE----	239	-	3	2	2	1	5	3	6	4	5	6
FEMALE--	222	2	-	-	3	2	1	1	5	5	6	11
ALL OTHER--MALE----	29	-	1	1	-	-	-	1	-	2	2	3
FEMALE--	27	-	-	1	1	1	-	-	-	4	1	-
BLACK---MALE----	26	-	-	1	-	-	-	1	-	1	1	3
FEMALE--	22	-	-	1	1	1	-	-	-	3	-	-
UTAH ----------	69	1	1	-	1	-	7	1	-	2	3	5
WHITE------MALE----	35	-	-	-	-	-	4	-	-	1	2	2
FEMALE--	32	1	1	-	-	-	3	1	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	20	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	201	-	3	1	-	2	2	2	4	5	5	16
WHITE------MALE----	103	-	1	1	-	1	-	1	1	1	3	10
FEMALE--	68	-	2	-	-	-	2	1	3	3	1	3
ALL OTHER--MALE----	19	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	19	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Myeloid leukemia (C92)												
SOUTH DAKOTA ----------	4	3	1	4	7	6	4	-	1	-	-	-
WHITE------MALE----	-	1	1	1	5	5	3	-	1	-	-	-
FEMALE--	2	2	-	3	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	11	16	12	12	26	35	19	20	6	1	1	-
WHITE------MALE----	5	7	7	7	15	17	5	6	1	-	-	-
FEMALE--	4	6	4	4	9	14	12	12	4	1	1	-
ALL OTHER--MALE----	2	2	1	1	2	2	-	2	1	-	-	-
FEMALE--	-	1	-	-	-	2	2	-	-	-	-	-
BLACK---MALE----	2	2	-	1	2	2	-	2	1	-	-	-
FEMALE--	-	1	-	-	-	2	2	-	-	-	-	-
TEXAS ----------	28	38	40	65	67	72	59	43	14	-	-	-
WHITE------MALE----	8	23	13	37	33	33	33	19	3	-	-	-
FEMALE--	15	13	22	19	30	31	24	22	10	-	-	-
ALL OTHER--MALE----	1	2	3	5	1	5	1	1	-	-	-	-
FEMALE--	4	-	2	4	3	3	1	1	1	-	-	-
BLACK---MALE----	1	2	3	5	1	5	1	1	-	-	-	-
FEMALE--	4	-	2	3	3	2	1	-	1	-	-	-
UTAH ----------	2	1	3	10	10	7	6	8	-	1	-	-
WHITE------MALE----	1	-	1	4	7	4	3	6	-	-	-	-
FEMALE--	1	1	2	6	3	3	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	3	2	1	3	-	4	-	1	-	-	-
WHITE------MALE----	-	3	2	-	2	-	1	-	1	-	-	-
FEMALE--	2	-	-	1	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	11	17	16	28	31	20	15	18	4	1	-	-
WHITE------MALE----	5	11	7	16	19	10	7	8	1	-	-	-
FEMALE--	1	5	7	9	6	8	4	10	2	1	-	-
ALL OTHER--MALE----	3	-	2	3	5	2	1	-	1	-	-	-
FEMALE--	2	1	-	-	1	-	3	-	-	-	-	-
BLACK---MALE----	3	-	2	3	5	2	1	-	1	-	-	-
FEMALE--	2	-	-	-	1	-	3	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myeloid leukemia (C92)												
WASHINGTON ----------	244	-	-	2	2	2	3	2	1	5	10	8
WHITE------MALE----	121	-	-	1	-	-	2	1	-	2	4	4
FEMALE--	105	-	-	1	2	1	1	-	1	3	5	4
ALL OTHER--MALE----	10	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	70	-	-	-	-	1	-	1	2	1	5	3
WHITE------MALE----	30	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	36	-	-	-	-	1	-	-	1	-	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	227	1	1	-	-	1	-	2	3	6	8	12
WHITE------MALE----	122	1	1	-	-	1	-	1	1	3	3	6
FEMALE--	94	-	-	-	-	-	-	1	2	2	2	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
WYOMING ----------	22	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Myeloid leukemia (C92)												
WASHINGTON ----------	11	15	19	22	39	45	31	23	3	1	-	-
WHITE------MALE----	6	5	7	15	22	21	17	11	2	1	-	-
FEMALE--	2	6	12	6	13	23	13	11	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	2	4	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	3	4	5	10	17	6	4	1	2	-	-
WHITE------MALE----	3	1	2	2	4	7	2	2	1	-	-	-
FEMALE--	2	2	2	3	6	8	4	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WISCONSIN ----------	10	14	14	25	33	34	30	22	9	2	-	-
WHITE------MALE----	6	5	5	12	22	22	14	14	5	-	-	-
FEMALE--	4	6	9	12	10	12	16	8	4	2	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
WYOMING ----------	-	3	-	4	1	2	6	2	1	-	-	-
WHITE------MALE----	-	1	-	3	-	2	5	2	-	-	-	-
FEMALE--	-	2	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Monocytic leukemia (C93)												
UNITED STATES -	179	1	1	-	1	1	3	1	1	2	2	6
WHITE------MALE----	86	-	-	-	-	-	2	-	-	1	2	-
FEMALE--	76	-	1	-	-	1	1	-	1	1	-	3
ALL OTHER--MALE----	9	-	-	-	1	-	-	1	-	-	-	2
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	1	-	-	1	-	-	-	1
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
ALABAMA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	20	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Monocytic leukemia (C93)												
UNITED STATES -	4	7	2	21	25	34	30	23	11	3	-	-
WHITE------MALE----	2	3	1	11	13	19	16	11	5	-	-	-
FEMALE--	2	3	1	8	10	12	11	12	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	2	-	-	-	-	-
ALABAMA ----------	-	2	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	1	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	1	1	4	1	4	4	-	3	-	-	-
WHITE------MALE----	1	-	1	1	1	2	1	-	2	-	-	-
FEMALE--	-	1	-	3	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Monocytic leukemia (C93)												
COLORADO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Monocytic leukemia (C93)												
COLORADO ----------	-	1	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	1	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	1	2	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Monocytic leukemia (C93)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	6	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Monocytic leukemia (C93)												
HAWAII	-	-	-	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	2	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	1	1	2	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
INDIANA	-	-	-	1	1	2	-	-	-	1	-	-
WHITE--MALE	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE	-	-	-	1	-	1	-	-	-	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	1	1	1	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	1	-	-	-	-	2	1	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Monocytic leukemia (C93)												
KENTUCKY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	5	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Monocytic leukemia (C93)												
KENTUCKY ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	2	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	1	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Monocytic leukemia (C93)												
MINNESOTA ----------	5	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	-	1	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Monocytic leukemia (C93)												
MINNESOTA ----------	-	-	-	-	-	2	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	1	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Monocytic leukemia (C93)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
NORTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Monocytic leukemia (C93)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Monocytic leukemia (C93)												
OHIO ----------	3	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Monocytic leukemia (C93)												
OHIO ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	2	2	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	2	2	4	2	1	-	-	-
WHITE------MALE----	-	-	-	-	1	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	1	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Monocytic leukemia (C93)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	10	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	12	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Monocytic leukemia (C93)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	4	1	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	-	2	1	2	1	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	2	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Monocytic leukemia (C93)												
WASHINGTON ----------	10	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Monocytic leukemia (C93)												
WASHINGTON ----------	1	1	-	-	2	2	1	2	-	-	-	-
WHITE------MALE----	-	1	-	-	2	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1234

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified leukemia (C94-C95)												
UNITED STATES -	5,299	8	18	33	32	50	47	40	56	74	80	116
WHITE------MALE----	2,543	4	9	17	11	20	27	17	22	30	44	58
FEMALE--	2,215	4	7	10	11	20	12	16	20	28	26	39
ALL OTHER--MALE----	265	-	1	3	8	7	3	4	7	9	5	12
FEMALE--	276	-	1	3	2	3	5	3	7	7	5	7
BLACK---MALE----	198	-	1	1	8	3	2	1	3	6	4	10
FEMALE--	234	-	1	1	1	2	5	2	6	6	3	6
ALABAMA ----------	117	-	-	-	1	2	2	1	-	5	1	1
WHITE------MALE----	48	-	-	-	-	2	-	-	-	1	-	1
FEMALE--	46	-	-	-	1	-	-	-	-	3	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	14	-	-	-	-	-	2	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	14	-	-	-	-	-	2	-	-	-	1	-
ALASKA ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	109	-	-	-	-	2	1	-	-	3	2	3
WHITE------MALE----	50	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	56	-	-	-	-	2	-	-	-	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS ----------	79	-	-	1	-	-	1	2	-	1	1	2
WHITE------MALE----	41	-	-	-	-	-	1	1	-	-	1	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA ----------	501	-	3	8	5	7	7	5	3	6	6	15
WHITE------MALE----	250	-	2	5	3	2	4	2	1	2	5	8
FEMALE--	179	-	1	1	1	3	2	2	1	3	1	5
ALL OTHER--MALE----	45	-	-	1	-	2	1	1	1	1	-	1
FEMALE--	27	-	-	1	1	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	1	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified leukemia (C94-C95)												
UNITED STATES -	138	216	325	455	741	954	871	646	323	71	5	-
WHITE------MALE----	56	101	171	252	415	518	389	243	120	18	1	-
FEMALE--	51	86	114	143	264	369	409	359	179	45	3	-
ALL OTHER--MALE----	14	15	17	27	33	37	32	21	8	2	-	-
FEMALE--	17	14	23	33	29	30	41	23	16	6	1	-
BLACK---MALE----	11	12	14	22	26	32	21	15	5	1	-	-
FEMALE--	15	12	17	27	27	27	36	20	13	6	1	-
ALABAMA ----------	2	2	6	12	9	26	23	12	9	3	-	-
WHITE------MALE----	1	1	5	6	7	11	5	5	3	-	-	-
FEMALE--	-	1	1	2	2	10	13	5	5	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	4	-	-	-	-	-
FEMALE--	1	-	-	3	-	3	1	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	2	4	-	-	-	-	-
FEMALE--	1	-	-	3	-	3	1	2	1	-	-	-
ALASKA ----------	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	9	4	14	17	16	19	13	3	-	-	-
WHITE------MALE----	2	4	4	7	11	10	5	2	-	-	-	-
FEMALE--	1	4	-	7	6	6	14	10	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	4	2	6	11	16	11	11	7	2	-	-
WHITE------MALE----	1	3	1	4	7	7	5	6	2	-	-	-
FEMALE--	-	1	1	2	4	8	4	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA ----------	13	11	34	49	63	92	71	58	40	5	-	-
WHITE------MALE----	6	5	20	22	38	49	30	24	21	1	-	-
FEMALE--	4	5	7	16	17	32	29	31	15	3	-	-
ALL OTHER--MALE----	2	-	2	8	5	5	10	2	2	1	-	-
FEMALE--	1	1	5	3	3	6	2	1	2	-	-	-
BLACK---MALE----	1	-	-	6	1	3	2	-	1	-	-	-
FEMALE--	1	-	1	-	3	5	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified leukemia (C94-C95)												
COLORADO ----------	54	1	-	-	1	-	-	-	-	-	2	1
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	26	1	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	70	-	-	-	-	-	-	-	1	2	-	2
WHITE------MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	360	-	1	-	1	2	2	2	3	9	5	6
WHITE------MALE----	175	-	1	-	1	-	1	-	-	4	2	2
FEMALE--	150	-	-	-	-	1	1	2	-	4	1	3
ALL OTHER--MALE----	21	-	-	-	-	1	-	-	2	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	20	-	-	-	-	1	-	-	2	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	-
GEORGIA ----------	125	-	1	2	-	1	2	2	2	5	3	3
WHITE------MALE----	47	-	-	1	-	-	1	1	-	2	1	1
FEMALE--	55	-	-	1	-	1	1	1	1	2	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	11	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	11	-	1	-	-	-	-	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified leukemia (C94-C95)												
COLORADO ----------	1	4	3	3	7	8	12	3	8	-	-	-
WHITE------MALE----	1	2	1	3	4	4	6	1	4	-	-	-
FEMALE--	-	2	2	-	3	4	6	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	3	3	6	8	12	17	7	6	3	-	-
WHITE------MALE----	-	1	1	4	4	6	13	5	4	-	-	-
FEMALE--	-	2	1	2	4	6	4	1	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
DELAWARE ----------	-	1	-	1	1	4	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	5	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA ----------	5	11	21	34	57	64	62	51	21	3	-	-
WHITE------MALE----	-	7	11	16	28	42	32	16	10	2	-	-
FEMALE--	4	2	5	15	26	18	26	32	10	-	-	-
ALL OTHER--MALE----	1	2	4	-	2	3	1	2	-	1	-	-
FEMALE--	-	-	1	3	1	1	3	1	1	-	-	-
BLACK---MALE----	1	2	4	-	2	3	-	2	-	1	-	-
FEMALE--	-	-	1	3	1	1	3	1	1	-	-	-
GEORGIA ----------	8	6	10	7	11	24	19	12	7	-	-	-
WHITE------MALE----	4	1	6	3	4	14	3	4	1	-	-	-
FEMALE--	1	4	2	2	4	9	14	6	5	-	-	-
ALL OTHER--MALE----	1	1	2	2	2	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	1	2	1	-	-	-
BLACK---MALE----	1	1	2	2	2	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	1	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified leukemia (C94-C95)												
HAWAII ----------	17	-	-	-	-	1	-	-	-	1	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	17	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	13	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	288	1	1	1	1	2	8	3	2	3	3	11
WHITE------MALE----	125	-	1	-	-	2	4	2	1	2	1	6
FEMALE--	133	1	-	-	1	-	2	1	1	1	1	3
ALL OTHER--MALE----	15	-	-	1	-	-	1	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	1	-	-	-	-	1
INDIANA ----------	136	-	-	2	-	-	-	1	1	1	1	-
WHITE------MALE----	62	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	65	-	-	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	32	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	44	-	-	1	-	-	1	1	-	-	-	1
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified leukemia (C94-C95)												
HAWAII ----------	-	-	2	2	3	2	2	-	3	-	-	-
WHITE------MALE----	-	-	2	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	2	3	2	1	3	3	1	-	-	-	-
WHITE------MALE----	-	-	3	2	1	2	3	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	7	12	19	24	38	46	45	35	23	2	1	-
WHITE------MALE----	1	3	10	14	15	27	16	14	6	-	-	-
FEMALE--	4	8	7	6	18	17	27	19	15	1	-	-
ALL OTHER--MALE----	2	-	-	2	1	2	2	2	-	-	-	-
FEMALE--	-	1	2	2	4	-	-	-	2	1	1	-
BLACK---MALE----	2	-	-	2	1	2	2	1	-	-	-	-
FEMALE--	-	1	2	2	4	-	-	-	2	1	1	-
INDIANA ----------	2	8	4	13	22	33	16	13	17	2	-	-
WHITE------MALE----	2	6	2	7	12	16	6	3	5	-	-	-
FEMALE--	-	1	1	5	7	14	10	10	12	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	3	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	3	1	-	-	-	-	-	-
IOWA ----------	-	1	3	-	-	7	11	7	2	1	-	-
WHITE------MALE----	-	1	2	-	-	5	5	4	-	1	-	-
FEMALE--	-	-	1	-	-	2	6	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS ----------	2	2	4	8	5	7	8	1	2	1	-	-
WHITE------MALE----	1	2	2	5	5	4	4	-	2	-	-	-
FEMALE--	-	-	2	3	-	3	4	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified leukemia (C94-C95)												
KENTUCKY ----------	65	-	-	-	1	-	-	-	1	2	1	1
WHITE------MALE----	29	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	75	-	1	-	1	-	1	-	1	-	2	2
WHITE------MALE----	34	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	12	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	25	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	16	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	88	-	-	-	2	1	-	-	3	2	-	2
WHITE------MALE----	35	-	-	-	-	1	-	-	1	2	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	2	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	9	-	-	-	2	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	2	-	-	-
MASSACHUSETTS ----------	157	-	-	-	1	-	-	-	-	3	1	2
WHITE------MALE----	83	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	69	-	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	201	-	1	-	1	-	1	1	4	1	4	5
WHITE------MALE----	90	-	-	-	1	-	1	-	2	-	2	1
FEMALE--	85	-	1	-	-	-	-	-	2	-	2	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	-

Other and unspecified leukemia (C94-C95)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	2	5	5	4	13	11	8	5	4	2	-	-
WHITE------MALE----	-	3	-	4	5	6	3	3	1	2	-	-
FEMALE--	2	2	3	-	5	5	4	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
LOUISIANA ----------	2	2	11	3	13	13	9	8	6	-	-	-
WHITE------MALE----	1	-	6	3	6	9	2	2	1	-	-	-
FEMALE--	-	2	1	-	4	1	6	3	4	-	-	-
ALL OTHER--MALE----	-	-	4	-	1	2	1	2	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	1	-	-	-
BLACK---MALE----	-	-	4	-	1	2	1	2	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	1	-	-	-
MAINE ----------	-	2	-	2	7	5	4	1	2	-	-	-
WHITE------MALE----	-	2	-	1	5	2	3	1	1	-	-	-
FEMALE--	-	-	-	1	2	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	5	3	7	10	18	21	7	5	-	-	-
WHITE------MALE----	-	1	1	3	3	13	5	2	3	-	-	-
FEMALE--	-	1	2	1	5	4	12	3	2	-	-	-
ALL OTHER--MALE----	-	3	-	1	-	-	1	2	-	-	-	-
FEMALE--	2	-	-	2	2	1	3	-	-	-	-	-
BLACK---MALE----	-	3	-	1	-	-	-	2	-	-	-	-
FEMALE--	2	-	-	2	2	1	3	-	-	-	-	-
MASSACHUSETTS ----------	2	6	13	11	20	25	30	26	13	4	-	-
WHITE------MALE----	-	4	7	9	12	20	15	9	4	-	-	-
FEMALE--	1	2	6	-	8	5	15	17	9	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN ----------	7	7	12	26	33	33	32	24	6	3	-	-
WHITE------MALE----	3	3	5	17	16	10	18	9	2	-	-	-
FEMALE--	2	2	7	4	10	19	12	13	4	3	-	-
ALL OTHER--MALE----	-	-	-	3	4	3	1	1	-	-	-	-
FEMALE--	2	2	-	2	3	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	4	3	1	-	-	-	-	-
FEMALE--	2	2	-	2	3	1	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified leukemia (C94-C95)												
MINNESOTA ----------	70	-	1	-	-	2	-	2	-	-	1	3
WHITE------MALE----	39	-	1	-	-	2	-	-	-	-	1	2
FEMALE--	28	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	69	-	-	-	2	1	1	-	1	-	-	-
WHITE------MALE----	34	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	24	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	104	-	-	-	-	1	2	-	-	4	-	4
WHITE------MALE----	59	-	-	-	-	1	1	-	-	1	-	1
FEMALE--	36	-	-	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
MONTANA ----------	19	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	42	-	1	-	-	1	-	-	-	-	1	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	41	-	-	-	-	2	-	-	-	2	1	3
WHITE------MALE----	21	-	-	-	-	1	-	-	-	1	1	3
FEMALE--	17	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified leukemia (C94-C95)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	2	-	4	3	8	9	18	8	5	4	-	-
WHITE------MALE----	-	-	1	3	7	5	11	5	1	-	-	-
FEMALE--	-	-	3	-	1	4	7	3	4	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	2	4	7	11	16	6	13	1	-	-	-
WHITE------MALE----	-	1	3	4	6	8	5	6	-	-	-	-
FEMALE--	1	1	1	3	3	7	1	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
MISSOURI ----------	4	6	14	10	11	11	16	13	6	1	1	-
WHITE------MALE----	1	3	8	6	7	10	12	5	3	-	-	-
FEMALE--	3	3	4	3	2	1	4	7	3	1	1	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	1	4	3	3	5	-	-	-	-
WHITE------MALE----	2	-	-	1	4	3	2	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	4	4	3	11	7	7	1	-	-	-
WHITE------MALE----	-	1	1	2	3	7	4	2	-	-	-	-
FEMALE--	1	-	2	2	-	3	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	2	2	3	6	8	6	5	-	-	-	-
WHITE------MALE----	-	1	-	1	2	5	5	1	-	-	-	-
FEMALE--	-	1	2	1	3	3	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified leukemia (C94-C95)												
NEW HAMPSHIRE ----------	14	-	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	217	-	3	-	1	3	4	1	2	2	4	-
WHITE------MALE----	109	-	2	-	-	1	3	-	2	1	3	-
FEMALE--	89	-	1	-	1	1	1	-	-	1	1	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	26	-	-	-	-	-	1	-	1	-	1	-
WHITE------MALE----	17	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	350	1	1	-	2	2	1	4	3	3	9	5
WHITE------MALE----	160	-	-	-	1	1	1	2	1	3	5	3
FEMALE--	162	1	1	-	-	-	-	2	1	-	2	2
ALL OTHER--MALE----	15	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	1	-	-	-	-	2	-
BLACK---MALE----	9	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	143	1	-	1	1	-	-	-	2	3	3	4
WHITE------MALE----	57	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	61	1	-	1	1	-	-	-	-	-	3	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	12	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified leukemia (C94-C95)												
NEW HAMPSHIRE ----------	1	-	1	1	3	2	4	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	1	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	12	12	18	32	44	32	25	15	2	1	-
WHITE------MALE----	2	4	7	5	19	26	16	11	5	1	1	-
FEMALE--	2	5	3	7	12	16	13	14	10	1	-	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	2	2	4	-	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	3	-	1	3	-	-	-	-	-
NEW MEXICO ----------	1	-	5	3	1	6	3	3	1	-	-	-
WHITE------MALE----	1	-	5	3	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	11	10	22	31	62	60	53	49	16	4	1	-
WHITE------MALE----	6	6	9	16	31	33	16	21	3	2	-	-
FEMALE--	4	1	10	13	26	25	33	26	12	2	1	-
ALL OTHER--MALE----	1	2	2	2	2	1	1	1	1	-	-	-
FEMALE--	-	1	1	-	3	1	3	1	-	-	-	-
BLACK---MALE----	1	1	1	1	1	1	1	-	1	-	-	-
FEMALE--	-	1	1	-	3	1	3	-	-	-	-	-
NORTH CAROLINA ---------	6	6	7	12	17	24	20	24	11	1	-	-
WHITE------MALE----	3	1	2	9	8	9	10	8	2	1	-	-
FEMALE--	3	3	4	1	8	9	5	12	7	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	4	4	4	2	-	-	-
BLACK---MALE----	-	-	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	4	4	4	1	-	-	-
NORTH DAKOTA ----------	1	-	-	-	4	-	3	2	1	-	-	-
WHITE------MALE----	1	-	-	-	4	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1240

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified leukemia (C94-C95)												
OHIO ----------	255	-	-	2	1	-	2	1	5	5	5	3
WHITE------MALE----	124	-	-	-	-	-	1	1	4	1	3	-
FEMALE--	109	-	-	2	1	-	-	-	1	2	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	2	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	2	-	1
OKLAHOMA ----------	52	-	1	-	-	1	-	1	-	-	1	-
WHITE------MALE----	32	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	18	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
OREGON ----------	38	-	-	1	-	-	-	1	1	-	-	-
WHITE------MALE----	18	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	330	1	-	1	1	1	2	-	7	1	1	12
WHITE------MALE----	150	1	-	-	1	-	1	-	3	1	1	6
FEMALE--	156	-	-	-	-	-	-	-	3	-	-	3
ALL OTHER--MALE----	11	-	-	-	-	1	1	-	1	-	-	2
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	1	1	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	18	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA ---------	57	-	1	-	1	1	1	1	2	-	-	2
WHITE------MALE----	26	-	1	-	-	-	-	1	1	-	-	2
FEMALE--	21	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified leukemia (C94-C95)												
OHIO ----------	5	11	14	19	33	49	41	41	11	6	1	-
WHITE------MALE----	1	4	7	13	24	24	19	14	5	3	-	-
FEMALE--	4	5	6	6	7	21	19	23	4	3	1	-
ALL OTHER--MALE----	-	1	-	-	2	3	1	4	1	-	-	-
FEMALE--	-	1	1	-	-	1	2	-	1	-	-	-
BLACK---MALE----	-	1	-	-	2	3	1	4	1	-	-	-
FEMALE--	-	1	1	-	-	1	2	-	1	-	-	-
OKLAHOMA ----------	4	2	2	4	5	11	10	7	1	2	-	-
WHITE------MALE----	2	-	2	3	5	7	7	3	-	1	-	-
FEMALE--	2	1	-	1	-	4	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	2	1	3	6	7	6	4	5	1	-	-
WHITE------MALE----	-	2	1	2	4	3	-	2	2	1	-	-
FEMALE--	-	-	-	1	2	4	6	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	14	17	27	55	67	67	36	14	2	-	-
WHITE------MALE----	-	7	6	14	35	26	29	12	6	1	-	-
FEMALE--	3	7	11	10	19	36	35	21	7	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	3	3	2	1	-	-	-
BLACK---MALE----	1	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	3	3	2	1	-	-	-
RHODE ISLAND ----------	2	-	1	2	-	5	3	1	2	-	-	-
WHITE------MALE----	-	-	1	-	-	4	-	-	2	-	-	-
FEMALE--	2	-	-	2	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	2	3	7	9	9	8	4	3	1	-	-
WHITE------MALE----	1	-	2	3	4	2	6	3	-	-	-	-
FEMALE--	1	1	1	3	4	6	-	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	1	1	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1241

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified leukemia (C94-C95)												
SOUTH DAKOTA ----------	14	1	-	-	1	1	-	1	-	-	-	-
WHITE------MALE----	7	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	125	-	-	1	-	1	2	1	-	1	2	2
WHITE------MALE----	65	-	-	1	-	-	-	-	-	1	2	2
FEMALE--	50	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	309	1	1	3	1	10	2	3	6	4	9	7
WHITE------MALE----	152	1	1	3	1	2	2	2	2	-	3	4
FEMALE--	127	-	-	-	-	7	-	1	4	2	6	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	18	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	14	-	-	-	-	1	-	-	-	-	-	-
UTAH ----------	35	-	-	2	-	2	1	1	1	1	2	-
WHITE------MALE----	18	-	-	2	-	2	1	-	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	142	-	-	3	3	2	2	1	2	-	4	9
WHITE------MALE----	62	-	-	2	-	-	2	1	-	-	2	6
FEMALE--	53	-	-	1	1	1	-	-	1	-	1	1
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	15	-	-	-	1	1	-	-	1	-	-	-

Other and unspecified leukemia (C94-C95)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	-	-	-	-	2	2	-	4	2	-	-	-
WHITE------MALE----	-	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	10	9	13	19	17	27	9	4	2	-	-
WHITE------MALE----	4	4	5	9	10	7	14	4	2	-	-	-
FEMALE--	1	3	4	3	7	9	11	5	2	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	1	2	-	-	1	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	1	2	-	-	1	-	-
TEXAS ----------	7	18	22	25	40	51	41	39	13	6	-	-
WHITE------MALE----	3	8	15	12	23	30	19	14	5	2	-	-
FEMALE--	3	10	4	7	15	18	18	21	7	3	-	-
ALL OTHER--MALE----	-	-	-	2	1	2	3	1	-	-	-	-
FEMALE--	1	-	3	4	1	1	1	3	1	1	-	-
BLACK---MALE----	-	-	-	2	1	1	3	1	-	-	-	-
FEMALE--	1	-	2	4	-	-	1	3	1	1	-	-
UTAH ----------	1	-	-	2	2	6	7	3	1	3	-	-
WHITE------MALE----	1	-	-	2	2	3	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	3	3	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	3	1	1	-	3	-	-	-
WHITE------MALE----	-	-	-	-	3	-	1	-	2	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	6	6	9	18	30	24	12	4	1	-	-
WHITE------MALE----	-	4	2	4	10	18	5	4	2	-	-	-
FEMALE--	1	1	3	5	7	9	12	8	1	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	2	-	1	-	1	1	6	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	6	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified leukemia (C94-C95)												
WASHINGTON ----------	61	-	1	2	-	-	-	1	-	1	-	-
WHITE------MALE----	29	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	31	-	1	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	41	-	-	-	1	-	-	2	-	-	-	2
WHITE------MALE----	21	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	18	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	114	-	-	1	1	1	-	-	1	2	1	-
WHITE------MALE----	55	-	-	1	1	1	-	-	-	-	1	-
FEMALE--	56	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified leukemia (C94-C95)												
WASHINGTON ----------	1	1	3	3	11	12	8	12	4	1	-	-
WHITE------MALE----	1	-	1	1	5	8	5	4	2	-	-	-
FEMALE--	-	1	2	2	6	3	3	8	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	3	2	5	4	5	8	3	4	1	-	-
WHITE------MALE----	1	3	1	4	-	2	6	1	-	-	-	-
FEMALE--	-	-	-	1	3	3	2	2	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	5	7	8	19	22	17	16	9	2	-	-
WHITE------MALE----	2	3	3	3	9	10	11	6	4	-	-	-
FEMALE--	-	2	3	4	10	12	6	10	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	1	2	1	1	2	-	-	-	-
WHITE------MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1243

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms (D00-D09)												
UNITED STATES -	19	-	-	-	-	-	-	-	2	1	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	6	-	-	-	-	-	-	-	2	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
In situ neoplasms (D00-D09)												
UNITED STATES -	-	1	-	1	2	2	3	4	-	1	-	-
WHITE------MALE----	-	1	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	1	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms (D00-D09)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
In situ neoplasms (D00-D09)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1245

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms (D00-D09)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
In situ neoplasms (D00-D09)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms (D00-D09)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
In situ neoplasms (D00-D09)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1247

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms (D00-D09)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
In situ neoplasms (D00-D09)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms (D00-D09)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
In situ neoplasms (D00-D09)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1249

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms (D00-D09)												
OHIO ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
In situ neoplasms (D00-D09)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms (D00-D09)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1250

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
In situ neoplasms (D00-D09)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1251

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms (D00-D09)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
In situ neoplasms (D00-D09)												
WASHINGTON ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of breast and genitourinary system (D05-D07)												
UNITED STATES -	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of breast and genitourinary system (D05-D07)												
UNITED STATES -	-	-	-	1	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of breast and genitourinary system (D05-D07)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of breast and genitourinary system (D05-D07)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of breast and genitourinary system (D05-D07)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of breast and genitourinary system (D05-D07)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of breast and genitourinary system (D05-D07)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of breast and genitourinary system (D05-D07)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of breast and genitourinary system (D05-D07)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of breast and genitourinary system (D05-D07)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of breast and genitourinary system (D05-D07)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of breast and genitourinary system (D05-D07)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of breast and genitourinary system (D05-D07)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of breast and genitourinary system (D05-D07)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of breast and genitourinary system (D05-D07)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of breast and genitourinary system (D05-D07)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1260

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of breast and genitourinary system (D05-D07)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of breast and genitourinary system (D05-D07)												
WASHINGTON ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1261

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
UNITED STATES -	14	-	-	-	-	-	-	-	2	1	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	5	-	-	-	-	-	-	-	2	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
UNITED STATES -	-	1	-	-	1	1	3	3	-	1	-	-
WHITE------MALE----	-	1	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
OHIO ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Carcinoma in situ of other and unspecified sites (D00-D04,D09)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1270

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Benign neoplasms (D10-D36)												
UNITED STATES -	1,537	14	7	5	2	5	6	8	24	31	30	41
WHITE------MALE----	496	4	2	1	-	2	2	2	5	9	16	13
FEMALE--	763	5	4	3	2	2	2	3	8	10	5	12
ALL OTHER--MALE----	112	2	-	1	-	-	-	1	5	6	4	5
FEMALE--	166	3	1	-	-	1	2	2	6	6	5	11
BLACK---MALE----	95	1	-	1	-	-	-	1	4	5	3	4
FEMALE--	141	3	1	-	-	1	2	-	3	5	4	9
ALABAMA ----------	25	-	-	1	-	-	-	-	-	1	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	14	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	30	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	171	-	4	-	-	1	1	1	2	3	6	8
WHITE------MALE----	61	-	1	-	-	1	1	1	-	-	4	3
FEMALE--	72	-	3	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	3	1	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1270

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Benign neoplasms (D10-D36)												
UNITED STATES -	58	82	96	128	163	253	235	197	121	29	2	-
WHITE------MALE----	19	27	34	41	71	75	73	62	29	8	1	-
FEMALE--	22	31	40	59	65	139	134	113	85	18	1	-
ALL OTHER--MALE----	9	14	10	8	10	17	10	7	2	1	-	-
FEMALE--	8	10	12	20	17	22	18	15	5	2	-	-
BLACK---MALE----	7	14	8	7	8	16	8	6	1	1	-	-
FEMALE--	7	10	10	17	14	19	17	12	5	2	-	-
ALABAMA ----------	-	-	5	1	3	4	3	3	2	-	-	-
WHITE------MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	3	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	1	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	3	3	3	4	4	5	2	3	1	-	-
WHITE------MALE----	-	-	1	2	2	2	1	-	-	-	-	-
FEMALE--	1	2	2	1	1	2	3	2	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	3	1	2	1	3	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	8	9	14	17	33	20	21	14	4	1	-
WHITE------MALE----	2	2	5	6	9	10	8	6	1	1	-	-
FEMALE--	2	5	3	4	4	14	9	10	12	2	1	-
ALL OTHER--MALE----	-	1	-	2	2	1	3	1	1	1	-	-
FEMALE--	-	-	1	2	2	8	-	4	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	2	1	-	1	-	-
FEMALE--	-	-	1	-	1	6	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Benign neoplasms (D10-D36)												
COLORADO ----------	15	-	-	-	-	-	-	1	1	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	24	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	96	1	-	-	-	-	1	-	2	-	2	3
WHITE------MALE----	25	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	54	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	1	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	1	-	-	-	-	1	-	-	-	-	1
GEORGIA ----------	37	1	-	-	-	-	1	-	1	1	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	1	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Benign neoplasms (D10-D36)												
COLORADO ----------	1	-	1	-	1	6	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	3	1	1	2	4	2	6	3	1	-	-
WHITE------MALE----	-	3	-	1	1	1	-	2	1	-	-	-
FEMALE--	-	-	1	-	1	2	1	4	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
DELAWARE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	2	-	-	1	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
FLORIDA ----------	3	5	4	12	14	14	18	13	3	1	-	-
WHITE------MALE----	-	-	-	3	3	6	4	3	2	1	-	-
FEMALE--	1	1	3	7	10	7	12	10	1	-	-	-
ALL OTHER--MALE----	2	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	2	1	1	1	-	-	-	-	-
BLACK---MALE----	2	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	1	-	-	-	-	-
GEORGIA ----------	3	5	3	1	3	4	5	5	3	-	-	-
WHITE------MALE----	-	2	1	-	1	-	2	1	1	-	-	-
FEMALE--	1	2	1	1	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	1	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1272

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Benign neoplasms (D10-D36)												
HAWAII ----------	6	-	-	-	-	-	-	1	1	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	75	-	-	-	-	-	-	-	2	2	1	3
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	2
INDIANA ----------	30	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	25	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
KANSAS ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Benign neoplasms (D10-D36)												
HAWAII ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	1	-	1	-	2	-	1	-	-
WHITE------MALE----	-	-	1	-	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	2	2	3	7	14	12	15	7	3	-	-
WHITE------MALE----	1	-	2	-	3	4	2	2	4	1	-	-
FEMALE--	-	1	-	2	2	9	7	11	3	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	2	-	1	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	2	-	1	-	-
INDIANA ----------	1	2	-	3	4	3	8	3	4	-	-	-
WHITE------MALE----	-	-	-	-	2	1	2	2	1	-	-	-
FEMALE--	1	1	-	3	1	2	4	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	1	-	-	-	-
IOWA ----------	-	1	4	1	3	4	2	5	2	1	-	-
WHITE------MALE----	-	-	1	-	2	1	2	2	1	-	-	-
FEMALE--	-	1	3	1	1	3	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	2	-	-	3	3	6	5	3	-	-	-
WHITE------MALE----	-	1	-	-	1	-	2	3	1	-	-	-
FEMALE--	-	1	-	-	2	3	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Benign neoplasms (D10-D36)												
KENTUCKY ----------	26	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	25	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	24	-	-	-	1	-	-	-	2	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS ----------	37	2	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	19	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	66	-	-	1	-	-	-	-	1	1	-	3
WHITE------MALE----	23	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	35	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Benign neoplasms (D10-D36)												
KENTUCKY ----------	1	-	3	1	4	4	4	4	3	-	-	-
WHITE------MALE----	-	-	1	-	3	2	2	1	1	-	-	-
FEMALE--	-	-	2	-	1	2	2	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	3	3	2	1	5	4	1	1	-	-	-
WHITE------MALE----	-	1	1	-	1	1	2	-	-	-	-	-
FEMALE--	2	1	-	1	-	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
MAINE ----------	-	-	-	2	1	-	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	3	2	2	3	3	4	-	2	-	-	-
WHITE------MALE----	1	1	1	1	3	1	3	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
MASSACHUSETTS ----------	1	2	2	3	3	5	7	5	3	2	-	-
WHITE------MALE----	1	2	1	2	1	3	3	3	1	-	-	-
FEMALE--	-	-	-	1	1	2	4	2	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	7	2	4	3	7	10	9	10	6	2	-	-
WHITE------MALE----	4	1	2	1	3	2	2	3	1	1	-	-
FEMALE--	1	1	2	1	4	8	7	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1274

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Benign neoplasms (D10-D36)												
MINNESOTA ----------	30	1	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	11	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	19	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	33	-	-	-	-	-	-	-	1	2	-	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
MONTANA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	11	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Benign neoplasms (D10-D36)												
MINNESOTA ----------	3	-	2	5	2	4	6	3	2	-	-	-
WHITE------MALE----	2	-	-	1	1	2	2	-	-	-	-	-
FEMALE--	1	-	1	4	1	2	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	1	1	2	4	2	5	1	1	-	-
WHITE------MALE----	-	-	-	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
MISSOURI ----------	-	-	3	3	4	7	2	4	2	3	-	-
WHITE------MALE----	-	-	-	1	1	2	1	1	1	1	-	-
FEMALE--	-	-	1	1	3	2	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	2	2	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	1	-	4	-	3	-	-	-	-
WHITE------MALE----	-	-	1	1	-	3	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	2	-	-	1	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Benign neoplasms (D10-D36)												
NEW HAMPSHIRE ----------	6	-	1	-	-	-	-	-	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	53	-	-	-	-	1	-	1	-	2	-	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	1
NEW MEXICO ----------	9	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	94	1	1	-	-	-	-	1	1	3	4	3
WHITE------MALE----	17	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	56	1	-	-	-	-	-	1	1	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	4	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	3	1
NORTH CAROLINA ---------	27	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	5	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Benign neoplasms (D10-D36)												
NEW HAMPSHIRE ----------	1	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	3	1	7	7	7	9	9	3	-	-	-
WHITE------MALE----	1	2	-	3	5	1	3	2	1	-	-	-
FEMALE--	-	-	-	2	2	4	6	7	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	-	-	-	-	-	-
NEW MEXICO ----------	1	1	2	1	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	6	5	9	2	18	19	11	7	1	1	-
WHITE------MALE----	-	3	-	3	-	1	2	3	1	1	1	-
FEMALE--	-	1	2	4	1	15	15	7	6	-	-	-
ALL OTHER--MALE----	-	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	1	2	1	-	-	-	-
NORTH CAROLINA ---------	1	1	2	4	4	4	4	3	3	-	-	-
WHITE------MALE----	-	-	1	1	2	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	1	3	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Benign neoplasms (D10-D36)												
OHIO ----------	71	2	-	1	-	-	-	-	2	-	3	3
WHITE------MALE----	34	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	27	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	6	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	4	1	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	6	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	4	1	-	-	-	-	-	-	1	-	1	-
OKLAHOMA ----------	14	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	20	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	72	-	-	-	-	1	-	-	-	2	1	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	19	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Benign neoplasms (D10-D36)												
OHIO ----------	6	2	2	6	8	12	11	2	9	2	-	-
WHITE------MALE----	3	1	2	1	4	7	7	2	3	1	-	-
FEMALE--	3	1	-	5	4	4	2	-	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	-	1	2	3	3	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	1	2	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	3	1	1	2	3	3	3	2	1	-	-
WHITE------MALE----	-	2	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	2	3	4	12	13	11	12	5	3	-	-
WHITE------MALE----	2	1	-	1	6	2	4	5	-	-	-	-
FEMALE--	-	-	2	3	5	11	5	6	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	-	4	2	2	6	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	4	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Benign neoplasms (D10-D36)												
SOUTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	38	-	-	-	-	1	-	-	2	1	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	22	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
TEXAS ----------	103	2	-	2	1	-	1	-	-	1	2	3
WHITE------MALE----	32	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	49	2	-	2	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	9	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	31	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Benign neoplasms (D10-D36)												
SOUTH DAKOTA ----------	-	-	-	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	4	3	3	4	8	3	1	2	-	-	-
WHITE------MALE----	1	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	1	2	1	2	1	7	2	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
TEXAS ----------	1	4	8	11	14	15	17	12	8	1	-	-
WHITE------MALE----	-	1	4	7	2	4	5	2	3	-	-	-
FEMALE--	-	-	4	2	8	6	9	8	5	1	-	-
ALL OTHER--MALE----	1	2	-	-	-	4	-	1	-	-	-	-
FEMALE--	-	1	-	2	4	1	3	1	-	-	-	-
BLACK---MALE----	-	2	-	-	-	4	-	-	-	-	-	-
FEMALE--	-	1	-	2	3	1	3	1	-	-	-	-
UTAH ----------	1	-	-	1	2	-	-	1	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	3	4	3	4	3	6	3	2	-	-	-
WHITE------MALE----	-	1	2	1	2	1	-	2	-	-	-	-
FEMALE--	1	-	1	-	1	1	6	1	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Benign neoplasms (D10-D36)												
WASHINGTON ----------	38	-	-	-	-	-	1	1	2	-	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	29	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WYOMING ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Benign neoplasms (D10-D36)												
WASHINGTON ----------	2	3	3	2	1	5	8	7	2	-	-	-
WHITE------MALE----	-	1	1	1	1	1	3	3	1	-	-	-
FEMALE--	2	2	2	1	-	4	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	-	3	3	1	-	1	1	-	-
WHITE------MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	4	1	2	2	7	6	3	2	-	-	-
WHITE------MALE----	-	1	-	-	2	3	-	3	-	-	-	-
FEMALE--	-	2	1	2	-	4	6	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1279

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of female genital organs (D25-D28)												
UNITED STATES -	33	1	-	-	1	1	1	-	1	2	6	1
WHITE------FEMALE--	18	-	-	-	1	1	1	-	1	-	1	-
ALL OTHER--FEMALE--	15	1	-	-	-	-	-	-	-	2	5	1
BLACK---FEMALE--	13	1	-	-	-	-	-	-	-	2	4	1
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of female genital organs (D25-D28)												
UNITED STATES -	5	2	-	2	1	2	3	1	2	1	-	-
WHITE------FEMALE--	4	1	-	1	1	2	2	-	2	-	-	-
ALL OTHER--FEMALE--	1	1	-	1	-	-	1	1	-	1	-	-
BLACK---FEMALE--	1	1	-	1	-	-	1	-	-	1	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	1	-	-	1	1	-	1	-	-	-	-
WHITE------FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1280

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of female genital organs (D25-D28)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of female genital organs (D25-D28)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of female genital organs (D25-D28)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1281

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of female genital organs (D25-D28)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1282

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of female genital organs (D25-D28)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1282

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of female genital organs (D25-D28)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of female genital organs (D25-D28)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of female genital organs (D25-D28)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1284

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of female genital organs (D25-D28)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7	-	-	-	-	-	-	-	1	1	4	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	1	4	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	1	3	-
NORTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of female genital organs (D25-D28)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of female genital organs (D25-D28)												
OHIO ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1285

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of female genital organs (D25-D28)												
OHIO ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of female genital organs (D25-D28)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	-	-	-	-	1	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of female genital organs (D25-D28)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of female genital organs (D25-D28)												
WASHINGTON ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of female genital organs (D25-D28)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1288

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of eye, brain and other parts of central nervous system (D31-D33)												
UNITED STATES -	947	-	-	-	-	1	-	4	9	18	5	15
WHITE------MALE----	287	-	-	-	-	-	-	1	3	5	4	4
FEMALE--	506	-	-	-	-	1	-	2	2	7	-	6
ALL OTHER--MALE----	55	-	-	-	-	-	-	1	1	4	1	1
FEMALE--	99	-	-	-	-	-	-	-	3	2	-	4
BLACK---MALE----	48	-	-	-	-	-	-	1	1	3	-	1
FEMALE--	88	-	-	-	-	-	-	-	1	1	-	4
ALABAMA ----------	16	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	20	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	89	-	-	-	-	-	-	-	1	2	-	2
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1288

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of eye, brain and other parts of central nervous system (D31-D33)												
UNITED STATES -	30	51	59	90	102	164	170	125	84	19	1	-
WHITE------MALE----	10	15	17	31	42	46	50	35	18	5	1	-
FEMALE--	11	21	29	41	43	93	99	78	61	12	-	-
ALL OTHER--MALE----	6	7	3	2	4	11	7	4	2	1	-	-
FEMALE--	3	8	10	16	13	14	14	8	3	1	-	-
BLACK---MALE----	5	7	3	2	4	11	5	3	1	1	-	-
FEMALE--	3	8	9	14	12	11	13	8	3	1	-	-
ALABAMA ----------	-	-	3	-	3	3	3	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	2	3	2	2	5	1	3	-	-	-
WHITE------MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	3	1	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	2	1	1	-	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	5	5	9	9	20	11	8	12	2	-	-
WHITE------MALE----	2	1	2	4	5	5	4	1	1	-	-	-
FEMALE--	1	4	2	3	2	9	5	5	10	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	-	1	1	-	-
FEMALE--	-	-	1	1	1	6	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	4	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of eye, brain and other parts of central nervous system (D31-D33)												
COLORADO ----------	12	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	61	-	-	-	-	-	-	-	2	-	1	-
WHITE------MALE----	16	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	23	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of eye, brain and other parts of central nervous system (D31-D33)												
COLORADO ----------	1	-	1	-	1	5	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	2	1	1	1	3	2	4	3	1	-	-
WHITE------MALE----	-	2	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	1	2	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
FLORIDA ----------	3	2	4	10	8	8	13	8	2	-	-	-
WHITE------MALE----	-	-	-	3	1	5	2	2	1	-	-	-
FEMALE--	1	-	3	5	6	2	9	6	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	2	1	1	1	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	1	-	-	-	-	-
GEORGIA ----------	1	3	3	-	2	4	4	3	2	-	-	-
WHITE------MALE----	-	1	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of eye, brain and other parts of central nervous system (D31-D33)												
HAWAII ----------	5	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	48	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
INDIANA ----------	21	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1290

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of eye, brain and other parts of central nervous system (D31-D33)												
HAWAII ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	2	1	1	5	7	9	10	6	3	-	-
WHITE------MALE----	1	-	1	-	2	3	1	1	4	1	-	-
FEMALE--	-	1	-	1	2	4	7	8	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	1	-	-
INDIANA ----------	1	1	-	3	2	1	6	3	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	2	1	-	-	-
FEMALE--	1	-	-	3	1	1	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	1	-	-	-	-
IOWA ----------	-	1	2	-	2	3	2	5	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	2	2	-	-	-	-
FEMALE--	-	1	2	-	1	3	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	2	-	-	2	2	5	1	3	-	-	-
WHITE------MALE----	-	1	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	1	-	-	2	2	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of eye, brain and other parts of central nervous system (D31-D33)												
KENTUCKY ----------	16	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	11	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	24	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	34	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of eye, brain and other parts of central nervous system (D31-D33)												
KENTUCKY ----------	1	-	2	1	1	2	3	4	1	-	-	-
WHITE------MALE----	-	-	1	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	1	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	1	-	1	1	2	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MAINE ----------	-	-	-	1	1	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	2	2	-	2	2	2	-	2	-	-	-
WHITE------MALE----	1	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	-	2	-	1	2	3	6	3	3	2	-	-
WHITE------MALE----	-	2	-	-	1	2	2	2	1	-	-	-
FEMALE--	-	-	-	1	1	1	4	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	2	1	3	8	6	6	5	1	-	-
WHITE------MALE----	-	-	1	-	1	-	2	1	1	1	-	-
FEMALE--	1	-	1	-	2	8	4	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of eye, brain and other parts of central nervous system (D31-D33)												
MINNESOTA ----------	21	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	19	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	6	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of eye, brain and other parts of central nervous system (D31-D33)												
MINNESOTA ----------	1	-	2	4	1	4	4	2	2	-	-	-
WHITE------MALE----	1	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	3	1	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	1	-	1	1	-	3	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
MISSOURI ----------	-	-	2	3	2	4	1	3	-	1	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	1	2	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	1	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	1	-	-	-	3	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	-	-	1	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of eye, brain and other parts of central nervous system (D31-D33)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	37	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	59	-	-	-	-	-	-	-	-	2	-	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
NORTH CAROLINA ---------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	5	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of eye, brain and other parts of central nervous system (D31-D33)												
NEW HAMPSHIRE ----------	1	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	1	5	6	4	6	9	3	-	-	-
WHITE------MALE----	-	-	-	2	5	1	2	2	1	-	-	-
FEMALE--	-	-	-	2	1	2	4	7	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	2	1	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	4	3	6	1	13	14	7	5	1	1	-
WHITE------MALE----	-	2	-	3	-	1	1	3	1	1	1	-
FEMALE--	-	1	2	3	-	11	11	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	2	-	-	-	-	-
NORTH CAROLINA ---------	-	1	2	4	3	2	4	2	3	-	-	-
WHITE------MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1294

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of eye, brain and other parts of central nervous system (D31-D33)												
OHIO ----------	44	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	6	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	46	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	13	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of eye, brain and other parts of central nervous system (D31-D33)												
OHIO ----------	5	1	2	3	5	11	8	2	5	1	-	-
WHITE------MALE----	2	-	2	1	2	6	6	2	1	1	-	-
FEMALE--	3	1	-	2	3	4	1	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	-	-	1	2	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	3	-	1	1	1	2	2	2	1	-	-
WHITE------MALE----	-	2	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	2	1	3	8	9	6	6	4	3	-	-
WHITE------MALE----	2	1	-	-	5	1	3	2	-	-	-	-
FEMALE--	-	-	-	3	3	8	2	3	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	-	2	-	2	5	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of eye, brain and other parts of central nervous system (D31-D33)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	26	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
TEXAS ----------	61	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	20	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of eye, brain and other parts of central nervous system (D31-D33)												
SOUTH DAKOTA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	4	1	3	2	7	3	1	1	-	-	-
WHITE------MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	2	-	2	-	6	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	-	3	5	10	9	9	11	7	3	1	-	-
WHITE------MALE----	-	-	2	7	1	1	3	2	1	-	-	-
FEMALE--	-	-	3	1	5	3	7	3	2	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	4	-	1	-	-	-	-
FEMALE--	-	1	-	2	3	1	1	1	-	-	-	-
BLACK---MALE----	-	2	-	-	-	4	-	-	-	-	-	-
FEMALE--	-	1	-	2	3	1	1	1	-	-	-	-
UTAH ----------	1	-	-	-	2	-	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	3	3	2	6	3	1	-	-	-
WHITE------MALE----	-	-	-	1	2	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	6	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of eye, brain and other parts of central nervous system (D31-D33)												
WASHINGTON ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	22	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of eye, brain and other parts of central nervous system (D31-D33)												
WASHINGTON ----------	-	1	2	2	1	3	6	4	-	-	-	-
WHITE------MALE----	-	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	1	2	1	-	2	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	-	2	3	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	3	-	2	2	6	5	1	2	-	-	-
WHITE------MALE----	-	1	-	-	2	3	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	3	5	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1297

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
UNITED STATES -	557	13	7	5	1	3	5	4	14	11	19	25
WHITE------MALE----	209	4	2	1	-	2	2	1	2	4	12	9
FEMALE--	239	5	4	3	1	-	1	1	5	3	4	6
ALL OTHER--MALE----	57	2	-	1	-	-	-	-	4	2	3	4
FEMALE--	52	2	1	-	-	1	2	2	3	2	-	6
BLACK---MALE----	47	1	-	1	-	-	-	-	3	2	3	3
FEMALE--	40	2	1	-	-	1	2	-	2	2	-	4
ALABAMA ----------	9	-	-	1	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	76	-	4	-	-	1	1	1	1	1	5	6
WHITE------MALE----	35	-	1	-	-	1	1	1	-	-	4	2
FEMALE--	24	-	3	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
UNITED STATES -	23	29	37	36	60	87	62	71	35	9	1	-
WHITE------MALE----	9	12	17	10	29	29	23	27	11	3	-	-
FEMALE--	7	9	11	17	21	44	33	35	22	6	1	-
ALL OTHER--MALE----	3	7	7	6	6	6	3	3	-	-	-	-
FEMALE--	4	1	2	3	4	8	3	6	2	-	-	-
BLACK---MALE----	2	7	5	5	4	5	3	3	-	-	-	-
FEMALE--	3	1	1	2	2	8	3	4	2	-	-	-
ALABAMA ----------	-	-	2	1	-	1	-	1	2	-	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	2	1	-	2	2	-	1	-	1	-	-
WHITE------MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	1	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	2	4	5	7	12	9	12	2	2	1	-
WHITE------MALE----	-	1	3	2	4	5	4	5	-	1	-	-
FEMALE--	-	-	1	1	1	4	4	5	2	1	1	-
ALL OTHER--MALE----	-	1	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1298

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
COLORADO ----------	3	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	34	-	-	-	-	-	1	-	-	-	1	3
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
GEORGIA ----------	13	1	-	-	-	-	1	-	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
COLORADO ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	-	-	1	1	-	2	-	-	-	-
WHITE------MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA ----------	-	3	-	2	6	6	5	5	1	1	-	-
WHITE------MALE----	-	-	-	-	2	1	2	1	1	1	-	-
FEMALE--	-	1	-	2	4	5	3	4	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	2	-	1	1	-	1	2	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1299

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
HAWAII ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	27	-	-	-	-	-	-	-	1	1	1	3
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
INDIANA ----------	9	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	8	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	1	2	2	7	3	5	1	-	-	-
WHITE------MALE----	-	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	5	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
INDIANA ----------	-	1	-	-	2	2	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IOWA ----------	-	-	2	1	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	1	1	1	4	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1300

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
KENTUCKY ----------	10	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	8	-	-	-	-	-	-	-	2	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS ----------	13	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	31	-	-	1	-	-	-	-	1	1	-	2
WHITE------MALE----	16	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
KENTUCKY ----------	-	-	1	-	3	2	1	-	2	-	-	-
WHITE------MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	2	3	1	-	3	2	1	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MAINE ----------	-	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	1	1	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	2	2	1	2	1	2	-	-	-	-
WHITE------MALE----	1	-	1	2	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	2	2	2	4	2	3	4	1	-	-	-
WHITE------MALE----	4	1	1	1	2	2	-	2	-	-	-	-
FEMALE--	-	1	1	1	2	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
MINNESOTA ----------	9	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	4	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	11	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	14	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1301

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
MINNESOTA ----------	2	-	-	1	1	-	2	1	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	1	1	3	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	-	-	1	-	2	3	1	1	2	2	-	-
WHITE------MALE----	-	-	-	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	4	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
NEW HAMPSHIRE ----------	3	-	1	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	15	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	28	1	1	-	-	-	-	1	-	-	-	1
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	16	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	2	-	2	1	3	3	-	-	-	-	-
WHITE------MALE----	1	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	2	2	3	1	5	4	4	2	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	4	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
OHIO ----------	25	2	-	1	-	-	-	-	2	-	2	2
WHITE------MALE----	11	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	8	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	6	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	25	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
OHIO ----------	1	1	-	2	3	1	3	-	4	1	-	-
WHITE------MALE----	1	1	-	-	2	1	1	-	2	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	1	1	1	1	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	-	1	2	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	2	1	4	4	5	6	1	-	-	-
WHITE------MALE----	-	-	-	1	1	1	1	3	-	-	-	-
FEMALE--	-	-	2	-	2	3	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	2	2	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	10	-	-	-	-	-	-	-	2	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	40	2	-	2	1	-	1	-	-	-	1	2
WHITE------MALE----	13	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	23	2	-	2	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	4	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	10	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
SOUTH DAKOTA ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	2	-	2	1	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	1	3	1	5	6	5	5	4	-	-	-
WHITE------MALE----	-	1	2	-	1	3	2	-	2	-	-	-
FEMALE--	-	-	1	1	3	3	2	5	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH ----------	-	-	-	1	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	2	3	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1305

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
WASHINGTON ----------	17	-	-	-	-	-	-	1	2	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
WASHINGTON ----------	2	2	1	-	-	2	2	3	1	-	-	-
WHITE------MALE----	-	1	1	-	-	-	1	2	1	-	-	-
FEMALE--	2	1	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	-	1	-	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	1	-	-	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1306

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
UNITED STATES -	11,144	32	54	53	31	40	38	39	82	101	162	219
WHITE------MALE----	5,217	13	20	20	15	12	18	16	36	50	81	97
FEMALE--	4,913	8	21	22	13	17	10	14	28	33	52	81
ALL OTHER--MALE----	485	6	10	5	2	7	6	8	11	8	13	19
FEMALE--	529	5	3	6	1	4	4	1	7	10	16	22
BLACK---MALE----	395	6	9	5	2	6	6	5	7	8	12	13
FEMALE--	467	4	2	6	1	3	4	-	6	9	15	19
ALABAMA ----------	207	-	-	2	-	1	2	-	1	5	3	3
WHITE------MALE----	101	-	-	-	-	-	1	-	1	4	2	1
FEMALE--	73	-	-	1	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
ALASKA ----------	19	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	176	1	-	-	-	-	1	-	-	2	2	4
WHITE------MALE----	92	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	75	1	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	114	1	-	1	-	2	1	-	-	3	1	-
WHITE------MALE----	57	-	-	1	-	1	-	-	-	3	1	-
FEMALE--	44	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	919	3	6	4	6	5	4	3	13	9	9	19
WHITE------MALE----	447	1	4	2	3	2	2	2	4	3	3	8
FEMALE--	385	-	2	2	3	2	2	1	6	4	5	5
ALL OTHER--MALE----	53	1	-	-	-	1	-	-	2	2	-	4
FEMALE--	34	1	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	20	1	-	-	-	1	-	-	-	2	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	-	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1306

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
UNITED STATES -	302	360	542	870	1,437	1,831	2,009	1,728	886	287	41	-
WHITE------MALE----	156	181	303	456	765	930	939	716	315	66	12	-
FEMALE--	102	134	168	304	550	758	944	914	523	192	25	-
ALL OTHER--MALE----	24	24	35	64	62	70	53	39	13	5	1	-
FEMALE--	20	21	36	46	60	73	73	59	35	24	3	-
BLACK---MALE----	19	21	28	56	52	55	40	31	9	5	-	-
FEMALE--	18	17	32	39	53	66	65	53	32	20	3	-
ALABAMA ----------	13	8	16	15	29	31	29	30	16	3	-	-
WHITE------MALE----	6	4	10	10	15	19	14	10	3	1	-	-
FEMALE--	6	1	4	1	9	10	13	15	10	1	-	-
ALL OTHER--MALE----	1	2	2	4	5	2	2	1	2	-	-	-
FEMALE--	-	1	-	-	-	-	-	4	1	1	-	-
BLACK---MALE----	1	2	2	4	5	2	2	1	2	-	-	-
FEMALE--	-	1	-	-	-	-	-	4	1	1	-	-
ALASKA ----------	2	-	1	2	5	3	1	3	-	-	1	-
WHITE------MALE----	1	-	-	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	2	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	7	8	11	30	27	41	20	13	1	1	-
WHITE------MALE----	5	4	6	4	13	17	23	9	4	-	1	-
FEMALE--	2	3	2	5	14	10	15	10	9	1	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ARKANSAS ----------	1	5	5	9	18	31	15	14	3	3	1	-
WHITE------MALE----	1	2	2	5	12	18	7	3	-	1	-	-
FEMALE--	-	3	1	3	5	11	7	8	3	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	1	-	-
CALIFORNIA ----------	25	24	44	70	126	136	171	145	73	23	1	-
WHITE------MALE----	12	13	24	38	72	65	80	72	31	5	1	-
FEMALE--	6	8	15	24	48	59	75	63	40	15	-	-
ALL OTHER--MALE----	4	3	4	6	4	8	9	4	1	-	-	-
FEMALE--	3	-	1	2	2	4	7	6	1	3	-	-
BLACK---MALE----	2	2	1	4	1	3	2	1	-	-	-	-
FEMALE--	2	-	-	1	2	2	5	5	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
COLORADO ----------	124	-	-	-	-	-	-	1	1	-	1	-
WHITE------MALE----	66	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	54	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	158	-	-	-	-	-	2	-	-	1	1	2
WHITE------MALE----	81	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	74	-	-	-	-	-	2	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	41	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	23	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	756	-	4	6	-	1	-	3	3	4	9	8
WHITE------MALE----	379	-	1	2	-	-	-	2	1	1	3	4
FEMALE--	327	-	3	2	-	-	-	-	-	2	3	2
ALL OTHER--MALE----	24	-	-	1	-	1	-	1	1	1	1	1
FEMALE--	26	-	-	1	-	-	-	-	1	-	2	1
BLACK---MALE----	22	-	-	1	-	1	-	-	1	1	1	1
FEMALE--	26	-	-	1	-	-	-	-	1	-	2	1
GEORGIA ----------	248	-	1	3	1	1	-	3	3	3	4	6
WHITE------MALE----	111	-	1	1	1	-	-	1	3	1	2	4
FEMALE--	93	-	-	1	-	-	-	2	-	-	1	2
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	28	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	16	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	28	-	-	1	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
COLORADO ----------	3	4	6	9	13	21	28	21	14	2	-	-
WHITE------MALE----	3	3	4	5	10	11	17	5	5	2	-	-
FEMALE--	-	1	2	3	3	7	11	16	9	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT ----------	6	1	9	14	23	22	30	24	18	4	1	-
WHITE------MALE----	2	1	7	8	12	9	17	16	6	-	-	-
FEMALE--	4	-	2	5	10	13	12	8	12	4	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE ----------	-	-	2	4	7	5	9	7	4	2	-	-
WHITE------MALE----	-	-	-	1	2	2	5	1	1	-	-	-
FEMALE--	-	-	2	2	4	1	4	6	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	2	-	-	-
DISTRICT OF COLUMBIA ---	2	1	-	3	3	4	3	2	1	2	1	-
WHITE------MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	3	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	-	1	1	1	1	-
BLACK---MALE----	-	-	-	-	2	2	3	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	-	1	1	1	1	-
FLORIDA ----------	18	23	29	50	111	132	161	114	61	14	5	-
WHITE------MALE----	9	9	17	29	61	72	86	51	25	5	1	-
FEMALE--	6	12	8	17	41	56	72	58	34	7	4	-
ALL OTHER--MALE----	1	-	2	2	5	3	-	4	-	-	-	-
FEMALE--	2	2	2	2	4	1	3	1	2	2	-	-
BLACK---MALE----	1	-	2	2	4	3	-	4	-	-	-	-
FEMALE--	2	2	2	2	4	1	3	1	2	2	-	-
GEORGIA ----------	13	13	13	22	34	50	35	21	17	5	-	-
WHITE------MALE----	6	6	6	17	17	19	13	7	4	2	-	-
FEMALE--	4	6	3	3	13	23	13	10	10	2	-	-
ALL OTHER--MALE----	1	-	-	1	1	4	3	2	-	1	-	-
FEMALE--	2	1	4	1	3	4	6	2	3	-	-	-
BLACK---MALE----	1	-	-	1	1	4	3	2	-	1	-	-
FEMALE--	2	1	4	1	3	4	6	2	3	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
HAWAII ----------	32	-	1	-	-	1	-	-	1	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	1	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	41	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	491	3	4	1	1	3	4	2	4	4	8	13
WHITE------MALE----	214	1	2	1	-	3	-	1	-	1	4	6
FEMALE--	223	-	1	-	1	-	1	-	2	2	2	1
ALL OTHER--MALE----	15	1	-	-	-	-	3	1	1	-	-	2
FEMALE--	39	1	1	-	-	-	-	-	1	1	2	4
BLACK---MALE----	15	1	-	-	-	-	3	1	1	-	-	2
FEMALE--	35	1	1	-	-	-	-	-	1	1	2	4
INDIANA ----------	240	1	1	2	1	1	1	-	2	3	4	3
WHITE------MALE----	101	1	1	1	-	-	1	-	-	1	1	2
FEMALE--	126	-	-	1	1	1	-	-	1	2	3	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	139	-	1	1	1	1	-	-	1	-	-	4
WHITE------MALE----	71	-	1	1	1	-	-	-	1	-	-	1
FEMALE--	68	-	-	-	-	1	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	109	-	2	-	-	-	-	-	2	1	-	1
WHITE------MALE----	59	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1308

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
HAWAII ----------	1	2	-	1	5	8	6	2	3	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	3	3	2	-	3	-	-	-
FEMALE--	-	2	-	-	2	3	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	3	2	3	8	7	8	5	1	-	-
WHITE------MALE----	1	-	2	1	2	5	4	5	1	-	-	-
FEMALE--	-	-	1	1	1	3	3	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	17	27	34	55	72	100	81	33	12	2	-
WHITE------MALE----	6	12	13	17	30	28	46	29	12	1	1	-
FEMALE--	3	4	8	12	17	38	52	47	20	11	1	-
ALL OTHER--MALE----	2	-	1	1	2	-	-	1	-	-	-	-
FEMALE--	-	1	5	4	6	6	2	4	1	-	-	-
BLACK---MALE----	2	-	1	1	2	-	-	1	-	-	-	-
FEMALE--	-	1	4	3	4	6	2	4	1	-	-	-
INDIANA ----------	3	7	9	25	31	41	38	37	20	10	-	-
WHITE------MALE----	2	3	6	13	19	14	16	11	7	2	-	-
FEMALE--	1	4	3	9	11	23	20	25	12	8	-	-
ALL OTHER--MALE----	-	-	-	3	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	1	-	-	-
IOWA ----------	1	2	3	8	12	16	31	36	11	8	2	-
WHITE------MALE----	-	2	2	5	5	11	12	20	5	3	1	-
FEMALE--	1	-	1	3	7	5	19	16	6	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	3	2	5	12	15	24	20	13	6	-	-
WHITE------MALE----	3	1	2	3	5	10	13	13	5	2	-	-
FEMALE--	-	-	-	2	7	4	10	6	8	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
KENTUCKY ----------	230	-	-	2	-	-	1	-	2	3	1	7
WHITE------MALE----	113	-	-	1	-	-	1	-	-	1	1	4
FEMALE--	104	-	-	1	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	-
LOUISIANA ----------	223	1	1	1	2	-	4	-	1	2	5	4
WHITE------MALE----	96	1	1	-	-	-	-	-	-	2	1	3
FEMALE--	70	-	-	-	1	-	-	-	-	-	2	-
ALL OTHER--MALE----	28	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	29	-	-	1	1	-	3	-	1	-	1	-
BLACK---MALE----	28	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	29	-	-	1	1	-	3	-	1	-	1	-
MAINE ----------	72	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	189	1	2	-	-	-	-	-	-	2	3	2
WHITE------MALE----	82	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	77	-	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	1	-	-	-	-	-	-	1	1	-
BLACK---MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	1	-	-	-	-	-	-	1	1	-
MASSACHUSETTS ----------	340	1	1	2	2	-	3	2	2	4	5	11
WHITE------MALE----	144	1	-	-	1	-	3	1	2	2	3	3
FEMALE--	184	-	1	2	1	-	-	1	-	2	2	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	441	1	1	-	3	2	-	1	3	4	8	6
WHITE------MALE----	217	1	-	-	1	1	-	1	2	2	5	4
FEMALE--	193	-	1	-	2	1	-	-	1	-	2	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
KENTUCKY ----------	3	8	12	19	40	40	29	46	11	6	-	-
WHITE------MALE----	2	5	6	11	30	21	12	14	2	2	-	-
FEMALE--	1	3	6	8	9	17	16	29	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	2	-	-	-
LOUISIANA ----------	7	7	16	25	34	35	32	30	11	4	1	-
WHITE------MALE----	2	5	7	10	12	16	18	14	4	-	-	-
FEMALE--	2	-	4	4	17	11	8	13	6	1	1	-
ALL OTHER--MALE----	1	2	4	6	4	3	2	1	-	2	-	-
FEMALE--	2	-	1	5	1	5	4	2	1	1	-	-
BLACK---MALE----	1	2	4	6	4	3	2	1	-	2	-	-
FEMALE--	2	-	1	5	1	5	4	2	1	1	-	-
MAINE ----------	1	2	2	7	10	12	15	14	6	2	-	-
WHITE------MALE----	1	1	1	4	7	9	9	9	1	-	-	-
FEMALE--	-	1	1	3	3	3	6	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	8	12	8	19	23	27	35	26	18	3	-	-
WHITE------MALE----	5	6	6	7	12	13	16	9	5	1	-	-
FEMALE--	1	5	-	8	7	11	15	13	11	2	-	-
ALL OTHER--MALE----	2	-	1	2	2	2	2	1	-	-	-	-
FEMALE--	-	1	1	2	2	1	2	3	2	-	-	-
BLACK---MALE----	2	-	1	2	2	2	2	1	-	-	-	-
FEMALE--	-	1	1	1	2	1	2	3	2	-	-	-
MASSACHUSETTS ----------	8	7	16	20	47	46	59	62	33	8	1	-
WHITE------MALE----	3	3	8	12	27	24	20	19	11	1	-	-
FEMALE--	5	4	4	6	20	22	36	42	22	7	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	1	1	-	-	-	-
MICHIGAN ----------	8	19	22	30	55	76	68	73	51	9	1	-
WHITE------MALE----	3	10	11	18	30	33	38	35	22	-	-	-
FEMALE--	4	8	9	10	20	34	28	36	27	8	1	-
ALL OTHER--MALE----	-	1	-	-	4	5	1	2	-	-	-	-
FEMALE--	1	-	2	2	1	4	1	-	2	1	-	-
BLACK---MALE----	-	1	-	-	4	5	1	2	-	-	-	-
FEMALE--	1	-	2	2	1	4	1	-	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
MINNESOTA ----------	242	3	2	-	-	-	-	1	-	-	7	3
WHITE------MALE----	112	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	122	-	2	-	-	-	-	-	-	-	4	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	71	-	2	-	-	-	-	2	1	1	1	1
WHITE------MALE----	22	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	32	-	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	11	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
MISSOURI ----------	270	2	-	-	-	-	1	2	2	4	2	8
WHITE------MALE----	145	1	-	-	-	-	1	1	1	1	2	1
FEMALE--	108	-	-	-	-	-	-	1	1	1	-	5
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
MONTANA ----------	59	-	-	-	-	-	-	-	1	-	2	1
WHITE------MALE----	33	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	57	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NEVADA ----------	64	-	-	1	-	-	1	-	1	1	3	4
WHITE------MALE----	35	-	-	-	-	-	1	-	-	1	3	2
FEMALE--	26	-	-	1	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
MINNESOTA ----------	9	4	6	27	21	41	45	42	25	5	1	-
WHITE------MALE----	4	1	3	11	13	24	19	17	13	1	-	-
FEMALE--	4	2	3	14	8	17	26	25	12	4	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	2	9	14	7	14	12	2	-	-	-
WHITE------MALE----	-	-	-	2	5	5	4	3	-	-	-	-
FEMALE--	3	-	2	4	6	1	8	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	2	3	1	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	2	3	1	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	-	-	-
MISSOURI ----------	4	4	15	18	31	39	49	51	19	18	1	-
WHITE------MALE----	3	4	10	11	25	25	30	18	5	6	-	-
FEMALE--	1	-	3	6	5	13	16	31	13	11	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	3	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	3	1	-	1	-	-
MONTANA ----------	-	1	4	5	8	11	9	11	5	-	1	-
WHITE------MALE----	-	1	2	4	5	6	5	6	2	-	-	-
FEMALE--	-	-	2	1	2	5	4	5	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	1	2	5	5	11	11	10	5	2	-	-
WHITE------MALE----	2	-	1	4	4	7	6	3	2	-	-	-
FEMALE--	1	-	1	1	1	4	5	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	2	3	10	8	8	6	9	4	1	-	-
WHITE------MALE----	1	1	3	7	5	5	1	3	2	-	-	-
FEMALE--	-	1	-	3	2	2	5	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1311

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
NEW HAMPSHIRE ----------	58	-	1	-	-	1	-	-	1	-	-	1
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	1	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	454	-	2	5	-	-	3	-	3	4	15	7
WHITE------MALE----	187	-	2	3	-	-	2	-	1	2	7	3
FEMALE--	225	-	-	1	-	-	1	-	1	1	4	4
ALL OTHER--MALE----	17	-	-	1	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	15	-	-	1	-	-	-	-	1	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	3	-
NEW MEXICO ----------	70	-	-	1	-	-	-	-	1	-	-	1
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	754	2	6	6	3	5	4	3	9	4	12	22
WHITE------MALE----	350	1	-	2	1	1	2	-	5	2	5	9
FEMALE--	329	1	2	3	1	1	1	1	2	2	4	7
ALL OTHER--MALE----	30	-	3	-	1	1	-	2	1	-	3	2
FEMALE--	45	-	1	1	-	2	1	-	1	-	-	4
BLACK---MALE----	25	-	3	-	1	1	-	-	-	-	3	1
FEMALE--	42	-	-	1	-	2	1	-	1	-	-	4
NORTH CAROLINA ---------	292	2	3	3	1	1	-	4	3	4	6	7
WHITE------MALE----	124	-	2	3	1	-	-	3	-	3	4	3
FEMALE--	111	1	-	-	-	1	-	-	3	1	2	3
ALL OTHER--MALE----	31	1	1	-	-	-	-	1	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	1	1	-	-	-	-	1	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	42	-	-	-	-	-	-	-	1	-	2	-
WHITE------MALE----	22	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
NEW HAMPSHIRE ----------	2	2	2	4	7	9	9	9	5	4	1	-
WHITE------MALE----	1	2	2	2	6	4	4	3	1	1	-	-
FEMALE--	1	-	-	2	1	5	5	6	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	12	17	24	34	60	72	75	70	38	12	1	-
WHITE------MALE----	9	8	11	13	29	35	22	27	11	2	-	-
FEMALE--	3	6	10	14	25	32	52	37	25	8	1	-
ALL OTHER--MALE----	-	2	2	3	2	2	-	3	-	-	-	-
FEMALE--	-	1	1	4	4	3	1	3	2	2	-	-
BLACK---MALE----	-	-	2	3	2	2	-	3	-	-	-	-
FEMALE--	-	1	1	3	4	2	-	3	2	2	-	-
NEW MEXICO ----------	2	4	2	6	7	11	20	7	4	4	-	-
WHITE------MALE----	2	1	1	5	5	5	13	2	1	-	-	-
FEMALE--	-	2	1	1	2	6	7	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	21	29	44	47	80	124	138	125	50	19	1	-
WHITE------MALE----	12	14	26	26	41	65	62	54	17	5	-	-
FEMALE--	4	12	11	16	30	55	68	66	27	14	1	-
ALL OTHER--MALE----	2	1	4	3	3	1	3	-	-	-	-	-
FEMALE--	3	2	3	2	6	3	5	5	6	-	-	-
BLACK---MALE----	2	1	4	2	3	1	3	-	-	-	-	-
FEMALE--	3	2	3	2	6	3	5	4	5	-	-	-
NORTH CAROLINA ---------	4	11	16	20	36	50	50	42	24	4	1	-
WHITE------MALE----	4	6	9	9	19	17	16	17	7	1	-	-
FEMALE--	-	-	3	5	8	21	28	19	15	1	-	-
ALL OTHER--MALE----	-	4	2	5	5	3	5	3	-	-	-	-
FEMALE--	-	1	2	1	4	9	1	3	2	2	1	-
BLACK---MALE----	-	4	2	5	5	3	4	3	-	-	-	-
FEMALE--	-	1	1	1	4	9	1	3	2	2	1	-
NORTH DAKOTA ----------	1	-	1	1	4	7	5	11	5	4	-	-
WHITE------MALE----	1	-	1	-	2	2	3	7	3	-	-	-
FEMALE--	-	-	-	1	2	5	2	4	2	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
OHIO ----------	521	1	3	2	3	6	1	3	2	9	7	12
WHITE------MALE----	257	1	1	-	1	2	1	1	2	7	4	9
FEMALE--	223	-	1	1	2	3	-	2	-	1	2	2
ALL OTHER--MALE----	22	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	21	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	1
OKLAHOMA ----------	129	-	-	-	-	1	-	3	-	-	-	4
WHITE------MALE----	51	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	69	-	-	-	-	-	-	2	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
OREGON ----------	173	1	-	1	2	-	-	-	-	3	2	3
WHITE------MALE----	75	1	-	-	2	-	-	-	-	2	1	1
FEMALE--	96	-	-	1	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	676	3	-	2	3	3	2	1	3	7	8	8
WHITE------MALE----	317	2	-	-	2	1	1	1	2	3	3	5
FEMALE--	320	1	-	2	-	2	1	-	1	2	4	2
ALL OTHER--MALE----	15	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	15	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND ----------	40	1	1	-	-	-	-	-	-	-	1	2
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	127	-	-	1	-	-	-	1	1	1	1	2
WHITE------MALE----	52	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	23	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	23	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
OHIO ----------	13	20	27	47	71	80	84	72	45	10	3	-
WHITE------MALE----	7	8	14	24	36	49	41	28	17	2	2	-
FEMALE--	6	10	9	16	31	29	37	39	25	6	1	-
ALL OTHER--MALE----	-	1	3	5	2	1	3	2	1	1	-	-
FEMALE--	-	1	1	2	2	1	3	3	2	1	-	-
BLACK---MALE----	-	1	2	5	2	1	3	2	1	1	-	-
FEMALE--	-	1	1	2	2	1	3	3	2	1	-	-
OKLAHOMA ----------	3	9	6	9	13	18	20	22	15	4	2	-
WHITE------MALE----	2	5	1	5	5	9	9	8	4	-	1	-
FEMALE--	1	4	5	2	6	8	10	13	11	4	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON ----------	5	5	8	12	22	25	30	34	14	4	2	-
WHITE------MALE----	4	1	3	9	13	13	14	6	5	-	-	-
FEMALE--	1	4	4	3	9	12	16	27	9	4	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	17	13	33	52	81	127	138	104	50	20	1	-
WHITE------MALE----	8	5	20	28	33	74	64	41	19	5	-	-
FEMALE--	8	8	9	21	43	46	66	61	30	12	1	-
ALL OTHER--MALE----	-	-	2	2	2	2	2	1	-	1	-	-
FEMALE--	1	-	2	1	3	5	6	1	1	2	-	-
BLACK---MALE----	-	-	2	2	2	2	2	1	-	1	-	-
FEMALE--	1	-	2	1	3	5	6	1	1	2	-	-
RHODE ISLAND ----------	-	-	2	2	7	10	6	7	1	-	-	-
WHITE------MALE----	-	-	1	1	3	6	4	4	-	-	-	-
FEMALE--	-	-	1	1	4	4	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA ---------	4	2	8	14	19	31	22	12	7	-	1	-
WHITE------MALE----	-	1	4	6	7	18	7	6	1	-	-	-
FEMALE--	2	1	1	4	9	6	7	2	5	-	-	-
ALL OTHER--MALE----	2	-	-	3	2	4	-	-	-	-	-	-
FEMALE--	-	-	3	1	1	3	8	4	1	-	1	-
BLACK---MALE----	2	-	-	3	2	3	-	-	-	-	-	-
FEMALE--	-	-	3	1	1	3	8	4	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
SOUTH DAKOTA ----------	28	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	209	-	1	1	-	-	-	1	3	1	3	5
WHITE------MALE----	93	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	98	-	-	1	-	-	-	1	-	1	-	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
TEXAS ----------	544	1	3	3	-	1	1	2	4	4	6	11
WHITE------MALE----	237	1	1	1	-	-	1	1	1	2	3	5
FEMALE--	254	-	2	1	-	1	-	-	2	2	1	5
ALL OTHER--MALE----	26	-	-	1	-	-	-	1	1	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	23	-	-	1	-	-	-	1	1	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
UTAH ----------	84	-	-	-	-	-	1	-	1	-	5	4
WHITE------MALE----	47	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	33	-	-	-	-	-	1	-	-	-	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	28	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	251	2	1	1	1	-	-	1	1	3	5	7
WHITE------MALE----	101	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	100	2	-	-	1	-	-	-	1	1	1	3
ALL OTHER--MALE----	24	-	1	1	-	-	-	1	-	-	2	2
FEMALE--	26	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	22	-	1	1	-	-	-	1	-	-	2	2
FEMALE--	24	-	-	-	-	-	-	-	-	2	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
SOUTH DAKOTA ----------	-	1	1	2	4	4	5	6	2	2	-	-
WHITE------MALE----	-	-	-	1	2	4	3	3	1	-	-	-
FEMALE--	-	1	1	-	2	-	2	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	10	11	27	20	34	40	27	17	1	1	-
WHITE------MALE----	2	4	6	13	13	16	19	9	6	-	1	-
FEMALE--	3	5	5	9	7	15	19	17	11	-	-	-
ALL OTHER--MALE----	1	1	-	5	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	1	1	-	5	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
TEXAS ----------	20	18	29	33	85	85	105	72	39	20	2	-
WHITE------MALE----	8	8	13	9	39	45	46	29	17	5	2	-
FEMALE--	8	6	12	21	35	33	52	41	19	13	-	-
ALL OTHER--MALE----	2	4	1	2	4	5	1	-	3	-	-	-
FEMALE--	2	-	3	1	7	2	6	2	-	2	-	-
BLACK---MALE----	2	4	1	2	4	3	-	-	3	-	-	-
FEMALE--	2	-	3	1	7	2	6	2	-	2	-	-
UTAH ----------	3	5	6	8	4	14	17	9	4	3	-	-
WHITE------MALE----	1	3	5	3	3	8	10	5	2	2	-	-
FEMALE--	1	2	1	4	1	6	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	2	3	2	5	6	5	2	-	1	-	-
WHITE------MALE----	1	2	2	2	-	2	5	-	-	-	-	-
FEMALE--	-	-	1	-	5	4	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	10	5	22	30	47	42	35	20	6	-	-
WHITE------MALE----	4	5	4	11	11	21	18	14	10	1	-	-
FEMALE--	5	1	-	5	15	16	18	18	9	4	-	-
ALL OTHER--MALE----	2	1	1	4	1	4	3	1	-	-	-	-
FEMALE--	1	3	-	2	3	6	3	2	1	1	-	-
BLACK---MALE----	2	1	-	3	1	4	3	1	-	-	-	-
FEMALE--	1	3	-	2	3	5	3	2	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
WASHINGTON ----------	185	-	1	-	1	-	1	-	-	1	2	5
WHITE------MALE----	90	-	-	-	1	-	1	-	-	1	-	3
FEMALE--	91	-	1	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	90	-	-	-	-	2	-	-	-	-	-	2
WHITE------MALE----	42	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	276	1	3	1	-	1	-	-	2	2	5	3
WHITE------MALE----	152	-	1	1	-	-	-	-	-	1	4	1
FEMALE--	114	1	1	-	-	1	-	-	1	1	1	1
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
WASHINGTON ----------	2	5	9	19	15	27	39	34	15	7	2	-
WHITE------MALE----	1	3	6	12	10	12	16	20	3	1	-	-
FEMALE--	1	2	3	7	5	14	22	13	12	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	1	5	9	9	22	18	9	7	2	-	-
WHITE------MALE----	2	-	2	5	5	13	7	3	2	2	-	-
FEMALE--	2	1	3	4	4	8	10	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
WISCONSIN ----------	3	12	14	19	42	49	38	47	26	6	2	-
WHITE------MALE----	2	8	12	10	28	24	22	24	9	4	1	-
FEMALE--	1	3	1	7	13	24	16	22	17	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
WYOMING ----------	1	-	1	3	3	4	2	1	3	-	-	-
WHITE------MALE----	1	-	1	2	3	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	3	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-