TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2215

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified disorders of circulatory system (I83-I99)												
UNITED STATES -	1,400	19	-	-	-	2	6	2	8	19	43	67
WHITE------MALE----	556	6	-	-	-	1	1	1	4	9	24	26
FEMALE--	626	8	-	-	-	-	4	1	1	5	6	23
ALL OTHER--MALE----	124	4	-	-	-	1	-	-	-	3	13	14
FEMALE--	94	1	-	-	-	-	1	-	3	2	-	4
BLACK---MALE----	99	3	-	-	-	-	-	-	-	3	11	14
FEMALE--	81	1	-	-	-	-	1	-	2	1	-	4
ALABAMA ----------	30	-	-	-	-	-	1	-	-	-	1	4
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	24	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	31	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	136	2	-	-	-	-	2	-	-	1	5	7
WHITE------MALE----	60	-	-	-	-	-	1	-	-	1	3	1
FEMALE--	58	1	-	-	-	-	1	-	-	-	-	4
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
UNITED STATES -	60	68	87	106	135	184	228	185	127	43	11	-
WHITE------MALE----	31	39	48	48	58	77	83	65	26	5	4	-
FEMALE--	13	21	21	33	58	79	121	100	91	35	6	-
ALL OTHER--MALE----	13	4	7	13	10	16	12	9	5	-	-	-
FEMALE--	3	4	11	12	9	12	12	11	5	3	1	-
BLACK---MALE----	11	2	6	10	7	13	9	6	4	-	-	-
FEMALE--	3	4	10	9	7	11	8	11	5	3	1	-
ALABAMA ----------	1	1	2	1	2	5	4	2	5	1	-	-
WHITE------MALE----	1	-	-	1	1	1	2	2	1	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	1	-	-	-	-	-
ALASKA ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	4	-	-	2	2	7	4	3	-	-	-
WHITE------MALE----	1	3	-	-	1	2	2	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	4	3	-	4	4	7	3	1	3	-	-
WHITE------MALE----	1	2	2	-	3	1	1	1	-	1	-	-
FEMALE--	-	2	1	-	1	3	4	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	3	4	10	9	12	19	22	23	13	2	2	-
WHITE------MALE----	-	3	8	4	8	9	8	8	4	-	2	-
FEMALE--	3	1	1	4	2	7	11	14	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	2	2	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified disorders of circulatory system (I83-I99)												
COLORADO ----------	8	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	22	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DELAWARE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	98	3	-	-	-	-	-	-	-	2	2	4
WHITE------MALE----	42	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	46	3	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	48	-	-	-	-	-	-	-	1	1	3	2
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
COLORADO ----------	1	-	-	-	-	2	-	2	-	1	-	-
WHITE------MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	-	-	1	2	8	2	6	-	-	-
WHITE------MALE----	-	-	-	-	1	-	4	-	1	-	-	-
FEMALE--	-	1	-	-	-	2	4	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	1	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	6	7	5	7	14	11	18	7	4	4	-
WHITE------MALE----	1	2	4	2	3	8	6	8	2	-	1	-
FEMALE--	2	2	2	2	3	6	5	9	3	4	3	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	2	-	-	-
GEORGIA ----------	4	2	2	7	6	7	3	5	4	1	-	-
WHITE------MALE----	1	1	1	3	4	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	5	1	3	2	1	-	-
ALL OTHER--MALE----	2	-	-	3	-	2	-	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	2	-	-	3	-	2	-	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified disorders of circulatory system (I83-I99)												
HAWAII ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	47	1	-	-	-	-	1	1	-	1	2	2
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	20	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
INDIANA ----------	34	-	-	-	-	-	-	-	-	2	2	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	13	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
HAWAII ----------	-	1	1	2	1	1	2	3	3	-	-	-
WHITE------MALE----	-	1	1	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	3	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	3	3	3	4	8	6	4	5	-	-	-
WHITE------MALE----	2	2	1	3	2	1	2	3	1	-	-	-
FEMALE--	-	1	2	-	2	5	2	1	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
INDIANA ----------	1	3	2	1	5	4	7	3	1	2	-	-
WHITE------MALE----	1	2	-	1	1	1	3	2	-	-	-	-
FEMALE--	-	1	1	-	2	3	4	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	1	1	4	4	2	3	-	-	-
WHITE------MALE----	-	-	1	1	-	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS ----------	-	1	4	-	1	2	1	-	2	-	1	-
WHITE------MALE----	-	1	2	-	1	1	-	-	-	-	1	-
FEMALE--	-	-	1	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified disorders of circulatory system (I83-I99)												
KENTUCKY ----------	21	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	16	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	19	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	61	-	-	-	-	-	-	-	-	1	2	3
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	56	-	-	-	-	-	-	-	-	1	1	5
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified disorders of circulatory system (I83-I99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	3	2	1	-	1	2	5	3	1	1	-	-
WHITE------MALE----	2	1	1	-	1	1	2	2	-	-	-	-
FEMALE--	1	1	-	-	-	1	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	2	3	2	2	2	-	-	-
WHITE------MALE----	-	-	-	-	1	3	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MAINE ----------	-	-	1	1	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	3	4	1	1	4	2	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	-	-	-	-
MASSACHUSETTS ----------	1	3	5	5	9	6	9	6	8	3	-	-
WHITE------MALE----	1	3	3	4	5	1	2	4	2	-	-	-
FEMALE--	-	-	-	1	4	5	7	2	5	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	5	8	4	11	5	6	6	2	-	-
WHITE------MALE----	1	-	3	5	-	5	1	2	3	-	-	-
FEMALE--	-	-	2	1	3	4	4	4	3	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	1	-	-

All other and unspecified disorders of circulatory system (I83-I99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA ----------	21	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	19	1	-	-	-	-	1	-	-	1	-	1
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
MISSOURI ----------	30	1	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	15	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	10	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
MINNESOTA ----------	-	1	-	-	1	2	3	7	4	1	-	-
WHITE------MALE----	-	-	-	-	-	1	2	2	3	1	-	-
FEMALE--	-	1	-	-	1	1	1	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	2	2	4	1	-	3	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	-	3	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
MISSOURI ----------	-	4	2	1	4	-	8	4	1	2	-	-
WHITE------MALE----	-	4	1	-	2	-	4	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	4	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	1	-	2	-	4	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	1	-	1	2	1	-	1	-	-	-
WHITE------MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified disorders of circulatory system (I83-I99)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	20	-	-	-	-	-	-	-	-	-	3	3
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	15	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	66	2	-	-	-	-	-	-	2	2	3	3
WHITE------MALE----	18	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	10	2	-	-	-	-	-	-	-	-	3	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	41	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	4	2	3	3	2	-	-	-	-
WHITE------MALE----	-	-	-	1	1	3	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	2	1	-	1	1	5	2	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	4	3	9	9	4	7	8	4	2	-	-
WHITE------MALE----	1	-	3	2	2	-	2	4	-	-	-	-
FEMALE--	1	2	-	3	6	4	5	4	4	2	-	-
ALL OTHER--MALE----	2	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	3	1	1	2	1	11	6	7	5	1	-	-
WHITE------MALE----	1	-	-	2	1	7	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	5	3	4	1	-	-
ALL OTHER--MALE----	2	1	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
BLACK---MALE----	2	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified disorders of circulatory system (I83-I99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
OHIO ----------	44	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	23	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	91	2	-	-	-	-	-	-	-	2	2	2
WHITE------MALE----	39	2	-	-	-	-	-	-	-	1	2	-
FEMALE--	46	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	21	-	-	-	-	1	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
OHIO ----------	2	4	2	3	3	9	9	4	5	1	-	-
WHITE------MALE----	1	3	2	2	-	2	7	1	-	1	-	-
FEMALE--	1	1	-	1	2	6	-	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
OKLAHOMA ----------	-	2	1	2	2	2	6	4	2	2	-	-
WHITE------MALE----	-	2	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	2	2	2	2	6	3	4	1	-	-
WHITE------MALE----	-	-	-	2	1	2	1	1	1	-	-	-
FEMALE--	-	-	2	-	1	-	5	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	3	3	8	7	12	21	16	3	4	-	-
WHITE------MALE----	4	-	1	2	4	6	9	5	1	2	-	-
FEMALE--	1	3	2	3	3	5	12	11	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	2	4	2	3	2	3	1	1	-	-	-
WHITE------MALE----	-	1	2	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified disorders of circulatory system (I83-I99)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	45	2	-	-	-	-	-	-	-	2	1	2
WHITE------MALE----	15	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	22	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
TEXAS ----------	75	1	-	-	-	-	-	-	1	-	2	4
WHITE------MALE----	32	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
UTAH ----------	8	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	44	1	-	-	-	-	-	-	2	-	2	-
WHITE------MALE----	12	1	-	-	-	-	-	-	1	-	2	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
SOUTH DAKOTA ----------	-	1	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	2	2	2	7	4	8	6	4	1	-	-
WHITE------MALE----	-	2	1	2	2	1	2	1	-	-	-	-
FEMALE--	2	-	1	-	5	1	5	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
TEXAS ----------	3	5	3	11	10	5	11	12	5	2	-	-
WHITE------MALE----	2	4	2	5	4	3	5	3	-	-	-	-
FEMALE--	1	1	1	4	5	-	6	7	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-
UTAH ----------	-	-	-	-	1	1	4	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	2	-	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	2	3	5	5	11	4	5	1	1	1	-
WHITE------MALE----	1	1	-	-	1	4	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	4	3	3	-	1	1	-
ALL OTHER--MALE----	-	1	1	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	1	1	-	-	-
BLACK---MALE----	-	1	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	1	1	-	-	-

All other and unspecified disorders of circulatory system (I83-I99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
WASHINGTON ----------	12	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	28	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
WASHINGTON ----------	1	-	-	-	3	1	3	-	-	1	2	-
WHITE------MALE----	1	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	2	1	1	2	-	4	3	1	3	-	-	-
WHITE------MALE----	2	1	1	-	-	4	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	1	1	2	2	6	3	5	2	1	-
WHITE------MALE----	-	-	1	-	-	1	3	2	1	-	-	-
FEMALE--	1	-	-	1	1	1	3	1	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2224

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
UNITED STATES -	229,863	687	315	138	191	252	289	412	596	1,060	1,653	2,541
WHITE------MALE----	100,060	224	91	49	74	100	103	135	210	389	578	1,023
FEMALE--	108,611	172	100	46	45	79	80	112	179	343	541	816
ALL OTHER--MALE----	11,213	156	81	27	43	40	63	78	103	169	290	384
FEMALE--	9,979	135	43	16	29	33	43	87	104	159	244	318
BLACK---MALE----	9,286	137	64	25	41	36	57	72	95	151	256	353
FEMALE--	8,497	115	36	13	26	27	40	82	95	149	229	289
ALABAMA ----------	4,345	10	5	4	1	5	10	6	6	17	41	60
WHITE------MALE----	1,818	4	-	1	-	2	-	-	2	4	14	23
FEMALE--	1,827	2	2	1	-	1	2	-	1	6	11	16
ALL OTHER--MALE----	368	4	3	-	-	1	3	1	1	5	7	13
FEMALE--	332	-	-	2	1	1	5	5	2	2	9	8
BLACK---MALE----	366	4	3	-	-	1	3	1	1	5	7	13
FEMALE--	328	-	-	2	1	1	5	5	2	2	9	8
ALASKA ----------	230	2	1	-	1	1	1	2	1	3	4	5
WHITE------MALE----	91	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	76	1	1	-	-	-	-	-	1	2	2	-
ALL OTHER--MALE----	28	1	-	-	1	-	-	-	-	1	-	2
FEMALE--	35	-	-	-	-	1	-	2	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
ARIZONA ----------	4,491	28	5	4	3	4	6	5	13	26	35	61
WHITE------MALE----	2,175	13	2	3	3	1	3	2	7	11	12	29
FEMALE--	2,100	9	2	-	-	2	1	-	3	9	13	24
ALL OTHER--MALE----	113	3	1	-	-	1	2	2	2	2	9	5
FEMALE--	103	3	-	1	-	-	-	1	1	4	1	3
BLACK---MALE----	45	2	1	-	-	-	-	-	-	2	1	2
FEMALE--	29	3	-	1	-	-	-	-	-	-	-	1
ARKANSAS ----------	2,575	11	2	4	3	1	5	2	4	5	18	28
WHITE------MALE----	1,171	5	-	1	2	-	1	1	2	2	4	17
FEMALE--	1,184	2	1	1	1	-	2	1	1	1	10	6
ALL OTHER--MALE----	114	3	-	1	-	1	-	-	1	1	3	3
FEMALE--	106	1	1	1	-	-	2	-	-	1	1	2
BLACK---MALE----	113	3	-	1	-	1	-	-	1	1	3	3
FEMALE--	106	1	1	1	-	-	2	-	-	1	1	2
CALIFORNIA ----------	20,193	71	42	11	12	20	25	43	38	96	118	235
WHITE------MALE----	8,197	27	14	3	5	6	6	15	17	36	39	82
FEMALE--	9,726	21	12	4	5	5	13	12	12	31	46	96
ALL OTHER--MALE----	1,243	8	12	2	2	3	6	10	8	16	18	27
FEMALE--	1,027	15	4	2	-	6	-	6	1	13	15	30
BLACK---MALE----	586	4	4	2	2	2	5	6	6	10	14	19
FEMALE--	544	9	2	-	-	3	-	4	1	11	12	22

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2224

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
UNITED STATES -	3,799	6,467	10,379	17,666	29,311	39,486	42,627	37,537	23,220	9,097	2,134	6
WHITE------MALE----	1,600	2,862	4,883	8,643	14,482	19,042	19,564	15,441	7,716	2,420	428	3
FEMALE--	1,445	2,605	4,185	7,193	12,155	17,334	20,206	19,592	13,907	5,976	1,498	2
ALL OTHER--MALE----	428	559	761	1,064	1,555	1,771	1,526	1,180	661	227	46	1
FEMALE--	326	441	550	766	1,119	1,339	1,331	1,324	936	474	162	-
BLACK---MALE----	385	495	665	915	1,292	1,438	1,186	914	488	180	40	1
FEMALE--	291	397	466	651	940	1,119	1,083	1,114	802	398	135	-
ALABAMA ----------	96	149	232	382	554	753	749	658	392	167	48	-
WHITE------MALE----	40	58	112	207	292	351	317	236	118	28	9	-
FEMALE--	35	74	79	120	184	306	339	330	200	99	19	-
ALL OTHER--MALE----	12	10	28	32	48	58	50	44	35	10	3	-
FEMALE--	9	7	13	23	30	38	43	48	39	30	17	-
BLACK---MALE----	12	10	28	32	48	57	50	43	35	10	3	-
FEMALE--	9	7	13	22	30	38	43	46	39	29	17	-
ALASKA ----------	5	12	15	19	34	36	36	29	18	4	1	-
WHITE------MALE----	2	6	7	8	19	14	18	9	4	-	-	-
FEMALE--	1	3	3	6	10	10	7	15	11	2	1	-
ALL OTHER--MALE----	1	2	1	2	1	6	6	2	1	1	-	-
FEMALE--	1	1	4	3	4	6	5	3	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA ----------	83	124	201	374	596	825	832	718	411	109	27	1
WHITE------MALE----	39	67	98	195	322	432	403	339	154	34	5	1
FEMALE--	35	43	88	168	257	367	404	348	237	69	21	-
ALL OTHER--MALE----	4	11	4	6	9	17	13	10	9	2	1	-
FEMALE--	5	3	11	5	8	9	12	21	11	4	-	-
BLACK---MALE----	-	7	2	1	6	8	7	3	3	-	-	-
FEMALE--	2	2	2	2	3	2	3	5	2	1	-	-
ARKANSAS ----------	46	88	112	199	345	434	496	395	260	98	19	-
WHITE------MALE----	22	43	58	97	167	220	239	177	84	26	3	-
FEMALE--	17	35	44	86	148	182	222	192	154	65	13	-
ALL OTHER--MALE----	5	5	6	13	11	20	20	9	10	2	-	-
FEMALE--	2	5	4	3	19	12	15	17	12	5	3	-
BLACK---MALE----	5	5	6	13	11	19	20	9	10	2	-	-
FEMALE--	2	5	4	3	19	12	15	17	12	5	3	-
CALIFORNIA ----------	337	585	904	1,543	2,616	3,606	3,865	3,167	1,897	772	188	2
WHITE------MALE----	142	260	400	694	1,161	1,588	1,581	1,218	622	232	49	-
FEMALE--	136	235	384	650	1,137	1,647	1,875	1,689	1,115	479	121	1
ALL OTHER--MALE----	31	50	68	108	171	225	229	136	86	24	2	1
FEMALE--	28	40	52	91	147	146	180	124	74	37	16	-
BLACK---MALE----	24	31	49	58	77	98	95	47	21	11	-	1
FEMALE--	20	23	34	52	84	78	84	51	34	15	5	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
COLORADO ----------	3,245	7	11	1	5	4	2	6	11	17	22	49
WHITE------MALE----	1,541	2	5	-	4	1	1	-	3	6	3	18
FEMALE--	1,595	2	2	-	1	3	-	4	7	10	13	22
ALL OTHER--MALE----	53	2	1	1	-	-	-	-	1	1	1	3
FEMALE--	56	1	3	-	-	-	1	2	-	-	5	6
BLACK---MALE----	33	1	-	1	-	-	-	-	1	1	1	2
FEMALE--	43	1	2	-	-	-	1	2	-	-	4	3
CONNECTICUT ----------	3,004	2	3	4	-	4	3	3	3	12	20	32
WHITE------MALE----	1,244	-	1	1	-	2	2	2	1	6	7	11
FEMALE--	1,625	1	2	2	-	1	1	1	2	1	7	15
ALL OTHER--MALE----	59	-	-	1	-	1	-	-	-	2	3	4
FEMALE--	76	1	-	-	-	-	-	-	-	3	3	2
BLACK---MALE----	52	-	-	1	-	1	-	-	-	1	3	4
FEMALE--	70	1	-	-	-	-	-	-	-	3	3	2
DELAWARE ----------	631	2	1	2	-	-	2	2	1	2	3	5
WHITE------MALE----	270	-	-	1	-	-	1	-	1	-	-	1
FEMALE--	295	-	-	1	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	42	2	-	-	-	-	1	1	-	-	1	2
FEMALE--	24	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	40	2	-	-	-	-	1	1	-	-	1	2
FEMALE--	23	-	1	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ---	373	-	1	1	-	-	1	1	3	2	7	9
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	139	-	1	1	-	-	-	1	1	1	4	1
FEMALE--	124	-	-	-	-	-	1	-	2	1	3	7
BLACK---MALE----	136	-	1	1	-	-	-	1	1	1	4	1
FEMALE--	122	-	-	-	-	-	1	-	2	1	3	7
FLORIDA ----------	15,190	32	7	3	6	14	15	19	19	55	90	121
WHITE------MALE----	6,896	4	1	-	1	4	3	3	7	24	29	52
FEMALE--	7,302	6	-	1	2	6	5	7	5	15	30	43
ALL OTHER--MALE----	580	10	3	2	1	3	5	1	4	7	20	19
FEMALE--	412	12	3	-	2	1	2	8	3	9	11	7
BLACK---MALE----	565	10	3	2	1	3	5	1	4	7	19	19
FEMALE--	392	11	2	-	2	1	2	8	3	9	11	7
GEORGIA ----------	6,163	23	15	4	10	6	7	18	26	45	78	104
WHITE------MALE----	2,463	1	5	-	3	2	1	2	3	8	24	33
FEMALE--	2,619	7	3	1	3	2	2	4	8	12	23	33
ALL OTHER--MALE----	585	7	6	3	4	2	3	3	9	12	19	26
FEMALE--	496	8	1	-	-	-	1	9	6	13	12	12
BLACK---MALE----	570	7	6	3	4	2	3	3	9	11	18	25
FEMALE--	485	7	1	-	-	-	1	9	6	13	12	12

X. Diseases of the respiratory system (J00-J98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
COLORADO ----------	63	72	161	283	408	596	535	527	308	129	28	-
WHITE------MALE----	27	31	69	160	219	310	274	232	120	50	6	-
FEMALE--	25	38	85	115	176	266	258	289	179	78	22	-
ALL OTHER--MALE----	3	1	3	5	9	11	2	6	3	-	-	-
FEMALE--	8	2	4	3	4	9	1	-	6	1	-	-
BLACK---MALE----	3	1	1	4	7	3	1	5	1	-	-	-
FEMALE--	8	1	4	3	3	5	-	-	6	-	-	-
CONNECTICUT ----------	31	52	80	151	332	452	623	587	401	168	41	-
WHITE------MALE----	14	23	47	71	152	214	277	239	116	44	14	-
FEMALE--	13	25	28	69	160	222	326	330	275	118	26	-
ALL OTHER--MALE----	2	2	-	9	6	9	7	8	5	-	-	-
FEMALE--	2	2	5	2	14	7	13	10	5	6	1	-
BLACK---MALE----	2	2	-	9	5	9	6	4	5	-	-	-
FEMALE--	2	2	5	1	12	6	13	10	5	4	1	-
DELAWARE ----------	8	13	33	53	103	111	115	89	56	27	3	-
WHITE------MALE----	4	7	16	27	44	54	57	38	14	5	-	-
FEMALE--	3	4	14	23	47	46	48	44	38	19	3	-
ALL OTHER--MALE----	1	-	3	3	9	8	6	2	1	2	-	-
FEMALE--	-	2	-	-	3	3	4	5	3	1	-	-
BLACK---MALE----	1	-	3	3	8	7	6	2	1	2	-	-
FEMALE--	-	2	-	-	3	2	4	5	3	1	-	-
DISTRICT OF COLUMBIA ---	13	14	20	18	45	68	52	66	27	18	7	-
WHITE------MALE----	-	1	2	1	4	13	10	7	2	2	-	-
FEMALE--	-	1	1	1	3	12	7	18	9	10	5	-
ALL OTHER--MALE----	9	5	11	13	22	26	19	17	5	2	-	-
FEMALE--	4	7	6	3	16	17	16	24	11	4	2	-
BLACK---MALE----	9	5	11	13	22	26	19	15	4	2	-	-
FEMALE--	4	7	5	3	16	17	15	24	11	4	2	-
FLORIDA ----------	224	379	696	1,121	1,983	2,702	3,004	2,520	1,506	538	135	1
WHITE------MALE----	95	187	311	564	968	1,355	1,400	1,113	572	174	29	-
FEMALE--	84	135	309	458	883	1,197	1,481	1,320	883	338	93	1
ALL OTHER--MALE----	29	40	50	56	86	92	74	43	21	11	3	-
FEMALE--	16	17	26	43	46	58	49	44	30	15	10	-
BLACK---MALE----	29	39	49	55	81	90	72	41	21	11	3	-
FEMALE--	16	16	24	41	43	56	45	43	27	15	10	-
GEORGIA ----------	134	237	366	553	840	1,058	1,018	896	503	181	41	-
WHITE------MALE----	50	91	162	270	397	478	426	319	140	37	11	-
FEMALE--	46	76	126	191	314	444	464	447	288	107	18	-
ALL OTHER--MALE----	21	37	48	66	80	73	66	59	27	9	5	-
FEMALE--	17	33	30	26	49	63	62	71	48	28	7	-
BLACK---MALE----	21	37	46	65	79	70	63	59	26	8	5	-
FEMALE--	17	33	30	26	46	60	60	71	48	26	7	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
HAWAII ----------	720	7	1	-	-	-	2	2	2	3	6	8
WHITE------MALE----	106	-	-	-	-	-	2	1	-	-	-	2
FEMALE--	107	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	319	4	1	-	-	-	-	-	1	2	5	3
FEMALE--	188	3	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	4	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1,031	1	-	-	1	-	1	2	1	3	8	6
WHITE------MALE----	507	-	-	-	1	-	1	1	1	2	5	4
FEMALE--	512	1	-	-	-	-	-	1	-	1	3	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	10,238	35	13	11	9	21	16	27	41	62	95	142
WHITE------MALE----	4,211	9	1	5	5	8	5	8	9	14	26	52
FEMALE--	4,770	8	7	2	2	5	3	5	4	16	16	25
ALL OTHER--MALE----	635	8	2	2	-	6	5	10	10	17	22	34
FEMALE--	622	10	3	2	2	2	3	4	18	15	31	31
BLACK---MALE----	582	8	2	2	-	5	5	10	9	17	22	34
FEMALE--	592	9	3	2	2	2	3	4	18	15	31	30
INDIANA ----------	5,384	24	6	8	7	8	5	7	19	33	39	56
WHITE------MALE----	2,395	10	3	2	5	4	2	3	10	15	18	31
FEMALE--	2,686	6	2	4	1	2	1	-	6	13	15	20
ALL OTHER--MALE----	163	6	-	1	1	2	2	2	1	3	1	3
FEMALE--	140	2	1	1	-	-	-	2	2	2	5	2
BLACK---MALE----	156	6	-	1	1	2	2	2	1	3	1	3
FEMALE--	136	2	1	1	-	-	-	2	2	2	5	2
IOWA ----------	3,216	3	2	-	1	3	4	5	6	6	12	18
WHITE------MALE----	1,550	2	1	-	-	1	2	2	5	1	5	12
FEMALE--	1,629	1	-	-	1	2	2	1	-	4	6	6
ALL OTHER--MALE----	15	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	1	1	1	-
BLACK---MALE----	12	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	1	1	1	1	-
KANSAS ----------	2,531	2	3	-	2	3	3	5	2	10	14	25
WHITE------MALE----	1,242	-	1	-	2	1	2	2	1	5	9	17
FEMALE--	1,197	-	2	-	-	1	-	2	1	2	4	6
ALL OTHER--MALE----	51	2	-	-	-	-	-	1	-	1	-	1
FEMALE--	41	-	-	-	-	1	1	-	-	2	1	1
BLACK---MALE----	43	1	-	-	-	-	-	1	-	1	-	1
FEMALE--	33	-	-	-	-	1	-	-	-	2	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
HAWAII ----------	9	14	18	46	88	114	147	114	86	44	9	-
WHITE------MALE----	1	3	4	9	19	12	26	9	13	4	1	-
FEMALE--	-	3	3	5	12	18	25	20	9	9	1	-
ALL OTHER--MALE----	3	6	9	19	39	49	68	52	43	15	-	-
FEMALE--	5	2	2	13	18	35	28	33	21	16	7	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO ----------	14	24	43	69	131	183	215	170	113	39	7	-
WHITE------MALE----	9	8	21	40	72	92	121	78	38	11	2	-
FEMALE--	5	16	22	28	58	88	94	88	72	28	5	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	1	-	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ILLINOIS ----------	171	289	447	736	1,230	1,700	1,890	1,723	1,062	412	106	-
WHITE------MALE----	66	123	197	332	582	771	875	674	339	89	21	-
FEMALE--	55	100	173	309	503	758	869	912	630	295	73	-
ALL OTHER--MALE----	33	36	46	51	79	99	72	60	32	9	2	-
FEMALE--	17	30	31	44	66	72	74	77	61	19	10	-
BLACK---MALE----	33	35	44	48	68	88	63	51	28	9	1	-
FEMALE--	16	30	27	41	62	69	69	75	59	16	9	-
INDIANA ----------	103	169	251	484	711	928	941	833	517	193	42	-
WHITE------MALE----	46	70	120	239	360	427	447	344	180	49	10	-
FEMALE--	43	84	120	203	313	458	464	458	315	127	31	-
ALL OTHER--MALE----	6	11	3	27	24	28	10	14	12	5	1	-
FEMALE--	8	4	8	15	14	15	20	17	10	12	-	-
BLACK---MALE----	6	11	2	27	24	25	9	13	11	5	1	-
FEMALE--	7	4	8	14	14	15	20	15	10	12	-	-
IOWA ----------	37	62	113	224	347	512	619	610	410	170	52	-
WHITE------MALE----	18	31	58	117	216	276	325	298	136	37	7	-
FEMALE--	18	30	52	103	128	232	290	303	274	132	44	-
ALL OTHER--MALE----	1	-	2	1	2	2	2	3	-	-	-	-
FEMALE--	-	1	1	3	1	2	2	6	-	1	1	-
BLACK---MALE----	1	-	1	1	2	1	2	2	-	-	-	-
FEMALE--	-	1	1	1	-	2	2	6	-	1	1	-
KANSAS ----------	47	69	112	187	299	413	470	423	297	115	30	-
WHITE------MALE----	26	40	50	100	167	225	246	207	96	38	7	-
FEMALE--	13	28	54	82	122	176	209	207	192	74	22	-
ALL OTHER--MALE----	2	1	6	4	5	9	8	6	4	-	1	-
FEMALE--	6	-	2	1	5	3	7	3	5	3	-	-
BLACK---MALE----	1	1	3	3	4	9	8	6	3	-	1	-
FEMALE--	4	-	2	1	4	3	5	1	5	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
KENTUCKY ----------	4,308	16	-	3	4	4	7	4	12	10	34	45
WHITE------MALE----	2,049	12	-	3	2	1	2	-	4	5	16	21
FEMALE--	2,033	2	-	-	2	2	2	1	6	3	14	19
ALL OTHER--MALE----	114	1	-	-	-	-	1	2	-	1	3	2
FEMALE--	112	1	-	-	-	1	2	1	2	1	1	3
BLACK---MALE----	112	1	-	-	-	-	1	2	-	1	3	1
FEMALE--	112	1	-	-	-	1	2	1	2	1	1	3
LOUISIANA ----------	3,260	14	12	1	3	4	5	7	13	21	43	38
WHITE------MALE----	1,159	4	1	-	-	-	-	1	2	8	10	13
FEMALE--	1,371	4	-	1	1	1	2	2	4	3	12	7
ALL OTHER--MALE----	400	6	8	-	1	1	3	2	4	6	12	11
FEMALE--	330	-	3	-	1	2	-	2	3	4	9	7
BLACK---MALE----	398	6	8	-	1	1	3	2	4	6	12	11
FEMALE--	326	-	3	-	1	2	-	2	3	4	9	7
MAINE ----------	1,277	1	2	-	-	1	-	1	-	3	3	9
WHITE------MALE----	605	-	2	-	-	-	-	-	-	2	2	7
FEMALE--	666	1	-	-	-	1	-	1	-	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3,913	19	3	3	6	5	5	11	17	28	33	57
WHITE------MALE----	1,493	2	-	2	2	1	1	2	7	5	7	20
FEMALE--	1,755	5	-	1	1	-	2	2	4	7	6	13
ALL OTHER--MALE----	334	9	2	-	1	3	2	2	3	9	11	12
FEMALE--	331	3	1	-	2	1	-	5	3	7	9	12
BLACK---MALE----	319	9	1	-	1	3	2	2	3	9	11	12
FEMALE--	315	3	1	-	2	1	-	5	3	7	9	11
MASSACHUSETTS ----------	6,199	9	3	4	3	11	2	5	12	17	28	38
WHITE------MALE----	2,642	6	2	2	1	7	-	3	3	8	13	14
FEMALE--	3,398	1	-	1	1	3	-	2	6	7	10	19
ALL OTHER--MALE----	78	1	-	1	-	1	1	-	1	1	3	2
FEMALE--	81	1	1	-	1	-	1	-	2	1	2	3
BLACK---MALE----	62	-	-	1	-	-	1	-	1	1	3	2
FEMALE--	71	1	-	-	1	-	-	-	2	1	2	3
MICHIGAN ----------	8,096	25	15	5	9	11	17	18	30	41	73	119
WHITE------MALE----	3,513	4	4	1	2	5	5	9	10	14	36	46
FEMALE--	3,714	8	9	2	1	3	-	3	9	13	20	38
ALL OTHER--MALE----	454	4	2	1	4	1	8	6	5	6	10	26
FEMALE--	415	9	-	1	2	2	4	-	6	8	7	9
BLACK---MALE----	421	4	2	1	4	1	7	6	5	6	10	26
FEMALE--	394	9	-	1	1	2	4	-	5	8	7	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2227

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
KENTUCKY ----------	71	159	272	421	581	725	735	629	397	142	37	-
WHITE------MALE----	35	83	147	220	309	375	368	282	125	33	6	-
FEMALE--	29	72	109	180	242	319	333	319	253	98	28	-
ALL OTHER--MALE----	5	2	8	10	14	21	19	14	7	4	-	-
FEMALE--	2	2	8	11	16	10	15	14	12	7	3	-
BLACK---MALE----	5	1	8	10	14	21	19	14	7	4	-	-
FEMALE--	2	2	8	11	16	10	15	14	12	7	3	-
LOUISIANA ----------	68	107	172	257	467	518	516	532	292	142	28	-
WHITE------MALE----	17	33	56	115	193	211	210	175	71	32	7	-
FEMALE--	20	44	59	86	189	218	213	242	167	81	15	-
ALL OTHER--MALE----	19	17	34	32	53	46	53	56	26	9	1	-
FEMALE--	12	13	23	24	32	43	40	59	28	20	5	-
BLACK---MALE----	19	17	34	32	53	45	53	55	26	9	1	-
FEMALE--	12	13	22	24	31	43	39	58	28	20	5	-
MAINE ----------	18	19	66	95	165	212	251	213	139	59	20	-
WHITE------MALE----	6	12	44	47	95	116	123	82	52	11	4	-
FEMALE--	12	7	21	47	68	95	128	131	87	47	16	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	71	98	165	293	486	685	712	609	400	167	40	-
WHITE------MALE----	22	34	66	125	237	289	298	213	119	33	8	-
FEMALE--	26	35	60	110	174	282	336	322	236	112	21	-
ALL OTHER--MALE----	14	13	22	30	42	64	37	36	16	4	2	-
FEMALE--	9	16	17	28	33	50	41	38	29	18	9	-
BLACK---MALE----	13	13	20	29	38	62	36	34	15	4	2	-
FEMALE--	9	16	15	27	31	46	39	38	27	16	9	-
MASSACHUSETTS ----------	85	122	191	390	667	941	1,262	1,134	799	384	92	-
WHITE------MALE----	38	63	95	201	338	463	579	459	232	98	17	-
FEMALE--	41	55	87	175	306	461	655	657	554	283	74	-
ALL OTHER--MALE----	4	1	4	7	13	10	17	6	5	-	-	-
FEMALE--	2	3	5	7	10	7	11	12	8	3	1	-
BLACK---MALE----	4	1	3	6	11	8	13	3	4	-	-	-
FEMALE--	1	3	4	6	10	6	10	10	7	3	1	-
MICHIGAN ----------	151	258	335	616	1,033	1,445	1,520	1,264	749	306	56	-
WHITE------MALE----	51	93	149	274	510	695	714	559	240	88	4	-
FEMALE--	53	105	133	263	426	631	699	611	448	196	43	-
ALL OTHER--MALE----	24	29	29	43	59	51	62	48	22	10	4	-
FEMALE--	23	31	24	36	38	68	45	46	39	12	5	-
BLACK---MALE----	23	25	26	39	50	49	59	45	21	8	4	-
FEMALE--	23	30	24	32	32	66	42	45	38	11	5	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
MINNESOTA ----------	3,707	3	4	4	2	6	5	5	9	7	13	30
WHITE------MALE----	1,807	-	1	-	1	5	2	1	6	2	7	13
FEMALE--	1,818	3	2	2	1	-	3	2	2	3	5	13
ALL OTHER--MALE----	47	-	1	2	-	1	-	1	-	-	-	3
FEMALE--	35	-	-	-	-	-	-	1	1	2	1	1
BLACK---MALE----	21	-	-	1	-	1	-	1	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	1	1	1	-	1
MISSISSIPPI ----------	2,556	11	5	1	3	4	1	14	10	15	33	39
WHITE------MALE----	961	2	1	1	-	2	-	2	4	5	8	11
FEMALE--	994	2	-	-	1	1	-	4	1	4	7	7
ALL OTHER--MALE----	325	3	2	-	1	-	1	2	2	5	10	11
FEMALE--	276	4	2	-	1	1	-	6	3	1	8	10
BLACK---MALE----	323	3	2	-	1	-	1	2	2	5	10	11
FEMALE--	272	4	2	-	1	1	-	6	3	1	8	10
MISSOURI ----------	5,762	12	1	4	3	3	4	10	18	27	48	50
WHITE------MALE----	2,521	2	1	1	-	1	2	2	7	12	13	19
FEMALE--	2,826	4	-	2	1	-	-	3	7	12	17	19
ALL OTHER--MALE----	221	6	-	-	1	1	2	5	3	2	9	6
FEMALE--	194	-	-	1	1	1	-	-	1	1	9	6
BLACK---MALE----	211	6	-	-	1	1	2	5	3	2	8	6
FEMALE--	186	-	-	1	1	1	-	-	1	1	9	6
MONTANA ----------	979	2	5	1	1	-	-	2	3	4	8	6
WHITE------MALE----	460	1	2	1	1	-	-	1	1	3	2	2
FEMALE--	477	-	2	-	-	-	-	1	-	1	3	3
ALL OTHER--MALE----	22	1	1	-	-	-	-	-	-	-	2	1
FEMALE--	20	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1,758	5	4	2	3	3	2	3	3	6	7	11
WHITE------MALE----	851	-	3	-	1	2	2	2	1	2	4	7
FEMALE--	870	3	1	2	1	1	-	1	1	3	3	2
ALL OTHER--MALE----	18	2	-	-	1	-	-	-	-	-	-	2
FEMALE--	19	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	14	1	-	-	1	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	-
NEVADA ----------	1,582	10	3	1	1	4	3	1	2	9	11	22
WHITE------MALE----	743	6	2	1	-	3	2	-	1	1	5	12
FEMALE--	747	3	-	-	-	-	-	1	-	4	5	6
ALL OTHER--MALE----	52	1	1	-	-	1	1	-	1	2	1	3
FEMALE--	40	-	-	-	1	-	-	-	-	2	-	1
BLACK---MALE----	39	1	1	-	-	1	1	-	1	2	1	3
FEMALE--	27	-	-	-	1	-	-	-	-	2	-	1

X. Diseases of the respiratory system (J00-J98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	31	84	146	235	389	613	705	716	447	197	56	-
WHITE------MALE----	14	39	71	120	220	339	368	343	179	63	13	-
FEMALE--	17	40	66	103	163	258	329	367	263	133	43	-
ALL OTHER--MALE----	-	3	5	7	3	9	3	5	3	1	-	-
FEMALE--	-	2	4	5	3	7	5	1	2	-	-	-
BLACK---MALE----	-	1	2	3	1	7	1	1	-	-	-	-
FEMALE--	-	-	-	3	1	2	-	1	2	-	-	-
MISSISSIPPI ----------	41	76	125	218	364	420	451	373	237	97	18	-
WHITE------MALE----	12	26	61	103	156	174	192	123	64	12	2	-
FEMALE--	13	31	37	69	131	165	176	165	118	52	10	-
ALL OTHER--MALE----	8	9	11	30	47	50	48	38	28	17	2	-
FEMALE--	8	10	16	16	30	31	35	47	27	16	4	-
BLACK---MALE----	8	9	11	30	47	49	48	38	28	16	2	-
FEMALE--	8	10	15	15	29	30	35	47	27	16	4	-
MISSOURI ----------	107	173	269	484	720	982	997	943	597	259	50	1
WHITE------MALE----	49	83	122	225	371	480	463	385	206	65	11	1
FEMALE--	45	77	126	221	294	436	484	508	358	179	33	-
ALL OTHER--MALE----	9	5	11	20	30	39	26	29	11	6	-	-
FEMALE--	4	8	10	18	25	27	24	21	22	9	6	-
BLACK---MALE----	9	5	11	19	28	39	24	27	10	5	-	-
FEMALE--	4	8	9	17	23	26	23	21	20	9	6	-
MONTANA ----------	18	19	57	72	114	174	201	137	115	35	5	-
WHITE------MALE----	7	9	35	35	57	83	95	70	46	8	1	-
FEMALE--	7	8	19	30	52	89	100	64	68	26	4	-
ALL OTHER--MALE----	2	-	1	2	4	1	3	3	-	1	-	-
FEMALE--	2	2	2	5	1	1	3	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA ----------	23	33	70	104	211	291	320	313	223	97	24	-
WHITE------MALE----	10	14	25	54	117	181	161	147	87	25	6	-
FEMALE--	12	16	37	50	91	107	155	163	133	70	18	-
ALL OTHER--MALE----	1	1	3	-	2	2	1	-	1	2	-	-
FEMALE--	-	2	5	-	1	1	3	3	2	-	-	-
BLACK---MALE----	1	1	3	-	1	2	-	-	1	2	-	-
FEMALE--	-	2	2	-	1	-	1	2	2	-	-	-
NEVADA ----------	37	52	109	177	249	291	283	181	95	32	8	1
WHITE------MALE----	18	29	51	94	134	138	123	76	37	9	-	1
FEMALE--	14	19	52	74	105	133	149	97	55	22	8	-
ALL OTHER--MALE----	2	1	6	6	3	12	6	4	1	-	-	-
FEMALE--	3	3	-	3	7	8	5	4	2	1	-	-
BLACK---MALE----	1	1	5	5	1	7	4	4	-	-	-	-
FEMALE--	1	2	-	3	3	5	5	2	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
NEW HAMPSHIRE ----------	948	2	2	-	-	1	2	2	1	3	6	8
WHITE------MALE----	448	-	2	-	-	1	2	1	1	2	2	3
FEMALE--	492	1	-	-	-	-	-	1	-	1	3	5
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6,474	20	15	2	6	5	9	11	23	43	43	73
WHITE------MALE----	2,658	4	5	2	1	2	3	4	5	15	14	25
FEMALE--	3,159	5	5	-	1	1	3	3	8	14	7	27
ALL OTHER--MALE----	346	8	2	-	4	-	1	3	7	8	11	10
FEMALE--	311	3	3	-	-	2	2	1	3	6	11	11
BLACK---MALE----	310	7	2	-	4	-	1	3	7	7	9	10
FEMALE--	288	3	3	-	-	2	2	1	3	6	11	10
NEW MEXICO ----------	1,466	4	3	1	1	-	1	3	7	6	9	18
WHITE------MALE----	729	2	-	-	-	-	-	2	5	-	3	9
FEMALE--	645	-	1	-	1	-	-	1	2	6	3	5
ALL OTHER--MALE----	49	-	2	1	-	-	-	-	-	-	1	1
FEMALE--	43	2	-	-	-	-	1	-	-	-	2	3
BLACK---MALE----	8	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	14,671	39	19	12	19	15	28	22	48	80	115	178
WHITE------MALE----	6,046	11	4	3	4	6	12	7	15	25	43	68
FEMALE--	6,962	7	5	4	4	6	9	9	12	26	35	50
ALL OTHER--MALE----	816	9	6	2	5	2	3	2	11	15	25	30
FEMALE--	847	12	4	3	6	1	4	4	10	14	12	30
BLACK---MALE----	677	8	6	2	5	2	2	2	11	15	24	29
FEMALE--	758	12	4	3	5	1	4	4	10	14	11	30
NORTH CAROLINA ---------	6,827	16	11	6	4	4	12	13	23	29	48	83
WHITE------MALE----	2,726	3	3	3	1	2	3	2	7	9	13	26
FEMALE--	3,076	6	4	1	-	1	4	3	8	9	11	22
ALL OTHER--MALE----	566	2	3	1	2	1	4	3	4	6	11	23
FEMALE--	459	5	1	1	1	-	1	5	4	5	13	12
BLACK---MALE----	529	1	3	1	1	1	4	3	4	6	11	23
FEMALE--	443	5	-	1	1	-	1	5	4	5	12	12
NORTH DAKOTA ----------	547	1	2	-	-	2	-	1	-	1	2	5
WHITE------MALE----	285	-	2	-	-	2	-	1	-	1	2	3
FEMALE--	245	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
NEW HAMPSHIRE ----------	18	19	44	77	132	180	160	151	99	33	8	-
WHITE------MALE----	8	11	22	43	69	95	76	69	30	10	1	-
FEMALE--	10	8	22	32	63	83	82	82	69	23	7	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW JERSEY ----------	95	140	246	446	777	1,110	1,224	1,153	706	268	59	-
WHITE------MALE----	41	55	100	215	370	509	537	452	229	56	14	-
FEMALE--	26	60	86	166	312	498	620	636	445	193	43	-
ALL OTHER--MALE----	15	15	34	31	56	58	39	26	11	6	1	-
FEMALE--	13	10	26	34	39	45	28	39	21	13	1	-
BLACK---MALE----	13	12	30	29	51	52	33	25	8	6	1	-
FEMALE--	12	10	23	33	36	40	25	34	20	13	1	-
NEW MEXICO ----------	27	47	64	130	188	246	271	241	147	40	12	-
WHITE------MALE----	10	23	36	72	102	124	149	118	56	14	4	-
FEMALE--	13	20	27	50	77	108	114	108	77	25	7	-
ALL OTHER--MALE----	3	2	1	4	8	12	2	7	5	-	-	-
FEMALE--	1	2	-	4	1	2	6	8	9	1	1	-
BLACK---MALE----	1	1	-	-	4	-	-	-	1	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
NEW YORK ----------	223	411	590	1,004	1,656	2,289	2,774	2,597	1,715	678	159	-
WHITE------MALE----	97	179	253	445	812	1,032	1,224	1,033	566	178	29	-
FEMALE--	72	139	216	399	662	1,032	1,343	1,361	1,019	436	116	-
ALL OTHER--MALE----	34	57	70	83	114	112	97	74	51	11	3	-
FEMALE--	20	36	51	77	68	113	110	129	79	53	11	-
BLACK---MALE----	33	50	56	70	95	88	70	58	39	9	3	-
FEMALE--	20	33	48	73	60	103	89	113	68	44	9	-
NORTH CAROLINA ---------	111	239	346	591	954	1,199	1,203	1,039	598	238	60	-
WHITE------MALE----	40	90	170	294	422	546	504	380	148	55	5	-
FEMALE--	35	95	125	218	386	498	561	535	366	144	44	-
ALL OTHER--MALE----	24	26	35	59	95	91	75	57	35	7	2	-
FEMALE--	12	28	16	20	51	64	63	67	49	32	9	-
BLACK---MALE----	23	25	31	54	90	85	72	50	32	7	2	-
FEMALE--	11	28	14	19	49	62	61	64	49	31	9	-
NORTH DAKOTA ----------	3	12	25	29	61	95	100	98	70	30	10	-
WHITE------MALE----	1	8	15	15	40	59	44	49	33	9	1	-
FEMALE--	2	3	9	12	20	29	56	47	36	21	9	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	1	6	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2230

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
OHIO ----------	10,432	25	8	2	4	15	13	12	20	43	64	115
WHITE------MALE----	4,607	7	1	2	3	4	5	1	7	19	21	42
FEMALE--	5,035	10	1	-	-	6	4	2	6	11	22	40
ALL OTHER--MALE----	418	6	5	-	1	3	1	3	3	7	8	15
FEMALE--	372	2	1	-	-	2	3	6	4	6	13	18
BLACK---MALE----	404	6	4	-	1	3	1	3	3	6	8	14
FEMALE--	362	2	1	-	-	2	3	6	3	6	13	18
OKLAHOMA ----------	3,393	14	6	1	3	4	2	4	10	18	17	32
WHITE------MALE----	1,466	4	3	-	1	3	1	1	3	8	5	16
FEMALE--	1,662	4	-	-	1	1	1	3	4	9	7	11
ALL OTHER--MALE----	133	2	3	-	-	-	-	-	1	1	3	3
FEMALE--	132	4	-	1	1	-	-	-	2	-	2	2
BLACK---MALE----	64	1	1	-	-	-	-	-	1	-	3	1
FEMALE--	70	3	-	-	1	-	-	-	1	-	2	1
OREGON ----------	2,893	3	1	1	2	1	2	5	2	7	17	26
WHITE------MALE----	1,372	1	-	-	1	-	-	1	2	1	5	12
FEMALE--	1,463	2	-	1	1	1	1	4	-	5	11	11
ALL OTHER--MALE----	34	-	1	-	-	-	1	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
PENNSYLVANIA ----------	12,211	28	14	5	5	7	10	21	21	54	71	107
WHITE------MALE----	5,620	10	4	2	2	4	7	10	7	28	28	44
FEMALE--	5,769	7	6	3	1	2	2	7	7	15	21	36
ALL OTHER--MALE----	396	7	2	-	1	-	-	1	4	7	10	19
FEMALE--	426	4	2	-	1	1	1	3	3	4	12	8
BLACK---MALE----	382	7	2	-	1	-	-	1	4	7	10	19
FEMALE--	408	4	2	-	1	1	1	3	2	4	12	7
RHODE ISLAND ----------	941	2	-	1	-	1	-	2	2	4	3	6
WHITE------MALE----	407	1	-	1	-	-	-	2	-	-	1	2
FEMALE--	507	-	-	-	-	-	-	-	2	3	1	2
ALL OTHER--MALE----	17	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3,329	11	2	-	2	5	6	12	7	20	32	53
WHITE------MALE----	1,351	2	-	-	1	2	1	3	2	6	9	21
FEMALE--	1,379	1	1	-	-	1	2	3	3	7	8	11
ALL OTHER--MALE----	325	5	-	-	1	1	2	2	1	2	8	12
FEMALE--	274	3	1	-	-	1	1	4	1	5	7	9
BLACK---MALE----	325	5	-	-	1	1	2	2	1	2	8	12
FEMALE--	270	3	1	-	-	1	1	4	1	4	7	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
OHIO ----------	162	276	487	819	1,495	1,803	1,964	1,617	1,023	389	76	-
WHITE------MALE----	81	125	240	393	742	903	889	662	333	109	18	-
FEMALE--	59	114	201	357	627	776	977	875	634	261	52	-
ALL OTHER--MALE----	11	25	26	44	61	70	58	40	21	6	4	-
FEMALE--	11	12	20	25	65	54	40	40	35	13	2	-
BLACK---MALE----	11	23	26	43	61	66	58	38	19	6	4	-
FEMALE--	11	12	17	25	65	51	40	39	33	13	2	-
OKLAHOMA ----------	51	101	164	259	439	604	606	547	343	140	28	-
WHITE------MALE----	28	37	71	122	218	292	265	221	123	35	9	-
FEMALE--	17	51	72	121	187	279	299	291	192	96	16	-
ALL OTHER--MALE----	2	6	14	10	21	16	19	20	9	2	1	-
FEMALE--	4	7	7	6	13	17	23	15	19	7	2	-
BLACK---MALE----	-	3	8	1	9	10	10	8	5	2	1	-
FEMALE--	2	3	2	2	6	7	14	8	12	5	1	-
OREGON ----------	49	82	125	206	404	547	560	442	276	109	26	-
WHITE------MALE----	25	38	59	103	214	285	291	174	116	39	5	-
FEMALE--	22	38	64	99	183	254	260	261	156	69	20	-
ALL OTHER--MALE----	2	5	2	3	3	6	3	4	1	1	-	-
FEMALE--	-	1	-	1	4	2	6	3	3	-	1	-
BLACK---MALE----	1	4	1	2	-	4	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	3	-	2	-	-	-
PENNSYLVANIA ----------	162	292	462	818	1,495	2,200	2,439	2,174	1,284	443	99	-
WHITE------MALE----	74	128	231	408	765	1,123	1,202	951	456	120	16	-
FEMALE--	60	116	182	331	618	959	1,125	1,136	765	293	77	-
ALL OTHER--MALE----	14	22	30	45	65	58	51	34	16	9	1	-
FEMALE--	14	26	19	34	47	60	61	53	47	21	5	-
BLACK---MALE----	13	22	29	44	64	57	48	32	13	8	1	-
FEMALE--	14	26	18	33	46	58	57	51	44	20	4	-
RHODE ISLAND ----------	8	19	27	62	112	173	182	172	112	38	15	-
WHITE------MALE----	4	7	15	32	54	90	93	65	30	9	1	-
FEMALE--	3	9	12	30	55	81	86	103	79	28	13	-
ALL OTHER--MALE----	1	2	-	-	1	2	3	1	1	1	-	-
FEMALE--	-	1	-	-	2	-	-	3	2	-	1	-
BLACK---MALE----	1	1	-	-	1	-	3	1	1	1	-	-
FEMALE--	-	-	-	-	2	-	-	2	2	-	1	-
SOUTH CAROLINA ----------	81	147	192	329	481	604	525	463	242	100	15	-
WHITE------MALE----	32	64	79	155	235	278	216	162	62	16	5	-
FEMALE--	26	50	66	116	173	238	219	239	142	67	6	-
ALL OTHER--MALE----	15	19	36	39	36	54	42	32	11	6	1	-
FEMALE--	8	14	11	19	37	34	48	30	27	11	3	-
BLACK---MALE----	15	19	36	39	36	54	42	32	11	6	1	-
FEMALE--	8	14	10	19	36	34	47	30	27	11	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2231

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
SOUTH DAKOTA ----------	678	1	-	-	1	1	-	-	2	2	4	11
WHITE------MALE----	339	-	-	-	-	-	-	-	2	2	1	9
FEMALE--	302	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	18	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5,321	13	12	1	7	6	6	10	11	20	46	65
WHITE------MALE----	2,454	4	2	1	4	3	3	6	5	7	19	29
FEMALE--	2,358	1	3	-	1	1	2	2	5	9	16	18
ALL OTHER--MALE----	251	5	4	-	2	1	1	1	1	1	7	6
FEMALE--	258	3	3	-	-	1	-	1	-	3	4	12
BLACK---MALE----	249	5	4	-	2	1	1	1	1	1	7	6
FEMALE--	252	2	3	-	-	1	-	1	-	3	3	11
TEXAS ----------	13,542	70	20	10	21	19	23	24	41	83	114	167
WHITE------MALE----	5,982	29	7	4	7	8	9	12	14	41	42	72
FEMALE--	6,414	21	12	3	7	9	8	4	13	23	49	57
ALL OTHER--MALE----	602	8	-	3	3	1	2	5	7	10	14	17
FEMALE--	544	12	1	-	4	1	4	3	7	9	9	21
BLACK---MALE----	556	8	-	3	3	1	2	5	7	9	12	17
FEMALE--	502	10	1	-	4	1	4	3	7	9	9	20
UTAH ----------	1,180	3	2	-	3	2	2	2	4	3	9	8
WHITE------MALE----	613	3	-	-	3	2	1	1	1	2	5	5
FEMALE--	541	-	2	-	-	-	1	1	3	1	3	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	529	-	-	-	-	1	1	-	1	2	3	5
WHITE------MALE----	234	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	293	-	-	-	-	1	-	-	-	2	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5,543	16	8	2	8	5	5	16	20	24	35	64
WHITE------MALE----	2,270	7	-	1	2	1	1	5	4	7	12	18
FEMALE--	2,511	1	4	-	1	2	2	2	7	7	10	20
ALL OTHER--MALE----	390	3	3	1	4	1	2	4	2	2	7	11
FEMALE--	372	5	1	-	1	1	-	5	7	8	6	15
BLACK---MALE----	370	3	3	1	4	1	2	4	2	2	7	11
FEMALE--	357	5	1	-	1	1	-	5	7	7	6	15

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
SOUTH DAKOTA ----------	7	8	18	33	68	98	135	127	98	49	15	-
WHITE------MALE----	2	4	11	22	40	61	63	70	31	15	6	-
FEMALE--	2	3	6	9	22	33	66	54	65	31	8	-
ALL OTHER--MALE----	3	-	-	1	4	2	3	-	1	1	-	-
FEMALE--	-	1	1	1	2	2	3	3	1	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	131	197	287	441	762	915	892	807	481	174	37	-
WHITE------MALE----	54	98	169	230	419	440	405	344	159	45	8	-
FEMALE--	59	76	96	174	279	384	416	401	276	114	25	-
ALL OTHER--MALE----	9	12	12	20	37	51	36	25	15	4	1	-
FEMALE--	9	11	10	17	27	40	35	37	31	11	3	-
BLACK---MALE----	9	11	12	20	37	51	35	25	15	4	1	-
FEMALE--	8	11	10	17	25	40	35	37	31	11	3	-
TEXAS ----------	243	423	672	1,118	1,749	2,345	2,360	2,129	1,299	504	108	-
WHITE------MALE----	99	200	314	566	862	1,169	1,080	844	444	142	17	-
FEMALE--	99	161	278	455	743	1,028	1,135	1,153	753	322	81	-
ALL OTHER--MALE----	18	44	39	53	85	87	76	68	42	17	3	-
FEMALE--	27	18	41	44	59	61	69	64	60	23	7	-
BLACK---MALE----	16	43	38	49	78	81	67	58	40	17	2	-
FEMALE--	26	17	41	40	51	52	62	60	55	23	7	-
UTAH ----------	20	34	69	92	157	184	202	213	119	40	12	-
WHITE------MALE----	14	15	42	52	80	108	104	109	43	22	1	-
FEMALE--	5	17	26	37	71	72	95	103	75	17	10	-
ALL OTHER--MALE----	1	1	-	2	2	2	1	1	-	-	-	-
FEMALE--	-	1	1	1	4	2	2	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	8	11	18	35	75	93	104	99	55	14	4	-
WHITE------MALE----	4	5	11	20	35	50	38	43	17	3	2	-
FEMALE--	4	6	7	14	40	42	66	56	38	11	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	87	170	243	468	736	984	1,017	874	525	190	46	-
WHITE------MALE----	31	71	115	226	339	445	452	311	157	59	6	-
FEMALE--	35	70	87	177	297	410	455	454	322	115	33	-
ALL OTHER--MALE----	12	14	18	36	61	70	57	57	20	5	-	-
FEMALE--	9	15	23	29	39	59	53	52	26	11	7	-
BLACK---MALE----	11	14	18	36	57	68	50	54	18	4	-	-
FEMALE--	9	15	22	28	36	59	48	49	25	11	7	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
WASHINGTON ----------	4,721	7	7	3	5	4	3	2	8	8	41	37
WHITE------MALE----	2,165	7	3	1	2	-	2	-	2	3	18	16
FEMALE--	2,342	-	3	2	1	2	-	2	3	4	17	15
ALL OTHER--MALE----	125	-	1	-	2	-	-	-	1	1	2	5
FEMALE--	89	-	-	-	-	2	1	-	2	-	4	1
BLACK---MALE----	52	-	1	-	2	-	-	-	1	1	-	4
FEMALE--	30	-	-	-	-	-	1	-	1	-	2	1
WEST VIRGINIA ----------	2,234	6	1	-	-	1	-	6	8	11	7	13
WHITE------MALE----	1,155	4	-	-	-	-	-	5	4	5	4	7
FEMALE--	1,017	1	1	-	-	1	-	1	4	5	2	4
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	27	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	27	1	-	-	-	-	-	-	-	-	1	1
WISCONSIN ----------	4,488	16	7	5	-	3	5	7	10	11	21	29
WHITE------MALE----	2,145	7	2	-	-	1	3	5	7	5	10	16
FEMALE--	2,188	1	2	4	-	1	-	1	1	1	7	8
ALL OTHER--MALE----	85	5	1	1	-	-	-	1	2	4	3	1
FEMALE--	70	3	2	-	-	1	2	-	-	1	1	4
BLACK---MALE----	71	5	1	1	-	-	-	1	1	2	3	1
FEMALE--	53	3	1	-	-	-	2	-	-	1	1	4
WYOMING ----------	538	3	-	-	1	-	-	1	2	3	2	10
WHITE------MALE----	264	2	-	-	1	-	-	1	1	2	-	6
FEMALE--	265	1	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
WASHINGTON ----------	73	117	204	365	583	820	931	756	515	187	45	-
WHITE------MALE----	26	54	102	196	280	393	450	356	200	41	13	-
FEMALE--	38	55	77	148	283	390	448	377	307	139	31	-
ALL OTHER--MALE----	7	4	16	12	15	21	19	13	1	4	1	-
FEMALE--	2	4	9	9	5	16	14	10	7	3	-	-
BLACK---MALE----	3	3	8	6	5	9	4	4	1	-	-	-
FEMALE--	1	1	2	2	2	5	6	3	2	1	-	-
WEST VIRGINIA ----------	40	50	120	193	333	414	419	332	191	67	22	-
WHITE------MALE----	22	24	69	108	186	232	230	159	74	19	3	-
FEMALE--	16	25	50	79	141	171	177	161	112	48	18	-
ALL OTHER--MALE----	1	-	1	5	4	7	9	4	1	-	1	-
FEMALE--	1	1	-	1	2	4	3	8	4	-	-	-
BLACK---MALE----	1	-	1	5	4	7	9	4	1	-	1	-
FEMALE--	1	1	-	1	2	4	3	8	4	-	-	-
WISCONSIN ----------	49	104	163	298	492	710	890	848	521	242	57	-
WHITE------MALE----	22	54	86	162	270	377	461	381	188	78	10	-
FEMALE--	20	40	72	116	197	316	414	451	328	161	47	-
ALL OTHER--MALE----	5	5	4	12	15	9	7	6	3	1	-	-
FEMALE--	2	5	1	8	10	8	8	10	2	2	-	-
BLACK---MALE----	3	4	3	11	14	7	6	4	3	1	-	-
FEMALE--	1	5	1	7	8	5	5	7	2	-	-	-
WYOMING ----------	9	16	32	49	54	85	109	89	47	23	3	-
WHITE------MALE----	5	5	19	20	30	55	55	37	15	9	1	-
FEMALE--	4	10	13	28	23	30	53	52	30	14	2	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2233

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
UNITED STATES -	212	10	15	3	2	2	-	4	7	8	6	7
WHITE------MALE----	74	3	8	1	1	1	-	3	3	5	6	3
FEMALE--	102	2	4	-	1	-	-	1	-	-	-	2
ALL OTHER--MALE----	24	3	3	2	-	1	-	-	3	1	-	2
FEMALE--	12	2	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	19	2	3	2	-	1	-	-	3	-	-	1
FEMALE--	11	2	-	-	-	-	-	-	1	2	-	-
ALABAMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	30	1	2	1	-	-	-	-	1	2	-	-
WHITE------MALE----	9	1	1	-	-	-	-	-	1	1	-	-
FEMALE--	17	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute upper respiratory infections (J00-J06)												
UNITED STATES -	7	4	8	5	10	16	26	28	21	15	8	-
WHITE------MALE----	2	2	2	3	4	8	10	7	1	1	-	-
FEMALE--	3	1	4	1	3	8	14	19	19	12	8	-
ALL OTHER--MALE----	-	-	2	1	1	-	1	2	1	1	-	-
FEMALE--	2	1	-	-	2	-	1	-	-	1	-	-
BLACK---MALE----	-	-	2	-	1	-	-	2	1	1	-	-
FEMALE--	1	1	-	-	2	-	1	-	-	1	-	-
ALABAMA ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	1	1	1	1	4	3	3	5	3	-	-
WHITE------MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	1	3	5	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
COLORADO ----------	4	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	10	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	4	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute upper respiratory infections (J00-J06)												
COLORADO ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	1	-	2	1	-	2	1	-	-	-	-
WHITE------MALE----	1	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
HAWAII ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	-	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	10	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2235

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute upper respiratory infections (J00-J06)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	1	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	1	1	1	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	2	-	1	4	-	1	1	-
WHITE--MALE	-	-	-	-	1	-	-	1	-	1	-	-
FEMALE	-	-	-	-	1	-	1	2	-	-	1	-
ALL OTHER--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	1	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
KENTUCKY ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	1	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	6	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute upper respiratory infections (J00-J06)												
KENTUCKY ----------	-	-	1	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	1	1	-	-	1	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
MINNESOTA ----------	7	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute upper respiratory infections (J00-J06)												
MINNESOTA	-	-	-	-	-	-	2	1	1	2	-	-
WHITE--MALE	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	1	-	-	1	1	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	1	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	8	-	1	-	-	-	-	-	2	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	13	-	-	-	1	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	7	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute upper respiratory infections (J00-J06)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	1	1	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	1	-	-	1	1	2	3	-	2	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	2	-	-	-	-	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2239

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
OHIO ----------	7	-	1	-	-	1	-	-	-	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	5	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute upper respiratory infections (J00-J06)												
OHIO ----------	-	-	-	-	-	-	-	2	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	1	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	1	-	1	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	10	-	-	-	1	-	-	-	1	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute upper respiratory infections (J00-J06)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	1	1	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	1	-	-	2	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2241

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
WASHINGTON ----------	6	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	1	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	3	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute upper respiratory infections (J00-J06)												
WASHINGTON ----------	-	-	-	-	-	2	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2242

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute pharyngitis and tonsillitis (J02-J03)												
UNITED STATES -	17	1	1	-	-	1	-	2	1	2	-	1
WHITE------MALE----	6	-	-	-	-	-	-	2	1	2	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute pharyngitis and tonsillitis (J02-J03)												
UNITED STATES -	-	-	1	-	-	2	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute pharyngitis and tonsillitis (J02-J03)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute pharyngitis and tonsillitis (J02-J03)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2244

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute pharyngitis and tonsillitis (J02-J03)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2244

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute pharyngitis and tonsillitis (J02-J03)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute pharyngitis and tonsillitis (J02-J03)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute pharyngitis and tonsillitis (J02-J03)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute pharyngitis and tonsillitis (J02-J03)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute pharyngitis and tonsillitis (J02-J03)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute pharyngitis and tonsillitis (J02-J03)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute pharyngitis and tonsillitis (J02-J03)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute pharyngitis and tonsillitis (J02-J03)												
OHIO ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute pharyngitis and tonsillitis (J02-J03)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute pharyngitis and tonsillitis (J02-J03)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute pharyngitis and tonsillitis (J02-J03)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2250

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute pharyngitis and tonsillitis (J02-J03)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute pharyngitis and tonsillitis (J02-J03)												
WASHINGTON ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2251

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute laryngitis and tracheitis (J04)												
UNITED STATES -	28	4	8	2	1	1	-	-	1	1	1	2
WHITE------MALE----	13	1	6	-	1	1	-	-	-	1	1	1
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	2	1	2	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	1	2	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	5	-	1	1	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute laryngitis and tracheitis (J04)												
UNITED STATES -	1	-	1	-	1	1	1	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute laryngitis and tracheitis (J04)												
COLORADO ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute laryngitis and tracheitis (J04)												
COLORADO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute laryngitis and tracheitis (J04)												
HAWAII ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute laryngitis and tracheitis (J04)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute laryngitis and tracheitis (J04)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute laryngitis and tracheitis (J04)												
KENTUCKY	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute laryngitis and tracheitis (J04)												
MINNESOTA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute laryngitis and tracheitis (J04)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute laryngitis and tracheitis (J04)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	-	-	1	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute laryngitis and tracheitis (J04)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute laryngitis and tracheitis (J04)												
OHIO ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute laryngitis and tracheitis (J04)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute laryngitis and tracheitis (J04)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute laryngitis and tracheitis (J04)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute laryngitis and tracheitis (J04)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute laryngitis and tracheitis (J04)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2260

Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	167	5	6	1	1	-	-	2	5	5	5	4
WHITE------MALE----	55	2	2	1	-	-	-	1	2	2	5	2
FEMALE--	87	2	2	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	15	1	2	-	-	-	-	-	2	1	-	2
FEMALE--	10	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	11	1	2	-	-	-	-	-	2	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	2	-	-
ALABAMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	24	1	1	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
UNITED STATES -	6	4	6	5	9	13	23	26	19	14	8	-
WHITE------MALE----	2	2	2	3	4	6	10	7	1	1	-	-
FEMALE--	2	1	2	1	2	7	11	19	17	11	8	-
ALL OTHER--MALE----	-	-	2	1	1	-	1	-	1	1	-	-
FEMALE--	2	1	-	-	2	-	1	-	-	1	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	1	1	-	-
FEMALE--	1	1	-	-	2	-	1	-	-	1	-	-
ALABAMA ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	1	1	1	1	4	3	3	5	2	-	-
WHITE------MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
COLORADO ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	9	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
COLORADO ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	1	-	2	1	-	2	-	-	-	-	-
WHITE------MALE----	1	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2262

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	8	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	1	-	1	3	-	1	1	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
KENTUCKY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	5	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
KENTUCKY ----------	-	-	1	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	1	1	-	-	1	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
MINNESOTA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
MINNESOTA ----------	-	-	-	-	-	-	2	1	1	2	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	1	-	-	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	8	-	1	-	-	-	-	-	2	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	6	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	1	1	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	1	-	-	1	1	2	3	-	2	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	2	-	-	-	-	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
OHIO ----------	5	-	1	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	5	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
OHIO ----------	-	-	-	-	-	-	-	2	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	1	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	1	-	1	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	7	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	1	-	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
WASHINGTON ----------	4	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
WASHINGTON ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2269

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
UNITED STATES -	229,651	677	300	135	189	250	289	408	589	1,052	1,647	2,534
WHITE------MALE----	99,986	221	83	48	73	99	103	132	207	384	572	1,020
FEMALE--	108,509	170	96	46	44	79	80	111	179	343	541	814
ALL OTHER--MALE----	11,189	153	78	25	43	39	63	78	100	168	290	382
FEMALE--	9,967	133	43	16	29	33	43	87	103	157	244	318
BLACK---MALE----	9,267	135	61	23	41	35	57	72	92	151	256	352
FEMALE--	8,486	113	36	13	26	27	40	82	94	147	229	289
ALABAMA ----------	4,343	10	5	4	1	5	10	6	6	17	41	60
WHITE------MALE----	1,817	4	-	1	-	2	-	-	2	4	14	23
FEMALE--	1,826	2	2	1	-	1	2	-	1	6	11	16
ALL OTHER--MALE----	368	4	3	-	-	1	3	1	1	5	7	13
FEMALE--	332	-	-	2	1	1	5	5	2	2	9	8
BLACK---MALE----	366	4	3	-	-	1	3	1	1	5	7	13
FEMALE--	328	-	-	2	1	1	5	5	2	2	9	8
ALASKA ----------	229	2	1	-	1	1	1	2	1	3	4	5
WHITE------MALE----	91	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	76	1	1	-	-	-	-	-	1	2	2	-
ALL OTHER--MALE----	28	1	-	-	1	-	-	-	-	1	-	2
FEMALE--	34	-	-	-	-	1	-	2	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
ARIZONA ----------	4,489	28	4	4	3	4	6	5	13	26	35	61
WHITE------MALE----	2,174	13	1	3	3	1	3	2	7	11	12	29
FEMALE--	2,099	9	2	-	-	2	1	-	3	9	13	24
ALL OTHER--MALE----	113	3	1	-	-	1	2	2	2	2	9	5
FEMALE--	103	3	-	1	-	-	-	1	1	4	1	3
BLACK---MALE----	45	2	1	-	-	-	-	-	-	2	1	2
FEMALE--	29	3	-	1	-	-	-	-	-	-	-	1
ARKANSAS ----------	2,570	10	2	4	3	1	5	1	4	5	18	28
WHITE------MALE----	1,169	5	-	1	2	-	1	-	2	2	4	17
FEMALE--	1,181	1	1	1	1	-	2	1	1	1	10	6
ALL OTHER--MALE----	114	3	-	1	-	1	-	-	1	1	3	3
FEMALE--	106	1	1	1	-	-	2	-	-	1	1	2
BLACK---MALE----	113	3	-	1	-	1	-	-	1	1	3	3
FEMALE--	106	1	1	1	-	-	2	-	-	1	1	2
CALIFORNIA ----------	20,163	70	40	10	12	20	25	43	37	94	118	235
WHITE------MALE----	8,188	26	13	3	5	6	6	15	16	35	39	82
FEMALE--	9,709	21	11	4	5	5	13	12	12	31	46	96
ALL OTHER--MALE----	1,239	8	12	1	2	3	6	10	8	15	18	27
FEMALE--	1,027	15	4	2	-	6	-	6	1	13	15	30
BLACK---MALE----	585	4	4	1	2	2	5	6	6	10	14	19
FEMALE--	544	9	2	-	-	3	-	4	1	11	12	22

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
UNITED STATES -	3,792	6,463	10,371	17,661	29,301	39,470	42,601	37,509	23,199	9,082	2,126	6
WHITE------MALE----	1,598	2,860	4,881	8,640	14,478	19,034	19,554	15,434	7,715	2,419	428	3
FEMALE--	1,442	2,604	4,181	7,192	12,152	17,326	20,192	19,573	13,888	5,964	1,490	2
ALL OTHER--MALE----	428	559	759	1,063	1,554	1,771	1,525	1,178	660	226	46	1
FEMALE--	324	440	550	766	1,117	1,339	1,330	1,324	936	473	162	-
BLACK---MALE----	385	495	663	915	1,291	1,438	1,186	912	487	179	40	1
FEMALE--	290	396	466	651	938	1,119	1,082	1,114	802	397	135	-
ALABAMA ----------	96	148	232	382	553	753	749	658	392	167	48	-
WHITE------MALE----	40	58	112	207	291	351	317	236	118	28	9	-
FEMALE--	35	73	79	120	184	306	339	330	200	99	19	-
ALL OTHER--MALE----	12	10	28	32	48	58	50	44	35	10	3	-
FEMALE--	9	7	13	23	30	38	43	48	39	30	17	-
BLACK---MALE----	12	10	28	32	48	57	50	43	35	10	3	-
FEMALE--	9	7	13	22	30	38	43	46	39	29	17	-
ALASKA ----------	4	12	15	19	34	36	36	29	18	4	1	-
WHITE------MALE----	2	6	7	8	19	14	18	9	4	-	-	-
FEMALE--	1	3	3	6	10	10	7	15	11	2	1	-
ALL OTHER--MALE----	1	2	1	2	1	6	6	2	1	1	-	-
FEMALE--	-	1	4	3	4	6	5	3	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA ----------	83	124	201	374	596	824	832	718	411	109	27	1
WHITE------MALE----	39	67	98	195	322	432	403	339	154	34	5	1
FEMALE--	35	43	88	168	257	366	404	348	237	69	21	-
ALL OTHER--MALE----	4	11	4	6	9	17	13	10	9	2	1	-
FEMALE--	5	3	11	5	8	9	12	21	11	4	-	-
BLACK---MALE----	-	7	2	1	6	8	7	3	3	-	-	-
FEMALE--	2	2	2	2	3	2	3	5	2	1	-	-
ARKANSAS ----------	46	88	111	199	345	433	496	394	260	98	19	-
WHITE------MALE----	22	43	58	97	167	220	239	176	84	26	3	-
FEMALE--	17	35	43	86	148	181	222	192	154	65	13	-
ALL OTHER--MALE----	5	5	6	13	11	20	20	9	10	2	-	-
FEMALE--	2	5	4	3	19	12	15	17	12	5	3	-
BLACK---MALE----	5	5	6	13	11	19	20	9	10	2	-	-
FEMALE--	2	5	4	3	19	12	15	17	12	5	3	-
CALIFORNIA ----------	336	584	903	1,542	2,615	3,602	3,862	3,164	1,892	769	188	2
WHITE------MALE----	142	259	399	694	1,160	1,587	1,580	1,218	622	232	49	-
FEMALE--	135	235	384	650	1,137	1,644	1,874	1,686	1,110	476	121	1
ALL OTHER--MALE----	31	50	68	107	171	225	228	136	86	24	2	1
FEMALE--	28	40	52	91	147	146	180	124	74	37	16	-
BLACK---MALE----	24	31	49	58	77	98	95	47	21	11	-	1
FEMALE--	20	23	34	52	84	78	84	51	34	15	5	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
COLORADO ----------	3,241	7	9	1	5	4	2	6	11	17	22	49
WHITE------MALE----	1,538	2	3	-	4	1	1	-	3	6	3	18
FEMALE--	1,594	2	2	-	1	3	-	4	7	10	13	22
ALL OTHER--MALE----	53	2	1	1	-	-	-	-	1	1	1	3
FEMALE--	56	1	3	-	-	-	1	2	-	-	5	6
BLACK---MALE----	33	1	-	1	-	-	-	-	1	1	1	2
FEMALE--	43	1	2	-	-	-	1	2	-	-	4	3
CONNECTICUT ----------	3,003	2	3	4	-	4	3	3	3	12	20	32
WHITE------MALE----	1,244	-	1	1	-	2	2	2	1	6	7	11
FEMALE--	1,624	1	2	2	-	1	1	1	2	1	7	15
ALL OTHER--MALE----	59	-	-	1	-	1	-	-	-	2	3	4
FEMALE--	76	1	-	-	-	-	-	-	-	3	3	2
BLACK---MALE----	52	-	-	1	-	1	-	-	-	1	3	4
FEMALE--	70	1	-	-	-	-	-	-	-	3	3	2
DELAWARE ----------	630	2	1	2	-	-	2	2	1	2	3	5
WHITE------MALE----	270	-	-	1	-	-	1	-	1	-	-	1
FEMALE--	295	-	-	1	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	42	2	-	-	-	-	1	1	-	-	1	2
FEMALE--	23	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	40	2	-	-	-	-	1	1	-	-	1	2
FEMALE--	22	-	1	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ---	373	-	1	1	-	-	1	1	3	2	7	9
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	139	-	1	1	-	-	-	1	1	1	4	1
FEMALE--	124	-	-	-	-	-	1	-	2	1	3	7
BLACK---MALE----	136	-	1	1	-	-	-	1	1	1	4	1
FEMALE--	122	-	-	-	-	-	1	-	2	1	3	7
FLORIDA ----------	15,180	32	7	3	6	14	15	19	18	55	90	121
WHITE------MALE----	6,891	4	1	-	1	4	3	3	7	24	29	52
FEMALE--	7,300	6	-	1	2	6	5	7	5	15	30	43
ALL OTHER--MALE----	578	10	3	2	1	3	5	1	3	7	20	19
FEMALE--	411	12	3	-	2	1	2	8	3	9	11	7
BLACK---MALE----	563	10	3	2	1	3	5	1	3	7	19	19
FEMALE--	391	11	2	-	2	1	2	8	3	9	11	7
GEORGIA ----------	6,159	23	14	4	10	6	7	18	25	45	78	104
WHITE------MALE----	2,462	1	5	-	3	2	1	2	3	8	24	33
FEMALE--	2,618	7	2	1	3	2	2	4	8	12	23	33
ALL OTHER--MALE----	583	7	6	3	4	2	3	3	8	12	19	26
FEMALE--	496	8	1	-	-	-	1	9	6	13	12	12
BLACK---MALE----	568	7	6	3	4	2	3	3	8	11	18	25
FEMALE--	485	7	1	-	-	-	1	9	6	13	12	12

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
COLORADO ----------	63	72	160	283	408	596	535	526	308	129	28	-
WHITE------MALE----	27	31	69	160	219	310	274	231	120	50	6	-
FEMALE--	25	38	84	115	176	266	258	289	179	78	22	-
ALL OTHER--MALE----	3	1	3	5	9	11	2	6	3	-	-	-
FEMALE--	8	2	4	3	4	9	1	-	6	1	-	-
BLACK---MALE----	3	1	1	4	7	3	1	5	1	-	-	-
FEMALE--	8	1	4	3	3	5	-	-	6	-	-	-
CONNECTICUT ----------	31	52	80	151	332	452	623	586	401	168	41	-
WHITE------MALE----	14	23	47	71	152	214	277	239	116	44	14	-
FEMALE--	13	25	28	69	160	222	326	329	275	118	26	-
ALL OTHER--MALE----	2	2	-	9	6	9	7	8	5	-	-	-
FEMALE--	2	2	5	2	14	7	13	10	5	6	1	-
BLACK---MALE----	2	2	-	9	5	9	6	4	5	-	-	-
FEMALE--	2	2	5	1	12	6	13	10	5	4	1	-
DELAWARE ----------	8	13	33	53	103	111	114	89	56	27	3	-
WHITE------MALE----	4	7	16	27	44	54	57	38	14	5	-	-
FEMALE--	3	4	14	23	47	46	48	44	38	19	3	-
ALL OTHER--MALE----	1	-	3	3	9	8	6	2	1	2	-	-
FEMALE--	-	2	-	-	3	3	3	5	3	1	-	-
BLACK---MALE----	1	-	3	3	8	7	6	2	1	2	-	-
FEMALE--	-	2	-	-	3	2	3	5	3	1	-	-
DISTRICT OF COLUMBIA ---	13	14	20	18	45	68	52	66	27	18	7	-
WHITE------MALE----	-	1	2	1	4	13	10	7	2	2	-	-
FEMALE--	-	1	1	1	3	12	7	18	9	10	5	-
ALL OTHER--MALE----	9	5	11	13	22	26	19	17	5	2	-	-
FEMALE--	4	7	6	3	16	17	16	24	11	4	2	-
BLACK---MALE----	9	5	11	13	22	26	19	15	4	2	-	-
FEMALE--	4	7	5	3	16	17	15	24	11	4	2	-
FLORIDA ----------	222	378	696	1,119	1,982	2,702	3,002	2,519	1,506	538	135	1
WHITE------MALE----	94	186	311	562	968	1,355	1,399	1,113	572	174	29	-
FEMALE--	83	135	309	458	883	1,197	1,480	1,320	883	338	93	1
ALL OTHER--MALE----	29	40	50	56	86	92	74	42	21	11	3	-
FEMALE--	16	17	26	43	45	58	49	44	30	15	10	-
BLACK---MALE----	29	39	49	55	81	90	72	40	21	11	3	-
FEMALE--	16	16	24	41	42	56	45	43	27	15	10	-
GEORGIA ----------	134	237	365	553	840	1,058	1,017	896	503	181	41	-
WHITE------MALE----	50	91	162	270	397	478	425	319	140	37	11	-
FEMALE--	46	76	126	191	314	444	464	447	288	107	18	-
ALL OTHER--MALE----	21	37	47	66	80	73	66	59	27	9	5	-
FEMALE--	17	33	30	26	49	63	62	71	48	28	7	-
BLACK---MALE----	21	37	45	65	79	70	63	59	26	8	5	-
FEMALE--	17	33	30	26	46	60	60	71	48	26	7	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
HAWAII ----------	719	6	1	-	-	-	2	2	2	3	6	8
WHITE------MALE----	106	-	-	-	-	-	2	1	-	-	-	2
FEMALE--	107	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	318	3	1	-	-	-	-	-	1	2	5	3
FEMALE--	188	3	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	4	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1,029	1	-	-	1	-	1	2	1	3	8	6
WHITE------MALE----	506	-	-	-	1	-	1	1	1	2	5	4
FEMALE--	511	1	-	-	-	-	-	1	-	1	3	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	10,232	35	12	11	9	20	16	26	41	62	95	142
WHITE------MALE----	4,210	9	1	5	5	7	5	8	9	14	26	52
FEMALE--	4,766	8	6	2	2	5	3	4	4	16	16	25
ALL OTHER--MALE----	634	8	2	2	-	6	5	10	10	17	22	34
FEMALE--	622	10	3	2	2	2	3	4	18	15	31	31
BLACK---MALE----	581	8	2	2	-	5	5	10	9	17	22	34
FEMALE--	592	9	3	2	2	2	3	4	18	15	31	30
INDIANA ----------	5,374	24	5	8	7	8	5	7	19	33	39	56
WHITE------MALE----	2,391	10	2	2	5	4	2	3	10	15	18	31
FEMALE--	2,681	6	2	4	1	2	1	-	6	13	15	20
ALL OTHER--MALE----	162	6	-	1	1	2	2	2	1	3	1	3
FEMALE--	140	2	1	1	-	-	-	2	2	2	5	2
BLACK---MALE----	155	6	-	1	1	2	2	2	1	3	1	3
FEMALE--	136	2	1	1	-	-	-	2	2	2	5	2
IOWA ----------	3,214	3	2	-	1	3	4	5	6	6	12	18
WHITE------MALE----	1,550	2	1	-	-	1	2	2	5	1	5	12
FEMALE--	1,627	1	-	-	1	2	2	1	-	4	6	6
ALL OTHER--MALE----	15	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	1	1	1	-
BLACK---MALE----	12	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	1	1	1	1	-
KANSAS ----------	2,530	2	3	-	2	3	3	5	2	10	14	25
WHITE------MALE----	1,241	-	1	-	2	1	2	2	1	5	9	17
FEMALE--	1,197	-	2	-	-	1	-	2	1	2	4	6
ALL OTHER--MALE----	51	2	-	-	-	-	-	1	-	1	-	1
FEMALE--	41	-	-	-	-	1	1	-	-	2	1	1
BLACK---MALE----	43	1	-	-	-	-	-	1	-	1	-	1
FEMALE--	33	-	-	-	-	1	-	-	-	2	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
HAWAII ----------	9	14	18	46	88	114	147	114	86	44	9	-
WHITE------MALE----	1	3	4	9	19	12	26	9	13	4	1	-
FEMALE--	-	3	3	5	12	18	25	20	9	9	1	-
ALL OTHER--MALE----	3	6	9	19	39	49	68	52	43	15	-	-
FEMALE--	5	2	2	13	18	35	28	33	21	16	7	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO ----------	14	24	43	68	131	183	215	169	113	39	7	-
WHITE------MALE----	9	8	21	40	72	92	121	77	38	11	2	-
FEMALE--	5	16	22	27	58	88	94	88	72	28	5	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	1	-	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ILLINOIS ----------	171	289	447	736	1,230	1,700	1,890	1,722	1,061	411	106	-
WHITE------MALE----	66	123	197	332	582	771	875	674	339	89	21	-
FEMALE--	55	100	173	309	503	758	869	911	630	294	73	-
ALL OTHER--MALE----	33	36	46	51	79	99	72	60	31	9	2	-
FEMALE--	17	30	31	44	66	72	74	77	61	19	10	-
BLACK---MALE----	33	35	44	48	68	88	63	51	27	9	1	-
FEMALE--	16	30	27	41	62	69	69	75	59	16	9	-
INDIANA ----------	103	169	251	484	709	928	940	829	517	192	41	-
WHITE------MALE----	46	70	120	239	359	427	447	343	180	48	10	-
FEMALE--	43	84	120	203	312	458	463	456	315	127	30	-
ALL OTHER--MALE----	6	11	3	27	24	28	10	13	12	5	1	-
FEMALE--	8	4	8	15	14	15	20	17	10	12	-	-
BLACK---MALE----	6	11	2	27	24	25	9	12	11	5	1	-
FEMALE--	7	4	8	14	14	15	20	15	10	12	-	-
IOWA ----------	37	62	113	224	347	511	619	610	409	170	52	-
WHITE------MALE----	18	31	58	117	216	276	325	298	136	37	7	-
FEMALE--	18	30	52	103	128	231	290	303	273	132	44	-
ALL OTHER--MALE----	1	-	2	1	2	2	2	3	-	-	-	-
FEMALE--	-	1	1	3	1	2	2	6	-	1	1	-
BLACK---MALE----	1	-	1	1	2	1	2	2	-	-	-	-
FEMALE--	-	1	1	1	-	2	2	6	-	1	1	-
KANSAS ----------	47	69	112	187	299	413	469	423	297	115	30	-
WHITE------MALE----	26	40	50	100	167	225	245	207	96	38	7	-
FEMALE--	13	28	54	82	122	176	209	207	192	74	22	-
ALL OTHER--MALE----	2	1	6	4	5	9	8	6	4	-	1	-
FEMALE--	6	-	2	1	5	3	7	3	5	3	-	-
BLACK---MALE----	1	1	3	3	4	9	8	6	3	-	1	-
FEMALE--	4	-	2	1	4	3	5	1	5	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
KENTUCKY ----------	4,305	16	-	3	4	4	7	4	12	10	34	45
WHITE------MALE----	2,048	12	-	3	2	1	2	-	4	5	16	21
FEMALE--	2,031	2	-	-	2	2	2	1	6	3	14	19
ALL OTHER--MALE----	114	1	-	-	-	-	1	2	-	1	3	2
FEMALE--	112	1	-	-	-	1	2	1	2	1	1	3
BLACK---MALE----	112	1	-	-	-	-	1	2	-	1	3	1
FEMALE--	112	1	-	-	-	1	2	1	2	1	1	3
LOUISIANA ----------	3,256	14	12	1	3	4	5	7	13	21	43	38
WHITE------MALE----	1,156	4	1	-	-	-	-	1	2	8	10	13
FEMALE--	1,370	4	-	1	1	1	2	2	4	3	12	7
ALL OTHER--MALE----	400	6	8	-	1	1	3	2	4	6	12	11
FEMALE--	330	-	3	-	1	2	-	2	3	4	9	7
BLACK---MALE----	398	6	8	-	1	1	3	2	4	6	12	11
FEMALE--	326	-	3	-	1	2	-	2	3	4	9	7
MAINE ----------	1,276	1	1	-	-	1	-	1	-	3	3	9
WHITE------MALE----	604	-	1	-	-	-	-	-	-	2	2	7
FEMALE--	666	1	-	-	-	1	-	1	-	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3,909	18	2	3	6	5	5	11	17	28	33	56
WHITE------MALE----	1,492	2	-	2	2	1	1	2	7	5	7	19
FEMALE--	1,754	5	-	1	1	-	2	2	4	7	6	13
ALL OTHER--MALE----	332	8	1	-	1	3	2	2	3	9	11	12
FEMALE--	331	3	1	-	2	1	-	5	3	7	9	12
BLACK---MALE----	317	8	-	-	1	3	2	2	3	9	11	12
FEMALE--	315	3	1	-	2	1	-	5	3	7	9	11
MASSACHUSETTS ----------	6,193	8	3	3	3	11	2	5	12	17	28	38
WHITE------MALE----	2,640	6	2	1	1	7	-	3	3	8	13	14
FEMALE--	3,395	1	-	1	1	3	-	2	6	7	10	19
ALL OTHER--MALE----	78	1	-	1	-	1	1	-	1	1	3	2
FEMALE--	80	-	1	-	1	-	1	-	2	1	2	3
BLACK---MALE----	62	-	-	1	-	-	1	-	1	1	3	2
FEMALE--	70	-	-	-	1	-	-	-	2	1	2	3
MICHIGAN ----------	8,093	25	15	5	9	11	17	18	30	40	72	119
WHITE------MALE----	3,511	4	4	1	2	5	5	9	10	13	35	46
FEMALE--	3,713	8	9	2	1	3	-	3	9	13	20	38
ALL OTHER--MALE----	454	4	2	1	4	1	8	6	5	6	10	26
FEMALE--	415	9	-	1	2	2	4	-	6	8	7	9
BLACK---MALE----	421	4	2	1	4	1	7	6	5	6	10	26
FEMALE--	394	9	-	1	1	2	4	-	5	8	7	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
KENTUCKY ----------	71	159	271	421	581	725	734	629	397	141	37	-
WHITE------MALE----	35	83	146	220	309	375	368	282	125	33	6	-
FEMALE--	29	72	109	180	242	319	332	319	253	97	28	-
ALL OTHER--MALE----	5	2	8	10	14	21	19	14	7	4	-	-
FEMALE--	2	2	8	11	16	10	15	14	12	7	3	-
BLACK---MALE----	5	1	8	10	14	21	19	14	7	4	-	-
FEMALE--	2	2	8	11	16	10	15	14	12	7	3	-
LOUISIANA ----------	68	107	171	257	466	518	515	532	291	142	28	-
WHITE------MALE----	17	33	56	115	192	211	209	175	70	32	7	-
FEMALE--	20	44	58	86	189	218	213	242	167	81	15	-
ALL OTHER--MALE----	19	17	34	32	53	46	53	56	26	9	1	-
FEMALE--	12	13	23	24	32	43	40	59	28	20	5	-
BLACK---MALE----	19	17	34	32	53	45	53	55	26	9	1	-
FEMALE--	12	13	22	24	31	43	39	58	28	20	5	-
MAINE ----------	18	19	66	95	165	212	251	213	139	59	20	-
WHITE------MALE----	6	12	44	47	95	116	123	82	52	11	4	-
FEMALE--	12	7	21	47	68	95	128	131	87	47	16	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	71	98	165	293	486	685	711	609	400	167	40	-
WHITE------MALE----	22	34	66	125	237	289	298	213	119	33	8	-
FEMALE--	26	35	60	110	174	282	335	322	236	112	21	-
ALL OTHER--MALE----	14	13	22	30	42	64	37	36	16	4	2	-
FEMALE--	9	16	17	28	33	50	41	38	29	18	9	-
BLACK---MALE----	13	13	20	29	38	62	36	34	15	4	2	-
FEMALE--	9	16	15	27	31	46	39	38	27	16	9	-
MASSACHUSETTS ----------	85	122	191	390	667	940	1,261	1,134	799	383	91	-
WHITE------MALE----	38	63	95	201	338	462	579	459	232	98	17	-
FEMALE--	41	55	87	175	306	461	654	657	554	282	73	-
ALL OTHER--MALE----	4	1	4	7	13	10	17	6	5	-	-	-
FEMALE--	2	3	5	7	10	7	11	12	8	3	1	-
BLACK---MALE----	4	1	3	6	11	8	13	3	4	-	-	-
FEMALE--	1	3	4	6	10	6	10	10	7	3	1	-
MICHIGAN ----------	151	258	335	616	1,033	1,445	1,520	1,264	748	306	56	-
WHITE------MALE----	51	93	149	274	510	695	714	559	240	88	4	-
FEMALE--	53	105	133	263	426	631	699	611	447	196	43	-
ALL OTHER--MALE----	24	29	29	43	59	51	62	48	22	10	4	-
FEMALE--	23	31	24	36	38	68	45	46	39	12	5	-
BLACK---MALE----	23	25	26	39	50	49	59	45	21	8	4	-
FEMALE--	23	30	24	32	32	66	42	45	38	11	5	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
MINNESOTA ----------	3,700	3	4	3	2	6	5	5	9	7	13	30
WHITE------MALE----	1,805	-	1	-	1	5	2	1	6	2	7	13
FEMALE--	1,814	3	2	2	1	-	3	2	2	3	5	13
ALL OTHER--MALE----	46	-	1	1	-	1	-	1	-	-	-	3
FEMALE--	35	-	-	-	-	-	-	1	1	2	1	1
BLACK---MALE----	20	-	-	-	-	1	-	1	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	1	1	1	-	1
MISSISSIPPI ----------	2,553	11	5	1	3	4	1	14	10	15	33	39
WHITE------MALE----	961	2	1	1	-	2	-	2	4	5	8	11
FEMALE--	992	2	-	-	1	1	-	4	1	4	7	7
ALL OTHER--MALE----	324	3	2	-	1	-	1	2	2	5	10	11
FEMALE--	276	4	2	-	1	1	-	6	3	1	8	10
BLACK---MALE----	322	3	2	-	1	-	1	2	2	5	10	11
FEMALE--	272	4	2	-	1	1	-	6	3	1	8	10
MISSOURI ----------	5,760	12	-	4	3	3	4	10	18	27	48	50
WHITE------MALE----	2,519	2	-	1	-	1	2	2	7	12	13	19
FEMALE--	2,826	4	-	2	1	-	-	3	7	12	17	19
ALL OTHER--MALE----	221	6	-	-	1	1	2	5	3	2	9	6
FEMALE--	194	-	-	1	1	1	-	-	1	1	9	6
BLACK---MALE----	211	6	-	-	1	1	2	5	3	2	8	6
FEMALE--	186	-	-	1	1	1	-	-	1	1	9	6
MONTANA ----------	979	2	5	1	1	-	-	2	3	4	8	6
WHITE------MALE----	460	1	2	1	1	-	-	1	1	3	2	2
FEMALE--	477	-	2	-	-	-	-	1	-	1	3	3
ALL OTHER--MALE----	22	1	1	-	-	-	-	-	-	-	2	1
FEMALE--	20	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1,756	5	3	2	3	3	2	2	3	6	7	11
WHITE------MALE----	849	-	2	-	1	2	2	1	1	2	4	7
FEMALE--	870	3	1	2	1	1	-	1	1	3	3	2
ALL OTHER--MALE----	18	2	-	-	1	-	-	-	-	-	-	2
FEMALE--	19	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	14	1	-	-	1	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	-
NEVADA ----------	1,578	8	3	1	1	4	3	1	2	9	11	22
WHITE------MALE----	740	5	2	1	-	3	2	-	1	1	5	12
FEMALE--	747	3	-	-	-	-	-	1	-	4	5	6
ALL OTHER--MALE----	51	-	1	-	-	1	1	-	1	2	1	3
FEMALE--	40	-	-	-	1	-	-	-	-	2	-	1
BLACK---MALE----	38	-	1	-	-	1	1	-	1	2	1	3
FEMALE--	27	-	-	-	1	-	-	-	-	2	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
MINNESOTA ----------	31	84	146	235	389	613	703	715	446	195	56	-
WHITE------MALE----	14	39	71	120	220	339	366	343	179	63	13	-
FEMALE--	17	40	66	103	163	258	329	366	262	131	43	-
ALL OTHER--MALE----	-	3	5	7	3	9	3	5	3	1	-	-
FEMALE--	-	2	4	5	3	7	5	1	2	-	-	-
BLACK---MALE----	-	1	2	3	1	7	1	1	-	-	-	-
FEMALE--	-	-	-	3	1	2	-	1	2	-	-	-
MISSISSIPPI ----------	41	76	125	218	364	420	450	373	237	96	17	-
WHITE------MALE----	12	26	61	103	156	174	192	123	64	12	2	-
FEMALE--	13	31	37	69	131	165	175	165	118	52	9	-
ALL OTHER--MALE----	8	9	11	30	47	50	48	38	28	16	2	-
FEMALE--	8	10	16	16	30	31	35	47	27	16	4	-
BLACK---MALE----	8	9	11	30	47	49	48	38	28	15	2	-
FEMALE--	8	10	15	15	29	30	35	47	27	16	4	-
MISSOURI ----------	107	173	269	484	720	981	997	943	597	259	50	1
WHITE------MALE----	49	83	122	225	371	479	463	385	206	65	11	1
FEMALE--	45	77	126	221	294	436	484	508	358	179	33	-
ALL OTHER--MALE----	9	5	11	20	30	39	26	29	11	6	-	-
FEMALE--	4	8	10	18	25	27	24	21	22	9	6	-
BLACK---MALE----	9	5	11	19	28	39	24	27	10	5	-	-
FEMALE--	4	8	9	17	23	26	23	21	20	9	6	-
MONTANA ----------	18	19	57	72	114	174	201	137	115	35	5	-
WHITE------MALE----	7	9	35	35	57	83	95	70	46	8	1	-
FEMALE--	7	8	19	30	52	89	100	64	68	26	4	-
ALL OTHER--MALE----	2	-	1	2	4	1	3	3	-	1	-	-
FEMALE--	2	2	2	5	1	1	3	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA ----------	23	33	70	104	211	291	320	313	223	97	24	-
WHITE------MALE----	10	14	25	54	117	181	161	147	87	25	6	-
FEMALE--	12	16	37	50	91	107	155	163	133	70	18	-
ALL OTHER--MALE----	1	1	3	-	2	2	1	-	1	2	-	-
FEMALE--	-	2	5	-	1	1	3	3	2	-	-	-
BLACK---MALE----	1	1	3	-	1	2	-	-	1	2	-	-
FEMALE--	-	2	2	-	1	-	1	2	2	-	-	-
NEVADA ----------	37	52	109	177	249	290	282	181	95	32	8	1
WHITE------MALE----	18	29	51	94	134	137	122	76	37	9	-	1
FEMALE--	14	19	52	74	105	133	149	97	55	22	8	-
ALL OTHER--MALE----	2	1	6	6	3	12	6	4	1	-	-	-
FEMALE--	3	3	-	3	7	8	5	4	2	1	-	-
BLACK---MALE----	1	1	5	5	1	7	4	4	-	-	-	-
FEMALE--	1	2	-	3	3	5	5	2	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
NEW HAMPSHIRE ----------	947	2	2	-	-	1	2	2	1	3	5	8
WHITE------MALE----	447	-	2	-	-	1	2	1	1	2	1	3
FEMALE--	492	1	-	-	-	-	-	1	-	1	3	5
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6,466	20	14	2	6	5	9	11	21	43	43	73
WHITE------MALE----	2,655	4	5	2	1	2	3	4	4	15	14	25
FEMALE--	3,158	5	5	-	1	1	3	3	8	14	7	27
ALL OTHER--MALE----	343	8	1	-	4	-	1	3	6	8	11	10
FEMALE--	310	3	3	-	-	2	2	1	3	6	11	11
BLACK---MALE----	307	7	1	-	4	-	1	3	6	7	9	10
FEMALE--	287	3	3	-	-	2	2	1	3	6	11	10
NEW MEXICO ----------	1,463	4	3	1	1	-	1	3	7	6	9	18
WHITE------MALE----	729	2	-	-	-	-	-	2	5	-	3	9
FEMALE--	643	-	1	-	1	-	-	1	2	6	3	5
ALL OTHER--MALE----	49	-	2	1	-	-	-	-	-	-	1	1
FEMALE--	42	2	-	-	-	-	1	-	-	-	2	3
BLACK---MALE----	8	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	14,658	39	19	12	18	15	28	22	48	80	115	177
WHITE------MALE----	6,042	11	4	3	3	6	12	7	15	25	43	67
FEMALE--	6,953	7	5	4	4	6	9	9	12	26	35	50
ALL OTHER--MALE----	816	9	6	2	5	2	3	2	11	15	25	30
FEMALE--	847	12	4	3	6	1	4	4	10	14	12	30
BLACK---MALE----	677	8	6	2	5	2	2	2	11	15	24	29
FEMALE--	758	12	4	3	5	1	4	4	10	14	11	30
NORTH CAROLINA ---------	6,820	16	11	6	4	4	12	13	23	28	48	81
WHITE------MALE----	2,726	3	3	3	1	2	3	2	7	9	13	26
FEMALE--	3,071	6	4	1	-	1	4	3	8	9	11	21
ALL OTHER--MALE----	565	2	3	1	2	1	4	3	4	6	11	22
FEMALE--	458	5	1	1	1	-	1	5	4	4	13	12
BLACK---MALE----	528	1	3	1	1	1	4	3	4	6	11	22
FEMALE--	442	5	-	1	1	-	1	5	4	4	12	12
NORTH DAKOTA ----------	546	1	2	-	-	2	-	1	-	1	2	5
WHITE------MALE----	285	-	2	-	-	2	-	1	-	1	2	3
FEMALE--	244	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
NEW HAMPSHIRE ----------	18	19	44	77	132	180	160	151	99	33	8	-
WHITE------MALE----	8	11	22	43	69	95	76	69	30	10	1	-
FEMALE--	10	8	22	32	63	83	82	82	69	23	7	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW JERSEY ----------	94	140	246	445	776	1,110	1,224	1,152	705	268	59	-
WHITE------MALE----	41	55	100	214	370	509	537	451	229	56	14	-
FEMALE--	26	60	86	166	312	498	620	636	444	193	43	-
ALL OTHER--MALE----	15	15	34	31	55	58	39	26	11	6	1	-
FEMALE--	12	10	26	34	39	45	28	39	21	13	1	-
BLACK---MALE----	13	12	30	29	50	52	33	25	8	6	1	-
FEMALE--	11	10	23	33	36	40	25	34	20	13	1	-
NEW MEXICO ----------	27	46	64	130	188	246	271	239	147	40	12	-
WHITE------MALE----	10	23	36	72	102	124	149	118	56	14	4	-
FEMALE--	13	20	27	50	77	108	114	106	77	25	7	-
ALL OTHER--MALE----	3	2	1	4	8	12	2	7	5	-	-	-
FEMALE--	1	1	-	4	1	2	6	8	9	1	1	-
BLACK---MALE----	1	1	-	-	4	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
NEW YORK ----------	222	411	589	1,004	1,656	2,288	2,773	2,595	1,712	678	157	-
WHITE------MALE----	96	179	253	445	812	1,031	1,224	1,033	566	178	29	-
FEMALE--	72	139	215	399	662	1,032	1,342	1,359	1,016	436	114	-
ALL OTHER--MALE----	34	57	70	83	114	112	97	74	51	11	3	-
FEMALE--	20	36	51	77	68	113	110	129	79	53	11	-
BLACK---MALE----	33	50	56	70	95	88	70	58	39	9	3	-
FEMALE--	20	33	48	73	60	103	89	113	68	44	9	-
NORTH CAROLINA ---------	111	239	346	591	952	1,199	1,203	1,039	598	236	60	-
WHITE------MALE----	40	90	170	294	422	546	504	380	148	55	5	-
FEMALE--	35	95	125	218	384	498	561	535	366	142	44	-
ALL OTHER--MALE----	24	26	35	59	95	91	75	57	35	7	2	-
FEMALE--	12	28	16	20	51	64	63	67	49	32	9	-
BLACK---MALE----	23	25	31	54	90	85	72	50	32	7	2	-
FEMALE--	11	28	14	19	49	62	61	64	49	31	9	-
NORTH DAKOTA ----------	3	12	25	29	61	95	100	98	69	30	10	-
WHITE------MALE----	1	8	15	15	40	59	44	49	33	9	1	-
FEMALE--	2	3	9	12	20	29	56	47	35	21	9	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	1	6	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
OHIO ----------	10,425	25	7	2	4	14	13	12	20	42	64	114
WHITE------MALE----	4,607	7	1	2	3	4	5	1	7	19	21	42
FEMALE--	5,031	10	1	-	-	6	4	2	6	11	22	39
ALL OTHER--MALE----	416	6	4	-	1	2	1	3	3	7	8	15
FEMALE--	371	2	1	-	-	2	3	6	4	5	13	18
BLACK---MALE----	402	6	3	-	1	2	1	3	3	6	8	14
FEMALE--	361	2	1	-	-	2	3	6	3	5	13	18
OKLAHOMA ----------	3,391	14	6	1	3	4	2	4	10	18	16	32
WHITE------MALE----	1,465	4	3	-	1	3	1	1	3	8	4	16
FEMALE--	1,661	4	-	-	1	1	1	3	4	9	7	11
ALL OTHER--MALE----	133	2	3	-	-	-	-	-	1	1	3	3
FEMALE--	132	4	-	1	1	-	-	-	2	-	2	2
BLACK---MALE----	64	1	1	-	-	-	-	-	1	-	3	1
FEMALE--	70	3	-	-	1	-	-	-	1	-	2	1
OREGON ----------	2,890	3	1	1	2	1	2	5	2	7	17	26
WHITE------MALE----	1,371	1	-	-	1	-	-	1	2	1	5	12
FEMALE--	1,461	2	-	1	1	1	1	4	-	5	11	11
ALL OTHER--MALE----	34	-	1	-	-	-	1	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
PENNSYLVANIA ----------	12,206	28	14	5	5	7	10	21	21	53	70	107
WHITE------MALE----	5,617	10	4	2	2	4	7	10	7	27	27	44
FEMALE--	5,767	7	6	3	1	2	2	7	7	15	21	36
ALL OTHER--MALE----	396	7	2	-	1	-	-	1	4	7	10	19
FEMALE--	426	4	2	-	1	1	1	3	3	4	12	8
BLACK---MALE----	382	7	2	-	1	-	-	1	4	7	10	19
FEMALE--	408	4	2	-	1	1	1	3	2	4	12	7
RHODE ISLAND ----------	940	2	-	1	-	1	-	2	2	4	3	6
WHITE------MALE----	407	1	-	1	-	-	-	2	-	-	1	2
FEMALE--	506	-	-	-	-	-	-	-	2	3	1	2
ALL OTHER--MALE----	17	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3,324	11	2	-	2	5	6	11	7	20	32	53
WHITE------MALE----	1,350	2	-	-	1	2	1	2	2	6	9	21
FEMALE--	1,377	1	1	-	-	1	2	3	3	7	8	11
ALL OTHER--MALE----	324	5	-	-	1	1	2	2	1	2	8	12
FEMALE--	273	3	1	-	-	1	1	4	1	5	7	9
BLACK---MALE----	324	5	-	-	1	1	2	2	1	2	8	12
FEMALE--	269	3	1	-	-	1	1	4	1	4	7	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
OHIO ----------	162	276	487	819	1,495	1,803	1,964	1,615	1,023	389	75	-
WHITE------MALE----	81	125	240	393	742	903	889	662	333	109	18	-
FEMALE--	59	114	201	357	627	776	977	873	634	261	51	-
ALL OTHER--MALE----	11	25	26	44	61	70	58	40	21	6	4	-
FEMALE--	11	12	20	25	65	54	40	40	35	13	2	-
BLACK---MALE----	11	23	26	43	61	66	58	38	19	6	4	-
FEMALE--	11	12	17	25	65	51	40	39	33	13	2	-
OKLAHOMA ----------	51	101	164	259	439	604	606	546	343	140	28	-
WHITE------MALE----	28	37	71	122	218	292	265	221	123	35	9	-
FEMALE--	17	51	72	121	187	279	299	290	192	96	16	-
ALL OTHER--MALE----	2	6	14	10	21	16	19	20	9	2	1	-
FEMALE--	4	7	7	6	13	17	23	15	19	7	2	-
BLACK---MALE----	-	3	8	1	9	10	10	8	5	2	1	-
FEMALE--	2	3	2	2	6	7	14	8	12	5	1	-
OREGON ----------	49	82	125	206	404	547	560	441	275	109	25	-
WHITE------MALE----	25	38	59	103	214	285	291	173	116	39	5	-
FEMALE--	22	38	64	99	183	254	260	261	155	69	19	-
ALL OTHER--MALE----	2	5	2	3	3	6	3	4	1	1	-	-
FEMALE--	-	1	-	1	4	2	6	3	3	-	1	-
BLACK---MALE----	1	4	1	2	-	4	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	3	-	2	-	-	-
PENNSYLVANIA ----------	162	292	462	818	1,495	2,200	2,437	2,174	1,283	443	99	-
WHITE------MALE----	74	128	231	408	765	1,123	1,201	951	456	120	16	-
FEMALE--	60	116	182	331	618	959	1,124	1,136	764	293	77	-
ALL OTHER--MALE----	14	22	30	45	65	58	51	34	16	9	1	-
FEMALE--	14	26	19	34	47	60	61	53	47	21	5	-
BLACK---MALE----	13	22	29	44	64	57	48	32	13	8	1	-
FEMALE--	14	26	18	33	46	58	57	51	44	20	4	-
RHODE ISLAND ----------	8	19	27	62	112	173	182	172	112	38	14	-
WHITE------MALE----	4	7	15	32	54	90	93	65	30	9	1	-
FEMALE--	3	9	12	30	55	81	86	103	79	28	12	-
ALL OTHER--MALE----	1	2	-	-	1	2	3	1	1	1	-	-
FEMALE--	-	1	-	-	2	-	-	3	2	-	1	-
BLACK---MALE----	1	1	-	-	1	-	3	1	1	1	-	-
FEMALE--	-	-	-	-	2	-	-	2	2	-	1	-
SOUTH CAROLINA ----------	81	147	191	329	480	604	525	462	242	99	15	-
WHITE------MALE----	32	64	79	155	235	278	216	162	62	16	5	-
FEMALE--	26	50	66	116	173	238	219	238	142	66	6	-
ALL OTHER--MALE----	15	19	35	39	36	54	42	32	11	6	1	-
FEMALE--	8	14	11	19	36	34	48	30	27	11	3	-
BLACK---MALE----	15	19	35	39	36	54	42	32	11	6	1	-
FEMALE--	8	14	10	19	35	34	47	30	27	11	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
SOUTH DAKOTA ----------	676	1	-	-	1	1	-	-	2	2	4	11
WHITE------MALE----	339	-	-	-	-	-	-	-	2	2	1	9
FEMALE--	300	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	18	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5,317	11	11	1	7	6	6	10	11	20	46	65
WHITE------MALE----	2,454	4	2	1	4	3	3	6	5	7	19	29
FEMALE--	2,355	-	2	-	1	1	2	2	5	9	16	18
ALL OTHER--MALE----	251	5	4	-	2	1	1	1	1	1	7	6
FEMALE--	257	2	3	-	-	1	-	1	-	3	4	12
BLACK---MALE----	249	5	4	-	2	1	1	1	1	1	7	6
FEMALE--	251	1	3	-	-	1	-	1	-	3	3	11
TEXAS ----------	13,532	70	20	10	20	19	23	24	40	82	113	167
WHITE------MALE----	5,979	29	7	4	7	8	9	12	14	40	41	72
FEMALE--	6,408	21	12	3	6	9	8	4	13	23	49	57
ALL OTHER--MALE----	602	8	-	3	3	1	2	5	7	10	14	17
FEMALE--	543	12	1	-	4	1	4	3	6	9	9	21
BLACK---MALE----	556	8	-	3	3	1	2	5	7	9	12	17
FEMALE--	501	10	1	-	4	1	4	3	6	9	9	20
UTAH ----------	1,178	3	2	-	3	2	2	2	4	3	9	8
WHITE------MALE----	612	3	-	-	3	2	1	1	1	2	5	5
FEMALE--	540	-	2	-	-	-	1	1	3	1	3	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	528	-	-	-	-	1	1	-	1	2	3	5
WHITE------MALE----	233	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	293	-	-	-	-	1	-	-	-	2	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5,539	16	8	2	8	5	5	16	20	24	35	64
WHITE------MALE----	2,269	7	-	1	2	1	1	5	4	7	12	18
FEMALE--	2,509	1	4	-	1	2	2	2	7	7	10	20
ALL OTHER--MALE----	390	3	3	1	4	1	2	4	2	2	7	11
FEMALE--	371	5	1	-	1	1	-	5	7	8	6	15
BLACK---MALE----	370	3	3	1	4	1	2	4	2	2	7	11
FEMALE--	356	5	1	-	1	1	-	5	7	7	6	15

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
SOUTH DAKOTA ----------	7	8	18	33	68	98	133	127	98	49	15	-
WHITE------MALE----	2	4	11	22	40	61	63	70	31	15	6	-
FEMALE--	2	3	6	9	22	33	64	54	65	31	8	-
ALL OTHER--MALE----	3	-	-	1	4	2	3	-	1	1	-	-
FEMALE--	-	1	1	1	2	2	3	3	1	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	131	197	287	441	762	915	891	807	481	174	37	-
WHITE------MALE----	54	98	169	230	419	440	405	344	159	45	8	-
FEMALE--	59	76	96	174	279	384	415	401	276	114	25	-
ALL OTHER--MALE----	9	12	12	20	37	51	36	25	15	4	1	-
FEMALE--	9	11	10	17	27	40	35	37	31	11	3	-
BLACK---MALE----	9	11	12	20	37	51	35	25	15	4	1	-
FEMALE--	8	11	10	17	25	40	35	37	31	11	3	-
TEXAS ----------	242	423	672	1,118	1,749	2,344	2,359	2,126	1,299	504	108	-
WHITE------MALE----	99	200	314	566	862	1,169	1,080	843	444	142	17	-
FEMALE--	98	161	278	455	743	1,027	1,134	1,151	753	322	81	-
ALL OTHER--MALE----	18	44	39	53	85	87	76	68	42	17	3	-
FEMALE--	27	18	41	44	59	61	69	64	60	23	7	-
BLACK---MALE----	16	43	38	49	78	81	67	58	40	17	2	-
FEMALE--	26	17	41	40	51	52	62	60	55	23	7	-
UTAH ----------	20	34	69	92	157	184	201	213	119	39	12	-
WHITE------MALE----	14	15	42	52	80	108	103	109	43	22	1	-
FEMALE--	5	17	26	37	71	72	95	103	75	16	10	-
ALL OTHER--MALE----	1	1	-	2	2	2	1	1	-	-	-	-
FEMALE--	-	1	1	1	4	2	2	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	8	11	18	35	75	92	104	99	55	14	4	-
WHITE------MALE----	4	5	11	20	35	49	38	43	17	3	2	-
FEMALE--	4	6	7	14	40	42	66	56	38	11	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	87	170	243	468	736	983	1,017	874	523	189	46	-
WHITE------MALE----	31	71	115	226	339	444	452	311	157	59	6	-
FEMALE--	35	70	87	177	297	410	455	454	320	115	33	-
ALL OTHER--MALE----	12	14	18	36	61	70	57	57	20	5	-	-
FEMALE--	9	15	23	29	39	59	53	52	26	10	7	-
BLACK---MALE----	11	14	18	36	57	68	50	54	18	4	-	-
FEMALE--	9	15	22	28	36	59	48	49	25	10	7	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
WASHINGTON ----------	4,715	7	7	3	5	4	3	2	8	8	40	36
WHITE------MALE----	2,162	7	3	1	2	-	2	-	2	3	17	15
FEMALE--	2,339	-	3	2	1	2	-	2	3	4	17	15
ALL OTHER--MALE----	125	-	1	-	2	-	-	-	1	1	2	5
FEMALE--	89	-	-	-	-	2	1	-	2	-	4	1
BLACK---MALE----	52	-	1	-	2	-	-	-	1	1	-	4
FEMALE--	30	-	-	-	-	-	1	-	1	-	2	1
WEST VIRGINIA ----------	2,234	6	1	-	-	1	-	6	8	11	7	13
WHITE------MALE----	1,155	4	-	-	-	-	-	5	4	5	4	7
FEMALE--	1,017	1	1	-	-	1	-	1	4	5	2	4
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	27	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	27	1	-	-	-	-	-	-	-	-	1	1
WISCONSIN ----------	4,483	15	7	5	-	3	5	7	9	10	21	29
WHITE------MALE----	2,142	6	2	-	-	1	3	5	6	4	10	16
FEMALE--	2,186	1	2	4	-	1	-	1	1	1	7	8
ALL OTHER--MALE----	85	5	1	1	-	-	-	1	2	4	3	1
FEMALE--	70	3	2	-	-	1	2	-	-	1	1	4
BLACK---MALE----	71	5	1	1	-	-	-	1	1	2	3	1
FEMALE--	53	3	1	-	-	-	2	-	-	1	1	4
WYOMING ----------	537	3	-	-	1	-	-	1	2	3	2	9
WHITE------MALE----	264	2	-	-	1	-	-	1	1	2	-	6
FEMALE--	265	1	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
WASHINGTON ----------	73	117	204	365	583	818	930	756	514	187	45	-
WHITE------MALE----	26	54	102	196	280	392	450	356	200	41	13	-
FEMALE--	38	55	77	148	283	389	447	377	306	139	31	-
ALL OTHER--MALE----	7	4	16	12	15	21	19	13	1	4	1	-
FEMALE--	2	4	9	9	5	16	14	10	7	3	-	-
BLACK---MALE----	3	3	8	6	5	9	4	4	1	-	-	-
FEMALE--	1	1	2	2	2	5	6	3	2	1	-	-
WEST VIRGINIA ----------	40	50	120	193	333	414	419	332	191	67	22	-
WHITE------MALE----	22	24	69	108	186	232	230	159	74	19	3	-
FEMALE--	16	25	50	79	141	171	177	161	112	48	18	-
ALL OTHER--MALE----	1	-	1	5	4	7	9	4	1	-	1	-
FEMALE--	1	1	-	1	2	4	3	8	4	-	-	-
BLACK---MALE----	1	-	1	5	4	7	9	4	1	-	1	-
FEMALE--	1	1	-	1	2	4	3	8	4	-	-	-
WISCONSIN ----------	49	104	163	298	492	710	890	847	520	242	57	-
WHITE------MALE----	22	54	86	162	270	377	461	381	188	78	10	-
FEMALE--	20	40	72	116	197	316	414	450	327	161	47	-
ALL OTHER--MALE----	5	5	4	12	15	9	7	6	3	1	-	-
FEMALE--	2	5	1	8	10	8	8	10	2	2	-	-
BLACK---MALE----	3	4	3	11	14	7	6	4	3	1	-	-
FEMALE--	1	5	1	7	8	5	5	7	2	-	-	-
WYOMING ----------	9	16	32	49	54	85	109	89	47	23	3	-
WHITE------MALE----	5	5	19	20	30	55	55	37	15	9	1	-
FEMALE--	4	10	13	28	23	30	53	52	30	14	2	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2278

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
UNITED STATES -	1,665	13	12	6	5	7	4	2	7	8	8	13
WHITE------MALE----	569	1	6	4	1	1	1	-	5	3	3	7
FEMALE--	1,005	6	2	2	3	5	3	1	2	1	3	5
ALL OTHER--MALE----	33	5	3	-	-	-	-	-	-	2	1	1
FEMALE--	58	1	1	-	1	1	-	1	-	2	1	-
BLACK---MALE----	24	3	1	-	-	-	-	-	-	1	1	1
FEMALE--	42	1	-	-	-	1	-	1	-	2	1	-
ALABAMA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	31	-	-	-	-	-	-	-	1	-	2	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	10	-	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	124	1	2	-	1	1	1	-	1	2	-	-
WHITE------MALE----	40	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	72	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	2	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2278

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
UNITED STATES -	13	29	42	60	104	154	297	368	303	162	48	-
WHITE------MALE----	6	13	23	24	43	70	124	124	70	34	6	-
FEMALE--	4	13	16	31	50	76	159	232	228	123	40	-
ALL OTHER--MALE----	1	-	1	3	4	1	7	3	-	1	-	-
FEMALE--	2	3	2	2	7	7	7	9	5	4	2	-
BLACK---MALE----	1	-	1	2	4	1	5	2	-	1	-	-
FEMALE--	1	3	1	1	6	4	5	6	4	3	2	-
ALABAMA ----------	-	1	-	-	-	3	5	3	-	-	2	-
WHITE------MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
ALASKA ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	2	-	4	2	3	5	4	6	2	-	-
WHITE------MALE----	-	2	-	1	1	2	3	3	3	-	-	-
FEMALE--	-	-	-	3	-	1	2	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	1	1	-	2	1	1	1	-	-
WHITE------MALE----	-	-	1	1	1	-	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	2	5	3	9	11	19	26	24	12	2	-
WHITE------MALE----	2	2	2	1	3	4	7	7	4	5	-	-
FEMALE--	-	-	2	2	4	5	12	17	20	6	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
COLORADO ----------	20	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	36	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	21	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
COLORADO ----------	-	2	1	2	-	2	1	6	3	1	1	-
WHITE------MALE----	-	-	1	2	-	-	-	2	2	-	-	-
FEMALE--	-	2	-	-	-	2	1	4	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	1	4	1	4	4	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	4	1	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	2	-	-	4	1	4	9	8	3	2	-
WHITE------MALE----	1	1	-	-	1	1	3	5	-	1	-	-
FEMALE--	-	-	-	-	3	-	1	4	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	-	1	-	1	2	3	3	5	2	2	1	-
WHITE------MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	4	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2280

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
HAWAII ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	37	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	67	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	26	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	38	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	56	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	13	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2280

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
HAWAII	-	-	-	2	-	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	1	2	4	3	8	11	5	2	-	-
WHITE------MALE----	-	-	-	-	3	1	7	3	2	-	-	-
FEMALE--	-	-	1	2	1	2	1	8	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	1	1	3	2	7	5	9	16	11	7	3	-
WHITE------MALE----	1	1	2	2	4	1	2	7	3	-	1	-
FEMALE--	-	-	1	-	3	3	7	8	8	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
INDIANA	1	-	2	4	2	5	6	11	5	-	1	-
WHITE------MALE----	-	-	1	2	-	3	5	3	-	-	1	-
FEMALE--	-	-	1	2	2	2	1	8	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	1	1	1	2	1	2	11	11	18	5	1	-
WHITE------MALE----	-	-	1	-	1	-	4	3	3	2	-	-
FEMALE--	1	1	-	2	-	2	7	8	15	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	1	1	1	5	3	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2281

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
KENTUCKY ----------	29	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	9	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA ----------	12	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
MAINE ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	35	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	18	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	76	-	1	-	-	-	-	-	1	-	-	2
WHITE------MALE----	25	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
KENTUCKY ----------	1	2	1	-	3	1	5	10	3	-	1	-
WHITE------MALE----	-	2	-	-	-	-	2	4	-	-	-	-
FEMALE--	1	-	1	-	2	1	3	6	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	1	-	1	-	-	2	2	3	1	1	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	3	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	1	-	1	2	2	3	5	1	3	-	-
WHITE------MALE----	-	-	-	-	2	2	1	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	3	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	1	2	-	5	6	14	5	-	-
WHITE------MALE----	-	-	-	-	-	-	2	2	4	-	-	-
FEMALE--	1	-	-	1	2	-	3	4	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
MASSACHUSETTS ----------	-	-	1	-	1	2	6	3	2	2	-	-
WHITE------MALE----	-	-	1	-	1	2	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	3	2	2	3	10	15	13	13	8	3	-
WHITE------MALE----	-	-	1	-	-	3	9	5	2	2	1	-
FEMALE--	-	3	1	2	2	7	5	8	11	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2282

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
MINNESOTA ----------	99	-	-	1	-	-	1	-	-	1	-	1
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	62	-	-	1	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	7	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	62	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	37	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	35	-	1	1	-	-	-	-	-	-	1	-
WHITE------MALE----	17	-	1	1	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	33	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	21	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2282

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
MINNESOTA ----------	-	1	3	2	3	11	13	26	19	12	5	-
WHITE------MALE----	-	1	1	1	1	4	10	9	6	3	-	-
FEMALE--	-	-	2	1	2	7	3	17	13	9	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	1	1	-	3	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	1	2	1	1	7	2	7	18	10	9	2	-
WHITE------MALE----	-	2	-	1	2	-	2	8	4	2	-	-
FEMALE--	-	-	1	-	4	2	4	10	6	7	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MONTANA ----------	-	-	1	2	1	2	10	4	8	4	-	-
WHITE------MALE----	-	-	1	2	1	1	3	-	4	2	-	-
FEMALE--	-	-	-	-	-	1	6	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	1	-	7	10	9	3	-	-
WHITE------MALE----	-	-	-	-	1	-	3	3	4	-	-	-
FEMALE--	-	-	-	1	-	-	4	7	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2283

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
NEW HAMPSHIRE ----------	17	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	16	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	105	-	2	-	-	1	-	-	-	-	1	-
WHITE------MALE----	34	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	68	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	38	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
NEW HAMPSHIRE ----------	1	-	-	-	1	3	2	4	3	2	-	-
WHITE------MALE----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	2	1	1	3	3	5	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	2	-	4	4	2	3	-	-	-
WHITE------MALE----	-	-	-	1	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	1	-	6	9	14	27	25	16	2	-
WHITE------MALE----	-	1	-	-	3	3	9	9	4	3	-	-
FEMALE--	-	-	1	-	3	6	5	18	20	12	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
NORTH CAROLINA ---------	-	-	2	3	2	2	8	9	6	3	2	-
WHITE------MALE----	-	-	-	-	-	2	2	3	2	1	-	-
FEMALE--	-	-	1	3	2	-	4	6	4	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	2	-	1	1	-	1	2	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2284

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
OHIO ----------	66	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	20	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	49	1	-	-	-	2	-	-	-	-	1	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	1	-	-	-	2	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2284

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
OHIO ----------	-	-	2	2	6	8	13	13	8	9	3	-
WHITE------MALE----	-	-	2	1	2	4	3	2	3	3	-	-
FEMALE--	-	-	-	-	3	4	10	8	5	6	3	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
OKLAHOMA ----------	-	1	-	1	1	3	3	6	2	1	1	-
WHITE------MALE----	-	-	-	-	-	1	2	5	-	-	1	-
FEMALE--	-	1	-	1	1	2	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	3	3	2	2	4	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	3	-	-	-
FEMALE--	-	-	-	-	3	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	2	5	11	13	7	4	1	-
WHITE------MALE----	-	-	-	-	1	3	4	4	1	-	-	-
FEMALE--	-	-	-	-	1	2	7	8	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	1	-	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	1	1	3	1	4	5	2	3	-	-
WHITE------MALE----	-	-	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	2	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
SOUTH DAKOTA ----------	37	1	-	-	1	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	30	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	57	4	1	-	1	-	-	-	2	1	1	-
WHITE------MALE----	19	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	32	3	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
UTAH ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	38	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
SOUTH DAKOTA ----------	-	1	-	-	1	3	3	5	12	7	2	-
WHITE------MALE----	-	-	-	-	1	-	1	4	1	2	1	-
FEMALE--	-	1	-	-	-	3	2	1	11	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	2	1	2	2	3	6	6	4	-	2	-
WHITE------MALE----	-	-	1	2	2	2	3	4	1	-	-	-
FEMALE--	-	2	-	-	-	1	3	1	2	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
TEXAS ----------	-	-	4	4	4	3	13	10	5	2	2	-
WHITE------MALE----	-	-	1	3	2	1	5	4	-	-	1	-
FEMALE--	-	-	3	1	2	2	6	6	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
UTAH ----------	-	-	1	-	-	1	1	1	-	1	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	3	5	3	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	5	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	2	3	1	5	12	5	8	1	-	-
WHITE------MALE----	-	-	1	-	-	4	4	-	3	-	-	-
FEMALE--	-	-	1	3	1	1	6	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
WASHINGTON ----------	48	-	-	-	1	-	-	-	-	1	-	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	28	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	117	-	1	1	-	-	-	-	-	1	-	-
WHITE------MALE----	37	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	80	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2286

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
WASHINGTON ----------	-	1	1	2	3	8	7	12	5	6	-	-
WHITE------MALE----	-	-	1	-	1	5	1	5	2	1	-	-
FEMALE--	-	1	-	2	1	2	6	7	3	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	7	6	3	1	1	1	-
WHITE------MALE----	-	-	-	-	1	4	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	3	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
WISCONSIN ----------	1	-	3	3	9	10	26	28	19	11	4	-
WHITE------MALE----	1	-	3	-	3	4	13	8	2	2	-	-
FEMALE--	-	-	-	3	6	6	13	20	17	9	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	1	1	-	-	1	1	2	3	-	-
WHITE------MALE----	-	-	1	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2287

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
UNITED STATES -	62,065	307	118	40	42	66	102	133	197	454	593	785
WHITE------MALE----	23,712	102	27	17	20	25	35	50	79	178	206	339
FEMALE--	31,408	75	40	13	12	23	28	34	51	145	175	206
ALL OTHER--MALE----	3,404	63	30	6	5	8	20	26	37	68	131	153
FEMALE--	3,541	67	21	4	5	10	19	23	30	63	81	87
BLACK---MALE----	2,801	55	24	5	3	6	17	25	33	61	115	141
FEMALE--	3,009	56	18	3	4	7	18	21	27	57	74	81
ALABAMA ----------	1,214	3	2	1	-	2	4	2	5	11	17	16
WHITE------MALE----	406	2	-	-	-	1	-	-	2	2	4	9
FEMALE--	543	-	-	-	-	-	-	-	-	4	4	2
ALL OTHER--MALE----	121	1	2	-	-	-	1	1	1	3	5	4
FEMALE--	144	-	-	1	-	1	3	1	2	2	4	1
BLACK---MALE----	119	1	2	-	-	-	1	1	1	3	5	4
FEMALE--	143	-	-	1	-	1	3	1	2	2	4	1
ALASKA ----------	44	2	-	-	1	1	-	1	-	2	-	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	1	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	7	1	-	-	1	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ARIZONA ----------	1,256	17	1	4	-	2	4	1	5	17	14	30
WHITE------MALE----	579	10	-	3	-	-	1	1	2	8	5	12
FEMALE--	586	4	-	-	-	1	1	-	1	5	4	15
ALL OTHER--MALE----	47	2	1	-	-	1	2	-	1	1	5	3
FEMALE--	44	1	-	1	-	-	-	-	1	3	-	-
BLACK---MALE----	12	1	1	-	-	-	-	-	-	1	-	1
FEMALE--	9	1	-	1	-	-	-	-	-	-	-	-
ARKANSAS ----------	731	3	1	-	1	1	3	1	-	3	6	5
WHITE------MALE----	275	1	-	-	1	-	-	-	-	1	2	3
FEMALE--	375	-	1	-	-	-	1	1	-	1	3	-
ALL OTHER--MALE----	42	2	-	-	-	1	-	-	-	1	1	2
FEMALE--	39	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	42	2	-	-	-	1	-	-	-	1	1	2
FEMALE--	39	-	-	-	-	-	2	-	-	-	-	-
CALIFORNIA ----------	4,436	27	16	5	-	5	4	9	8	33	26	43
WHITE------MALE----	1,576	12	4	2	-	1	1	1	5	12	7	17
FEMALE--	2,260	7	6	2	-	-	3	3	1	13	11	16
ALL OTHER--MALE----	293	2	3	-	-	1	-	2	2	4	6	2
FEMALE--	307	6	3	1	-	3	-	3	-	4	2	8
BLACK---MALE----	118	1	1	-	-	-	-	1	1	2	5	2
FEMALE--	143	2	2	-	-	-	-	2	-	3	1	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2287

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
UNITED STATES -	886	1,069	1,485	2,322	4,375	7,622	11,119	13,131	10,848	4,997	1,372	2
WHITE------MALE----	398	458	643	1,140	2,081	3,528	4,844	4,914	3,214	1,158	255	1
FEMALE--	258	375	518	799	1,664	3,288	5,316	7,147	6,800	3,456	984	1
ALL OTHER--MALE----	154	140	184	227	371	421	463	460	311	102	24	-
FEMALE--	76	96	140	156	259	385	496	610	523	281	109	-
BLACK---MALE----	139	128	160	198	319	336	353	356	227	80	20	-
FEMALE--	67	82	123	132	227	324	398	520	448	229	93	-
ALABAMA ----------	23	18	32	48	89	168	200	270	195	79	29	-
WHITE------MALE----	7	7	14	25	42	73	74	83	49	8	4	-
FEMALE--	9	9	9	10	27	64	96	147	101	52	9	-
ALL OTHER--MALE----	5	1	8	8	11	14	10	17	23	3	3	-
FEMALE--	2	1	1	5	9	17	20	23	22	16	13	-
BLACK---MALE----	5	1	8	8	11	13	10	16	23	3	3	-
FEMALE--	2	1	1	5	9	17	20	22	22	16	13	-
ALASKA ----------	-	4	-	3	1	6	5	4	8	3	1	-
WHITE------MALE----	-	2	-	2	1	1	3	1	2	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	5	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	1	-	1	-	-	1	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	26	18	41	60	85	168	229	237	208	67	22	-
WHITE------MALE----	13	10	15	34	48	88	123	101	79	21	5	-
FEMALE--	10	5	21	24	33	69	99	119	116	42	17	-
ALL OTHER--MALE----	3	3	2	-	3	6	4	4	4	2	-	-
FEMALE--	-	-	3	2	1	5	3	13	9	2	-	-
BLACK---MALE----	-	2	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	1	1	-	-
ARKANSAS ----------	6	18	15	26	50	88	144	149	135	60	16	-
WHITE------MALE----	4	6	8	12	21	38	51	67	42	16	2	-
FEMALE--	1	8	6	10	22	42	76	73	77	42	11	-
ALL OTHER--MALE----	-	1	-	4	3	6	9	4	7	1	-	-
FEMALE--	1	3	1	-	4	2	8	5	9	1	3	-
BLACK---MALE----	-	1	-	4	3	6	9	4	7	1	-	-
FEMALE--	1	3	1	-	4	2	8	5	9	1	3	-
CALIFORNIA ----------	53	59	94	146	298	536	840	882	795	434	123	-
WHITE------MALE----	22	22	44	73	120	231	326	306	225	119	26	-
FEMALE--	20	29	28	50	119	226	396	470	491	282	87	-
ALL OTHER--MALE----	8	4	14	15	34	40	53	48	39	14	2	-
FEMALE--	3	4	8	8	25	39	65	58	40	19	8	-
BLACK---MALE----	6	4	8	5	16	15	17	15	14	5	-	-
FEMALE--	2	1	6	2	18	16	25	28	18	5	4	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2288

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
COLORADO ----------	787	3	2	1	1	1	-	3	4	5	4	18
WHITE------MALE----	333	2	-	-	1	-	-	-	-	1	2	4
FEMALE--	422	-	-	-	-	1	-	3	4	3	2	9
ALL OTHER--MALE----	16	1	-	1	-	-	-	-	-	1	-	3
FEMALE--	16	-	2	-	-	-	-	-	-	-	-	2
BLACK---MALE----	11	-	-	1	-	-	-	-	-	1	-	2
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	871	1	1	-	-	1	2	1	-	4	6	7
WHITE------MALE----	331	-	1	-	-	1	2	-	-	4	2	4
FEMALE--	500	1	-	-	-	-	-	1	-	-	3	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	152	2	-	-	-	-	1	-	1	2	1	1
WHITE------MALE----	63	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	74	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ---	116	-	-	-	-	-	1	1	3	1	3	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	35	-	-	-	-	-	-	1	1	1	2	-
FEMALE--	45	-	-	-	-	-	1	-	2	-	1	1
BLACK---MALE----	34	-	-	-	-	-	-	1	1	1	2	-
FEMALE--	44	-	-	-	-	-	1	-	2	-	1	1
FLORIDA ----------	3,292	20	1	1	1	-	9	6	7	30	39	37
WHITE------MALE----	1,414	4	-	-	-	-	-	2	4	13	10	18
FEMALE--	1,598	5	-	-	1	-	4	2	2	6	13	13
ALL OTHER--MALE----	144	1	1	1	-	-	3	-	-	6	12	6
FEMALE--	136	10	-	-	-	-	2	2	1	5	4	-
BLACK---MALE----	143	1	1	1	-	-	3	-	-	6	12	6
FEMALE--	129	9	-	-	-	-	2	2	1	5	4	-
GEORGIA ----------	1,682	11	4	2	4	4	3	8	11	16	29	23
WHITE------MALE----	547	-	2	-	2	1	-	1	2	6	11	8
FEMALE--	762	4	-	-	1	2	1	1	4	4	7	4
ALL OTHER--MALE----	173	4	1	2	1	1	1	3	4	3	4	7
FEMALE--	200	3	1	-	-	-	1	3	1	3	7	4
BLACK---MALE----	169	4	1	2	1	1	1	3	4	2	4	6
FEMALE--	196	3	1	-	-	-	1	3	1	3	7	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
COLORADO ----------	16	15	22	28	42	84	121	178	140	80	19	-
WHITE------MALE----	6	5	10	18	17	45	66	74	49	30	3	-
FEMALE--	6	8	12	9	24	34	54	100	88	49	16	-
ALL OTHER--MALE----	-	1	-	1	-	2	1	4	1	-	-	-
FEMALE--	4	1	-	-	1	3	-	-	2	1	-	-
BLACK---MALE----	-	1	-	1	-	-	1	3	1	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	2	-	-	-
CONNECTICUT ----------	8	13	7	25	51	73	174	203	171	96	27	-
WHITE------MALE----	6	6	4	16	24	34	80	70	43	25	9	-
FEMALE--	2	4	3	6	23	33	87	128	125	66	17	-
ALL OTHER--MALE----	-	2	-	2	2	1	1	2	2	-	-	-
FEMALE--	-	1	-	1	2	5	6	3	1	5	1	-
BLACK---MALE----	-	2	-	2	1	1	1	-	2	-	-	-
FEMALE--	-	1	-	1	2	4	6	3	1	3	1	-
DELAWARE ----------	3	-	8	6	14	12	40	23	20	17	1	-
WHITE------MALE----	2	-	4	4	8	5	23	9	3	3	-	-
FEMALE--	1	-	4	2	3	5	15	12	15	14	1	-
ALL OTHER--MALE----	-	-	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	-	-
BLACK---MALE----	-	-	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	-	-
DISTRICT OF COLUMBIA ---	3	4	3	5	9	16	19	19	13	10	5	-
WHITE------MALE----	-	-	-	-	2	4	2	2	-	1	-	-
FEMALE--	-	-	-	-	-	2	1	8	5	5	4	-
ALL OTHER--MALE----	2	3	1	4	2	6	6	1	3	2	-	-
FEMALE--	1	1	2	1	5	4	10	8	5	2	1	-
BLACK---MALE----	2	3	1	4	2	6	6	1	2	2	-	-
FEMALE--	1	1	2	1	5	4	9	8	5	2	1	-
FLORIDA ----------	50	67	89	132	240	430	605	675	543	243	66	1
WHITE------MALE----	28	30	37	67	119	221	275	301	207	68	10	-
FEMALE--	9	19	33	49	97	174	293	343	318	165	51	1
ALL OTHER--MALE----	9	11	14	11	13	17	18	11	7	2	1	-
FEMALE--	4	7	5	5	11	18	19	20	11	8	4	-
BLACK---MALE----	9	11	14	11	13	17	17	11	7	2	1	-
FEMALE--	4	6	4	5	11	17	17	19	11	8	4	-
GEORGIA ----------	32	53	50	80	121	212	297	349	244	101	28	-
WHITE------MALE----	14	18	19	30	52	83	112	114	48	17	7	-
FEMALE--	8	13	13	23	42	92	140	173	156	61	13	-
ALL OTHER--MALE----	4	13	8	17	15	18	19	28	11	7	2	-
FEMALE--	6	9	10	10	12	19	26	34	29	16	6	-
BLACK---MALE----	4	13	8	17	15	18	18	28	10	7	2	-
FEMALE--	6	9	10	10	12	17	25	34	29	15	6	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
HAWAII ----------	223	4	-	-	-	-	1	-	1	3	1	1
WHITE------MALE----	29	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	106	2	-	-	-	-	-	-	1	2	1	1
FEMALE--	68	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	252	1	-	-	-	-	-	1	1	1	3	1
WHITE------MALE----	104	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	144	1	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3,054	23	6	3	2	3	2	7	12	31	34	55
WHITE------MALE----	1,108	7	-	3	1	-	2	5	4	8	9	21
FEMALE--	1,519	3	3	-	1	2	-	-	1	4	7	9
ALL OTHER--MALE----	226	5	1	-	-	1	-	2	3	9	12	17
FEMALE--	201	8	2	-	-	-	-	-	4	10	6	8
BLACK---MALE----	213	5	1	-	-	1	-	2	3	9	12	17
FEMALE--	196	8	2	-	-	-	-	-	4	10	6	8
INDIANA ----------	1,324	9	2	3	2	1	3	1	7	16	16	20
WHITE------MALE----	510	2	-	1	1	1	2	1	5	6	7	12
FEMALE--	735	4	1	2	1	-	-	-	2	8	6	8
ALL OTHER--MALE----	44	3	-	-	-	-	1	-	-	2	-	-
FEMALE--	35	-	1	-	-	-	-	-	-	-	3	-
BLACK---MALE----	42	3	-	-	-	-	1	-	-	2	-	-
FEMALE--	34	-	1	-	-	-	-	-	-	-	3	-
IOWA ----------	1,026	2	-	-	-	-	1	3	1	-	3	5
WHITE------MALE----	401	1	-	-	-	-	-	2	1	-	2	3
FEMALE--	609	1	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	1	-
KANSAS ----------	663	1	2	-	-	1	-	1	-	2	6	6
WHITE------MALE----	294	-	-	-	-	-	-	1	-	2	4	6
FEMALE--	346	-	2	-	-	1	-	-	-	-	2	-
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
HAWAII ----------	4	2	2	8	19	28	40	40	43	19	7	-
WHITE------MALE----	1	-	-	2	3	6	5	2	6	2	1	-
FEMALE--	-	-	-	1	3	1	4	4	3	3	1	-
ALL OTHER--MALE----	-	1	2	3	9	14	23	22	22	3	-	-
FEMALE--	3	1	-	2	4	7	8	12	12	11	5	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	1	5	6	19	23	47	47	63	21	6	-
WHITE------MALE----	4	-	3	5	12	12	25	18	16	4	1	-
FEMALE--	2	1	2	1	7	10	22	28	45	17	5	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ILLINOIS ----------	49	61	78	102	195	340	532	688	527	232	72	-
WHITE------MALE----	18	19	26	45	90	137	239	255	160	44	15	-
FEMALE--	16	18	29	35	71	158	244	370	321	176	51	-
ALL OTHER--MALE----	11	14	14	18	20	22	27	30	15	5	-	-
FEMALE--	4	10	9	4	14	23	22	33	31	7	6	-
BLACK---MALE----	11	14	13	16	19	20	25	26	14	5	-	-
FEMALE--	4	10	8	4	12	23	22	33	31	5	6	-
INDIANA ----------	22	16	35	50	85	158	241	284	217	111	25	-
WHITE------MALE----	8	7	19	24	38	57	116	102	70	25	6	-
FEMALE--	12	8	14	21	37	93	115	172	135	78	18	-
ALL OTHER--MALE----	2	1	-	4	7	5	5	3	7	3	1	-
FEMALE--	-	-	2	1	3	3	5	7	5	5	-	-
BLACK---MALE----	2	1	-	4	7	4	5	3	6	3	1	-
FEMALE--	-	-	2	1	3	3	5	6	5	5	-	-
IOWA ----------	8	11	18	28	56	111	182	239	213	104	41	-
WHITE------MALE----	6	3	10	13	30	55	92	101	62	16	4	-
FEMALE--	2	8	6	14	24	55	88	133	151	87	37	-
ALL OTHER--MALE----	-	-	2	-	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	-	1	-	-
BLACK---MALE----	-	-	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	1	-	-
KANSAS ----------	12	7	11	29	40	65	102	147	148	64	19	-
WHITE------MALE----	7	4	4	13	22	38	51	77	44	16	5	-
FEMALE--	2	3	5	15	16	26	48	67	99	46	14	-
ALL OTHER--MALE----	-	-	1	1	1	-	2	2	3	-	-	-
FEMALE--	3	-	1	-	1	1	1	1	2	2	-	-
BLACK---MALE----	-	-	1	1	1	-	2	2	2	-	-	-
FEMALE--	1	-	1	-	1	1	1	1	2	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2290

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
KENTUCKY ----------	1,169	7	-	-	2	3	4	3	4	3	11	17
WHITE------MALE----	491	4	-	-	1	1	1	-	2	1	6	9
FEMALE--	610	2	-	-	1	2	1	1	2	2	4	5
ALL OTHER--MALE----	33	-	-	-	-	-	1	2	-	-	1	2
FEMALE--	35	1	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	31	-	-	-	-	-	1	2	-	-	1	1
FEMALE--	35	1	-	-	-	-	1	-	-	-	-	1
LOUISIANA ----------	996	8	6	-	2	1	3	2	5	10	13	16
WHITE------MALE----	303	3	1	-	-	-	-	-	1	4	1	6
FEMALE--	425	2	-	-	1	1	2	1	-	1	5	2
ALL OTHER--MALE----	129	3	3	-	1	-	1	-	2	2	4	5
FEMALE--	139	-	2	-	-	-	-	1	2	3	3	3
BLACK---MALE----	127	3	3	-	1	-	1	-	2	2	4	5
FEMALE--	139	-	2	-	-	-	-	1	2	3	3	3
MAINE ----------	269	-	1	-	-	-	-	-	-	1	1	2
WHITE------MALE----	110	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	158	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1,105	10	1	-	-	-	2	3	6	13	13	18
WHITE------MALE----	389	2	-	-	-	-	-	2	5	2	3	9
FEMALE--	514	3	-	-	-	-	-	1	-	4	3	1
ALL OTHER--MALE----	90	3	1	-	-	-	2	-	1	4	4	3
FEMALE--	112	2	-	-	-	-	-	-	-	3	3	5
BLACK---MALE----	86	3	-	-	-	-	2	-	1	4	4	3
FEMALE--	104	2	-	-	-	-	-	-	-	3	3	5
MASSACHUSETTS ----------	1,886	3	1	1	2	4	1	2	3	5	7	11
WHITE------MALE----	741	2	1	-	1	3	-	1	2	4	4	4
FEMALE--	1,096	1	-	1	-	1	-	1	-	1	2	5
ALL OTHER--MALE----	20	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	29	-	-	-	1	-	-	-	1	-	1	1
BLACK---MALE----	14	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	25	-	-	-	1	-	-	-	1	-	1	1
MICHIGAN ----------	2,231	13	7	2	1	4	3	6	10	14	30	39
WHITE------MALE----	872	2	1	1	1	3	1	2	3	2	19	17
FEMALE--	1,073	5	5	1	-	-	-	1	1	8	3	11
ALL OTHER--MALE----	138	1	1	-	-	-	1	3	3	2	5	9
FEMALE--	148	5	-	-	-	1	1	-	3	2	3	2
BLACK---MALE----	131	1	1	-	-	-	1	3	3	2	5	9
FEMALE--	142	5	-	-	-	1	1	-	3	2	3	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
KENTUCKY ----------	12	28	37	44	84	150	211	252	199	77	21	-
WHITE------MALE----	5	15	18	24	40	80	104	105	55	19	1	-
FEMALE--	4	11	12	15	38	65	98	140	136	54	17	-
ALL OTHER--MALE----	2	2	3	3	3	2	6	4	2	-	-	-
FEMALE--	1	-	4	2	3	3	3	3	6	4	3	-
BLACK---MALE----	2	1	3	3	3	2	6	4	2	-	-	-
FEMALE--	1	-	4	2	3	3	3	3	6	4	3	-
LOUISIANA ----------	15	20	29	30	83	143	138	210	153	92	17	-
WHITE------MALE----	1	9	7	15	31	51	46	68	33	23	3	-
FEMALE--	4	6	6	8	33	53	60	91	87	52	10	-
ALL OTHER--MALE----	8	4	10	4	10	19	17	22	11	3	-	-
FEMALE--	2	1	6	3	9	20	15	29	22	14	4	-
BLACK---MALE----	8	4	10	4	10	18	17	21	11	3	-	-
FEMALE--	2	1	6	3	9	20	15	29	22	14	4	-
MAINE ----------	-	1	3	6	18	39	46	56	53	28	14	-
WHITE------MALE----	-	1	2	4	13	21	22	22	14	5	2	-
FEMALE--	-	-	1	2	5	17	24	34	39	23	12	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	17	14	29	39	92	154	185	207	181	94	27	-
WHITE------MALE----	5	7	11	17	47	75	69	67	43	21	4	-
FEMALE--	7	4	9	12	25	57	94	101	120	59	14	-
ALL OTHER--MALE----	2	2	4	5	9	14	10	18	6	1	1	-
FEMALE--	3	1	5	5	11	8	12	21	12	13	8	-
BLACK---MALE----	2	2	4	5	8	14	9	17	6	1	1	-
FEMALE--	3	1	5	4	10	7	11	21	10	11	8	-
MASSACHUSETTS ----------	21	28	26	60	109	214	346	413	364	206	59	-
WHITE------MALE----	14	16	12	40	62	111	164	155	92	44	9	-
FEMALE--	5	10	10	17	41	98	177	250	266	161	49	-
ALL OTHER--MALE----	2	1	1	1	3	2	5	2	1	-	-	-
FEMALE--	-	1	3	2	3	3	-	6	5	1	1	-
BLACK---MALE----	2	1	1	1	2	1	2	1	1	-	-	-
FEMALE--	-	1	3	1	3	2	-	5	4	1	1	-
MICHIGAN ----------	37	44	46	84	163	274	441	463	331	182	37	-
WHITE------MALE----	12	11	17	38	78	131	199	188	93	50	3	-
FEMALE--	5	18	14	25	67	104	208	236	211	122	28	-
ALL OTHER--MALE----	13	11	7	12	10	17	14	16	8	3	2	-
FEMALE--	7	4	8	9	8	22	20	23	19	7	4	-
BLACK---MALE----	13	9	6	12	10	17	12	15	7	3	2	-
FEMALE--	7	4	8	8	5	22	20	23	18	6	4	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2291

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
MINNESOTA ----------	978	2	2	1	2	1	2	3	4	3	6	7
WHITE------MALE----	465	-	-	-	1	1	2	-	3	-	2	5
FEMALE--	497	2	1	1	1	-	-	2	1	2	3	2
ALL OTHER--MALE----	7	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	794	9	4	-	1	2	-	7	-	7	12	11
WHITE------MALE----	232	1	1	-	-	1	-	1	-	4	3	4
FEMALE--	339	2	-	-	-	-	-	3	-	1	4	2
ALL OTHER--MALE----	123	2	2	-	1	-	-	2	-	2	3	2
FEMALE--	100	4	1	-	-	1	-	1	-	-	2	3
BLACK---MALE----	122	2	2	-	1	-	-	2	-	2	3	2
FEMALE--	98	4	1	-	-	1	-	1	-	-	2	3
MISSOURI ----------	1,654	4	-	1	-	-	2	1	6	12	18	12
WHITE------MALE----	620	1	-	1	-	-	1	-	3	6	4	5
FEMALE--	888	1	-	-	-	-	-	-	1	4	7	4
ALL OTHER--MALE----	75	2	-	-	-	-	1	1	2	1	4	3
FEMALE--	71	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	70	2	-	-	-	-	1	1	2	1	3	3
FEMALE--	69	-	-	-	-	-	-	-	-	1	3	-
MONTANA ----------	217	1	4	-	-	-	-	-	1	2	5	1
WHITE------MALE----	85	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	117	-	2	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	426	2	1	-	-	1	1	1	1	1	4	1
WHITE------MALE----	155	-	1	-	-	-	1	1	-	1	3	1
FEMALE--	258	1	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	319	2	1	-	1	2	1	-	-	6	1	8
WHITE------MALE----	152	1	-	-	-	2	1	-	-	1	-	3
FEMALE--	140	1	-	-	-	-	-	-	-	2	-	3
ALL OTHER--MALE----	15	-	1	-	-	-	-	-	-	1	1	2
FEMALE--	12	-	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	10	-	1	-	-	-	-	-	-	1	1	2
FEMALE--	10	-	-	-	1	-	-	-	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
MINNESOTA ----------	6	11	17	31	51	99	171	225	200	99	35	-
WHITE------MALE----	3	8	11	16	29	64	98	100	84	28	10	-
FEMALE--	3	3	6	13	21	31	72	124	114	70	25	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	1	-	3	1	-	2	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
MISSISSIPPI ----------	11	12	21	40	71	97	146	156	130	49	8	-
WHITE------MALE----	2	4	7	16	20	34	48	48	33	5	-	-
FEMALE--	2	3	4	13	25	48	66	70	61	28	7	-
ALL OTHER--MALE----	6	4	2	6	15	12	18	21	16	9	-	-
FEMALE--	1	1	8	5	11	3	14	17	20	7	1	-
BLACK---MALE----	6	4	2	6	15	12	18	21	16	8	-	-
FEMALE--	1	1	7	5	11	2	14	17	20	7	1	-
MISSOURI ----------	20	28	48	61	114	231	261	368	288	147	31	1
WHITE------MALE----	11	15	26	25	54	103	106	131	88	30	9	1
FEMALE--	6	10	16	23	47	107	139	213	182	108	20	-
ALL OTHER--MALE----	2	2	1	7	8	11	9	11	6	4	-	-
FEMALE--	1	1	5	6	5	10	7	13	12	5	2	-
BLACK---MALE----	2	2	1	7	8	11	8	10	5	3	-	-
FEMALE--	1	1	5	6	5	10	6	13	11	5	2	-
MONTANA ----------	4	2	7	5	8	24	31	46	57	18	1	-
WHITE------MALE----	3	1	4	2	5	9	16	21	18	3	-	-
FEMALE--	-	-	2	2	2	14	13	24	39	14	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	1	-	-
FEMALE--	1	1	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	7	11	13	24	45	64	89	90	50	16	-
WHITE------MALE----	1	-	3	8	11	23	25	36	27	9	4	-
FEMALE--	2	6	5	5	12	21	38	52	62	40	12	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	-	1	2	-	-	1	1	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	1	-	-	-	-	1	1	-	-	-
NEVADA ----------	9	8	10	26	38	47	59	54	28	15	3	-
WHITE------MALE----	5	6	5	15	16	26	30	25	12	4	-	-
FEMALE--	3	2	4	8	21	16	25	25	16	11	3	-
ALL OTHER--MALE----	1	-	1	2	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	3	-	-	-	-
BLACK---MALE----	1	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2292

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
NEW HAMPSHIRE ----------	170	1	-	-	-	-	1	2	-	-	2	-
WHITE------MALE----	65	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	101	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2,059	10	7	-	-	2	4	3	9	20	22	28
WHITE------MALE----	796	2	3	-	-	1	1	-	2	9	6	9
FEMALE--	1,066	1	1	-	-	-	1	1	4	5	3	10
ALL OTHER--MALE----	105	5	1	-	-	-	-	1	2	2	8	5
FEMALE--	92	2	2	-	-	1	2	1	1	4	5	4
BLACK---MALE----	95	5	1	-	-	-	-	1	2	2	7	5
FEMALE--	86	2	2	-	-	1	2	1	1	4	5	4
NEW MEXICO ----------	359	4	-	1	-	-	1	-	1	3	4	8
WHITE------MALE----	146	2	-	-	-	-	-	-	-	-	1	2
FEMALE--	170	-	-	-	-	-	-	-	1	3	1	2
ALL OTHER--MALE----	21	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	22	2	-	-	-	-	1	-	-	-	1	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5,377	16	9	2	4	4	6	6	18	29	40	73
WHITE------MALE----	2,019	2	2	-	1	1	3	2	7	9	9	26
FEMALE--	2,582	2	2	1	2	3	1	1	3	10	13	16
ALL OTHER--MALE----	362	5	2	-	-	-	-	2	5	6	10	19
FEMALE--	414	7	3	1	1	-	2	1	3	4	8	12
BLACK---MALE----	299	4	2	-	-	-	-	2	5	6	10	19
FEMALE--	369	7	3	1	-	-	2	1	3	4	7	12
NORTH CAROLINA ---------	1,853	7	4	2	1	2	2	3	9	14	17	28
WHITE------MALE----	614	2	1	2	-	1	-	1	3	6	7	5
FEMALE--	883	3	1	-	-	-	1	-	5	5	1	3
ALL OTHER--MALE----	165	-	1	-	1	1	-	1	-	2	5	14
FEMALE--	191	2	1	-	-	-	1	1	1	1	4	6
BLACK---MALE----	153	-	1	-	-	1	-	1	-	2	5	14
FEMALE--	182	2	-	-	-	-	1	1	1	1	3	6
NORTH DAKOTA ----------	150	1	1	-	-	-	-	1	-	1	1	4
WHITE------MALE----	62	-	1	-	-	-	-	1	-	1	1	2
FEMALE--	83	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
NEW HAMPSHIRE ----------	1	-	4	5	19	31	25	33	30	12	4	-
WHITE------MALE----	1	-	2	2	10	15	8	13	9	3	-	-
FEMALE--	-	-	2	3	9	15	16	20	21	9	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	35	21	46	69	157	274	370	461	335	144	42	-
WHITE------MALE----	15	11	18	30	78	144	150	175	97	33	12	-
FEMALE--	10	7	14	25	54	111	197	268	222	102	30	-
ALL OTHER--MALE----	8	1	10	7	17	11	13	6	7	1	-	-
FEMALE--	2	2	4	7	8	8	10	12	9	8	-	-
BLACK---MALE----	8	-	9	7	17	10	10	6	4	1	-	-
FEMALE--	2	2	3	6	7	7	9	12	8	8	-	-
NEW MEXICO ----------	8	7	11	17	19	41	66	79	58	20	11	-
WHITE------MALE----	3	3	6	12	9	14	32	33	21	4	4	-
FEMALE--	3	2	4	3	8	22	31	39	30	15	6	-
ALL OTHER--MALE----	2	1	1	1	2	5	1	2	3	-	-	-
FEMALE--	-	1	-	1	-	-	2	5	4	1	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	71	114	126	236	429	597	957	1,146	970	413	111	-
WHITE------MALE----	34	48	48	106	212	245	423	429	304	88	20	-
FEMALE--	16	33	34	69	149	258	424	605	582	278	80	-
ALL OTHER--MALE----	18	20	22	30	45	45	53	40	32	6	2	-
FEMALE--	3	13	22	31	23	49	57	72	52	41	9	-
BLACK---MALE----	17	19	17	25	37	36	39	31	24	4	2	-
FEMALE--	3	12	22	30	20	46	45	62	47	35	7	-
NORTH CAROLINA ---------	28	38	47	74	143	240	335	399	292	129	39	-
WHITE------MALE----	9	14	22	33	48	105	124	130	74	23	4	-
FEMALE--	7	8	12	28	44	102	160	216	178	83	26	-
ALL OTHER--MALE----	11	8	8	10	31	16	21	17	13	3	2	-
FEMALE--	1	8	5	3	20	17	30	36	27	20	7	-
BLACK---MALE----	10	7	6	8	31	15	20	15	12	3	2	-
FEMALE--	1	8	4	3	19	17	29	33	27	19	7	-
NORTH DAKOTA ----------	1	3	5	4	7	15	28	31	28	14	5	-
WHITE------MALE----	-	2	3	3	4	8	11	12	11	2	-	-
FEMALE--	1	1	2	1	3	6	17	18	16	12	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
OHIO ----------	2,575	5	1	1	2	2	6	3	5	14	20	31
WHITE------MALE----	989	-	-	1	2	-	1	-	1	6	6	9
FEMALE--	1,390	3	-	-	-	1	3	1	2	5	7	11
ALL OTHER--MALE----	106	2	1	-	-	-	1	1	2	2	3	8
FEMALE--	90	-	-	-	-	1	1	1	-	1	4	3
BLACK---MALE----	102	2	1	-	-	-	1	1	2	2	3	7
FEMALE--	88	-	-	-	-	1	1	1	-	1	4	3
OKLAHOMA ----------	987	4	2	-	1	1	-	-	2	5	6	10
WHITE------MALE----	365	-	1	-	1	1	-	-	1	2	2	6
FEMALE--	527	2	-	-	-	-	-	-	1	3	2	1
ALL OTHER--MALE----	39	1	1	-	-	-	-	-	-	-	1	3
FEMALE--	56	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	30	1	-	-	-	-	-	-	-	-	1	-
OREGON ----------	681	1	-	-	1	-	1	1	1	5	-	8
WHITE------MALE----	291	-	-	-	1	-	-	-	1	1	-	5
FEMALE--	370	1	-	-	-	-	-	1	-	3	-	3
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA ----------	3,067	13	8	2	1	2	3	8	4	26	21	28
WHITE------MALE----	1,251	7	2	-	-	2	2	4	1	15	7	15
FEMALE--	1,596	3	3	2	-	-	1	2	2	6	6	4
ALL OTHER--MALE----	107	2	2	-	-	-	-	1	1	3	3	6
FEMALE--	113	1	1	-	1	-	-	1	-	2	5	3
BLACK---MALE----	100	2	2	-	-	-	-	1	1	3	3	6
FEMALE--	107	1	1	-	1	-	-	1	-	2	5	3
RHODE ISLAND ----------	295	-	-	-	-	-	-	1	1	1	1	1
WHITE------MALE----	108	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	177	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	862	3	1	-	-	3	2	5	1	7	14	18
WHITE------MALE----	261	-	-	-	-	1	1	2	-	3	2	8
FEMALE--	400	-	1	-	-	1	1	1	-	3	3	2
ALL OTHER--MALE----	99	1	-	-	-	1	-	1	1	-	7	5
FEMALE--	102	2	-	-	-	-	-	1	-	1	2	3
BLACK---MALE----	99	1	-	-	-	1	-	1	1	-	7	5
FEMALE--	101	2	-	-	-	-	-	1	-	-	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
OHIO ----------	36	47	61	81	212	332	499	521	472	179	45	-
WHITE------MALE----	16	22	28	41	103	160	221	190	129	46	7	-
FEMALE--	15	18	22	26	86	147	255	305	318	129	36	-
ALL OTHER--MALE----	3	5	6	9	11	17	13	12	7	1	2	-
FEMALE--	2	2	5	5	12	8	10	14	18	3	-	-
BLACK---MALE----	3	4	6	8	11	17	13	11	7	1	2	-
FEMALE--	2	2	5	5	12	8	10	14	16	3	-	-
OKLAHOMA ----------	11	19	26	33	79	117	147	224	200	78	22	-
WHITE------MALE----	7	8	9	12	34	58	62	82	63	11	5	-
FEMALE--	2	9	10	18	34	57	69	125	119	61	14	-
ALL OTHER--MALE----	-	1	3	1	8	1	6	7	4	1	1	-
FEMALE--	2	1	4	2	3	1	10	10	14	5	2	-
BLACK---MALE----	-	-	3	-	4	-	2	3	2	1	1	-
FEMALE--	1	1	-	-	2	1	5	6	8	3	1	-
OREGON ----------	10	10	10	20	51	86	105	152	133	67	19	-
WHITE------MALE----	8	6	3	9	29	48	58	59	40	21	2	-
FEMALE--	1	4	6	9	21	36	43	90	91	45	16	-
ALL OTHER--MALE----	1	-	1	1	-	2	1	2	-	1	-	-
FEMALE--	-	-	-	1	1	-	3	1	2	-	1	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
PENNSYLVANIA ----------	38	41	80	107	197	436	564	657	565	215	51	-
WHITE------MALE----	18	18	40	53	101	202	260	261	186	48	9	-
FEMALE--	12	20	29	44	74	206	274	362	355	151	40	-
ALL OTHER--MALE----	4	3	8	6	12	14	16	15	9	2	-	-
FEMALE--	4	-	3	4	10	14	14	19	15	14	2	-
BLACK---MALE----	4	3	7	5	12	14	14	15	6	2	-	-
FEMALE--	4	-	3	4	10	12	13	18	13	14	2	-
RHODE ISLAND ----------	2	2	4	10	16	40	47	71	67	22	9	-
WHITE------MALE----	2	-	3	6	6	22	19	28	16	4	-	-
FEMALE--	-	1	1	4	10	17	27	41	49	17	8	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	1	1	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	1	-
SOUTH CAROLINA ---------	23	19	27	45	62	134	156	168	108	56	10	-
WHITE------MALE----	10	8	7	17	29	43	56	48	13	9	4	-
FEMALE--	6	4	11	11	20	63	66	91	73	40	3	-
ALL OTHER--MALE----	5	5	8	11	5	17	15	10	5	2	-	-
FEMALE--	2	2	1	6	8	11	19	19	17	5	3	-
BLACK---MALE----	5	5	8	11	5	17	15	10	5	2	-	-
FEMALE--	2	2	1	6	8	11	19	19	17	5	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2294

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
SOUTH DAKOTA ----------	227	-	-	-	-	-	-	-	-	2	2	5
WHITE------MALE----	95	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	114	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,558	7	4	-	2	-	2	5	6	7	14	20
WHITE------MALE----	602	3	1	-	1	-	1	4	3	2	5	8
FEMALE--	787	-	-	-	1	-	1	1	2	5	4	6
ALL OTHER--MALE----	72	3	2	-	-	-	-	-	1	-	4	1
FEMALE--	97	1	1	-	-	-	-	-	-	-	1	5
BLACK---MALE----	72	3	2	-	-	-	-	-	1	-	4	1
FEMALE--	94	-	1	-	-	-	-	-	-	-	1	4
TEXAS ----------	3,477	26	7	3	2	7	9	7	15	36	49	59
WHITE------MALE----	1,330	15	1	2	-	2	3	5	7	19	23	33
FEMALE--	1,788	7	5	-	2	4	3	1	4	8	17	17
ALL OTHER--MALE----	183	2	-	1	-	1	2	-	2	4	8	7
FEMALE--	176	2	1	-	-	-	1	1	2	5	1	2
BLACK---MALE----	169	2	-	1	-	1	2	-	2	4	7	7
FEMALE--	166	2	1	-	-	-	1	1	2	5	1	2
UTAH ----------	386	1	1	-	2	-	2	-	1	1	4	2
WHITE------MALE----	178	1	-	-	2	-	1	-	-	1	2	2
FEMALE--	201	-	1	-	-	-	1	-	1	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	120	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	56	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	64	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,556	3	4	-	2	2	3	6	12	11	16	19
WHITE------MALE----	539	2	-	-	1	-	1	2	4	4	8	7
FEMALE--	775	-	3	-	-	1	1	-	4	5	4	5
ALL OTHER--MALE----	111	-	1	-	-	-	1	1	1	1	3	4
FEMALE--	131	1	-	-	1	1	-	3	3	1	1	3
BLACK---MALE----	102	-	1	-	-	-	1	1	1	1	3	4
FEMALE--	126	1	-	-	1	1	-	3	3	1	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2294

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
SOUTH DAKOTA ----------	4	1	4	2	9	16	39	55	47	29	12	-
WHITE------MALE----	2	-	2	1	6	10	16	26	15	7	4	-
FEMALE--	-	1	1	-	1	6	22	27	30	19	7	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	-	1	1	-	-
FEMALE--	-	-	1	-	1	-	1	2	1	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	29	31	43	66	124	202	285	337	245	103	26	-
WHITE------MALE----	14	13	24	35	70	88	113	120	70	22	5	-
FEMALE--	9	12	14	28	40	92	147	191	145	71	18	-
ALL OTHER--MALE----	3	3	3	2	8	10	10	10	8	3	1	-
FEMALE--	3	3	2	1	6	12	15	16	22	7	2	-
BLACK---MALE----	3	3	3	2	8	10	10	10	8	3	1	-
FEMALE--	2	3	2	1	6	12	15	16	22	7	2	-
TEXAS ----------	58	67	102	146	237	394	594	714	608	269	68	-
WHITE------MALE----	27	36	38	65	123	184	251	244	185	57	10	-
FEMALE--	19	17	47	61	86	170	296	416	373	184	51	-
ALL OTHER--MALE----	4	9	11	9	18	22	24	29	15	12	3	-
FEMALE--	8	5	6	11	10	18	23	25	35	16	4	-
BLACK---MALE----	4	9	11	9	17	19	22	24	14	12	2	-
FEMALE--	8	4	6	10	8	16	20	24	35	16	4	-
UTAH ----------	4	12	8	6	31	45	72	90	69	29	6	-
WHITE------MALE----	2	4	2	4	15	26	37	41	21	16	1	-
FEMALE--	2	7	6	2	14	18	34	49	48	12	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	3	3	8	12	29	30	22	6	3	-
WHITE------MALE----	1	-	2	2	4	8	14	13	6	3	2	-
FEMALE--	-	-	1	1	4	4	15	17	16	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	13	24	20	68	110	225	282	336	260	109	31	-
WHITE------MALE----	6	8	10	39	43	87	118	97	69	28	5	-
FEMALE--	3	10	4	20	35	105	127	187	168	72	21	-
ALL OTHER--MALE----	3	1	3	6	21	16	16	24	7	2	-	-
FEMALE--	1	5	3	3	11	17	21	28	16	7	5	-
BLACK---MALE----	3	1	3	6	20	15	13	22	5	2	-	-
FEMALE--	1	5	3	3	11	17	18	27	15	7	5	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
WASHINGTON ----------	1,211	2	-	3	-	1	1	1	2	3	18	12
WHITE------MALE----	501	2	-	1	-	-	1	-	1	1	8	4
FEMALE--	659	-	-	2	-	1	-	1	-	2	8	5
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	22	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	500	1	1	-	-	-	-	3	1	5	5	4
WHITE------MALE----	233	1	-	-	-	-	-	2	-	3	4	4
FEMALE--	251	-	1	-	-	-	-	1	1	2	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1,308	9	2	1	-	-	2	3	2	6	8	10
WHITE------MALE----	556	3	1	-	-	-	2	3	1	2	3	3
FEMALE--	704	1	1	1	-	-	-	-	-	-	3	4
ALL OTHER--MALE----	27	2	-	-	-	-	-	-	1	3	1	1
FEMALE--	21	3	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	21	2	-	-	-	-	-	-	-	1	1	1
FEMALE--	17	3	-	-	-	-	-	-	-	1	1	2
WYOMING ----------	120	3	-	-	1	-	-	1	1	2	-	2
WHITE------MALE----	46	2	-	-	1	-	-	1	1	1	-	2
FEMALE--	71	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
WASHINGTON ----------	15	19	18	51	75	138	237	228	242	114	31	-
WHITE------MALE----	4	11	10	30	36	77	106	100	78	23	8	-
FEMALE--	6	6	6	17	36	55	122	120	161	89	22	-
ALL OTHER--MALE----	4	1	2	2	3	3	4	5	1	-	1	-
FEMALE--	1	1	-	2	-	3	5	3	2	2	-	-
BLACK---MALE----	2	1	1	1	1	-	2	2	1	-	-	-
FEMALE--	1	-	-	2	-	1	1	2	-	-	-	-
WEST VIRGINIA ----------	9	7	18	22	44	63	94	93	80	36	14	-
WHITE------MALE----	6	3	10	16	22	36	53	37	27	8	1	-
FEMALE--	2	3	7	4	21	26	40	52	49	28	13	-
ALL OTHER--MALE----	1	-	1	1	1	1	1	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	4	-	-	-
BLACK---MALE----	1	-	1	1	1	1	1	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	4	-	-	-
WISCONSIN ----------	12	16	27	30	73	137	244	306	241	144	35	-
WHITE------MALE----	5	11	15	19	42	86	114	119	78	41	8	-
FEMALE--	3	5	11	8	28	48	123	180	159	102	27	-
ALL OTHER--MALE----	4	-	1	1	2	1	5	3	2	-	-	-
FEMALE--	-	-	-	2	1	2	2	4	2	1	-	-
BLACK---MALE----	2	-	1	1	2	1	4	3	2	-	-	-
FEMALE--	-	-	-	2	1	2	1	2	2	-	-	-
WYOMING ----------	-	1	1	6	4	12	27	27	19	11	2	-
WHITE------MALE----	-	-	1	2	2	6	8	8	5	5	1	-
FEMALE--	-	1	-	4	2	6	18	19	13	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2296

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral pneumonia, not elsewhere classified (J12)												
UNITED STATES -	407	79	22	5	5	1	4	4	2	10	8	3
WHITE------MALE----	147	29	4	-	3	-	-	1	2	5	1	-
FEMALE--	187	21	7	4	-	-	1	-	-	4	4	2
ALL OTHER--MALE----	36	14	5	1	1	-	2	1	-	-	3	1
FEMALE--	37	15	6	-	1	1	1	2	-	1	-	-
BLACK---MALE----	29	11	5	1	1	-	1	1	-	-	2	1
FEMALE--	29	14	5	-	-	1	1	2	-	1	-	-
ALABAMA ----------	3	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALASKA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	15	7	-	-	-	-	1	-	-	-	1	1
WHITE------MALE----	7	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	40	8	3	1	-	-	-	1	-	2	1	-
WHITE------MALE----	17	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	16	3	1	1	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)												
UNITED STATES -	5	10	13	23	21	35	59	32	41	19	6	-
WHITE------MALE----	1	5	6	8	9	23	29	9	9	2	1	-
FEMALE--	4	5	6	12	11	7	27	21	31	15	5	-
ALL OTHER--MALE----	-	-	-	-	-	5	2	1	-	-	-	-
FEMALE--	-	-	1	3	1	-	1	1	1	2	-	-
BLACK---MALE----	-	-	-	-	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	1	1	-	-
ALABAMA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	-	-	-	2	2	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	1	1	2	-	2	9	1	4	3	1	-
WHITE------MALE----	-	1	1	-	-	2	5	1	1	1	-	-
FEMALE--	-	-	-	1	-	-	3	-	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral pneumonia, not elsewhere classified (J12)												
COLORADO ----------	6	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	7	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	27	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	13	2	1	1	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)												
COLORADO ----------	-	1	1	-	-	-	-	-	1	1	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	1	1	1	-	-	2	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	1	4	3	2	4	2	6	-	-	-
WHITE------MALE----	-	-	1	1	1	1	2	-	2	-	-	-
FEMALE--	1	-	-	3	2	1	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
GEORGIA ----------	1	1	1	2	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral pneumonia, not elsewhere classified (J12)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	29	6	1	-	1	-	-	-	-	-	1	-
WHITE------MALE----	14	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	12	1	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	11	3	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
KANSAS ----------	4	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)												
HAWAII ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	1	-	1	1	1	-	1	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	1	1	3	3	3	3	2	2	-	-
WHITE------MALE----	-	1	-	1	3	2	3	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	2	-	1	-	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2299

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral pneumonia, not elsewhere classified (J12)												
KENTUCKY ----------	4	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	9	1	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	5	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)												
KENTUCKY ----------	-	1	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	1	-	2	2	-	1	1	-	-
WHITE------MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	2	1	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral pneumonia, not elsewhere classified (J12)												
MINNESOTA ----------	15	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	13	6	2	-	1	1	-	1	-	1	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	5	3	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	5	3	1	-	-	1	-	-	-	-	-	-
MISSOURI ----------	8	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2300

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)												
MINNESOTA ----------	-	-	-	1	-	2	1	4	3	2	-	-
WHITE------MALE----	-	-	-	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	1	-	4	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	1	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2301

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral pneumonia, not elsewhere classified (J12)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	10	2	1	-	-	-	1	-	-	1	1	1
WHITE------MALE----	4	2	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	20	6	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	10	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2301

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)												
NEW HAMPSHIRE ----------	-	-	-	-	1	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	2	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	1	2	1	1	2	1	1	1	1	-
WHITE------MALE----	-	-	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
NORTH CAROLINA ---------	-	-	-	-	1	1	2	1	1	-	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2302

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral pneumonia, not elsewhere classified (J12)												
OHIO ----------	13	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	4	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	20	2	2	1	-	-	-	1	-	2	-	-
WHITE------MALE----	8	1	-	-	-	-	-	1	-	2	-	-
FEMALE--	11	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	8	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)												
OHIO	-	-	-	-	2	1	3	4	2	-	-	-
WHITE--MALE	-	-	-	-	1	1	2	3	-	-	-	-
FEMALE	-	-	-	-	1	-	1	1	2	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	1	-	-	1	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	2	-	-	1	2	1	1	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	2	-	-	1	1	1	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	1	-	-	2	3	2	2	-	2	-
WHITE--MALE	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	2	2	2	-	2	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	1	1	2	-	-	1	-	-
WHITE--MALE	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	1	1	-	-	-	2	1	-	-	-	-
WHITE--MALE	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral pneumonia, not elsewhere classified (J12)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	2	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	25	8	1	-	-	-	1	-	1	-	1	-
WHITE------MALE----	7	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	4	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	1	1	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	2	-	1	1	2	3	2	2	-	-	-
WHITE------MALE----	-	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral pneumonia, not elsewhere classified (J12)												
WASHINGTON ----------	13	1	-	1	-	-	-	-	-	-	1	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)												
WASHINGTON ----------	-	-	-	1	2	1	4	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	1	-	1	-	1	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	1	1	-	1	-	1	-
WHITE------MALE----	-	-	-	-	-	1	1	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2305

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
UNITED STATES -	3,872	51	20	6	6	7	11	16	19	78	102	102
WHITE------MALE----	1,586	15	4	4	2	3	4	8	6	22	33	41
FEMALE--	1,740	13	7	2	3	2	3	4	5	33	32	33
ALL OTHER--MALE----	287	9	7	-	-	-	2	3	2	13	18	18
FEMALE--	259	14	2	-	1	2	2	1	6	10	19	10
BLACK---MALE----	221	7	4	-	-	-	1	3	2	9	14	15
FEMALE--	203	10	1	-	1	1	1	1	5	8	15	9
ALABAMA ----------	85	1	1	-	-	-	-	-	1	2	4	3
WHITE------MALE----	30	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	40	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
ALASKA ----------	6	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	74	1	1	-	-	1	-	-	-	3	4	1
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	32	1	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	36	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	390	4	6	-	-	1	-	1	1	9	5	9
WHITE------MALE----	136	2	2	-	-	-	-	1	-	3	2	2
FEMALE--	197	-	1	-	-	-	-	-	-	3	1	5
ALL OTHER--MALE----	30	-	2	-	-	-	-	-	1	3	1	1
FEMALE--	27	2	1	-	-	1	-	-	-	-	1	1
BLACK---MALE----	15	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2305

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
UNITED STATES -	99	139	165	225	381	528	664	639	421	153	39	1
WHITE------MALE----	50	60	67	112	183	241	298	255	124	45	9	-
FEMALE--	28	49	64	81	140	227	306	331	256	94	26	1
ALL OTHER--MALE----	17	18	15	19	33	31	33	29	17	3	-	-
FEMALE--	4	12	19	13	25	29	27	24	24	11	4	-
BLACK---MALE----	14	17	11	15	29	23	24	19	12	2	-	-
FEMALE--	4	11	17	10	22	23	18	21	17	5	3	-
ALABAMA ----------	4	4	5	3	5	11	15	15	6	5	-	-
WHITE------MALE----	3	2	2	1	2	2	6	4	2	3	-	-
FEMALE--	1	1	1	2	2	6	8	9	3	2	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	1	-	-	-
BLACK---MALE----	-	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	1	-	-	-
ALASKA ----------	-	2	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	1	2	5	7	9	14	8	9	2	2	-
WHITE------MALE----	3	1	-	4	3	3	8	4	4	1	1	-
FEMALE--	1	-	2	1	4	5	6	4	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS ----------	-	3	4	1	6	4	8	6	4	-	-	-
WHITE------MALE----	-	-	2	-	1	4	1	4	3	-	-	-
FEMALE--	-	1	1	1	3	-	6	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
CALIFORNIA ----------	7	10	11	11	21	55	70	73	62	24	10	-
WHITE------MALE----	2	6	5	3	6	21	35	23	16	5	2	-
FEMALE--	2	3	3	5	8	25	31	43	43	16	8	-
ALL OTHER--MALE----	3	1	2	2	5	3	3	2	1	-	-	-
FEMALE--	-	-	1	1	2	6	1	5	2	3	-	-
BLACK---MALE----	2	1	1	-	4	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	2	-	3	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
COLORADO ----------	61	-	-	-	-	-	-	1	-	3	2	5
WHITE------MALE----	35	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	21	-	-	-	-	-	-	1	-	2	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	39	-	-	-	-	-	-	-	-	2	1	1
WHITE------MALE----	20	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	11	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	12	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
FLORIDA ----------	279	4	-	-	-	-	1	1	1	8	7	3
WHITE------MALE----	125	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	119	1	-	-	-	-	-	-	-	3	2	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	3	2	-
FEMALE--	13	3	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	3	2	-
FEMALE--	12	3	-	-	-	-	1	-	1	-	1	-
GEORGIA ----------	69	1	-	-	1	-	-	-	1	1	2	5
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	30	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
COLORADO ----------	2	1	2	5	6	7	6	13	3	3	2	-
WHITE------MALE----	2	1	-	3	3	4	4	9	2	2	2	-
FEMALE--	-	-	2	1	3	3	2	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	3	2	2	2	4	9	8	2	2	1	-
WHITE------MALE----	-	1	1	-	1	4	8	3	-	-	-	-
FEMALE--	-	2	1	2	1	-	1	5	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	1	1	-	5	1	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	1	-	1	1	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
FLORIDA ----------	5	15	12	19	35	41	39	45	28	11	3	1
WHITE------MALE----	4	4	7	12	16	21	21	19	9	5	-	-
FEMALE--	-	5	4	6	13	15	17	23	19	6	3	1
ALL OTHER--MALE----	1	3	1	1	4	5	-	2	-	-	-	-
FEMALE--	-	3	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	1	3	1	1	4	5	-	2	-	-	-	-
FEMALE--	-	3	-	-	2	-	-	1	-	-	-	-
GEORGIA ----------	2	6	1	4	8	8	7	11	8	3	-	-
WHITE------MALE----	1	2	-	1	1	4	1	4	1	1	-	-
FEMALE--	1	1	-	1	3	4	4	6	6	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	2	1	1	3	-	1	-	1	1	-	-
BLACK---MALE----	-	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	2	1	1	3	-	1	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2307

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
HAWAII ----------	22	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	130	3	1	1	1	-	-	-	2	3	2	5
WHITE------MALE----	54	1	-	1	-	-	-	-	-	-	-	3
FEMALE--	56	1	1	-	1	-	-	-	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	1	-	-	-	-	-	-	2	2	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	1	-	-	-	-	-	-	2	2	1	-
INDIANA ----------	61	1	-	-	-	-	-	-	1	2	1	4
WHITE------MALE----	26	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	33	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	57	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
KANSAS ----------	38	-	1	-	-	-	-	-	-	-	1	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
HAWAII ----------	-	-	-	-	3	4	6	5	1	1	-	-
WHITE------MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	4	5	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	1	2	-	2	-	1	-	-	-
WHITE------MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	5	3	7	16	20	23	19	13	2	-	-
WHITE------MALE----	3	1	1	2	6	11	12	7	4	2	-	-
FEMALE--	1	2	1	5	7	7	8	12	7	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	3	-	2	-	2	-	-	-
BLACK---MALE----	-	1	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	-	2	-	-	-
INDIANA ----------	5	3	2	3	5	6	13	9	4	1	1	-
WHITE------MALE----	1	-	1	1	2	3	8	3	3	-	1	-
FEMALE--	4	3	1	2	3	3	5	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	4	2	3	4	4	8	11	10	4	3	-	-
WHITE------MALE----	4	1	2	1	3	3	4	6	1	1	-	-
FEMALE--	-	1	-	3	1	4	7	4	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	4	3	3	8	8	4	3	-	-
WHITE------MALE----	2	-	-	1	2	3	2	5	1	1	-	-
FEMALE--	-	-	-	3	1	-	5	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
KENTUCKY ----------	50	3	-	-	1	1	-	-	-	1	-	2
WHITE------MALE----	22	1	-	-	1	1	-	-	-	-	-	1
FEMALE--	26	2	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	49	-	1	-	-	-	1	-	-	3	-	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	50	-	-	-	-	-	-	1	-	3	-	1
WHITE------MALE----	19	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	55	1	-	-	1	1	-	-	-	-	1	2
WHITE------MALE----	31	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
MICHIGAN ----------	122	1	2	-	-	-	-	1	-	3	5	7
WHITE------MALE----	63	-	-	-	-	-	-	-	-	-	5	2
FEMALE--	44	-	2	-	-	-	-	-	-	3	-	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
KENTUCKY ----------	2	3	2	4	6	2	13	7	3	-	-	-
WHITE------MALE----	2	2	2	1	2	1	6	2	-	-	-	-
FEMALE--	-	1	-	3	3	1	7	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	3	-	3	5	7	6	6	6	3	2	-
WHITE------MALE----	-	2	-	2	2	3	1	2	3	1	-	-
FEMALE--	1	-	-	1	2	4	5	1	1	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	3	2	1	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	3	2	1	1	-
MAINE ----------	-	-	-	1	2	3	3	5	2	1	1	-
WHITE------MALE----	-	-	-	-	1	1	1	1	1	-	1	-
FEMALE--	-	-	-	1	1	2	2	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	1	3	3	6	3	12	9	4	1	-	-
WHITE------MALE----	-	1	1	2	4	1	4	3	1	-	-	-
FEMALE--	2	-	2	1	2	1	7	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
MASSACHUSETTS ----------	-	3	1	4	7	14	7	9	3	1	-	-
WHITE------MALE----	-	2	1	3	3	9	4	5	1	-	-	-
FEMALE--	-	1	-	1	3	5	3	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	7	2	11	14	14	21	15	14	3	1	-
WHITE------MALE----	-	1	-	8	10	10	12	9	3	3	-	-
FEMALE--	-	4	1	2	4	3	6	4	9	-	1	-
ALL OTHER--MALE----	1	2	1	-	-	1	3	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	-	-	-
BLACK---MALE----	1	2	1	-	-	1	3	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
MINNESOTA ----------	47	1	1	-	-	-	1	1	1	-	1	-
WHITE------MALE----	22	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	20	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	37	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	77	-	-	-	-	-	-	-	-	6	3	-
WHITE------MALE----	29	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	38	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MONTANA ----------	9	-	1	-	-	-	-	-	-	-	2	-
WHITE------MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	18	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	12	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
MINNESOTA ----------	2	1	3	2	6	5	10	7	2	3	-	-
WHITE------MALE----	1	-	2	-	4	3	5	3	-	2	-	-
FEMALE--	1	1	1	1	2	1	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	1	1	-	7	4	5	9	4	1	1	-
WHITE------MALE----	-	-	1	-	3	1	2	6	2	-	-	-
FEMALE--	-	-	-	-	3	3	3	2	2	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	-	3	6	8	6	9	10	9	8	8	1	-
WHITE------MALE----	-	2	2	5	2	3	3	4	2	2	-	-
FEMALE--	-	1	4	1	2	5	5	4	6	6	1	-
ALL OTHER--MALE----	-	-	-	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
MONTANA ----------	1	1	-	1	1	1	-	1	-	-	-	-
WHITE------MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	1	1	1	3	-	5	1	4	-	-
WHITE------MALE----	-	-	-	1	1	3	-	3	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	2	-	-	1	3	4	1	-	-	-	-
WHITE------MALE----	-	1	-	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2310

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
NEW HAMPSHIRE ----------	27	1	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	75	2	1	-	-	-	-	-	-	2	4	2
WHITE------MALE----	30	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	36	1	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	27	3	-	-	-	-	1	-	-	1	2	-
WHITE------MALE----	11	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	418	1	1	1	-	-	-	-	1	5	6	11
WHITE------MALE----	142	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	183	1	-	1	-	-	-	-	1	3	2	1
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	49	-	1	-	-	-	-	-	-	-	3	3
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	44	-	1	-	-	-	-	-	-	-	2	3
NORTH CAROLINA ---------	133	1	-	1	-	-	-	1	3	2	4	3
WHITE------MALE----	44	-	-	1	-	-	-	-	2	-	1	-
FEMALE--	62	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	9	1	-	-	-	-	-	-	-	-	1	1
NORTH DAKOTA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
NEW HAMPSHIRE ----------	1	-	3	1	6	1	4	2	6	-	-	-
WHITE------MALE----	1	-	2	-	5	-	2	1	3	-	-	-
FEMALE--	-	-	1	1	1	1	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	1	6	5	8	12	9	11	8	1	-	-
WHITE------MALE----	-	1	3	3	2	7	2	6	3	1	-	-
FEMALE--	1	-	2	1	6	4	6	5	4	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
NEW MEXICO ----------	1	2	3	-	4	1	3	2	4	-	-	-
WHITE------MALE----	-	1	2	-	1	-	3	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	12	23	30	56	52	75	67	50	21	2	-
WHITE------MALE----	1	6	8	16	27	17	26	18	13	4	-	-
FEMALE--	1	5	3	5	18	25	33	40	28	14	2	-
ALL OTHER--MALE----	2	1	4	5	7	4	9	3	4	1	-	-
FEMALE--	-	-	8	4	4	6	7	6	5	2	-	-
BLACK---MALE----	2	1	3	3	6	4	7	2	3	-	-	-
FEMALE--	-	-	8	4	4	6	5	5	5	1	-	-
NORTH CAROLINA ---------	4	4	8	6	5	22	28	29	7	3	2	-
WHITE------MALE----	-	2	1	2	1	11	12	8	3	-	-	-
FEMALE--	2	1	4	3	2	8	11	19	4	2	2	-
ALL OTHER--MALE----	2	-	1	1	2	2	3	2	-	-	-	-
FEMALE--	-	1	2	-	-	1	2	-	-	1	-	-
BLACK---MALE----	2	-	1	1	2	2	3	2	-	-	-	-
FEMALE--	-	1	1	-	-	1	2	-	-	1	-	-
NORTH DAKOTA ----------	-	-	2	-	1	-	1	3	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	2	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
OHIO ----------	141	3	-	-	-	2	2	-	-	2	8	2
WHITE------MALE----	51	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	76	2	-	-	-	1	1	-	-	-	2	1
ALL OTHER--MALE----	7	1	-	-	-	-	1	-	-	-	2	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	2	-
BLACK---MALE----	7	1	-	-	-	-	1	-	-	-	2	1
FEMALE--	6	-	-	-	-	1	-	-	-	-	2	-
OKLAHOMA ----------	86	1	-	-	1	-	-	-	1	-	1	3
WHITE------MALE----	35	-	-	-	1	-	-	-	1	-	-	2
FEMALE--	43	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	56	-	-	-	-	-	1	-	-	-	-	2
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	122	-	-	-	-	-	-	-	-	4	1	4
WHITE------MALE----	55	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	59	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1
RHODE ISLAND ----------	27	-	-	-	-	-	-	1	1	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	114	-	-	-	-	1	-	2	-	1	-	7
WHITE------MALE----	47	-	-	-	-	1	-	1	-	1	-	4
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2311

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
OHIO ----------	2	4	5	8	11	19	32	24	15	1	1	-
WHITE------MALE----	-	-	1	6	5	7	12	12	4	-	-	-
FEMALE--	2	3	3	2	5	11	20	12	9	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	2	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
OKLAHOMA ----------	2	3	5	8	8	11	11	16	11	4	-	-
WHITE------MALE----	2	1	1	3	4	5	4	8	3	-	-	-
FEMALE--	-	2	3	4	3	6	5	8	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON ----------	1	1	3	6	6	8	8	7	8	5	-	-
WHITE------MALE----	1	-	1	3	5	5	3	4	1	1	-	-
FEMALE--	-	1	2	3	-	2	4	2	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA ----------	-	5	4	5	18	23	27	21	8	2	-	-
WHITE------MALE----	-	4	2	2	9	8	12	11	3	-	-	-
FEMALE--	-	1	2	2	8	14	15	10	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	1	2	4	3	5	7	-	1	-
WHITE------MALE----	1	-	-	1	1	2	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA ---------	6	3	7	7	13	15	17	18	6	9	2	-
WHITE------MALE----	3	2	2	3	8	3	10	4	1	3	1	-
FEMALE--	2	-	5	-	1	9	5	12	4	4	-	-
ALL OTHER--MALE----	1	-	-	3	2	1	1	-	1	1	-	-
FEMALE--	-	1	-	1	2	2	1	2	-	1	1	-
BLACK---MALE----	1	-	-	3	2	1	1	-	1	1	-	-
FEMALE--	-	1	-	1	2	2	1	2	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2312

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
SOUTH DAKOTA ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	139	3	-	-	-	-	2	1	1	2	4	5
WHITE------MALE----	61	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	64	-	-	-	-	-	1	1	1	2	1	3
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
TEXAS ----------	226	5	-	2	1	-	1	-	1	4	12	6
WHITE------MALE----	105	3	-	2	-	-	1	-	-	3	4	4
FEMALE--	97	1	-	-	1	-	-	-	1	-	6	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	9	1	-	-	-	-	-	-	-	1	-	-
UTAH ----------	29	1	1	-	-	-	-	-	-	1	2	-
WHITE------MALE----	10	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	18	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	8	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	76	-	-	-	-	-	-	1	2	-	1	-
WHITE------MALE----	36	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	1	1	1	3	1	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	5	6	3	7	30	13	26	24	3	-	-
WHITE------MALE----	4	3	4	2	5	15	6	10	8	-	-	-
FEMALE--	-	1	2	1	1	11	6	15	15	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	1	1	-	-	-	-
TEXAS ----------	6	9	8	19	16	28	35	43	20	8	2	-
WHITE------MALE----	5	6	4	8	11	12	13	21	5	3	-	-
FEMALE--	-	2	3	8	3	12	19	20	12	5	2	-
ALL OTHER--MALE----	-	-	1	2	1	3	1	2	2	-	-	-
FEMALE--	1	1	-	1	1	1	2	-	1	-	-	-
BLACK---MALE----	-	-	1	2	1	2	1	2	2	-	-	-
FEMALE--	1	1	-	1	1	1	1	-	1	-	-	-
UTAH ----------	1	1	4	-	3	2	2	6	3	1	1	-
WHITE------MALE----	-	-	1	-	2	-	-	2	1	-	1	-
FEMALE--	1	1	3	-	1	2	1	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	3	2	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	3	3	4	10	12	15	12	9	2	1	-
WHITE------MALE----	1	-	1	3	5	7	10	3	3	1	-	-
FEMALE--	-	1	1	1	3	3	3	4	5	1	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	3	1	-	-	-
FEMALE--	-	1	1	-	1	1	1	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	3	1	-	-	-
FEMALE--	-	1	1	-	1	1	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
WASHINGTON ----------	127	1	-	1	-	-	-	1	1	-	7	2
WHITE------MALE----	46	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	73	-	-	1	-	-	-	1	-	-	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	40	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	58	3	1	-	-	-	1	1	-	1	1	-
WHITE------MALE----	24	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	29	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	6	1	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	3	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
WASHINGTON ----------	3	2	3	6	12	20	27	17	20	3	1	-
WHITE------MALE----	-	1	1	4	5	9	12	4	6	1	-	-
FEMALE--	1	1	1	2	7	10	15	13	14	2	1	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	4	4	8	11	5	7	-	-	-
WHITE------MALE----	-	-	-	2	2	5	6	3	4	-	-	-
FEMALE--	1	-	-	2	2	3	5	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WISCONSIN ----------	3	2	5	3	3	9	10	7	7	1	-	-
WHITE------MALE----	-	1	1	1	2	6	5	1	3	1	-	-
FEMALE--	2	1	4	2	1	3	5	6	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2314

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
UNITED STATES -	57,786	177	76	29	31	58	87	113	176	366	483	680
WHITE------MALE----	21,979	58	19	13	15	22	31	41	71	151	172	298
FEMALE--	29,481	41	26	7	9	21	24	30	46	108	139	171
ALL OTHER--MALE----	3,081	40	18	5	4	8	16	22	35	55	110	134
FEMALE--	3,245	38	13	4	3	7	16	20	24	52	62	77
BLACK---MALE----	2,551	37	15	4	2	6	15	21	31	52	99	125
FEMALE--	2,777	32	12	3	3	5	16	18	22	48	59	72
ALABAMA ----------	1,126	2	1	1	-	2	4	2	4	8	13	12
WHITE------MALE----	376	1	-	-	-	1	-	-	2	2	4	7
FEMALE--	502	-	-	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	114	1	1	-	-	-	1	1	1	3	4	4
FEMALE--	134	-	-	1	-	1	3	1	1	1	3	1
BLACK---MALE----	112	1	1	-	-	-	1	1	1	3	4	4
FEMALE--	133	-	-	1	-	1	3	1	1	1	3	1
ALASKA ----------	36	-	-	-	1	1	-	1	-	2	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ARIZONA ----------	1,167	9	-	4	-	1	3	1	5	14	9	28
WHITE------MALE----	538	5	-	3	-	-	1	1	2	8	4	11
FEMALE--	549	3	-	-	-	-	1	-	1	4	2	14
ALL OTHER--MALE----	41	1	-	-	-	1	1	-	1	1	3	3
FEMALE--	39	-	-	1	-	-	-	-	1	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS ----------	693	3	1	-	1	1	3	1	-	3	6	5
WHITE------MALE----	260	1	-	-	1	-	-	-	-	1	2	3
FEMALE--	358	-	1	-	-	-	1	1	-	1	3	-
ALL OTHER--MALE----	41	2	-	-	-	1	-	-	-	1	1	2
FEMALE--	34	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	41	2	-	-	-	1	-	-	-	1	1	2
FEMALE--	34	-	-	-	-	-	2	-	-	-	-	-
CALIFORNIA ----------	4,006	15	7	4	-	4	4	7	7	22	20	34
WHITE------MALE----	1,423	6	1	2	-	1	1	-	5	9	5	15
FEMALE--	2,047	4	4	1	-	-	3	3	1	8	10	11
ALL OTHER--MALE----	260	2	-	-	-	1	-	2	1	1	4	1
FEMALE--	276	3	2	1	-	2	-	2	-	4	1	7
BLACK---MALE----	101	1	-	-	-	-	-	1	-	1	4	1
FEMALE--	131	-	2	-	-	-	-	1	-	3	-	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2314

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
UNITED STATES -	782	920	1,307	2,074	3,973	7,059	10,396	12,460	10,386	4,825	1,327	1
WHITE------MALE----	347	393	570	1,020	1,889	3,264	4,517	4,650	3,081	1,111	245	1
FEMALE--	226	321	448	706	1,513	3,054	4,983	6,795	6,513	3,347	953	-
ALL OTHER--MALE----	137	122	169	208	338	385	428	430	294	99	24	-
FEMALE--	72	84	120	140	233	356	468	585	498	268	105	-
BLACK---MALE----	125	111	149	183	290	310	327	336	215	78	20	-
FEMALE--	63	71	106	120	205	301	380	498	430	223	90	-
ALABAMA ----------	19	14	27	45	84	157	185	254	189	74	29	-
WHITE------MALE----	4	5	12	24	40	71	68	79	47	5	4	-
FEMALE--	8	8	8	8	25	58	88	138	98	50	9	-
ALL OTHER--MALE----	5	-	7	8	10	13	10	16	23	3	3	-
FEMALE--	2	1	-	5	9	15	19	21	21	16	13	-
BLACK---MALE----	5	-	7	8	10	12	10	15	23	3	3	-
FEMALE--	2	1	-	5	9	15	19	20	21	16	13	-
ALASKA ----------	-	2	-	3	-	6	4	4	7	3	1	-
WHITE------MALE----	-	1	-	2	-	1	3	1	2	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	4	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	22	17	39	54	78	159	215	227	197	65	20	-
WHITE------MALE----	10	9	15	29	45	85	115	96	75	20	4	-
FEMALE--	9	5	19	23	29	64	93	114	111	41	16	-
ALL OTHER--MALE----	3	3	2	-	3	6	4	4	3	2	-	-
FEMALE--	-	-	3	2	1	4	3	13	8	2	-	-
BLACK---MALE----	-	2	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	1	1	-	-
ARKANSAS ----------	6	15	11	25	44	84	136	141	131	60	16	-
WHITE------MALE----	4	6	6	12	20	34	50	63	39	16	2	-
FEMALE--	1	7	5	9	19	42	70	69	76	42	11	-
ALL OTHER--MALE----	-	-	-	4	3	6	9	4	7	1	-	-
FEMALE--	1	2	-	-	2	2	7	5	9	1	3	-
BLACK---MALE----	-	-	-	4	3	6	9	4	7	1	-	-
FEMALE--	1	2	-	-	2	2	7	5	9	1	3	-
CALIFORNIA ----------	46	48	82	133	277	479	761	808	729	407	112	-
WHITE------MALE----	20	15	38	70	114	208	286	282	208	113	24	-
FEMALE--	18	26	25	44	111	201	362	427	445	265	78	-
ALL OTHER--MALE----	5	3	12	13	29	37	49	46	38	14	2	-
FEMALE--	3	4	7	6	23	33	64	53	38	15	8	-
BLACK---MALE----	4	3	7	5	12	15	15	14	13	5	-	-
FEMALE--	2	1	5	2	17	14	25	25	18	5	4	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
COLORADO ----------	720	3	1	1	-	1	-	2	4	2	2	13
WHITE------MALE----	296	2	-	-	-	-	-	-	-	-	1	3
FEMALE--	398	-	-	-	-	1	-	2	4	1	1	8
ALL OTHER--MALE----	12	1	-	1	-	-	-	-	-	1	-	1
FEMALE--	14	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	825	1	-	-	-	1	2	1	-	2	4	6
WHITE------MALE----	308	-	-	-	-	1	2	-	-	2	2	4
FEMALE--	477	1	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	141	1	-	-	-	-	1	-	1	2	1	1
WHITE------MALE----	59	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	68	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ---	104	-	-	-	-	-	1	1	3	-	2	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	42	-	-	-	-	-	1	-	2	-	-	1
BLACK---MALE----	27	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	41	-	-	-	-	-	1	-	2	-	-	1
FLORIDA ----------	2,986	12	1	1	1	-	8	5	6	22	32	34
WHITE------MALE----	1,281	4	-	-	-	-	-	1	4	11	8	16
FEMALE--	1,464	2	-	-	1	-	4	2	2	3	11	12
ALL OTHER--MALE----	120	-	1	1	-	-	3	-	-	3	10	6
FEMALE--	121	6	-	-	-	-	1	2	-	5	3	-
BLACK---MALE----	119	-	1	1	-	-	3	-	-	3	10	6
FEMALE--	115	5	-	-	-	-	1	2	-	5	3	-
GEORGIA ----------	1,600	8	3	1	3	4	3	8	10	14	27	18
WHITE------MALE----	522	-	1	-	2	1	-	1	2	6	10	6
FEMALE--	728	3	-	-	-	2	1	1	4	3	6	3
ALL OTHER--MALE----	163	3	1	1	1	1	1	3	3	2	4	6
FEMALE--	187	2	1	-	-	-	1	3	1	3	7	3
BLACK---MALE----	160	3	1	1	1	1	1	3	3	2	4	5
FEMALE--	183	2	1	-	-	-	1	3	1	3	7	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
COLORADO ----------	14	13	19	23	36	77	115	165	136	76	17	-
WHITE------MALE----	4	3	10	15	14	41	62	65	47	28	1	-
FEMALE--	6	8	9	8	21	31	52	96	87	47	16	-
ALL OTHER--MALE----	-	1	-	-	-	2	1	4	-	-	-	-
FEMALE--	4	1	-	-	1	3	-	-	2	1	-	-
BLACK---MALE----	-	1	-	-	-	-	1	3	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	2	-	-	-
CONNECTICUT ----------	8	10	5	22	48	68	165	195	167	94	26	-
WHITE------MALE----	6	5	3	15	23	30	72	67	42	25	9	-
FEMALE--	2	2	2	4	21	32	86	123	122	64	16	-
ALL OTHER--MALE----	-	2	-	2	2	1	1	2	2	-	-	-
FEMALE--	-	1	-	1	2	5	6	3	1	5	1	-
BLACK---MALE----	-	2	-	2	1	1	1	-	2	-	-	-
FEMALE--	-	1	-	1	2	4	6	3	1	3	1	-
DELAWARE ----------	2	-	8	5	13	12	35	22	19	17	1	-
WHITE------MALE----	1	-	4	4	8	5	21	8	3	3	-	-
FEMALE--	1	-	4	1	2	5	12	12	14	14	1	-
ALL OTHER--MALE----	-	-	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	-	-
BLACK---MALE----	-	-	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	-	-
DISTRICT OF COLUMBIA ---	1	3	3	4	8	14	17	18	13	10	5	-
WHITE------MALE----	-	-	-	-	2	4	2	2	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	7	5	5	4	-
ALL OTHER--MALE----	1	2	1	3	1	5	5	1	3	2	-	-
FEMALE--	-	1	2	1	5	4	9	8	5	2	1	-
BLACK---MALE----	1	2	1	3	1	5	5	1	2	2	-	-
FEMALE--	-	1	2	1	5	4	8	8	5	2	1	-
FLORIDA ----------	44	52	76	109	202	387	562	628	509	232	63	-
WHITE------MALE----	24	26	29	54	102	199	252	282	196	63	10	-
FEMALE--	8	14	29	40	82	158	275	318	296	159	48	-
ALL OTHER--MALE----	8	8	13	10	9	12	17	9	7	2	1	-
FEMALE--	4	4	5	5	9	18	18	19	10	8	4	-
BLACK---MALE----	8	8	13	10	9	12	16	9	7	2	1	-
FEMALE--	4	3	4	5	9	17	17	18	10	8	4	-
GEORGIA ----------	29	46	48	74	113	202	290	337	236	98	28	-
WHITE------MALE----	13	16	18	28	51	77	111	109	47	16	7	-
FEMALE--	6	11	13	22	39	88	136	167	150	60	13	-
ALL OTHER--MALE----	4	12	8	16	14	18	18	27	11	7	2	-
FEMALE--	6	7	9	8	9	19	25	34	28	15	6	-
BLACK---MALE----	4	12	8	16	14	18	17	27	10	7	2	-
FEMALE--	6	7	9	8	9	17	24	34	28	14	6	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
HAWAII ----------	200	2	-	-	-	-	1	-	1	3	1	1
WHITE------MALE----	25	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	92	1	-	-	-	-	-	-	1	2	1	1
FEMALE--	64	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	239	1	-	-	-	-	-	1	1	1	3	1
WHITE------MALE----	97	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	138	1	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2,895	14	4	2	-	3	2	7	10	28	31	50
WHITE------MALE----	1,040	3	-	2	-	-	2	5	4	8	9	18
FEMALE--	1,451	1	1	-	-	2	-	-	1	3	5	8
ALL OTHER--MALE----	218	4	1	-	-	1	-	2	3	9	12	16
FEMALE--	186	6	2	-	-	-	-	-	2	8	5	8
BLACK---MALE----	205	4	1	-	-	1	-	2	3	9	12	16
FEMALE--	182	6	2	-	-	-	-	-	2	8	5	8
INDIANA ----------	1,252	5	1	3	2	1	3	1	6	14	15	16
WHITE------MALE----	481	1	-	1	1	1	2	1	4	6	7	10
FEMALE--	695	2	1	2	1	-	-	-	2	6	5	6
ALL OTHER--MALE----	42	2	-	-	-	-	1	-	-	2	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	40	2	-	-	-	-	1	-	-	2	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	3	-
IOWA ----------	966	2	-	-	-	-	1	2	1	-	-	4
WHITE------MALE----	371	1	-	-	-	-	-	2	1	-	-	2
FEMALE--	583	1	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	621	-	-	-	-	1	-	1	-	2	5	5
WHITE------MALE----	275	-	-	-	-	-	-	1	-	2	4	5
FEMALE--	325	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
HAWAII ----------	4	2	2	8	16	23	34	35	42	18	7	-
WHITE------MALE----	1	-	-	2	2	4	4	2	6	2	1	-
FEMALE--	-	-	-	1	2	1	4	4	3	3	1	-
ALL OTHER--MALE----	-	1	2	3	8	11	19	17	22	3	-	-
FEMALE--	3	1	-	2	4	7	7	12	11	10	5	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	1	3	4	17	22	44	46	62	20	6	-
WHITE------MALE----	4	-	1	4	11	11	23	18	16	4	1	-
FEMALE--	2	1	2	-	6	10	21	27	44	16	5	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ILLINOIS ----------	44	55	74	94	176	317	506	666	512	228	72	-
WHITE------MALE----	15	17	25	42	81	124	224	248	156	42	15	-
FEMALE--	14	16	27	30	64	151	236	355	312	174	51	-
ALL OTHER--MALE----	11	13	13	18	20	19	26	30	15	5	-	-
FEMALE--	4	9	9	4	11	23	20	33	29	7	6	-
BLACK---MALE----	11	13	12	16	19	17	24	26	14	5	-	-
FEMALE--	4	9	8	4	10	23	20	33	29	5	6	-
INDIANA ----------	16	13	33	47	78	152	227	275	210	110	24	-
WHITE------MALE----	7	7	18	23	35	54	107	99	67	25	5	-
FEMALE--	7	5	13	19	33	90	110	167	131	77	18	-
ALL OTHER--MALE----	2	1	-	4	7	5	5	2	7	3	1	-
FEMALE--	-	-	2	1	3	3	5	7	5	5	-	-
BLACK---MALE----	2	1	-	4	7	4	5	2	6	3	1	-
FEMALE--	-	-	2	1	3	3	5	6	5	5	-	-
IOWA ----------	4	9	15	24	52	103	169	229	209	101	41	-
WHITE------MALE----	2	2	8	12	27	52	87	95	61	15	4	-
FEMALE--	2	7	6	11	23	51	80	129	148	85	37	-
ALL OTHER--MALE----	-	-	1	-	2	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	-	1	-	-
BLACK---MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	1	-	-
KANSAS ----------	10	7	11	25	37	62	93	139	143	61	19	-
WHITE------MALE----	5	4	4	12	20	35	48	72	43	15	5	-
FEMALE--	2	3	5	12	15	26	43	64	95	44	14	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	2	3	-	-	-
FEMALE--	3	-	1	-	1	1	1	1	2	2	-	-
BLACK---MALE----	-	-	1	1	1	-	1	2	2	-	-	-
FEMALE--	1	-	1	-	1	1	1	1	2	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
KENTUCKY ----------	1,115	3	-	-	1	2	4	3	4	2	11	15
WHITE------MALE----	467	2	-	-	-	-	1	-	2	1	6	8
FEMALE--	582	-	-	-	1	2	1	1	2	1	4	4
ALL OTHER--MALE----	31	-	-	-	-	-	1	2	-	-	1	2
FEMALE--	35	1	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	29	-	-	-	-	-	1	2	-	-	1	1
FEMALE--	35	1	-	-	-	-	1	-	-	-	-	1
LOUISIANA ----------	943	5	5	-	2	1	2	2	5	7	13	15
WHITE------MALE----	283	1	1	-	-	-	-	-	1	3	1	5
FEMALE--	405	1	-	-	1	1	1	1	-	1	5	2
ALL OTHER--MALE----	126	3	2	-	1	-	1	-	2	1	4	5
FEMALE--	129	-	2	-	-	-	-	1	2	2	3	3
BLACK---MALE----	124	3	2	-	1	-	1	-	2	1	4	5
FEMALE--	129	-	2	-	-	-	-	1	2	2	3	3
MAINE ----------	250	-	1	-	-	-	-	-	-	1	1	2
WHITE------MALE----	103	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	146	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1,048	10	1	-	-	-	2	2	6	10	13	17
WHITE------MALE----	366	2	-	-	-	-	-	1	5	2	3	8
FEMALE--	489	3	-	-	-	-	-	1	-	3	3	1
ALL OTHER--MALE----	85	3	1	-	-	-	2	-	1	3	4	3
FEMALE--	108	2	-	-	-	-	-	-	-	2	3	5
BLACK---MALE----	82	3	-	-	-	-	2	-	1	3	4	3
FEMALE--	100	2	-	-	-	-	-	-	-	2	3	5
MASSACHUSETTS ----------	1,828	1	1	-	1	3	1	2	3	5	6	9
WHITE------MALE----	709	-	1	-	1	2	-	1	2	4	4	3
FEMALE--	1,074	1	-	-	-	1	-	1	-	1	2	5
ALL OTHER--MALE----	18	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	12	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	1
MICHIGAN ----------	2,100	11	5	2	1	4	2	5	9	11	25	32
WHITE------MALE----	804	1	1	1	1	3	1	2	2	2	14	15
FEMALE--	1,027	5	3	1	-	-	-	1	1	5	3	6
ALL OTHER--MALE----	126	1	1	-	-	-	-	2	3	2	5	9
FEMALE--	143	4	-	-	-	1	1	-	3	2	3	2
BLACK---MALE----	119	1	1	-	-	-	-	2	3	2	5	9
FEMALE--	137	4	-	-	-	1	1	-	3	2	3	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
KENTUCKY ----------	10	24	34	40	78	147	198	245	196	77	21	-
WHITE------MALE----	3	13	16	23	38	78	98	103	55	19	1	-
FEMALE--	4	9	11	12	35	64	91	136	133	54	17	-
ALL OTHER--MALE----	2	2	3	3	2	2	6	3	2	-	-	-
FEMALE--	1	-	4	2	3	3	3	3	6	4	3	-
BLACK---MALE----	2	1	3	3	2	2	6	3	2	-	-	-
FEMALE--	1	-	4	2	3	3	3	3	6	4	3	-
LOUISIANA ----------	13	17	29	27	78	136	131	204	147	89	15	-
WHITE------MALE----	1	7	7	13	29	48	45	66	30	22	3	-
FEMALE--	3	6	6	7	31	49	54	90	86	51	9	-
ALL OTHER--MALE----	8	3	10	4	10	19	17	22	11	3	-	-
FEMALE--	1	1	6	3	8	20	15	26	20	13	3	-
BLACK---MALE----	8	3	10	4	10	18	17	21	11	3	-	-
FEMALE--	1	1	6	3	8	20	15	26	20	13	3	-
MAINE ----------	-	1	3	5	16	35	43	51	51	27	13	-
WHITE------MALE----	-	1	2	4	12	19	21	21	13	5	1	-
FEMALE--	-	-	1	1	4	15	22	30	38	22	12	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	13	26	35	86	149	171	198	176	92	27	-
WHITE------MALE----	5	6	10	14	43	73	63	64	42	21	4	-
FEMALE--	5	4	7	11	23	56	87	97	117	57	14	-
ALL OTHER--MALE----	2	2	4	5	9	13	9	16	6	1	1	-
FEMALE--	2	1	5	5	11	7	12	21	11	13	8	-
BLACK---MALE----	2	2	4	5	8	13	8	16	6	1	1	-
FEMALE--	2	1	5	4	10	6	11	21	9	11	8	-
MASSACHUSETTS ----------	21	25	25	56	102	200	338	404	361	205	59	-
WHITE------MALE----	14	14	11	37	59	102	160	150	91	44	9	-
FEMALE--	5	9	10	16	38	93	173	246	264	160	49	-
ALL OTHER--MALE----	2	1	1	1	2	2	5	2	1	-	-	-
FEMALE--	-	1	3	2	3	3	-	6	5	1	1	-
BLACK---MALE----	2	1	1	1	1	1	2	1	1	-	-	-
FEMALE--	-	1	3	1	3	2	-	5	4	1	1	-
MICHIGAN ----------	36	37	44	73	149	258	419	447	315	179	36	-
WHITE------MALE----	12	10	17	30	68	120	186	179	89	47	3	-
FEMALE--	5	14	13	23	63	101	202	231	201	122	27	-
ALL OTHER--MALE----	12	9	6	12	10	15	11	16	7	3	2	-
FEMALE--	7	4	8	8	8	22	20	21	18	7	4	-
BLACK---MALE----	12	7	5	12	10	15	9	15	6	3	2	-
FEMALE--	7	4	8	7	5	22	20	21	17	6	4	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2318

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
MINNESOTA ----------	916	-	1	1	1	1	1	2	3	3	5	7
WHITE------MALE----	437	-	-	-	-	1	1	-	2	-	2	5
FEMALE--	468	-	1	1	1	-	-	2	1	2	3	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	744	3	2	-	-	1	-	6	-	5	11	10
WHITE------MALE----	214	-	1	-	-	1	-	1	-	3	2	4
FEMALE--	321	-	-	-	-	-	-	3	-	-	4	2
ALL OTHER--MALE----	115	2	1	-	-	-	-	1	-	2	3	1
FEMALE--	94	1	-	-	-	-	-	1	-	-	2	3
BLACK---MALE----	114	2	1	-	-	-	-	1	-	2	3	1
FEMALE--	92	1	-	-	-	-	-	1	-	-	2	3
MISSOURI ----------	1,569	3	-	1	-	-	2	1	6	6	15	12
WHITE------MALE----	587	-	-	1	-	-	1	-	3	4	2	5
FEMALE--	846	1	-	-	-	-	-	-	1	2	6	4
ALL OTHER--MALE----	69	2	-	-	-	-	1	1	2	-	4	3
FEMALE--	67	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	64	2	-	-	-	-	1	1	2	-	3	3
FEMALE--	65	-	-	-	-	-	-	-	-	-	3	-
MONTANA ----------	206	1	3	-	-	-	-	-	1	2	3	1
WHITE------MALE----	79	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	114	-	2	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	404	1	1	-	-	1	1	1	1	1	3	1
WHITE------MALE----	146	-	1	-	-	-	1	1	-	1	2	1
FEMALE--	247	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	307	2	-	-	1	2	1	-	-	6	1	8
WHITE------MALE----	145	1	-	-	-	2	1	-	-	1	-	3
FEMALE--	136	1	-	-	-	-	-	-	-	2	-	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	12	-	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	10	-	-	-	1	-	-	-	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
MINNESOTA ----------	4	10	14	28	45	92	160	214	195	94	35	-
WHITE------MALE----	2	8	9	16	25	59	92	96	83	26	10	-
FEMALE--	2	2	5	11	19	30	67	117	110	67	25	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	2	1	-	2	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
MISSISSIPPI ----------	10	11	20	40	64	92	141	147	126	48	7	-
WHITE------MALE----	2	4	6	16	17	33	46	42	31	5	-	-
FEMALE--	2	3	4	13	22	44	63	68	59	27	7	-
ALL OTHER--MALE----	5	3	2	6	14	12	18	20	16	9	-	-
FEMALE--	1	1	8	5	11	3	14	17	20	7	-	-
BLACK---MALE----	5	3	2	6	14	12	18	20	16	8	-	-
FEMALE--	1	1	7	5	11	2	14	17	20	7	-	-
MISSOURI ----------	20	25	42	53	107	222	247	359	279	138	30	1
WHITE------MALE----	11	13	24	20	52	100	101	127	86	27	9	1
FEMALE--	6	9	12	22	44	102	132	209	175	102	19	-
ALL OTHER--MALE----	2	2	1	5	7	11	7	11	6	4	-	-
FEMALE--	1	1	5	6	4	9	7	12	12	5	2	-
BLACK---MALE----	2	2	1	5	7	11	6	10	5	3	-	-
FEMALE--	1	1	5	6	4	9	6	12	11	5	2	-
MONTANA ----------	3	1	6	4	7	23	31	45	56	18	1	-
WHITE------MALE----	2	-	4	1	4	9	16	21	17	3	-	-
FEMALE--	-	-	2	2	2	13	13	23	39	14	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	1	-	-
FEMALE--	1	1	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	6	10	12	23	42	63	84	88	45	16	-
WHITE------MALE----	1	-	3	7	10	20	25	33	27	9	4	-
FEMALE--	2	5	5	5	12	21	37	50	60	36	12	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
NEVADA ----------	9	6	10	26	37	44	55	53	28	15	3	-
WHITE------MALE----	5	5	5	15	15	24	28	24	12	4	-	-
FEMALE--	3	1	4	8	21	15	23	25	16	11	3	-
ALL OTHER--MALE----	1	-	1	2	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	3	-	-	-	-
BLACK---MALE----	1	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
NEW HAMPSHIRE ----------	141	-	-	-	-	-	1	1	-	-	1	-
WHITE------MALE----	50	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	89	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,974	6	5	-	-	2	3	3	9	17	17	25
WHITE------MALE----	762	-	2	-	-	1	1	-	2	8	4	9
FEMALE--	1,027	-	1	-	-	-	1	1	4	3	1	8
ALL OTHER--MALE----	98	4	1	-	-	-	-	1	2	2	7	4
FEMALE--	87	2	1	-	-	1	1	1	1	4	5	4
BLACK---MALE----	89	4	1	-	-	-	-	1	2	2	6	4
FEMALE--	81	2	1	-	-	1	1	1	1	4	5	4
NEW MEXICO ----------	330	1	-	1	-	-	-	-	1	2	2	8
WHITE------MALE----	135	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	162	-	-	-	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	14	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	19	1	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4,939	9	7	1	3	4	6	6	17	24	34	62
WHITE------MALE----	1,871	2	2	-	1	1	3	2	7	8	8	22
FEMALE--	2,395	1	2	-	2	3	1	1	2	7	11	15
ALL OTHER--MALE----	314	1	2	-	-	-	-	2	5	5	10	16
FEMALE--	359	5	1	1	-	-	2	1	3	4	5	9
BLACK---MALE----	261	1	2	-	-	-	-	2	5	5	10	16
FEMALE--	320	5	1	1	-	-	2	1	3	4	5	9
NORTH CAROLINA ---------	1,710	4	3	1	1	2	2	2	6	12	13	25
WHITE------MALE----	568	1	1	1	-	1	-	1	1	6	6	5
FEMALE--	814	2	-	-	-	-	1	-	4	3	1	2
ALL OTHER--MALE----	148	-	1	-	1	1	-	-	-	2	3	13
FEMALE--	180	1	1	-	-	-	1	1	1	1	3	5
BLACK---MALE----	136	-	1	-	-	1	-	-	-	2	3	13
FEMALE--	173	1	-	-	-	-	1	1	1	1	2	5
NORTH DAKOTA ----------	140	-	1	-	-	-	-	1	-	1	1	4
WHITE------MALE----	56	-	1	-	-	-	-	1	-	1	1	2
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
NEW HAMPSHIRE ----------	-	-	1	4	12	30	21	31	24	11	4	-
WHITE------MALE----	-	-	-	2	4	15	6	12	6	3	-	-
FEMALE--	-	-	1	2	8	14	14	19	18	8	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	32	20	40	62	149	262	361	450	327	142	42	-
WHITE------MALE----	15	10	15	27	76	137	148	169	94	32	12	-
FEMALE--	9	7	12	22	48	107	191	263	218	101	30	-
ALL OTHER--MALE----	6	1	10	7	17	11	12	6	6	1	-	-
FEMALE--	2	2	3	6	8	7	10	12	9	8	-	-
BLACK---MALE----	6	-	9	7	17	10	9	6	4	1	-	-
FEMALE--	2	2	2	5	7	6	9	12	8	8	-	-
NEW MEXICO ----------	7	5	8	17	15	39	62	77	54	20	11	-
WHITE------MALE----	3	2	4	12	8	14	29	32	21	4	4	-
FEMALE--	2	2	4	3	6	21	30	39	28	15	6	-
ALL OTHER--MALE----	2	-	-	1	1	4	1	1	2	-	-	-
FEMALE--	-	1	-	1	-	-	2	5	3	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	67	101	102	204	372	544	880	1,078	919	391	108	-
WHITE------MALE----	33	42	39	89	184	227	396	410	291	84	20	-
FEMALE--	15	27	31	64	131	233	390	565	553	264	77	-
ALL OTHER--MALE----	16	19	18	25	38	41	44	37	28	5	2	-
FEMALE--	3	13	14	26	19	43	50	66	47	38	9	-
BLACK---MALE----	15	18	14	22	31	32	32	29	21	4	2	-
FEMALE--	3	12	14	25	16	40	40	57	42	33	7	-
NORTH CAROLINA ---------	24	34	39	68	137	217	305	369	284	126	36	-
WHITE------MALE----	9	12	21	31	47	93	112	122	71	23	4	-
FEMALE--	5	7	8	25	42	94	147	196	173	81	23	-
ALL OTHER--MALE----	9	8	7	9	29	14	18	15	13	3	2	-
FEMALE--	1	7	3	3	19	16	28	36	27	19	7	-
BLACK---MALE----	8	7	5	7	29	13	17	13	12	3	2	-
FEMALE--	1	7	3	3	19	16	27	33	27	18	7	-
NORTH DAKOTA ----------	1	3	3	4	6	14	27	28	27	14	5	-
WHITE------MALE----	-	2	2	3	4	7	10	10	10	2	-	-
FEMALE--	1	1	1	1	2	6	17	17	16	12	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2320

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
OHIO ----------	2,421	2	-	1	2	-	4	3	5	12	12	29
WHITE------MALE----	931	-	-	1	2	-	1	-	1	4	4	9
FEMALE--	1,309	1	-	-	-	-	2	1	2	5	5	10
ALL OTHER--MALE----	98	1	-	-	-	-	-	1	2	2	1	7
FEMALE--	83	-	-	-	-	-	1	1	-	1	2	3
BLACK---MALE----	94	1	-	-	-	-	-	1	2	2	1	6
FEMALE--	82	-	-	-	-	-	1	1	-	1	2	3
OKLAHOMA ----------	897	1	2	-	-	1	-	-	1	5	5	7
WHITE------MALE----	330	-	1	-	-	1	-	-	-	2	2	4
FEMALE--	482	1	-	-	-	-	-	-	1	3	1	1
ALL OTHER--MALE----	35	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
OREGON ----------	618	1	-	-	1	-	-	1	1	5	-	6
WHITE------MALE----	266	-	-	-	1	-	-	-	1	1	-	5
FEMALE--	337	1	-	-	-	-	-	1	-	3	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA ----------	2,925	11	6	1	1	2	3	7	4	20	20	24
WHITE------MALE----	1,188	6	2	-	-	2	2	3	1	10	7	14
FEMALE--	1,526	2	2	1	-	-	1	2	2	6	6	3
ALL OTHER--MALE----	104	2	2	-	-	-	-	1	1	3	3	5
FEMALE--	107	1	-	-	1	-	-	1	-	1	4	2
BLACK---MALE----	97	2	2	-	-	-	-	1	1	3	3	5
FEMALE--	101	1	-	-	1	-	-	1	-	1	4	2
RHODE ISLAND ----------	263	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	95	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	160	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	740	-	1	-	-	2	2	3	1	6	14	11
WHITE------MALE----	212	-	-	-	-	-	1	1	-	2	2	4
FEMALE--	355	-	1	-	-	1	1	1	-	3	3	2
ALL OTHER--MALE----	86	-	-	-	-	1	-	1	1	-	7	3
FEMALE--	87	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	86	-	-	-	-	1	-	1	1	-	7	3
FEMALE--	86	-	-	-	-	-	-	-	-	-	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2320

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
OHIO ----------	34	43	56	73	199	312	464	493	455	178	44	-
WHITE------MALE----	16	22	27	35	97	152	207	175	125	46	7	-
FEMALE--	13	15	19	24	80	136	234	292	307	128	35	-
ALL OTHER--MALE----	3	4	6	9	11	16	13	12	7	1	2	-
FEMALE--	2	2	4	5	11	8	10	14	16	3	-	-
BLACK---MALE----	3	3	6	8	11	16	13	11	7	1	2	-
FEMALE--	2	2	4	5	11	8	10	14	15	3	-	-
OKLAHOMA ----------	9	15	21	25	70	106	136	208	189	74	22	-
WHITE------MALE----	5	7	8	9	30	53	58	74	60	11	5	-
FEMALE--	2	6	7	14	30	51	64	117	113	57	14	-
ALL OTHER--MALE----	-	1	3	1	7	1	6	7	3	1	1	-
FEMALE--	2	1	3	1	3	1	8	10	13	5	2	-
BLACK---MALE----	-	-	3	-	4	-	2	3	2	1	1	-
FEMALE--	1	1	-	-	2	1	4	6	8	3	1	-
OREGON ----------	9	9	7	12	45	78	96	143	124	61	19	-
WHITE------MALE----	7	6	2	6	24	43	55	54	39	20	2	-
FEMALE--	1	3	4	4	21	34	38	87	83	40	16	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	1	-	-	2	1	2	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA ----------	38	36	75	102	179	411	534	634	555	213	49	-
WHITE------MALE----	18	14	37	51	92	192	247	250	183	48	9	-
FEMALE--	12	19	27	42	66	192	257	350	349	149	38	-
ALL OTHER--MALE----	4	3	8	6	11	14	16	15	8	2	-	-
FEMALE--	4	-	3	3	10	13	14	19	15	14	2	-
BLACK---MALE----	4	3	7	5	11	14	14	15	5	2	-	-
FEMALE--	4	-	3	3	10	11	13	18	13	14	2	-
RHODE ISLAND ----------	1	2	4	9	13	35	42	66	60	21	8	-
WHITE------MALE----	1	-	3	5	5	19	16	25	16	4	-	-
FEMALE--	-	1	1	4	8	15	25	39	43	16	7	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	1	1	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
SOUTH CAROLINA ---------	17	15	19	38	49	119	137	149	102	47	8	-
WHITE------MALE----	7	5	5	14	21	40	45	44	12	6	3	-
FEMALE--	4	4	5	11	19	54	60	78	69	36	3	-
ALL OTHER--MALE----	4	5	8	8	3	16	14	10	4	1	-	-
FEMALE--	2	1	1	5	6	9	18	17	17	4	2	-
BLACK---MALE----	4	5	8	8	3	16	14	10	4	1	-	-
FEMALE--	2	1	1	5	6	9	18	17	17	4	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2321

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
SOUTH DAKOTA ----------	218	-	-	-	-	-	-	-	-	1	2	4
WHITE------MALE----	92	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	111	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,413	2	1	-	2	-	-	4	5	5	10	15
WHITE------MALE----	539	1	-	-	1	-	-	4	3	2	4	7
FEMALE--	722	-	-	-	1	-	-	-	1	3	3	3
ALL OTHER--MALE----	64	1	-	-	-	-	-	-	1	-	3	1
FEMALE--	88	-	1	-	-	-	-	-	-	-	-	4
BLACK---MALE----	64	1	-	-	-	-	-	-	1	-	3	1
FEMALE--	86	-	1	-	-	-	-	-	-	-	-	3
TEXAS ----------	3,226	13	6	1	1	7	7	7	13	32	36	53
WHITE------MALE----	1,218	10	1	-	-	2	2	5	6	16	19	29
FEMALE--	1,677	2	4	-	1	4	2	1	3	8	11	15
ALL OTHER--MALE----	166	1	-	1	-	1	2	-	2	4	5	7
FEMALE--	165	-	1	-	-	-	1	1	2	4	1	2
BLACK---MALE----	154	1	-	1	-	1	2	-	2	4	4	7
FEMALE--	156	-	1	-	-	-	1	1	2	4	1	2
UTAH ----------	356	-	-	-	2	-	2	-	1	-	2	2
WHITE------MALE----	168	-	-	-	2	-	1	-	-	-	1	2
FEMALE--	182	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	112	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	51	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	61	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,474	2	3	-	2	2	3	5	10	10	15	19
WHITE------MALE----	502	1	-	-	1	-	1	1	3	4	8	7
FEMALE--	748	-	2	-	-	1	1	-	4	4	4	5
ALL OTHER--MALE----	101	-	1	-	-	-	1	1	1	1	2	4
FEMALE--	123	1	-	-	1	1	-	3	2	1	1	3
BLACK---MALE----	94	-	1	-	-	-	1	1	1	1	2	4
FEMALE--	119	1	-	-	1	1	-	3	2	1	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2321

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
SOUTH DAKOTA ----------	4	1	4	2	9	16	38	54	46	26	11	-
WHITE------MALE----	2	-	2	1	6	10	15	25	15	7	4	-
FEMALE--	-	1	1	-	1	6	22	27	29	17	7	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	-	1	1	-	-
FEMALE--	-	-	1	-	1	-	1	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	25	26	36	63	117	172	272	311	221	100	26	-
WHITE------MALE----	10	10	20	33	65	73	107	110	62	22	5	-
FEMALE--	9	11	11	27	39	81	141	176	130	68	18	-
ALL OTHER--MALE----	3	2	3	2	8	9	10	10	7	3	1	-
FEMALE--	3	3	2	1	5	9	14	15	22	7	2	-
BLACK---MALE----	3	2	3	2	8	9	10	10	7	3	1	-
FEMALE--	2	3	2	1	5	9	14	15	22	7	2	-
TEXAS ----------	52	56	94	126	220	364	556	669	586	261	66	-
WHITE------MALE----	22	29	34	57	111	172	237	223	179	54	10	-
FEMALE--	19	14	44	52	83	157	275	394	360	179	49	-
ALL OTHER--MALE----	4	9	10	7	17	18	23	27	13	12	3	-
FEMALE--	7	4	6	10	9	17	21	25	34	16	4	-
BLACK---MALE----	4	9	10	7	16	17	21	22	12	12	2	-
FEMALE--	7	3	6	9	7	15	19	24	34	16	4	-
UTAH ----------	3	11	4	6	28	42	70	84	66	28	5	-
WHITE------MALE----	2	4	1	4	13	26	37	39	20	16	-	-
FEMALE--	1	6	3	2	13	15	33	45	46	11	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	3	3	8	12	26	28	22	5	3	-
WHITE------MALE----	-	-	2	2	4	8	12	12	6	2	2	-
FEMALE--	-	-	1	1	4	4	14	16	16	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	21	17	64	100	212	266	323	251	107	30	-
WHITE------MALE----	5	8	9	36	38	80	108	94	66	27	5	-
FEMALE--	3	9	3	19	32	101	123	183	163	71	20	-
ALL OTHER--MALE----	3	-	3	6	20	15	15	20	6	2	-	-
FEMALE--	1	4	2	3	10	16	20	26	16	7	5	-
BLACK---MALE----	3	-	3	6	19	15	13	18	4	2	-	-
FEMALE--	1	4	2	3	10	16	18	25	15	7	5	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
WASHINGTON ----------	1,071	-	-	1	-	1	1	-	1	3	10	10
WHITE------MALE----	452	-	-	1	-	-	1	-	1	1	6	4
FEMALE--	576	-	-	-	-	1	-	-	-	2	4	4
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	455	1	1	-	-	-	-	3	1	5	5	4
WHITE------MALE----	210	1	-	-	-	-	-	2	-	3	4	4
FEMALE--	231	-	1	-	-	-	-	1	1	2	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1,244	5	1	1	-	-	1	2	2	5	6	10
WHITE------MALE----	528	3	1	-	-	-	1	2	1	2	2	3
FEMALE--	675	1	-	1	-	-	-	-	-	-	3	4
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	19	1	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	1	-	-	-	-	-	-	-	1	1	2
WYOMING ----------	112	1	-	-	1	-	-	-	1	1	-	1
WHITE------MALE----	42	1	-	-	1	-	-	-	1	1	-	1
FEMALE--	68	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
WASHINGTON ----------	12	17	15	44	61	117	206	211	221	110	30	-
WHITE------MALE----	4	10	9	26	31	67	93	96	72	22	8	-
FEMALE--	5	5	5	14	27	45	104	107	146	86	21	-
ALL OTHER--MALE----	2	1	1	2	3	3	4	5	1	-	1	-
FEMALE--	1	1	-	2	-	2	5	3	2	2	-	-
BLACK---MALE----	1	1	1	1	1	-	2	2	1	-	-	-
FEMALE--	1	-	-	2	-	1	1	2	-	-	-	-
WEST VIRGINIA ----------	7	7	17	18	39	55	82	88	73	35	14	-
WHITE------MALE----	5	3	10	14	20	31	47	34	23	8	1	-
FEMALE--	1	3	6	2	18	23	34	51	47	27	13	-
ALL OTHER--MALE----	1	-	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	3	-	-	-
BLACK---MALE----	1	-	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	3	-	-	-
WISCONSIN ----------	9	14	22	27	70	127	233	299	233	143	34	-
WHITE------MALE----	5	10	14	18	40	79	108	118	74	40	7	-
FEMALE--	1	4	7	6	27	45	118	174	155	102	27	-
ALL OTHER--MALE----	3	-	1	1	2	1	5	3	2	-	-	-
FEMALE--	-	-	-	2	1	2	2	4	2	1	-	-
BLACK---MALE----	2	-	1	1	2	1	4	3	2	-	-	-
FEMALE--	-	-	-	2	1	2	1	2	2	-	-	-
WYOMING ----------	-	1	1	5	4	11	27	27	18	11	2	-
WHITE------MALE----	-	-	1	1	2	6	8	8	5	5	1	-
FEMALE--	-	1	-	4	2	5	18	19	12	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
UNITED STATES -	540	63	25	2	3	3	2	2	2	6	5	7
WHITE------MALE----	156	19	8	-	2	1	-	1	1	3	1	5
FEMALE--	306	17	7	1	1	1	2	-	1	3	2	1
ALL OTHER--MALE----	40	17	7	-	-	-	-	1	-	-	1	-
FEMALE--	38	10	3	1	-	1	-	-	-	-	1	1
BLACK---MALE----	30	15	3	-	-	-	-	1	-	-	1	-
FEMALE--	34	9	3	-	-	1	-	-	-	-	1	1
ALABAMA ----------	6	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	57	4	5	-	1	-	-	-	1	3	1	1
WHITE------MALE----	18	1	3	-	-	-	-	-	1	1	-	-
FEMALE--	31	3	1	-	1	-	-	-	-	2	1	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
UNITED STATES -	8	8	13	14	21	44	63	86	96	46	21	-
WHITE------MALE----	3	3	6	4	8	21	27	16	17	6	4	-
FEMALE--	2	3	5	7	8	20	31	65	76	38	15	-
ALL OTHER--MALE----	-	1	-	2	3	1	2	3	1	-	1	-
FEMALE--	3	1	2	1	2	2	3	2	2	2	1	-
BLACK---MALE----	-	1	-	2	3	-	1	2	-	-	1	-
FEMALE--	3	-	1	1	2	2	3	2	2	2	1	-
ALABAMA ----------	-	-	-	-	-	-	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	-	1	1	-	2	-	-	1	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	1	3	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA ----------	-	2	-	4	1	4	10	4	11	3	2	-
WHITE------MALE----	-	-	-	2	-	2	4	1	1	1	1	-
FEMALE--	-	-	-	1	1	1	4	3	9	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2324

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
COLORADO ----------	6	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	30	1	1	-	-	1	-	-	1	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	7	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
COLORADO ----------	-	-	-	-	-	1	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	1	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	-	3	-	2	-	2	7	5	4	-	-
WHITE------MALE----	1	-	2	-	2	-	2	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	5	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA ----------	-	-	-	-	-	1	-	2	-	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	16	1	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	14	3	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	6	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	9	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
HAWAII ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	2	2	2	3	4	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	1	1	2	3	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	1	1	5	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	1	3	2	3	2	3	1	-
WHITE------MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	3	2	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
KENTUCKY ----------	10	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	7	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	16	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	28	4	2	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	1	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2326

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
KENTUCKY ----------	-	-	-	1	-	2	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	2	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	1	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	1	1	-	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	2	1	4	4	2	-	-
WHITE------MALE----	-	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	-	2	2	7	2	3	2	2	-
WHITE------MALE----	-	-	1	-	-	-	6	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	3	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
MINNESOTA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	14	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2327

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
MINNESOTA ----------	-	-	1	-	-	-	-	1	3	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	1	-	1	1	1	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	1	-	2	2	3	1	1	-
WHITE------MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	-	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	1	4	1	2	3	1	-
WHITE------MALE----	-	-	-	-	-	-	4	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
NEW HAMPSHIRE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	5	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	44	3	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	15	1	-	-	1	-	-	1	-	-	1	-
WHITE------MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	1	2	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	-	1	1	-	1	3	1	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	1	-	1	1	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	2	-	1	2	6	5	8	9	4	1	-
WHITE------MALE----	1	1	-	-	2	2	2	1	1	3	-	-
FEMALE--	-	1	-	1	-	4	3	7	7	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NORTH CAROLINA ---------	1	-	1	-	1	3	1	3	-	-	1	-
WHITE------MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	3	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
OHIO ----------	42	7	2	-	-	-	-	-	-	1	-	1
WHITE------MALE----	19	2	1	-	-	-	-	-	-	1	-	1
FEMALE--	17	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	6	1	2	1	-	-	1	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	18	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
OHIO ----------	-	-	2	2	1	3	6	3	8	4	2	-
WHITE------MALE----	-	-	2	1	-	3	3	1	3	-	1	-
FEMALE--	-	-	-	1	-	-	2	2	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	1	2	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	2	-	-	2	1	1	3	5	1	1	-
WHITE------MALE----	-	1	-	-	1	-	-	1	2	-	1	-
FEMALE--	-	1	-	-	1	-	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	1	1	1	-	-	3	2	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	9	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	27	8	1	-	1	1	1	1	-	1	-	1
WHITE------MALE----	9	2	-	-	1	-	-	1	-	-	-	1
FEMALE--	12	3	1	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	1	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	3	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	1	-	-	4	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	3	-	-	2	2	2	1	1	-	-
WHITE------MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	1	-	1	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
WASHINGTON ----------	8	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	12	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2331

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
WASHINGTON ----------	-	1	-	-	-	-	-	2	1	2	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	-	-	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	1	-	-	4	2	2	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	4	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
UNITED STATES -	388	62	24	2	2	3	2	1	2	6	4	7
WHITE------MALE----	119	19	8	-	2	1	-	1	1	3	-	5
FEMALE--	201	16	7	1	-	1	2	-	1	3	2	1
ALL OTHER--MALE----	35	17	6	-	-	-	-	-	-	-	1	-
FEMALE--	33	10	3	1	-	1	-	-	-	-	1	1
BLACK---MALE----	26	15	2	-	-	-	-	-	-	-	1	-
FEMALE--	29	9	3	-	-	1	-	-	-	-	1	1
ALABAMA ----------	3	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	6	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	44	4	5	-	-	-	-	-	1	3	1	1
WHITE------MALE----	17	1	3	-	-	-	-	-	1	1	-	-
FEMALE--	19	3	1	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
UNITED STATES -	7	6	12	13	16	28	41	54	55	30	11	-
WHITE------MALE----	2	2	5	4	6	14	18	10	11	5	2	-
FEMALE--	2	2	5	6	5	11	20	41	42	24	9	-
ALL OTHER--MALE----	-	1	-	2	3	1	1	2	1	-	-	-
FEMALE--	3	1	2	1	2	2	2	1	1	1	-	-
BLACK---MALE----	-	1	-	2	3	-	-	2	-	-	-	-
FEMALE--	3	-	1	1	2	2	2	1	1	1	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	-	-	1	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA ----------	-	2	-	4	-	3	7	1	9	2	1	-
WHITE------MALE----	-	-	-	2	-	2	4	-	1	1	1	-
FEMALE--	-	-	-	1	-	-	1	1	7	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
COLORADO ----------	5	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	24	1	1	-	-	1	-	-	1	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	6	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
COLORADO ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	1	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	-	3	-	2	-	2	3	4	3	-	-
WHITE------MALE----	1	-	2	-	2	-	2	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	2	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	1	-	1	-	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	13	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	12	3	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	4	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	1	1	2	3	4	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	1	2	2	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	1	1	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
KENTUCKY ----------	9	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	10	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	24	4	2	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	1	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
KENTUCKY ----------	-	-	-	1	-	1	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	1	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	1	1	-	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	2	1	2	1	2	-	-
WHITE------MALE----	-	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	-	2	2	4	2	2	2	2	-
WHITE------MALE----	-	-	1	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	2	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	7	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	6	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
MINNESOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	1	-	-	1	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	2	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	1	1	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	35	3	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	9	1	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	-	1	1	-	1	2	-	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	1	-	1	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	2	-	1	2	2	3	7	8	3	1	-
WHITE------MALE----	1	1	-	-	2	1	1	1	1	3	-	-
FEMALE--	-	1	-	1	-	1	2	6	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NORTH CAROLINA ---------	1	-	1	-	1	1	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2338

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
OHIO ----------	29	7	2	-	-	-	-	-	-	1	-	1
WHITE------MALE----	15	2	1	-	-	-	-	-	-	1	-	1
FEMALE--	10	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	6	1	2	1	-	-	1	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	12	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
OHIO ----------	-	-	1	2	1	2	3	3	4	1	1	-
WHITE------MALE----	-	-	1	1	-	2	2	1	3	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	1	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	-	2	1	-	3	2	1	-	-
WHITE------MALE----	-	1	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	1	1	1	-	-	2	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	24	8	1	-	1	1	1	1	-	1	-	1
WHITE------MALE----	7	2	-	-	1	-	-	1	-	-	-	1
FEMALE--	11	3	1	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	1	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	3	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	1	-	-	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	3	-	-	1	2	1	1	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	1	-	1	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2340

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
WASHINGTON ----------	5	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
WASHINGTON ----------	-	-	-	-	-	-	-	1	-	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	1	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
UNITED STATES -	152	1	1	-	1	-	-	1	-	-	1	-
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	105	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	3	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	13	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
UNITED STATES -	1	2	1	1	5	16	22	32	41	16	10	-
WHITE------MALE----	1	1	1	-	2	7	9	6	6	1	2	-
FEMALE--	-	1	-	1	3	9	11	24	34	14	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	1	-
ALABAMA ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	1	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	1	1	3	3	2	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
COLORADO ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	4	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
HAWAII ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	1	1	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	2	-	3	1	3	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	3	1	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
KENTUCKY	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	1	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	-	-	2	3	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	2	3	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	3	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
MINNESOTA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2345

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
MINNESOTA ----------	-	-	-	-	-	-	-	1	3	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	1	-	-	1	3	-	1	-
WHITE------MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	-	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	3	-	1	2	1	-
WHITE------MALE----	-	-	-	-	-	-	3	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	6	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	4	2	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	2	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
OHIO ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
OHIO ----------	-	-	1	-	-	1	3	-	4	3	1	-
WHITE------MALE----	-	-	1	-	-	1	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	-	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	-	-	-	1	-	3	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	1	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	1	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	1	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
WASHINGTON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
WASHINGTON ----------	-	1	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	3	1	2	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2350

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of upper respiratory tract (J30-J39)												
UNITED STATES -	449	14	9	1	6	5	6	6	3	12	9	18
WHITE------MALE----	193	6	3	-	2	3	1	3	1	6	3	9
FEMALE--	175	6	3	1	3	1	1	1	1	1	-	4
ALL OTHER--MALE----	41	1	3	-	-	1	3	-	1	4	3	1
FEMALE--	40	1	-	-	1	-	1	2	-	1	3	4
BLACK---MALE----	34	-	2	-	-	1	3	-	1	4	2	1
FEMALE--	36	1	-	-	1	-	1	2	-	1	3	3
ALABAMA ----------	8	-	-	-	-	-	1	-	-	-	-	3
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	13	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	30	-	2	-	1	-	-	1	-	1	-	1
WHITE------MALE----	14	-	1	-	1	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2350

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
UNITED STATES -	19	19	29	37	38	63	55	54	31	15	-	-
WHITE------MALE----	11	7	15	16	19	29	24	22	9	4	-	-
FEMALE--	5	8	8	12	15	26	25	25	20	9	-	-
ALL OTHER--MALE----	2	3	2	6	1	3	-	4	2	1	-	-
FEMALE--	1	1	4	3	3	5	6	3	-	1	-	-
BLACK---MALE----	2	3	2	5	1	2	-	3	1	1	-	-
FEMALE--	1	1	4	3	3	3	5	3	-	1	-	-
ALABAMA ----------	1	-	-	-	2	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	2	-	2	-	4	2	-	1	-	-
WHITE------MALE----	-	-	1	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	2	2	3	3	5	1	4	2	-	-	-
WHITE------MALE----	1	1	1	-	2	3	1	2	-	-	-	-
FEMALE--	1	1	1	2	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of upper respiratory tract (J30-J39)												
COLORADO ----------	3	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	9	-	-	-	-	1	-	1	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	21	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
GEORGIA ----------	14	1	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2351

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
COLORADO ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	1	-	1	1	-	2	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	2	3	-	1	3	4	2	2	2	-	-
WHITE------MALE----	-	1	2	-	-	2	2	-	2	-	-	-
FEMALE--	-	1	1	-	1	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA ----------	-	-	1	3	-	3	-	3	-	-	-	-
WHITE------MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of upper respiratory tract (J30-J39)												
HAWAII ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	20	1	-	1	-	-	-	-	-	-	1	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
INDIANA ----------	5	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	1	2	4	-	4	1	1	3	-	-	-
WHITE------MALE----	-	1	1	1	-	3	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	1	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	-	4	2	2	-	2	-	-	-
WHITE------MALE----	-	-	1	-	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	-	-	-	1	-	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of upper respiratory tract (J30-J39)												
KENTUCKY ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	8	-	1	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	14	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	15	1	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
KENTUCKY ----------	-	-	-	1	1	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA ----------	-	-	-	1	-	-	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	1	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	1	1	1	1	-	2	1	-	-	-
WHITE------MALE----	-	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	1	1	-	-	1	1	5	1	3	-	-	-
WHITE------MALE----	1	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	1	1	-	3	2	2	2	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of upper respiratory tract (J30-J39)												
MINNESOTA ----------	12	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
MINNESOTA ----------	-	1	-	1	1	-	1	2	3	1	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	1	1	1	4	1	2	1	-	-	-
WHITE------MALE----	1	-	1	1	-	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MONTANA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2355

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of upper respiratory tract (J30-J39)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	14	2	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	8	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	24	-	-	-	-	1	1	-	-	1	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
NORTH CAROLINA ---------	17	2	2	-	-	-	1	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	2	2	1	-	3	1	-	-	-	-
WHITE------MALE----	-	-	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
NEW MEXICO ----------	-	-	-	2	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	1	2	3	3	3	4	1	1	-	-
WHITE------MALE----	1	-	1	-	2	3	2	1	-	1	-	-
FEMALE--	-	-	-	2	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	-	2	1	5	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	2	-	3	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of upper respiratory tract (J30-J39)												
OHIO ----------	20	1	-	-	-	-	-	1	-	2	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
OKLAHOMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	24	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
OHIO ----------	1	1	3	2	1	2	4	1	1	-	-	-
WHITE------MALE----	1	-	1	1	-	2	2	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	1	-	1	-	2	4	6	1	5	-	-
WHITE------MALE----	1	-	-	-	-	-	3	2	1	1	-	-
FEMALE--	-	1	-	-	-	2	1	3	-	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	2	1	1	2	-	1	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of upper respiratory tract (J30-J39)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	10	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	45	1	1	-	2	-	2	-	-	1	2	3
WHITE------MALE----	24	1	1	-	-	-	1	-	-	1	1	2
FEMALE--	13	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	1	1
UTAH ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	11	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
SOUTH DAKOTA ----------	-	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	1	2	2	-	1	1	-	-	-
WHITE------MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
TEXAS ----------	2	2	1	5	5	6	6	4	1	1	-	-
WHITE------MALE----	2	1	-	2	2	3	3	4	-	-	-	-
FEMALE--	-	1	-	3	2	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	1	-	-	2	2	2	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of upper respiratory tract (J30-J39)												
WASHINGTON ----------	13	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
WASHINGTON ----------	1	1	-	-	-	3	3	1	-	2	-	-
WHITE------MALE----	1	-	-	-	-	1	1	1	-	2	-	-
FEMALE--	-	1	-	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2359

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
UNITED STATES -	124,181	36	54	49	90	107	102	145	185	302	588	1,079
WHITE------MALE----	57,000	10	14	15	30	36	32	32	46	90	181	410
FEMALE--	57,735	6	17	14	12	32	25	41	57	110	227	391
ALL OTHER--MALE----	5,415	9	16	14	34	24	31	37	37	52	87	137
FEMALE--	4,031	11	7	6	14	15	14	35	45	50	93	141
BLACK---MALE----	4,500	9	13	14	34	23	29	34	35	46	80	126
FEMALE--	3,415	9	5	6	14	13	13	34	41	49	89	131
ALABAMA ----------	2,179	-	1	1	-	1	1	2	-	2	13	17
WHITE------MALE----	1,068	-	-	-	-	-	-	-	-	1	7	7
FEMALE--	879	-	1	-	-	-	-	-	-	-	3	4
ALL OTHER--MALE----	161	-	-	-	-	1	1	-	-	1	1	5
FEMALE--	71	-	-	1	-	-	-	2	-	-	2	1
BLACK---MALE----	161	-	-	-	-	1	1	-	-	1	1	5
FEMALE--	69	-	-	1	-	-	-	2	-	-	2	1
ALASKA ----------	146	-	-	-	-	-	-	-	1	1	3	1
WHITE------MALE----	65	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	47	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARIZONA ----------	2,553	1	1	-	2	1	2	1	2	3	8	19
WHITE------MALE----	1,245	-	-	-	2	1	2	1	1	2	3	9
FEMALE--	1,237	-	1	-	-	-	-	-	-	1	4	7
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	33	1	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	1,358	1	-	2	1	-	1	-	1	1	9	16
WHITE------MALE----	697	-	-	-	1	-	1	-	1	-	-	12
FEMALE--	583	-	-	1	-	-	-	-	-	-	7	2
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	31	1	-	1	-	-	-	-	-	1	1	1
BLACK---MALE----	46	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	31	1	-	1	-	-	-	-	-	1	1	1
CALIFORNIA ----------	13,165	6	8	2	8	9	14	22	15	41	59	134
WHITE------MALE----	5,487	2	1	1	2	3	2	7	5	16	15	43
FEMALE--	6,335	1	2	-	4	2	7	5	5	14	29	59
ALL OTHER--MALE----	799	-	4	1	2	2	5	8	4	5	6	20
FEMALE--	544	3	1	-	-	2	-	2	1	6	9	12
BLACK---MALE----	402	-	2	1	2	2	4	5	4	3	6	14
FEMALE--	319	2	-	-	-	2	-	1	1	6	8	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2359

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
UNITED STATES -	2,031	4,179	7,118	12,441	20,203	24,978	23,657	16,831	7,510	2,154	338	4
WHITE------MALE----	827	1,885	3,362	6,017	9,956	12,010	10,934	7,376	2,922	716	97	2
FEMALE--	870	1,771	3,038	5,366	8,772	11,304	11,450	8,565	4,151	1,306	209	1
ALL OTHER--MALE----	177	284	427	625	879	1,011	750	477	232	63	11	1
FEMALE--	157	239	291	433	596	653	523	413	205	69	21	-
BLACK---MALE----	160	255	374	537	718	815	598	365	172	52	10	1
FEMALE--	144	218	244	368	489	543	424	336	171	59	15	-
ALABAMA ----------	48	101	150	262	365	439	384	239	110	37	6	-
WHITE------MALE----	24	43	76	145	197	213	188	106	48	10	3	-
FEMALE--	17	49	51	93	134	186	160	107	50	21	3	-
ALL OTHER--MALE----	4	6	14	15	25	30	25	19	8	6	-	-
FEMALE--	3	3	9	9	9	10	11	7	4	-	-	-
BLACK---MALE----	4	6	14	15	25	30	25	19	8	6	-	-
FEMALE--	3	3	9	8	9	10	11	6	4	-	-	-
ALASKA ----------	4	7	12	13	27	27	25	18	6	1	-	-
WHITE------MALE----	2	4	7	6	15	12	12	5	1	-	-	-
FEMALE--	1	3	2	4	8	6	6	9	5	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	4	3	2	-	-	-	-
FEMALE--	-	-	3	2	3	5	4	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA ----------	42	81	136	258	428	544	493	383	126	20	1	1
WHITE------MALE----	22	45	70	131	215	273	226	191	45	5	-	1
FEMALE--	17	30	60	121	203	260	255	187	75	15	1	-
ALL OTHER--MALE----	-	4	-	4	5	9	7	2	4	-	-	-
FEMALE--	3	2	6	2	5	2	5	3	2	-	-	-
BLACK---MALE----	-	3	-	1	4	6	6	2	2	-	-	-
FEMALE--	2	1	2	2	3	1	1	1	1	-	-	-
ARKANSAS ----------	31	56	73	140	239	274	258	150	82	22	1	-
WHITE------MALE----	14	29	43	71	121	155	136	70	36	6	1	-
FEMALE--	13	22	27	61	105	101	113	74	44	13	-	-
ALL OTHER--MALE----	3	4	2	7	7	13	6	1	1	1	-	-
FEMALE--	1	1	1	1	6	5	3	5	1	2	-	-
BLACK---MALE----	3	4	2	7	7	12	6	1	1	1	-	-
FEMALE--	1	1	1	1	6	5	3	5	1	2	-	-
CALIFORNIA ----------	213	446	683	1,196	2,034	2,640	2,554	1,918	869	245	47	2
WHITE------MALE----	86	200	296	524	908	1,158	1,035	765	317	82	19	-
FEMALE--	89	184	308	530	916	1,228	1,285	1,019	482	144	21	1
ALL OTHER--MALE----	19	35	45	80	123	170	143	78	40	8	-	1
FEMALE--	19	27	34	62	87	84	91	56	30	11	7	-
BLACK---MALE----	15	20	34	46	57	79	68	29	6	4	-	1
FEMALE--	16	20	22	38	50	51	49	22	16	6	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2360

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
COLORADO ----------	1,894	1	3	-	2	2	-	2	3	7	10	21
WHITE------MALE----	938	-	1	-	2	-	-	-	-	3	1	8
FEMALE--	908	1	-	-	-	2	-	1	2	4	7	11
ALL OTHER--MALE----	25	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	23	-	1	-	-	-	-	1	-	-	2	2
BLACK---MALE----	15	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	21	-	1	-	-	-	-	1	-	-	2	2
CONNECTICUT ----------	1,435	-	1	2	-	-	1	-	2	4	5	13
WHITE------MALE----	611	-	-	1	-	-	-	-	-	1	1	3
FEMALE--	768	-	1	-	-	-	1	-	2	-	3	8
ALL OTHER--MALE----	23	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	20	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	2	1	2
DELAWARE ----------	327	-	-	-	-	-	-	1	-	-	2	2
WHITE------MALE----	145	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	151	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	166	-	-	1	-	-	-	-	-	-	2	6
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	65	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	2	5
BLACK---MALE----	64	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	50	-	-	-	-	-	-	-	-	-	2	5
FLORIDA ----------	9,131	1	3	1	2	8	5	8	6	14	27	61
WHITE------MALE----	4,168	-	1	-	1	2	2	-	2	5	12	27
FEMALE--	4,461	-	-	-	-	3	1	3	2	6	8	20
ALL OTHER--MALE----	322	-	1	1	-	3	2	1	-	-	4	9
FEMALE--	180	1	1	-	1	-	-	4	2	3	3	5
BLACK---MALE----	312	-	1	1	-	3	2	1	-	-	4	9
FEMALE--	173	1	1	-	1	-	-	4	2	3	3	5
GEORGIA ----------	3,056	2	5	-	4	1	1	6	4	10	25	40
WHITE------MALE----	1,364	-	1	-	1	-	-	-	-	1	6	9
FEMALE--	1,265	1	-	-	-	-	-	1	-	3	10	16
ALL OTHER--MALE----	265	1	4	-	3	1	1	-	-	4	6	10
FEMALE--	162	-	-	-	-	-	-	5	4	2	3	5
BLACK---MALE----	257	1	4	-	3	1	1	-	-	4	5	10
FEMALE--	158	-	-	-	-	-	-	5	4	2	3	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2360

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
COLORADO ----------	31	42	118	219	315	408	324	242	104	36	4	-
WHITE------MALE----	14	19	53	121	177	211	156	109	45	16	2	-
FEMALE--	11	23	61	93	129	186	167	132	56	20	2	-
ALL OTHER--MALE----	2	-	1	4	6	6	1	1	2	-	-	-
FEMALE--	4	-	3	1	3	5	-	-	1	-	-	-
BLACK---MALE----	2	-	-	3	5	3	-	1	-	-	-	-
FEMALE--	4	-	3	1	3	3	-	-	1	-	-	-
CONNECTICUT ----------	15	23	52	98	213	277	324	244	126	31	4	-
WHITE------MALE----	6	11	33	40	89	128	140	110	37	9	2	-
FEMALE--	8	11	18	53	111	142	177	125	84	22	2	-
ALL OTHER--MALE----	1	-	-	4	2	5	4	3	2	-	-	-
FEMALE--	-	1	1	1	11	2	3	6	3	-	-	-
BLACK---MALE----	1	-	-	4	2	5	3	1	2	-	-	-
FEMALE--	-	1	1	-	10	2	3	6	3	-	-	-
DELAWARE ----------	2	10	16	34	65	74	55	45	16	4	1	-
WHITE------MALE----	2	5	9	15	24	36	25	20	7	1	-	-
FEMALE--	-	4	6	17	33	31	27	22	7	1	1	-
ALL OTHER--MALE----	-	-	1	2	5	4	2	1	1	2	-	-
FEMALE--	-	1	-	-	3	3	1	2	1	-	-	-
BLACK---MALE----	-	-	1	2	4	4	2	1	1	2	-	-
FEMALE--	-	1	-	-	3	2	1	2	1	-	-	-
DISTRICT OF COLUMBIA ---	6	7	9	9	25	36	21	31	7	6	-	-
WHITE------MALE----	-	1	1	-	1	7	6	5	-	-	-	-
FEMALE--	-	1	1	1	2	8	3	6	3	4	-	-
ALL OTHER--MALE----	4	2	5	7	13	13	7	11	1	-	-	-
FEMALE--	2	3	2	1	9	8	5	9	3	2	-	-
BLACK---MALE----	4	2	5	7	13	13	7	10	1	-	-	-
FEMALE--	2	3	1	1	9	8	5	9	3	2	-	-
FLORIDA ----------	132	239	500	811	1,459	1,813	1,879	1,342	605	184	31	-
WHITE------MALE----	49	116	218	406	709	883	851	583	232	60	9	-
FEMALE--	61	95	239	342	666	850	960	717	354	115	19	-
ALL OTHER--MALE----	15	21	30	35	58	54	45	27	11	4	1	-
FEMALE--	7	7	13	28	26	26	23	15	8	5	2	-
BLACK---MALE----	15	20	29	35	54	52	45	25	11	4	1	-
FEMALE--	7	7	12	27	24	26	22	15	6	5	2	-
GEORGIA ----------	64	132	242	362	551	633	481	321	134	33	5	-
WHITE------MALE----	23	55	111	180	272	302	212	131	50	8	2	-
FEMALE--	25	48	91	138	210	261	216	154	68	23	-	-
ALL OTHER--MALE----	11	16	26	34	46	40	34	16	10	-	2	-
FEMALE--	5	13	14	10	23	30	19	20	6	2	1	-
BLACK---MALE----	11	16	25	33	46	37	32	16	10	-	2	-
FEMALE--	5	13	14	10	20	29	19	20	6	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
HAWAII ----------	290	1	-	-	-	-	1	1	1	-	3	5
WHITE------MALE----	49	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	61	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	120	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	60	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	568	-	-	-	-	-	-	1	-	-	3	3
WHITE------MALE----	297	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	268	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5,155	-	-	6	5	14	9	13	18	18	40	55
WHITE------MALE----	2,227	-	-	2	3	5	1	1	1	4	9	19
FEMALE--	2,379	-	-	1	-	3	1	3	2	7	5	11
ALL OTHER--MALE----	286	-	-	2	-	4	5	7	7	4	8	10
FEMALE--	263	-	-	1	2	2	2	2	8	3	18	15
BLACK---MALE----	258	-	-	2	-	4	5	7	6	4	8	10
FEMALE--	246	-	-	1	2	2	2	2	8	3	18	14
INDIANA ----------	3,053	2	3	3	4	5	1	4	7	9	14	22
WHITE------MALE----	1,423	1	2	1	3	1	-	-	3	4	7	14
FEMALE--	1,475	1	1	2	-	2	-	-	2	2	6	5
ALL OTHER--MALE----	84	-	-	-	1	2	1	2	1	1	-	1
FEMALE--	71	-	-	-	-	-	-	2	1	2	1	2
BLACK---MALE----	81	-	-	-	1	2	1	2	1	1	-	1
FEMALE--	69	-	-	-	-	-	-	2	1	2	1	2
IOWA ----------	1,643	-	-	-	1	2	2	1	2	5	6	7
WHITE------MALE----	894	-	-	-	-	1	1	-	2	1	2	4
FEMALE--	734	-	-	-	1	1	1	-	-	3	4	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
KANSAS ----------	1,386	-	-	-	2	1	1	2	-	5	4	9
WHITE------MALE----	705	-	-	-	2	-	-	-	-	1	1	5
FEMALE--	629	-	-	-	-	-	-	1	-	2	2	3
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	24	-	-	-	-	1	1	-	-	1	1	-
BLACK---MALE----	24	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	18	-	-	-	-	1	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2361

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
HAWAII ----------	4	6	12	23	42	54	62	44	20	11	-	-
WHITE------MALE----	-	2	3	6	9	3	13	6	3	1	-	-
FEMALE--	-	1	3	2	8	14	14	11	2	4	-	-
ALL OTHER--MALE----	3	2	5	10	15	25	24	16	12	4	-	-
FEMALE--	1	1	1	5	10	12	11	11	3	2	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO ----------	7	19	32	49	92	131	121	76	20	13	1	-
WHITE------MALE----	4	6	16	27	47	64	68	40	14	6	1	-
FEMALE--	3	13	16	22	44	66	53	35	6	7	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	74	172	292	512	838	1,028	968	681	318	83	11	-
WHITE------MALE----	31	81	134	226	386	461	442	281	112	24	4	-
FEMALE--	24	64	116	237	364	473	460	363	186	54	5	-
ALL OTHER--MALE----	14	15	27	19	47	59	29	19	5	3	2	-
FEMALE--	5	12	15	30	41	35	37	18	15	2	-	-
BLACK---MALE----	14	15	27	18	38	52	23	16	5	3	1	-
FEMALE--	5	12	13	28	39	33	32	18	13	1	-	-
INDIANA ----------	49	119	177	354	506	600	555	366	200	45	8	-
WHITE------MALE----	25	49	80	168	263	283	265	161	77	15	1	-
FEMALE--	17	61	92	155	224	287	276	192	119	24	7	-
ALL OTHER--MALE----	2	7	2	19	12	21	4	5	2	1	-	-
FEMALE--	5	2	3	12	7	9	10	8	2	5	-	-
BLACK---MALE----	2	7	2	19	12	19	4	4	2	1	-	-
FEMALE--	5	2	3	11	7	9	10	7	2	5	-	-
IOWA ----------	23	44	81	163	241	330	335	260	107	29	4	-
WHITE------MALE----	9	23	40	94	154	179	184	147	44	8	1	-
FEMALE--	13	20	40	66	86	148	150	111	63	21	3	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	2	1	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	1	-	-	-	-
KANSAS ----------	23	49	87	136	204	277	278	186	83	33	6	-
WHITE------MALE----	12	28	41	71	111	147	141	89	35	19	2	-
FEMALE--	7	21	41	61	86	123	128	92	46	13	3	-
ALL OTHER--MALE----	1	-	4	3	3	5	4	3	1	-	1	-
FEMALE--	3	-	1	1	4	2	5	2	1	1	-	-
BLACK---MALE----	1	-	1	2	3	5	4	3	1	-	1	-
FEMALE--	3	-	1	1	3	2	3	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2362

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
KENTUCKY ----------	2,327	-	-	2	1	-	2	-	1	1	14	17
WHITE------MALE----	1,164	-	-	2	1	-	-	-	-	-	5	7
FEMALE--	1,054	-	-	-	-	-	1	-	1	1	6	10
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	52	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	57	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	52	-	-	-	-	-	1	-	-	-	1	-
LOUISIANA ----------	1,610	1	2	1	1	2	1	2	4	4	14	11
WHITE------MALE----	650	-	-	-	-	-	-	1	-	3	5	3
FEMALE--	662	1	-	1	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	186	-	2	-	-	-	1	1	1	1	6	4
FEMALE--	112	-	-	-	1	2	-	-	1	-	2	3
BLACK---MALE----	186	-	2	-	-	-	1	1	1	1	6	4
FEMALE--	110	-	-	-	1	2	-	-	1	-	2	3
MAINE ----------	751	-	-	-	-	1	-	-	-	1	2	4
WHITE------MALE----	362	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	385	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1,943	1	-	1	4	3	3	4	3	9	9	25
WHITE------MALE----	774	-	-	1	1	1	1	-	-	1	3	9
FEMALE--	900	-	-	-	-	-	2	-	2	2	2	8
ALL OTHER--MALE----	151	1	-	-	1	2	-	1	1	4	3	3
FEMALE--	118	-	-	-	2	-	-	3	-	2	1	5
BLACK---MALE----	144	1	-	-	1	2	-	1	1	4	3	3
FEMALE--	114	-	-	-	2	-	-	3	-	2	1	4
MASSACHUSETTS ----------	2,862	1	-	2	-	4	-	2	5	7	12	16
WHITE------MALE----	1,255	1	-	1	-	1	-	2	1	4	3	7
FEMALE--	1,547	-	-	-	-	2	-	-	3	2	6	8
ALL OTHER--MALE----	43	-	-	1	-	1	-	-	1	1	3	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	37	-	-	1	-	-	-	-	1	1	3	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN ----------	4,316	1	-	3	6	5	7	6	8	13	27	53
WHITE------MALE----	1,936	-	-	-	-	1	-	2	3	3	8	12
FEMALE--	1,981	-	-	1	1	2	-	2	2	2	12	21
ALL OTHER--MALE----	219	-	-	1	4	1	5	2	1	2	5	13
FEMALE--	180	1	-	1	1	1	2	-	2	6	2	7
BLACK---MALE----	201	-	-	1	4	1	5	2	1	2	5	13
FEMALE--	166	1	-	1	1	1	2	-	1	6	2	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
KENTUCKY ----------	44	100	192	323	402	451	381	246	113	34	3	-
WHITE------MALE----	25	53	103	162	210	230	193	122	42	8	1	-
FEMALE--	17	46	83	148	173	202	170	107	64	23	2	-
ALL OTHER--MALE----	1	-	3	6	9	12	10	9	3	2	-	-
FEMALE--	1	1	3	7	10	7	8	8	4	1	-	-
BLACK---MALE----	1	-	3	6	9	12	10	9	3	2	-	-
FEMALE--	1	1	3	7	10	7	8	8	4	1	-	-
LOUISIANA ----------	40	64	100	163	310	290	284	205	81	23	7	-
WHITE------MALE----	13	20	36	70	135	124	132	70	27	8	3	-
FEMALE--	13	25	39	57	127	131	111	97	42	12	2	-
ALL OTHER--MALE----	8	11	15	22	32	19	27	23	10	2	1	-
FEMALE--	6	8	10	14	16	16	14	15	2	1	1	-
BLACK---MALE----	8	11	15	22	32	19	27	23	10	2	1	-
FEMALE--	6	8	10	14	15	16	13	15	2	1	1	-
MAINE ----------	14	11	46	74	116	134	160	110	56	17	5	-
WHITE------MALE----	5	8	30	33	60	70	74	46	26	3	2	-
FEMALE--	9	3	15	40	54	64	86	64	30	14	3	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	35	52	99	198	287	401	363	282	125	32	7	-
WHITE------MALE----	12	15	35	86	142	155	155	109	42	4	2	-
FEMALE--	12	25	46	83	110	181	174	154	69	25	5	-
ALL OTHER--MALE----	7	5	11	16	22	33	21	12	6	2	-	-
FEMALE--	4	7	7	13	13	32	13	7	8	1	-	-
BLACK---MALE----	6	5	10	16	20	32	21	11	5	2	-	-
FEMALE--	4	7	7	13	13	30	12	7	8	1	-	-
MASSACHUSETTS ----------	41	69	118	256	430	522	613	443	220	80	21	-
WHITE------MALE----	14	31	59	119	206	236	265	194	79	26	6	-
FEMALE--	25	36	55	130	214	277	337	244	139	54	15	-
ALL OTHER--MALE----	2	-	3	5	7	7	8	3	1	-	-	-
FEMALE--	-	2	1	2	3	2	3	2	1	-	-	-
BLACK---MALE----	2	-	2	4	7	6	7	2	1	-	-	-
FEMALE--	-	2	1	2	3	2	3	1	1	-	-	-
MICHIGAN ----------	90	167	240	437	701	892	788	554	250	61	7	-
WHITE------MALE----	31	67	108	192	344	427	368	254	94	22	-	-
FEMALE--	42	69	105	199	299	411	368	268	138	33	6	-
ALL OTHER--MALE----	5	11	15	25	38	23	36	19	10	2	1	-
FEMALE--	12	20	12	21	20	31	16	13	8	4	-	-
BLACK---MALE----	5	11	13	21	30	21	35	18	10	2	1	-
FEMALE--	12	19	12	18	17	29	13	12	8	4	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
MINNESOTA ----------	1,994	-	-	-	-	3	1	2	2	2	4	13
WHITE------MALE----	983	-	-	-	-	2	-	1	1	2	2	4
FEMALE--	968	-	-	-	-	-	1	-	-	-	2	6
ALL OTHER--MALE----	28	-	-	-	-	1	-	-	-	-	-	3
FEMALE--	15	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	16	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	1	1	-	-	-
MISSISSIPPI ----------	1,267	-	1	-	-	1	1	3	5	3	8	16
WHITE------MALE----	575	-	-	-	-	1	-	-	1	-	-	3
FEMALE--	461	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	129	-	-	-	-	-	1	-	1	2	4	4
FEMALE--	102	-	1	-	-	-	-	3	3	1	3	6
BLACK---MALE----	128	-	-	-	-	-	1	-	1	2	4	4
FEMALE--	100	-	1	-	-	-	-	3	3	1	3	6
MISSOURI ----------	3,068	-	-	3	1	3	2	5	5	7	17	20
WHITE------MALE----	1,445	-	-	-	-	1	1	1	1	2	1	10
FEMALE--	1,458	-	-	2	-	-	-	1	3	5	8	7
ALL OTHER--MALE----	93	-	-	-	1	1	1	3	-	-	4	-
FEMALE--	72	-	-	1	-	1	-	-	1	-	4	3
BLACK---MALE----	90	-	-	-	1	1	1	3	-	-	4	-
FEMALE--	68	-	-	1	-	1	-	-	1	-	4	3
MONTANA ----------	566	-	-	-	1	-	-	-	1	1	1	4
WHITE------MALE----	280	-	-	-	1	-	-	-	-	1	-	2
FEMALE--	264	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	945	-	1	1	3	1	-	-	2	2	2	6
WHITE------MALE----	510	-	1	-	1	1	-	-	1	-	-	4
FEMALE--	416	-	-	1	1	-	-	-	1	1	2	-
ALL OTHER--MALE----	9	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
NEVADA ----------	1,029	-	1	-	-	1	1	1	2	3	5	7
WHITE------MALE----	480	-	1	-	-	1	1	-	1	-	2	4
FEMALE--	501	-	-	-	-	-	-	1	-	2	3	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
MINNESOTA ----------	20	52	103	164	269	413	408	330	148	53	7	-
WHITE------MALE----	7	21	47	80	150	215	203	167	62	18	1	-
FEMALE--	13	27	49	78	116	189	202	159	85	35	6	-
ALL OTHER--MALE----	-	2	4	3	1	7	2	4	1	-	-	-
FEMALE--	-	2	3	3	2	2	1	-	-	-	-	-
BLACK---MALE----	-	1	2	2	-	6	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
MISSISSIPPI ----------	16	47	80	152	238	246	220	136	66	22	6	-
WHITE------MALE----	7	18	43	78	119	116	110	55	20	3	1	-
FEMALE--	6	20	23	46	84	92	81	60	34	11	-	-
ALL OTHER--MALE----	1	1	6	18	23	25	18	9	9	5	2	-
FEMALE--	2	8	8	10	12	13	11	12	3	3	3	-
BLACK---MALE----	1	1	6	18	23	24	18	9	9	5	2	-
FEMALE--	2	8	8	9	11	13	11	12	3	3	3	-
MISSOURI ----------	60	117	185	347	489	621	559	388	171	59	9	-
WHITE------MALE----	25	52	82	166	258	305	267	179	73	20	1	-
FEMALE--	31	58	91	165	205	279	270	197	92	38	6	-
ALL OTHER--MALE----	3	1	8	9	16	25	11	8	1	1	-	-
FEMALE--	1	6	4	7	10	12	11	4	5	-	2	-
BLACK---MALE----	3	1	8	8	15	25	10	8	1	1	-	-
FEMALE--	1	6	3	6	8	12	11	4	5	-	2	-
MONTANA ----------	11	16	39	56	89	116	127	64	32	6	2	-
WHITE------MALE----	3	8	21	26	46	57	60	37	16	2	-	-
FEMALE--	6	7	16	25	39	59	64	25	15	4	2	-
ALL OTHER--MALE----	1	-	1	2	3	-	1	2	-	-	-	-
FEMALE--	1	1	1	3	1	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA ----------	12	19	44	79	147	194	194	150	66	20	2	-
WHITE------MALE----	6	9	16	39	81	127	105	76	34	8	1	-
FEMALE--	6	9	24	40	64	66	86	72	31	11	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	1	1	-	-
FEMALE--	-	1	3	-	1	-	2	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	1	1	-	-
FEMALE--	-	1	1	-	1	-	1	1	-	-	-	-
NEVADA ----------	23	40	81	127	186	207	190	94	47	10	2	1
WHITE------MALE----	11	23	40	66	104	93	77	35	18	2	-	1
FEMALE--	10	14	39	55	73	102	107	56	28	7	2	-
ALL OTHER--MALE----	-	1	2	4	3	8	3	3	-	-	-	-
FEMALE--	2	2	-	2	6	4	3	-	1	1	-	-
BLACK---MALE----	-	1	1	4	1	5	3	3	-	-	-	-
FEMALE--	1	1	-	2	3	2	3	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2364

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
NEW HAMPSHIRE ----------	592	-	1	-	-	1	-	-	1	-	3	6
WHITE------MALE----	292	-	1	-	-	1	-	-	1	-	1	1
FEMALE--	297	-	-	-	-	-	-	-	-	-	2	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3,130	2	3	1	4	1	3	3	7	5	11	27
WHITE------MALE----	1,299	-	-	1	1	1	1	1	1	-	3	10
FEMALE--	1,528	1	2	-	-	-	1	-	3	3	2	7
ALL OTHER--MALE----	153	1	-	-	3	-	1	2	2	2	1	5
FEMALE--	150	-	1	-	-	-	-	-	1	-	5	5
BLACK---MALE----	142	1	-	-	3	-	1	2	2	2	1	5
FEMALE--	140	-	1	-	-	-	-	-	1	-	5	5
NEW MEXICO ----------	848	-	1	-	1	-	-	2	3	3	4	6
WHITE------MALE----	454	-	-	-	-	-	-	1	2	-	1	3
FEMALE--	377	-	1	-	1	-	-	1	1	3	2	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7,086	1	2	5	8	5	17	10	18	32	41	73
WHITE------MALE----	3,085	-	1	1	1	2	8	4	3	10	15	29
FEMALE--	3,348	-	1	1	1	-	5	5	4	12	15	26
ALL OTHER--MALE----	351	1	-	2	4	2	3	-	5	5	9	6
FEMALE--	302	-	-	1	2	1	1	1	6	5	2	12
BLACK---MALE----	295	1	-	2	4	2	2	-	5	5	9	5
FEMALE--	272	-	-	1	2	1	1	1	6	5	2	12
NORTH CAROLINA ---------	3,591	2	3	-	1	2	3	4	7	7	19	34
WHITE------MALE----	1,576	1	-	-	-	1	2	-	2	2	4	16
FEMALE--	1,576	-	2	-	-	1	-	1	1	1	7	10
ALL OTHER--MALE----	277	1	1	-	-	-	1	-	3	3	2	3
FEMALE--	162	-	-	-	1	-	-	3	1	1	6	5
BLACK---MALE----	260	1	1	-	-	-	1	-	3	3	2	3
FEMALE--	157	-	-	-	1	-	-	3	1	1	6	5
NORTH DAKOTA ----------	273	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	163	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	102	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
NEW HAMPSHIRE ----------	13	16	29	63	99	117	104	84	41	12	2	-
WHITE------MALE----	4	9	14	38	50	59	51	43	15	3	1	-
FEMALE--	9	7	15	23	49	57	53	41	26	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW JERSEY ----------	41	88	150	291	475	641	612	456	225	75	9	-
WHITE------MALE----	18	33	59	139	219	271	265	175	87	13	1	-
FEMALE--	12	40	59	117	206	310	318	253	128	58	8	-
ALL OTHER--MALE----	4	10	16	16	26	33	18	10	2	1	-	-
FEMALE--	7	5	16	19	24	27	11	18	8	3	-	-
BLACK---MALE----	3	10	15	15	25	29	16	9	2	1	-	-
FEMALE--	6	5	15	19	23	24	11	14	8	3	-	-
NEW MEXICO ----------	12	33	46	94	129	170	160	119	55	10	-	-
WHITE------MALE----	5	16	25	51	70	90	94	68	25	3	-	-
FEMALE--	6	16	21	40	55	76	65	51	28	7	-	-
ALL OTHER--MALE----	-	1	-	2	4	3	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW YORK ----------	106	238	375	631	1,023	1,365	1,422	1,045	502	145	22	-
WHITE------MALE----	40	104	162	277	498	633	614	435	188	54	6	-
FEMALE--	40	90	149	276	435	631	740	544	277	82	14	-
ALL OTHER--MALE----	13	26	42	44	59	52	31	25	18	4	-	-
FEMALE--	13	18	22	34	31	49	37	41	19	5	2	-
BLACK---MALE----	13	23	33	38	49	41	24	20	15	4	-	-
FEMALE--	13	17	20	32	27	44	31	36	15	4	2	-
NORTH CAROLINA ---------	56	148	241	419	651	726	638	391	184	44	11	-
WHITE------MALE----	20	55	120	211	305	322	283	168	48	15	1	-
FEMALE--	20	66	92	160	279	319	293	182	111	23	8	-
ALL OTHER--MALE----	9	12	22	36	45	54	43	26	14	2	-	-
FEMALE--	7	15	7	12	22	31	19	15	11	4	2	-
BLACK---MALE----	9	12	21	33	42	49	42	23	13	2	-	-
FEMALE--	6	15	6	12	21	29	19	15	11	4	2	-
NORTH DAKOTA ----------	2	7	17	22	42	57	50	44	24	6	1	-
WHITE------MALE----	1	6	11	11	26	36	29	27	13	1	1	-
FEMALE--	1	1	5	9	15	17	21	17	11	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2365

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
OHIO ----------	5,858	1	2	1	2	8	2	5	6	12	20	56
WHITE------MALE----	2,739	1	-	1	1	1	2	-	1	6	11	20
FEMALE--	2,732	-	1	-	-	4	-	1	2	4	5	21
ALL OTHER--MALE----	208	-	1	-	1	2	-	2	1	1	1	4
FEMALE--	179	-	-	-	-	1	-	2	2	1	3	11
BLACK---MALE----	203	-	1	-	1	2	-	2	1	1	1	4
FEMALE--	174	-	-	-	-	1	-	2	2	1	3	11
OKLAHOMA ----------	1,751	2	1	-	1	2	1	2	6	3	2	19
WHITE------MALE----	817	-	-	-	-	1	1	-	2	1	-	9
FEMALE--	824	-	-	-	-	1	-	2	3	1	1	9
ALL OTHER--MALE----	61	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	49	2	-	-	1	-	-	-	1	-	-	1
BLACK---MALE----	29	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	23	1	-	-	1	-	-	-	1	-	-	1
OREGON ----------	1,765	-	-	-	1	-	1	1	-	1	10	12
WHITE------MALE----	862	-	-	-	-	-	-	-	-	-	4	5
FEMALE--	876	-	-	-	1	-	1	1	-	1	5	5
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6,141	1	-	1	1	2	3	9	7	10	18	48
WHITE------MALE----	2,954	1	-	-	-	1	2	3	3	4	8	17
FEMALE--	2,837	-	-	1	-	-	-	5	1	3	4	22
ALL OTHER--MALE----	167	-	-	-	1	-	-	-	1	1	2	7
FEMALE--	183	-	-	-	-	1	1	1	2	2	4	2
BLACK---MALE----	164	-	-	-	1	-	-	-	1	1	2	7
FEMALE--	176	-	-	-	-	1	1	1	1	2	4	2
RHODE ISLAND ----------	495	-	-	1	-	-	-	-	1	3	-	3
WHITE------MALE----	216	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	266	-	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1,752	1	-	-	1	2	4	-	-	7	9	20
WHITE------MALE----	793	-	-	-	-	1	-	-	-	-	4	6
FEMALE--	708	-	-	-	-	-	1	-	-	3	2	8
ALL OTHER--MALE----	155	1	-	-	1	-	2	-	-	1	1	2
FEMALE--	96	-	-	-	-	1	1	-	-	3	2	4
BLACK---MALE----	155	1	-	-	1	-	2	-	-	1	1	2
FEMALE--	94	-	-	-	-	1	1	-	-	3	2	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
OHIO ----------	85	173	349	592	1,052	1,150	1,095	769	352	111	15	-
WHITE------MALE----	42	80	171	282	517	579	502	334	139	41	8	-
FEMALE--	33	76	152	272	459	496	543	402	188	67	6	-
ALL OTHER--MALE----	5	12	14	22	37	42	30	18	13	1	1	-
FEMALE--	5	5	12	16	39	33	20	15	12	2	-	-
BLACK---MALE----	5	12	14	22	37	39	30	18	11	1	1	-
FEMALE--	5	5	9	16	39	31	20	15	12	2	-	-
OKLAHOMA ----------	31	58	118	190	293	393	338	194	70	26	1	-
WHITE------MALE----	15	21	54	96	146	186	149	89	32	14	1	-
FEMALE--	12	29	54	85	127	185	174	96	34	11	-	-
ALL OTHER--MALE----	2	3	8	7	12	9	9	6	1	1	-	-
FEMALE--	2	5	2	2	8	13	6	3	3	-	-	-
BLACK---MALE----	-	2	4	1	4	6	6	2	1	1	-	-
FEMALE--	1	2	1	1	3	4	4	1	2	-	-	-
OREGON ----------	31	60	90	164	305	373	387	216	88	24	1	-
WHITE------MALE----	12	24	43	81	157	191	201	86	48	10	-	-
FEMALE--	19	30	47	81	142	178	183	127	40	14	1	-
ALL OTHER--MALE----	-	5	-	2	3	3	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	1	3	2	-	-	-	-
BLACK---MALE----	-	4	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
PENNSYLVANIA ----------	74	194	302	520	968	1,277	1,270	935	375	107	19	-
WHITE------MALE----	31	84	151	253	500	666	613	416	155	43	3	-
FEMALE--	31	74	123	220	417	556	613	489	204	59	15	-
ALL OTHER--MALE----	5	16	16	30	30	27	17	9	2	3	-	-
FEMALE--	7	20	12	17	21	28	27	21	14	2	1	-
BLACK---MALE----	5	16	16	30	29	26	17	9	2	2	-	-
FEMALE--	7	20	11	17	20	28	24	21	13	2	1	-
RHODE ISLAND ----------	6	14	17	46	79	103	102	79	28	8	5	-
WHITE------MALE----	2	7	8	21	35	53	53	25	8	2	1	-
FEMALE--	3	5	9	25	41	50	47	52	19	6	4	-
ALL OTHER--MALE----	1	2	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	-	-	-
BLACK---MALE----	1	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	-	-	-
SOUTH CAROLINA ---------	39	97	123	223	330	346	257	198	77	17	1	-
WHITE------MALE----	13	45	57	106	159	178	109	82	30	3	-	-
FEMALE--	18	33	39	85	128	129	111	99	40	11	1	-
ALL OTHER--MALE----	5	10	22	22	24	26	21	11	4	2	-	-
FEMALE--	3	9	5	10	19	13	16	6	3	1	-	-
BLACK---MALE----	5	10	22	22	24	26	21	11	4	2	-	-
FEMALE--	3	9	5	10	18	13	15	6	3	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2366

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
SOUTH DAKOTA ----------	335	-	-	-	-	1	-	-	2	-	1	5
WHITE------MALE----	193	-	-	-	-	-	-	-	2	-	-	4
FEMALE--	129	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2,748	-	-	-	3	2	1	2	4	6	23	27
WHITE------MALE----	1,392	-	-	-	1	1	-	2	1	2	11	14
FEMALE--	1,130	-	-	-	-	1	-	-	3	3	8	7
ALL OTHER--MALE----	124	-	-	-	2	-	1	-	-	-	1	3
FEMALE--	102	-	-	-	-	-	-	-	-	1	3	3
BLACK---MALE----	122	-	-	-	2	-	1	-	-	-	1	3
FEMALE--	99	-	-	-	-	-	-	-	-	1	2	3
TEXAS ----------	7,518	5	5	6	11	6	7	6	11	23	32	60
WHITE------MALE----	3,541	3	2	2	3	3	2	-	2	6	7	22
FEMALE--	3,449	-	3	2	2	3	2	2	4	10	18	25
ALL OTHER--MALE----	297	1	-	2	3	-	-	3	3	5	3	7
FEMALE--	231	1	-	-	3	-	3	1	2	2	4	6
BLACK---MALE----	271	1	-	2	3	-	-	3	3	4	2	7
FEMALE--	211	1	-	-	3	-	3	1	2	2	4	6
UTAH ----------	559	-	-	-	-	-	-	1	-	-	2	2
WHITE------MALE----	323	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	227	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	300	-	-	-	-	1	1	-	-	-	2	3
WHITE------MALE----	134	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	164	-	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2,699	-	1	1	5	1	-	6	5	7	17	24
WHITE------MALE----	1,158	-	-	-	1	-	-	-	-	1	3	4
FEMALE--	1,222	-	-	-	-	-	-	1	1	1	6	7
ALL OTHER--MALE----	185	-	1	1	4	1	-	3	1	1	4	4
FEMALE--	134	-	-	-	-	-	-	2	3	4	4	9
BLACK---MALE----	177	-	1	1	4	1	-	3	1	1	4	4
FEMALE--	128	-	-	-	-	-	-	2	3	3	4	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
SOUTH DAKOTA ----------	3	6	13	25	49	64	76	53	29	7	1	-
WHITE------MALE----	-	4	9	15	26	41	41	35	11	4	1	-
FEMALE--	2	1	4	9	19	20	32	18	18	3	-	-
ALL OTHER--MALE----	1	-	-	-	3	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	74	128	197	311	529	550	425	301	125	35	5	-
WHITE------MALE----	27	73	117	163	291	275	201	149	50	12	2	-
FEMALE--	39	44	65	118	202	228	192	129	67	21	3	-
ALL OTHER--MALE----	4	6	8	16	19	27	21	11	5	-	-	-
FEMALE--	4	5	7	14	17	20	11	12	3	2	-	-
BLACK---MALE----	4	5	8	16	19	27	20	11	5	-	-	-
FEMALE--	4	5	7	14	15	20	11	12	3	2	-	-
TEXAS ----------	127	280	471	784	1,234	1,550	1,344	1,011	414	117	14	-
WHITE------MALE----	52	138	222	393	612	782	624	441	175	48	2	-
FEMALE--	51	114	198	330	541	685	657	516	210	64	12	-
ALL OTHER--MALE----	11	21	22	34	49	51	32	29	20	1	-	-
FEMALE--	13	7	29	27	32	32	31	25	9	4	-	-
BLACK---MALE----	10	20	21	31	43	49	27	25	19	1	-	-
FEMALE--	12	7	29	24	29	26	30	22	6	4	-	-
UTAH ----------	12	21	51	69	100	103	89	78	25	5	1	-
WHITE------MALE----	8	10	34	40	56	60	48	44	15	5	-	-
FEMALE--	3	10	17	27	42	42	40	34	10	-	1	-
ALL OTHER--MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	8	12	26	58	69	54	40	18	4	-	-
WHITE------MALE----	2	4	7	14	25	35	18	17	9	-	-	-
FEMALE--	2	4	5	11	33	33	36	23	9	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	48	103	166	301	456	551	506	325	134	36	6	-
WHITE------MALE----	14	41	76	142	199	256	234	129	45	13	-	-
FEMALE--	25	45	67	124	215	234	228	165	77	20	6	-
ALL OTHER--MALE----	4	8	11	19	24	39	30	21	8	1	-	-
FEMALE--	5	9	12	16	18	22	14	10	4	2	-	-
BLACK---MALE----	3	8	11	19	22	38	27	20	8	1	-	-
FEMALE--	5	9	11	15	17	22	13	9	4	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
WASHINGTON ----------	2,713	-	2	-	3	2	1	1	3	4	16	15
WHITE------MALE----	1,250	-	1	-	1	-	-	-	-	1	6	6
FEMALE--	1,345	-	1	-	-	1	-	1	1	2	8	7
ALL OTHER--MALE----	67	-	-	-	2	-	-	-	1	1	1	1
FEMALE--	51	-	-	-	-	1	1	-	1	-	1	1
BLACK---MALE----	32	-	-	-	2	-	-	-	1	1	-	1
FEMALE--	19	-	-	-	-	-	1	-	1	-	1	1
WEST VIRGINIA ----------	1,236	1	-	-	-	1	-	3	2	3	1	3
WHITE------MALE----	633	-	-	-	-	-	-	3	1	1	-	-
FEMALE--	575	-	-	-	-	1	-	-	1	2	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	1
WISCONSIN ----------	2,270	1	3	2	-	1	1	1	2	2	9	8
WHITE------MALE----	1,136	-	1	-	-	-	-	1	1	-	4	5
FEMALE--	1,054	-	-	1	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	41	1	-	1	-	-	-	-	-	1	2	-
FEMALE--	39	-	2	-	-	1	1	-	-	-	-	1
BLACK---MALE----	35	1	-	1	-	-	-	-	-	1	2	-
FEMALE--	28	-	1	-	-	-	1	-	-	-	-	1
WYOMING ----------	338	-	-	-	-	-	-	-	-	1	-	5
WHITE------MALE----	172	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	163	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
WASHINGTON ----------	42	79	145	269	440	560	532	378	181	35	5	-
WHITE------MALE----	15	36	65	141	208	246	257	176	81	9	1	-
FEMALE--	25	39	62	117	220	291	256	190	96	24	4	-
ALL OTHER--MALE----	2	1	12	6	8	12	10	8	-	2	-	-
FEMALE--	-	3	6	5	4	11	9	4	4	-	-	-
BLACK---MALE----	1	1	7	4	3	7	2	2	-	-	-	-
FEMALE--	-	1	1	-	2	3	5	1	2	-	-	-
WEST VIRGINIA ----------	21	38	75	126	223	251	234	161	71	19	3	-
WHITE------MALE----	10	19	38	68	110	132	129	83	31	6	2	-
FEMALE--	10	19	37	57	110	113	99	71	39	13	1	-
ALL OTHER--MALE----	-	-	-	1	2	4	5	2	1	-	-	-
FEMALE--	1	-	-	-	1	2	1	5	-	-	-	-
BLACK---MALE----	-	-	-	1	2	4	5	2	1	-	-	-
FEMALE--	1	-	-	-	1	2	1	5	-	-	-	-
WISCONSIN ----------	23	69	105	224	316	427	489	362	165	53	7	-
WHITE------MALE----	10	29	52	115	171	208	271	174	74	19	1	-
FEMALE--	10	31	50	95	130	209	213	180	90	32	6	-
ALL OTHER--MALE----	1	5	2	9	9	5	1	2	1	1	-	-
FEMALE--	2	4	1	5	6	5	4	6	-	1	-	-
BLACK---MALE----	1	4	1	9	8	4	1	-	1	1	-	-
FEMALE--	1	4	1	4	5	2	3	5	-	-	-	-
WYOMING ----------	7	14	27	36	44	63	69	44	19	8	1	-
WHITE------MALE----	4	5	16	12	23	41	39	17	7	4	-	-
FEMALE--	3	8	11	23	20	22	30	27	12	4	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2368

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
UNITED STATES -	123,211	36	53	49	89	107	100	137	183	301	582	1,066
WHITE------MALE----	56,706	10	14	15	29	36	30	30	46	89	179	406
FEMALE--	57,139	6	17	14	12	32	25	38	57	110	224	386
ALL OTHER--MALE----	5,383	9	16	14	34	24	31	36	37	52	86	136
FEMALE--	3,983	11	6	6	14	15	14	33	43	50	93	138
BLACK---MALE----	4,485	9	13	14	34	23	29	34	35	46	79	125
FEMALE--	3,390	9	4	6	14	13	13	32	41	49	89	130
ALABAMA ----------	2,158	-	1	1	-	1	1	2	-	2	13	17
WHITE------MALE----	1,059	-	-	-	-	-	-	-	-	1	7	7
FEMALE--	868	-	1	-	-	-	-	-	-	-	3	4
ALL OTHER--MALE----	160	-	-	-	-	1	1	-	-	1	1	5
FEMALE--	71	-	-	1	-	-	-	2	-	-	2	1
BLACK---MALE----	160	-	-	-	-	1	1	-	-	1	1	5
FEMALE--	69	-	-	1	-	-	-	2	-	-	2	1
ALASKA ----------	143	-	-	-	-	-	-	-	1	1	3	1
WHITE------MALE----	65	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	47	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARIZONA ----------	2,506	1	1	-	2	1	2	1	2	3	8	18
WHITE------MALE----	1,232	-	-	-	2	1	2	1	1	2	3	9
FEMALE--	1,206	-	1	-	-	-	-	-	-	1	4	7
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	30	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	1,345	1	-	2	1	-	1	-	1	1	8	16
WHITE------MALE----	695	-	-	-	1	-	1	-	1	-	-	12
FEMALE--	574	-	-	1	-	-	-	-	-	-	7	2
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	1	-	1	-	-	-	-	-	1	1	1
BLACK---MALE----	44	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	1	-	1	-	-	-	-	-	1	1	1
CALIFORNIA ----------	13,065	6	8	2	8	9	13	20	15	41	58	133
WHITE------MALE----	5,453	2	1	1	2	3	1	7	5	16	15	43
FEMALE--	6,288	1	2	-	4	2	7	4	5	14	28	58
ALL OTHER--MALE----	790	-	4	1	2	2	5	7	4	5	6	20
FEMALE--	534	3	1	-	-	2	-	2	1	6	9	12
BLACK---MALE----	401	-	2	1	2	2	4	5	4	3	6	14
FEMALE--	317	2	-	-	-	2	-	1	1	6	8	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2368

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
UNITED STATES -	2,013	4,148	7,078	12,365	20,107	24,789	23,428	16,657	7,445	2,139	335	4
WHITE------MALE----	825	1,878	3,349	6,001	9,921	11,944	10,866	7,326	2,902	712	96	2
FEMALE--	856	1,752	3,015	5,315	8,720	11,199	11,305	8,444	4,108	1,296	207	1
ALL OTHER--MALE----	176	281	425	624	876	1,001	745	475	230	63	11	1
FEMALE--	156	237	289	425	590	645	512	412	205	68	21	-
BLACK---MALE----	159	253	372	537	716	811	597	365	171	52	10	1
FEMALE--	143	217	243	365	485	539	419	335	171	58	15	-
ALABAMA ----------	47	101	150	262	363	435	377	233	109	37	6	-
WHITE------MALE----	24	43	76	145	196	211	186	102	48	10	3	-
FEMALE--	17	49	51	93	133	184	155	105	49	21	3	-
ALL OTHER--MALE----	3	6	14	15	25	30	25	19	8	6	-	-
FEMALE--	3	3	9	9	9	10	11	7	4	-	-	-
BLACK---MALE----	3	6	14	15	25	30	25	19	8	6	-	-
FEMALE--	3	3	9	8	9	10	11	6	4	-	-	-
ALASKA ----------	4	7	12	12	27	26	24	18	6	1	-	-
WHITE------MALE----	2	4	7	6	15	12	12	5	1	-	-	-
FEMALE--	1	3	2	4	8	6	6	9	5	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	3	3	2	-	-	-	-
FEMALE--	-	-	3	1	3	5	3	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA ----------	40	80	134	255	424	533	478	375	126	20	1	1
WHITE------MALE----	22	45	69	131	212	269	226	186	45	5	-	1
FEMALE--	16	29	60	118	202	253	240	184	75	15	1	-
ALL OTHER--MALE----	-	4	-	4	5	9	7	2	4	-	-	-
FEMALE--	2	2	5	2	5	2	5	3	2	-	-	-
BLACK---MALE----	-	3	-	1	4	6	6	2	2	-	-	-
FEMALE--	1	1	2	2	3	1	1	1	1	-	-	-
ARKANSAS ----------	29	56	73	140	239	271	256	147	81	21	1	-
WHITE------MALE----	14	29	43	71	121	153	136	70	36	6	1	-
FEMALE--	11	22	27	61	105	101	111	71	43	12	-	-
ALL OTHER--MALE----	3	4	2	7	7	12	6	1	1	1	-	-
FEMALE--	1	1	1	1	6	5	3	5	1	2	-	-
BLACK---MALE----	3	4	2	7	7	11	6	1	1	1	-	-
FEMALE--	1	1	1	1	6	5	3	5	1	2	-	-
CALIFORNIA ----------	213	441	680	1,189	2,023	2,620	2,530	1,903	861	244	46	2
WHITE------MALE----	86	199	294	521	904	1,151	1,029	760	313	82	18	-
FEMALE--	89	182	307	529	910	1,218	1,273	1,009	480	144	21	1
ALL OTHER--MALE----	19	34	45	79	123	167	142	78	38	8	-	1
FEMALE--	19	26	34	60	86	84	86	56	30	10	7	-
BLACK---MALE----	15	20	34	46	57	79	68	29	5	4	-	1
FEMALE--	16	20	22	38	50	51	48	22	16	5	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
COLORADO ----------	1,877	1	2	-	2	2	-	2	3	7	9	21
WHITE------MALE----	933	-	1	-	2	-	-	-	-	3	1	8
FEMALE--	898	1	-	-	-	2	-	1	2	4	6	11
ALL OTHER--MALE----	25	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	21	-	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	15	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	-	-	-	-	-	-	1	-	-	2	2
CONNECTICUT ----------	1,419	-	1	2	-	-	1	-	2	4	5	13
WHITE------MALE----	607	-	-	1	-	-	-	-	-	1	1	3
FEMALE--	757	-	1	-	-	-	1	-	2	-	3	8
ALL OTHER--MALE----	22	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	19	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	2	1	2
DELAWARE ----------	325	-	-	-	-	-	-	1	-	-	2	2
WHITE------MALE----	145	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	149	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	166	-	-	1	-	-	-	-	-	-	2	6
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	65	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	2	5
BLACK---MALE----	64	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	50	-	-	-	-	-	-	-	-	-	2	5
FLORIDA ----------	9,057	1	3	1	2	8	5	7	6	14	27	61
WHITE------MALE----	4,144	-	1	-	1	2	2	-	2	5	12	27
FEMALE--	4,412	-	-	-	-	3	1	2	2	6	8	20
ALL OTHER--MALE----	321	-	1	1	-	3	2	1	-	-	4	9
FEMALE--	180	1	1	-	1	-	-	4	2	3	3	5
BLACK---MALE----	311	-	1	1	-	3	2	1	-	-	4	9
FEMALE--	173	1	1	-	1	-	-	4	2	3	3	5
GEORGIA ----------	3,032	2	5	-	4	1	1	5	4	10	25	40
WHITE------MALE----	1,360	-	1	-	1	-	-	-	-	1	6	9
FEMALE--	1,250	1	-	-	-	-	-	1	-	3	10	16
ALL OTHER--MALE----	264	1	4	-	3	1	1	-	-	4	6	10
FEMALE--	158	-	-	-	-	-	-	4	4	2	3	5
BLACK---MALE----	256	1	4	-	3	1	1	-	-	4	5	10
FEMALE--	154	-	-	-	-	-	-	4	4	2	3	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
COLORADO ----------	31	42	117	217	314	405	319	239	104	36	4	-
WHITE------MALE----	14	19	52	121	176	209	156	108	45	16	2	-
FEMALE--	11	23	61	92	129	185	162	130	56	20	2	-
ALL OTHER--MALE----	2	-	1	4	6	6	1	1	2	-	-	-
FEMALE--	4	-	3	-	3	5	-	-	1	-	-	-
BLACK---MALE----	2	-	-	3	5	3	-	1	-	-	-	-
FEMALE--	4	-	3	-	3	3	-	-	1	-	-	-
CONNECTICUT ----------	14	22	51	96	212	274	321	241	125	31	4	-
WHITE------MALE----	6	11	33	40	89	127	138	109	37	9	2	-
FEMALE--	7	10	17	51	110	141	176	123	83	22	2	-
ALL OTHER--MALE----	1	-	-	4	2	4	4	3	2	-	-	-
FEMALE--	-	1	1	1	11	2	3	6	3	-	-	-
BLACK---MALE----	1	-	-	4	2	4	3	1	2	-	-	-
FEMALE--	-	1	1	-	10	2	3	6	3	-	-	-
DELAWARE ----------	2	10	16	34	64	74	54	45	16	4	1	-
WHITE------MALE----	2	5	9	15	24	36	25	20	7	1	-	-
FEMALE--	-	4	6	17	32	31	26	22	7	1	1	-
ALL OTHER--MALE----	-	-	1	2	5	4	2	1	1	2	-	-
FEMALE--	-	1	-	-	3	3	1	2	1	-	-	-
BLACK---MALE----	-	-	1	2	4	4	2	1	1	2	-	-
FEMALE--	-	1	-	-	3	2	1	2	1	-	-	-
DISTRICT OF COLUMBIA ---	6	7	9	9	25	36	21	31	7	6	-	-
WHITE------MALE----	-	1	1	-	1	7	6	5	-	-	-	-
FEMALE--	-	1	1	1	2	8	3	6	3	4	-	-
ALL OTHER--MALE----	4	2	5	7	13	13	7	11	1	-	-	-
FEMALE--	2	3	2	1	9	8	5	9	3	2	-	-
BLACK---MALE----	4	2	5	7	13	13	7	10	1	-	-	-
FEMALE--	2	3	1	1	9	8	5	9	3	2	-	-
FLORIDA ----------	132	239	498	806	1,454	1,798	1,856	1,324	603	181	31	-
WHITE------MALE----	49	116	218	405	708	879	842	576	231	59	9	-
FEMALE--	61	95	238	338	662	839	946	706	353	113	19	-
ALL OTHER--MALE----	15	21	29	35	58	54	45	27	11	4	1	-
FEMALE--	7	7	13	28	26	26	23	15	8	5	2	-
BLACK---MALE----	15	20	28	35	54	52	45	25	11	4	1	-
FEMALE--	7	7	12	27	24	26	22	15	6	5	2	-
GEORGIA ----------	64	130	241	359	549	628	476	316	134	33	5	-
WHITE------MALE----	23	55	111	179	272	301	210	131	50	8	2	-
FEMALE--	25	48	90	136	208	258	214	149	68	23	-	-
ALL OTHER--MALE----	11	15	26	34	46	40	34	16	10	-	2	-
FEMALE--	5	12	14	10	23	29	18	20	6	2	1	-
BLACK---MALE----	11	15	25	33	46	37	32	16	10	-	2	-
FEMALE--	5	12	14	10	20	28	18	20	6	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2370

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
HAWAII ----------	280	1	-	-	-	-	1	1	1	-	3	4
WHITE------MALE----	48	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	60	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	114	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	58	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	566	-	-	-	-	-	-	1	-	-	3	3
WHITE------MALE----	296	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	267	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5,130	-	-	6	5	14	9	13	18	18	40	55
WHITE------MALE----	2,221	-	-	2	3	5	1	1	1	4	9	19
FEMALE--	2,363	-	-	1	-	3	1	3	2	7	5	11
ALL OTHER--MALE----	285	-	-	2	-	4	5	7	7	4	8	10
FEMALE--	261	-	-	1	2	2	2	2	8	3	18	15
BLACK---MALE----	257	-	-	2	-	4	5	7	6	4	8	10
FEMALE--	244	-	-	1	2	2	2	2	8	3	18	14
INDIANA ----------	3,029	2	3	3	3	5	1	4	7	9	13	22
WHITE------MALE----	1,413	1	2	1	2	1	-	-	3	4	6	14
FEMALE--	1,461	1	1	2	-	2	-	-	2	2	6	5
ALL OTHER--MALE----	84	-	-	-	1	2	1	2	1	1	-	1
FEMALE--	71	-	-	-	-	-	-	2	1	2	1	2
BLACK---MALE----	81	-	-	-	1	2	1	2	1	1	-	1
FEMALE--	69	-	-	-	-	-	-	2	1	2	1	2
IOWA ----------	1,628	-	-	-	1	2	2	1	2	5	6	7
WHITE------MALE----	891	-	-	-	-	1	1	-	2	1	2	4
FEMALE--	722	-	-	-	1	1	1	-	-	3	4	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
KANSAS ----------	1,373	-	-	-	2	1	1	2	-	5	4	9
WHITE------MALE----	701	-	-	-	2	-	-	-	-	1	1	5
FEMALE--	620	-	-	-	-	-	-	1	-	2	2	3
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	24	-	-	-	-	1	1	-	-	1	1	-
BLACK---MALE----	24	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	18	-	-	-	-	1	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2370

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
HAWAII ----------	4	6	12	23	40	52	59	42	20	11	-	-
WHITE------MALE----	-	2	3	6	9	3	13	6	3	1	-	-
FEMALE--	-	1	3	2	8	14	14	10	2	4	-	-
ALL OTHER--MALE----	3	2	5	10	14	24	21	15	12	4	-	-
FEMALE--	1	1	1	5	9	11	11	11	3	2	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO ----------	6	19	32	49	92	131	120	76	20	13	1	-
WHITE------MALE----	4	6	16	27	47	64	67	40	14	6	1	-
FEMALE--	2	13	16	22	44	66	53	35	6	7	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	74	172	287	510	838	1,025	960	675	317	83	11	-
WHITE------MALE----	31	81	134	225	386	460	440	280	111	24	4	-
FEMALE--	24	64	112	236	364	472	455	358	186	54	5	-
ALL OTHER--MALE----	14	15	26	19	47	59	29	19	5	3	2	-
FEMALE--	5	12	15	30	41	34	36	18	15	2	-	-
BLACK---MALE----	14	15	26	18	38	52	23	16	5	3	1	-
FEMALE--	5	12	13	28	39	32	31	18	13	1	-	-
INDIANA ----------	49	119	175	352	504	593	551	363	198	45	8	-
WHITE------MALE----	25	49	79	168	262	281	262	160	77	15	1	-
FEMALE--	17	61	91	153	223	282	275	190	117	24	7	-
ALL OTHER--MALE----	2	7	2	19	12	21	4	5	2	1	-	-
FEMALE--	5	2	3	12	7	9	10	8	2	5	-	-
BLACK---MALE----	2	7	2	19	12	19	4	4	2	1	-	-
FEMALE--	5	2	3	11	7	9	10	7	2	5	-	-
IOWA ----------	23	44	80	161	240	327	332	257	105	29	4	-
WHITE------MALE----	9	23	40	93	154	178	183	147	44	8	1	-
FEMALE--	13	20	39	65	85	146	148	108	61	21	3	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	2	1	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	1	-	-	-	-
KANSAS ----------	23	48	87	136	204	274	274	182	82	33	6	-
WHITE------MALE----	12	28	41	71	111	147	140	87	34	19	2	-
FEMALE--	7	20	41	61	86	120	125	90	46	13	3	-
ALL OTHER--MALE----	1	-	4	3	3	5	4	3	1	-	1	-
FEMALE--	3	-	1	1	4	2	5	2	1	1	-	-
BLACK---MALE----	1	-	1	2	3	5	4	3	1	-	1	-
FEMALE--	3	-	1	1	3	2	3	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2371

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
KENTUCKY ----------	2,312	-	-	2	1	-	2	-	1	1	14	17
WHITE------MALE----	1,161	-	-	2	1	-	-	-	-	-	5	7
FEMALE--	1,042	-	-	-	-	-	1	-	1	1	6	10
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	52	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	57	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	52	-	-	-	-	-	1	-	-	-	1	-
LOUISIANA ----------	1,601	1	2	1	1	2	1	2	4	4	14	11
WHITE------MALE----	647	-	-	-	-	-	-	1	-	3	5	3
FEMALE--	656	1	-	1	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	186	-	2	-	-	-	1	1	1	1	6	4
FEMALE--	112	-	-	-	1	2	-	-	1	-	2	3
BLACK---MALE----	186	-	2	-	-	-	1	1	1	1	6	4
FEMALE--	110	-	-	-	1	2	-	-	1	-	2	3
MAINE ----------	748	-	-	-	-	1	-	-	-	1	2	4
WHITE------MALE----	360	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	384	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1,920	1	-	1	4	3	3	4	3	9	9	24
WHITE------MALE----	768	-	-	1	1	1	1	-	-	1	3	9
FEMALE--	886	-	-	-	-	-	2	-	2	2	2	8
ALL OTHER--MALE----	151	1	-	-	1	2	-	1	1	4	3	3
FEMALE--	115	-	-	-	2	-	-	3	-	2	1	4
BLACK---MALE----	144	1	-	-	1	2	-	1	1	4	3	3
FEMALE--	112	-	-	-	2	-	-	3	-	2	1	4
MASSACHUSETTS ----------	2,833	1	-	2	-	4	-	2	5	7	12	15
WHITE------MALE----	1,244	1	-	1	-	1	-	2	1	4	3	6
FEMALE--	1,529	-	-	-	-	2	-	-	3	2	6	8
ALL OTHER--MALE----	43	-	-	1	-	1	-	-	1	1	3	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	37	-	-	1	-	-	-	-	1	1	3	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN ----------	4,296	1	-	3	6	5	7	6	7	13	27	52
WHITE------MALE----	1,931	-	-	-	-	1	-	2	3	3	8	12
FEMALE--	1,968	-	-	1	1	2	-	2	2	2	12	20
ALL OTHER--MALE----	219	-	-	1	4	1	5	2	1	2	5	13
FEMALE--	178	1	-	1	1	1	2	-	1	6	2	7
BLACK---MALE----	201	-	-	1	4	1	5	2	1	2	5	13
FEMALE--	165	1	-	1	1	1	2	-	1	6	2	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
KENTUCKY ----------	44	97	190	321	400	451	378	243	113	34	3	-
WHITE------MALE----	25	52	103	162	209	230	192	122	42	8	1	-
FEMALE--	17	44	81	146	172	202	168	104	64	23	2	-
ALL OTHER--MALE----	1	-	3	6	9	12	10	9	3	2	-	-
FEMALE--	1	1	3	7	10	7	8	8	4	1	-	-
BLACK---MALE----	1	-	3	6	9	12	10	9	3	2	-	-
FEMALE--	1	1	3	7	10	7	8	8	4	1	-	-
LOUISIANA ----------	39	63	99	162	310	288	281	205	81	23	7	-
WHITE------MALE----	12	19	36	70	135	124	131	70	27	8	3	-
FEMALE--	13	25	38	56	127	129	109	97	42	12	2	-
ALL OTHER--MALE----	8	11	15	22	32	19	27	23	10	2	1	-
FEMALE--	6	8	10	14	16	16	14	15	2	1	1	-
BLACK---MALE----	8	11	15	22	32	19	27	23	10	2	1	-
FEMALE--	6	8	10	14	15	16	13	15	2	1	1	-
MAINE ----------	14	11	46	73	116	133	160	109	56	17	5	-
WHITE------MALE----	5	8	30	32	60	70	74	45	26	3	2	-
FEMALE--	9	3	15	40	54	63	86	64	30	14	3	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	35	51	99	198	284	396	358	277	122	32	7	-
WHITE------MALE----	12	14	35	86	141	154	153	108	42	4	2	-
FEMALE--	12	25	46	83	109	177	171	151	66	25	5	-
ALL OTHER--MALE----	7	5	11	16	22	33	21	12	6	2	-	-
FEMALE--	4	7	7	13	12	32	13	6	8	1	-	-
BLACK---MALE----	6	5	10	16	20	32	21	11	5	2	-	-
FEMALE--	4	7	7	13	12	30	12	6	8	1	-	-
MASSACHUSETTS ----------	41	69	118	255	427	517	608	435	216	79	20	-
WHITE------MALE----	14	31	59	118	204	234	264	191	79	25	6	-
FEMALE--	25	36	55	130	213	274	333	239	135	54	14	-
ALL OTHER--MALE----	2	-	3	5	7	7	8	3	1	-	-	-
FEMALE--	-	2	1	2	3	2	3	2	1	-	-	-
BLACK---MALE----	2	-	2	4	7	6	7	2	1	-	-	-
FEMALE--	-	2	1	2	3	2	3	1	1	-	-	-
MICHIGAN ----------	90	165	240	436	699	887	784	551	249	61	7	-
WHITE------MALE----	31	67	108	192	344	426	365	254	93	22	-	-
FEMALE--	42	67	105	198	298	407	367	265	138	33	6	-
ALL OTHER--MALE----	5	11	15	25	38	23	36	19	10	2	1	-
FEMALE--	12	20	12	21	19	31	16	13	8	4	-	-
BLACK---MALE----	5	11	13	21	30	21	35	18	10	2	1	-
FEMALE--	12	19	12	18	16	29	13	12	8	4	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
MINNESOTA ----------	1,985	-	-	-	-	3	1	2	2	2	4	13
WHITE------MALE----	979	-	-	-	-	2	-	1	1	2	2	4
FEMALE--	963	-	-	-	-	-	1	-	-	-	2	6
ALL OTHER--MALE----	28	-	-	-	-	1	-	-	-	-	-	3
FEMALE--	15	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	16	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	1	1	-	-	-
MISSISSIPPI ----------	1,259	-	1	-	-	1	1	3	5	3	8	15
WHITE------MALE----	573	-	-	-	-	1	-	-	1	-	-	3
FEMALE--	456	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	128	-	-	-	-	-	1	-	1	2	4	4
FEMALE--	102	-	1	-	-	-	-	3	3	1	3	6
BLACK---MALE----	127	-	-	-	-	-	1	-	1	2	4	4
FEMALE--	100	-	1	-	-	-	-	3	3	1	3	6
MISSOURI ----------	3,053	-	-	3	1	3	2	5	5	7	17	20
WHITE------MALE----	1,443	-	-	-	-	1	1	1	1	2	1	10
FEMALE--	1,446	-	-	2	-	-	-	1	3	5	8	7
ALL OTHER--MALE----	92	-	-	-	1	1	1	3	-	-	4	-
FEMALE--	72	-	-	1	-	1	-	-	1	-	4	3
BLACK---MALE----	89	-	-	-	1	1	1	3	-	-	4	-
FEMALE--	68	-	-	1	-	1	-	-	1	-	4	3
MONTANA ----------	561	-	-	-	1	-	-	-	1	1	1	4
WHITE------MALE----	279	-	-	-	1	-	-	-	-	1	-	2
FEMALE--	261	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	937	-	1	1	3	1	-	-	2	2	2	6
WHITE------MALE----	509	-	1	-	1	1	-	-	1	-	-	4
FEMALE--	409	-	-	1	1	-	-	-	1	1	2	-
ALL OTHER--MALE----	9	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
NEVADA ----------	1,025	-	1	-	-	1	1	1	2	3	5	7
WHITE------MALE----	479	-	1	-	-	1	1	-	1	-	2	4
FEMALE--	498	-	-	-	-	-	-	1	-	2	3	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
MINNESOTA ----------	20	52	103	163	265	413	407	329	146	53	7	-
WHITE------MALE----	7	21	47	80	149	215	202	167	60	18	1	-
FEMALE--	13	27	49	77	113	189	202	158	85	35	6	-
ALL OTHER--MALE----	-	2	4	3	1	7	2	4	1	-	-	-
FEMALE--	-	2	3	3	2	2	1	-	-	-	-	-
BLACK---MALE----	-	1	2	2	-	6	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
MISSISSIPPI ----------	16	47	80	152	237	244	219	134	66	21	6	-
WHITE------MALE----	7	18	43	78	119	116	109	54	20	3	1	-
FEMALE--	6	20	23	46	84	90	81	59	34	10	-	-
ALL OTHER--MALE----	1	1	6	18	22	25	18	9	9	5	2	-
FEMALE--	2	8	8	10	12	13	11	12	3	3	3	-
BLACK---MALE----	1	1	6	18	22	24	18	9	9	5	2	-
FEMALE--	2	8	8	9	11	13	11	12	3	3	3	-
MISSOURI ----------	60	117	184	346	484	620	557	385	170	58	9	-
WHITE------MALE----	25	52	82	166	257	305	267	178	73	20	1	-
FEMALE--	31	58	90	164	202	278	268	195	91	37	6	-
ALL OTHER--MALE----	3	1	8	9	15	25	11	8	1	1	-	-
FEMALE--	1	6	4	7	10	12	11	4	5	-	2	-
BLACK---MALE----	3	1	8	8	14	25	10	8	1	1	-	-
FEMALE--	1	6	3	6	8	12	11	4	5	-	2	-
MONTANA ----------	10	16	39	56	89	116	124	64	31	6	2	-
WHITE------MALE----	3	8	21	26	46	57	59	37	16	2	-	-
FEMALE--	5	7	16	25	39	59	63	25	14	4	2	-
ALL OTHER--MALE----	1	-	1	2	3	-	1	2	-	-	-	-
FEMALE--	1	1	1	3	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA ----------	12	19	43	78	147	194	192	148	65	19	2	-
WHITE------MALE----	6	9	16	39	81	127	104	76	34	8	1	-
FEMALE--	6	9	23	39	64	66	85	70	30	10	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	1	1	-	-
FEMALE--	-	1	3	-	1	-	2	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	1	1	-	-
FEMALE--	-	1	1	-	1	-	1	1	-	-	-	-
NEVADA ----------	23	40	81	126	184	207	189	94	47	10	2	1
WHITE------MALE----	11	23	40	66	103	93	77	35	18	2	-	1
FEMALE--	10	14	39	54	72	102	106	56	28	7	2	-
ALL OTHER--MALE----	-	1	2	4	3	8	3	3	-	-	-	-
FEMALE--	2	2	-	2	6	4	3	-	1	1	-	-
BLACK---MALE----	-	1	1	4	1	5	3	3	-	-	-	-
FEMALE--	1	1	-	2	3	2	3	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
NEW HAMPSHIRE ----------	591	-	1	-	-	1	-	-	1	-	3	6
WHITE------MALE----	292	-	1	-	-	1	-	-	1	-	1	1
FEMALE--	296	-	-	-	-	-	-	-	-	-	2	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3,103	2	3	1	4	1	3	3	7	5	11	27
WHITE------MALE----	1,290	-	-	1	1	1	1	1	1	-	3	10
FEMALE--	1,512	1	2	-	-	-	1	-	3	3	2	7
ALL OTHER--MALE----	153	1	-	-	3	-	1	2	2	2	1	5
FEMALE--	148	-	1	-	-	-	-	-	1	-	5	5
BLACK---MALE----	142	1	-	-	3	-	1	2	2	2	1	5
FEMALE--	139	-	1	-	-	-	-	-	1	-	5	5
NEW MEXICO ----------	841	-	1	-	1	-	-	1	3	3	4	6
WHITE------MALE----	449	-	-	-	-	-	-	-	2	-	1	3
FEMALE--	375	-	1	-	1	-	-	1	1	3	2	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7,045	1	2	5	8	5	17	9	18	32	41	71
WHITE------MALE----	3,073	-	1	1	1	2	8	4	3	10	15	29
FEMALE--	3,322	-	1	1	1	-	5	4	4	12	15	25
ALL OTHER--MALE----	351	1	-	2	4	2	3	-	5	5	9	6
FEMALE--	299	-	-	1	2	1	1	1	6	5	2	11
BLACK---MALE----	295	1	-	2	4	2	2	-	5	5	9	5
FEMALE--	269	-	-	1	2	1	1	1	6	5	2	11
NORTH CAROLINA ---------	3,548	2	3	-	1	2	3	3	7	6	19	34
WHITE------MALE----	1,565	1	-	-	-	1	2	-	2	1	4	16
FEMALE--	1,547	-	2	-	-	1	-	1	1	1	7	10
ALL OTHER--MALE----	277	1	1	-	-	-	1	-	3	3	2	3
FEMALE--	159	-	-	-	1	-	-	2	1	1	6	5
BLACK---MALE----	260	1	1	-	-	-	1	-	3	3	2	3
FEMALE--	154	-	-	-	1	-	-	2	1	1	6	5
NORTH DAKOTA ----------	272	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	162	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	102	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
NEW HAMPSHIRE ----------	13	16	29	63	99	117	104	84	41	11	2	-
WHITE------MALE----	4	9	14	38	50	59	51	43	15	3	1	-
FEMALE--	9	7	15	23	49	57	53	41	26	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW JERSEY ----------	40	88	146	289	472	633	608	452	224	75	9	-
WHITE------MALE----	18	33	57	139	218	268	263	174	87	13	1	-
FEMALE--	11	40	57	115	205	306	316	250	127	58	8	-
ALL OTHER--MALE----	4	10	16	16	26	33	18	10	2	1	-	-
FEMALE--	7	5	16	19	23	26	11	18	8	3	-	-
BLACK---MALE----	3	10	15	15	25	29	16	9	2	1	-	-
FEMALE--	6	5	15	19	22	24	11	14	8	3	-	-
NEW MEXICO ----------	12	32	46	93	129	169	158	119	54	10	-	-
WHITE------MALE----	5	15	25	51	70	89	92	68	25	3	-	-
FEMALE--	6	16	21	39	55	76	65	51	27	7	-	-
ALL OTHER--MALE----	-	1	-	2	4	3	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW YORK ----------	106	235	374	628	1,015	1,358	1,412	1,041	500	145	22	-
WHITE------MALE----	40	104	162	275	496	629	612	433	188	54	6	-
FEMALE--	40	87	148	276	429	629	732	542	275	82	14	-
ALL OTHER--MALE----	13	26	42	44	59	52	31	25	18	4	-	-
FEMALE--	13	18	22	33	31	48	37	41	19	5	2	-
BLACK---MALE----	13	23	33	38	49	41	24	20	15	4	-	-
FEMALE--	13	17	20	31	27	43	31	36	15	4	2	-
NORTH CAROLINA ---------	56	146	239	418	648	718	627	384	178	44	10	-
WHITE------MALE----	20	55	119	211	304	319	280	168	46	15	1	-
FEMALE--	20	64	91	159	277	315	286	175	107	23	7	-
ALL OTHER--MALE----	9	12	22	36	45	54	43	26	14	2	-	-
FEMALE--	7	15	7	12	22	30	18	15	11	4	2	-
BLACK---MALE----	9	12	21	33	42	49	42	23	13	2	-	-
FEMALE--	6	15	6	12	21	28	18	15	11	4	2	-
NORTH DAKOTA ----------	2	7	17	22	42	57	50	43	24	6	1	-
WHITE------MALE----	1	6	11	11	26	36	29	26	13	1	1	-
FEMALE--	1	1	5	9	15	17	21	17	11	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
OHIO ----------	5,816	1	2	1	2	8	2	5	6	12	20	55
WHITE------MALE----	2,721	1	-	1	1	1	2	-	1	6	11	19
FEMALE--	2,710	-	1	-	-	4	-	1	2	4	5	21
ALL OTHER--MALE----	207	-	1	-	1	2	-	2	1	1	1	4
FEMALE--	178	-	-	-	-	1	-	2	2	1	3	11
BLACK---MALE----	202	-	1	-	1	2	-	2	1	1	1	4
FEMALE--	173	-	-	-	-	1	-	2	2	1	3	11
OKLAHOMA ----------	1,744	2	1	-	1	2	1	2	6	3	2	19
WHITE------MALE----	815	-	-	-	-	1	1	-	2	1	-	9
FEMALE--	819	-	-	-	-	1	-	2	3	1	1	9
ALL OTHER--MALE----	61	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	49	2	-	-	1	-	-	-	1	-	-	1
BLACK---MALE----	29	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	23	1	-	-	1	-	-	-	1	-	-	1
OREGON ----------	1,742	-	-	-	1	-	1	1	-	1	9	11
WHITE------MALE----	859	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	857	-	-	-	1	-	1	1	-	1	4	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6,095	1	-	1	1	2	3	8	6	10	18	48
WHITE------MALE----	2,937	1	-	-	-	1	2	2	3	4	8	17
FEMALE--	2,810	-	-	1	-	-	-	5	1	3	4	22
ALL OTHER--MALE----	167	-	-	-	1	-	-	-	1	1	2	7
FEMALE--	181	-	-	-	-	1	1	1	1	2	4	2
BLACK---MALE----	164	-	-	-	1	-	-	-	1	1	2	7
FEMALE--	175	-	-	-	-	1	1	1	1	2	4	2
RHODE ISLAND ----------	494	-	-	1	-	-	-	-	1	3	-	3
WHITE------MALE----	216	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	265	-	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1,736	1	-	-	1	2	4	-	-	7	9	20
WHITE------MALE----	789	-	-	-	-	1	-	-	-	-	4	6
FEMALE--	696	-	-	-	-	-	1	-	-	3	2	8
ALL OTHER--MALE----	155	1	-	-	1	-	2	-	-	1	1	2
FEMALE--	96	-	-	-	-	1	1	-	-	3	2	4
BLACK---MALE----	155	1	-	-	1	-	2	-	-	1	1	2
FEMALE--	94	-	-	-	-	1	1	-	-	3	2	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
OHIO ----------	85	172	346	588	1,043	1,144	1,087	761	350	111	15	-
WHITE------MALE----	42	79	169	282	513	576	500	331	137	41	8	-
FEMALE--	33	76	151	268	455	494	537	397	188	67	6	-
ALL OTHER--MALE----	5	12	14	22	37	41	30	18	13	1	1	-
FEMALE--	5	5	12	16	38	33	20	15	12	2	-	-
BLACK---MALE----	5	12	14	22	37	38	30	18	11	1	1	-
FEMALE--	5	5	9	16	38	31	20	15	12	2	-	-
OKLAHOMA ----------	31	58	118	190	293	392	337	191	69	25	1	-
WHITE------MALE----	15	21	54	96	146	186	149	88	32	13	1	-
FEMALE--	12	29	54	85	127	184	173	94	33	11	-	-
ALL OTHER--MALE----	2	3	8	7	12	9	9	6	1	1	-	-
FEMALE--	2	5	2	2	8	13	6	3	3	-	-	-
BLACK---MALE----	-	2	4	1	4	6	6	2	1	1	-	-
FEMALE--	1	2	1	1	3	4	4	1	2	-	-	-
OREGON ----------	30	60	89	161	304	366	383	214	86	24	1	-
WHITE------MALE----	12	24	43	81	156	190	201	86	48	10	-	-
FEMALE--	18	30	46	78	142	173	179	125	38	14	1	-
ALL OTHER--MALE----	-	5	-	2	3	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	1	3	2	-	-	-	-
BLACK---MALE----	-	4	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
PENNSYLVANIA ----------	73	192	301	516	965	1,268	1,257	928	373	105	19	-
WHITE------MALE----	31	84	150	252	498	662	610	413	153	43	3	-
FEMALE--	30	72	123	217	416	551	604	485	204	57	15	-
ALL OTHER--MALE----	5	16	16	30	30	27	17	9	2	3	-	-
FEMALE--	7	20	12	17	21	28	26	21	14	2	1	-
BLACK---MALE----	5	16	16	30	29	26	17	9	2	2	-	-
FEMALE--	7	20	11	17	20	28	23	21	13	2	1	-
RHODE ISLAND ----------	6	14	17	46	79	102	102	79	28	8	5	-
WHITE------MALE----	2	7	8	21	35	53	53	25	8	2	1	-
FEMALE--	3	5	9	25	41	49	47	52	19	6	4	-
ALL OTHER--MALE----	1	2	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	-	-	-
BLACK---MALE----	1	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	-	-	-
SOUTH CAROLINA ---------	39	97	123	221	328	342	255	193	76	17	1	-
WHITE------MALE----	13	45	57	105	158	176	109	82	30	3	-	-
FEMALE--	18	33	39	84	127	127	109	94	39	11	1	-
ALL OTHER--MALE----	5	10	22	22	24	26	21	11	4	2	-	-
FEMALE--	3	9	5	10	19	13	16	6	3	1	-	-
BLACK---MALE----	5	10	22	22	24	26	21	11	4	2	-	-
FEMALE--	3	9	5	10	18	13	15	6	3	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2375

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
SOUTH DAKOTA ----------	334	-	-	-	-	1	-	-	2	-	1	5
WHITE------MALE----	192	-	-	-	-	-	-	-	2	-	-	4
FEMALE--	129	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2,725	-	-	-	3	2	1	2	4	6	23	27
WHITE------MALE----	1,383	-	-	-	1	1	-	2	1	2	11	14
FEMALE--	1,117	-	-	-	-	1	-	-	3	3	8	7
ALL OTHER--MALE----	124	-	-	-	2	-	1	-	-	-	1	3
FEMALE--	101	-	-	-	-	-	-	-	-	1	3	3
BLACK---MALE----	122	-	-	-	2	-	1	-	-	-	1	3
FEMALE--	98	-	-	-	-	-	-	-	-	1	2	3
TEXAS ----------	7,446	5	5	6	11	6	7	6	11	23	31	59
WHITE------MALE----	3,522	3	2	2	3	3	2	-	2	6	6	22
FEMALE--	3,401	-	3	2	2	3	2	2	4	10	18	24
ALL OTHER--MALE----	296	1	-	2	3	-	-	3	3	5	3	7
FEMALE--	227	1	-	-	3	-	3	1	2	2	4	6
BLACK---MALE----	270	1	-	2	3	-	-	3	3	4	2	7
FEMALE--	210	1	-	-	3	-	3	1	2	2	4	6
UTAH ----------	552	-	-	-	-	-	-	1	-	-	2	2
WHITE------MALE----	321	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	223	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	295	-	-	-	-	1	-	-	-	-	2	3
WHITE------MALE----	132	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	161	-	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2,680	-	1	1	5	1	-	6	5	7	17	23
WHITE------MALE----	1,151	-	-	-	1	-	-	-	-	1	3	4
FEMALE--	1,212	-	-	-	-	-	-	1	1	1	6	7
ALL OTHER--MALE----	183	-	1	1	4	1	-	3	1	1	4	3
FEMALE--	134	-	-	-	-	-	-	2	3	4	4	9
BLACK---MALE----	175	-	1	1	4	1	-	3	1	1	4	3
FEMALE--	128	-	-	-	-	-	-	2	3	3	4	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
SOUTH DAKOTA ----------	3	6	13	25	49	64	75	53	29	7	1	-
WHITE------MALE----	-	4	9	15	26	41	40	35	11	4	1	-
FEMALE--	2	1	4	9	19	20	32	18	18	3	-	-
ALL OTHER--MALE----	1	-	-	-	3	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	73	127	193	309	525	545	423	297	125	35	5	-
WHITE------MALE----	27	73	115	161	289	273	200	149	50	12	2	-
FEMALE--	38	43	64	118	200	225	191	125	67	21	3	-
ALL OTHER--MALE----	4	6	8	16	19	27	21	11	5	-	-	-
FEMALE--	4	5	6	14	17	20	11	12	3	2	-	-
BLACK---MALE----	4	5	8	16	19	27	20	11	5	-	-	-
FEMALE--	4	5	6	14	15	20	11	12	3	2	-	-
TEXAS ----------	124	277	471	771	1,228	1,537	1,328	1,002	407	117	14	-
WHITE------MALE----	52	137	222	393	610	776	618	439	174	48	2	-
FEMALE--	48	113	198	319	537	680	647	509	204	64	12	-
ALL OTHER--MALE----	11	20	22	34	49	51	32	29	20	1	-	-
FEMALE--	13	7	29	25	32	30	31	25	9	4	-	-
BLACK---MALE----	10	19	21	31	43	49	27	25	19	1	-	-
FEMALE--	12	7	29	23	29	26	30	22	6	4	-	-
UTAH ----------	12	21	51	68	100	101	88	78	23	4	1	-
WHITE------MALE----	8	10	34	40	56	60	48	44	14	4	-	-
FEMALE--	3	10	17	27	42	40	39	34	9	-	1	-
ALL OTHER--MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	8	12	26	58	68	54	39	17	4	-	-
WHITE------MALE----	1	4	7	14	25	35	18	17	9	-	-	-
FEMALE--	2	4	5	11	33	32	36	22	8	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	48	102	166	300	453	548	501	321	133	36	6	-
WHITE------MALE----	14	41	76	141	198	254	233	128	44	13	-	-
FEMALE--	25	44	67	124	213	233	225	162	77	20	6	-
ALL OTHER--MALE----	4	8	11	19	24	39	29	21	8	1	-	-
FEMALE--	5	9	12	16	18	22	14	10	4	2	-	-
BLACK---MALE----	3	8	11	19	22	38	26	20	8	1	-	-
FEMALE--	5	9	11	15	17	22	13	9	4	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
WASHINGTON ----------	2,695	-	2	-	3	2	1	1	3	4	16	15
WHITE------MALE----	1,244	-	1	-	1	-	-	-	-	1	6	6
FEMALE--	1,334	-	1	-	-	1	-	1	1	2	8	7
ALL OTHER--MALE----	66	-	-	-	2	-	-	-	1	1	1	1
FEMALE--	51	-	-	-	-	1	1	-	1	-	1	1
BLACK---MALE----	32	-	-	-	2	-	-	-	1	1	-	1
FEMALE--	19	-	-	-	-	-	1	-	1	-	1	1
WEST VIRGINIA ----------	1,234	1	-	-	-	1	-	3	2	3	1	3
WHITE------MALE----	632	-	-	-	-	-	-	3	1	1	-	-
FEMALE--	574	-	-	-	-	1	-	-	1	2	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	1
WISCONSIN ----------	2,257	1	3	2	-	1	1	1	2	2	9	8
WHITE------MALE----	1,132	-	1	-	-	-	-	1	1	-	4	5
FEMALE--	1,046	-	-	1	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	40	1	-	1	-	-	-	-	-	1	2	-
FEMALE--	39	-	2	-	-	1	1	-	-	-	-	1
BLACK---MALE----	35	1	-	1	-	-	-	-	-	1	2	-
FEMALE--	28	-	1	-	-	-	1	-	-	-	-	1
WYOMING ----------	337	-	-	-	-	-	-	-	-	1	-	5
WHITE------MALE----	172	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	162	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
WASHINGTON ----------	41	79	144	269	440	555	529	372	179	35	5	-
WHITE------MALE----	15	36	65	141	208	244	256	174	80	9	1	-
FEMALE--	24	39	61	117	220	289	254	186	95	24	4	-
ALL OTHER--MALE----	2	1	12	6	8	11	10	8	-	2	-	-
FEMALE--	-	3	6	5	4	11	9	4	4	-	-	-
BLACK---MALE----	1	1	7	4	3	7	2	2	-	-	-	-
FEMALE--	-	1	1	-	2	3	5	1	2	-	-	-
WEST VIRGINIA ----------	21	38	75	126	223	250	233	161	71	19	3	-
WHITE------MALE----	10	19	38	68	110	132	128	83	31	6	2	-
FEMALE--	10	19	37	57	110	112	99	71	39	13	1	-
ALL OTHER--MALE----	-	-	-	1	2	4	5	2	1	-	-	-
FEMALE--	1	-	-	-	1	2	1	5	-	-	-	-
BLACK---MALE----	-	-	-	1	2	4	5	2	1	-	-	-
FEMALE--	1	-	-	-	1	2	1	5	-	-	-	-
WISCONSIN ----------	23	69	105	224	316	424	483	360	164	52	7	-
WHITE------MALE----	10	29	52	115	171	206	269	174	74	19	1	-
FEMALE--	10	31	50	95	130	208	209	179	89	31	6	-
ALL OTHER--MALE----	1	5	2	9	9	5	1	1	1	1	-	-
FEMALE--	2	4	1	5	6	5	4	6	-	1	-	-
BLACK---MALE----	1	4	1	9	8	4	1	-	1	1	-	-
FEMALE--	1	4	1	4	5	2	3	5	-	-	-	-
WYOMING ----------	7	14	27	36	44	63	69	44	18	8	1	-
WHITE------MALE----	4	5	16	12	23	41	39	17	7	4	-	-
FEMALE--	3	8	11	23	20	22	30	27	11	4	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, not specified as acute or chronic (J40)												
UNITED STATES -	640	11	13	3	-	2	2	2	5	8	6	8
WHITE------MALE----	216	3	6	2	-	1	1	-	2	2	1	4
FEMALE--	354	4	5	1	-	1	-	1	3	6	3	2
ALL OTHER--MALE----	31	2	1	-	-	-	1	-	-	-	-	1
FEMALE--	39	2	1	-	-	-	-	1	-	-	2	1
BLACK---MALE----	25	2	1	-	-	-	1	-	-	-	-	1
FEMALE--	31	2	-	-	-	-	-	1	-	-	2	1
ALABAMA ----------	11	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	83	2	2	-	-	-	-	-	-	1	1	1
WHITE------MALE----	29	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	42	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2377

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)												
UNITED STATES -	13	13	28	33	60	70	106	109	83	49	16	-
WHITE------MALE----	5	7	11	13	25	29	36	36	21	10	1	-
FEMALE--	3	4	14	15	27	29	62	64	59	39	12	-
ALL OTHER--MALE----	2	1	2	2	4	6	6	1	1	-	1	-
FEMALE--	3	1	1	3	4	6	2	8	2	-	2	-
BLACK---MALE----	2	1	1	1	3	4	6	1	-	-	1	-
FEMALE--	2	1	1	3	3	4	2	7	1	-	1	-
ALABAMA ----------	-	-	1	-	2	-	2	1	2	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	2	1	-	1	3	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	1	3	-	5	4	-	-	-	-
WHITE------MALE----	1	-	-	1	3	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	1	2	2	3	10	11	11	16	10	6	4	-
WHITE------MALE----	-	1	1	-	6	3	4	6	5	1	-	-
FEMALE--	-	1	1	2	2	6	7	9	4	5	3	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, not specified as acute or chronic (J40)												
COLORADO ----------	8	-	1	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
FLORIDA ----------	41	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	18	1	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)												
COLORADO ----------	1	-	-	1	-	2	-	-	2	-	-	-
WHITE------MALE----	1	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	1	-	5	1	2	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	7	1	1	3	6	11	5	5	1	-
WHITE------MALE----	-	-	4	1	-	1	1	2	2	-	-	-
FEMALE--	-	-	3	-	1	2	5	9	3	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	2	2	3	3	2	1	1	-	-
WHITE------MALE----	-	-	-	1	-	2	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, not specified as acute or chronic (J40)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	24	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	8	-	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	5	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	9	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)												
HAWAII ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	1	1	2	1	5	4	5	3	-	-
WHITE------MALE----	-	-	-	-	-	1	2	2	1	-	-	-
FEMALE--	-	-	1	1	1	-	3	2	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	1	2	1	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	3	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	1	1	2	2	2	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, not specified as acute or chronic (J40)												
KENTUCKY ----------	13	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	12	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	20	1	-	1	-	-	-	-	-	1	-	-
WHITE------MALE----	10	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)												
KENTUCKY ----------	-	1	3	1	1	3	1	1	1	-	-	-
WHITE------MALE----	-	1	2	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	2	1	-	2	1	2	-	-	1	-
WHITE------MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
MAINE ----------	-	-	-	-	-	-	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	1	1	1	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	1	-	2	1	1	6	2	-	3	-	-
WHITE------MALE----	-	1	-	-	-	1	4	2	-	-	-	-
FEMALE--	1	-	-	2	1	-	2	-	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	2	-	5	2	1	2	2	1	1	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	2	-	4	1	1	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, not specified as acute or chronic (J40)												
MINNESOTA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	11	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	19	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	6	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)												
MINNESOTA ----------	1	-	-	-	1	1	1	-	1	2	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	2	-	-	1	3	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	2	-	-	1	4	4	3	2	2	-	-	-
WHITE------MALE----	2	-	-	-	4	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	1	1	1	2	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, not specified as acute or chronic (J40)												
NEW HAMPSHIRE ----------	5	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	15	1	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	30	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	22	2	1	-	-	1	-	-	-	-	1	-
WHITE------MALE----	8	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)												
NEW HAMPSHIRE ----------	-	-	-	2	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	1	1	2	1	5	2	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	1	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	2	3	-	2	2	2	6	7	3	1	-
WHITE------MALE----	-	1	1	-	-	2	1	2	1	-	-	-
FEMALE--	-	-	1	-	2	-	1	3	6	3	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	-	1	1	-	4	2	5	-	2	2	-	-
WHITE------MALE----	-	1	-	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, not specified as acute or chronic (J40)												
OHIO ----------	40	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	16	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	32	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	13	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)												
OHIO ----------	-	1	1	3	5	5	9	7	5	2	-	-
WHITE------MALE----	-	1	-	2	1	3	1	3	2	1	-	-
FEMALE--	-	-	1	1	4	2	7	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	1	1	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	1	-	-	-	1	-	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	5	2	2	10	4	6	1	1	-
WHITE------MALE----	-	-	-	2	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	2	2	2	7	4	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	2	1	1	1	-	1	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	2	1	1	3	3	1	-	-	-
WHITE------MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, not specified as acute or chronic (J40)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	34	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	2	-	-	1	2	2	2	2	1	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	1	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	3	2	5	3	7	4	5	2	-	-
WHITE------MALE----	-	-	1	-	2	1	3	2	1	-	-	-
FEMALE--	-	1	1	2	2	2	4	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	-	1	2	3	4	2	-	-	-
WHITE------MALE----	-	-	1	-	-	1	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, not specified as acute or chronic (J40)												
WASHINGTON ----------	12	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	10	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	10	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)												
WASHINGTON ----------	-	-	-	-	2	3	1	1	2	1	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	1	1	3	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	1	-	2	2	2	-	1	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2386

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic bronchitis (J41-J42)												
UNITED STATES -	532	9	6	-	1	1	2	1	3	2	2	6
WHITE------MALE----	224	3	2	-	1	1	-	-	-	1	1	1
FEMALE--	262	1	2	-	-	-	2	1	1	1	1	2
ALL OTHER--MALE----	27	1	2	-	-	-	-	-	1	-	-	3
FEMALE--	19	4	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	19	1	-	-	-	-	-	-	1	-	-	2
FEMALE--	14	2	-	-	-	-	-	-	1	-	-	-
ALABAMA ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	78	1	2	-	-	-	1	-	-	2	1	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	43	-	1	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2386

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
UNITED STATES -	11	22	34	30	50	69	94	84	65	33	7	-
WHITE------MALE----	1	14	13	21	26	36	37	31	22	9	4	-
FEMALE--	6	6	19	9	19	29	48	50	41	21	3	-
ALL OTHER--MALE----	2	2	1	-	3	2	5	3	1	1	-	-
FEMALE--	2	-	1	-	2	2	4	-	1	2	-	-
BLACK---MALE----	2	2	1	-	3	2	4	-	1	-	-	-
FEMALE--	2	-	1	-	2	2	2	-	1	1	-	-
ALABAMA ----------	-	-	1	-	1	-	3	1	1	1	-	-
WHITE------MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	-	3	1	1	2	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	1	-	-	-	1	1	1	2	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	1	7	2	8	8	17	13	7	5	1	-
WHITE------MALE----	-	1	1	2	4	3	3	3	2	-	1	-
FEMALE--	1	-	6	-	4	5	7	8	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	3	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	4	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic bronchitis (J41-J42)												
COLORADO ----------	5	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	48	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	23	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
COLORADO ----------	-	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	2	1	1	1	1	1	1	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	5	2	2	6	10	6	6	5	2	1	-
WHITE------MALE----	1	3	-	-	4	6	3	2	2	1	-	-
FEMALE--	1	1	-	2	2	3	3	4	3	1	1	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	2	1	2	-	4	2	2	-	-	-
WHITE------MALE----	-	-	1	1	1	-	1	1	2	-	-	-
FEMALE--	-	-	1	-	-	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2388

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic bronchitis (J41-J42)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	15	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
INDIANA ----------	10	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	1	-	1	-	-	1	4	5	2	-	-
WHITE------MALE----	-	1	-	1	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	2	1	-	1	2	2	1	-	-
WHITE------MALE----	-	-	-	2	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IOWA ----------	-	-	-	1	-	1	2	2	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	-	2	-	-	1	3	3	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	2	2	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic bronchitis (J41-J42)												
KENTUCKY ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	8	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
KENTUCKY ----------	-	1	1	2	1	1	-	3	-	-	1	-
WHITE------MALE----	-	-	1	2	-	1	-	2	-	-	1	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	1	1	1	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	2	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	1	-	1	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	1	-	1	4	2	1	-	-	1	-
WHITE------MALE----	-	-	1	-	-	3	1	-	-	-	1	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	2	2	3	5	3	1	2	-	-	-
WHITE------MALE----	-	-	1	2	3	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	5	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2390

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic bronchitis (J41-J42)												
MINNESOTA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
MINNESOTA ----------	-	-	-	-	-	2	2	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	1	-	1	1	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	2	3	2	1	-	-	1	-	-
WHITE------MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic bronchitis (J41-J42)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	19	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
NEW HAMPSHIRE ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	1	-	1	2	2	3	5	-	-	-
WHITE------MALE----	-	1	1	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	3	1	1	-	-	6	4	-	2	-	-
WHITE------MALE----	-	2	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	1	1	-	-	-	5	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	2	4	-	1	2	6	1	1	-	1	-
WHITE------MALE----	-	1	2	-	1	1	3	-	-	-	1	-
FEMALE--	-	-	2	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2392

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic bronchitis (J41-J42)												
OHIO ----------	33	1	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	23	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
OHIO ----------	-	1	2	2	6	7	5	4	3	-	-	-
WHITE------MALE----	-	-	1	2	4	5	4	2	2	-	-	-
FEMALE--	-	1	1	-	2	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	3	-	1	1	-	-	1	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	-	2	2	4	5	2	2	-	-
WHITE------MALE----	-	1	-	-	1	2	1	2	1	1	-	-
FEMALE--	-	-	-	-	1	-	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic bronchitis (J41-J42)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	49	3	1	-	1	-	-	1	-	-	-	-
WHITE------MALE----	17	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
UTAH ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	2	1	-	-	1	-	2	-	3	1	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	1	-	-	1	-	2	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	2	5	2	3	2	10	9	5	4	-	-
WHITE------MALE----	-	1	1	2	1	1	2	3	1	1	-	-
FEMALE--	-	1	4	-	1	1	8	5	4	3	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	1	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	1	4	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2394

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic bronchitis (J41-J42)												
WASHINGTON ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
WASHINGTON ----------	-	-	1	-	-	1	-	-	3	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	1	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	2	3	2	1	2	-	-	-
WHITE------MALE----	-	-	-	-	2	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
UNITED STATES -	17,787	1	-	1	-	-	1	1	8	19	78	136
WHITE------MALE----	8,754	-	-	-	-	-	-	-	4	5	30	64
FEMALE--	7,920	-	-	1	-	-	-	1	2	10	25	40
ALL OTHER--MALE----	726	-	-	-	-	-	1	-	2	4	10	21
FEMALE--	387	1	-	-	-	-	-	-	-	-	13	11
BLACK---MALE----	598	-	-	-	-	-	-	-	-	3	10	21
FEMALE--	332	1	-	-	-	-	-	-	-	-	12	11
ALABAMA ----------	311	-	-	-	-	-	-	-	-	-	5	2
WHITE------MALE----	162	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	121	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	18	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	497	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	245	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	242	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	253	-	-	1	-	-	-	-	-	-	1	6
WHITE------MALE----	146	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	94	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1,945	1	-	-	-	-	1	-	1	1	6	14
WHITE------MALE----	896	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	887	-	-	-	-	-	-	-	1	-	3	5
ALL OTHER--MALE----	113	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	49	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	55	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	33	1	-	-	-	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2395

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
UNITED STATES -	332	723	1,296	2,246	3,410	3,768	3,187	1,785	622	146	27	-
WHITE------MALE----	148	348	627	1,135	1,765	1,895	1,554	836	273	63	7	-
FEMALE--	138	306	570	969	1,451	1,652	1,496	856	316	72	15	-
ALL OTHER--MALE----	35	46	64	95	141	132	96	50	22	5	2	-
FEMALE--	11	23	35	47	53	89	41	43	11	6	3	-
BLACK---MALE----	33	38	56	88	109	103	75	38	17	5	2	-
FEMALE--	10	22	30	39	45	73	33	38	11	6	1	-
ALABAMA ----------	8	8	25	49	62	59	45	36	9	1	2	-
WHITE------MALE----	3	3	14	27	32	31	25	14	6	1	2	-
FEMALE--	4	5	8	19	24	23	17	16	3	-	-	-
ALL OTHER--MALE----	1	-	2	3	5	3	3	5	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	-	-	-
BLACK---MALE----	1	-	2	3	5	3	3	5	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	-	-	-
ALASKA ----------	-	2	1	3	3	3	-	4	1	-	-	-
WHITE------MALE----	-	-	1	1	3	2	-	3	-	-	-	-
FEMALE--	-	2	-	2	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	19	30	45	88	120	101	72	14	1	-	-
WHITE------MALE----	2	7	17	18	41	65	48	38	7	1	-	-
FEMALE--	2	9	13	27	44	54	52	33	7	-	-	-
ALL OTHER--MALE----	-	3	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	2	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	18	16	31	56	56	35	14	9	2	-	-
WHITE------MALE----	3	12	9	19	33	35	19	8	3	-	-	-
FEMALE--	3	3	7	10	23	20	15	5	5	1	-	-
ALL OTHER--MALE----	2	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	1	1	-	-
BLACK---MALE----	2	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	1	1	-	-
CALIFORNIA ----------	30	78	117	199	353	447	384	204	89	16	4	-
WHITE------MALE----	15	35	49	107	159	202	176	98	37	8	1	-
FEMALE--	11	34	54	80	162	210	179	94	46	7	1	-
ALL OTHER--MALE----	2	9	9	10	24	23	20	8	5	-	-	-
FEMALE--	2	-	5	2	8	12	9	4	1	1	2	-
BLACK---MALE----	1	5	5	7	10	10	12	2	1	-	-	-
FEMALE--	2	-	3	1	7	7	7	2	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
COLORADO ----------	259	-	-	-	-	-	-	-	-	-	-	6
WHITE------MALE----	131	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	122	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	196	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	100	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	91	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	55	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1,414	-	-	-	-	-	-	-	-	2	3	9
WHITE------MALE----	699	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	642	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	54	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	559	-	-	-	-	-	-	-	-	-	3	4
WHITE------MALE----	277	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	232	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
COLORADO ----------	4	11	16	36	58	61	41	17	6	2	1	-
WHITE------MALE----	1	3	9	16	36	27	23	10	2	2	-	-
FEMALE--	2	8	6	19	20	34	18	7	4	-	1	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	4	8	9	18	36	41	45	19	10	3	-	-
WHITE------MALE----	3	4	6	9	19	20	21	12	2	3	-	-
FEMALE--	1	3	3	9	16	20	22	7	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
DELAWARE ----------	-	6	3	7	8	16	9	3	2	1	-	-
WHITE------MALE----	-	4	1	3	3	12	5	1	1	-	-	-
FEMALE--	-	2	2	4	3	4	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	1	2	2	5	2	2	-	1	-	-
WHITE------MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	1	-	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA ----------	24	35	94	147	278	297	279	166	59	16	5	-
WHITE------MALE----	8	20	45	80	136	155	131	83	24	9	3	-
FEMALE--	9	13	41	58	125	130	141	77	35	7	1	-
ALL OTHER--MALE----	7	1	7	6	14	7	6	5	-	-	-	-
FEMALE--	-	1	1	3	3	5	1	1	-	-	1	-
BLACK---MALE----	7	1	7	6	12	7	6	5	-	-	-	-
FEMALE--	-	1	1	2	3	5	1	1	-	-	1	-
GEORGIA ----------	13	28	58	78	111	128	85	39	9	2	1	-
WHITE------MALE----	4	16	29	40	55	68	42	16	5	1	-	-
FEMALE--	7	10	26	29	45	51	36	20	4	1	-	-
ALL OTHER--MALE----	2	2	3	8	8	5	6	3	-	-	1	-
FEMALE--	-	-	-	1	3	4	1	-	-	-	-	-
BLACK---MALE----	2	2	3	8	8	4	6	3	-	-	1	-
FEMALE--	-	-	-	1	2	3	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
HAWAII ----------	37	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	66	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	836	-	-	-	-	-	-	-	1	3	5	5
WHITE------MALE----	385	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	377	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	3	1
INDIANA ----------	485	-	-	-	-	-	-	-	-	1	3	2
WHITE------MALE----	223	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	247	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	170	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	103	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	165	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	94	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
HAWAII ----------	-	1	4	1	10	10	7	3	1	-	-	-
WHITE------MALE----	-	1	2	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	4	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	3	4	5	-	1	-	-	-
FEMALE--	-	-	-	-	3	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	2	4	9	20	10	14	6	1	-	-	-
WHITE------MALE----	-	1	-	3	12	5	6	4	-	-	-	-
FEMALE--	-	1	4	6	7	5	8	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	13	31	57	98	160	170	167	86	35	5	-	-
WHITE------MALE----	7	16	32	36	73	82	80	40	12	3	-	-
FEMALE--	3	13	17	56	72	71	78	41	20	2	-	-
ALL OTHER--MALE----	3	1	5	4	10	10	4	2	-	-	-	-
FEMALE--	-	1	3	2	5	7	5	3	3	-	-	-
BLACK---MALE----	3	1	5	4	8	7	2	1	-	-	-	-
FEMALE--	-	1	3	2	5	6	5	3	3	-	-	-
INDIANA ----------	10	24	40	80	105	86	79	38	14	2	1	-
WHITE------MALE----	5	11	17	34	51	38	38	18	7	1	-	-
FEMALE--	4	13	23	43	50	45	41	18	7	-	1	-
ALL OTHER--MALE----	1	-	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	-	2	-	1	-	-
BLACK---MALE----	1	-	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	-	2	-	1	-	-
IOWA ----------	1	4	7	34	28	35	32	17	8	2	-	-
WHITE------MALE----	-	1	4	19	22	23	18	11	3	1	-	-
FEMALE--	1	3	3	13	6	12	14	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS ----------	6	9	13	25	26	42	23	12	6	-	1	-
WHITE------MALE----	4	7	6	10	17	25	15	8	2	-	-	-
FEMALE--	2	2	7	14	9	16	8	4	4	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2398

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
KENTUCKY ----------	327	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	179	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	138	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	276	-	-	-	-	-	-	-	-	1	4	1
WHITE------MALE----	130	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	103	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	82	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	259	-	-	-	-	-	-	-	1	1	-	5
WHITE------MALE----	123	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	106	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	374	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	179	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	190	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	794	-	-	-	-	-	-	-	1	-	7	10
WHITE------MALE----	393	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	353	-	-	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
KENTUCKY ----------	9	20	33	56	67	61	51	18	6	2	-	-
WHITE------MALE----	6	11	16	30	36	36	30	11	2	-	-	-
FEMALE--	3	8	17	25	28	23	20	7	2	2	-	-
ALL OTHER--MALE----	-	-	-	1	2	2	-	-	2	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	2	-	-	2	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
LOUISIANA ----------	9	20	20	27	65	43	50	24	11	1	-	-
WHITE------MALE----	5	8	8	12	31	24	26	6	6	-	-	-
FEMALE--	2	8	9	10	23	17	15	15	3	1	-	-
ALL OTHER--MALE----	1	-	1	4	10	1	5	1	1	-	-	-
FEMALE--	1	4	2	1	1	1	4	2	1	-	-	-
BLACK---MALE----	1	-	1	4	10	1	5	1	1	-	-	-
FEMALE--	1	4	2	1	1	1	3	2	1	-	-	-
MAINE ----------	1	1	5	6	17	16	15	16	4	1	-	-
WHITE------MALE----	-	-	2	3	10	6	5	8	3	-	-	-
FEMALE--	1	1	3	3	7	10	10	8	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	5	17	33	41	58	43	34	12	4	-	-
WHITE------MALE----	1	1	7	13	26	31	20	14	6	-	-	-
FEMALE--	4	4	6	13	13	21	19	17	4	4	-	-
ALL OTHER--MALE----	-	-	3	4	2	4	2	1	1	-	-	-
FEMALE--	-	-	1	3	-	2	2	2	1	-	-	-
BLACK---MALE----	-	-	3	4	1	4	2	1	1	-	-	-
FEMALE--	-	-	1	3	-	2	2	2	1	-	-	-
MASSACHUSETTS ----------	3	17	17	42	69	62	95	39	22	5	-	-
WHITE------MALE----	1	8	11	25	30	33	43	15	8	3	-	-
FEMALE--	2	9	6	16	37	28	51	24	14	2	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	22	23	59	95	156	164	141	83	26	4	3	-
WHITE------MALE----	8	13	21	45	88	80	78	38	11	3	-	-
FEMALE--	12	7	33	42	59	78	58	41	14	1	2	-
ALL OTHER--MALE----	1	1	4	4	6	3	4	2	1	-	1	-
FEMALE--	1	2	1	4	3	3	1	2	-	-	-	-
BLACK---MALE----	1	1	4	3	5	3	4	2	1	-	1	-
FEMALE--	1	2	1	3	3	3	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
MINNESOTA ----------	185	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	99	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	179	-	-	-	-	-	-	-	-	-	-	4
WHITE------MALE----	98	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
MISSOURI ----------	367	-	-	-	-	-	-	-	-	-	5	3
WHITE------MALE----	187	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	161	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
MONTANA ----------	80	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	41	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	87	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	101	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	49	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
MINNESOTA ----------	2	6	15	24	39	37	35	19	5	1	1	-
WHITE------MALE----	1	3	6	16	23	19	17	10	3	-	-	-
FEMALE--	1	2	8	7	16	17	16	8	2	1	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	9	19	27	31	37	28	14	3	3	-	-
WHITE------MALE----	3	3	11	18	20	20	18	4	-	-	-	-
FEMALE--	1	5	5	6	9	12	5	8	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	3	5	-	1	1	-	-
FEMALE--	-	1	2	2	1	2	-	2	-	1	-	-
BLACK---MALE----	-	-	1	1	1	3	5	-	1	1	-	-
FEMALE--	-	1	2	2	1	2	-	2	-	1	-	-
MISSOURI ----------	7	19	32	53	68	85	57	27	9	2	-	-
WHITE------MALE----	4	6	14	26	42	50	28	12	4	-	-	-
FEMALE--	2	11	16	27	26	34	25	11	5	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	2	2	-	1	-	-
FEMALE--	-	2	2	-	-	-	2	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	2	2	-	1	-	-
FEMALE--	-	2	1	-	-	-	2	2	-	-	-	-
MONTANA ----------	-	2	7	4	14	16	19	13	4	1	-	-
WHITE------MALE----	-	2	3	2	7	9	7	8	3	-	-	-
FEMALE--	-	-	4	1	6	7	12	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	6	7	11	11	18	15	12	4	1	-	-
WHITE------MALE----	-	3	4	5	6	14	7	6	1	-	-	-
FEMALE--	2	3	2	6	5	4	8	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	4	9	13	20	27	13	9	5	1	-	-
WHITE------MALE----	-	3	4	5	12	14	5	3	3	-	-	-
FEMALE--	-	-	5	8	8	13	8	6	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2400

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
NEW HAMPSHIRE ----------	85	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	45	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	617	-	-	-	-	-	-	-	1	1	1	4
WHITE------MALE----	289	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	289	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	113	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	62	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	819	-	-	-	-	-	-	-	-	2	4	4
WHITE------MALE----	406	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	352	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	426	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	217	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	173	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
NEW HAMPSHIRE ----------	2	2	1	8	17	18	15	14	5	1	-	-
WHITE------MALE----	1	1	1	4	7	8	9	7	4	1	-	-
FEMALE--	1	1	-	4	10	10	6	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	7	25	43	68	119	134	117	69	18	9	1	-
WHITE------MALE----	3	11	17	40	53	62	58	34	8	-	-	-
FEMALE--	1	13	21	25	59	64	56	30	9	9	1	-
ALL OTHER--MALE----	1	1	4	1	6	6	1	2	1	-	-	-
FEMALE--	2	-	1	2	1	2	2	3	-	-	-	-
BLACK---MALE----	1	1	4	1	5	5	1	1	1	-	-	-
FEMALE--	2	-	1	2	1	2	2	3	-	-	-	-
NEW MEXICO ----------	3	3	9	22	21	17	20	13	3	-	-	-
WHITE------MALE----	1	3	5	11	11	5	12	10	2	-	-	-
FEMALE--	1	-	4	11	9	12	7	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	8	23	53	113	154	171	143	99	28	15	2	-
WHITE------MALE----	5	9	32	55	80	86	65	46	14	10	-	-
FEMALE--	3	8	14	42	65	73	75	48	14	5	2	-
ALL OTHER--MALE----	-	4	4	9	8	8	2	3	-	-	-	-
FEMALE--	-	2	3	7	1	4	1	2	-	-	-	-
BLACK---MALE----	-	4	3	8	5	5	1	3	-	-	-	-
FEMALE--	-	2	3	6	1	4	1	2	-	-	-	-
NORTH CAROLINA ---------	11	18	42	72	84	100	55	26	15	-	-	-
WHITE------MALE----	3	11	23	36	42	56	28	10	8	-	-	-
FEMALE--	5	5	16	33	37	35	24	12	4	-	-	-
ALL OTHER--MALE----	2	2	1	2	2	6	3	4	1	-	-	-
FEMALE--	1	-	2	1	3	3	-	-	2	-	-	-
BLACK---MALE----	2	2	1	2	2	6	3	4	1	-	-	-
FEMALE--	1	-	2	1	3	3	-	-	2	-	-	-
NORTH DAKOTA ----------	-	1	2	1	1	2	3	2	-	3	-	-
WHITE------MALE----	-	1	1	1	1	2	3	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
OHIO ----------	782	-	-	-	-	-	-	-	-	1	-	11
WHITE------MALE----	365	-	-	-	-	-	-	-	-	1	-	7
FEMALE--	368	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	199	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	95	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	93	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	295	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	155	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	137	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	813	-	-	-	-	-	-	1	-	-	6	5
WHITE------MALE----	358	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	399	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	3	-
RHODE ISLAND ----------	45	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	228	-	-	-	-	-	-	-	-	2	-	5
WHITE------MALE----	107	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	98	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
OHIO ----------	16	29	66	100	147	145	144	86	29	8	-	-
WHITE------MALE----	8	15	32	46	82	59	66	33	12	4	-	-
FEMALE--	4	12	29	47	58	73	74	50	15	3	-	-
ALL OTHER--MALE----	2	2	2	6	7	8	4	-	2	-	-	-
FEMALE--	2	-	3	1	-	5	-	3	-	1	-	-
BLACK---MALE----	2	2	2	6	7	7	4	-	2	-	-	-
FEMALE--	2	-	2	1	-	5	-	3	-	1	-	-
OKLAHOMA ----------	5	8	20	29	32	46	43	13	2	-	-	-
WHITE------MALE----	2	2	9	13	14	24	23	7	1	-	-	-
FEMALE--	2	4	9	15	17	20	19	5	1	-	-	-
ALL OTHER--MALE----	1	1	2	1	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	14	20	35	55	73	52	32	6	3	-	-
WHITE------MALE----	2	4	11	23	27	44	28	10	4	1	-	-
FEMALE--	1	9	9	12	26	29	24	22	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	17	38	47	85	146	197	136	96	28	9	2	-
WHITE------MALE----	7	14	21	39	68	93	60	39	11	3	-	-
FEMALE--	7	19	21	41	66	94	74	52	14	5	2	-
ALL OTHER--MALE----	3	2	4	4	8	4	2	1	1	-	-	-
FEMALE--	-	3	1	1	4	6	-	4	2	1	-	-
BLACK---MALE----	3	2	4	4	8	4	2	1	1	-	-	-
FEMALE--	-	3	1	1	4	6	-	4	2	1	-	-
RHODE ISLAND ----------	1	-	2	6	10	9	10	5	1	-	-	-
WHITE------MALE----	-	-	2	2	5	7	5	2	1	-	-	-
FEMALE--	-	-	-	4	5	2	5	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	12	19	36	38	50	32	19	9	1	-	-
WHITE------MALE----	2	4	10	18	19	20	14	12	6	-	-	-
FEMALE--	2	7	8	17	15	25	13	6	2	-	-	-
ALL OTHER--MALE----	-	1	1	1	2	2	2	1	1	1	-	-
FEMALE--	1	-	-	-	2	3	3	-	-	-	-	-
BLACK---MALE----	-	1	1	1	2	2	2	1	1	1	-	-
FEMALE--	1	-	-	-	2	3	3	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2402

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
SOUTH DAKOTA ----------	41	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	436	-	-	-	-	-	-	-	-	-	8	3
WHITE------MALE----	243	-	-	-	-	-	-	-	-	-	5	1
FEMALE--	158	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1,214	-	-	-	-	-	-	-	-	-	4	9
WHITE------MALE----	615	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	529	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	42	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
UTAH ----------	91	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	54	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	344	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	160	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	157	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
SOUTH DAKOTA ----------	-	1	2	5	10	6	12	3	1	-	-	-
WHITE------MALE----	-	1	1	4	4	5	6	1	1	-	-	-
FEMALE--	-	-	1	1	5	1	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	31	42	69	106	76	48	28	7	5	-	-
WHITE------MALE----	3	23	23	43	62	40	22	17	3	1	-	-
FEMALE--	9	6	17	19	42	24	22	9	3	4	-	-
ALL OTHER--MALE----	1	1	1	4	-	5	3	-	1	-	-	-
FEMALE--	-	1	1	3	2	7	1	2	-	-	-	-
BLACK---MALE----	1	-	1	4	-	5	2	-	1	-	-	-
FEMALE--	-	1	1	3	2	7	1	2	-	-	-	-
TEXAS ----------	26	49	110	162	223	253	213	119	40	3	3	-
WHITE------MALE----	15	24	48	89	130	123	99	54	21	3	1	-
FEMALE--	10	18	54	63	87	113	107	55	17	-	2	-
ALL OTHER--MALE----	1	7	5	6	4	10	4	6	2	-	-	-
FEMALE--	-	-	3	4	2	7	3	4	-	-	-	-
BLACK---MALE----	1	6	5	6	4	9	4	5	2	-	-	-
FEMALE--	-	-	3	4	2	5	3	4	-	-	-	-
UTAH ----------	2	2	9	16	13	17	15	14	2	-	-	-
WHITE------MALE----	2	1	7	10	8	7	8	10	-	-	-	-
FEMALE--	-	1	2	6	5	10	7	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	2	2	4	8	7	5	2	-	-	-	-
WHITE------MALE----	-	2	1	3	2	3	1	-	-	-	-	-
FEMALE--	-	-	1	1	6	4	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	17	24	49	53	73	68	34	12	-	-	-
WHITE------MALE----	2	9	14	19	25	33	40	15	3	-	-	-
FEMALE--	7	7	10	22	25	31	27	18	8	-	-	-
ALL OTHER--MALE----	-	1	-	6	2	4	1	1	1	-	-	-
FEMALE--	-	-	-	2	1	5	-	-	-	-	-	-
BLACK---MALE----	-	1	-	6	1	4	1	1	1	-	-	-
FEMALE--	-	-	-	2	1	5	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
WASHINGTON ----------	335	-	-	-	-	-	-	-	-	1	4	1
WHITE------MALE----	168	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	151	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	106	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	57	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	329	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	172	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	149	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
WASHINGTON ----------	7	12	27	50	74	66	50	30	11	2	-	-
WHITE------MALE----	4	5	13	19	45	34	25	14	4	1	-	-
FEMALE--	3	6	12	28	29	28	20	15	7	1	-	-
ALL OTHER--MALE----	-	-	1	2	-	1	3	1	-	-	-	-
FEMALE--	-	1	1	1	-	3	2	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	4	4	10	27	21	26	4	7	1	-	-
WHITE------MALE----	1	1	1	5	16	12	14	3	4	-	-	-
FEMALE--	1	3	3	5	11	9	11	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	14	14	50	65	67	66	29	13	5	-	-
WHITE------MALE----	3	5	6	31	36	38	34	12	5	2	-	-
FEMALE--	2	6	8	19	27	26	32	17	8	3	-	-
ALL OTHER--MALE----	-	2	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	-	2	3	3	5	10	4	2	1	1	-	-
WHITE------MALE----	-	-	1	2	3	6	1	-	-	1	-	-
FEMALE--	-	2	2	1	2	4	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2404

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
UNITED STATES -	99,595	10	7	5	2	9	8	12	26	66	255	604
WHITE------MALE----	46,466	3	1	2	1	2	1	2	10	28	101	282
FEMALE--	46,321	1	4	3	-	4	4	8	9	23	98	206
ALL OTHER--MALE----	4,025	4	2	-	1	3	2	-	-	7	32	70
FEMALE--	2,783	2	-	-	-	-	1	2	7	8	24	46
BLACK---MALE----	3,362	4	2	-	1	3	2	-	-	7	31	63
FEMALE--	2,349	2	-	-	-	-	1	2	7	8	22	45
ALABAMA ----------	1,765	-	-	-	-	-	-	-	-	1	4	11
WHITE------MALE----	878	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	712	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	128	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	128	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	114	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	49	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1,903	-	-	-	-	-	-	-	-	1	4	9
WHITE------MALE----	961	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	895	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	1,024	1	-	-	-	-	-	-	-	-	3	8
WHITE------MALE----	525	-	-	-	-	-	-	-	-	-	-	7
FEMALE--	449	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	10,399	2	1	-	-	1	1	2	2	9	27	77
WHITE------MALE----	4,380	2	-	-	-	-	-	-	2	4	9	29
FEMALE--	5,046	-	1	-	-	-	-	2	-	4	9	33
ALL OTHER--MALE----	584	-	-	-	-	1	1	-	-	-	3	12
FEMALE--	389	-	-	-	-	-	-	-	-	1	6	3
BLACK---MALE----	296	-	-	-	-	1	1	-	-	-	3	8
FEMALE--	229	-	-	-	-	-	-	-	-	1	6	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2404

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
UNITED STATES -	1,362	3,047	5,480	9,703	16,167	20,428	19,570	14,298	6,451	1,814	267	4
WHITE------MALE----	608	1,428	2,643	4,755	7,999	9,869	9,123	6,362	2,546	616	82	2
FEMALE--	589	1,288	2,306	4,145	7,013	9,222	9,399	7,208	3,538	1,090	162	1
ALL OTHER--MALE----	99	194	325	489	682	832	625	401	194	54	8	1
FEMALE--	66	137	206	314	473	505	423	327	173	54	15	-
BLACK---MALE----	88	182	287	422	565	682	505	318	146	46	7	1
FEMALE--	61	128	172	273	389	425	350	261	143	47	13	-
ALABAMA ----------	33	89	120	206	294	368	319	193	91	32	4	-
WHITE------MALE----	20	40	61	113	162	178	156	88	40	9	1	-
FEMALE--	12	41	40	73	107	156	131	87	42	17	3	-
ALL OTHER--MALE----	1	6	12	11	19	27	22	14	7	6	-	-
FEMALE--	-	2	7	9	6	7	10	4	2	-	-	-
BLACK---MALE----	1	6	12	11	19	27	22	14	7	6	-	-
FEMALE--	-	2	7	8	6	7	10	3	2	-	-	-
ALASKA ----------	3	5	10	8	22	22	23	13	5	1	-	-
WHITE------MALE----	1	4	5	4	10	10	11	2	1	-	-	-
FEMALE--	1	1	2	2	8	5	6	8	4	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	3	3	2	-	-	-	-
FEMALE--	-	-	3	1	3	4	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA ----------	29	54	101	203	323	401	363	289	108	16	1	1
WHITE------MALE----	19	34	52	110	169	203	175	146	38	4	-	1
FEMALE--	10	17	45	89	149	188	177	141	64	12	1	-
ALL OTHER--MALE----	-	1	-	2	3	8	6	2	4	-	-	-
FEMALE--	-	2	4	2	2	2	5	-	2	-	-	-
BLACK---MALE----	-	1	-	-	2	5	5	2	2	-	-	-
FEMALE--	-	1	2	2	1	1	1	-	1	-	-	-
ARKANSAS ----------	18	32	51	105	174	208	212	125	69	17	1	-
WHITE------MALE----	10	15	30	51	85	114	113	61	32	6	1	-
FEMALE--	7	16	18	48	80	79	91	61	36	9	-	-
ALL OTHER--MALE----	1	1	2	6	6	11	5	1	1	1	-	-
FEMALE--	-	-	1	-	3	4	3	2	-	1	-	-
BLACK---MALE----	1	1	2	6	6	10	5	1	1	1	-	-
FEMALE--	-	-	1	-	3	4	3	2	-	1	-	-
CALIFORNIA ----------	148	312	525	941	1,598	2,100	2,055	1,623	731	208	34	2
WHITE------MALE----	64	148	236	404	725	928	829	647	266	72	15	-
FEMALE--	61	128	233	430	716	970	1,045	867	408	122	16	1
ALL OTHER--MALE----	13	19	33	58	89	139	115	62	30	8	-	1
FEMALE--	10	17	23	49	68	63	66	47	27	6	3	-
BLACK---MALE----	11	12	27	34	44	68	54	24	4	4	-	1
FEMALE--	8	15	15	32	37	39	37	17	15	3	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2405

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
COLORADO ----------	1,522	1	-	-	-	-	-	1	-	1	2	6
WHITE------MALE----	776	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	718	1	-	-	-	-	-	1	-	1	2	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1,153	-	-	1	-	-	-	-	-	-	2	6
WHITE------MALE----	490	-	-	1	-	-	-	-	-	-	1	2
FEMALE--	624	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
DELAWARE ----------	258	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	112	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	119	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	132	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	52	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	3
FLORIDA ----------	7,314	-	-	-	-	-	1	-	3	4	13	40
WHITE------MALE----	3,355	-	-	-	-	-	-	-	1	4	10	19
FEMALE--	3,591	-	-	-	-	-	1	-	-	-	1	15
ALL OTHER--MALE----	244	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	124	-	-	-	-	-	-	-	2	-	-	2
BLACK---MALE----	236	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	119	-	-	-	-	-	-	-	2	-	-	2
GEORGIA ----------	2,316	-	1	-	-	-	-	1	1	1	9	28
WHITE------MALE----	1,053	-	-	-	-	-	-	-	-	-	4	8
FEMALE--	964	-	-	-	-	-	-	-	-	-	3	10
ALL OTHER--MALE----	183	-	1	-	-	-	-	-	-	1	2	6
FEMALE--	116	-	-	-	-	-	-	1	1	-	-	4
BLACK---MALE----	178	-	1	-	-	-	-	-	-	1	2	6
FEMALE--	115	-	-	-	-	-	-	1	1	-	-	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
COLORADO ----------	21	27	96	172	250	337	268	215	91	31	3	-
WHITE------MALE----	11	16	43	100	140	180	131	95	41	14	2	-
FEMALE--	8	11	50	69	105	146	136	119	48	17	1	-
ALL OTHER--MALE----	-	-	1	3	4	6	1	1	2	-	-	-
FEMALE--	2	-	2	-	1	5	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	3	3	-	1	-	-	-	-
FEMALE--	2	-	2	-	1	3	-	-	-	-	-	-
CONNECTICUT ----------	6	11	40	78	167	227	268	209	110	25	3	-
WHITE------MALE----	2	7	27	31	65	103	115	96	34	4	2	-
FEMALE--	3	4	13	42	91	119	148	107	71	21	1	-
ALL OTHER--MALE----	1	-	-	4	1	3	3	2	2	-	-	-
FEMALE--	-	-	-	1	10	2	2	4	3	-	-	-
BLACK---MALE----	1	-	-	4	1	3	2	1	2	-	-	-
FEMALE--	-	-	-	-	9	2	2	4	3	-	-	-
DELAWARE ----------	2	4	13	27	54	56	43	41	13	2	-	-
WHITE------MALE----	2	1	8	12	21	22	20	19	6	-	-	-
FEMALE--	-	2	4	13	27	27	21	19	5	1	-	-
ALL OTHER--MALE----	-	-	1	2	4	4	1	1	1	1	-	-
FEMALE--	-	1	-	-	2	3	1	2	1	-	-	-
BLACK---MALE----	-	-	1	2	3	4	1	1	1	1	-	-
FEMALE--	-	1	-	-	2	2	1	2	1	-	-	-
DISTRICT OF COLUMBIA ---	2	7	5	6	21	30	18	28	5	5	-	-
WHITE------MALE----	-	1	1	-	1	5	5	5	-	-	-	-
FEMALE--	-	1	1	-	2	7	2	4	3	3	-	-
ALL OTHER--MALE----	2	2	3	5	11	11	6	11	1	-	-	-
FEMALE--	-	3	-	1	7	7	5	8	1	2	-	-
BLACK---MALE----	2	2	3	5	11	11	6	10	1	-	-	-
FEMALE--	-	3	-	1	7	7	5	8	1	2	-	-
FLORIDA ----------	90	181	382	648	1,142	1,466	1,533	1,113	522	153	23	-
WHITE------MALE----	36	85	166	322	564	713	699	481	200	49	6	-
FEMALE--	47	74	187	273	516	689	778	597	303	95	15	-
ALL OTHER--MALE----	6	18	21	29	43	45	38	22	11	4	1	-
FEMALE--	1	4	8	24	19	19	18	13	8	5	1	-
BLACK---MALE----	6	17	20	29	41	43	38	20	11	4	1	-
FEMALE--	1	4	8	24	17	19	17	13	6	5	1	-
GEORGIA ----------	42	88	174	269	419	487	375	271	118	28	4	-
WHITE------MALE----	19	35	80	136	215	229	165	112	42	6	2	-
FEMALE--	14	37	62	101	157	203	169	126	61	21	-	-
ALL OTHER--MALE----	6	10	22	24	31	32	25	13	9	-	1	-
FEMALE--	3	6	10	8	16	23	16	20	6	1	1	-
BLACK---MALE----	6	10	21	23	31	31	23	13	9	-	1	-
FEMALE--	3	6	10	8	15	23	16	20	6	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
HAWAII ----------	212	1	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	41	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	82	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	470	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	256	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	212	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3,976	-	-	-	-	-	-	-	1	-	10	24
WHITE------MALE----	1,773	-	-	-	-	-	-	-	-	-	4	11
FEMALE--	1,862	-	-	-	-	-	-	-	1	-	3	6
ALL OTHER--MALE----	183	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	158	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	165	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	146	-	-	-	-	-	-	-	-	-	2	1
INDIANA ----------	2,420	-	1	1	-	4	-	-	2	1	8	14
WHITE------MALE----	1,153	-	-	-	-	1	-	-	-	1	4	10
FEMALE--	1,153	-	1	1	-	2	-	-	2	-	4	4
ALL OTHER--MALE----	66	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	63	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1,392	-	-	-	-	-	-	-	-	3	4	4
WHITE------MALE----	766	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	615	-	-	-	-	-	-	-	-	3	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1,139	-	-	-	-	-	-	-	-	-	1	5
WHITE------MALE----	587	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	511	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
HAWAII ----------	4	3	8	18	28	40	48	32	18	8	-	-
WHITE------MALE----	-	1	1	6	7	3	12	6	3	1	-	-
FEMALE--	-	-	3	2	5	10	12	8	2	3	-	-
ALL OTHER--MALE----	3	1	3	8	11	18	15	9	11	2	-	-
FEMALE--	1	1	1	2	5	9	9	9	2	2	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO ----------	4	15	28	37	71	118	102	63	16	12	1	-
WHITE------MALE----	2	5	16	23	34	59	60	35	13	6	1	-
FEMALE--	2	10	12	14	37	58	42	27	3	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	44	127	218	392	655	833	766	564	262	69	11	-
WHITE------MALE----	22	60	101	184	309	375	352	235	97	19	4	-
FEMALE--	16	50	89	172	278	386	361	301	149	45	5	-
ALL OTHER--MALE----	6	10	18	13	34	46	25	15	4	3	2	-
FEMALE--	-	7	10	23	34	26	28	13	12	2	-	-
BLACK---MALE----	6	10	18	13	27	42	21	13	4	3	1	-
FEMALE--	-	7	9	22	32	25	24	13	10	1	-	-
INDIANA ----------	32	90	133	258	388	493	459	310	180	41	5	-
WHITE------MALE----	16	36	62	128	211	241	220	139	69	14	1	-
FEMALE--	13	45	66	104	164	226	225	162	108	22	4	-
ALL OTHER--MALE----	1	7	2	17	8	18	4	5	2	1	-	-
FEMALE--	2	2	3	9	5	8	10	4	1	4	-	-
BLACK---MALE----	1	7	2	17	8	16	4	4	2	1	-	-
FEMALE--	2	2	3	8	5	8	10	3	1	4	-	-
IOWA ----------	22	37	70	123	208	287	285	232	89	24	4	-
WHITE------MALE----	9	20	33	73	131	153	161	135	39	7	1	-
FEMALE--	12	16	36	49	76	131	123	95	50	17	3	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	1	-	-	-	-
KANSAS ----------	13	34	72	108	173	227	243	164	68	28	3	-
WHITE------MALE----	8	19	34	59	93	120	123	79	30	17	1	-
FEMALE--	3	15	33	46	73	101	111	80	36	10	2	-
ALL OTHER--MALE----	-	-	4	2	3	4	4	3	1	-	-	-
FEMALE--	2	-	1	1	4	2	5	2	1	1	-	-
BLACK---MALE----	-	-	1	1	3	4	4	3	1	-	-	-
FEMALE--	2	-	1	1	3	2	3	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
KENTUCKY ----------	1,910	-	-	-	-	-	-	-	-	-	10	9
WHITE------MALE----	958	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	859	-	-	-	-	-	-	-	-	-	4	5
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1,231	-	-	1	-	-	-	-	1	1	5	8
WHITE------MALE----	496	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	521	-	-	1	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	140	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	74	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	140	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	73	-	-	-	-	-	-	-	-	-	1	1
MAINE ----------	641	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	316	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	321	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1,567	-	-	-	-	-	1	-	-	-	6	11
WHITE------MALE----	626	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	740	-	-	-	-	-	1	-	-	-	1	4
ALL OTHER--MALE----	115	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	86	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	110	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	84	-	-	-	-	-	-	-	-	-	1	2
MASSACHUSETTS ----------	2,327	-	-	-	-	-	-	-	-	-	5	7
WHITE------MALE----	1,017	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	1,265	-	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3,302	-	-	-	-	-	1	1	2	2	12	25
WHITE------MALE----	1,505	-	-	-	-	-	-	1	2	1	4	7
FEMALE--	1,516	-	-	-	-	-	-	-	-	-	7	8
ALL OTHER--MALE----	163	-	-	-	-	-	1	-	-	1	1	6
FEMALE--	118	-	-	-	-	-	-	-	-	-	-	4
BLACK---MALE----	147	-	-	-	-	-	1	-	-	1	1	6
FEMALE--	109	-	-	-	-	-	-	-	-	-	-	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
KENTUCKY ----------	33	70	150	254	329	381	319	219	104	30	2	-
WHITE------MALE----	19	40	84	129	172	190	161	107	40	8	-	-
FEMALE--	12	30	61	115	142	174	141	95	59	19	2	-
ALL OTHER--MALE----	1	-	2	4	6	10	10	9	1	2	-	-
FEMALE--	1	-	3	6	9	7	7	8	4	1	-	-
BLACK---MALE----	1	-	2	4	6	10	10	9	1	2	-	-
FEMALE--	1	-	3	6	9	7	7	8	4	1	-	-
LOUISIANA ----------	23	40	68	129	229	238	221	175	65	21	6	-
WHITE------MALE----	6	11	27	57	98	98	100	62	21	8	3	-
FEMALE--	9	16	25	43	98	109	91	80	35	10	2	-
ALL OTHER--MALE----	6	10	11	18	19	16	22	21	8	2	1	-
FEMALE--	2	3	5	11	14	15	8	12	1	1	-	-
BLACK---MALE----	6	10	11	18	19	16	22	21	8	2	1	-
FEMALE--	2	3	5	11	13	15	8	12	1	1	-	-
MAINE ----------	12	10	41	62	98	116	137	89	51	15	5	-
WHITE------MALE----	5	8	28	27	50	64	66	35	23	3	2	-
FEMALE--	7	2	12	34	46	52	71	54	28	12	3	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	22	42	79	161	240	329	306	233	106	24	7	-
WHITE------MALE----	8	13	28	72	115	120	131	93	34	4	2	-
FEMALE--	5	20	39	70	93	153	147	125	60	17	5	-
ALL OTHER--MALE----	6	4	7	11	20	28	18	11	5	2	-	-
FEMALE--	3	5	5	8	12	28	10	4	7	1	-	-
BLACK---MALE----	6	4	6	11	19	27	18	10	4	2	-	-
FEMALE--	3	5	5	8	12	27	9	4	7	1	-	-
MASSACHUSETTS ----------	31	46	95	206	345	441	496	385	186	69	15	-
WHITE------MALE----	11	20	45	91	170	191	216	173	69	22	4	-
FEMALE--	18	25	46	109	167	242	270	208	116	47	11	-
ALL OTHER--MALE----	2	-	3	4	5	6	7	3	-	-	-	-
FEMALE--	-	1	1	2	3	2	3	1	1	-	-	-
BLACK---MALE----	2	-	2	3	5	5	6	2	-	-	-	-
FEMALE--	-	1	1	2	3	2	3	1	1	-	-	-
MICHIGAN ----------	51	123	172	328	525	703	629	456	214	55	3	-
WHITE------MALE----	21	53	84	144	251	342	284	212	80	19	-	-
FEMALE--	21	49	68	151	228	316	299	217	118	31	3	-
ALL OTHER--MALE----	3	10	10	21	31	20	32	17	8	2	-	-
FEMALE--	6	11	10	12	15	25	14	10	8	3	-	-
BLACK---MALE----	3	10	8	18	24	18	31	16	8	2	-	-
FEMALE--	6	10	10	10	13	24	12	9	8	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2408

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
MINNESOTA ----------	1,681	-	-	-	-	-	-	-	1	-	1	10
WHITE------MALE----	842	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	808	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI ----------	1,019	-	-	-	-	-	-	-	1	1	7	6
WHITE------MALE----	463	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	387	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	107	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	62	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	106	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	60	-	-	-	-	-	-	-	1	-	2	1
MISSOURI ----------	2,554	-	-	-	-	-	-	-	-	1	6	11
WHITE------MALE----	1,218	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	1,215	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	71	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	456	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	228	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	214	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	799	-	-	-	-	-	-	-	-	1	2	4
WHITE------MALE----	442	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	343	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	883	-	-	-	-	-	-	1	-	1	4	1
WHITE------MALE----	414	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	429	-	-	-	-	-	-	1	-	1	2	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
MINNESOTA ----------	13	38	82	134	221	354	358	289	130	45	5	-
WHITE------MALE----	4	16	39	63	124	187	180	153	56	16	1	-
FEMALE--	9	21	37	67	94	159	177	133	73	29	4	-
ALL OTHER--MALE----	-	1	3	3	1	7	-	3	1	-	-	-
FEMALE--	-	-	3	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	2	2	-	6	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
MISSISSIPPI ----------	9	32	58	119	201	202	187	115	58	17	6	-
WHITE------MALE----	2	15	31	59	97	95	90	49	20	3	1	-
FEMALE--	5	13	18	38	74	75	74	50	29	8	-	-
ALL OTHER--MALE----	1	1	5	16	20	22	13	9	7	4	2	-
FEMALE--	1	3	4	6	10	10	10	7	2	2	3	-
BLACK---MALE----	1	1	5	16	20	21	13	9	7	4	2	-
FEMALE--	1	3	4	5	9	10	10	7	2	2	3	-
MISSOURI ----------	43	89	151	283	402	527	483	347	152	52	7	-
WHITE------MALE----	18	43	68	138	207	252	230	164	69	19	1	-
FEMALE--	25	42	73	131	172	240	236	175	78	33	4	-
ALL OTHER--MALE----	-	1	8	8	14	24	9	6	1	-	-	-
FEMALE--	-	3	2	6	9	11	8	2	4	-	2	-
BLACK---MALE----	-	1	8	8	13	24	8	6	1	-	-	-
FEMALE--	-	3	2	5	7	11	8	2	4	-	2	-
MONTANA ----------	8	13	32	50	71	98	103	50	23	5	2	-
WHITE------MALE----	3	6	18	24	36	48	51	28	11	2	-	-
FEMALE--	4	6	12	23	32	50	50	20	12	3	2	-
ALL OTHER--MALE----	1	-	1	2	2	-	1	2	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	12	33	62	128	174	171	128	58	16	2	-
WHITE------MALE----	4	5	12	32	72	112	94	67	32	8	1	-
FEMALE--	4	6	18	30	54	61	74	59	25	8	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	1	-	-	-
FEMALE--	-	1	2	-	1	-	2	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
NEVADA ----------	22	31	70	111	162	173	172	84	40	8	2	1
WHITE------MALE----	10	18	35	61	89	78	70	32	15	2	-	1
FEMALE--	10	12	33	45	64	85	96	49	24	5	2	-
ALL OTHER--MALE----	-	-	2	3	3	7	3	3	-	-	-	-
FEMALE--	2	1	-	2	6	3	3	-	1	1	-	-
BLACK---MALE----	-	-	1	3	1	5	3	3	-	-	-	-
FEMALE--	1	1	-	2	3	2	3	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
NEW HAMPSHIRE ----------	487	-	-	-	-	-	-	-	-	-	2	4
WHITE------MALE----	240	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	245	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2,349	1	-	-	-	-	-	-	1	2	5	10
WHITE------MALE----	968	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	1,162	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	111	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	108	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	104	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	100	-	-	-	-	-	-	-	1	-	2	-
NEW MEXICO ----------	691	-	-	-	-	-	-	-	1	-	-	6
WHITE------MALE----	379	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	300	-	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5,794	1	1	-	-	-	4	3	-	8	10	37
WHITE------MALE----	2,556	-	-	-	-	-	1	1	-	3	4	19
FEMALE--	2,788	-	1	-	-	-	2	2	-	1	4	8
ALL OTHER--MALE----	243	1	-	-	-	-	-	-	-	2	1	3
FEMALE--	207	-	-	-	-	-	1	-	-	2	1	7
BLACK---MALE----	208	1	-	-	-	-	-	-	-	2	1	2
FEMALE--	184	-	-	-	-	-	1	-	-	2	1	7
NORTH CAROLINA ---------	2,949	-	-	-	-	-	-	-	2	1	7	24
WHITE------MALE----	1,309	-	-	-	-	-	-	-	1	-	4	15
FEMALE--	1,307	-	-	-	-	-	-	-	1	1	2	6
ALL OTHER--MALE----	227	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	106	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	211	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	102	-	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	238	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	144	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	87	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
NEW HAMPSHIRE ----------	9	13	28	53	79	98	88	65	36	10	2	-
WHITE------MALE----	3	8	13	34	41	51	42	33	11	2	1	-
FEMALE--	6	5	15	18	38	46	46	32	25	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	27	57	95	212	345	480	481	373	195	58	7	-
WHITE------MALE----	13	20	38	97	164	203	201	137	75	12	1	-
FEMALE--	8	24	34	87	142	234	254	213	111	44	6	-
ALL OTHER--MALE----	2	9	11	15	20	24	17	8	1	-	-	-
FEMALE--	4	4	12	13	19	19	9	15	8	2	-	-
BLACK---MALE----	1	9	10	14	20	22	15	8	1	-	-	-
FEMALE--	4	4	11	13	18	17	9	11	8	2	-	-
NEW MEXICO ----------	8	28	34	70	104	148	135	104	45	8	-	-
WHITE------MALE----	4	12	18	40	58	83	79	58	21	3	-	-
FEMALE--	4	15	16	27	43	61	56	46	23	5	-	-
ALL OTHER--MALE----	-	1	-	2	3	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW YORK ----------	63	174	292	477	829	1,158	1,231	911	454	122	19	-
WHITE------MALE----	27	85	128	210	407	534	538	380	171	42	6	-
FEMALE--	26	68	123	216	354	541	636	474	249	72	11	-
ALL OTHER--MALE----	7	14	27	30	46	41	27	22	18	4	-	-
FEMALE--	3	7	14	21	22	42	30	35	16	4	2	-
BLACK---MALE----	7	12	24	27	40	34	22	17	15	4	-	-
FEMALE--	3	7	12	20	20	37	25	31	12	4	2	-
NORTH CAROLINA ---------	37	111	188	330	545	604	552	346	152	41	9	-
WHITE------MALE----	16	41	94	171	256	257	246	158	36	14	-	-
FEMALE--	14	52	70	119	234	276	254	154	96	21	7	-
ALL OTHER--MALE----	5	8	20	32	39	48	36	22	12	2	-	-
FEMALE--	2	10	4	8	16	23	16	12	8	4	2	-
BLACK---MALE----	5	8	19	29	37	43	35	19	11	2	-	-
FEMALE--	2	10	3	8	15	21	16	12	8	4	2	-
NORTH DAKOTA ----------	1	5	14	21	39	51	45	37	22	2	1	-
WHITE------MALE----	1	4	9	10	24	33	26	23	13	-	1	-
FEMALE--	-	1	4	9	14	15	19	14	9	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
OHIO ----------	4,810	-	1	1	1	4	-	1	-	5	13	28
WHITE------MALE----	2,291	-	-	1	-	1	-	-	-	2	7	10
FEMALE--	2,224	-	1	-	-	2	-	-	-	2	4	9
ALL OTHER--MALE----	154	-	-	-	1	1	-	-	-	-	1	2
FEMALE--	141	-	-	-	-	-	-	1	-	1	1	7
BLACK---MALE----	152	-	-	-	1	1	-	-	-	-	1	2
FEMALE--	137	-	-	-	-	-	-	1	-	1	1	7
OKLAHOMA ----------	1,479	1	1	-	-	-	-	-	3	1	1	17
WHITE------MALE----	701	-	-	-	-	-	-	-	2	1	-	9
FEMALE--	691	-	-	-	-	-	-	-	-	-	1	7
ALL OTHER--MALE----	46	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	41	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	23	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	18	1	-	-	-	-	-	-	1	-	-	1
OREGON ----------	1,358	-	-	-	-	-	-	1	-	-	2	7
WHITE------MALE----	682	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	659	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	5,060	-	-	-	-	-	-	-	-	5	7	31
WHITE------MALE----	2,524	-	-	-	-	-	-	-	-	1	6	13
FEMALE--	2,274	-	-	-	-	-	-	-	-	1	1	13
ALL OTHER--MALE----	125	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	137	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	122	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	132	-	-	-	-	-	-	-	-	2	-	1
RHODE ISLAND ----------	423	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	183	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	230	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1,432	-	-	-	-	-	-	-	-	1	8	9
WHITE------MALE----	666	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	574	-	-	-	-	-	-	-	-	-	2	5
ALL OTHER--MALE----	130	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	62	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	130	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	60	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2410

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
OHIO ----------	62	133	269	469	869	973	910	658	303	95	15	-
WHITE------MALE----	32	63	134	230	424	506	427	290	120	36	8	-
FEMALE--	25	59	118	212	381	406	438	339	165	57	6	-
ALL OTHER--MALE----	3	8	9	14	29	33	25	17	9	1	1	-
FEMALE--	2	3	8	13	35	28	20	12	9	1	-	-
BLACK---MALE----	3	8	9	14	29	31	25	17	9	1	1	-
FEMALE--	2	3	6	13	35	26	20	12	9	1	-	-
OKLAHOMA ----------	22	47	94	155	254	339	287	169	62	25	1	-
WHITE------MALE----	13	19	44	79	129	159	126	78	28	13	1	-
FEMALE--	7	24	42	69	108	161	148	83	30	11	-	-
ALL OTHER--MALE----	1	1	6	6	9	7	8	5	1	1	-	-
FEMALE--	1	3	2	1	8	12	5	3	3	-	-	-
BLACK---MALE----	-	1	2	1	2	6	6	2	1	1	-	-
FEMALE--	1	1	1	-	3	3	3	1	2	-	-	-
OREGON ----------	21	37	65	117	246	285	312	172	76	16	1	-
WHITE------MALE----	9	18	32	57	128	144	167	73	43	7	-	-
FEMALE--	12	17	33	58	114	139	142	96	33	9	1	-
ALL OTHER--MALE----	-	2	-	2	3	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	-	-	-	-
BLACK---MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
PENNSYLVANIA ----------	44	139	246	416	801	1,044	1,093	804	329	86	15	-
WHITE------MALE----	21	66	126	208	426	562	545	370	141	36	3	-
FEMALE--	18	49	97	168	337	440	509	409	175	46	11	-
ALL OTHER--MALE----	2	12	12	26	21	21	14	8	1	3	-	-
FEMALE--	3	12	11	14	17	21	25	17	12	1	1	-
BLACK---MALE----	2	12	12	26	20	20	14	8	1	2	-	-
FEMALE--	3	12	10	14	16	21	23	17	11	1	1	-
RHODE ISLAND ----------	5	12	14	39	67	88	88	71	26	8	4	-
WHITE------MALE----	2	5	6	19	28	45	45	23	7	2	1	-
FEMALE--	3	5	8	20	36	43	41	46	18	6	3	-
ALL OTHER--MALE----	-	2	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	-	-	-
SOUTH CAROLINA ---------	32	81	98	175	284	281	214	168	64	16	1	-
WHITE------MALE----	11	40	47	83	136	152	94	69	24	3	-	-
FEMALE--	16	26	30	62	111	98	93	85	34	11	1	-
ALL OTHER--MALE----	4	8	19	21	21	24	18	10	3	1	-	-
FEMALE--	1	7	2	9	16	7	9	4	3	1	-	-
BLACK---MALE----	4	8	19	21	21	24	18	10	3	1	-	-
FEMALE--	1	7	2	9	15	7	8	4	3	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
SOUTH DAKOTA ----------	272	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	162	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2,195	-	-	-	-	-	-	-	2	3	13	20
WHITE------MALE----	1,117	-	-	-	-	-	-	-	1	2	6	13
FEMALE--	909	-	-	-	-	-	-	-	1	-	5	5
ALL OTHER--MALE----	95	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	74	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	95	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	71	-	-	-	-	-	-	-	-	1	1	1
TEXAS ----------	5,854	2	1	1	1	-	-	-	2	5	16	33
WHITE------MALE----	2,817	1	1	-	1	-	-	-	-	3	3	15
FEMALE--	2,677	-	-	1	-	-	-	-	2	2	12	15
ALL OTHER--MALE----	212	1	-	-	-	-	-	-	-	-	1	3
FEMALE--	148	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	193	1	-	-	-	-	-	-	-	-	1	3
FEMALE--	136	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	426	-	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	258	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	165	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	256	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	119	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	135	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2,182	-	-	-	-	-	-	-	-	2	7	9
WHITE------MALE----	966	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	990	-	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	140	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	86	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	136	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	84	-	-	-	-	-	-	-	-	-	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
SOUTH DAKOTA ----------	3	4	8	20	38	55	61	48	25	6	1	-
WHITE------MALE----	-	3	6	11	22	35	34	33	10	4	1	-
FEMALE--	2	1	2	8	13	17	24	15	15	2	-	-
ALL OTHER--MALE----	1	-	-	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	52	89	148	235	411	455	365	263	111	25	3	-
WHITE------MALE----	23	48	90	117	225	229	178	130	44	9	2	-
FEMALE--	24	33	46	96	154	195	163	112	60	14	1	-
ALL OTHER--MALE----	2	4	7	11	18	20	17	11	4	-	-	-
FEMALE--	3	4	5	11	14	11	7	10	3	2	-	-
BLACK---MALE----	2	4	7	11	18	20	17	11	4	-	-	-
FEMALE--	3	4	5	11	12	11	7	10	3	2	-	-
TEXAS ----------	78	205	337	577	967	1,243	1,074	849	350	103	10	-
WHITE------MALE----	33	107	166	298	464	644	508	379	150	43	1	-
FEMALE--	35	83	133	237	434	542	512	431	173	56	9	-
ALL OTHER--MALE----	5	12	16	25	43	38	28	21	18	1	-	-
FEMALE--	5	3	22	17	26	19	26	18	9	3	-	-
BLACK---MALE----	5	12	15	22	37	37	23	19	17	1	-	-
FEMALE--	5	3	22	16	24	17	25	15	6	3	-	-
UTAH ----------	8	17	41	48	80	80	71	58	18	2	-	-
WHITE------MALE----	6	9	26	30	47	53	39	32	12	2	-	-
FEMALE--	1	8	15	18	33	26	31	26	6	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	5	8	21	49	60	48	36	17	4	-	-
WHITE------MALE----	1	2	6	11	23	32	16	17	9	-	-	-
FEMALE--	2	3	2	9	26	27	32	19	8	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	29	74	133	239	387	459	423	270	109	35	6	-
WHITE------MALE----	12	31	57	122	172	217	189	109	38	13	-	-
FEMALE--	13	31	55	95	181	193	194	136	61	19	6	-
ALL OTHER--MALE----	1	7	11	12	19	34	28	18	7	1	-	-
FEMALE--	3	5	10	10	15	15	12	7	3	2	-	-
BLACK---MALE----	1	7	11	12	19	33	25	18	7	1	-	-
FEMALE--	3	5	9	10	15	15	12	6	3	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2412

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
WASHINGTON ----------	2,253	-	-	-	-	-	-	-	-	1	6	11
WHITE------MALE----	1,046	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	1,123	-	-	-	-	-	-	-	-	1	4	5
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
WEST VIRGINIA ----------	1,089	-	-	-	-	-	-	-	1	3	1	2
WHITE------MALE----	562	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	502	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1,824	-	-	-	-	-	-	-	-	-	2	4
WHITE------MALE----	925	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	844	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	295	-	-	-	-	-	-	-	-	1	-	4
WHITE------MALE----	153	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	139	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
WASHINGTON ----------	32	62	111	216	359	471	469	328	154	29	4	-
WHITE------MALE----	10	30	51	119	158	204	227	158	74	8	1	-
FEMALE--	20	29	47	89	189	251	228	160	77	20	3	-
ALL OTHER--MALE----	2	1	9	4	8	9	7	6	-	1	-	-
FEMALE--	-	2	4	4	4	7	7	4	3	-	-	-
BLACK---MALE----	1	1	5	2	3	5	1	2	-	-	-	-
FEMALE--	-	1	1	-	2	3	5	1	2	-	-	-
WEST VIRGINIA ----------	18	33	70	114	193	225	199	151	59	17	3	-
WHITE------MALE----	9	17	37	63	93	119	113	77	24	6	2	-
FEMALE--	8	16	33	50	97	100	81	67	34	11	1	-
ALL OTHER--MALE----	-	-	-	1	2	4	4	2	1	-	-	-
FEMALE--	1	-	-	-	1	2	1	5	-	-	-	-
BLACK---MALE----	-	-	-	1	2	4	4	2	1	-	-	-
FEMALE--	1	-	-	-	1	2	1	5	-	-	-	-
WISCONSIN ----------	15	49	87	169	244	342	400	321	144	42	5	-
WHITE------MALE----	7	21	45	83	131	159	228	162	67	16	1	-
FEMALE--	5	24	39	74	101	176	167	153	76	24	4	-
ALL OTHER--MALE----	1	2	2	9	8	3	1	1	1	1	-	-
FEMALE--	2	2	1	3	4	4	4	5	-	1	-	-
BLACK---MALE----	1	2	1	9	7	2	1	-	1	1	-	-
FEMALE--	1	2	1	2	3	2	3	4	-	-	-	-
WYOMING ----------	5	10	23	32	39	53	62	41	17	7	1	-
WHITE------MALE----	3	4	15	10	20	35	35	17	7	3	-	-
FEMALE--	2	5	8	21	18	18	27	24	10	4	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
UNITED STATES -	4,657	5	27	40	86	95	87	121	141	206	241	312
WHITE------MALE----	1,046	1	5	11	27	32	28	28	30	53	46	55
FEMALE--	2,282	-	6	9	12	27	19	27	42	70	97	136
ALL OTHER--MALE----	574	2	11	14	33	21	27	36	34	41	44	41
FEMALE--	755	2	5	6	14	15	13	30	35	42	54	80
BLACK---MALE----	481	2	10	14	33	20	26	34	34	36	38	38
FEMALE--	664	2	4	6	14	13	12	29	33	41	53	73
ALABAMA ----------	62	-	-	1	-	1	1	1	-	1	4	3
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	1	1	-	-	1	-	1
FEMALE--	15	-	-	1	-	-	-	1	-	-	2	1
BLACK---MALE----	8	-	-	-	-	1	1	-	-	1	-	1
FEMALE--	15	-	-	1	-	-	-	1	-	-	2	1
ALASKA ----------	10	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA ----------	90	-	1	-	2	1	2	1	1	2	3	8
WHITE------MALE----	21	-	-	-	2	1	2	1	1	1	-	2
FEMALE--	61	-	1	-	-	-	-	-	-	1	3	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	47	-	-	1	1	-	1	-	1	1	4	2
WHITE------MALE----	14	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	1	-	-	-	-	-	1	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	1	-	-	-	-	-	1	1	1
CALIFORNIA ----------	560	-	3	2	8	8	10	18	12	28	23	41
WHITE------MALE----	127	-	1	1	2	3	1	7	3	9	4	7
FEMALE--	270	-	-	-	4	2	6	2	4	9	14	20
ALL OTHER--MALE----	84	-	2	1	2	1	3	7	4	5	3	6
FEMALE--	79	-	-	-	-	2	-	2	1	5	2	8
BLACK---MALE----	47	-	1	1	2	1	3	5	4	3	3	4
FEMALE--	45	-	-	-	-	2	-	1	1	5	2	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
UNITED STATES -	295	343	240	353	420	454	471	381	224	97	18	-
WHITE------MALE----	63	81	55	77	106	115	116	61	40	14	2	-
FEMALE--	120	148	106	177	210	267	300	266	154	74	15	-
ALL OTHER--MALE----	38	38	33	38	46	29	13	20	12	3	-	-
FEMALE--	74	76	46	61	58	43	42	34	18	6	1	-
BLACK---MALE----	34	30	27	26	36	20	7	8	7	1	-	-
FEMALE--	68	66	39	50	46	35	32	29	15	4	-	-
ALABAMA ----------	6	4	3	7	4	8	8	2	6	2	-	-
WHITE------MALE----	1	-	-	5	-	2	4	-	1	-	-	-
FEMALE--	1	3	2	1	2	5	4	1	2	2	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	3	1	1	-	1	1	-	1	2	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	3	1	1	-	1	1	-	1	2	-	-	-
ALASKA ----------	1	-	1	1	2	-	1	1	-	-	-	-
WHITE------MALE----	1	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	7	3	4	12	9	12	10	2	3	-	-
WHITE------MALE----	1	4	-	1	2	-	1	2	-	-	-	-
FEMALE--	4	3	2	2	8	9	11	7	2	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	1	-	-	-	-
ARKANSAS ----------	1	6	5	3	6	7	3	3	2	-	-	-
WHITE------MALE----	-	2	3	-	-	4	1	-	1	-	-	-
FEMALE--	-	3	2	3	2	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	-	-	1	-	-	-	-
CALIFORNIA ----------	32	48	29	44	54	54	63	47	24	9	3	-
WHITE------MALE----	7	14	7	8	10	15	17	6	3	1	1	-
FEMALE--	16	19	13	17	26	27	35	31	17	7	1	-
ALL OTHER--MALE----	4	6	3	11	9	4	4	6	3	-	-	-
FEMALE--	5	9	6	8	9	8	7	4	1	1	1	-
BLACK---MALE----	3	3	2	5	3	1	-	3	-	-	-	-
FEMALE--	4	5	4	4	5	4	2	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
COLORADO ----------	83	-	-	-	2	2	-	1	2	5	7	9
WHITE------MALE----	20	-	-	-	2	-	-	-	-	3	1	3
FEMALE--	52	-	-	-	-	2	-	-	1	2	4	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	2	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	2	1
CONNECTICUT ----------	52	-	1	1	-	-	1	-	2	4	3	4
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	31	-	1	-	-	-	1	-	2	-	2	3
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	2	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	1	1
DELAWARE ----------	9	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	16	-	-	1	-	-	-	-	-	-	1	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
FLORIDA ----------	240	1	2	1	2	8	4	7	2	8	11	12
WHITE------MALE----	56	-	-	-	1	2	2	-	1	-	2	4
FEMALE--	128	-	-	-	-	3	-	2	1	5	6	2
ALL OTHER--MALE----	18	-	1	1	-	3	2	1	-	-	1	3
FEMALE--	38	1	1	-	1	-	-	4	-	3	2	3
BLACK---MALE----	18	-	1	1	-	3	2	1	-	-	1	3
FEMALE--	37	1	1	-	1	-	-	4	-	3	2	3
GEORGIA ----------	126	1	3	-	4	1	1	4	3	9	12	8
WHITE------MALE----	17	-	-	-	1	-	-	-	-	1	1	1
FEMALE--	44	-	-	-	-	-	-	1	-	3	6	4
ALL OTHER--MALE----	36	1	3	-	3	1	1	-	-	3	4	2
FEMALE--	29	-	-	-	-	-	-	3	3	2	1	1
BLACK---MALE----	34	1	3	-	3	1	1	-	-	3	3	2
FEMALE--	29	-	-	-	-	-	-	3	3	2	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
COLORADO ----------	5	4	5	7	6	4	10	6	5	3	-	-
WHITE------MALE----	1	-	-	3	-	1	2	3	1	-	-	-
FEMALE--	1	4	5	4	4	3	8	3	3	3	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
CONNECTICUT ----------	3	3	2	-	7	4	7	7	3	-	-	-
WHITE------MALE----	1	-	-	-	4	2	1	1	1	-	-	-
FEMALE--	2	3	1	-	2	2	6	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
DELAWARE ----------	-	-	-	-	2	1	1	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	3	1	2	1	1	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	2	-	2	-	-	1	2	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	1	-	2	-	-	1	2	-	-	-
FLORIDA ----------	16	18	13	8	27	22	32	28	12	5	1	-
WHITE------MALE----	4	8	3	2	4	4	8	8	3	-	-	-
FEMALE--	4	7	7	5	18	15	19	19	9	5	1	-
ALL OTHER--MALE----	2	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	6	2	3	1	4	2	4	1	-	-	-	-
BLACK---MALE----	2	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	6	2	2	1	4	2	4	1	-	-	-	-
GEORGIA ----------	8	14	7	9	15	10	9	2	4	2	-	-
WHITE------MALE----	-	4	1	1	1	2	2	1	1	-	-	-
FEMALE--	4	1	1	6	6	4	4	1	2	1	-	-
ALL OTHER--MALE----	2	3	1	1	5	3	2	-	1	-	-	-
FEMALE--	2	6	4	1	3	1	1	-	-	1	-	-
BLACK---MALE----	2	3	1	1	5	2	2	-	1	-	-	-
FEMALE--	2	6	4	1	3	1	1	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
HAWAII ----------	29	-	-	-	-	-	1	1	1	-	2	1
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	24	-	-	-	-	-	-	1	-	-	2	-
WHITE------MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	279	-	-	6	5	14	9	13	15	15	25	25
WHITE------MALE----	53	-	-	2	3	5	1	1	1	4	3	6
FEMALE--	98	-	-	1	-	3	1	3	1	4	2	3
ALL OTHER--MALE----	61	-	-	2	-	4	5	7	6	4	7	3
FEMALE--	67	-	-	1	2	2	2	2	7	3	13	13
BLACK---MALE----	60	-	-	2	-	4	5	7	6	4	7	3
FEMALE--	63	-	-	1	2	2	2	2	7	3	13	12
INDIANA ----------	106	1	2	1	3	1	1	4	5	7	2	5
WHITE------MALE----	31	1	2	1	2	-	-	-	3	3	1	1
FEMALE--	51	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	9	-	-	-	1	1	1	2	1	-	-	1
FEMALE--	15	-	-	-	-	-	-	2	1	2	1	2
BLACK---MALE----	9	-	-	-	1	1	1	2	1	-	-	1
FEMALE--	15	-	-	-	-	-	-	2	1	2	1	2
IOWA ----------	54	-	-	-	1	2	2	1	1	2	2	1
WHITE------MALE----	16	-	-	-	-	1	1	-	1	1	1	-
FEMALE--	36	-	-	-	1	1	1	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
KANSAS ----------	50	-	-	-	2	1	1	2	-	4	3	2
WHITE------MALE----	14	-	-	-	2	-	-	-	-	1	-	2
FEMALE--	28	-	-	-	-	-	-	1	-	1	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	1	1	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
HAWAII ----------	-	2	-	4	2	1	4	7	1	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	6	-	1	-	-
FEMALE--	-	-	-	3	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	2	-	3	1	3	3	4	2	1	-	-
WHITE------MALE----	2	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	2	-	2	-	3	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	16	13	11	18	21	21	21	17	10	4	-	-
WHITE------MALE----	2	4	1	4	4	2	6	2	1	1	-	-
FEMALE--	5	1	5	7	13	15	12	11	8	3	-	-
ALL OTHER--MALE----	5	4	3	2	3	3	-	2	1	-	-	-
FEMALE--	4	4	2	5	1	1	3	2	-	-	-	-
BLACK---MALE----	5	4	3	1	3	3	-	2	1	-	-	-
FEMALE--	4	4	1	4	1	1	2	2	-	-	-	-
INDIANA ----------	7	5	2	12	10	13	10	12	1	1	1	-
WHITE------MALE----	4	2	-	4	-	2	3	2	-	-	-	-
FEMALE--	-	3	2	6	9	10	7	8	1	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	1	-	2	-	-	-	-
IOWA ----------	-	3	3	3	4	4	10	6	6	3	-	-
WHITE------MALE----	-	2	3	-	1	1	2	1	1	-	-	-
FEMALE--	-	1	-	3	3	3	8	5	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	4	2	3	3	5	7	4	3	-	-	-
WHITE------MALE----	-	1	1	2	1	2	2	-	-	-	-	-
FEMALE--	2	3	1	1	2	3	5	4	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
KENTUCKY ----------	52	-	-	2	1	-	2	-	1	1	3	4
WHITE------MALE----	8	-	-	2	1	-	-	-	-	-	1	1
FEMALE--	38	-	-	-	-	-	1	-	1	1	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
LOUISIANA ----------	74	-	2	-	1	2	1	2	1	2	5	2
WHITE------MALE----	15	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	17	-	2	-	-	-	1	1	-	1	2	-
FEMALE--	19	-	-	-	1	2	-	-	1	-	1	2
BLACK---MALE----	17	-	2	-	-	-	1	1	-	1	2	-
FEMALE--	19	-	-	-	1	2	-	-	1	-	1	2
MAINE ----------	18	-	-	-	-	1	-	-	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	82	1	-	-	4	3	2	4	2	8	3	8
WHITE------MALE----	15	-	-	-	1	1	1	-	-	1	1	1
FEMALE--	34	-	-	-	-	-	1	-	1	2	1	4
ALL OTHER--MALE----	16	1	-	-	1	2	-	1	1	3	1	2
FEMALE--	17	-	-	-	2	-	-	3	-	2	-	1
BLACK---MALE----	15	1	-	-	1	2	-	1	1	3	1	2
FEMALE--	16	-	-	-	2	-	-	3	-	2	-	1
MASSACHUSETTS ----------	102	-	-	1	-	4	-	2	5	6	7	5
WHITE------MALE----	32	-	-	-	-	1	-	2	1	4	2	-
FEMALE--	60	-	-	-	-	2	-	-	3	1	3	4
ALL OTHER--MALE----	7	-	-	1	-	1	-	-	1	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	1	-	-	-	-	1	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN ----------	165	1	-	3	6	5	6	5	4	11	8	17
WHITE------MALE----	22	-	-	-	-	1	-	1	-	2	2	-
FEMALE--	76	-	-	1	1	2	-	2	2	2	1	10
ALL OTHER--MALE----	26	-	-	1	4	1	4	2	1	1	3	6
FEMALE--	41	1	-	1	1	1	2	-	1	6	2	1
BLACK---MALE----	26	-	-	1	4	1	4	2	1	1	3	6
FEMALE--	39	1	-	1	1	1	2	-	1	6	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
KENTUCKY ----------	2	5	3	8	2	5	7	2	2	2	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	2	5	2	6	1	4	6	1	2	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	3	8	4	15	5	7	4	4	1	-	-
WHITE------MALE----	-	-	1	-	6	1	3	1	-	-	-	-
FEMALE--	1	1	2	2	5	3	3	1	3	1	-	-
ALL OTHER--MALE----	1	1	2	-	3	1	-	1	1	-	-	-
FEMALE--	3	1	3	2	1	-	1	1	-	-	-	-
BLACK---MALE----	1	1	2	-	3	1	-	1	1	-	-	-
FEMALE--	3	1	3	2	1	-	1	1	-	-	-	-
MAINE ----------	1	-	-	3	1	1	7	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	8	4	3	4	1	8	7	6	3	3	-	-
WHITE------MALE----	3	-	-	1	-	3	1	-	1	-	-	-
FEMALE--	3	1	1	-	1	3	5	6	2	3	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	2	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	1	1	-	-	-	-	-
MASSACHUSETTS ----------	6	5	5	5	11	9	9	8	8	2	4	-
WHITE------MALE----	2	2	2	2	4	6	-	1	2	-	1	-
FEMALE--	4	2	3	3	7	3	9	6	5	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	16	19	5	11	10	13	10	9	5	1	-	-
WHITE------MALE----	2	1	2	1	1	3	2	3	1	-	-	-
FEMALE--	8	11	1	5	7	7	7	5	4	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	5	7	1	5	1	3	1	1	-	1	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	5	7	1	5	-	2	1	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
MINNESOTA ----------	105	-	-	-	-	3	1	2	1	2	2	3
WHITE------MALE----	30	-	-	-	-	2	-	1	1	2	1	1
FEMALE--	70	-	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI ----------	41	-	1	-	-	-	1	3	3	2	1	3
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	24	-	1	-	-	-	-	3	2	1	1	3
BLACK---MALE----	6	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	24	-	1	-	-	-	-	3	2	1	1	3
MISSOURI ----------	104	-	-	3	1	3	2	5	5	5	6	6
WHITE------MALE----	24	-	-	-	-	1	1	1	1	2	-	1
FEMALE--	57	-	-	2	-	-	-	1	3	3	4	3
ALL OTHER--MALE----	10	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	13	-	-	1	-	1	-	-	1	-	2	2
BLACK---MALE----	9	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	13	-	-	1	-	1	-	-	1	-	2	2
MONTANA ----------	23	-	-	-	1	-	-	-	1	1	1	2
WHITE------MALE----	10	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	43	-	-	1	3	1	-	-	2	1	-	2
WHITE------MALE----	17	-	-	-	1	1	-	-	1	-	-	1
FEMALE--	23	-	-	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NEVADA ----------	37	-	1	-	-	1	1	-	2	2	-	6
WHITE------MALE----	16	-	1	-	-	1	1	-	1	-	-	3
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
MINNESOTA ----------	4	8	6	5	4	19	11	20	8	5	1	-
WHITE------MALE----	2	2	2	1	1	7	3	3	-	1	-	-
FEMALE--	2	4	4	3	3	12	8	17	8	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	4	3	6	3	2	2	3	2	-	-	-
WHITE------MALE----	2	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	3	2	2	1	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	3	2	2	1	1	1	2	1	-	-	-
MISSOURI ----------	8	9	1	7	7	2	13	9	7	3	2	-
WHITE------MALE----	1	3	-	1	2	1	6	2	-	1	-	-
FEMALE--	4	5	1	4	3	1	6	7	6	2	2	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	1	-	-	-
MONTANA ----------	1	1	-	2	4	2	2	1	4	-	-	-
WHITE------MALE----	-	-	-	-	3	-	1	1	2	-	-	-
FEMALE--	1	1	-	1	1	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA ----------	2	1	3	5	8	2	5	5	2	-	-	-
WHITE------MALE----	2	1	-	2	3	1	2	1	1	-	-	-
FEMALE--	-	-	3	3	5	1	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	5	2	2	2	6	4	1	1	-	-	-
WHITE------MALE----	1	2	1	-	2	1	2	-	-	-	-	-
FEMALE--	-	2	1	1	-	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
NEW HAMPSHIRE ----------	12	-	-	-	-	1	-	-	-	-	-	2
WHITE------MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	107	-	2	1	4	1	3	3	4	2	5	13
WHITE------MALE----	22	-	-	1	1	1	1	1	-	-	2	2
FEMALE--	45	-	1	-	-	-	1	-	2	-	1	5
ALL OTHER--MALE----	16	-	-	-	3	-	1	2	2	2	-	1
FEMALE--	24	-	1	-	-	-	-	-	-	-	2	5
BLACK---MALE----	15	-	-	-	3	-	1	2	2	2	-	1
FEMALE--	23	-	1	-	-	-	-	-	-	-	2	5
NEW MEXICO ----------	30	-	-	-	1	-	-	-	1	2	3	-
WHITE------MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	21	-	-	-	1	-	-	-	-	2	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	385	-	-	5	8	5	13	6	18	22	27	29
WHITE------MALE----	96	-	-	1	1	2	7	3	3	7	9	8
FEMALE--	154	-	-	1	1	-	3	2	4	10	11	15
ALL OTHER--MALE----	65	-	-	2	4	2	3	-	5	2	7	2
FEMALE--	70	-	-	1	2	1	-	1	6	3	-	4
BLACK---MALE----	54	-	-	2	4	2	2	-	5	2	7	2
FEMALE--	64	-	-	1	2	1	-	1	6	3	-	4
NORTH CAROLINA ---------	132	-	2	-	1	1	3	3	5	5	11	6
WHITE------MALE----	22	-	-	-	-	-	2	-	1	1	-	1
FEMALE--	52	-	1	-	-	1	-	1	-	-	5	1
ALL OTHER--MALE----	20	-	1	-	-	-	1	-	3	3	1	-
FEMALE--	38	-	-	-	1	-	-	2	1	1	5	4
BLACK---MALE----	19	-	1	-	-	-	1	-	3	3	1	-
FEMALE--	37	-	-	-	1	-	-	2	1	1	5	4
NORTH DAKOTA ----------	16	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
NEW HAMPSHIRE ----------	2	1	-	-	2	-	1	3	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	5	7	9	6	16	6	6	1	6	1	-
WHITE------MALE----	2	1	1	2	1	2	2	1	1	-	-	-
FEMALE--	2	3	2	3	3	8	4	5	-	4	1	-
ALL OTHER--MALE----	1	-	1	-	-	2	-	-	-	1	-	-
FEMALE--	1	1	3	4	2	4	-	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	1	3	4	2	4	-	-	-	1	-	-
NEW MEXICO ----------	1	1	3	1	4	4	1	2	4	2	-	-
WHITE------MALE----	-	-	2	-	1	1	1	-	1	-	-	-
FEMALE--	1	1	1	1	3	3	-	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	35	33	25	37	30	27	30	21	11	3	-	-
WHITE------MALE----	8	7	1	9	9	7	7	3	2	2	-	-
FEMALE--	11	10	9	18	8	15	15	15	6	-	-	-
ALL OTHER--MALE----	6	7	10	5	5	3	2	-	-	-	-	-
FEMALE--	10	9	5	5	8	2	6	3	3	1	-	-
BLACK---MALE----	6	6	6	3	4	2	1	-	-	-	-	-
FEMALE--	10	8	5	5	6	2	5	2	3	-	-	-
NORTH CAROLINA ---------	8	14	4	16	14	10	9	11	8	1	-	-
WHITE------MALE----	1	1	-	4	3	4	1	-	2	1	-	-
FEMALE--	1	7	2	7	5	3	5	8	5	-	-	-
ALL OTHER--MALE----	2	1	1	2	3	-	1	-	1	-	-	-
FEMALE--	4	5	1	3	3	3	2	3	-	-	-	-
BLACK---MALE----	2	1	1	2	2	-	1	-	1	-	-	-
FEMALE--	3	5	1	3	3	3	2	3	-	-	-	-
NORTH DAKOTA ----------	1	1	1	-	2	3	2	4	1	-	-	-
WHITE------MALE----	-	1	1	-	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
OHIO ----------	151	-	1	-	1	4	1	4	6	5	6	15
WHITE------MALE----	26	-	-	-	1	-	1	-	1	2	3	1
FEMALE--	87	-	-	-	-	2	-	1	2	2	1	9
ALL OTHER--MALE----	16	-	1	-	-	1	-	2	1	1	-	1
FEMALE--	22	-	-	-	-	1	-	1	2	-	2	4
BLACK---MALE----	15	-	1	-	-	1	-	2	1	1	-	1
FEMALE--	22	-	-	-	-	1	-	1	2	-	2	4
OKLAHOMA ----------	58	-	-	-	1	2	1	2	3	1	1	2
WHITE------MALE----	15	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	32	-	-	-	-	1	-	2	3	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
OREGON ----------	78	-	-	-	1	-	1	-	-	-	5	4
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	54	-	-	-	1	-	1	-	-	-	3	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	172	-	-	1	1	2	3	7	6	5	5	12
WHITE------MALE----	40	-	-	-	-	1	2	2	3	3	1	2
FEMALE--	104	-	-	1	-	-	-	4	1	2	1	8
ALL OTHER--MALE----	10	-	-	-	1	-	-	-	1	-	2	1
FEMALE--	18	-	-	-	-	1	1	1	1	-	1	1
BLACK---MALE----	10	-	-	-	1	-	-	-	1	-	2	1
FEMALE--	17	-	-	-	-	1	1	1	1	-	1	1
RHODE ISLAND ----------	16	-	-	1	-	-	-	-	1	3	-	-
WHITE------MALE----	6	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	58	-	-	-	1	2	2	-	-	4	1	6
WHITE------MALE----	11	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	8	-	-	-	1	-	1	-	-	1	-	1
FEMALE--	22	-	-	-	-	1	1	-	-	2	-	3
BLACK---MALE----	8	-	-	-	1	-	1	-	-	1	-	1
FEMALE--	22	-	-	-	-	1	1	-	-	2	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
OHIO ----------	7	8	8	14	16	14	19	6	10	6	-	-
WHITE------MALE----	2	-	2	2	2	3	2	3	1	-	-	-
FEMALE--	4	4	2	8	10	11	17	3	5	6	-	-
ALL OTHER--MALE----	-	2	3	2	1	-	-	-	1	-	-	-
FEMALE--	1	2	1	2	3	-	-	-	3	-	-	-
BLACK---MALE----	-	2	3	2	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	2	3	-	-	-	3	-	-	-
OKLAHOMA ----------	4	3	2	5	7	7	6	7	4	-	-	-
WHITE------MALE----	-	-	-	3	3	3	-	2	2	-	-	-
FEMALE--	3	1	2	1	2	3	5	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
OREGON ----------	6	9	4	5	3	7	18	9	4	2	-	-
WHITE------MALE----	1	2	-	-	1	2	5	3	1	1	-	-
FEMALE--	5	4	4	5	2	4	13	6	3	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	12	14	8	10	14	23	14	19	8	7	1	-
WHITE------MALE----	3	3	3	3	3	5	2	2	-	2	-	-
FEMALE--	5	4	5	6	10	15	11	17	8	5	1	-
ALL OTHER--MALE----	-	2	-	-	1	2	-	-	-	-	-	-
FEMALE--	4	5	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	2	-	-	-	-	-	-
FEMALE--	4	5	-	1	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	1	1	2	3	2	1	-	-	-	-
WHITE------MALE----	-	1	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	4	6	7	5	9	6	2	2	-	-	-
WHITE------MALE----	-	1	-	3	2	3	-	-	-	-	-	-
FEMALE--	-	-	1	3	1	4	2	1	2	-	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	3	1	1	2	4	1	-	-	-	-
BLACK---MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	3	1	1	2	4	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
SOUTH DAKOTA ----------	19	-	-	-	-	1	-	-	2	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	13	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	70	-	-	-	3	2	1	2	2	2	2	4
WHITE------MALE----	17	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	34	-	-	-	-	1	-	-	2	2	1	1
ALL OTHER--MALE----	9	-	-	-	2	-	1	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	9	-	-	-	2	-	1	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	2
TEXAS ----------	295	-	1	5	9	6	7	5	9	18	11	17
WHITE------MALE----	63	-	-	2	1	3	2	-	2	3	1	1
FEMALE--	145	-	1	1	2	3	2	1	2	8	5	7
ALL OTHER--MALE----	35	-	-	2	3	-	-	3	3	5	2	4
FEMALE--	52	-	-	-	3	-	3	1	2	2	3	5
BLACK---MALE----	32	-	-	2	3	-	-	3	3	4	1	4
FEMALE--	49	-	-	-	3	-	3	1	2	2	3	5
UTAH ----------	29	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	7	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	131	-	1	1	5	1	-	6	5	5	8	11
WHITE------MALE----	13	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	55	-	-	-	-	-	-	1	1	1	3	2
ALL OTHER--MALE----	24	-	1	1	4	1	-	3	1	-	1	2
FEMALE--	39	-	-	-	-	-	-	2	3	4	3	6
BLACK---MALE----	21	-	1	1	4	1	-	3	1	-	1	2
FEMALE--	35	-	-	-	-	-	-	2	3	3	3	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
SOUTH DAKOTA ----------	-	1	3	-	1	3	2	1	2	1	-	-
WHITE------MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	3	2	5	7	11	8	2	5	1	1	-
WHITE------MALE----	1	-	2	1	2	4	-	1	2	-	-	-
FEMALE--	4	2	-	3	3	5	4	1	3	1	1	-
ALL OTHER--MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	3	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	3	-	-	-	-	-
TEXAS ----------	19	20	16	28	30	36	24	21	7	5	1	-
WHITE------MALE----	4	5	6	4	13	7	6	1	1	1	-	-
FEMALE--	3	10	6	17	13	22	16	16	6	3	1	-
ALL OTHER--MALE----	4	1	1	3	-	3	-	1	-	-	-	-
FEMALE--	8	4	3	4	4	4	2	3	-	1	-	-
BLACK---MALE----	3	1	1	3	-	3	-	1	-	-	-	-
FEMALE--	7	4	3	3	3	4	2	3	-	1	-	-
UTAH ----------	2	2	1	4	7	3	2	3	3	1	-	-
WHITE------MALE----	-	-	1	-	1	-	1	-	2	1	-	-
FEMALE--	2	1	-	3	4	3	1	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	2	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	10	11	8	12	11	10	5	11	9	1	-	-
WHITE------MALE----	-	1	4	-	1	1	1	-	2	-	-	-
FEMALE--	5	6	2	7	6	6	2	6	6	1	-	-
ALL OTHER--MALE----	3	-	-	1	3	1	-	2	-	-	-	-
FEMALE--	2	4	2	4	1	2	2	3	1	-	-	-
BLACK---MALE----	2	-	-	1	2	1	-	1	-	-	-	-
FEMALE--	2	4	2	3	-	2	1	3	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
WASHINGTON ----------	90	-	1	-	3	2	1	1	3	2	5	3
WHITE------MALE----	25	-	-	-	1	-	-	-	-	-	2	1
FEMALE--	49	-	1	-	-	1	-	1	1	1	1	2
ALL OTHER--MALE----	10	-	-	-	2	-	-	-	1	1	1	-
FEMALE--	6	-	-	-	-	1	1	-	1	-	1	-
BLACK---MALE----	6	-	-	-	2	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	1	-
WEST VIRGINIA ----------	24	-	-	-	-	-	-	3	1	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WISCONSIN ----------	84	-	3	2	-	1	1	1	2	2	6	4
WHITE------MALE----	27	-	1	-	-	-	-	1	1	-	2	2
FEMALE--	42	-	-	1	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	1	2	-
FEMALE--	10	-	2	-	-	1	1	-	-	-	-	1
BLACK---MALE----	5	-	-	1	-	-	-	-	-	1	2	-
FEMALE--	8	-	1	-	-	-	1	-	-	-	-	1
WYOMING ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
WASHINGTON ----------	2	5	5	3	5	14	9	13	9	3	1	-
WHITE------MALE----	1	1	-	3	4	5	4	2	1	-	-	-
FEMALE--	1	4	2	-	1	8	5	10	7	2	1	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	1	1	2	2	2	6	3	-	1	-	-
WHITE------MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	2	2	2	5	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	6	4	4	5	10	13	7	5	4	1	-
WHITE------MALE----	-	3	1	1	2	5	5	-	2	1	-	-
FEMALE--	3	1	3	1	2	5	8	6	3	3	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	1	-	-	-	-
WYOMING ----------	2	2	1	1	-	-	2	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2422

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchiectasis (J47)												
UNITED STATES -	970	-	1	-	1	-	2	8	2	1	6	13
WHITE------MALE----	294	-	-	-	1	-	2	2	-	1	2	4
FEMALE--	596	-	-	-	-	-	-	3	-	-	3	5
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	48	-	1	-	-	-	-	2	2	-	-	3
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	-	1	-	-	-	-	2	-	-	-	1
ALABAMA ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	47	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	13	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	100	-	-	-	-	-	1	2	-	-	1	1
WHITE------MALE----	34	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
UNITED STATES -	18	31	40	76	96	189	229	174	65	15	3	-
WHITE------MALE----	2	7	13	16	35	66	68	50	20	4	1	-
FEMALE--	14	19	23	51	52	105	145	121	43	10	2	-
ALL OTHER--MALE----	1	3	2	1	3	10	5	2	2	-	-	-
FEMALE--	1	2	2	8	6	8	11	1	-	1	-	-
BLACK---MALE----	1	2	2	-	2	4	1	-	1	-	-	-
FEMALE--	1	1	1	3	4	4	5	1	-	1	-	-
ALABAMA ----------	1	-	-	-	2	4	7	6	1	-	-	-
WHITE------MALE----	-	-	-	-	1	2	2	4	-	-	-	-
FEMALE--	-	-	-	-	1	2	5	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	1	2	3	4	11	15	8	-	-	-	-
WHITE------MALE----	-	-	1	-	3	4	-	5	-	-	-	-
FEMALE--	1	1	-	3	1	7	15	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	-	3	2	3	1	1	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	5	3	7	11	20	24	15	8	1	1	-
WHITE------MALE----	-	1	2	3	4	7	6	5	4	-	1	-
FEMALE--	-	2	1	1	6	10	12	10	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	3	1	-	2	-	-	-
FEMALE--	-	1	-	2	1	-	5	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchiectasis (J47)												
COLORADO ----------	17	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	74	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	49	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	24	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
COLORADO ----------	-	-	1	2	1	3	5	3	-	-	-	-
WHITE------MALE----	-	-	1	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	5	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	1	2	1	3	3	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	1	1	1	2	1	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	2	5	5	15	23	18	2	3	-	-
WHITE------MALE----	-	-	-	1	1	4	9	7	1	1	-	-
FEMALE--	-	-	1	4	4	11	14	11	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	2	1	3	2	5	5	5	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	2	3	2	5	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchiectasis (J47)												
HAWAII ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	25	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	24	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
HAWAII ----------	-	-	-	-	2	2	3	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	5	2	-	3	8	6	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	4	1	-	1	5	5	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
INDIANA ----------	-	-	2	2	2	7	4	3	2	-	-	-
WHITE------MALE----	-	-	1	-	1	2	3	1	-	-	-	-
FEMALE--	-	-	1	2	1	5	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	2	1	3	3	3	2	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	-	-	3	4	4	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	2	1	-	-	-
FEMALE--	-	1	-	-	-	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchiectasis (J47)												
KENTUCKY ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	23	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	29	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	20	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
KENTUCKY ----------	-	3	2	2	2	-	3	3	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	2	2	2	1	-	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	1	1	-	2	3	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	-	3	5	5	5	3	-	-	-
WHITE------MALE----	-	1	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	3	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MASSACHUSETTS ----------	-	-	-	1	3	5	5	8	4	1	1	-
WHITE------MALE----	-	-	-	1	2	2	1	3	-	1	-	-
FEMALE--	-	-	-	-	1	3	4	5	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	2	-	1	2	5	4	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	3	-	1	-	-	-
FEMALE--	-	2	-	1	1	4	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchiectasis (J47)												
MINNESOTA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
MINNESOTA ----------	-	-	-	1	4	-	1	1	2	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	2	-	-	-
FEMALE--	-	-	-	1	3	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	1	2	1	2	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	1	1	5	1	2	3	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	3	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	3	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	1	-	-	2	2	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	1	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchiectasis (J47)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	7	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	41	-	-	-	-	-	-	1	-	-	-	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
NORTH CAROLINA ---------	43	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	4	2	3	8	4	4	1	-	-	-
WHITE------MALE----	-	-	2	-	1	3	2	1	-	-	-	-
FEMALE--	1	-	2	2	1	4	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	-	1	-	1	2	-	1	-	-	-
WHITE------MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	3	1	3	8	7	10	4	2	-	-	-
WHITE------MALE----	-	-	-	2	2	4	2	2	-	-	-	-
FEMALE--	-	3	1	-	6	2	8	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	-	2	2	1	3	8	11	7	6	-	1	-
WHITE------MALE----	-	-	1	-	1	3	3	-	2	-	-	-
FEMALE--	-	2	1	1	2	4	7	7	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchiectasis (J47)												
OHIO ----------	42	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	23	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	46	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
OHIO ----------	-	1	3	4	9	6	8	8	2	-	-	-
WHITE------MALE----	-	1	2	-	4	3	2	3	2	-	-	-
FEMALE--	-	-	1	4	4	2	6	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	1	3	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	1	3	1	7	4	2	2	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	5	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	2	1	4	3	9	13	7	2	2	-	-
WHITE------MALE----	-	-	1	1	2	4	3	3	2	-	-	-
FEMALE--	1	2	-	3	1	5	9	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	2	2	4	2	5	1	-	-	-
WHITE------MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchiectasis (J47)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	72	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	19	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	4	2	4	5	2	4	-	-	-	-
WHITE------MALE----	-	-	2	2	2	2	1	-	-	-	-	-
FEMALE--	1	1	1	-	2	3	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	3	-	13	6	13	16	9	7	-	-	-
WHITE------MALE----	-	1	-	-	2	6	6	2	1	-	-	-
FEMALE--	3	1	-	11	4	5	10	7	6	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	1	-	2	1	-	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	1	3	3	5	4	1	-	-	-
WHITE------MALE----	-	-	-	1	1	2	1	1	1	-	-	-
FEMALE--	-	1	-	-	2	1	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchiectasis (J47)												
WASHINGTON ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
WASHINGTON ----------	1	-	1	-	-	5	3	6	2	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	2	1	-	-	-
FEMALE--	1	-	1	-	-	2	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	3	6	2	1	1	-	-
WHITE------MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2431

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
UNITED STATES -	16,471	16	15	4	12	10	23	35	49	63	111	136
WHITE------MALE----	7,900	7	2	-	5	6	8	13	22	28	47	69
FEMALE--	6,802	6	6	4	3	2	6	11	16	17	34	36
ALL OTHER--MALE----	978	2	4	-	1	2	7	8	6	10	18	17
FEMALE--	791	1	3	-	3	-	2	3	5	8	12	14
BLACK---MALE----	842	1	4	-	1	2	7	7	5	9	16	15
FEMALE--	737	1	3	-	2	-	2	3	4	7	12	13
ALABAMA ----------	330	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	123	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	131	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	11	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	229	-	-	-	1	-	-	1	1	2	4	-
WHITE------MALE----	120	-	-	-	1	-	-	-	1	-	2	-
FEMALE--	96	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	167	1	-	-	-	-	-	-	2	-	2	2
WHITE------MALE----	70	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	79	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	410	3	-	-	-	-	1	3	2	1	-	5
WHITE------MALE----	205	1	-	-	-	-	-	2	1	-	-	2
FEMALE--	168	1	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	19	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	10	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
UNITED STATES -	173	281	374	693	1,356	2,340	3,228	3,627	2,641	1,071	213	-
WHITE------MALE----	73	137	205	394	763	1,339	1,706	1,696	986	350	44	-
FEMALE--	62	88	100	187	393	738	1,224	1,651	1,458	612	148	-
ALL OTHER--MALE----	24	34	52	77	129	166	167	138	74	39	3	-
FEMALE--	14	22	17	35	71	97	131	142	123	70	18	-
BLACK---MALE----	22	31	47	67	118	147	133	115	59	33	3	-
FEMALE--	13	21	16	32	65	92	121	132	118	65	15	-
ALABAMA ----------	5	4	9	14	30	47	62	70	48	34	5	-
WHITE------MALE----	2	2	4	7	19	23	23	22	13	6	1	-
FEMALE--	1	1	4	2	3	15	25	35	24	17	4	-
ALL OTHER--MALE----	1	-	1	4	4	5	8	3	3	1	-	-
FEMALE--	1	1	-	1	4	4	6	10	8	10	-	-
BLACK---MALE----	1	-	1	4	4	5	8	3	3	1	-	-
FEMALE--	1	1	-	1	4	4	6	10	8	10	-	-
ALASKA ----------	-	-	-	1	2	1	2	3	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	6	6	8	19	34	40	43	43	14	2	-
WHITE------MALE----	1	4	2	6	11	27	18	22	19	6	-	-
FEMALE--	4	1	3	1	8	7	20	19	23	7	2	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS ----------	2	2	2	6	11	20	40	47	20	9	1	-
WHITE------MALE----	1	1	-	2	4	9	24	20	3	2	-	-
FEMALE--	1	1	-	4	2	11	14	21	16	6	1	-
ALL OTHER--MALE----	-	-	2	-	1	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	4	-	1	3	1	1	-	-
BLACK---MALE----	-	-	2	-	1	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	4	-	1	3	1	1	-	-
CALIFORNIA ----------	8	9	10	20	31	63	70	89	61	28	6	-
WHITE------MALE----	4	6	7	12	14	34	38	43	29	12	-	-
FEMALE--	2	2	1	6	11	26	22	45	29	13	6	-
ALL OTHER--MALE----	1	-	2	1	1	1	8	-	2	1	-	-
FEMALE--	1	1	-	1	5	2	2	1	1	2	-	-
BLACK---MALE----	1	-	1	-	1	1	3	-	1	1	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
COLORADO ----------	219	1	1	-	1	-	1	-	1	-	1	1
WHITE------MALE----	107	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	103	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
CONNECTICUT ----------	346	-	-	-	-	-	-	-	1	1	2	3
WHITE------MALE----	157	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	172	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	78	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	40	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1,053	-	-	1	-	1	-	1	1	2	5	3
WHITE------MALE----	551	-	-	-	-	1	-	-	-	1	2	2
FEMALE--	436	-	-	1	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	38	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	459	-	1	-	-	-	1	1	1	2	4	5
WHITE------MALE----	199	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	179	-	1	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	45	-	-	-	-	-	1	-	1	1	2	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	45	-	-	-	-	-	1	-	1	1	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
COLORADO ----------	3	5	3	9	16	30	36	56	45	7	2	-
WHITE------MALE----	1	1	1	6	11	17	19	25	18	4	1	-
FEMALE--	2	4	1	2	5	12	17	30	24	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	3	-	-	-
CONNECTICUT ----------	3	4	7	5	24	40	68	83	71	28	6	-
WHITE------MALE----	1	2	3	1	12	24	37	38	26	7	2	-
FEMALE--	1	2	4	3	12	15	26	41	43	20	4	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	4	1	1	1	-	-
BLACK---MALE----	1	-	-	1	-	1	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	4	1	1	1	-	-
DELAWARE ----------	2	1	4	5	7	9	12	17	13	5	1	-
WHITE------MALE----	-	1	2	3	7	6	4	7	4	-	-	-
FEMALE--	1	-	1	2	-	3	4	9	9	4	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
DISTRICT OF COLUMBIA ---	1	1	2	2	4	7	5	10	4	2	1	-
WHITE------MALE----	-	-	1	1	1	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	1	1	-
ALL OTHER--MALE----	1	-	1	1	3	6	4	2	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	5	2	-	-	-
BLACK---MALE----	1	-	1	1	3	6	4	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	5	2	-	-	-
FLORIDA ----------	8	17	12	44	67	152	217	237	198	64	23	-
WHITE------MALE----	2	9	7	27	31	91	134	119	85	33	7	-
FEMALE--	3	4	4	10	31	46	75	112	105	28	13	-
ALL OTHER--MALE----	1	4	1	4	5	7	7	3	3	3	-	-
FEMALE--	2	-	-	3	-	8	1	3	5	-	3	-
BLACK---MALE----	1	4	1	3	5	7	6	3	3	3	-	-
FEMALE--	2	-	-	3	-	8	-	3	5	-	3	-
GEORGIA ----------	5	13	13	19	36	60	102	105	67	21	3	-
WHITE------MALE----	1	5	6	10	17	31	48	44	27	6	1	-
FEMALE--	3	3	3	3	9	20	42	50	29	9	2	-
ALL OTHER--MALE----	-	3	4	6	6	6	5	6	3	-	-	-
FEMALE--	1	2	-	-	4	3	7	5	8	6	-	-
BLACK---MALE----	-	3	4	6	6	6	5	6	3	-	-	-
FEMALE--	1	2	-	-	4	3	7	5	8	5	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2433

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
HAWAII ----------	81	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	66	-	-	-	1	-	-	-	-	1	-	1
WHITE------MALE----	34	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	855	1	-	-	1	-	-	1	1	4	6	3
WHITE------MALE----	385	-	-	-	-	-	-	1	1	-	3	3
FEMALE--	356	1	-	-	1	-	-	-	-	2	2	-
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	54	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	333	1	-	-	-	1	-	1	1	2	3	5
WHITE------MALE----	172	1	-	-	-	1	-	1	1	2	1	2
FEMALE--	135	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	227	-	-	-	-	-	-	-	2	-	1	1
WHITE------MALE----	109	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	114	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
KANSAS ----------	180	-	-	-	-	-	-	1	1	1	1	2
WHITE------MALE----	96	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	78	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
HAWAII ----------	-	1	-	5	9	10	18	12	15	7	2	-
WHITE------MALE----	-	1	-	-	2	2	2	-	3	1	-	-
FEMALE--	-	-	-	1	-	-	2	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	2	7	5	11	8	7	3	-	-
FEMALE--	-	-	-	2	-	3	3	3	2	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	2	-	1	6	6	17	15	13	2	-	-
WHITE------MALE----	1	1	-	1	4	4	10	6	3	1	-	-
FEMALE--	-	1	-	-	2	2	7	8	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	10	22	33	60	142	190	174	128	57	16	-
WHITE------MALE----	1	4	11	18	35	84	92	74	42	15	1	-
FEMALE--	2	4	4	9	15	43	79	79	67	35	13	-
ALL OTHER--MALE----	3	1	4	4	8	10	13	6	8	1	-	-
FEMALE--	-	1	3	2	2	5	6	15	11	6	2	-
BLACK---MALE----	3	1	4	4	7	8	12	5	6	1	-	-
FEMALE--	-	1	3	1	2	5	6	15	11	6	1	-
INDIANA ----------	2	6	7	23	30	46	53	73	52	23	4	-
WHITE------MALE----	1	2	4	14	18	31	26	38	21	7	1	-
FEMALE--	1	2	2	6	9	15	24	29	27	14	3	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	4	3	1	-	-
FEMALE--	-	1	1	1	2	-	3	2	1	1	-	-
BLACK---MALE----	-	1	-	2	1	-	-	4	3	1	-	-
FEMALE--	-	1	1	1	2	-	3	2	1	1	-	-
IOWA ----------	2	1	4	12	15	23	39	61	40	21	5	-
WHITE------MALE----	1	1	2	3	10	11	22	31	17	8	1	-
FEMALE--	1	-	2	9	5	12	17	28	23	13	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
KANSAS ----------	2	5	2	4	13	22	35	46	36	9	-	-
WHITE------MALE----	1	3	2	3	9	14	19	27	11	2	-	-
FEMALE--	1	2	-	1	4	6	13	18	25	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
KENTUCKY ----------	336	-	-	-	-	-	1	-	2	1	2	2
WHITE------MALE----	177	-	-	-	-	-	1	-	2	1	2	1
FEMALE--	144	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	227	1	-	-	-	1	1	1	1	2	2	-
WHITE------MALE----	76	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	84	1	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	39	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	39	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	79	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	52	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	441	-	1	-	-	-	-	4	-	1	3	3
WHITE------MALE----	177	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	170	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	49	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	45	-	1	-	-	-	-	2	-	-	1	-
BLACK---MALE----	47	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	44	-	1	-	-	-	-	2	-	-	1	-
MASSACHUSETTS ----------	486	-	-	-	-	1	-	1	-	1	1	1
WHITE------MALE----	238	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	234	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	541	-	1	-	1	-	3	3	2	4	4	13
WHITE------MALE----	266	-	-	-	-	-	2	2	-	3	2	10
FEMALE--	197	-	-	-	-	-	-	-	2	1	1	1
ALL OTHER--MALE----	41	-	1	-	-	-	1	1	-	-	-	2
FEMALE--	37	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	38	-	1	-	-	-	1	1	-	-	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
KENTUCKY ----------	1	1	8	19	26	47	66	69	59	21	11	-
WHITE------MALE----	1	1	7	15	19	28	37	33	21	4	4	-
FEMALE--	-	-	-	4	6	15	28	34	36	14	7	-
ALL OTHER--MALE----	-	-	1	-	1	4	1	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
BLACK---MALE----	-	-	1	-	1	4	1	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
LOUISIANA ----------	5	8	7	18	22	29	35	50	26	16	2	-
WHITE------MALE----	-	-	-	13	10	14	13	19	5	1	-	-
FEMALE--	1	5	1	1	4	6	12	23	16	10	2	-
ALL OTHER--MALE----	3	1	5	2	6	6	5	3	2	2	-	-
FEMALE--	1	2	1	2	2	3	5	5	3	3	-	-
BLACK---MALE----	3	1	5	2	6	6	5	3	2	2	-	-
FEMALE--	1	2	1	2	2	3	5	5	3	3	-	-
MAINE ----------	1	1	5	6	6	9	15	19	14	2	-	-
WHITE------MALE----	-	1	3	4	5	7	12	9	9	2	-	-
FEMALE--	1	-	2	2	1	2	3	10	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	8	12	21	52	62	93	75	64	30	5	-
WHITE------MALE----	2	4	6	6	25	28	46	23	27	7	2	-
FEMALE--	1	2	-	9	17	17	32	43	26	20	2	-
ALL OTHER--MALE----	3	1	5	4	7	12	3	4	3	1	-	-
FEMALE--	1	1	1	2	3	5	12	5	8	2	1	-
BLACK---MALE----	3	1	5	3	7	11	3	4	3	1	-	-
FEMALE--	1	1	1	2	3	4	12	5	8	2	1	-
MASSACHUSETTS ----------	4	2	9	13	35	58	95	110	102	49	4	-
WHITE------MALE----	2	2	8	10	23	36	54	49	36	16	1	-
FEMALE--	2	-	1	3	11	20	36	60	62	32	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	3	-	3	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	3	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	1	-	-
MICHIGAN ----------	5	12	11	20	46	78	113	105	86	29	5	-
WHITE------MALE----	-	4	5	12	28	46	55	55	33	9	-	-
FEMALE--	2	3	5	3	9	23	46	38	42	17	4	-
ALL OTHER--MALE----	2	2	1	3	6	5	5	8	2	2	-	-
FEMALE--	1	3	-	2	3	4	7	4	9	1	1	-
BLACK---MALE----	2	-	1	3	6	5	5	7	2	2	-	-
FEMALE--	1	3	-	2	3	4	7	4	9	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
MINNESOTA ----------	232	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	130	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	98	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	193	-	-	-	-	-	-	-	1	1	4	3
WHITE------MALE----	55	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	70	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	446	-	-	-	-	-	-	2	3	3	4	3
WHITE------MALE----	203	-	-	-	-	-	-	1	1	2	3	1
FEMALE--	190	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	63	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	129	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	67	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	60	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	73	1	-	-	-	-	1	-	-	-	2	3
WHITE------MALE----	35	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
MINNESOTA ----------	-	5	11	9	26	31	34	61	31	16	4	-
WHITE------MALE----	-	2	9	7	15	24	18	33	12	7	1	-
FEMALE--	-	3	2	2	10	6	15	28	19	9	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	3	3	12	18	28	38	38	22	18	1	-
WHITE------MALE----	1	-	3	5	5	8	13	9	6	4	-	-
FEMALE--	-	1	-	4	6	6	14	16	11	8	1	-
ALL OTHER--MALE----	1	2	-	3	3	6	7	5	2	1	-	-
FEMALE--	1	-	-	-	4	8	4	8	3	5	-	-
BLACK---MALE----	1	2	-	3	3	6	7	5	2	1	-	-
FEMALE--	1	-	-	-	4	8	4	8	3	5	-	-
MISSOURI ----------	5	9	8	18	36	54	91	96	82	28	4	-
WHITE------MALE----	2	3	2	7	20	35	47	38	31	9	1	-
FEMALE--	2	5	4	6	13	14	35	46	46	15	2	-
ALL OTHER--MALE----	1	1	1	3	-	3	5	10	2	1	-	-
FEMALE--	-	-	1	2	3	2	4	2	3	3	1	-
BLACK---MALE----	1	1	1	3	-	3	5	9	2	1	-	-
FEMALE--	-	-	1	2	3	2	4	2	3	3	1	-
MONTANA ----------	1	-	1	2	6	10	14	12	9	4	2	-
WHITE------MALE----	-	-	1	2	3	4	8	6	5	-	1	-
FEMALE--	1	-	-	-	3	6	6	6	4	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	1	3	1	7	14	18	35	31	14	1	-
WHITE------MALE----	1	-	2	1	5	6	11	20	15	4	1	-
FEMALE--	1	1	1	-	2	7	7	15	15	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	-	-	4	8	4	11	13	8	13	3	2	-
WHITE------MALE----	-	-	1	4	4	6	6	5	4	1	-	-
FEMALE--	-	-	1	4	-	3	6	2	8	2	2	-
ALL OTHER--MALE----	-	-	2	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
NEW HAMPSHIRE ----------	54	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	33	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	562	-	2	-	1	1	1	2	1	6	5	5
WHITE------MALE----	269	-	1	-	-	-	-	2	-	3	3	1
FEMALE--	241	-	1	-	1	1	1	-	1	1	2	4
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	66	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	692	1	1	1	3	-	1	1	-	6	8	2
WHITE------MALE----	348	1	-	-	-	-	-	-	-	1	5	1
FEMALE--	283	-	1	1	1	-	1	1	-	3	3	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	2	-	-	-	-	2	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	2	-	-	-	-	2	-	1
NORTH CAROLINA ---------	586	1	-	-	1	-	5	1	6	3	3	4
WHITE------MALE----	221	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	253	-	-	-	-	-	2	-	1	1	1	1
ALL OTHER--MALE----	66	-	-	-	1	-	2	1	1	1	-	-
FEMALE--	46	1	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	62	-	-	-	1	-	2	1	1	1	-	-
FEMALE--	46	1	-	-	-	-	-	-	2	-	1	1
NORTH DAKOTA ----------	51	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
NEW HAMPSHIRE ----------	-	-	2	3	2	11	6	11	12	5	-	-
WHITE------MALE----	-	-	2	2	1	10	2	6	5	3	-	-
FEMALE--	-	-	-	1	1	1	4	5	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	10	8	20	42	79	113	137	93	27	3	-
WHITE------MALE----	3	6	3	12	26	37	60	71	33	8	-	-
FEMALE--	3	4	3	4	11	28	45	56	56	17	2	-
ALL OTHER--MALE----	-	-	1	2	5	12	6	7	1	1	-	-
FEMALE--	-	-	1	2	-	2	2	3	3	1	1	-
BLACK---MALE----	-	-	1	2	4	11	5	7	1	1	-	-
FEMALE--	-	-	-	2	-	1	2	3	3	1	1	-
NEW MEXICO ----------	2	1	-	3	5	8	12	12	15	8	-	-
WHITE------MALE----	-	1	-	3	5	5	6	6	5	6	-	-
FEMALE--	1	-	-	-	-	2	6	4	8	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	8	15	18	31	36	85	136	161	116	52	10	-
WHITE------MALE----	3	12	10	20	22	53	68	83	48	20	1	-
FEMALE--	4	-	7	10	9	23	51	67	65	28	8	-
ALL OTHER--MALE----	-	3	-	-	3	7	9	2	-	-	1	-
FEMALE--	1	-	1	1	2	2	8	9	3	4	-	-
BLACK---MALE----	-	3	-	-	3	5	4	2	-	-	1	-
FEMALE--	1	-	1	1	2	2	8	9	3	3	-	-
NORTH CAROLINA ---------	9	13	15	29	56	84	116	129	65	40	6	-
WHITE------MALE----	5	3	7	16	28	41	48	43	11	12	-	-
FEMALE--	3	4	3	6	17	22	55	70	40	21	6	-
ALL OTHER--MALE----	-	4	4	7	7	12	7	9	8	2	-	-
FEMALE--	1	2	1	-	4	9	6	7	6	5	-	-
BLACK---MALE----	-	4	3	7	7	12	7	7	7	2	-	-
FEMALE--	1	2	1	-	4	9	6	7	6	5	-	-
NORTH DAKOTA ----------	-	-	-	1	4	6	9	11	13	6	-	-
WHITE------MALE----	-	-	-	-	4	6	2	3	8	4	-	-
FEMALE--	-	-	-	1	-	-	7	7	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
OHIO ----------	751	1	1	-	-	1	-	-	2	2	6	6
WHITE------MALE----	355	-	-	-	-	1	-	-	1	-	-	3
FEMALE--	329	1	-	-	-	-	-	-	1	1	4	1
ALL OTHER--MALE----	41	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	40	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	-
OKLAHOMA ----------	304	-	-	-	-	-	-	-	1	1	6	-
WHITE------MALE----	143	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	135	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
OREGON ----------	173	-	-	-	-	-	-	1	-	-	3	1
WHITE------MALE----	92	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	79	-	-	-	-	-	-	1	-	-	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,398	-	1	-	-	-	2	-	2	3	7	5
WHITE------MALE----	738	-	-	-	-	-	1	-	2	2	1	2
FEMALE--	551	-	1	-	-	-	1	-	-	1	3	2
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	56	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND ----------	60	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	34	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	264	-	-	-	-	-	-	-	1	1	3	6
WHITE------MALE----	111	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	98	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
OHIO ----------	9	12	20	44	64	111	141	152	117	58	4	-
WHITE------MALE----	4	5	12	23	37	64	77	75	41	12	-	-
FEMALE--	5	6	6	15	18	36	54	69	71	38	3	-
ALL OTHER--MALE----	-	1	-	6	8	5	7	5	1	4	-	-
FEMALE--	-	-	2	-	1	6	3	3	4	4	1	-
BLACK---MALE----	-	1	-	6	8	4	7	5	1	4	-	-
FEMALE--	-	-	2	-	1	6	3	3	4	4	1	-
OKLAHOMA ----------	-	7	5	6	29	36	75	64	52	18	4	-
WHITE------MALE----	-	4	2	3	19	21	35	27	23	5	2	-
FEMALE--	-	3	2	2	8	11	33	31	27	12	2	-
ALL OTHER--MALE----	-	-	1	1	1	3	1	5	1	-	-	-
FEMALE--	-	-	-	-	1	1	6	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	-	1	1	-	-
OREGON ----------	-	4	6	7	20	25	23	37	29	12	5	-
WHITE------MALE----	-	3	3	5	13	14	14	17	15	4	3	-
FEMALE--	-	1	2	2	7	11	9	19	14	8	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	12	16	24	51	111	214	314	340	201	76	19	-
WHITE------MALE----	9	10	12	27	57	127	204	181	77	23	3	-
FEMALE--	2	3	7	12	34	77	91	146	110	47	14	-
ALL OTHER--MALE----	-	-	4	8	13	6	10	5	5	4	1	-
FEMALE--	1	3	1	4	7	4	9	8	9	2	1	-
BLACK---MALE----	-	-	4	8	13	6	9	4	5	4	1	-
FEMALE--	1	3	1	4	7	4	9	8	9	2	1	-
RHODE ISLAND ----------	-	-	-	2	7	15	8	11	11	4	-	-
WHITE------MALE----	-	-	-	2	5	8	4	6	4	3	-	-
FEMALE--	-	-	-	-	2	7	4	5	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	8	8	14	20	46	47	54	35	15	2	-
WHITE------MALE----	3	4	2	8	9	21	22	20	12	4	1	-
FEMALE--	-	2	3	5	6	15	14	23	18	7	1	-
ALL OTHER--MALE----	1	1	3	1	3	5	3	7	2	1	-	-
FEMALE--	-	1	-	-	2	5	8	4	3	3	-	-
BLACK---MALE----	1	1	3	1	3	5	3	7	2	1	-	-
FEMALE--	-	1	-	-	2	5	8	4	3	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
SOUTH DAKOTA ----------	31	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	478	1	3	-	1	2	1	-	-	3	3	8
WHITE------MALE----	226	-	-	-	1	1	-	-	-	-	3	2
FEMALE--	194	-	-	-	-	-	1	-	-	1	-	3
ALL OTHER--MALE----	28	1	2	-	-	1	-	-	-	-	-	1
FEMALE--	30	-	1	-	-	-	-	-	-	2	-	2
BLACK---MALE----	28	1	2	-	-	1	-	-	-	-	-	1
FEMALE--	30	-	1	-	-	-	-	-	-	2	-	2
TEXAS ----------	1,027	2	1	1	-	-	2	3	4	5	4	9
WHITE------MALE----	454	1	1	-	-	-	2	1	1	4	2	5
FEMALE--	454	1	-	1	-	-	-	1	1	1	1	2
ALL OTHER--MALE----	63	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	60	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	1	-	1	2
UTAH ----------	92	-	-	-	-	1	-	-	1	1	2	1
WHITE------MALE----	48	-	-	-	-	1	-	-	-	1	2	-
FEMALE--	42	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	29	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	552	1	-	-	-	1	-	1	1	-	-	6
WHITE------MALE----	268	1	-	-	-	-	-	1	-	-	-	2
FEMALE--	201	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
SOUTH DAKOTA ----------	-	-	-	2	3	4	3	10	3	5	-	-
WHITE------MALE----	-	-	-	2	3	2	1	4	2	2	-	-
FEMALE--	-	-	-	-	-	2	1	6	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	10	13	13	39	78	93	99	77	25	4	-
WHITE------MALE----	3	5	7	6	20	46	42	52	29	8	1	-
FEMALE--	2	3	5	6	14	19	40	40	44	14	2	-
ALL OTHER--MALE----	-	1	1	1	3	9	4	3	-	1	-	-
FEMALE--	-	1	-	-	2	4	7	4	4	2	1	-
BLACK---MALE----	-	1	1	1	3	9	4	3	-	1	-	-
FEMALE--	-	1	-	-	2	4	7	4	4	2	1	-
TEXAS ----------	11	18	19	43	90	150	189	220	169	74	13	-
WHITE------MALE----	4	8	11	26	34	82	100	92	50	28	2	-
FEMALE--	5	4	6	11	34	52	72	108	104	41	9	-
ALL OTHER--MALE----	-	5	1	3	13	10	11	10	4	4	-	-
FEMALE--	2	1	1	3	9	6	6	10	11	1	2	-
BLACK---MALE----	-	5	1	3	13	9	10	9	4	4	-	-
FEMALE--	2	1	1	3	8	6	5	10	11	1	2	-
UTAH ----------	3	1	2	5	7	14	18	20	10	2	4	-
WHITE------MALE----	3	1	-	2	4	8	10	12	4	-	-	-
FEMALE--	-	-	2	2	3	5	8	8	6	2	4	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	1	1	2	6	7	7	2	-	-
WHITE------MALE----	-	-	1	1	1	2	3	4	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	3	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5	13	16	27	66	75	103	126	77	28	6	-
WHITE------MALE----	3	5	9	14	41	39	56	55	29	12	1	-
FEMALE--	-	6	2	7	13	24	37	51	41	14	4	-
ALL OTHER--MALE----	2	2	2	1	9	6	5	9	2	1	-	-
FEMALE--	-	-	3	5	3	6	5	11	5	1	1	-
BLACK---MALE----	2	2	2	1	8	6	5	9	2	-	-	-
FEMALE--	-	-	3	5	3	6	5	11	5	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
WASHINGTON ----------	340	-	-	-	1	-	-	-	1	-	2	5
WHITE------MALE----	197	-	-	-	1	-	-	-	-	-	2	3
FEMALE--	126	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	232	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	164	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	376	-	-	-	-	-	1	2	3	1	2	6
WHITE------MALE----	200	-	-	-	-	-	-	-	3	1	1	3
FEMALE--	162	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
WYOMING ----------	23	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
WASHINGTON ----------	7	5	11	7	25	42	75	73	55	24	7	-
WHITE------MALE----	3	3	10	3	15	26	49	46	27	6	3	-
FEMALE--	3	2	1	2	8	14	21	26	27	16	4	-
ALL OTHER--MALE----	1	-	-	2	1	2	5	-	-	2	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	1	11	14	36	53	41	42	20	6	3	-
WHITE------MALE----	1	-	10	9	32	42	29	26	9	3	-	-
FEMALE--	-	1	1	2	3	9	10	16	11	3	2	-
ALL OTHER--MALE----	-	-	-	3	1	2	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	1	2	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	9	10	12	27	56	64	85	68	23	5	-
WHITE------MALE----	2	7	5	10	17	31	33	47	27	12	1	-
FEMALE--	-	1	4	1	7	22	30	37	41	11	4	-
ALL OTHER--MALE----	-	-	1	-	2	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
WYOMING ----------	-	1	-	-	2	3	5	7	2	-	-	-
WHITE------MALE----	-	-	-	-	2	3	4	3	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2440

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
UNITED STATES -	1,113	-	3	-	-	1	-	-	-	3	4	3
WHITE------MALE----	1,006	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	73	-	3	-	-	1	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	64	-	3	-	-	1	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALABAMA ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	50	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2440

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
UNITED STATES -	12	19	38	104	170	251	252	180	54	18	1	-
WHITE------MALE----	8	19	28	91	160	231	236	161	52	14	-	-
FEMALE--	-	-	-	4	-	8	9	7	1	1	-	-
ALL OTHER--MALE----	4	-	10	8	10	12	7	11	1	3	1	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	8	7	8	9	7	10	1	3	1	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALABAMA ----------	1	1	-	3	-	7	1	4	1	2	-	-
WHITE------MALE----	-	1	-	2	-	5	1	3	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	2	2	1	2	1	1	1	-	-
WHITE------MALE----	-	1	-	2	2	-	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	2	-	3	-	2	1	-	-	-	-
WHITE------MALE----	-	1	-	-	3	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	2	2	6	7	9	12	7	2	2	-	-
WHITE------MALE----	1	2	2	6	6	9	10	7	2	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
COLORADO ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	59	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	54	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	13	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
COLORADO ----------	-	-	-	-	1	1	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	3	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	1	2	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	7	6	15	17	9	4	-	-	-
WHITE------MALE----	1	-	-	6	6	14	15	8	4	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	1	3	1	3	2	1	1	-	-	-
WHITE------MALE----	-	-	1	2	1	3	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
HAWAII ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	1	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	2	1	-	7	3	6	3	-	-	-
WHITE------MALE----	-	-	2	1	-	6	3	5	3	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	1	2	2	4	3	5	1	-	-	-
WHITE------MALE----	-	-	1	2	2	4	3	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	1	-	-	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
KENTUCKY ----------	40	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	40	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	25	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	27	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
KENTUCKY ----------	-	-	3	6	6	10	8	4	2	-	-	-
WHITE------MALE----	-	-	3	6	6	10	8	4	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	1	5	1	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	4	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	1	1	-	1	-	2	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	1	2	6	5	5	3	2	-	-	-
WHITE------MALE----	-	-	1	1	6	5	5	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	-	-	4	2	5	3	-	-	-	-
WHITE------MALE----	-	1	-	-	4	2	3	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	7	4	4	6	4	1	-	-	-
WHITE------MALE----	-	-	-	5	4	3	4	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2444

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
MINNESOTA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
MINNESOTA ----------	-	-	1	2	4	1	1	2	-	-	-	-
WHITE------MALE----	-	-	1	2	4	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	3	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	3	1	2	2	2	1	1	-	-
WHITE------MALE----	-	-	-	3	1	2	2	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	42	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	29	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
NEW HAMPSHIRE ----------	-	-	-	-	1	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	1	3	9	8	14	5	2	-	-	-
WHITE------MALE----	-	-	-	2	6	8	13	5	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	1	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	2	-	3	1	6	7	3	1	-	-	-
WHITE------MALE----	-	2	-	3	1	6	6	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	1	2	1	7	6	9	2	-	-	-	-
WHITE------MALE----	1	1	1	1	7	6	7	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
OHIO ----------	55	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	44	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	225	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	220	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
OHIO ----------	-	1	1	6	13	15	9	6	2	2	-	-
WHITE------MALE----	-	1	1	4	11	12	8	4	2	1	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	3	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	3	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA ----------	-	-	1	-	2	1	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	1	1	-	3	3	2	6	-	1	-	-
WHITE------MALE----	-	1	-	-	3	3	2	5	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	2	2	10	19	53	68	49	14	5	-	-
WHITE------MALE----	2	2	1	10	19	50	68	49	14	5	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	1	1	3	2	-	2	-	1	-	-
WHITE------MALE----	-	1	1	1	3	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	27	-	2	-	-	1	-	-	-	1	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TEXAS ----------	37	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	60	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	58	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
SOUTH DAKOTA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	1	1	-	2	8	5	3	2	-	-	-
WHITE------MALE----	-	1	-	-	2	8	5	3	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	2	6	6	9	8	4	1	-	-	-
WHITE------MALE----	-	-	2	6	5	9	8	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	1	1	1	2	-	-	-	-	-
WHITE------MALE----	1	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	3	5	14	8	16	9	3	1	-	-
WHITE------MALE----	-	1	3	5	14	7	16	8	3	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
WASHINGTON ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	117	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	108	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
WASHINGTON ----------	-	1	1	-	3	9	7	10	-	-	-	-
WHITE------MALE----	-	1	1	-	3	8	7	9	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	6	11	25	32	21	15	5	-	1	-
WHITE------MALE----	1	-	6	9	24	30	19	15	4	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	2	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	2	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	-	2	4	2	4	-	-	-	-	-
WHITE------MALE----	-	1	-	2	3	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2449

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
UNITED STATES -	15,268	16	12	4	12	9	23	33	45	59	107	129
WHITE------MALE----	6,853	7	2	-	5	6	8	13	20	26	45	66
FEMALE--	6,729	6	6	4	3	2	6	10	14	17	33	32
ALL OTHER--MALE----	902	2	1	-	1	1	7	8	6	9	17	17
FEMALE--	784	1	3	-	3	-	2	2	5	7	12	14
BLACK---MALE----	775	1	1	-	1	1	7	7	5	8	15	15
FEMALE--	730	1	3	-	2	-	2	2	4	6	12	13
ALABAMA ----------	306	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	107	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	129	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	10	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	218	-	-	-	1	-	-	1	1	2	4	-
WHITE------MALE----	110	-	-	-	1	-	-	-	1	-	2	-
FEMALE--	95	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	157	1	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	63	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	78	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	355	3	-	-	-	-	1	3	-	1	-	5
WHITE------MALE----	156	1	-	-	-	-	-	2	-	-	-	2
FEMALE--	165	1	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	16	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
UNITED STATES -	155	259	327	582	1,172	2,068	2,962	3,443	2,586	1,053	212	-
WHITE------MALE----	62	118	173	298	597	1,099	1,463	1,532	933	336	44	-
FEMALE--	59	86	96	181	385	721	1,209	1,643	1,457	611	148	-
ALL OTHER--MALE----	20	33	41	69	119	153	160	127	73	36	2	-
FEMALE--	14	22	17	34	71	95	130	141	123	70	18	-
BLACK---MALE----	18	30	38	60	110	137	126	105	58	30	2	-
FEMALE--	13	21	16	31	65	90	120	131	118	65	15	-
ALABAMA ----------	3	3	9	11	30	39	60	66	47	32	5	-
WHITE------MALE----	2	1	4	5	19	18	21	19	12	4	1	-
FEMALE--	-	1	4	2	3	14	25	35	24	17	4	-
ALL OTHER--MALE----	-	-	1	3	4	3	8	2	3	1	-	-
FEMALE--	1	1	-	1	4	4	6	10	8	10	-	-
BLACK---MALE----	-	-	1	3	4	3	8	2	3	1	-	-
FEMALE--	1	1	-	1	4	4	6	10	8	10	-	-
ALASKA ----------	-	-	-	1	2	-	2	3	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	5	6	6	17	33	38	42	42	13	2	-
WHITE------MALE----	1	3	2	4	9	27	16	21	18	5	-	-
FEMALE--	4	1	3	1	8	6	20	19	23	7	2	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS ----------	2	1	-	6	8	20	38	46	20	9	1	-
WHITE------MALE----	1	-	-	2	1	9	22	19	3	2	-	-
FEMALE--	1	1	-	4	2	11	14	21	16	6	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	4	-	1	3	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	4	-	1	3	1	1	-	-
CALIFORNIA ----------	6	7	8	14	23	53	58	82	59	26	6	-
WHITE------MALE----	2	4	5	6	7	25	28	36	27	11	-	-
FEMALE--	2	2	1	6	11	25	21	45	29	13	6	-
ALL OTHER--MALE----	1	-	2	1	-	1	7	-	2	-	-	-
FEMALE--	1	1	-	1	5	2	2	1	1	2	-	-
BLACK---MALE----	1	-	1	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
COLORADO ----------	211	1	1	-	1	-	1	-	1	-	1	1
WHITE------MALE----	101	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	101	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
CONNECTICUT ----------	342	-	-	-	-	-	-	-	1	1	2	3
WHITE------MALE----	154	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	171	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	71	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	39	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	990	-	-	1	-	1	-	1	1	1	5	3
WHITE------MALE----	494	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	431	-	-	1	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	38	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	446	-	1	-	-	-	1	1	1	1	4	5
WHITE------MALE----	189	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	178	-	1	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	43	-	-	-	-	-	1	-	1	-	2	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	43	-	-	-	-	-	1	-	1	-	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
COLORADO ----------	3	4	3	8	15	29	35	54	44	7	2	-
WHITE------MALE----	1	1	1	6	10	16	18	23	17	4	1	-
FEMALE--	2	3	1	1	5	12	17	30	24	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	3	-	-	-
CONNECTICUT ----------	3	4	6	5	24	37	68	83	71	28	6	-
WHITE------MALE----	1	2	3	1	12	21	37	38	26	7	2	-
FEMALE--	1	2	3	3	12	15	26	41	43	20	4	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	4	1	1	1	-	-
BLACK---MALE----	1	-	-	1	-	1	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	4	1	1	1	-	-
DELAWARE ----------	2	1	2	4	5	8	12	16	13	5	1	-
WHITE------MALE----	-	1	1	2	5	5	4	6	4	-	-	-
FEMALE--	1	-	1	2	-	3	4	9	9	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
DISTRICT OF COLUMBIA ---	1	1	2	2	4	6	5	10	4	2	1	-
WHITE------MALE----	-	-	1	1	1	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	1	1	-
ALL OTHER--MALE----	1	-	1	1	3	5	4	2	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	5	2	-	-	-
BLACK---MALE----	1	-	1	1	3	5	4	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	5	2	-	-	-
FLORIDA ----------	6	17	12	36	61	136	200	228	194	64	23	-
WHITE------MALE----	1	9	7	20	25	76	119	111	81	33	7	-
FEMALE--	2	4	4	10	31	45	73	111	105	28	13	-
ALL OTHER--MALE----	1	4	1	3	5	7	7	3	3	3	-	-
FEMALE--	2	-	-	3	-	8	1	3	5	-	3	-
BLACK---MALE----	1	4	1	3	5	7	6	3	3	3	-	-
FEMALE--	2	-	-	3	-	8	-	3	5	-	3	-
GEORGIA ----------	5	13	12	16	35	57	100	104	66	21	3	-
WHITE------MALE----	1	5	5	8	16	28	46	44	26	6	1	-
FEMALE--	3	3	3	2	9	20	42	50	29	9	2	-
ALL OTHER--MALE----	-	3	4	6	6	6	5	5	3	-	-	-
FEMALE--	1	2	-	-	4	3	7	5	8	6	-	-
BLACK---MALE----	-	3	4	6	6	6	5	5	3	-	-	-
FEMALE--	1	2	-	-	4	3	7	5	8	5	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
HAWAII ----------	80	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	59	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	27	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	827	1	-	-	1	-	-	1	1	4	6	3
WHITE------MALE----	361	-	-	-	-	-	-	1	1	-	3	3
FEMALE--	353	1	-	-	1	-	-	-	-	2	2	-
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	53	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	311	1	-	-	-	1	-	1	1	2	3	5
WHITE------MALE----	154	1	-	-	-	1	-	1	1	2	1	2
FEMALE--	133	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	221	-	-	-	-	-	-	-	2	-	1	1
WHITE------MALE----	104	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	113	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
KANSAS ----------	176	-	-	-	-	-	-	1	1	1	1	2
WHITE------MALE----	92	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	78	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
HAWAII ----------	-	1	-	5	8	10	18	12	15	7	2	-
WHITE------MALE----	-	1	-	-	2	2	2	-	3	1	-	-
FEMALE--	-	-	-	1	-	-	2	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	2	6	5	11	8	7	3	-	-
FEMALE--	-	-	-	2	-	3	3	3	2	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	2	-	-	5	6	16	14	12	2	-	-
WHITE------MALE----	1	1	-	-	3	4	9	5	2	1	-	-
FEMALE--	-	1	-	-	2	2	7	8	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	9	20	30	59	133	187	168	125	57	16	-
WHITE------MALE----	1	4	9	16	34	76	89	69	39	15	1	-
FEMALE--	2	4	4	8	15	42	79	78	67	35	13	-
ALL OTHER--MALE----	3	-	4	4	8	10	13	6	8	1	-	-
FEMALE--	-	1	3	2	2	5	6	15	11	6	2	-
BLACK---MALE----	3	-	4	4	7	8	12	5	6	1	-	-
FEMALE--	-	1	3	1	2	5	6	15	11	6	1	-
INDIANA ----------	2	5	6	21	28	41	49	67	51	23	4	-
WHITE------MALE----	1	2	3	12	16	26	23	34	20	7	1	-
FEMALE--	1	1	2	6	9	15	23	29	27	14	3	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	2	3	1	-	-
FEMALE--	-	1	1	1	2	-	3	2	1	1	-	-
BLACK---MALE----	-	1	-	2	1	-	-	2	3	1	-	-
FEMALE--	-	1	1	1	2	-	3	2	1	1	-	-
IOWA ----------	2	1	3	11	15	22	39	61	38	20	5	-
WHITE------MALE----	1	1	1	2	10	11	22	31	15	7	1	-
FEMALE--	1	-	2	9	5	11	17	28	23	13	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
KANSAS ----------	1	4	1	4	13	22	34	46	36	9	-	-
WHITE------MALE----	-	2	1	3	9	14	18	27	11	2	-	-
FEMALE--	1	2	-	1	4	6	13	18	25	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
KENTUCKY ----------	296	-	-	-	-	-	1	-	2	1	1	2
WHITE------MALE----	137	-	-	-	-	-	1	-	2	1	1	1
FEMALE--	144	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	211	1	-	-	-	1	1	1	1	2	1	-
WHITE------MALE----	65	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	83	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	35	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	35	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	74	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	415	-	1	-	-	-	-	4	-	1	3	3
WHITE------MALE----	156	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	169	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	45	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	45	-	1	-	-	-	-	2	-	-	1	-
BLACK---MALE----	43	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	44	-	1	-	-	-	-	2	-	-	1	-
MASSACHUSETTS ----------	471	-	-	-	-	1	-	1	-	1	1	1
WHITE------MALE----	225	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	233	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	510	-	-	-	1	-	3	3	2	4	4	12
WHITE------MALE----	246	-	-	-	-	-	2	2	-	3	2	10
FEMALE--	192	-	-	-	-	-	-	-	2	1	1	-
ALL OTHER--MALE----	35	-	-	-	-	-	1	1	-	-	-	2
FEMALE--	37	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	32	-	-	-	-	-	1	1	-	-	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
KENTUCKY ----------	1	1	5	13	20	37	58	65	57	21	11	-
WHITE------MALE----	1	1	4	9	13	18	29	29	19	4	4	-
FEMALE--	-	-	-	4	6	15	28	34	36	14	7	-
ALL OTHER--MALE----	-	-	1	-	1	4	1	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
BLACK---MALE----	-	-	1	-	1	4	1	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
LOUISIANA ----------	4	8	5	13	21	26	33	49	26	16	2	-
WHITE------MALE----	-	-	-	9	9	11	11	18	5	1	-	-
FEMALE--	1	5	1	1	4	6	12	23	16	10	2	-
ALL OTHER--MALE----	2	1	3	1	6	6	5	3	2	2	-	-
FEMALE--	1	2	1	2	2	3	5	5	3	3	-	-
BLACK---MALE----	2	1	3	1	6	6	5	3	2	2	-	-
FEMALE--	1	2	1	2	2	3	5	5	3	3	-	-
MAINE ----------	1	1	4	5	6	8	15	17	14	2	-	-
WHITE------MALE----	-	1	2	3	5	6	12	8	9	2	-	-
FEMALE--	1	-	2	2	1	2	3	9	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	8	11	19	45	57	88	72	62	30	5	-
WHITE------MALE----	2	4	5	5	18	23	41	22	26	7	2	-
FEMALE--	1	2	-	8	17	17	32	43	26	20	2	-
ALL OTHER--MALE----	2	1	5	4	7	12	3	2	2	1	-	-
FEMALE--	1	1	1	2	3	5	12	5	8	2	1	-
BLACK---MALE----	2	1	5	3	7	11	3	2	2	1	-	-
FEMALE--	1	1	1	2	3	4	12	5	8	2	1	-
MASSACHUSETTS ----------	4	1	9	13	31	56	90	107	102	49	4	-
WHITE------MALE----	2	1	8	10	19	34	51	46	36	16	1	-
FEMALE--	2	-	1	3	11	20	35	60	62	32	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	3	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	1	-	-
MICHIGAN ----------	4	12	11	13	42	73	106	101	85	29	5	-
WHITE------MALE----	-	4	5	7	24	43	51	52	32	9	-	-
FEMALE--	1	3	5	3	9	22	44	38	42	17	4	-
ALL OTHER--MALE----	2	2	1	1	6	4	4	7	2	2	-	-
FEMALE--	1	3	-	2	3	4	7	4	9	1	1	-
BLACK---MALE----	2	-	1	1	6	4	4	6	2	2	-	-
FEMALE--	1	3	-	2	3	4	7	4	9	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
MINNESOTA ----------	219	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	118	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	97	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	187	-	-	-	-	-	-	-	1	1	4	3
WHITE------MALE----	51	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	69	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	431	-	-	-	-	-	-	2	3	3	4	3
WHITE------MALE----	192	-	-	-	-	-	-	1	1	2	3	1
FEMALE--	189	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	60	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	126	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	64	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	60	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	69	1	-	-	-	-	1	-	-	-	2	2
WHITE------MALE----	31	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
MINNESOTA ----------	-	5	10	7	22	29	33	58	31	16	4	-
WHITE------MALE----	-	2	8	5	11	22	17	31	12	7	1	-
FEMALE--	-	3	2	2	10	6	15	27	19	9	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	3	3	9	18	26	38	37	22	18	1	-
WHITE------MALE----	1	-	3	3	5	7	13	8	6	4	-	-
FEMALE--	-	1	-	3	6	6	14	16	11	8	1	-
ALL OTHER--MALE----	1	2	-	3	3	6	7	5	2	1	-	-
FEMALE--	1	-	-	-	4	7	4	8	3	5	-	-
BLACK---MALE----	1	2	-	3	3	6	7	5	2	1	-	-
FEMALE--	1	-	-	-	4	7	4	8	3	5	-	-
MISSOURI ----------	5	9	8	15	34	52	87	94	81	27	4	-
WHITE------MALE----	2	3	2	4	19	33	44	38	30	8	1	-
FEMALE--	2	5	4	6	12	14	35	46	46	15	2	-
ALL OTHER--MALE----	1	1	1	3	-	3	5	8	2	1	-	-
FEMALE--	-	-	1	2	3	2	3	2	3	3	1	-
BLACK---MALE----	1	1	1	3	-	3	5	8	2	1	-	-
FEMALE--	-	-	1	2	3	2	3	2	3	3	1	-
MONTANA ----------	1	-	1	2	6	9	13	11	9	4	2	-
WHITE------MALE----	-	-	1	2	3	3	7	5	5	-	1	-
FEMALE--	1	-	-	-	3	6	6	6	4	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	1	3	1	7	14	17	34	30	14	1	-
WHITE------MALE----	1	-	2	1	5	6	10	19	14	4	1	-
FEMALE--	1	1	1	-	2	7	7	15	15	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	-	-	4	8	3	11	12	7	13	3	2	-
WHITE------MALE----	-	-	1	4	3	6	5	4	4	1	-	-
FEMALE--	-	-	1	4	-	3	6	2	8	2	2	-
ALL OTHER--MALE----	-	-	2	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
NEW HAMPSHIRE ----------	51	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	30	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	518	-	2	-	1	1	1	2	1	6	5	4
WHITE------MALE----	233	-	1	-	-	-	-	2	-	3	3	1
FEMALE--	238	-	1	-	1	1	1	-	1	1	2	3
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	62	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	662	1	1	1	3	-	1	1	-	6	8	2
WHITE------MALE----	323	1	-	-	-	-	-	-	-	1	5	1
FEMALE--	278	-	1	1	1	-	1	1	-	3	3	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	2	-	-	-	-	2	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	2	-	-	-	-	2	-	1
NORTH CAROLINA ---------	557	1	-	-	1	-	5	1	6	3	3	4
WHITE------MALE----	196	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	252	-	-	-	-	-	2	-	1	1	1	1
ALL OTHER--MALE----	63	-	-	-	1	-	2	1	1	1	-	-
FEMALE--	46	1	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	60	-	-	-	1	-	2	1	1	1	-	-
FEMALE--	46	1	-	-	-	-	-	-	2	-	1	1
NORTH DAKOTA ----------	50	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
NEW HAMPSHIRE ----------	-	-	2	3	1	10	6	11	12	4	-	-
WHITE------MALE----	-	-	2	2	-	9	2	6	5	2	-	-
FEMALE--	-	-	-	1	1	1	4	5	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	10	7	17	33	71	98	132	91	27	3	-
WHITE------MALE----	3	6	3	10	20	29	47	66	31	8	-	-
FEMALE--	3	4	3	4	11	28	43	56	56	17	2	-
ALL OTHER--MALE----	-	-	-	2	2	12	6	7	1	1	-	-
FEMALE--	-	-	1	1	-	2	2	3	3	1	1	-
BLACK---MALE----	-	-	-	2	2	11	5	7	1	1	-	-
FEMALE--	-	-	-	1	-	1	2	3	3	1	1	-
NEW MEXICO ----------	2	1	-	3	4	7	10	12	15	8	-	-
WHITE------MALE----	-	1	-	3	4	5	4	6	5	6	-	-
FEMALE--	1	-	-	-	-	2	6	4	8	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7	13	16	28	34	78	128	157	115	52	10	-
WHITE------MALE----	2	10	10	17	21	47	61	79	47	20	1	-
FEMALE--	4	-	5	10	8	22	50	67	65	28	8	-
ALL OTHER--MALE----	-	3	-	-	3	7	9	2	-	-	1	-
FEMALE--	1	-	1	1	2	2	8	9	3	4	-	-
BLACK---MALE----	-	3	-	-	3	5	4	2	-	-	1	-
FEMALE--	1	-	1	1	2	2	8	9	3	3	-	-
NORTH CAROLINA ---------	8	12	13	28	49	78	107	127	65	40	6	-
WHITE------MALE----	4	2	6	15	21	35	41	42	11	12	-	-
FEMALE--	3	4	3	6	17	22	54	70	40	21	6	-
ALL OTHER--MALE----	-	4	3	7	7	12	6	8	8	2	-	-
FEMALE--	1	2	1	-	4	9	6	7	6	5	-	-
BLACK---MALE----	-	4	3	7	7	12	6	6	7	2	-	-
FEMALE--	1	2	1	-	4	9	6	7	6	5	-	-
NORTH DAKOTA ----------	-	-	-	1	4	5	9	11	13	6	-	-
WHITE------MALE----	-	-	-	-	4	5	2	3	8	4	-	-
FEMALE--	-	-	-	1	-	-	7	7	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
OHIO ----------	693	1	1	-	-	1	-	-	2	2	6	6
WHITE------MALE----	310	-	-	-	-	1	-	-	1	-	-	3
FEMALE--	325	1	-	-	-	-	-	-	1	1	4	1
ALL OTHER--MALE----	33	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	32	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	-
OKLAHOMA ----------	296	-	-	-	-	-	-	-	1	1	6	-
WHITE------MALE----	137	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	135	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
OREGON ----------	155	-	-	-	-	-	-	1	-	-	3	1
WHITE------MALE----	77	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	77	-	-	-	-	-	-	1	-	-	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,169	-	1	-	-	-	2	-	2	3	6	5
WHITE------MALE----	516	-	-	-	-	-	1	-	2	2	1	2
FEMALE--	546	-	1	-	-	-	1	-	-	1	3	2
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	54	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND ----------	58	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	32	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	249	-	-	-	-	-	-	-	1	1	3	6
WHITE------MALE----	100	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	96	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
OHIO ----------	9	11	18	38	50	96	131	146	115	56	4	-
WHITE------MALE----	4	4	10	19	26	52	69	71	39	11	-	-
FEMALE--	5	6	6	14	17	36	53	68	71	38	3	-
ALL OTHER--MALE----	-	1	-	5	6	2	6	5	1	3	-	-
FEMALE--	-	-	2	-	1	6	3	2	4	4	1	-
BLACK---MALE----	-	1	-	5	6	1	6	5	1	3	-	-
FEMALE--	-	-	2	-	1	6	3	2	4	4	1	-
OKLAHOMA ----------	-	7	4	6	27	35	73	62	52	18	4	-
WHITE------MALE----	-	4	2	3	17	21	33	25	23	5	2	-
FEMALE--	-	3	2	2	8	11	33	31	27	12	2	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	5	1	-	-	-
FEMALE--	-	-	-	-	1	1	6	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	-	1	1	-	-
OREGON ----------	-	3	5	7	17	22	20	31	29	11	5	-
WHITE------MALE----	-	2	3	5	10	11	11	12	15	4	3	-
FEMALE--	-	1	2	2	7	11	9	18	14	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	14	22	41	91	160	244	291	187	71	19	-
WHITE------MALE----	7	8	11	17	38	76	135	132	63	18	3	-
FEMALE--	2	3	7	12	33	74	90	146	110	47	14	-
ALL OTHER--MALE----	-	-	3	8	13	6	10	5	5	4	1	-
FEMALE--	1	3	1	4	7	4	9	8	9	2	1	-
BLACK---MALE----	-	-	3	8	13	6	9	4	5	4	1	-
FEMALE--	1	3	1	4	7	4	9	8	9	2	1	-
RHODE ISLAND ----------	-	-	-	2	6	14	8	11	11	4	-	-
WHITE------MALE----	-	-	-	2	4	7	4	6	4	3	-	-
FEMALE--	-	-	-	-	2	7	4	5	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	7	7	13	16	42	47	52	35	14	2	-
WHITE------MALE----	3	3	1	7	5	19	22	18	12	4	1	-
FEMALE--	-	2	3	5	6	13	14	23	18	7	1	-
ALL OTHER--MALE----	-	1	3	1	3	5	3	7	2	-	-	-
FEMALE--	-	1	-	-	2	5	8	4	3	3	-	-
BLACK---MALE----	-	1	3	1	3	5	3	7	2	-	-	-
FEMALE--	-	1	-	-	2	5	8	4	3	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
SOUTH DAKOTA ----------	29	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	448	1	1	-	1	1	1	-	-	2	3	7
WHITE------MALE----	204	-	-	-	1	1	-	-	-	-	3	1
FEMALE--	191	-	-	-	-	-	1	-	-	1	-	3
ALL OTHER--MALE----	24	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	1	-	-	-	-	-	-	1	-	2
BLACK---MALE----	24	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	1	-	-	-	-	-	-	1	-	2
TEXAS ----------	984	2	1	1	-	-	2	3	4	5	3	8
WHITE------MALE----	417	1	1	-	-	-	2	1	1	4	1	5
FEMALE--	449	1	-	1	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	62	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	59	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	1	-	1	2
UTAH ----------	84	-	-	-	-	1	-	-	1	1	2	1
WHITE------MALE----	42	-	-	-	-	1	-	-	-	1	2	-
FEMALE--	40	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	28	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	489	1	-	-	-	1	-	1	1	-	-	6
WHITE------MALE----	209	1	-	-	-	-	-	1	-	-	-	2
FEMALE--	200	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
SOUTH DAKOTA ----------	-	-	-	2	2	3	3	10	3	5	-	-
WHITE------MALE----	-	-	-	2	2	1	1	4	2	2	-	-
FEMALE--	-	-	-	-	-	2	1	6	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	9	11	13	36	69	88	96	75	25	4	-
WHITE------MALE----	3	4	7	6	18	38	37	49	27	8	1	-
FEMALE--	2	3	4	6	13	18	40	40	44	14	2	-
ALL OTHER--MALE----	-	1	-	1	3	9	4	3	-	1	-	-
FEMALE--	-	1	-	-	2	4	7	4	4	2	1	-
BLACK---MALE----	-	1	-	1	3	9	4	3	-	1	-	-
FEMALE--	-	1	-	-	2	4	7	4	4	2	1	-
TEXAS ----------	11	18	17	36	81	140	181	216	168	74	13	-
WHITE------MALE----	4	8	9	19	28	73	92	89	49	28	2	-
FEMALE--	5	4	6	11	32	51	72	107	104	41	9	-
ALL OTHER--MALE----	-	5	1	3	12	10	11	10	4	4	-	-
FEMALE--	2	1	1	3	9	6	6	10	11	1	2	-
BLACK---MALE----	-	5	1	3	12	9	10	9	4	4	-	-
FEMALE--	2	1	1	3	8	6	5	10	11	1	2	-
UTAH ----------	2	1	2	4	5	12	16	20	10	2	4	-
WHITE------MALE----	2	1	-	1	3	7	8	12	4	-	-	-
FEMALE--	-	-	2	2	2	4	8	8	6	2	4	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	1	1	2	6	6	7	2	-	-
WHITE------MALE----	-	-	1	1	1	2	3	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	3	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	12	13	22	52	66	86	117	74	27	6	-
WHITE------MALE----	2	4	6	9	27	32	40	47	26	11	1	-
FEMALE--	-	6	2	7	13	24	36	51	41	14	4	-
ALL OTHER--MALE----	2	2	2	1	9	5	5	8	2	1	-	-
FEMALE--	-	-	3	5	3	5	5	11	5	1	1	-
BLACK---MALE----	2	2	2	1	8	5	5	8	2	-	-	-
FEMALE--	-	-	3	5	3	5	5	11	5	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
WASHINGTON ----------	308	-	-	-	1	-	-	-	1	-	2	5
WHITE------MALE----	168	-	-	-	1	-	-	-	-	-	2	3
FEMALE--	124	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	114	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	55	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	359	-	-	-	-	-	1	1	2	1	2	5
WHITE------MALE----	187	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	159	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
WYOMING ----------	17	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
WASHINGTON ----------	7	4	10	7	22	32	68	63	55	24	7	-
WHITE------MALE----	3	2	9	3	12	18	42	37	27	6	3	-
FEMALE--	3	2	1	2	8	13	21	25	27	16	4	-
ALL OTHER--MALE----	1	-	-	2	1	1	5	-	-	2	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	5	3	11	20	20	27	15	6	2	-
WHITE------MALE----	-	-	4	-	8	11	10	11	5	3	-	-
FEMALE--	-	1	1	2	3	9	10	16	10	3	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	8	10	9	23	54	60	85	68	23	5	-
WHITE------MALE----	2	6	5	7	14	29	30	47	27	12	1	-
FEMALE--	-	1	4	1	7	22	29	37	41	11	4	-
ALL OTHER--MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
WYOMING ----------	-	1	-	-	-	2	4	6	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	3	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2458

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
UNITED STATES -	15,257	16	12	4	12	9	23	33	45	59	106	129
WHITE------MALE----	6,851	7	2	-	5	6	8	13	20	26	45	66
FEMALE--	6,722	6	6	4	3	2	6	10	14	17	32	32
ALL OTHER--MALE----	901	2	1	-	1	1	7	8	6	9	17	17
FEMALE--	783	1	3	-	3	-	2	2	5	7	12	14
BLACK---MALE----	774	1	1	-	1	1	7	7	5	8	15	15
FEMALE--	729	1	3	-	2	-	2	2	4	6	12	13
ALABAMA ----------	306	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	107	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	129	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	10	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	218	-	-	-	1	-	-	1	1	2	4	-
WHITE------MALE----	110	-	-	-	1	-	-	-	1	-	2	-
FEMALE--	95	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	157	1	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	63	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	78	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	355	3	-	-	-	-	1	3	-	1	-	5
WHITE------MALE----	156	1	-	-	-	-	-	2	-	-	-	2
FEMALE--	165	1	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	16	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
UNITED STATES -	155	259	326	579	1,172	2,065	2,960	3,442	2,586	1,053	212	-
WHITE------MALE----	62	118	173	296	597	1,099	1,463	1,532	933	336	44	-
FEMALE--	59	86	95	181	385	719	1,207	1,642	1,457	611	148	-
ALL OTHER--MALE----	20	33	41	68	119	153	160	127	73	36	2	-
FEMALE--	14	22	17	34	71	94	130	141	123	70	18	-
BLACK---MALE----	18	30	38	59	110	137	126	105	58	30	2	-
FEMALE--	13	21	16	31	65	89	120	131	118	65	15	-
ALABAMA ----------	3	3	9	11	30	39	60	66	47	32	5	-
WHITE------MALE----	2	1	4	5	19	18	21	19	12	4	1	-
FEMALE--	-	1	4	2	3	14	25	35	24	17	4	-
ALL OTHER--MALE----	-	-	1	3	4	3	8	2	3	1	-	-
FEMALE--	1	1	-	1	4	4	6	10	8	10	-	-
BLACK---MALE----	-	-	1	3	4	3	8	2	3	1	-	-
FEMALE--	1	1	-	1	4	4	6	10	8	10	-	-
ALASKA ----------	-	-	-	1	2	-	2	3	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	5	6	6	17	33	38	42	42	13	2	-
WHITE------MALE----	1	3	2	4	9	27	16	21	18	5	-	-
FEMALE--	4	1	3	1	8	6	20	19	23	7	2	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS ----------	2	1	-	6	8	20	38	46	20	9	1	-
WHITE------MALE----	1	-	-	2	1	9	22	19	3	2	-	-
FEMALE--	1	1	-	4	2	11	14	21	16	6	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	4	-	1	3	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	4	-	1	3	1	1	-	-
CALIFORNIA ----------	6	7	8	14	23	53	58	82	59	26	6	-
WHITE------MALE----	2	4	5	6	7	25	28	36	27	11	-	-
FEMALE--	2	2	1	6	11	25	21	45	29	13	6	-
ALL OTHER--MALE----	1	-	2	1	-	1	7	-	2	-	-	-
FEMALE--	1	1	-	1	5	2	2	1	1	2	-	-
BLACK---MALE----	1	-	1	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
COLORADO ----------	210	1	1	-	1	-	1	-	1	-	1	1
WHITE------MALE----	101	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	100	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
CONNECTICUT ----------	342	-	-	-	-	-	-	-	1	1	2	3
WHITE------MALE----	154	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	171	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	70	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	39	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	990	-	-	1	-	1	-	1	1	1	5	3
WHITE------MALE----	494	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	431	-	-	1	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	38	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	446	-	1	-	-	-	1	1	1	1	4	5
WHITE------MALE----	189	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	178	-	1	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	43	-	-	-	-	-	1	-	1	-	2	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	43	-	-	-	-	-	1	-	1	-	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
COLORADO ----------	3	4	3	8	15	29	34	54	44	7	2	-
WHITE------MALE----	1	1	1	6	10	16	18	23	17	4	1	-
FEMALE--	2	3	1	1	5	12	16	30	24	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	3	-	-	-
CONNECTICUT ----------	3	4	6	5	24	37	68	83	71	28	6	-
WHITE------MALE----	1	2	3	1	12	21	37	38	26	7	2	-
FEMALE--	1	2	3	3	12	15	26	41	43	20	4	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	4	1	1	1	-	-
BLACK---MALE----	1	-	-	1	-	1	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	4	1	1	1	-	-
DELAWARE ----------	2	1	2	4	5	8	12	15	13	5	1	-
WHITE------MALE----	-	1	1	2	5	5	4	6	4	-	-	-
FEMALE--	1	-	1	2	-	3	4	8	9	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
DISTRICT OF COLUMBIA ---	1	1	2	2	4	6	5	10	4	2	1	-
WHITE------MALE----	-	-	1	1	1	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	1	1	-
ALL OTHER--MALE----	1	-	1	1	3	5	4	2	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	5	2	-	-	-
BLACK---MALE----	1	-	1	1	3	5	4	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	5	2	-	-	-
FLORIDA ----------	6	17	12	36	61	136	200	228	194	64	23	-
WHITE------MALE----	1	9	7	20	25	76	119	111	81	33	7	-
FEMALE--	2	4	4	10	31	45	73	111	105	28	13	-
ALL OTHER--MALE----	1	4	1	3	5	7	7	3	3	3	-	-
FEMALE--	2	-	-	3	-	8	1	3	5	-	3	-
BLACK---MALE----	1	4	1	3	5	7	6	3	3	3	-	-
FEMALE--	2	-	-	3	-	8	-	3	5	-	3	-
GEORGIA ----------	5	13	12	16	35	57	100	104	66	21	3	-
WHITE------MALE----	1	5	5	8	16	28	46	44	26	6	1	-
FEMALE--	3	3	3	2	9	20	42	50	29	9	2	-
ALL OTHER--MALE----	-	3	4	6	6	6	5	5	3	-	-	-
FEMALE--	1	2	-	-	4	3	7	5	8	6	-	-
BLACK---MALE----	-	3	4	6	6	6	5	5	3	-	-	-
FEMALE--	1	2	-	-	4	3	7	5	8	5	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
HAWAII ----------	80	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	59	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	27	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	826	1	-	-	1	-	-	1	1	4	6	3
WHITE------MALE----	361	-	-	-	-	-	-	1	1	-	3	3
FEMALE--	352	1	-	-	1	-	-	-	-	2	2	-
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	53	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	310	1	-	-	-	1	-	1	1	2	3	5
WHITE------MALE----	154	1	-	-	-	1	-	1	1	2	1	2
FEMALE--	133	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	221	-	-	-	-	-	-	-	2	-	1	1
WHITE------MALE----	104	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	113	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
KANSAS ----------	176	-	-	-	-	-	-	1	1	1	1	2
WHITE------MALE----	92	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	78	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
HAWAII ----------	-	1	-	5	8	10	18	12	15	7	2	-
WHITE------MALE----	-	1	-	-	2	2	2	-	3	1	-	-
FEMALE--	-	-	-	1	-	-	2	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	2	6	5	11	8	7	3	-	-
FEMALE--	-	-	-	2	-	3	3	3	2	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	2	-	-	5	6	16	14	12	2	-	-
WHITE------MALE----	1	1	-	-	3	4	9	5	2	1	-	-
FEMALE--	-	1	-	-	2	2	7	8	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	9	20	30	59	132	187	168	125	57	16	-
WHITE------MALE----	1	4	9	16	34	76	89	69	39	15	1	-
FEMALE--	2	4	4	8	15	41	79	78	67	35	13	-
ALL OTHER--MALE----	3	-	4	4	8	10	13	6	8	1	-	-
FEMALE--	-	1	3	2	2	5	6	15	11	6	2	-
BLACK---MALE----	3	-	4	4	7	8	12	5	6	1	-	-
FEMALE--	-	1	3	1	2	5	6	15	11	6	1	-
INDIANA ----------	2	5	6	20	28	41	49	67	51	23	4	-
WHITE------MALE----	1	2	3	12	16	26	23	34	20	7	1	-
FEMALE--	1	1	2	6	9	15	23	29	27	14	3	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	2	3	1	-	-
FEMALE--	-	1	1	1	2	-	3	2	1	1	-	-
BLACK---MALE----	-	1	-	1	1	-	-	2	3	1	-	-
FEMALE--	-	1	1	1	2	-	3	2	1	1	-	-
IOWA ----------	2	1	3	11	15	22	39	61	38	20	5	-
WHITE------MALE----	1	1	1	2	10	11	22	31	15	7	1	-
FEMALE--	1	-	2	9	5	11	17	28	23	13	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
KANSAS ----------	1	4	1	4	13	22	34	46	36	9	-	-
WHITE------MALE----	-	2	1	3	9	14	18	27	11	2	-	-
FEMALE--	1	2	-	1	4	6	13	18	25	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
KENTUCKY ----------	296	-	-	-	-	-	1	-	2	1	1	2
WHITE------MALE----	137	-	-	-	-	-	1	-	2	1	1	1
FEMALE--	144	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	210	1	-	-	-	1	1	1	1	2	1	-
WHITE------MALE----	64	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	83	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	35	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	35	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	74	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	414	-	1	-	-	-	-	4	-	1	3	3
WHITE------MALE----	155	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	169	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	45	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	45	-	1	-	-	-	-	2	-	-	1	-
BLACK---MALE----	43	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	44	-	1	-	-	-	-	2	-	-	1	-
MASSACHUSETTS ----------	471	-	-	-	-	1	-	1	-	1	1	1
WHITE------MALE----	225	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	233	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	510	-	-	-	1	-	3	3	2	4	4	12
WHITE------MALE----	246	-	-	-	-	-	2	2	-	3	2	10
FEMALE--	192	-	-	-	-	-	-	-	2	1	1	-
ALL OTHER--MALE----	35	-	-	-	-	-	1	1	-	-	-	2
FEMALE--	37	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	32	-	-	-	-	-	1	1	-	-	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
KENTUCKY ----------	1	1	5	13	20	37	58	65	57	21	11	-
WHITE------MALE----	1	1	4	9	13	18	29	29	19	4	4	-
FEMALE--	-	-	-	4	6	15	28	34	36	14	7	-
ALL OTHER--MALE----	-	-	1	-	1	4	1	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
BLACK---MALE----	-	-	1	-	1	4	1	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
LOUISIANA ----------	4	8	5	12	21	26	33	49	26	16	2	-
WHITE------MALE----	-	-	-	8	9	11	11	18	5	1	-	-
FEMALE--	1	5	1	1	4	6	12	23	16	10	2	-
ALL OTHER--MALE----	2	1	3	1	6	6	5	3	2	2	-	-
FEMALE--	1	2	1	2	2	3	5	5	3	3	-	-
BLACK---MALE----	2	1	3	1	6	6	5	3	2	2	-	-
FEMALE--	1	2	1	2	2	3	5	5	3	3	-	-
MAINE ----------	1	1	4	5	6	8	15	17	14	2	-	-
WHITE------MALE----	-	1	2	3	5	6	12	8	9	2	-	-
FEMALE--	1	-	2	2	1	2	3	9	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	8	11	18	45	57	88	72	62	30	5	-
WHITE------MALE----	2	4	5	4	18	23	41	22	26	7	2	-
FEMALE--	1	2	-	8	17	17	32	43	26	20	2	-
ALL OTHER--MALE----	2	1	5	4	7	12	3	2	2	1	-	-
FEMALE--	1	1	1	2	3	5	12	5	8	2	1	-
BLACK---MALE----	2	1	5	3	7	11	3	2	2	1	-	-
FEMALE--	1	1	1	2	3	4	12	5	8	2	1	-
MASSACHUSETTS ----------	4	1	9	13	31	56	90	107	102	49	4	-
WHITE------MALE----	2	1	8	10	19	34	51	46	36	16	1	-
FEMALE--	2	-	1	3	11	20	35	60	62	32	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	3	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	1	-	-
MICHIGAN ----------	4	12	11	13	42	73	106	101	85	29	5	-
WHITE------MALE----	-	4	5	7	24	43	51	52	32	9	-	-
FEMALE--	1	3	5	3	9	22	44	38	42	17	4	-
ALL OTHER--MALE----	2	2	1	1	6	4	4	7	2	2	-	-
FEMALE--	1	3	-	2	3	4	7	4	9	1	1	-
BLACK---MALE----	2	-	1	1	6	4	4	6	2	2	-	-
FEMALE--	1	3	-	2	3	4	7	4	9	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
MINNESOTA ----------	219	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	118	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	97	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	186	-	-	-	-	-	-	-	1	1	4	3
WHITE------MALE----	51	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	68	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	431	-	-	-	-	-	-	2	3	3	4	3
WHITE------MALE----	192	-	-	-	-	-	-	1	1	2	3	1
FEMALE--	189	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	60	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	126	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	64	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	60	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	68	1	-	-	-	-	1	-	-	-	1	2
WHITE------MALE----	31	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
MINNESOTA ----------	-	5	10	7	22	29	33	58	31	16	4	-
WHITE------MALE----	-	2	8	5	11	22	17	31	12	7	1	-
FEMALE--	-	3	2	2	10	6	15	27	19	9	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	3	3	9	18	25	38	37	22	18	1	-
WHITE------MALE----	1	-	3	3	5	7	13	8	6	4	-	-
FEMALE--	-	1	-	3	6	5	14	16	11	8	1	-
ALL OTHER--MALE----	1	2	-	3	3	6	7	5	2	1	-	-
FEMALE--	1	-	-	-	4	7	4	8	3	5	-	-
BLACK---MALE----	1	2	-	3	3	6	7	5	2	1	-	-
FEMALE--	1	-	-	-	4	7	4	8	3	5	-	-
MISSOURI ----------	5	9	8	15	34	52	87	94	81	27	4	-
WHITE------MALE----	2	3	2	4	19	33	44	38	30	8	1	-
FEMALE--	2	5	4	6	12	14	35	46	46	15	2	-
ALL OTHER--MALE----	1	1	1	3	-	3	5	8	2	1	-	-
FEMALE--	-	-	1	2	3	2	3	2	3	3	1	-
BLACK---MALE----	1	1	1	3	-	3	5	8	2	1	-	-
FEMALE--	-	-	1	2	3	2	3	2	3	3	1	-
MONTANA ----------	1	-	1	2	6	9	13	11	9	4	2	-
WHITE------MALE----	-	-	1	2	3	3	7	5	5	-	1	-
FEMALE--	1	-	-	-	3	6	6	6	4	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	1	3	1	7	14	17	34	30	14	1	-
WHITE------MALE----	1	-	2	1	5	6	10	19	14	4	1	-
FEMALE--	1	1	1	-	2	7	7	15	15	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	-	-	4	8	3	11	12	7	13	3	2	-
WHITE------MALE----	-	-	1	4	3	6	5	4	4	1	-	-
FEMALE--	-	-	1	4	-	3	6	2	8	2	2	-
ALL OTHER--MALE----	-	-	2	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
NEW HAMPSHIRE ----------	51	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	30	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	518	-	2	-	1	1	1	2	1	6	5	4
WHITE------MALE----	233	-	1	-	-	-	-	2	-	3	3	1
FEMALE--	238	-	1	-	1	1	1	-	1	1	2	3
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	62	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	662	1	1	1	3	-	1	1	-	6	8	2
WHITE------MALE----	323	1	-	-	-	-	-	-	-	1	5	1
FEMALE--	278	-	1	1	1	-	1	1	-	3	3	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	2	-	-	-	-	2	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	2	-	-	-	-	2	-	1
NORTH CAROLINA ---------	557	1	-	-	1	-	5	1	6	3	3	4
WHITE------MALE----	196	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	252	-	-	-	-	-	2	-	1	1	1	1
ALL OTHER--MALE----	63	-	-	-	1	-	2	1	1	1	-	-
FEMALE--	46	1	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	60	-	-	-	1	-	2	1	1	1	-	-
FEMALE--	46	1	-	-	-	-	-	-	2	-	1	1
NORTH DAKOTA ----------	50	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
NEW HAMPSHIRE ----------	-	-	2	3	1	10	6	11	12	4	-	-
WHITE------MALE----	-	-	2	2	-	9	2	6	5	2	-	-
FEMALE--	-	-	-	1	1	1	4	5	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	10	7	17	33	71	98	132	91	27	3	-
WHITE------MALE----	3	6	3	10	20	29	47	66	31	8	-	-
FEMALE--	3	4	3	4	11	28	43	56	56	17	2	-
ALL OTHER--MALE----	-	-	-	2	2	12	6	7	1	1	-	-
FEMALE--	-	-	1	1	-	2	2	3	3	1	1	-
BLACK---MALE----	-	-	-	2	2	11	5	7	1	1	-	-
FEMALE--	-	-	-	1	-	1	2	3	3	1	1	-
NEW MEXICO ----------	2	1	-	3	4	7	10	12	15	8	-	-
WHITE------MALE----	-	1	-	3	4	5	4	6	5	6	-	-
FEMALE--	1	-	-	-	-	2	6	4	8	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7	13	16	28	34	78	128	157	115	52	10	-
WHITE------MALE----	2	10	10	17	21	47	61	79	47	20	1	-
FEMALE--	4	-	5	10	8	22	50	67	65	28	8	-
ALL OTHER--MALE----	-	3	-	-	3	7	9	2	-	-	1	-
FEMALE--	1	-	1	1	2	2	8	9	3	4	-	-
BLACK---MALE----	-	3	-	-	3	5	4	2	-	-	1	-
FEMALE--	1	-	1	1	2	2	8	9	3	3	-	-
NORTH CAROLINA ---------	8	12	13	28	49	78	107	127	65	40	6	-
WHITE------MALE----	4	2	6	15	21	35	41	42	11	12	-	-
FEMALE--	3	4	3	6	17	22	54	70	40	21	6	-
ALL OTHER--MALE----	-	4	3	7	7	12	6	8	8	2	-	-
FEMALE--	1	2	1	-	4	9	6	7	6	5	-	-
BLACK---MALE----	-	4	3	7	7	12	6	6	7	2	-	-
FEMALE--	1	2	1	-	4	9	6	7	6	5	-	-
NORTH DAKOTA ----------	-	-	-	1	4	5	9	11	13	6	-	-
WHITE------MALE----	-	-	-	-	4	5	2	3	8	4	-	-
FEMALE--	-	-	-	1	-	-	7	7	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
OHIO ----------	690	1	1	-	-	1	-	-	2	2	6	6
WHITE------MALE----	310	-	-	-	-	1	-	-	1	-	-	3
FEMALE--	323	1	-	-	-	-	-	-	1	1	4	1
ALL OTHER--MALE----	33	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	32	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	-
OKLAHOMA ----------	296	-	-	-	-	-	-	-	1	1	6	-
WHITE------MALE----	137	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	135	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
OREGON ----------	155	-	-	-	-	-	-	1	-	-	3	1
WHITE------MALE----	77	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	77	-	-	-	-	-	-	1	-	-	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,169	-	1	-	-	-	2	-	2	3	6	5
WHITE------MALE----	516	-	-	-	-	-	1	-	2	2	1	2
FEMALE--	546	-	1	-	-	-	1	-	-	1	3	2
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	54	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND ----------	58	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	32	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	249	-	-	-	-	-	-	-	1	1	3	6
WHITE------MALE----	100	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	96	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
OHIO ----------	9	11	17	38	50	95	130	146	115	56	4	-
WHITE------MALE----	4	4	10	19	26	52	69	71	39	11	-	-
FEMALE--	5	6	5	14	17	36	52	68	71	38	3	-
ALL OTHER--MALE----	-	1	-	5	6	2	6	5	1	3	-	-
FEMALE--	-	-	2	-	1	5	3	2	4	4	1	-
BLACK---MALE----	-	1	-	5	6	1	6	5	1	3	-	-
FEMALE--	-	-	2	-	1	5	3	2	4	4	1	-
OKLAHOMA ----------	-	7	4	6	27	35	73	62	52	18	4	-
WHITE------MALE----	-	4	2	3	17	21	33	25	23	5	2	-
FEMALE--	-	3	2	2	8	11	33	31	27	12	2	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	5	1	-	-	-
FEMALE--	-	-	-	-	1	1	6	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	-	1	1	-	-
OREGON ----------	-	3	5	7	17	22	20	31	29	11	5	-
WHITE------MALE----	-	2	3	5	10	11	11	12	15	4	3	-
FEMALE--	-	1	2	2	7	11	9	18	14	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	14	22	41	91	160	244	291	187	71	19	-
WHITE------MALE----	7	8	11	17	38	76	135	132	63	18	3	-
FEMALE--	2	3	7	12	33	74	90	146	110	47	14	-
ALL OTHER--MALE----	-	-	3	8	13	6	10	5	5	4	1	-
FEMALE--	1	3	1	4	7	4	9	8	9	2	1	-
BLACK---MALE----	-	-	3	8	13	6	9	4	5	4	1	-
FEMALE--	1	3	1	4	7	4	9	8	9	2	1	-
RHODE ISLAND ----------	-	-	-	2	6	14	8	11	11	4	-	-
WHITE------MALE----	-	-	-	2	4	7	4	6	4	3	-	-
FEMALE--	-	-	-	-	2	7	4	5	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	7	7	13	16	42	47	52	35	14	2	-
WHITE------MALE----	3	3	1	7	5	19	22	18	12	4	1	-
FEMALE--	-	2	3	5	6	13	14	23	18	7	1	-
ALL OTHER--MALE----	-	1	3	1	3	5	3	7	2	-	-	-
FEMALE--	-	1	-	-	2	5	8	4	3	3	-	-
BLACK---MALE----	-	1	3	1	3	5	3	7	2	-	-	-
FEMALE--	-	1	-	-	2	5	8	4	3	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
SOUTH DAKOTA ----------	29	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	448	1	1	-	1	1	1	-	-	2	3	7
WHITE------MALE----	204	-	-	-	1	1	-	-	-	-	3	1
FEMALE--	191	-	-	-	-	-	1	-	-	1	-	3
ALL OTHER--MALE----	24	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	1	-	-	-	-	-	-	1	-	2
BLACK---MALE----	24	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	1	-	-	-	-	-	-	1	-	2
TEXAS ----------	984	2	1	1	-	-	2	3	4	5	3	8
WHITE------MALE----	417	1	1	-	-	-	2	1	1	4	1	5
FEMALE--	449	1	-	1	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	62	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	59	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	1	-	1	2
UTAH ----------	84	-	-	-	-	1	-	-	1	1	2	1
WHITE------MALE----	42	-	-	-	-	1	-	-	-	1	2	-
FEMALE--	40	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	28	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	489	1	-	-	-	1	-	1	1	-	-	6
WHITE------MALE----	209	1	-	-	-	-	-	1	-	-	-	2
FEMALE--	200	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
SOUTH DAKOTA ----------	-	-	-	2	2	3	3	10	3	5	-	-
WHITE------MALE----	-	-	-	2	2	1	1	4	2	2	-	-
FEMALE--	-	-	-	-	-	2	1	6	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	9	11	13	36	69	88	96	75	25	4	-
WHITE------MALE----	3	4	7	6	18	38	37	49	27	8	1	-
FEMALE--	2	3	4	6	13	18	40	40	44	14	2	-
ALL OTHER--MALE----	-	1	-	1	3	9	4	3	-	1	-	-
FEMALE--	-	1	-	-	2	4	7	4	4	2	1	-
BLACK---MALE----	-	1	-	1	3	9	4	3	-	1	-	-
FEMALE--	-	1	-	-	2	4	7	4	4	2	1	-
TEXAS ----------	11	18	17	36	81	140	181	216	168	74	13	-
WHITE------MALE----	4	8	9	19	28	73	92	89	49	28	2	-
FEMALE--	5	4	6	11	32	51	72	107	104	41	9	-
ALL OTHER--MALE----	-	5	1	3	12	10	11	10	4	4	-	-
FEMALE--	2	1	1	3	9	6	6	10	11	1	2	-
BLACK---MALE----	-	5	1	3	12	9	10	9	4	4	-	-
FEMALE--	2	1	1	3	8	6	5	10	11	1	2	-
UTAH ----------	2	1	2	4	5	12	16	20	10	2	4	-
WHITE------MALE----	2	1	-	1	3	7	8	12	4	-	-	-
FEMALE--	-	-	2	2	2	4	8	8	6	2	4	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	1	1	2	6	6	7	2	-	-
WHITE------MALE----	-	-	1	1	1	2	3	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	3	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	12	13	22	52	66	86	117	74	27	6	-
WHITE------MALE----	2	4	6	9	27	32	40	47	26	11	1	-
FEMALE--	-	6	2	7	13	24	36	51	41	14	4	-
ALL OTHER--MALE----	2	2	2	1	9	5	5	8	2	1	-	-
FEMALE--	-	-	3	5	3	5	5	11	5	1	1	-
BLACK---MALE----	2	2	2	1	8	5	5	8	2	-	-	-
FEMALE--	-	-	3	5	3	5	5	11	5	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
WASHINGTON ----------	308	-	-	-	1	-	-	-	1	-	2	5
WHITE------MALE----	168	-	-	-	1	-	-	-	-	-	2	3
FEMALE--	124	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	114	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	55	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	359	-	-	-	-	-	1	1	2	1	2	5
WHITE------MALE----	187	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	159	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
WYOMING ----------	17	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
WASHINGTON ----------	7	4	10	7	22	32	68	63	55	24	7	-
WHITE------MALE----	3	2	9	3	12	18	42	37	27	6	3	-
FEMALE--	3	2	1	2	8	13	21	25	27	16	4	-
ALL OTHER--MALE----	1	-	-	2	1	1	5	-	-	2	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	5	3	11	20	20	27	15	6	2	-
WHITE------MALE----	-	-	4	-	8	11	10	11	5	3	-	-
FEMALE--	-	1	1	2	3	9	10	16	10	3	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	8	10	9	23	54	60	85	68	23	5	-
WHITE------MALE----	2	6	5	7	14	29	30	47	27	12	1	-
FEMALE--	-	1	4	1	7	22	29	37	41	11	4	-
ALL OTHER--MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
WYOMING ----------	-	1	-	-	-	2	4	6	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	3	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
UNITED STATES -	11	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
UNITED STATES -	-	-	1	3	-	3	2	1	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
COLORADO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
OHIO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other pneumonitis due to solids and liquids (J69.1-J69.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO	-	-	1	-	-	1	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pneumonitis due to solids and liquids (J69.1-J69.8)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other lung diseases due to external agents (J67,J70)												
UNITED STATES -	90	-	-	-	-	-	-	2	4	1	-	4
WHITE------MALE----	41	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	42	-	-	-	-	-	-	1	2	-	-	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALABAMA ----------	4	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	5	-	-	-	-	-	-	-	2	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other lung diseases due to external agents (J67,J70)												
UNITED STATES -	6	3	9	7	14	21	14	4	1	-	-	-
WHITE------MALE----	3	-	4	5	6	9	7	3	1	-	-	-
FEMALE--	3	2	4	2	8	9	6	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALABAMA ----------	1	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other lung diseases due to external agents (J67,J70)												
COLORADO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other lung diseases due to external agents (J67,J70)												
COLORADO ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other lung diseases due to external agents (J67,J70)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other lung diseases due to external agents (J67,J70)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	1	-	2	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	1	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other lung diseases due to external agents (J67,J70)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other lung diseases due to external agents (J67,J70)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other lung diseases due to external agents (J67,J70)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other lung diseases due to external agents (J67,J70)												
MINNESOTA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	1	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other lung diseases due to external agents (J67,J70)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other lung diseases due to external agents (J67,J70)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	2	-	1	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other lung diseases due to external agents (J67,J70)												
OHIO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other lung diseases due to external agents (J67,J70)												
OHIO ----------	-	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	1	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other lung diseases due to external agents (J67,J70)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other lung diseases due to external agents (J67,J70)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	1	3	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2484

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other lung diseases due to external agents (J67,J70)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	-	-	-	-	-	-	1	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other lung diseases due to external agents (J67,J70)												
WASHINGTON ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2485

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
UNITED STATES -	799	5	6	2	1	6	5	11	13	24	38	47
WHITE------MALE----	392	2	-	1	1	2	2	3	7	8	22	24
FEMALE--	250	3	3	-	-	2	-	3	4	7	7	10
ALL OTHER--MALE----	99	-	2	-	-	-	-	2	2	7	7	9
FEMALE--	58	-	1	1	-	2	3	3	-	2	2	4
BLACK---MALE----	84	-	2	-	-	-	-	1	2	7	4	9
FEMALE--	47	-	1	1	-	2	2	3	-	2	1	3
ALABAMA ----------	15	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	24	1	-	-	-	-	-	1	1	1	-	2
WHITE------MALE----	17	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	87	2	1	-	-	2	-	1	4	4	9	8
WHITE------MALE----	38	1	-	-	-	-	-	-	1	1	7	4
FEMALE--	26	1	1	-	-	1	-	1	2	-	-	3
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
UNITED STATES -	59	53	53	92	89	99	81	66	36	12	1	-
WHITE------MALE----	38	17	29	56	51	45	48	21	11	4	-	-
FEMALE--	12	13	13	16	27	44	26	34	19	7	-	-
ALL OTHER--MALE----	5	17	7	14	6	7	2	7	3	1	1	-
FEMALE--	4	6	4	6	5	3	5	4	3	-	-	-
BLACK---MALE----	4	16	7	11	5	6	2	5	2	-	1	-
FEMALE--	2	6	3	4	4	2	5	3	3	-	-	-
ALABAMA ----------	-	2	2	2	3	2	1	-	-	-	-	-
WHITE------MALE----	-	-	2	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	4	4	5	3	-	1	-	-	-
WHITE------MALE----	1	-	-	3	4	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	3	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	9	9	3	3	4	5	10	7	4	2	-	-
WHITE------MALE----	6	3	1	1	-	1	6	2	2	2	-	-
FEMALE--	1	3	1	-	2	2	3	4	1	-	-	-
ALL OTHER--MALE----	1	3	1	2	1	2	1	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	3	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
COLORADO ----------	10	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	6	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	40	-	-	-	-	1	-	-	-	-	-	2
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
GEORGIA ----------	29	-	-	-	-	-	-	-	-	1	3	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
COLORADO ----------	2	-	-	3	-	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	-	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	1	3	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	3	6	3	6	5	4	3	4	1	-	-
WHITE------MALE----	2	2	3	2	3	2	2	3	1	-	-	-
FEMALE--	-	-	2	-	1	2	2	-	3	1	-	-
ALL OTHER--MALE----	-	1	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	3	1	2	7	1	4	2	4	1	-	-	-
WHITE------MALE----	1	-	-	5	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	4	1	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
HAWAII ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	47	-	-	1	-	-	-	3	1	2	-	3
WHITE------MALE----	15	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	7	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	7	-	-	1	-	-	-	1	-	-	-	-
INDIANA ----------	15	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
HAWAII ----------	1	-	-	2	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	1	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	3	4	4	3	7	4	3	3	2	-	-
WHITE------MALE----	2	-	1	3	-	3	1	1	1	-	-	-
FEMALE--	1	1	3	-	3	3	2	2	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	1	-	-	-
INDIANA ----------	1	-	1	1	2	4	2	1	-	-	-	-
WHITE------MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
KENTUCKY ----------	8	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	15	-	-	-	-	-	-	-	1	-	1	2
WHITE------MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	17	-	-	-	-	-	-	-	1	-	1	2
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS ----------	17	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	29	-	-	-	-	-	1	-	-	1	3	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
KENTUCKY ----------	-	1	3	2	-	-	-	-	-	1	-	-
WHITE------MALE----	-	1	2	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	2	2	2	2	-	2	-	-	-	-
WHITE------MALE----	1	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MAINE ----------	-	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	2	2	2	2	3	1	1	-	-	-	-
WHITE------MALE----	-	1	1	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	1	-	1	1	3	3	2	2	-	-	-
WHITE------MALE----	1	1	-	1	1	2	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	5	1	-	2	1	6	4	1	1	-	-
WHITE------MALE----	1	2	-	-	1	-	3	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	2	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
MINNESOTA ----------	8	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
MINNESOTA ----------	2	-	-	1	2	-	1	-	1	-	-	-
WHITE------MALE----	2	-	-	-	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	1	-	1	2	1	-	1	-	-	-
WHITE------MALE----	-	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	1	2	2	1	1	-	-	-	-	-
WHITE------MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MONTANA ----------	-	-	2	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	-	1	-	1	1	1	-	1	-	-
WHITE------MALE----	1	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	1	2	-	1	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
NEW HAMPSHIRE ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	16	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	6	-	1	-	-	-	-	-	1	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	65	-	1	-	-	-	-	1	-	1	2	2
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	8	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	1	-	1
NORTH CAROLINA ---------	24	-	-	-	-	-	-	1	1	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
NEW HAMPSHIRE ----------	-	-	-	-	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	1	-	2	5	1	-	4	-	-	-	-
WHITE------MALE----	1	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	-	-	-	-
NEW MEXICO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	3	3	8	10	11	6	8	4	1	-	-
WHITE------MALE----	1	1	1	4	6	5	2	5	1	-	-	-
FEMALE--	1	-	1	2	2	5	3	2	3	1	-	-
ALL OTHER--MALE----	1	2	-	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
NORTH CAROLINA ---------	3	4	-	4	1	3	1	4	-	-	-	-
WHITE------MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	-	4	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
OHIO ----------	36	1	-	-	-	1	2	-	1	-	-	4
WHITE------MALE----	23	1	-	-	-	1	1	-	1	-	-	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
OKLAHOMA ----------	10	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	12	1	-	-	-	-	-	1	-	-	-	3
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	56	-	1	1	-	-	-	-	2	3	4	2
WHITE------MALE----	25	-	-	1	-	-	-	-	-	2	2	1
FEMALE--	26	-	1	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	21	-	-	-	-	-	-	2	-	-	1	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
OHIO ----------	5	1	1	3	3	4	4	3	1	1	1	-
WHITE------MALE----	5	1	1	3	2	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA ----------	-	1	2	1	-	3	-	1	1	-	-	-
WHITE------MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON ----------	-	1	2	1	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA ----------	3	1	2	7	10	8	6	2	4	-	-	-
WHITE------MALE----	2	-	2	3	5	3	2	1	1	-	-	-
FEMALE--	1	-	-	4	5	4	4	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
RHODE ISLAND ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	2	1	3	2	1	5	1	-	-	-	-
WHITE------MALE----	1	-	1	2	2	-	4	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	16	-	-	-	1	-	-	-	-	1	-	2
WHITE------MALE----	9	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	43	-	-	-	-	1	-	1	-	2	3	3
WHITE------MALE----	28	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	10	-	-	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
SOUTH DAKOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	3	2	1	1	2	2	-	-	-	-	-
WHITE------MALE----	-	-	2	1	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	3	4	4	3	5	4	6	-	1	-	-
WHITE------MALE----	2	2	1	4	2	4	4	4	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	1	1	2	1	-	3	1	1	-	-	-
WHITE------MALE----	1	-	1	1	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
WASHINGTON ----------	15	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	15	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
WASHINGTON ----------	-	1	2	2	2	1	3	-	-	-	-	-
WHITE------MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	2	4	3	2	1	1	-	-	-
WHITE------MALE----	1	-	-	1	2	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2494

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pleural effusion and plaque (J90,J92)												
UNITED STATES -	863	3	1	-	1	-	1	-	-	3	4	11
WHITE------MALE----	349	1	1	-	1	-	-	-	-	1	1	3
FEMALE--	425	2	-	-	-	-	1	-	-	2	2	5
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	18	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	61	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2494

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
UNITED STATES -	10	21	26	44	75	124	166	183	132	49	9	-
WHITE------MALE----	5	5	12	25	39	60	70	66	46	13	-	-
FEMALE--	2	10	11	15	27	52	83	97	79	31	6	-
ALL OTHER--MALE----	2	4	2	2	3	7	6	7	1	3	1	-
FEMALE--	1	2	1	2	6	5	7	13	6	2	2	-
BLACK---MALE----	2	4	2	2	2	6	4	6	-	2	1	-
FEMALE--	1	2	1	2	6	4	7	9	6	1	2	-
ALABAMA ----------	-	2	-	2	1	3	5	2	1	1	-	-
WHITE------MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	2	-	2	5	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	2	-	1	3	3	3	1	-	-
WHITE------MALE----	-	-	-	-	-	1	2	2	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	1	2	2	6	8	11	10	12	5	1	-
WHITE------MALE----	1	-	1	1	3	3	5	3	7	1	-	-
FEMALE--	-	1	1	1	2	4	5	4	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pleural effusion and plaque (J90,J92)												
COLORADO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	54	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	23	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
COLORADO ----------	-	-	-	-	-	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	1	1	4	7	4	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	4	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	2	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
FLORIDA ----------	-	2	1	5	8	7	11	10	5	3	1	-
WHITE------MALE----	-	2	-	1	3	3	5	5	2	-	-	-
FEMALE--	-	-	-	4	3	4	6	4	3	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
GEORGIA ----------	-	2	2	-	5	2	4	1	2	2	-	-
WHITE------MALE----	-	1	2	-	1	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	2	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pleural effusion and plaque (J90,J92)												
HAWAII ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	58	1	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	22	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	28	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	24	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
HAWAII ----------	-	-	-	-	2	-	3	2	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	1	1	1	3	9	12	13	10	5	-	-
WHITE------MALE----	-	-	-	1	1	6	5	3	4	1	-	-
FEMALE--	-	-	1	-	2	1	7	7	5	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
INDIANA ----------	1	-	-	3	1	3	3	4	7	1	-	-
WHITE------MALE----	1	-	-	3	-	1	-	2	3	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	1	1	4	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	1	2	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pleural effusion and plaque (J90,J92)												
KENTUCKY ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	27	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
KENTUCKY ----------	-	1	1	-	4	2	2	3	3	2	-	-
WHITE------MALE----	-	-	-	-	3	1	1	3	2	1	-	-
FEMALE--	-	1	1	-	1	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	-	-	2	1	2	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE ----------	-	-	-	1	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	2	2	3	3	4	2	-	2	-	-
WHITE------MALE----	-	-	-	2	1	1	3	-	-	1	-	-
FEMALE--	-	-	1	-	2	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	-	-	-	3	4	3	4	8	4	-	-	-
WHITE------MALE----	-	-	-	3	3	1	2	6	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	1	-	-	1	4	5	6	3	-	1	-
WHITE------MALE----	-	-	-	-	1	1	2	3	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	2	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pleural effusion and plaque (J90,J92)												
MINNESOTA ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
MINNESOTA ----------	-	-	-	-	-	3	3	5	2	2	-	-
WHITE------MALE----	-	-	-	-	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	1	1	4	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
MISSOURI ----------	-	-	-	-	5	2	1	-	8	-	-	-
WHITE------MALE----	-	-	-	-	4	1	-	-	3	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	1	1	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pleural effusion and plaque (J90,J92)												
NEW HAMPSHIRE ----------	6	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	36	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	78	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	30	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
NEW HAMPSHIRE ----------	-	-	1	-	1	2	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	1	2	4	9	9	5	3	-	-
WHITE------MALE----	1	-	-	1	1	2	7	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
NEW MEXICO ----------	-	1	1	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	2	7	4	11	18	21	9	3	-	-
WHITE------MALE----	1	-	1	1	2	4	7	11	1	1	-	-
FEMALE--	-	1	1	3	2	6	10	10	6	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	1	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
NORTH CAROLINA ---------	1	-	-	-	1	2	2	7	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	2	-	-	-
FEMALE--	1	-	-	-	1	1	-	6	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pleural effusion and plaque (J90,J92)												
OHIO ----------	51	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	46	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
OHIO ----------	-	3	3	6	1	9	12	9	4	2	2	-
WHITE------MALE----	-	-	1	2	1	5	5	2	-	1	-	-
FEMALE--	-	2	1	4	-	3	5	6	4	1	2	-
ALL OTHER--MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
OKLAHOMA ----------	-	-	-	-	1	1	2	2	2	3	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
OREGON ----------	-	-	1	-	-	-	-	1	1	1	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	2	3	3	8	5	12	6	4	-	-
WHITE------MALE----	-	-	-	3	2	7	1	6	2	-	-	-
FEMALE--	-	-	2	-	1	1	4	6	2	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	1	3	3	3	3	-	-	-
WHITE------MALE----	-	-	-	-	1	3	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pleural effusion and plaque (J90,J92)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	43	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2501

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	3	2	-	2	4	3	4	2	2	-	-
WHITE------MALE----	-	-	1	-	1	1	1	2	1	1	-	-
FEMALE--	-	3	1	-	-	2	2	2	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS ----------	2	1	1	-	3	6	5	8	10	3	2	-
WHITE------MALE----	-	1	1	-	1	4	3	3	5	1	-	-
FEMALE--	1	-	-	-	2	2	2	5	5	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
UTAH ----------	-	-	-	-	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	1	2	1	3	4	4	2	-	-	-
WHITE------MALE----	-	-	1	2	-	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2502

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pleural effusion and plaque (J90,J92)												
WASHINGTON ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2502

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
WASHINGTON ----------	-	-	-	2	-	2	6	1	3	-	-	-
WHITE------MALE----	-	-	-	1	-	-	3	-	2	-	-	-
FEMALE--	-	-	-	1	-	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	1	1	3	1	-	5	1	-	-	-
WHITE------MALE----	1	-	1	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	1	3	2	2	1	-	1	-
WHITE------MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2503

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
UNITED STATES -	22,618	220	60	31	29	46	44	74	133	180	291	438
WHITE------MALE----	9,715	73	22	11	11	25	24	30	46	67	108	154
FEMALE--	10,403	49	18	11	10	13	14	20	47	57	91	156
ALL OTHER--MALE----	1,138	56	13	5	3	4	2	4	17	25	41	62
FEMALE--	1,362	42	7	4	5	4	4	20	23	31	51	66
BLACK---MALE----	918	52	12	4	3	3	1	4	16	23	36	57
FEMALE--	1,125	36	6	3	5	3	4	18	22	29	48	57
ALABAMA ----------	559	6	1	1	1	2	4	1	1	3	10	21
WHITE------MALE----	202	2	-	1	-	1	-	-	-	1	2	5
FEMALE--	246	2	1	-	-	1	2	-	1	2	4	8
ALL OTHER--MALE----	47	2	-	-	-	-	-	-	-	-	1	3
FEMALE--	64	-	-	-	1	-	2	1	-	-	3	5
BLACK---MALE----	47	2	-	-	-	-	-	-	-	-	1	3
FEMALE--	63	-	-	-	1	-	2	1	-	-	3	5
ALASKA ----------	24	-	-	-	-	-	1	1	-	-	1	2
WHITE------MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	366	6	2	-	-	1	-	1	3	3	7	9
WHITE------MALE----	188	3	1	-	-	-	-	-	2	-	1	6
FEMALE--	144	3	1	-	-	1	-	-	1	2	4	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	273	2	-	1	-	-	1	-	1	1	1	4
WHITE------MALE----	105	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	131	1	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	14	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA ----------	1,793	27	6	3	1	3	5	7	6	8	23	42
WHITE------MALE----	784	8	4	-	1	2	3	5	2	4	10	15
FEMALE--	779	8	1	2	-	1	2	1	3	2	5	14
ALL OTHER--MALE----	91	5	1	-	-	-	-	-	1	1	4	4
FEMALE--	139	6	-	1	-	-	-	1	-	1	4	9
BLACK---MALE----	40	3	1	-	-	-	-	-	-	1	3	2
FEMALE--	67	5	-	-	-	-	-	1	-	-	3	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2503

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
UNITED STATES -	593	804	1,231	1,958	3,040	4,046	3,935	3,163	1,602	576	124	-
WHITE------MALE----	237	335	586	964	1,518	1,932	1,777	1,199	440	134	22	-
FEMALE--	227	323	472	759	1,196	1,778	1,878	1,757	1,057	382	88	-
ALL OTHER--MALE----	63	76	84	107	158	154	128	79	36	16	5	-
FEMALE--	66	70	89	128	168	182	152	128	69	44	9	-
BLACK---MALE----	55	57	70	91	121	125	90	58	26	10	4	-
FEMALE--	58	63	73	108	136	145	114	103	50	37	7	-
ALABAMA ----------	19	20	39	54	63	90	91	73	38	15	6	-
WHITE------MALE----	7	5	16	27	31	37	29	25	8	4	1	-
FEMALE--	7	12	15	15	19	38	50	36	24	7	2	-
ALL OTHER--MALE----	2	3	5	4	7	8	6	5	1	-	-	-
FEMALE--	3	-	3	8	6	7	6	7	5	4	3	-
BLACK---MALE----	2	3	5	4	7	8	6	5	1	-	-	-
FEMALE--	3	-	3	8	6	7	6	7	5	3	3	-
ALASKA ----------	-	1	3	1	3	2	4	2	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	17	15	40	55	67	58	45	22	5	1	-
WHITE------MALE----	2	6	10	20	41	38	29	20	7	2	-	-
FEMALE--	4	7	3	18	12	25	26	18	15	2	-	-
ALL OTHER--MALE----	1	3	1	1	1	2	1	3	-	-	1	-
FEMALE--	2	1	1	1	1	2	2	4	-	1	-	-
BLACK---MALE----	-	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ARKANSAS ----------	6	12	19	20	43	49	45	43	19	5	1	-
WHITE------MALE----	2	7	6	8	19	16	24	16	3	-	-	-
FEMALE--	2	4	10	10	19	27	15	22	13	4	1	-
ALL OTHER--MALE----	2	-	1	1	-	1	4	1	2	-	-	-
FEMALE--	-	1	2	1	5	5	2	4	1	1	-	-
BLACK---MALE----	2	-	1	1	-	1	4	1	2	-	-	-
FEMALE--	-	1	2	1	5	5	2	4	1	1	-	-
CALIFORNIA ----------	48	54	104	165	229	330	347	224	114	40	7	-
WHITE------MALE----	20	25	47	80	110	151	158	89	37	10	3	-
FEMALE--	22	15	42	58	81	152	147	122	72	26	3	-
ALL OTHER--MALE----	2	7	6	9	10	10	21	7	2	1	-	-
FEMALE--	4	7	9	18	28	17	21	6	3	3	1	-
BLACK---MALE----	2	3	5	6	2	2	6	3	-	1	-	-
FEMALE--	2	2	6	9	13	8	8	1	-	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2504

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
COLORADO ----------	298	1	3	-	1	-	-	1	2	5	7	7
WHITE------MALE----	138	-	2	-	-	-	-	-	1	2	-	3
FEMALE--	142	-	1	-	1	-	-	-	1	3	4	2
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
CONNECTICUT ----------	302	1	-	2	-	2	-	1	-	3	5	9
WHITE------MALE----	133	-	-	-	-	1	-	1	-	-	2	3
FEMALE--	149	-	-	2	-	1	-	-	-	1	-	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	9	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	8	1	-	-	-	-	-	-	-	1	1	-
DELAWARE ----------	60	-	-	1	-	-	-	1	-	-	-	2
WHITE------MALE----	25	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	42	-	1	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	15	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	1
FLORIDA ----------	1,523	9	2	-	3	3	1	3	2	9	19	15
WHITE------MALE----	684	-	-	-	-	1	1	1	1	5	5	2
FEMALE--	720	1	-	-	1	2	-	1	-	2	8	8
ALL OTHER--MALE----	61	7	1	-	1	-	-	-	1	1	3	4
FEMALE--	58	1	1	-	1	-	-	1	-	1	3	1
BLACK---MALE----	59	7	1	-	1	-	-	-	1	1	2	4
FEMALE--	53	1	-	-	1	-	-	1	-	1	3	1
GEORGIA ----------	868	8	2	2	2	1	2	2	9	16	15	33
WHITE------MALE----	320	1	1	-	-	1	1	-	1	1	4	13
FEMALE--	372	2	-	1	2	-	1	1	4	3	5	10
ALL OTHER--MALE----	89	2	1	1	-	-	-	-	3	4	4	8
FEMALE--	87	3	-	-	-	-	-	1	1	8	2	2
BLACK---MALE----	86	2	1	1	-	-	-	-	3	4	4	8
FEMALE--	86	3	-	-	-	-	-	1	1	8	2	2

All other diseases of respiratory system (J80-J84,J93-J98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
COLORADO ----------	11	8	16	22	35	68	48	41	15	5	2	-
WHITE------MALE----	5	6	4	11	14	34	30	20	6	-	-	-
FEMALE--	5	1	10	10	18	32	17	21	9	5	2	-
ALL OTHER--MALE----	1	-	1	-	3	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
CONNECTICUT ----------	5	10	13	23	41	57	49	45	24	9	3	-
WHITE------MALE----	1	3	7	14	25	26	20	19	8	2	1	-
FEMALE--	2	7	3	7	13	29	28	26	16	7	2	-
ALL OTHER--MALE----	-	-	-	2	2	2	1	-	-	-	-	-
FEMALE--	2	-	3	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	2	2	1	-	-	-	-	-
FEMALE--	2	-	3	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	2	5	7	14	12	6	4	4	1	-	-
WHITE------MALE----	-	1	1	4	3	7	5	2	-	1	-	-
FEMALE--	1	-	3	2	10	4	1	1	4	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	2	2	6	2	6	9	7	3	2	-	-	-
WHITE------MALE----	-	-	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	4	1	3	1	2	2	-	-	-	-
FEMALE--	1	2	2	1	2	4	1	1	1	-	-	-
BLACK---MALE----	1	-	4	1	3	1	2	2	-	-	-	-
FEMALE--	1	2	2	1	2	4	1	1	1	-	-	-
FLORIDA ----------	27	46	82	124	195	291	276	234	136	34	12	-
WHITE------MALE----	11	25	42	59	100	152	125	96	43	12	3	-
FEMALE--	9	16	29	53	81	120	142	133	87	19	8	-
ALL OTHER--MALE----	4	3	4	5	8	13	4	-	-	1	1	-
FEMALE--	3	2	7	7	6	6	5	5	6	2	-	-
BLACK---MALE----	4	3	4	5	7	13	4	-	-	1	1	-
FEMALE--	3	2	7	6	5	5	5	5	5	2	-	-
GEORGIA ----------	30	35	55	81	124	140	128	106	53	20	4	-
WHITE------MALE----	11	12	24	42	53	57	49	28	15	5	1	-
FEMALE--	10	11	17	26	50	66	63	58	30	10	2	-
ALL OTHER--MALE----	4	4	8	7	12	9	8	8	3	2	1	-
FEMALE--	5	8	6	6	9	8	8	12	5	3	-	-
BLACK---MALE----	4	4	7	7	11	9	8	8	3	1	1	-
FEMALE--	5	8	6	6	9	8	7	12	5	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
HAWAII ----------	104	1	1	-	-	-	-	-	-	-	1	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	37	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	94	-	-	-	-	-	1	-	-	1	1	-
WHITE------MALE----	49	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	960	8	4	-	-	2	5	2	9	6	13	25
WHITE------MALE----	414	2	-	-	-	1	2	-	2	1	5	8
FEMALE--	406	1	2	-	-	-	2	1	1	2	2	4
ALL OTHER--MALE----	50	3	1	-	-	1	-	-	-	1	-	5
FEMALE--	90	2	1	-	-	-	1	1	6	2	6	8
BLACK---MALE----	45	3	1	-	-	-	-	-	-	1	-	5
FEMALE--	85	1	1	-	-	-	1	1	6	2	6	8
INDIANA ----------	568	8	-	2	-	-	-	1	4	4	6	6
WHITE------MALE----	248	4	-	-	-	-	-	1	1	2	3	2
FEMALE--	284	-	-	-	-	-	-	-	2	2	2	4
ALL OTHER--MALE----	16	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	20	2	-	1	-	-	-	-	1	-	1	-
BLACK---MALE----	14	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	20	2	-	1	-	-	-	-	1	-	1	-
IOWA ----------	231	1	1	-	-	-	1	1	1	1	2	4
WHITE------MALE----	120	1	-	-	-	-	1	-	1	-	1	3
FEMALE--	109	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	256	-	-	-	-	1	2	1	1	2	3	8
WHITE------MALE----	132	-	-	-	-	1	2	-	1	1	3	4
FEMALE--	114	-	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
HAWAII ----------	-	5	4	6	16	19	22	15	8	5	-	-
WHITE------MALE----	-	-	1	-	4	1	4	1	1	-	-	-
FEMALE--	-	2	-	1	-	3	5	3	1	-	-	-
ALL OTHER--MALE----	-	3	2	2	8	5	8	5	2	3	-	-
FEMALE--	-	-	1	3	4	10	5	6	4	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	2	4	9	9	19	20	17	10	1	-	-
WHITE------MALE----	-	1	1	7	5	11	10	9	3	-	-	-
FEMALE--	-	1	3	1	4	7	10	8	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS ----------	37	40	45	78	122	163	172	143	57	25	4	-
WHITE------MALE----	13	17	22	36	65	75	92	52	16	5	-	-
FEMALE--	12	13	18	27	44	75	69	79	36	16	2	-
ALL OTHER--MALE----	5	4	1	8	4	6	3	5	3	-	-	-
FEMALE--	7	6	4	7	9	7	8	7	2	4	2	-
BLACK---MALE----	5	3	-	8	4	6	3	4	2	-	-	-
FEMALE--	6	6	3	7	9	6	8	6	2	4	2	-
INDIANA ----------	27	28	28	49	83	110	78	88	33	11	2	-
WHITE------MALE----	10	12	16	27	39	50	35	37	8	1	-	-
FEMALE--	13	13	10	19	39	55	40	51	23	9	2	-
ALL OTHER--MALE----	2	2	1	2	3	2	1	-	-	-	-	-
FEMALE--	2	1	1	1	2	3	2	-	2	1	-	-
BLACK---MALE----	2	2	-	2	3	2	-	-	-	-	-	-
FEMALE--	2	1	1	1	2	3	2	-	2	1	-	-
IOWA ----------	3	5	8	19	30	40	48	34	21	10	1	-
WHITE------MALE----	2	4	4	7	19	30	22	14	7	3	1	-
FEMALE--	1	1	4	12	11	10	25	20	14	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS ----------	8	7	11	17	39	42	49	35	23	3	4	-
WHITE------MALE----	6	5	3	12	24	22	30	12	6	-	-	-
FEMALE--	1	1	7	5	14	18	19	23	15	3	4	-
ALL OTHER--MALE----	1	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
KENTUCKY ----------	404	6	-	-	1	-	-	1	5	4	7	9
WHITE------MALE----	184	5	-	-	-	-	-	-	-	3	3	4
FEMALE--	191	-	-	-	1	-	-	-	3	-	4	4
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	1	2	1	-	1
BLACK---MALE----	11	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	1	2	1	-	1
LOUISIANA ----------	375	3	2	-	-	-	-	2	2	4	12	9
WHITE------MALE----	112	1	-	-	-	-	-	-	-	-	4	3
FEMALE--	179	-	-	-	-	-	-	1	1	2	4	3
ALL OTHER--MALE----	37	2	1	-	-	-	-	-	1	2	1	2
FEMALE--	47	-	1	-	-	-	-	1	-	-	3	1
BLACK---MALE----	37	2	1	-	-	-	-	-	1	2	1	2
FEMALE--	45	-	1	-	-	-	-	1	-	-	3	1
MAINE ----------	145	1	-	-	-	-	-	1	-	-	-	2
WHITE------MALE----	68	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	76	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	335	5	-	2	2	2	-	-	7	4	7	8
WHITE------MALE----	123	-	-	1	1	-	-	-	1	1	1	-
FEMALE--	129	1	-	1	1	-	-	-	2	1	1	4
ALL OTHER--MALE----	35	3	-	-	-	1	-	-	1	-	2	2
FEMALE--	48	1	-	-	-	1	-	-	3	2	3	2
BLACK---MALE----	33	3	-	-	-	1	-	-	1	-	2	2
FEMALE--	45	1	-	-	-	1	-	-	3	2	3	2
MASSACHUSETTS ----------	867	3	1	-	1	-	-	-	4	3	7	10
WHITE------MALE----	360	3	1	-	-	-	-	-	-	-	5	3
FEMALE--	476	-	-	-	1	-	-	-	3	2	1	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	1	1	1	1
MICHIGAN ----------	835	6	4	-	1	2	3	3	8	8	7	10
WHITE------MALE----	382	2	2	-	1	1	2	3	3	4	4	5
FEMALE--	371	1	2	-	-	1	-	-	3	2	3	3
ALL OTHER--MALE----	45	1	-	-	-	-	1	-	1	2	-	2
FEMALE--	37	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	40	1	-	-	-	-	-	-	1	2	-	2
FEMALE--	37	2	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
KENTUCKY ----------	13	26	29	31	61	72	68	46	19	5	1	-
WHITE------MALE----	4	11	16	17	36	35	31	14	5	-	-	-
FEMALE--	7	14	12	11	22	34	31	30	12	5	1	-
ALL OTHER--MALE----	2	-	-	1	-	3	2	1	1	-	-	-
FEMALE--	-	1	1	2	3	-	4	1	1	-	-	-
BLACK---MALE----	2	-	-	1	-	3	2	1	1	-	-	-
FEMALE--	-	1	1	2	3	-	4	1	1	-	-	-
LOUISIANA ----------	7	14	32	42	49	54	52	58	22	10	1	-
WHITE------MALE----	2	4	10	16	15	21	17	15	3	-	1	-
FEMALE--	2	8	12	19	24	27	26	28	16	6	-	-
ALL OTHER--MALE----	-	1	4	2	5	2	3	6	3	2	-	-
FEMALE--	3	1	6	5	5	4	6	9	-	2	-	-
BLACK---MALE----	-	1	4	2	5	2	3	6	3	2	-	-
FEMALE--	3	1	5	5	5	4	6	8	-	2	-	-
MAINE ----------	3	5	12	7	22	26	26	21	12	6	1	-
WHITE------MALE----	1	2	9	5	14	14	14	3	3	1	-	-
FEMALE--	2	3	3	2	8	12	12	18	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	11	20	20	29	47	61	59	33	15	2	1	-
WHITE------MALE----	3	6	12	13	20	28	22	12	2	-	-	-
FEMALE--	5	4	3	5	18	23	31	16	11	2	-	-
ALL OTHER--MALE----	2	5	2	3	3	5	2	2	1	-	1	-
FEMALE--	1	5	3	8	6	5	4	3	1	-	-	-
BLACK---MALE----	2	5	1	3	2	5	2	2	1	-	1	-
FEMALE--	1	5	1	8	5	5	4	3	1	-	-	-
MASSACHUSETTS ----------	15	21	37	57	86	135	188	150	98	44	7	-
WHITE------MALE----	6	13	15	28	42	72	86	51	22	12	1	-
FEMALE--	7	8	21	25	38	62	95	96	75	31	6	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	1	3	4	-	6	3	1	1	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	3	4	-	6	3	1	1	-	-
MICHIGAN ----------	16	25	33	72	115	181	143	115	59	23	1	-
WHITE------MALE----	7	9	17	31	58	87	72	52	18	4	-	-
FEMALE--	4	12	8	34	47	80	64	54	36	16	1	-
ALL OTHER--MALE----	3	2	6	3	5	5	5	4	2	3	-	-
FEMALE--	2	2	2	4	5	9	2	5	3	-	-	-
BLACK---MALE----	2	2	6	3	4	5	5	4	2	1	-	-
FEMALE--	2	2	2	4	5	9	2	5	3	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
MINNESOTA ----------	356	1	2	1	-	2	1	-	2	-	2	5
WHITE------MALE----	172	-	1	-	-	2	-	-	1	-	2	1
FEMALE--	168	1	1	-	-	-	1	-	1	-	-	3
ALL OTHER--MALE----	9	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI ----------	265	-	-	-	2	1	-	4	4	4	9	7
WHITE------MALE----	87	-	-	-	-	-	-	1	3	-	5	4
FEMALE--	111	-	-	-	1	1	-	1	-	3	1	1
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	37	-	-	-	1	-	-	2	-	-	2	1
BLACK---MALE----	30	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	37	-	-	-	1	-	-	2	-	-	2	1
MISSOURI ----------	481	8	-	-	2	-	-	1	3	5	8	15
WHITE------MALE----	206	1	-	-	-	-	-	-	1	2	5	3
FEMALE--	233	3	-	-	1	-	-	1	2	3	2	7
ALL OTHER--MALE----	20	4	-	-	-	-	-	-	-	-	-	2
FEMALE--	22	-	-	-	1	-	-	-	-	-	1	3
BLACK---MALE----	19	4	-	-	-	-	-	-	-	-	-	2
FEMALE--	20	-	-	-	1	-	-	-	-	-	1	3
MONTANA ----------	90	1	-	-	-	-	-	1	1	1	1	-
WHITE------MALE----	41	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	196	1	-	1	-	1	-	-	-	2	1	3
WHITE------MALE----	92	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	103	1	-	1	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	137	1	1	1	-	1	-	-	-	-	2	2
WHITE------MALE----	65	1	1	1	-	-	-	-	-	-	2	1
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

All other diseases of respiratory system (J80-J84,J93-J98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	3	14	11	27	37	56	72	65	39	12	4	-
WHITE------MALE----	2	6	3	16	23	31	35	30	11	7	1	-
FEMALE--	1	7	6	9	13	23	34	34	26	5	3	-
ALL OTHER--MALE----	-	1	1	2	1	-	1	-	2	-	-	-
FEMALE--	-	-	1	-	-	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MISSISSIPPI ----------	11	13	20	13	34	44	40	37	13	7	2	-
WHITE------MALE----	2	3	8	4	10	15	17	10	4	-	1	-
FEMALE--	5	7	10	6	15	15	14	17	8	5	1	-
ALL OTHER--MALE----	-	2	2	2	6	7	5	1	-	1	-	-
FEMALE--	4	1	-	1	3	7	4	9	1	1	-	-
BLACK---MALE----	-	2	2	2	6	7	5	1	-	1	-	-
FEMALE--	4	1	-	1	3	7	4	9	1	1	-	-
MISSOURI ----------	17	17	25	54	65	66	74	69	34	15	3	-
WHITE------MALE----	8	11	10	24	31	32	40	28	6	4	-	-
FEMALE--	5	4	14	26	25	31	32	40	24	10	3	-
ALL OTHER--MALE----	2	1	1	1	6	-	1	-	2	-	-	-
FEMALE--	2	1	-	3	3	3	1	1	2	1	-	-
BLACK---MALE----	2	1	1	1	5	-	1	-	2	-	-	-
FEMALE--	2	1	-	3	3	2	1	1	1	1	-	-
MONTANA ----------	2	1	7	6	10	21	18	10	9	1	-	-
WHITE------MALE----	1	-	6	2	2	11	7	5	3	-	-	-
FEMALE--	-	1	1	3	8	9	11	5	6	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	5	12	9	29	35	32	26	25	6	4	-
WHITE------MALE----	1	5	4	5	17	24	12	11	6	3	-	-
FEMALE--	3	-	7	4	12	11	20	15	19	3	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	4	13	13	18	25	19	21	7	4	1	-
WHITE------MALE----	2	-	5	7	10	12	8	10	3	2	-	-
FEMALE--	-	3	8	6	8	12	11	11	3	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
NEW HAMPSHIRE ----------	100	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	46	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	53	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	624	5	2	1	1	1	1	3	4	10	4	11
WHITE------MALE----	254	1	1	1	-	-	1	1	1	2	2	3
FEMALE--	285	1	1	-	-	-	-	2	-	4	-	6
ALL OTHER--MALE----	42	2	-	-	1	-	-	-	2	2	1	-
FEMALE--	43	1	-	-	-	1	-	-	1	2	1	2
BLACK---MALE----	32	1	-	-	1	-	-	-	2	2	1	-
FEMALE--	38	1	-	-	-	1	-	-	1	2	1	1
NEW MEXICO ----------	156	-	-	-	-	-	-	1	2	-	-	3
WHITE------MALE----	73	-	-	-	-	-	-	1	2	-	-	3
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,187	17	3	4	3	4	3	4	12	11	22	26
WHITE------MALE----	474	7	-	2	1	3	1	1	5	5	12	10
FEMALE--	578	4	1	1	-	1	2	2	5	1	3	8
ALL OTHER--MALE----	56	3	1	-	1	-	-	-	1	3	5	4
FEMALE--	79	3	1	1	1	-	-	1	1	2	2	4
BLACK---MALE----	49	3	1	-	1	-	-	-	1	3	5	4
FEMALE--	67	3	1	1	1	-	-	1	1	2	2	4
NORTH CAROLINA ---------	680	3	2	4	-	-	1	2	-	3	8	14
WHITE------MALE----	289	-	1	1	-	-	-	1	-	-	1	3
FEMALE--	299	1	-	1	-	-	1	1	-	2	2	7
ALL OTHER--MALE----	43	-	1	1	-	-	-	-	-	-	3	4
FEMALE--	49	2	-	1	-	-	-	-	-	1	2	-
BLACK---MALE----	40	-	1	1	-	-	-	-	-	-	3	4
FEMALE--	48	2	-	1	-	-	-	-	-	1	2	-
NORTH DAKOTA ----------	58	-	1	-	-	1	-	-	-	-	-	1
WHITE------MALE----	26	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
NEW HAMPSHIRE ----------	3	3	8	6	10	15	22	19	10	-	1	-
WHITE------MALE----	2	2	4	1	7	8	13	6	1	-	-	-
FEMALE--	1	1	4	5	3	7	8	13	9	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	9	18	40	57	92	110	113	78	41	18	5	-
WHITE------MALE----	3	5	19	28	42	54	54	24	9	2	1	-
FEMALE--	-	7	9	20	40	47	53	49	30	13	3	-
ALL OTHER--MALE----	3	4	7	5	6	2	2	1	1	2	1	-
FEMALE--	3	2	5	4	4	7	4	4	1	1	-	-
BLACK---MALE----	2	2	5	4	3	2	2	1	1	2	1	-
FEMALE--	3	2	5	4	3	7	2	3	1	1	-	-
NEW MEXICO ----------	4	3	6	11	33	22	28	26	15	2	-	-
WHITE------MALE----	1	1	4	3	17	11	15	10	4	1	-	-
FEMALE--	3	2	2	5	13	7	9	10	8	1	-	-
ALL OTHER--MALE----	-	-	-	1	2	3	1	3	-	-	-	-
FEMALE--	-	-	-	2	1	1	3	3	3	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW YORK ----------	30	36	63	88	143	201	212	175	76	43	11	-
WHITE------MALE----	15	12	30	37	65	83	97	59	19	8	2	-
FEMALE--	11	14	22	36	61	99	105	105	55	33	9	-
ALL OTHER--MALE----	2	5	6	5	6	6	4	4	-	-	-	-
FEMALE--	2	5	5	10	11	13	6	7	2	2	-	-
BLACK---MALE----	2	3	6	4	5	5	3	3	-	-	-	-
FEMALE--	2	4	4	9	10	11	3	6	1	1	-	-
NORTH CAROLINA ---------	11	36	40	60	96	134	102	97	47	19	1	-
WHITE------MALE----	4	17	21	33	39	73	45	36	10	4	-	-
FEMALE--	2	16	16	18	41	49	49	48	32	12	1	-
ALL OTHER--MALE----	3	-	1	5	11	6	3	5	-	-	-	-
FEMALE--	2	3	2	4	5	6	5	8	5	3	-	-
BLACK---MALE----	3	-	1	5	9	6	2	5	-	-	-	-
FEMALE--	2	3	2	4	5	6	4	8	5	3	-	-
NORTH DAKOTA ----------	-	2	3	2	5	15	10	11	2	3	2	-
WHITE------MALE----	-	-	1	1	5	7	1	7	-	1	-	-
FEMALE--	-	1	2	1	-	6	9	4	2	2	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
OHIO ----------	1,026	8	1	-	-	2	3	3	6	11	18	15
WHITE------MALE----	437	3	-	-	-	1	1	1	3	5	4	6
FEMALE--	478	2	-	-	-	1	1	-	1	1	6	5
ALL OTHER--MALE----	49	1	-	-	-	-	-	-	-	4	3	1
FEMALE--	62	2	1	-	-	-	1	2	2	1	5	3
BLACK---MALE----	46	1	-	-	-	-	-	-	-	3	3	1
FEMALE--	60	2	1	-	-	-	1	2	1	1	5	3
OKLAHOMA ----------	299	7	1	-	-	1	-	2	1	8	2	2
WHITE------MALE----	123	3	1	-	-	1	-	1	-	5	-	1
FEMALE--	149	2	-	-	-	-	-	1	-	3	1	1
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	231	1	1	1	-	1	-	1	1	1	4	2
WHITE------MALE----	110	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	114	-	-	1	-	1	-	1	-	1	3	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA ----------	1,407	12	3	1	3	1	2	4	6	9	18	19
WHITE------MALE----	597	2	2	1	2	1	2	3	1	2	8	8
FEMALE--	681	3	1	-	1	-	-	-	3	5	5	4
ALL OTHER--MALE----	59	5	-	-	-	-	-	-	1	2	3	5
FEMALE--	70	2	-	-	-	-	-	1	1	-	2	2
BLACK---MALE----	57	5	-	-	-	-	-	-	1	2	3	5
FEMALE--	66	2	-	-	-	-	-	1	1	-	2	1
RHODE ISLAND ----------	75	1	-	-	-	1	-	-	-	-	-	2
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	368	6	1	-	1	-	-	4	5	4	4	6
WHITE------MALE----	155	1	-	-	1	-	-	-	2	2	1	2
FEMALE--	143	1	-	-	-	-	-	1	2	1	1	-
ALL OTHER--MALE----	30	3	-	-	-	-	-	1	-	-	-	3
FEMALE--	40	1	1	-	-	-	-	2	1	1	2	1
BLACK---MALE----	30	3	-	-	-	-	-	1	-	-	-	3
FEMALE--	39	1	1	-	-	-	-	2	1	1	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
OHIO ----------	26	39	46	87	155	184	190	144	60	25	3	-
WHITE------MALE----	13	17	22	39	80	85	74	58	17	6	2	-
FEMALE--	6	11	19	38	59	88	105	77	42	16	-	-
ALL OTHER--MALE----	3	6	5	6	5	4	6	5	-	-	-	-
FEMALE--	4	5	-	4	11	7	5	4	1	3	1	-
BLACK---MALE----	3	5	5	6	5	4	6	4	-	-	-	-
FEMALE--	4	5	-	4	11	6	5	4	1	3	1	-
OKLAHOMA ----------	9	15	13	28	36	49	41	54	16	14	-	-
WHITE------MALE----	6	4	4	11	19	23	17	18	5	4	-	-
FEMALE--	3	8	6	15	16	21	21	33	9	9	-	-
ALL OTHER--MALE----	-	2	2	1	-	3	3	2	2	-	-	-
FEMALE--	-	1	1	1	1	2	-	1	-	1	-	-
BLACK---MALE----	-	1	1	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	1	-	-
OREGON ----------	8	7	16	14	23	58	40	31	16	5	-	-
WHITE------MALE----	5	5	8	7	14	29	17	11	8	3	-	-
FEMALE--	2	2	8	7	9	28	21	20	7	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	34	37	52	129	202	249	262	206	119	31	8	-
WHITE------MALE----	13	15	26	69	98	115	114	79	31	5	-	-
FEMALE--	14	17	21	51	85	111	129	119	82	23	7	-
ALL OTHER--MALE----	5	2	2	1	10	11	8	4	-	-	-	-
FEMALE--	2	3	3	8	9	12	11	4	6	3	1	-
BLACK---MALE----	4	2	2	1	10	11	8	3	-	-	-	-
FEMALE--	2	3	3	7	9	12	11	4	6	2	-	-
RHODE ISLAND ----------	-	3	6	4	9	13	21	10	3	2	-	-
WHITE------MALE----	-	-	4	3	7	6	16	5	1	-	-	-
FEMALE--	-	3	2	1	2	6	5	5	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	13	19	28	41	60	71	53	29	15	7	1	-
WHITE------MALE----	5	7	11	20	34	32	23	10	4	-	-	-
FEMALE--	2	9	11	14	17	28	22	18	9	6	1	-
ALL OTHER--MALE----	4	1	1	4	3	6	3	1	-	-	-	-
FEMALE--	2	2	5	3	6	5	5	-	2	1	-	-
BLACK---MALE----	4	1	1	4	3	6	3	1	-	-	-	-
FEMALE--	2	2	4	3	6	5	5	-	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
SOUTH DAKOTA ----------	41	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	445	2	2	1	-	2	2	3	-	2	6	8
WHITE------MALE----	194	-	-	1	-	1	2	-	-	2	-	4
FEMALE--	210	-	1	-	-	-	-	1	-	-	4	1
ALL OTHER--MALE----	20	1	-	-	-	-	-	1	-	-	2	1
FEMALE--	21	1	1	-	-	1	-	1	-	-	-	2
BLACK---MALE----	20	1	-	-	-	-	-	1	-	-	2	1
FEMALE--	21	1	1	-	-	1	-	1	-	-	-	2
TEXAS ----------	1,295	24	4	-	3	4	2	6	8	13	21	31
WHITE------MALE----	555	7	1	-	3	3	1	4	3	10	6	7
FEMALE--	628	7	3	-	-	1	1	-	3	1	12	12
ALL OTHER--MALE----	49	4	-	-	-	-	-	1	1	1	1	3
FEMALE--	63	6	-	-	-	-	-	1	1	1	2	9
BLACK---MALE----	46	4	-	-	-	-	-	1	1	1	1	3
FEMALE--	55	4	-	-	-	-	-	1	1	1	2	9
UTAH ----------	131	2	1	-	1	1	-	1	2	-	1	3
WHITE------MALE----	59	2	-	-	1	1	-	1	1	-	-	1
FEMALE--	64	-	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	59	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	29	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	644	9	1	1	-	-	1	3	2	6	2	15
WHITE------MALE----	271	3	-	1	-	-	-	2	-	2	1	5
FEMALE--	270	1	-	-	-	-	-	1	1	1	-	8
ALL OTHER--MALE----	50	2	1	-	-	-	1	-	-	-	-	2
FEMALE--	53	3	-	-	-	-	-	-	1	3	1	-
BLACK---MALE----	49	2	1	-	-	-	1	-	-	-	-	2
FEMALE--	50	3	-	-	-	-	-	-	1	3	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2510

All other diseases of respiratory system (J80-J84,J93-J98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	-	-	-	3	6	11	11	4	5	1	-	-
WHITE------MALE----	-	-	-	3	4	8	3	1	2	-	-	-
FEMALE--	-	-	-	-	2	2	7	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	20	20	28	47	62	74	77	55	25	9	-	-
WHITE------MALE----	10	7	16	23	33	26	43	16	8	2	-	-
FEMALE--	8	12	11	22	22	40	31	35	15	7	-	-
ALL OTHER--MALE----	1	-	-	1	6	4	1	1	1	-	-	-
FEMALE--	1	1	1	1	1	4	2	3	1	-	-	-
BLACK---MALE----	1	-	-	1	6	4	1	1	1	-	-	-
FEMALE--	1	1	1	1	1	4	2	3	1	-	-	-
TEXAS ----------	38	52	67	132	173	228	202	151	91	36	9	-
WHITE------MALE----	12	14	39	73	86	107	90	50	29	8	2	-
FEMALE--	21	25	22	49	75	113	98	97	55	26	7	-
ALL OTHER--MALE----	2	8	2	7	5	4	7	-	3	-	-	-
FEMALE--	3	5	4	3	7	4	7	4	4	2	-	-
BLACK---MALE----	1	8	2	6	5	4	6	-	3	-	-	-
FEMALE--	3	5	4	3	5	4	5	4	2	2	-	-
UTAH ----------	1	-	7	12	19	20	19	23	15	2	1	-
WHITE------MALE----	1	-	5	6	5	13	7	12	3	-	-	-
FEMALE--	-	-	1	6	12	6	11	10	11	2	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	3	2	5	7	7	10	15	5	1	-	-
WHITE------MALE----	1	1	1	3	4	4	3	9	2	-	-	-
FEMALE--	2	2	1	2	3	3	7	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	18	28	36	64	101	121	105	73	40	15	3	-
WHITE------MALE----	6	17	16	28	56	55	38	26	9	6	-	-
FEMALE--	7	8	13	22	31	44	52	43	28	8	2	-
ALL OTHER--MALE----	3	2	2	9	7	9	6	2	3	1	-	-
FEMALE--	2	1	5	5	7	13	9	2	-	-	1	-
BLACK---MALE----	3	2	2	9	7	9	5	2	3	1	-	-
FEMALE--	2	1	5	5	5	13	9	1	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
WASHINGTON ----------	353	3	3	-	-	1	1	-	2	-	1	2
WHITE------MALE----	175	3	2	-	-	-	1	-	1	-	-	1
FEMALE--	156	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	221	4	-	-	-	-	-	-	4	2	1	4
WHITE------MALE----	109	3	-	-	-	-	-	-	2	1	-	1
FEMALE--	108	1	-	-	-	-	-	-	2	1	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
WISCONSIN ----------	372	2	1	1	-	2	1	1	2	-	1	3
WHITE------MALE----	195	2	-	-	-	1	1	1	1	-	1	3
FEMALE--	167	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	39	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
WASHINGTON ----------	8	10	27	32	38	64	67	61	27	4	2	-
WHITE------MALE----	3	3	15	20	19	36	32	28	10	-	1	-
FEMALE--	4	5	8	9	17	23	35	31	17	3	1	-
ALL OTHER--MALE----	-	2	2	2	2	4	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	1	-	2	-	1	-	-
BLACK---MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
WEST VIRGINIA ----------	8	4	14	28	25	37	42	26	16	5	1	-
WHITE------MALE----	4	2	9	14	17	17	18	12	7	2	-	-
FEMALE--	4	2	5	14	7	18	24	14	9	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
WISCONSIN ----------	10	10	18	27	62	73	63	62	21	9	3	-
WHITE------MALE----	3	7	11	17	34	45	27	32	5	4	-	-
FEMALE--	7	3	7	9	24	27	34	30	16	5	3	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
WYOMING ----------	1	-	3	4	3	6	6	10	3	1	-	-
WHITE------MALE----	1	-	1	3	2	4	3	8	-	-	-	-
FEMALE--	-	-	2	1	1	2	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2512

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
UNITED STATES -	82,876	500	115	55	79	94	138	256	718	1,814	3,506	4,978
WHITE------MALE----	35,738	191	33	16	28	42	45	114	342	917	1,938	2,850
FEMALE--	36,206	109	48	23	31	29	41	74	206	510	809	1,047
ALL OTHER--MALE----	5,803	130	23	9	9	12	24	36	101	218	478	731
FEMALE--	5,129	70	11	7	11	11	28	32	69	169	281	350
BLACK---MALE----	4,775	112	16	7	7	11	21	29	75	169	388	628
FEMALE--	4,305	67	11	7	9	11	27	28	52	129	236	290
ALABAMA ----------	1,456	13	1	1	1	1	6	8	15	34	66	99
WHITE------MALE----	559	2	-	-	-	-	1	2	7	13	27	51
FEMALE--	556	3	-	-	1	-	1	1	-	12	12	16
ALL OTHER--MALE----	165	6	-	1	-	1	2	1	5	7	13	22
FEMALE--	176	2	1	-	-	-	2	4	3	2	14	10
BLACK---MALE----	163	6	-	1	-	1	2	-	5	7	13	22
FEMALE--	176	2	1	-	-	-	2	4	3	2	14	10
ALASKA ----------	106	3	-	-	-	1	1	-	2	4	9	8
WHITE------MALE----	42	1	-	-	-	-	-	-	1	1	4	2
FEMALE--	25	1	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	14	1	-	-	-	1	-	-	1	1	4	1
FEMALE--	25	-	-	-	-	-	1	-	-	1	1	3
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1,577	8	7	-	1	2	2	7	19	37	93	120
WHITE------MALE----	750	4	3	-	-	1	1	3	5	10	48	68
FEMALE--	639	2	3	-	1	-	1	2	4	14	20	25
ALL OTHER--MALE----	108	2	1	-	-	1	-	-	7	6	17	14
FEMALE--	80	-	-	-	-	-	-	2	3	7	8	13
BLACK---MALE----	18	1	-	-	-	1	-	-	1	-	-	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	906	7	-	2	-	1	3	3	7	17	23	48
WHITE------MALE----	357	2	-	-	-	-	1	1	3	12	16	24
FEMALE--	416	1	-	1	-	-	1	1	2	2	5	15
ALL OTHER--MALE----	64	3	-	-	-	1	1	1	1	3	2	5
FEMALE--	69	1	-	1	-	-	-	-	1	-	-	4
BLACK---MALE----	62	3	-	-	-	1	1	1	1	3	2	5
FEMALE--	66	1	-	1	-	-	-	-	1	-	-	4
CALIFORNIA ----------	8,631	57	18	8	9	14	13	29	97	217	461	638
WHITE------MALE----	4,074	26	3	3	4	10	6	16	54	140	269	405
FEMALE--	3,537	13	7	5	4	3	5	10	23	55	127	153
ALL OTHER--MALE----	543	10	5	-	1	1	-	-	14	11	48	49
FEMALE--	477	8	3	-	-	-	2	3	6	11	17	31
BLACK---MALE----	277	6	3	-	1	1	-	-	5	5	27	34
FEMALE--	267	8	3	-	-	-	2	1	5	10	10	21

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2512

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
UNITED STATES -	5,249	5,177	5,719	6,895	8,789	10,166	10,492	9,546	6,020	2,130	433	7
WHITE------MALE----	3,018	2,832	2,956	3,393	4,081	4,198	3,958	2,880	1,472	363	68	3
FEMALE--	1,253	1,413	1,821	2,512	3,689	4,933	5,674	5,906	4,135	1,620	322	1
ALL OTHER--MALE----	657	596	531	523	488	451	335	288	118	39	5	1
FEMALE--	321	336	411	467	531	584	525	472	295	108	38	2
BLACK---MALE----	556	499	448	433	398	360	275	222	89	29	2	1
FEMALE--	268	276	349	384	435	480	443	405	266	98	32	2
ALABAMA ----------	94	96	107	124	150	162	188	172	83	32	3	-
WHITE------MALE----	55	44	56	58	62	53	62	37	25	4	-	-
FEMALE--	13	28	21	44	65	78	98	100	44	17	2	-
ALL OTHER--MALE----	17	17	18	9	9	11	9	14	2	1	-	-
FEMALE--	9	7	12	13	14	20	19	21	12	10	1	-
BLACK---MALE----	16	17	18	9	9	11	9	14	2	1	-	-
FEMALE--	9	7	12	13	14	20	19	21	12	10	1	-
ALASKA ----------	9	14	8	10	10	12	8	6	1	-	-	-
WHITE------MALE----	5	9	3	5	7	2	2	-	-	-	-	-
FEMALE--	3	1	2	1	3	4	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	2	-	-	-	-	-
FEMALE--	1	4	2	4	-	4	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	112	140	131	132	170	178	159	149	75	30	3	2
WHITE------MALE----	63	71	66	71	89	93	78	53	16	6	-	1
FEMALE--	29	45	44	51	69	79	77	93	57	20	2	1
ALL OTHER--MALE----	10	17	14	5	6	3	1	1	1	2	-	-
FEMALE--	10	7	7	5	6	3	3	2	1	2	1	-
BLACK---MALE----	2	4	3	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	1	1	1	-	-	-	-
ARKANSAS ----------	44	46	61	72	94	130	138	127	60	22	1	-
WHITE------MALE----	24	29	28	31	48	47	43	32	14	2	-	-
FEMALE--	11	7	23	28	33	68	76	84	40	17	1	-
ALL OTHER--MALE----	6	7	4	6	6	6	6	5	1	-	-	-
FEMALE--	3	3	6	7	7	9	13	6	5	3	-	-
BLACK---MALE----	6	7	4	6	5	5	6	5	1	-	-	-
FEMALE--	3	3	6	6	6	9	12	6	5	3	-	-
CALIFORNIA ----------	649	613	636	737	875	1,030	929	906	492	159	43	1
WHITE------MALE----	401	377	337	380	388	443	373	272	130	31	5	1
FEMALE--	172	169	197	254	390	464	463	548	320	119	36	-
ALL OTHER--MALE----	49	43	57	65	43	57	34	42	9	4	1	-
FEMALE--	27	24	45	38	54	66	59	44	33	5	1	-
BLACK---MALE----	35	26	32	35	16	24	12	12	1	2	-	-
FEMALE--	18	17	28	20	28	26	27	20	18	4	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
COLORADO ----------	1,184	2	2	2	2	1	3	5	14	44	76	96
WHITE------MALE----	572	1	-	1	1	1	-	2	8	24	47	60
FEMALE--	534	1	1	1	1	-	2	1	5	18	22	25
ALL OTHER--MALE----	43	-	-	-	-	-	-	2	-	1	5	4
FEMALE--	35	-	1	-	-	-	1	-	1	1	2	7
BLACK---MALE----	34	-	-	-	-	-	-	2	-	1	3	2
FEMALE--	23	-	1	-	-	-	1	-	-	-	1	4
CONNECTICUT ----------	1,159	1	1	-	1	-	1	6	13	22	38	58
WHITE------MALE----	535	1	1	-	-	-	-	4	6	11	26	37
FEMALE--	547	-	-	-	-	-	1	1	5	8	10	11
ALL OTHER--MALE----	38	-	-	-	-	-	-	1	-	1	2	8
FEMALE--	39	-	-	-	1	-	-	-	2	2	-	2
BLACK---MALE----	36	-	-	-	-	-	-	1	-	1	2	8
FEMALE--	36	-	-	-	1	-	-	-	2	1	-	2
DELAWARE ----------	237	1	-	-	-	2	1	-	3	1	12	12
WHITE------MALE----	107	-	-	-	-	-	-	-	1	-	9	9
FEMALE--	97	1	-	-	-	1	-	-	1	1	2	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	14	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	19	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	13	-	-	-	-	1	1	-	-	-	1	-
DISTRICT OF COLUMBIA ---	206	3	-	-	-	-	4	-	-	1	9	15
WHITE------MALE----	18	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	23	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	83	1	-	-	-	-	2	-	-	-	4	5
FEMALE--	82	-	-	-	-	-	2	-	-	-	4	9
BLACK---MALE----	82	1	-	-	-	-	2	-	-	-	4	5
FEMALE--	81	-	-	-	-	-	2	-	-	-	4	9
FLORIDA ----------	5,308	21	5	5	5	5	5	9	26	106	219	322
WHITE------MALE----	2,518	8	2	2	4	1	3	4	13	61	121	204
FEMALE--	2,261	4	3	2	1	2	-	3	8	30	64	74
ALL OTHER--MALE----	285	7	-	1	-	-	1	2	3	11	22	29
FEMALE--	244	2	-	-	-	2	1	-	2	4	12	15
BLACK---MALE----	274	7	-	1	-	-	1	2	2	10	22	28
FEMALE--	236	2	-	-	-	2	1	-	2	4	11	15
GEORGIA ----------	2,177	23	4	1	2	-	7	9	22	61	103	146
WHITE------MALE----	826	7	-	-	-	-	1	1	3	23	46	79
FEMALE--	842	5	1	-	-	-	4	3	9	19	16	26
ALL OTHER--MALE----	254	9	3	-	1	-	1	4	7	8	24	23
FEMALE--	255	2	-	1	1	-	1	1	3	11	17	18
BLACK---MALE----	247	9	3	-	1	-	1	3	7	7	24	22
FEMALE--	252	2	-	1	1	-	1	1	3	11	17	18

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
COLORADO ----------	79	77	68	86	113	135	132	131	89	23	4	-
WHITE------MALE----	50	38	39	51	49	68	63	53	13	1	2	-
FEMALE--	22	27	26	29	56	61	65	71	76	22	2	-
ALL OTHER--MALE----	5	7	2	6	4	4	1	2	-	-	-	-
FEMALE--	2	5	1	-	4	2	3	5	-	-	-	-
BLACK---MALE----	4	6	2	5	4	3	1	1	-	-	-	-
FEMALE--	1	4	1	-	2	2	2	4	-	-	-	-
CONNECTICUT ----------	57	56	52	75	131	146	176	155	119	45	6	-
WHITE------MALE----	42	38	25	43	64	59	67	63	37	10	1	-
FEMALE--	10	9	20	27	62	78	104	84	78	34	5	-
ALL OTHER--MALE----	3	5	4	2	3	3	2	1	2	1	-	-
FEMALE--	2	4	3	3	2	6	3	7	2	-	-	-
BLACK---MALE----	3	4	4	2	3	3	1	1	2	1	-	-
FEMALE--	2	4	2	2	2	6	3	7	2	-	-	-
DELAWARE ----------	13	12	20	17	27	27	31	35	18	4	1	-
WHITE------MALE----	9	6	10	11	11	15	13	8	4	1	-	-
FEMALE--	1	3	7	5	12	9	15	23	12	2	1	-
ALL OTHER--MALE----	1	3	1	1	3	2	1	3	1	-	-	-
FEMALE--	2	-	2	-	1	1	2	1	1	1	-	-
BLACK---MALE----	1	3	1	1	3	2	1	3	1	-	-	-
FEMALE--	2	-	2	-	-	1	2	1	1	1	-	-
DISTRICT OF COLUMBIA ---	15	19	22	14	17	31	14	23	15	4	-	-
WHITE------MALE----	1	2	4	1	1	2	1	1	1	-	-	-
FEMALE--	1	1	2	-	1	6	2	4	3	2	-	-
ALL OTHER--MALE----	9	14	12	7	7	10	5	4	3	-	-	-
FEMALE--	4	2	4	6	8	13	6	14	8	2	-	-
BLACK---MALE----	9	13	12	7	7	10	5	4	3	-	-	-
FEMALE--	4	2	4	6	8	13	6	14	7	2	-	-
FLORIDA ----------	338	326	411	483	556	666	682	616	366	113	22	1
WHITE------MALE----	206	181	234	256	288	304	264	221	116	23	2	-
FEMALE--	75	93	119	167	223	312	386	362	232	84	17	-
ALL OTHER--MALE----	41	29	34	31	26	25	10	11	2	-	-	-
FEMALE--	16	23	24	29	19	25	22	22	16	6	3	1
BLACK---MALE----	38	27	34	29	25	25	10	11	2	-	-	-
FEMALE--	16	23	23	27	19	23	21	22	16	6	2	1
GEORGIA ----------	152	186	180	182	247	220	239	228	126	35	4	-
WHITE------MALE----	83	83	83	83	101	78	72	53	24	6	-	-
FEMALE--	31	47	45	66	102	102	122	136	80	26	2	-
ALL OTHER--MALE----	23	33	26	18	17	20	21	10	6	-	-	-
FEMALE--	15	23	26	15	27	20	24	29	16	3	2	-
BLACK---MALE----	22	33	26	18	17	19	20	10	5	-	-	-
FEMALE--	15	21	26	14	27	20	24	29	16	3	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2514

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
HAWAII ----------	267	2	-	-	-	-	-	1	2	4	8	21
WHITE------MALE----	55	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	45	-	-	-	-	-	-	-	1	2	2	2
ALL OTHER--MALE----	107	2	-	-	-	-	-	1	1	1	2	10
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
IDAHO ----------	333	-	-	-	-	-	2	1	2	5	9	19
WHITE------MALE----	140	-	-	-	-	-	1	1	2	1	6	9
FEMALE--	182	-	-	-	-	-	1	-	-	3	2	7
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3,706	37	8	5	3	3	5	11	45	89	157	224
WHITE------MALE----	1,457	15	-	2	-	1	2	6	18	41	80	129
FEMALE--	1,674	6	6	1	3	1	1	1	15	20	40	39
ALL OTHER--MALE----	315	12	1	1	-	-	1	2	7	17	22	40
FEMALE--	260	4	1	1	-	1	1	2	5	11	15	16
BLACK---MALE----	288	10	1	1	-	-	1	2	7	15	21	39
FEMALE--	244	4	1	1	-	1	1	2	5	10	15	15
INDIANA ----------	1,778	7	-	1	6	3	3	8	18	34	63	82
WHITE------MALE----	760	3	-	-	2	1	1	5	7	15	38	49
FEMALE--	879	3	-	-	3	1	1	1	8	12	14	20
ALL OTHER--MALE----	76	-	-	-	1	1	1	2	3	2	11	8
FEMALE--	63	1	-	1	-	-	-	-	-	5	-	5
BLACK---MALE----	73	-	-	-	1	1	1	2	3	2	11	8
FEMALE--	61	1	-	1	-	-	-	-	-	5	-	5
IOWA ----------	933	5	2	1	1	1	1	3	8	17	19	32
WHITE------MALE----	417	1	2	1	-	1	1	1	3	11	11	22
FEMALE--	497	3	-	-	-	-	-	2	4	6	5	10
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	1	-	3	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	-	-
KANSAS ----------	836	8	1	-	-	-	1	2	7	15	30	43
WHITE------MALE----	343	4	-	-	-	-	1	-	6	7	22	24
FEMALE--	447	3	-	-	-	-	-	2	1	5	7	14
ALL OTHER--MALE----	23	1	1	-	-	-	-	-	-	1	-	3
FEMALE--	23	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	17	-	1	-	-	-	-	-	-	-	-	3
FEMALE--	19	-	-	-	-	-	-	-	-	2	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2514

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
HAWAII ----------	17	11	14	18	46	28	32	36	14	10	3	-
WHITE------MALE----	7	7	2	5	10	5	4	3	1	-	-	-
FEMALE--	2	1	2	3	6	4	9	7	1	3	-	-
ALL OTHER--MALE----	4	1	6	6	20	11	10	16	10	4	2	-
FEMALE--	4	2	4	4	10	8	9	10	2	3	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	21	16	18	24	32	42	47	51	31	12	1	-
WHITE------MALE----	11	8	10	11	18	15	15	19	11	2	-	-
FEMALE--	9	5	8	12	14	27	32	31	20	10	1	-
ALL OTHER--MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	226	197	219	294	412	457	461	434	279	115	25	-
WHITE------MALE----	118	97	93	123	187	174	164	116	65	19	7	-
FEMALE--	53	52	81	123	156	238	254	286	193	89	16	-
ALL OTHER--MALE----	38	35	25	25	34	18	16	11	8	2	-	-
FEMALE--	17	13	20	23	35	27	27	21	13	5	2	-
BLACK---MALE----	38	31	24	22	29	17	14	7	7	2	-	-
FEMALE--	17	12	19	21	29	27	25	19	13	5	2	-
INDIANA ----------	105	112	117	162	168	243	245	210	134	50	7	-
WHITE------MALE----	74	67	68	67	88	113	78	51	22	10	1	-
FEMALE--	20	33	41	77	72	120	153	149	106	39	6	-
ALL OTHER--MALE----	6	7	5	10	4	4	4	2	4	1	-	-
FEMALE--	5	5	3	8	4	6	10	8	2	-	-	-
BLACK---MALE----	5	7	5	9	4	4	4	2	3	1	-	-
FEMALE--	5	4	3	8	3	6	10	8	2	-	-	-
IOWA ----------	25	42	36	80	87	109	146	142	113	49	14	-
WHITE------MALE----	16	26	24	45	40	63	66	46	25	7	5	-
FEMALE--	7	12	12	32	44	46	80	96	88	41	9	-
ALL OTHER--MALE----	2	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	1	-	-	-	-	1	-	-
BLACK---MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	1	-	-
KANSAS ----------	39	40	42	49	83	109	106	115	97	45	4	-
WHITE------MALE----	25	17	22	24	32	41	39	40	27	10	2	-
FEMALE--	11	22	16	21	45	61	62	71	69	35	2	-
ALL OTHER--MALE----	3	1	4	3	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	4	5	4	3	1	-	-	-
BLACK---MALE----	2	1	3	3	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	4	3	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
KENTUCKY ----------	1,336	2	2	1	1	3	-	2	9	29	51	62
WHITE------MALE----	612	1	1	1	-	1	-	-	4	17	35	41
FEMALE--	634	-	1	-	1	2	-	2	3	9	13	17
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	45	1	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	43	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	44	1	-	-	-	-	-	-	1	1	2	2
LOUISIANA ----------	1,315	12	6	1	1	2	5	7	16	31	68	84
WHITE------MALE----	453	4	2	-	1	1	1	3	6	11	22	35
FEMALE--	476	1	-	-	-	1	-	3	3	6	10	8
ALL OTHER--MALE----	208	5	3	-	-	-	3	1	2	11	25	30
FEMALE--	178	2	1	1	-	-	1	-	5	3	11	11
BLACK---MALE----	206	5	3	-	-	-	3	1	2	11	25	29
FEMALE--	175	2	1	1	-	-	1	-	5	3	11	10
MAINE ----------	474	1	-	-	1	-	-	2	1	3	9	17
WHITE------MALE----	206	1	-	-	1	-	-	1	1	2	6	10
FEMALE--	264	-	-	-	-	-	-	1	-	1	3	6
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1,556	9	-	1	2	1	2	5	19	40	76	118
WHITE------MALE----	514	2	-	-	-	-	1	1	5	13	25	51
FEMALE--	597	1	-	-	1	-	-	-	5	11	14	24
ALL OTHER--MALE----	241	4	-	1	-	1	1	3	4	10	28	33
FEMALE--	204	2	-	-	1	-	-	1	5	6	9	10
BLACK---MALE----	226	4	-	1	-	1	1	3	4	10	27	31
FEMALE--	194	2	-	-	-	-	-	1	4	6	9	10
MASSACHUSETTS ----------	2,136	4	2	1	1	5	1	4	14	33	71	95
WHITE------MALE----	992	1	1	-	1	2	1	3	6	15	42	66
FEMALE--	1,043	1	1	-	-	3	-	1	2	14	19	22
ALL OTHER--MALE----	58	1	-	1	-	-	-	-	3	3	8	4
FEMALE--	43	1	-	-	-	-	-	-	3	1	2	3
BLACK---MALE----	41	1	-	-	-	-	-	-	2	3	7	3
FEMALE--	32	1	-	-	-	-	-	-	1	-	2	1
MICHIGAN ----------	3,187	9	3	1	2	1	9	14	27	76	160	231
WHITE------MALE----	1,306	3	-	-	-	1	2	3	16	41	85	118
FEMALE--	1,336	1	2	1	1	-	2	4	3	16	33	39
ALL OTHER--MALE----	282	2	-	-	-	-	1	3	4	11	27	44
FEMALE--	263	3	1	-	1	-	4	4	4	8	15	30
BLACK---MALE----	274	2	-	-	-	-	-	2	4	11	26	44
FEMALE--	247	3	1	-	1	-	4	4	3	7	15	30

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2515

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
KENTUCKY ----------	86	92	81	137	138	152	172	165	120	26	5	-
WHITE------MALE----	54	57	48	68	72	56	60	55	35	6	-	-
FEMALE--	21	28	28	57	60	86	104	103	76	19	4	-
ALL OTHER--MALE----	4	6	4	8	3	6	4	1	3	-	-	-
FEMALE--	7	1	1	4	3	4	4	6	6	1	1	-
BLACK---MALE----	4	6	4	8	3	5	3	1	3	-	-	-
FEMALE--	7	1	1	4	3	4	4	6	5	1	1	-
LOUISIANA ----------	92	73	91	115	146	147	168	135	86	25	4	-
WHITE------MALE----	43	27	39	50	61	37	59	31	18	1	1	-
FEMALE--	18	20	26	33	48	72	72	77	58	18	2	-
ALL OTHER--MALE----	19	15	17	19	11	15	16	13	1	2	-	-
FEMALE--	12	11	9	13	26	23	21	14	9	4	1	-
BLACK---MALE----	18	15	17	19	11	15	16	13	1	2	-	-
FEMALE--	12	11	9	13	25	23	21	13	9	4	1	-
MAINE ----------	23	23	29	41	51	71	55	62	55	23	7	-
WHITE------MALE----	16	14	19	17	28	30	21	22	11	4	2	-
FEMALE--	7	9	9	24	22	40	34	40	44	19	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MARYLAND ----------	108	96	100	135	157	189	205	148	106	33	6	-
WHITE------MALE----	41	40	32	58	55	57	70	39	21	3	-	-
FEMALE--	22	23	24	36	69	87	103	85	63	25	4	-
ALL OTHER--MALE----	34	21	20	20	20	14	11	9	5	2	-	-
FEMALE--	11	12	24	21	13	31	21	15	17	3	2	-
BLACK---MALE----	31	20	19	18	19	13	10	8	4	2	-	-
FEMALE--	10	12	24	21	12	27	20	15	16	3	2	-
MASSACHUSETTS ----------	127	90	143	161	224	270	315	271	202	83	19	-
WHITE------MALE----	94	59	81	92	115	125	139	87	41	21	-	-
FEMALE--	27	27	51	63	96	136	166	178	155	62	19	-
ALL OTHER--MALE----	3	4	8	3	2	7	5	3	3	-	-	-
FEMALE--	3	-	3	3	11	2	5	3	3	-	-	-
BLACK---MALE----	3	3	6	2	2	3	2	2	2	-	-	-
FEMALE--	2	-	1	3	9	1	5	3	3	-	-	-
MICHIGAN ----------	201	203	220	278	315	392	397	370	197	65	16	-
WHITE------MALE----	96	105	105	123	132	169	143	104	44	14	2	-
FEMALE--	42	42	74	110	134	184	225	227	135	49	12	-
ALL OTHER--MALE----	42	41	20	18	22	13	16	15	2	1	-	-
FEMALE--	21	15	21	27	27	26	13	24	16	1	2	-
BLACK---MALE----	41	40	19	17	22	13	15	15	2	1	-	-
FEMALE--	21	13	19	26	22	24	13	22	16	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
MINNESOTA ----------	1,184	12	4	1	1	3	2	2	7	17	28	48
WHITE------MALE----	533	4	1	1	-	1	2	1	4	13	16	31
FEMALE--	605	5	2	-	1	2	-	-	2	2	9	15
ALL OTHER--MALE----	25	1	-	-	-	-	-	1	-	-	2	1
FEMALE--	21	2	1	-	-	-	-	-	1	2	1	1
BLACK---MALE----	11	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	8	1	1	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	917	13	1	-	2	3	1	4	8	22	45	60
WHITE------MALE----	305	2	1	-	-	-	1	-	3	3	20	31
FEMALE--	353	1	-	-	-	-	-	1	3	8	9	10
ALL OTHER--MALE----	128	5	-	-	2	1	-	2	1	7	6	11
FEMALE--	131	5	-	-	-	2	-	1	1	4	10	8
BLACK---MALE----	121	5	-	-	2	1	-	2	1	7	6	9
FEMALE--	127	5	-	-	-	2	-	1	1	4	10	7
MISSOURI ----------	1,702	7	-	-	2	1	1	6	14	36	58	88
WHITE------MALE----	716	1	-	-	1	1	1	3	9	24	31	50
FEMALE--	830	-	-	-	-	-	-	2	4	10	11	24
ALL OTHER--MALE----	85	6	-	-	1	-	-	1	-	2	10	11
FEMALE--	71	-	-	-	-	-	-	-	1	-	6	3
BLACK---MALE----	82	6	-	-	1	-	-	1	-	2	10	10
FEMALE--	69	-	-	-	-	-	-	-	1	-	6	3
MONTANA ----------	276	-	-	-	1	-	-	-	3	4	15	17
WHITE------MALE----	126	-	-	-	1	-	-	-	2	-	9	7
FEMALE--	116	-	-	-	-	-	-	-	1	1	4	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	522	-	-	1	-	-	1	1	3	12	16	25
WHITE------MALE----	235	-	-	1	-	-	-	-	3	8	7	17
FEMALE--	258	-	-	-	-	-	1	1	-	4	4	6
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	4	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
NEVADA ----------	643	1	1	-	1	-	-	2	6	26	39	64
WHITE------MALE----	345	1	1	-	-	-	-	1	3	15	25	41
FEMALE--	257	-	-	-	-	-	-	1	3	11	9	18
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	17	-	-	-	1	-	-	-	-	-	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
MINNESOTA ----------	45	74	57	88	124	128	177	160	136	59	11	-
WHITE------MALE----	28	45	31	55	66	60	75	47	39	9	4	-
FEMALE--	12	23	21	27	55	64	99	112	97	50	7	-
ALL OTHER--MALE----	4	3	4	3	2	2	2	-	-	-	-	-
FEMALE--	1	3	1	3	1	2	1	1	-	-	-	-
BLACK---MALE----	1	1	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	-	-	-	-
MISSISSIPPI ----------	67	50	73	85	106	121	102	83	49	18	4	-
WHITE------MALE----	33	20	28	28	44	47	21	16	7	-	-	-
FEMALE--	10	12	24	32	37	45	63	51	34	10	3	-
ALL OTHER--MALE----	17	10	14	11	11	12	9	7	1	1	-	-
FEMALE--	7	8	7	14	14	17	9	9	7	7	1	-
BLACK---MALE----	16	9	12	10	11	12	9	7	1	1	-	-
FEMALE--	6	8	7	13	13	17	9	9	7	7	1	-
MISSOURI ----------	92	95	100	157	184	225	227	202	151	44	12	-
WHITE------MALE----	52	55	49	83	88	87	76	62	33	8	2	-
FEMALE--	24	28	38	63	77	128	137	131	111	33	9	-
ALL OTHER--MALE----	9	8	5	5	8	7	5	3	3	1	-	-
FEMALE--	7	4	8	6	11	3	9	6	4	2	1	-
BLACK---MALE----	8	7	5	5	8	7	5	3	3	1	-	-
FEMALE--	7	4	8	6	10	3	8	6	4	2	1	-
MONTANA ----------	21	17	13	17	25	28	48	29	24	11	3	-
WHITE------MALE----	11	10	7	9	11	15	21	13	8	2	-	-
FEMALE--	4	3	5	6	13	10	25	16	16	8	3	-
ALL OTHER--MALE----	4	1	1	1	1	2	1	-	-	1	-	-
FEMALE--	2	3	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	26	24	25	35	60	59	67	78	55	33	1	-
WHITE------MALE----	15	21	13	18	29	32	29	18	16	8	-	-
FEMALE--	5	2	11	16	27	22	38	58	38	24	1	-
ALL OTHER--MALE----	2	-	-	-	2	3	-	-	-	1	-	-
FEMALE--	4	1	1	1	2	2	-	2	1	-	-	-
BLACK---MALE----	2	-	-	-	2	1	-	-	-	1	-	-
FEMALE--	3	-	-	1	-	1	-	1	1	-	-	-
NEVADA ----------	53	56	58	58	60	69	64	47	29	8	1	-
WHITE------MALE----	30	38	34	35	31	32	22	20	13	2	1	-
FEMALE--	22	13	18	19	24	36	38	25	14	6	-	-
ALL OTHER--MALE----	1	2	2	3	3	1	1	2	1	-	-	-
FEMALE--	-	3	4	1	2	-	3	-	1	-	-	-
BLACK---MALE----	1	1	-	2	1	1	1	-	1	-	-	-
FEMALE--	-	2	2	1	1	-	2	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2517

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
NEW HAMPSHIRE ----------	366	1	1	-	-	1	-	-	-	5	5	11
WHITE------MALE----	143	1	1	-	-	-	-	-	-	2	4	7
FEMALE--	220	-	-	-	-	1	-	-	-	3	1	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2,545	16	2	-	-	2	3	8	29	59	101	144
WHITE------MALE----	1,081	6	-	-	-	1	-	4	16	31	46	78
FEMALE--	1,122	4	2	-	-	-	2	3	8	9	28	33
ALL OTHER--MALE----	182	4	-	-	-	-	1	-	3	4	18	22
FEMALE--	160	2	-	-	-	1	-	1	2	15	9	11
BLACK---MALE----	167	2	-	-	-	-	1	-	3	3	17	21
FEMALE--	148	2	-	-	-	1	-	1	2	14	9	11
NEW MEXICO ----------	657	5	-	1	-	1	-	2	13	34	42	57
WHITE------MALE----	333	3	-	-	-	1	-	1	7	11	27	35
FEMALE--	232	1	-	1	-	-	-	-	5	5	8	10
ALL OTHER--MALE----	49	1	-	-	-	-	-	1	1	9	3	11
FEMALE--	43	-	-	-	-	-	-	-	-	9	4	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4,828	33	5	3	3	6	7	13	38	83	165	305
WHITE------MALE----	2,058	15	1	-	2	3	2	5	15	42	90	153
FEMALE--	1,992	4	3	-	-	1	3	7	13	23	32	52
ALL OTHER--MALE----	447	10	1	2	1	-	-	1	8	10	28	74
FEMALE--	331	4	-	1	-	2	2	-	2	8	15	26
BLACK---MALE----	389	9	1	2	-	-	-	1	7	7	25	67
FEMALE--	294	4	-	1	-	2	2	-	2	6	13	25
NORTH CAROLINA ---------	2,431	17	6	1	-	3	2	10	20	54	105	127
WHITE------MALE----	953	3	1	1	-	1	-	3	7	25	48	62
FEMALE--	907	3	3	-	-	2	-	1	7	10	20	11
ALL OTHER--MALE----	287	5	1	-	-	-	-	1	4	14	18	39
FEMALE--	284	6	1	-	-	-	2	5	2	5	19	15
BLACK---MALE----	274	4	-	-	-	-	-	1	4	14	18	38
FEMALE--	267	6	1	-	-	-	2	5	2	5	19	14
NORTH DAKOTA ----------	185	-	-	-	-	-	-	1	2	5	6	2
WHITE------MALE----	88	-	-	-	-	-	-	1	1	2	3	1
FEMALE--	80	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
NEW HAMPSHIRE ----------	16	9	25	32	43	49	58	49	48	10	3	-
WHITE------MALE----	10	5	8	22	18	18	20	13	11	1	2	-
FEMALE--	6	4	15	10	25	31	38	36	36	9	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEW JERSEY ----------	157	158	179	220	303	326	323	280	156	71	8	-
WHITE------MALE----	84	84	90	113	145	127	116	86	39	15	-	-
FEMALE--	44	41	53	75	119	172	186	173	109	53	8	-
ALL OTHER--MALE----	21	24	20	17	13	14	7	11	3	-	-	-
FEMALE--	8	9	16	15	26	13	14	10	5	3	-	-
BLACK---MALE----	20	23	19	16	12	14	5	8	3	-	-	-
FEMALE--	8	9	16	15	24	10	10	9	4	3	-	-
NEW MEXICO ----------	55	51	57	56	58	62	73	51	29	9	1	-
WHITE------MALE----	38	23	30	25	35	30	39	13	12	3	-	-
FEMALE--	10	19	15	21	18	31	33	35	16	4	-	-
ALL OTHER--MALE----	5	5	3	4	3	1	1	-	-	1	-	-
FEMALE--	2	4	9	6	2	-	-	3	1	1	1	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	1	-	-	-
NEW YORK ----------	287	324	347	432	525	611	599	540	358	119	24	1
WHITE------MALE----	170	168	177	201	249	268	219	167	89	20	2	-
FEMALE--	56	78	96	138	201	265	330	325	254	93	18	-
ALL OTHER--MALE----	45	44	43	53	41	41	24	17	4	-	-	-
FEMALE--	16	34	31	40	34	37	26	31	11	6	4	1
BLACK---MALE----	40	35	38	45	36	35	22	15	4	-	-	-
FEMALE--	13	32	30	35	30	32	20	26	11	6	3	1
NORTH CAROLINA ---------	162	163	175	233	277	323	286	251	159	44	13	-
WHITE------MALE----	83	72	91	93	117	137	91	86	23	6	3	-
FEMALE--	26	38	50	72	106	136	143	131	111	30	7	-
ALL OTHER--MALE----	38	31	20	32	26	21	16	10	8	3	-	-
FEMALE--	15	22	14	36	28	29	36	24	17	5	3	-
BLACK---MALE----	36	30	18	32	24	19	16	9	8	3	-	-
FEMALE--	14	19	14	32	27	27	33	23	16	5	3	-
NORTH DAKOTA ----------	9	13	12	13	24	12	30	25	17	12	2	-
WHITE------MALE----	6	7	6	7	13	6	14	14	4	3	-	-
FEMALE--	1	2	3	6	9	6	16	10	11	9	2	-
ALL OTHER--MALE----	2	2	2	-	1	-	-	-	1	-	-	-
FEMALE--	-	2	1	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2518

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
OHIO ----------	3,456	24	4	3	5	3	5	8	24	55	147	152
WHITE------MALE----	1,487	11	1	1	3	2	1	4	17	29	94	90
FEMALE--	1,595	1	3	2	2	1	1	2	6	13	31	31
ALL OTHER--MALE----	192	5	-	-	-	-	2	-	1	8	11	24
FEMALE--	182	7	-	-	-	-	1	2	-	5	11	7
BLACK---MALE----	186	5	-	-	-	-	2	-	1	8	11	22
FEMALE--	178	7	-	-	-	-	1	2	-	5	11	7
OKLAHOMA ----------	1,185	6	2	-	4	3	3	1	8	26	50	85
WHITE------MALE----	485	1	1	-	1	-	1	-	3	9	29	40
FEMALE--	530	1	-	-	2	1	1	1	4	7	10	22
ALL OTHER--MALE----	89	3	1	-	1	1	1	-	-	7	6	17
FEMALE--	81	1	-	-	-	1	-	-	1	3	5	6
BLACK---MALE----	35	2	-	-	-	1	-	-	-	3	3	7
FEMALE--	32	-	-	-	-	1	-	-	-	1	1	2
OREGON ----------	983	1	2	-	1	1	1	2	3	13	24	63
WHITE------MALE----	446	-	1	-	1	1	1	2	1	6	16	47
FEMALE--	503	1	-	-	-	-	-	-	1	5	6	15
ALL OTHER--MALE----	20	-	1	-	-	-	-	-	1	2	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA ----------	4,175	17	4	4	4	1	7	5	25	71	142	189
WHITE------MALE----	1,744	4	1	1	1	1	2	3	13	37	85	112
FEMALE--	2,021	3	-	3	2	-	3	-	8	28	36	31
ALL OTHER--MALE----	211	7	3	-	1	-	-	-	2	2	11	28
FEMALE--	199	3	-	-	-	-	2	2	2	4	10	18
BLACK---MALE----	202	7	2	-	1	-	-	-	2	2	11	28
FEMALE--	191	3	-	-	-	-	2	2	2	4	9	18
RHODE ISLAND ----------	396	1	1	1	-	-	-	1	3	7	12	11
WHITE------MALE----	173	-	1	-	-	-	-	1	-	1	8	8
FEMALE--	208	1	-	1	-	-	-	-	2	5	3	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1,319	9	1	-	1	1	6	-	4	42	67	86
WHITE------MALE----	461	3	-	-	-	1	1	-	1	17	28	26
FEMALE--	496	1	-	-	-	-	2	-	1	7	9	16
ALL OTHER--MALE----	195	3	-	-	-	-	2	-	2	9	17	32
FEMALE--	167	2	1	-	1	-	1	-	-	9	13	12
BLACK---MALE----	194	3	-	-	-	-	2	-	2	9	16	32
FEMALE--	166	2	1	-	1	-	1	-	-	9	13	11

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
OHIO ----------	186	216	232	259	422	486	481	408	233	75	28	-
WHITE------MALE----	108	110	112	125	190	201	186	126	55	15	6	-
FEMALE--	49	67	87	104	191	244	260	257	170	53	20	-
ALL OTHER--MALE----	22	20	20	15	21	17	12	9	4	1	-	-
FEMALE--	7	19	13	15	20	24	23	16	4	6	2	-
BLACK---MALE----	22	20	19	13	21	16	12	9	4	1	-	-
FEMALE--	7	19	13	14	18	23	23	16	4	6	2	-
OKLAHOMA ----------	99	79	68	93	119	132	162	131	81	27	6	-
WHITE------MALE----	52	45	42	48	52	36	65	38	19	3	-	-
FEMALE--	23	20	20	26	51	85	88	83	56	23	6	-
ALL OTHER--MALE----	15	8	3	7	8	5	3	3	-	-	-	-
FEMALE--	9	6	3	12	8	6	6	7	6	1	-	-
BLACK---MALE----	6	2	3	1	2	1	2	2	-	-	-	-
FEMALE--	2	-	1	4	4	3	4	5	4	-	-	-
OREGON ----------	70	57	51	66	104	121	144	140	80	32	7	-
WHITE------MALE----	41	30	33	36	44	53	58	48	20	5	2	-
FEMALE--	23	24	16	28	56	62	83	91	60	27	5	-
ALL OTHER--MALE----	6	1	1	1	2	3	-	1	-	-	-	-
FEMALE--	-	2	1	1	2	3	3	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	219	197	241	331	479	566	596	578	336	140	23	-
WHITE------MALE----	111	118	118	170	232	230	233	175	76	16	5	-
FEMALE--	69	49	87	125	209	294	327	375	239	117	16	-
ALL OTHER--MALE----	30	21	24	22	18	14	12	9	5	2	-	-
FEMALE--	9	9	12	14	20	28	24	19	16	5	2	-
BLACK---MALE----	29	21	22	20	17	14	11	8	5	2	-	-
FEMALE--	9	9	11	14	18	25	24	19	15	5	2	-
RHODE ISLAND ----------	23	27	25	40	50	50	57	41	34	11	1	-
WHITE------MALE----	13	20	11	24	29	17	22	9	8	1	-	-
FEMALE--	8	7	12	15	20	31	33	31	25	10	1	-
ALL OTHER--MALE----	1	-	2	1	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	-	-	-	-
SOUTH CAROLINA ---------	99	105	117	117	134	153	157	121	71	26	2	-
WHITE------MALE----	44	50	50	55	44	44	49	31	16	1	-	-
FEMALE--	17	25	34	31	59	83	84	65	44	17	1	-
ALL OTHER--MALE----	25	19	15	18	13	10	11	13	2	3	1	-
FEMALE--	13	11	18	13	18	16	13	12	9	5	-	-
BLACK---MALE----	25	19	15	18	13	10	11	13	2	3	1	-
FEMALE--	13	11	18	13	18	16	13	12	9	5	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2519

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
SOUTH DAKOTA ----------	255	2	-	-	1	1	-	1	5	11	12	10
WHITE------MALE----	80	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	122	1	-	-	1	-	-	-	1	3	1	2
ALL OTHER--MALE----	27	-	-	-	-	1	-	1	-	2	5	4
FEMALE--	26	1	-	-	-	-	-	-	3	6	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,809	12	-	1	1	2	4	5	15	50	76	112
WHITE------MALE----	779	7	-	-	-	1	-	3	7	26	44	60
FEMALE--	783	2	-	1	-	1	3	2	5	14	15	26
ALL OTHER--MALE----	124	2	-	-	-	-	1	-	1	6	9	19
FEMALE--	123	1	-	-	1	-	-	-	2	4	8	7
BLACK---MALE----	121	2	-	-	-	-	1	-	1	6	9	18
FEMALE--	123	1	-	-	1	-	-	-	2	4	8	7
TEXAS ----------	5,640	57	11	5	7	7	13	24	64	157	289	405
WHITE------MALE----	2,663	25	3	1	1	4	7	13	36	96	188	259
FEMALE--	2,357	20	7	1	4	2	2	6	22	42	64	82
ALL OTHER--MALE----	328	7	1	2	-	1	1	2	4	8	20	48
FEMALE--	292	5	-	1	2	-	3	3	2	11	17	16
BLACK---MALE----	299	6	1	1	-	1	1	2	4	7	17	43
FEMALE--	267	5	-	1	2	-	3	3	2	11	13	14
UTAH ----------	464	2	1	-	1	1	-	1	3	14	16	30
WHITE------MALE----	204	1	-	-	-	1	-	-	1	9	13	19
FEMALE--	244	1	1	-	1	-	-	1	-	4	1	9
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	2	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	197	-	-	-	-	-	-	1	1	2	7	9
WHITE------MALE----	100	-	-	-	-	-	-	1	1	1	6	8
FEMALE--	97	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,848	14	3	-	1	2	2	5	14	27	75	107
WHITE------MALE----	707	6	1	-	1	1	1	3	6	8	38	51
FEMALE--	743	5	1	-	-	-	1	-	2	8	14	19
ALL OTHER--MALE----	220	3	1	-	-	1	-	1	4	8	20	30
FEMALE--	178	-	-	-	-	-	-	1	2	3	3	7
BLACK---MALE----	204	3	1	-	-	1	-	1	4	6	18	29
FEMALE--	169	-	-	-	-	-	-	1	2	3	3	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
SOUTH DAKOTA ----------	17	14	17	10	21	21	34	27	33	15	3	-
WHITE------MALE----	4	3	7	2	13	11	8	9	10	4	1	-
FEMALE--	6	3	5	5	6	10	25	17	23	11	2	-
ALL OTHER--MALE----	4	4	5	1	-	-	-	-	-	-	-	-
FEMALE--	3	4	-	2	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	111	129	128	160	175	236	213	210	128	35	6	-
WHITE------MALE----	68	66	69	80	86	101	71	52	33	5	-	-
FEMALE--	23	39	43	59	72	112	122	132	80	26	6	-
ALL OTHER--MALE----	9	19	9	14	6	9	9	6	4	1	-	-
FEMALE--	11	5	7	7	11	14	11	20	11	3	-	-
BLACK---MALE----	9	18	9	14	6	9	9	6	3	1	-	-
FEMALE--	11	5	7	7	11	14	11	20	11	3	-	-
TEXAS ----------	413	371	442	450	574	592	648	585	372	125	28	1
WHITE------MALE----	256	227	245	231	279	247	274	157	94	17	3	-
FEMALE--	106	102	142	174	247	289	304	373	249	98	21	-
ALL OTHER--MALE----	33	36	28	25	26	23	26	25	9	2	-	1
FEMALE--	18	6	27	20	22	33	44	30	20	8	4	-
BLACK---MALE----	30	29	28	22	26	21	24	25	8	2	-	1
FEMALE--	18	5	25	16	21	30	39	27	20	8	4	-
UTAH ----------	27	16	32	43	44	57	72	46	42	15	1	-
WHITE------MALE----	13	11	17	21	19	23	28	15	12	1	-	-
FEMALE--	11	2	15	22	24	33	44	30	30	14	1	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	13	9	13	20	15	26	23	30	16	8	4	-
WHITE------MALE----	12	6	7	9	7	10	10	16	4	1	1	-
FEMALE--	1	3	6	11	8	16	13	14	12	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	111	120	149	152	199	252	245	189	129	42	10	-
WHITE------MALE----	51	68	81	70	83	86	73	48	22	8	1	-
FEMALE--	28	23	39	43	70	111	137	119	86	30	7	-
ALL OTHER--MALE----	23	16	16	18	28	21	13	8	7	1	1	-
FEMALE--	9	13	13	21	18	34	22	14	14	3	1	-
BLACK---MALE----	22	15	15	17	26	19	12	7	6	1	1	-
FEMALE--	9	13	12	18	18	32	22	13	13	3	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2520

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
WASHINGTON ----------	1,585	5	3	-	-	3	4	7	9	17	63	91
WHITE------MALE----	725	3	2	-	-	-	-	5	2	10	29	55
FEMALE--	739	1	1	-	-	2	2	2	3	5	23	26
ALL OTHER--MALE----	61	-	-	-	-	-	2	-	3	1	6	4
FEMALE--	60	1	-	-	-	1	-	-	1	1	5	6
BLACK---MALE----	22	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	23	1	-	-	-	1	-	-	1	-	3	2
WEST VIRGINIA ----------	742	2	-	-	1	-	1	4	7	17	22	23
WHITE------MALE----	378	1	-	-	-	-	1	2	5	11	14	19
FEMALE--	341	1	-	-	1	-	-	2	2	3	4	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	3	4	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	3	4	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
WISCONSIN ----------	1,595	8	1	3	2	2	-	3	4	23	40	60
WHITE------MALE----	702	5	1	-	1	1	-	-	3	9	23	33
FEMALE--	820	1	-	3	-	1	-	2	1	11	10	19
ALL OTHER--MALE----	41	1	-	-	-	-	-	1	-	2	5	6
FEMALE--	32	1	-	-	1	-	-	-	-	1	2	2
BLACK---MALE----	26	1	-	-	-	-	-	1	-	2	2	5
FEMALE--	22	1	-	-	1	-	-	-	-	-	2	2
WYOMING ----------	167	-	-	-	1	1	-	3	-	5	9	7
WHITE------MALE----	75	-	-	-	1	-	-	1	-	1	4	6
FEMALE--	84	-	-	-	-	1	-	1	-	1	4	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
WASHINGTON ----------	106	81	103	127	153	201	200	221	127	50	13	1
WHITE------MALE----	67	39	59	68	74	95	92	75	38	10	1	1
FEMALE--	26	35	35	46	69	87	99	143	87	37	10	-
ALL OTHER--MALE----	10	7	4	6	5	6	5	-	1	1	-	-
FEMALE--	3	-	5	7	5	13	4	3	1	2	2	-
BLACK---MALE----	3	3	3	3	2	1	2	-	-	-	-	-
FEMALE--	-	-	2	3	2	4	1	1	1	-	1	-
WEST VIRGINIA ----------	42	50	55	63	80	107	107	95	47	16	3	-
WHITE------MALE----	32	38	38	32	42	47	45	37	10	3	1	-
FEMALE--	9	12	14	29	36	57	61	56	37	12	2	-
ALL OTHER--MALE----	1	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	2	-	1	-	-
BLACK---MALE----	1	-	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	-	1	-	-
WISCONSIN ----------	80	83	107	101	166	178	245	221	188	65	15	-
WHITE------MALE----	43	46	68	54	87	77	102	76	55	15	3	-
FEMALE--	25	31	35	41	71	94	138	145	130	50	12	-
ALL OTHER--MALE----	7	4	2	3	4	3	2	-	1	-	-	-
FEMALE--	5	2	2	3	4	4	3	-	2	-	-	-
BLACK---MALE----	3	1	2	1	3	2	2	-	1	-	-	-
FEMALE--	3	1	1	2	3	2	3	-	1	-	-	-
WYOMING ----------	11	9	12	11	16	29	9	21	14	7	2	-
WHITE------MALE----	9	5	7	6	8	12	3	7	5	-	-	-
FEMALE--	2	4	4	5	7	17	6	13	9	7	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2521

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
UNITED STATES -	121	2	-	-	-	-	2	2	3	3	6	7
WHITE------MALE----	45	2	-	-	-	-	1	1	2	1	3	2
FEMALE--	61	-	-	-	-	-	1	1	1	1	1	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	14	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
UNITED STATES -	3	1	2	8	12	14	13	18	15	7	3	-
WHITE------MALE----	3	1	-	3	7	4	2	7	3	2	1	-
FEMALE--	-	-	1	5	2	8	9	10	11	4	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	2	2	1	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	1	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	1	1	1	1	1	2	2	1	1	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
COLORADO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	1	-	-	-	2	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	2	1	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	1	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2525

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MISSOURI ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
MINNESOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	1	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
NEW HAMPSHIRE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	2	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	2	-	-	1	1	2	1	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
OHIO ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
OHIO ----------	-	-	-	-	-	3	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	1	-	2	2	1	-	1	-
WHITE------MALE----	-	-	-	-	1	-	1	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	1	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	9	-	-	-	-	-	1	-	-	-	2	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	-	-	-	-	2	2	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2530

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
UNITED STATES -	83,192	499	121	61	86	126	181	300	756	1,870	3,560	5,016
WHITE------MALE----	36,067	189	36	21	33	71	84	154	375	971	1,985	2,882
FEMALE--	36,165	109	51	24	32	30	42	75	206	510	811	1,046
ALL OTHER--MALE----	5,837	131	23	9	10	14	27	39	105	221	483	739
FEMALE--	5,123	70	11	7	11	11	28	32	70	168	281	349
BLACK---MALE----	4,808	113	16	7	8	13	23	32	78	172	393	636
FEMALE--	4,300	67	11	7	9	11	27	28	53	128	236	289
ALABAMA ----------	1,469	14	1	1	1	2	7	9	16	35	69	100
WHITE------MALE----	569	2	-	-	-	-	2	3	8	14	29	52
FEMALE--	556	3	-	-	1	-	1	1	-	12	12	16
ALL OTHER--MALE----	168	7	-	1	-	2	2	1	5	7	14	22
FEMALE--	176	2	1	-	-	-	2	4	3	2	14	10
BLACK---MALE----	166	7	-	1	-	2	2	-	5	7	14	22
FEMALE--	176	2	1	-	-	-	2	4	3	2	14	10
ALASKA ----------	108	3	-	-	-	1	1	-	3	5	9	8
WHITE------MALE----	44	1	-	-	-	-	-	-	2	2	4	2
FEMALE--	25	1	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	14	1	-	-	-	1	-	-	1	1	4	1
FEMALE--	25	-	-	-	-	-	1	-	-	1	1	3
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1,578	8	7	1	1	2	3	6	19	38	94	120
WHITE------MALE----	752	4	3	1	-	1	2	2	5	11	49	68
FEMALE--	638	2	3	-	1	-	1	2	4	14	20	25
ALL OTHER--MALE----	108	2	1	-	-	1	-	-	7	6	17	14
FEMALE--	80	-	-	-	-	-	-	2	3	7	8	13
BLACK---MALE----	18	1	-	-	-	1	-	-	1	-	-	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	919	7	-	2	-	3	4	5	7	21	25	49
WHITE------MALE----	368	2	-	-	-	2	2	2	3	14	18	25
FEMALE--	415	1	-	1	-	-	1	1	2	2	5	15
ALL OTHER--MALE----	67	3	-	-	-	1	1	2	1	5	2	5
FEMALE--	69	1	-	1	-	-	-	-	1	-	-	4
BLACK---MALE----	65	3	-	-	-	1	1	2	1	5	2	5
FEMALE--	66	1	-	1	-	-	-	-	1	-	-	4
CALIFORNIA ----------	8,647	57	19	8	10	16	18	33	99	219	464	639
WHITE------MALE----	4,097	26	4	3	4	12	10	21	55	142	272	406
FEMALE--	3,530	13	7	5	5	3	5	9	23	55	127	153
ALL OTHER--MALE----	543	10	5	-	1	1	1	-	15	11	48	49
FEMALE--	477	8	3	-	-	-	2	3	6	11	17	31
BLACK---MALE----	277	6	3	-	1	1	1	-	5	5	27	34
FEMALE--	267	8	3	-	-	-	2	1	5	10	10	21

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2530

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
UNITED STATES -	5,263	5,204	5,729	6,898	8,787	10,157	10,483	9,530	6,005	2,123	430	7
WHITE------MALE----	3,029	2,856	2,967	3,399	4,083	4,198	3,960	2,874	1,469	361	67	3
FEMALE--	1,253	1,413	1,820	2,507	3,688	4,926	5,665	5,896	4,124	1,616	320	1
ALL OTHER--MALE----	660	598	531	525	487	451	334	288	118	38	5	1
FEMALE--	321	337	411	467	529	582	524	472	294	108	38	2
BLACK---MALE----	559	501	448	434	398	360	274	222	89	29	2	1
FEMALE--	268	277	349	384	434	478	442	405	265	98	32	2
ALABAMA ----------	95	96	107	126	150	162	188	172	83	32	3	-
WHITE------MALE----	56	44	56	60	62	53	62	37	25	4	-	-
FEMALE--	13	28	21	44	65	78	98	100	44	17	2	-
ALL OTHER--MALE----	17	17	18	9	9	11	9	14	2	1	-	-
FEMALE--	9	7	12	13	14	20	19	21	12	10	1	-
BLACK---MALE----	16	17	18	9	9	11	9	14	2	1	-	-
FEMALE--	9	7	12	13	14	20	19	21	12	10	1	-
ALASKA ----------	9	14	8	10	10	12	8	6	1	-	-	-
WHITE------MALE----	5	9	3	5	7	2	2	-	-	-	-	-
FEMALE--	3	1	2	1	3	4	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	2	-	-	-	-	-
FEMALE--	1	4	2	4	-	4	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	112	140	131	132	170	177	159	148	75	30	3	2
WHITE------MALE----	63	71	66	71	89	93	78	52	16	6	-	1
FEMALE--	29	45	44	51	69	78	77	93	57	20	2	1
ALL OTHER--MALE----	10	17	14	5	6	3	1	1	1	2	-	-
FEMALE--	10	7	7	5	6	3	3	2	1	2	1	-
BLACK---MALE----	2	4	3	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	1	1	1	-	-	-	-
ARKANSAS ----------	44	48	61	72	95	130	138	125	60	22	1	-
WHITE------MALE----	24	31	28	31	49	47	43	31	14	2	-	-
FEMALE--	11	7	23	28	33	68	76	83	40	17	1	-
ALL OTHER--MALE----	6	7	4	6	6	6	6	5	1	-	-	-
FEMALE--	3	3	6	7	7	9	13	6	5	3	-	-
BLACK---MALE----	6	7	4	6	5	5	6	5	1	-	-	-
FEMALE--	3	3	6	6	6	9	12	6	5	3	-	-
CALIFORNIA ----------	648	614	636	737	876	1,029	928	904	491	158	43	1
WHITE------MALE----	400	378	338	381	389	443	374	272	130	31	5	1
FEMALE--	172	169	197	253	391	463	461	546	319	118	36	-
ALL OTHER--MALE----	49	43	56	65	42	57	34	42	9	4	1	-
FEMALE--	27	24	45	38	54	66	59	44	33	5	1	-
BLACK---MALE----	35	26	31	35	16	24	12	12	1	2	-	-
FEMALE--	18	17	28	20	28	26	27	20	18	4	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
COLORADO ----------	1,184	2	2	2	2	1	3	6	14	44	76	96
WHITE------MALE----	572	1	-	1	1	1	-	3	8	24	47	60
FEMALE--	534	1	1	1	1	-	2	1	5	18	22	25
ALL OTHER--MALE----	43	-	-	-	-	-	-	2	-	1	5	4
FEMALE--	35	-	1	-	-	-	1	-	1	1	2	7
BLACK---MALE----	34	-	-	-	-	-	-	2	-	1	3	2
FEMALE--	23	-	1	-	-	-	1	-	-	-	1	4
CONNECTICUT ----------	1,161	1	1	-	1	-	1	7	14	22	38	59
WHITE------MALE----	537	1	1	-	-	-	-	5	7	11	26	38
FEMALE--	547	-	-	-	-	-	1	1	5	8	10	11
ALL OTHER--MALE----	38	-	-	-	-	-	-	1	-	1	2	8
FEMALE--	39	-	-	-	1	-	-	-	2	2	-	2
BLACK---MALE----	36	-	-	-	-	-	-	1	-	1	2	8
FEMALE--	36	-	-	-	1	-	-	-	2	1	-	2
DELAWARE ----------	237	1	-	-	-	2	1	-	3	1	12	12
WHITE------MALE----	107	-	-	-	-	-	-	-	1	-	9	9
FEMALE--	97	1	-	-	-	1	-	-	1	1	2	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	14	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	19	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	13	-	-	-	-	1	1	-	-	-	1	-
DISTRICT OF COLUMBIA ---	206	3	-	-	-	-	4	-	-	1	9	15
WHITE------MALE----	18	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	23	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	83	1	-	-	-	-	2	-	-	-	4	5
FEMALE--	82	-	-	-	-	-	2	-	-	-	4	9
BLACK---MALE----	82	1	-	-	-	-	2	-	-	-	4	5
FEMALE--	81	-	-	-	-	-	2	-	-	-	4	9
FLORIDA ----------	5,342	21	5	5	9	5	8	14	30	110	222	327
WHITE------MALE----	2,545	8	2	2	8	1	6	9	15	65	124	206
FEMALE--	2,260	4	3	2	1	2	-	3	8	30	64	74
ALL OTHER--MALE----	293	7	-	1	-	-	1	2	5	11	22	32
FEMALE--	244	2	-	-	-	2	1	-	2	4	12	15
BLACK---MALE----	282	7	-	1	-	-	1	2	4	10	22	31
FEMALE--	236	2	-	-	-	2	1	-	2	4	11	15
GEORGIA ----------	2,188	23	4	1	2	2	8	11	22	64	105	147
WHITE------MALE----	839	7	-	-	-	2	2	1	3	26	48	80
FEMALE--	839	5	1	-	-	-	4	4	9	19	16	26
ALL OTHER--MALE----	255	9	3	-	1	-	1	5	7	8	24	23
FEMALE--	255	2	-	1	1	-	1	1	3	11	17	18
BLACK---MALE----	248	9	3	-	1	-	1	4	7	7	24	22
FEMALE--	252	2	-	1	1	-	1	1	3	11	17	18

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
COLORADO ----------	79	77	68	86	113	135	131	131	89	23	4	-
WHITE------MALE----	50	38	39	51	49	68	62	53	13	1	2	-
FEMALE--	22	27	26	29	56	61	65	71	76	22	2	-
ALL OTHER--MALE----	5	7	2	6	4	4	1	2	-	-	-	-
FEMALE--	2	5	1	-	4	2	3	5	-	-	-	-
BLACK---MALE----	4	6	2	5	4	3	1	1	-	-	-	-
FEMALE--	1	4	1	-	2	2	2	4	-	-	-	-
CONNECTICUT ----------	57	56	52	75	130	146	176	155	119	45	6	-
WHITE------MALE----	42	38	25	43	63	59	67	63	37	10	1	-
FEMALE--	10	9	20	27	62	78	104	84	78	34	5	-
ALL OTHER--MALE----	3	5	4	2	3	3	2	1	2	1	-	-
FEMALE--	2	4	3	3	2	6	3	7	2	-	-	-
BLACK---MALE----	3	4	4	2	3	3	1	1	2	1	-	-
FEMALE--	2	4	2	2	2	6	3	7	2	-	-	-
DELAWARE ----------	13	12	20	17	27	27	31	35	18	4	1	-
WHITE------MALE----	9	6	10	11	11	15	13	8	4	1	-	-
FEMALE--	1	3	7	5	12	9	15	23	12	2	1	-
ALL OTHER--MALE----	1	3	1	1	3	2	1	3	1	-	-	-
FEMALE--	2	-	2	-	1	1	2	1	1	1	-	-
BLACK---MALE----	1	3	1	1	3	2	1	3	1	-	-	-
FEMALE--	2	-	2	-	-	1	2	1	1	1	-	-
DISTRICT OF COLUMBIA ---	15	19	22	14	17	31	14	23	15	4	-	-
WHITE------MALE----	1	2	4	1	1	2	1	1	1	-	-	-
FEMALE--	1	1	2	-	1	6	2	4	3	2	-	-
ALL OTHER--MALE----	9	14	12	7	7	10	5	4	3	-	-	-
FEMALE--	4	2	4	6	8	13	6	14	8	2	-	-
BLACK---MALE----	9	13	12	7	7	10	5	4	3	-	-	-
FEMALE--	4	2	4	6	8	13	6	14	7	2	-	-
FLORIDA ----------	339	329	412	485	556	667	682	615	365	113	22	1
WHITE------MALE----	206	183	234	258	288	304	265	220	116	23	2	-
FEMALE--	75	93	119	167	223	313	385	362	231	84	17	-
ALL OTHER--MALE----	42	30	35	31	26	25	10	11	2	-	-	-
FEMALE--	16	23	24	29	19	25	22	22	16	6	3	1
BLACK---MALE----	39	28	35	29	25	25	10	11	2	-	-	-
FEMALE--	16	23	23	27	19	23	21	22	16	6	2	1
GEORGIA ----------	153	188	180	183	247	220	237	228	124	35	4	-
WHITE------MALE----	84	85	84	84	101	78	72	53	23	6	-	-
FEMALE--	31	47	44	66	102	102	120	136	79	26	2	-
ALL OTHER--MALE----	23	33	26	18	17	20	21	10	6	-	-	-
FEMALE--	15	23	26	15	27	20	24	29	16	3	2	-
BLACK---MALE----	22	33	26	18	17	19	20	10	5	-	-	-
FEMALE--	15	21	26	14	27	20	24	29	16	3	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
HAWAII ----------	266	2	-	-	-	-	-	1	2	4	8	21
WHITE------MALE----	55	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	45	-	-	-	-	-	-	-	1	2	2	2
ALL OTHER--MALE----	106	2	-	-	-	-	-	1	1	1	2	10
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
IDAHO ----------	333	-	-	-	-	-	2	1	2	5	10	19
WHITE------MALE----	140	-	-	-	-	-	1	1	2	1	7	9
FEMALE--	182	-	-	-	-	-	1	-	-	3	2	7
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3,717	36	8	5	4	5	9	11	47	90	158	226
WHITE------MALE----	1,465	14	-	2	-	3	5	6	20	42	81	130
FEMALE--	1,674	6	6	1	3	1	2	1	15	20	40	39
ALL OTHER--MALE----	318	12	1	1	1	-	1	2	7	17	22	41
FEMALE--	260	4	1	1	-	1	1	2	5	11	15	16
BLACK---MALE----	291	10	1	1	1	-	1	2	7	15	21	40
FEMALE--	244	4	1	1	-	1	1	2	5	10	15	15
INDIANA ----------	1,790	7	1	1	6	6	6	9	18	36	66	82
WHITE------MALE----	774	3	1	-	2	4	4	6	7	16	41	49
FEMALE--	877	3	-	-	3	1	1	1	8	13	14	20
ALL OTHER--MALE----	76	-	-	-	1	1	1	2	3	2	11	8
FEMALE--	63	1	-	1	-	-	-	-	-	5	-	5
BLACK---MALE----	73	-	-	-	1	1	1	2	3	2	11	8
FEMALE--	61	1	-	1	-	-	-	-	-	5	-	5
IOWA ----------	937	5	2	1	1	3	2	3	9	17	20	32
WHITE------MALE----	423	1	2	1	-	3	2	1	4	11	13	22
FEMALE--	495	3	-	-	-	-	-	2	4	6	4	10
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	1	-	3	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	-	-
KANSAS ----------	840	8	2	1	-	-	2	2	7	16	31	43
WHITE------MALE----	346	4	-	1	-	-	2	-	6	8	22	24
FEMALE--	449	3	1	-	-	-	-	2	1	5	8	14
ALL OTHER--MALE----	23	1	1	-	-	-	-	-	-	1	-	3
FEMALE--	22	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	17	-	1	-	-	-	-	-	-	-	-	3
FEMALE--	18	-	-	-	-	-	-	-	-	2	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
HAWAII ----------	17	11	14	18	46	28	32	36	14	9	3	-
WHITE------MALE----	7	7	2	5	10	5	4	3	1	-	-	-
FEMALE--	2	1	2	3	6	4	9	7	1	3	-	-
ALL OTHER--MALE----	4	1	6	6	20	11	10	16	10	3	2	-
FEMALE--	4	2	4	4	10	8	9	10	2	3	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	21	16	18	23	32	42	47	51	31	12	1	-
WHITE------MALE----	11	8	10	10	18	15	15	19	11	2	-	-
FEMALE--	9	5	8	12	14	27	32	31	20	10	1	-
ALL OTHER--MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	226	199	220	292	411	457	461	433	279	115	25	-
WHITE------MALE----	118	98	94	121	186	174	164	116	65	19	7	-
FEMALE--	53	52	81	123	156	238	254	285	193	89	16	-
ALL OTHER--MALE----	38	36	25	25	34	18	16	11	8	2	-	-
FEMALE--	17	13	20	23	35	27	27	21	13	5	2	-
BLACK---MALE----	38	32	24	22	29	17	14	7	7	2	-	-
FEMALE--	17	12	19	21	29	27	25	19	13	5	2	-
INDIANA ----------	106	113	118	161	168	243	244	209	133	50	7	-
WHITE------MALE----	75	68	69	67	88	113	78	50	22	10	1	-
FEMALE--	20	33	41	76	72	120	152	149	105	39	6	-
ALL OTHER--MALE----	6	7	5	10	4	4	4	2	4	1	-	-
FEMALE--	5	5	3	8	4	6	10	8	2	-	-	-
BLACK---MALE----	5	7	5	9	4	4	4	2	3	1	-	-
FEMALE--	5	4	3	8	3	6	10	8	2	-	-	-
IOWA ----------	25	42	36	79	87	109	146	142	113	49	14	-
WHITE------MALE----	16	26	24	45	40	63	66	46	25	7	5	-
FEMALE--	7	12	12	31	44	46	80	96	88	41	9	-
ALL OTHER--MALE----	2	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	1	-	-	-	-	1	-	-
BLACK---MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	1	-	-
KANSAS ----------	39	40	42	49	83	109	106	115	96	45	4	-
WHITE------MALE----	25	17	22	24	32	41	39	40	27	10	2	-
FEMALE--	11	22	16	21	45	61	62	71	69	35	2	-
ALL OTHER--MALE----	3	1	4	3	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	4	5	4	3	-	-	-	-
BLACK---MALE----	2	1	3	3	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	4	3	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
KENTUCKY ----------	1,345	2	2	1	1	6	-	3	9	30	51	65
WHITE------MALE----	621	1	1	1	-	4	-	1	4	18	35	44
FEMALE--	634	-	1	-	1	2	-	2	3	9	13	17
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	45	1	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	43	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	44	1	-	-	-	-	-	-	1	1	2	2
LOUISIANA ----------	1,327	12	6	1	1	3	7	9	16	32	70	85
WHITE------MALE----	462	4	2	-	1	1	3	4	6	12	24	35
FEMALE--	475	1	-	-	-	1	-	3	3	6	10	8
ALL OTHER--MALE----	211	5	3	-	-	1	3	2	2	11	25	31
FEMALE--	179	2	1	1	-	-	1	-	5	3	11	11
BLACK---MALE----	209	5	3	-	-	1	3	2	2	11	25	30
FEMALE--	176	2	1	1	-	-	1	-	5	3	11	10
MAINE ----------	473	1	-	-	1	-	-	3	2	3	9	16
WHITE------MALE----	208	1	-	-	1	-	-	2	2	2	6	10
FEMALE--	261	-	-	-	-	-	-	1	-	1	3	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1,560	9	-	1	2	1	2	5	19	40	79	119
WHITE------MALE----	516	2	-	-	-	-	1	1	5	13	26	52
FEMALE--	597	1	-	-	1	-	-	-	5	11	14	24
ALL OTHER--MALE----	243	4	-	1	-	1	1	3	4	10	30	33
FEMALE--	204	2	-	-	1	-	-	1	5	6	9	10
BLACK---MALE----	228	4	-	1	-	1	1	3	4	10	29	31
FEMALE--	194	2	-	-	-	-	-	1	4	6	9	10
MASSACHUSETTS ----------	2,139	4	2	1	1	5	1	5	14	36	71	95
WHITE------MALE----	997	1	1	-	1	2	1	4	6	18	42	66
FEMALE--	1,041	1	1	-	-	3	-	1	2	14	19	22
ALL OTHER--MALE----	58	1	-	1	-	-	-	-	3	3	8	4
FEMALE--	43	1	-	-	-	-	-	-	3	1	2	3
BLACK---MALE----	41	1	-	-	-	-	-	-	2	3	7	3
FEMALE--	32	1	-	-	-	-	-	-	1	-	2	1
MICHIGAN ----------	3,201	9	3	1	2	1	11	16	29	78	162	231
WHITE------MALE----	1,321	3	-	-	-	1	3	5	18	43	87	119
FEMALE--	1,335	1	2	1	1	-	3	4	3	16	33	38
ALL OTHER--MALE----	282	2	-	-	-	-	1	3	4	11	27	44
FEMALE--	263	3	1	-	1	-	4	4	4	8	15	30
BLACK---MALE----	274	2	-	-	-	-	-	2	4	11	26	44
FEMALE--	247	3	1	-	1	-	4	4	3	7	15	30

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
KENTUCKY ----------	86	92	81	137	138	153	172	165	120	26	5	-
WHITE------MALE----	54	57	48	68	72	57	60	55	35	6	-	-
FEMALE--	21	28	28	57	60	86	104	103	76	19	4	-
ALL OTHER--MALE----	4	6	4	8	3	6	4	1	3	-	-	-
FEMALE--	7	1	1	4	3	4	4	6	6	1	1	-
BLACK---MALE----	4	6	4	8	3	5	3	1	3	-	-	-
FEMALE--	7	1	1	4	3	4	4	6	5	1	1	-
LOUISIANA ----------	92	74	93	114	146	148	168	135	86	25	4	-
WHITE------MALE----	43	27	41	50	61	38	59	31	18	1	1	-
FEMALE--	18	20	26	32	48	72	72	77	58	18	2	-
ALL OTHER--MALE----	19	15	17	19	11	15	16	13	1	2	-	-
FEMALE--	12	12	9	13	26	23	21	14	9	4	1	-
BLACK---MALE----	18	15	17	19	11	15	16	13	1	2	-	-
FEMALE--	12	12	9	13	25	23	21	13	9	4	1	-
MAINE ----------	23	23	29	41	51	71	55	61	54	23	7	-
WHITE------MALE----	16	14	19	17	28	30	21	22	11	4	2	-
FEMALE--	7	9	9	24	22	40	34	39	43	19	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MARYLAND ----------	108	96	100	135	157	189	205	148	106	33	6	-
WHITE------MALE----	41	40	32	58	55	57	70	39	21	3	-	-
FEMALE--	22	23	24	36	69	87	103	85	63	25	4	-
ALL OTHER--MALE----	34	21	20	20	20	14	11	9	5	2	-	-
FEMALE--	11	12	24	21	13	31	21	15	17	3	2	-
BLACK---MALE----	31	20	19	18	19	13	10	8	4	2	-	-
FEMALE--	10	12	24	21	12	27	20	15	16	3	2	-
MASSACHUSETTS ----------	127	91	143	161	224	269	315	271	201	83	19	-
WHITE------MALE----	94	60	81	92	115	125	139	87	41	21	-	-
FEMALE--	27	27	51	63	96	135	166	178	154	62	19	-
ALL OTHER--MALE----	3	4	8	3	2	7	5	3	3	-	-	-
FEMALE--	3	-	3	3	11	2	5	3	3	-	-	-
BLACK---MALE----	3	3	6	2	2	3	2	2	2	-	-	-
FEMALE--	2	-	1	3	9	1	5	3	3	-	-	-
MICHIGAN ----------	202	204	222	278	315	392	397	370	197	65	16	-
WHITE------MALE----	97	106	107	123	132	169	143	105	44	14	2	-
FEMALE--	42	42	74	110	134	184	225	226	135	49	12	-
ALL OTHER--MALE----	42	41	20	18	22	13	16	15	2	1	-	-
FEMALE--	21	15	21	27	27	26	13	24	16	1	2	-
BLACK---MALE----	41	40	19	17	22	13	15	15	2	1	-	-
FEMALE--	21	13	19	26	22	24	13	22	16	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2534

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
MINNESOTA ----------	1,189	12	4	1	1	3	3	3	8	18	29	49
WHITE------MALE----	538	4	1	1	-	1	3	2	5	14	17	32
FEMALE--	605	5	2	-	1	2	-	-	2	2	9	15
ALL OTHER--MALE----	25	1	-	-	-	-	-	1	-	-	2	1
FEMALE--	21	2	1	-	-	-	-	-	1	2	1	1
BLACK---MALE----	11	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	8	1	1	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	924	13	1	-	2	3	1	5	9	23	46	60
WHITE------MALE----	310	2	1	-	-	-	1	1	3	4	21	31
FEMALE--	353	1	-	-	-	-	-	1	3	8	9	10
ALL OTHER--MALE----	130	5	-	-	2	1	-	2	1	7	6	12
FEMALE--	131	5	-	-	-	2	-	1	2	4	10	7
BLACK---MALE----	123	5	-	-	2	1	-	2	1	7	6	10
FEMALE--	127	5	-	-	-	2	-	1	2	4	10	6
MISSOURI ----------	1,711	7	1	-	2	1	4	8	15	37	61	89
WHITE------MALE----	725	1	-	-	1	1	3	5	10	25	33	51
FEMALE--	830	-	1	-	-	-	-	2	4	10	12	24
ALL OTHER--MALE----	86	6	-	-	1	-	1	1	-	2	10	11
FEMALE--	70	-	-	-	-	-	-	-	1	-	6	3
BLACK---MALE----	83	6	-	-	1	-	1	1	-	2	10	10
FEMALE--	69	-	-	-	-	-	-	-	1	-	6	3
MONTANA ----------	277	-	-	-	1	1	-	-	3	4	15	17
WHITE------MALE----	127	-	-	-	1	1	-	-	2	-	9	7
FEMALE--	116	-	-	-	-	-	-	-	1	1	4	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	526	-	-	1	1	-	1	2	3	12	17	25
WHITE------MALE----	239	-	-	1	1	-	-	1	3	8	7	17
FEMALE--	257	-	-	-	-	-	1	1	-	4	4	6
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	4	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
NEVADA ----------	646	1	1	-	1	-	1	2	6	26	39	65
WHITE------MALE----	348	1	1	-	-	-	1	1	3	15	25	42
FEMALE--	257	-	-	-	-	-	-	1	3	11	9	18
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	17	-	-	-	1	-	-	-	-	-	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
MINNESOTA ----------	45	74	57	88	124	127	177	160	136	59	11	-
WHITE------MALE----	28	45	31	55	66	59	75	47	39	9	4	-
FEMALE--	12	23	21	27	55	64	99	112	97	50	7	-
ALL OTHER--MALE----	4	3	4	3	2	2	2	-	-	-	-	-
FEMALE--	1	3	1	3	1	2	1	1	-	-	-	-
BLACK---MALE----	1	1	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	-	-	-	-
MISSISSIPPI ----------	67	51	73	86	106	121	103	83	49	18	4	-
WHITE------MALE----	33	21	28	28	44	47	22	16	7	-	-	-
FEMALE--	10	12	24	32	37	45	63	51	34	10	3	-
ALL OTHER--MALE----	17	10	14	12	11	12	9	7	1	1	-	-
FEMALE--	7	8	7	14	14	17	9	9	7	7	1	-
BLACK---MALE----	16	9	12	11	11	12	9	7	1	1	-	-
FEMALE--	6	8	7	13	13	17	9	9	7	7	1	-
MISSOURI ----------	92	95	100	157	183	225	227	202	150	43	12	-
WHITE------MALE----	52	55	49	83	88	87	76	62	33	8	2	-
FEMALE--	24	28	38	63	77	128	137	131	110	32	9	-
ALL OTHER--MALE----	9	8	5	5	8	7	5	3	3	1	-	-
FEMALE--	7	4	8	6	10	3	9	6	4	2	1	-
BLACK---MALE----	8	7	5	5	8	7	5	3	3	1	-	-
FEMALE--	7	4	8	6	10	3	8	6	4	2	1	-
MONTANA ----------	21	17	13	17	25	28	48	29	24	11	3	-
WHITE------MALE----	11	10	7	9	11	15	21	13	8	2	-	-
FEMALE--	4	3	5	6	13	10	25	16	16	8	3	-
ALL OTHER--MALE----	4	1	1	1	1	2	1	-	-	1	-	-
FEMALE--	2	3	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	28	24	25	35	60	59	67	77	55	33	1	-
WHITE------MALE----	17	21	13	18	29	32	29	18	16	8	-	-
FEMALE--	5	2	11	16	27	22	38	57	38	24	1	-
ALL OTHER--MALE----	2	-	-	-	2	3	-	-	-	1	-	-
FEMALE--	4	1	1	1	2	2	-	2	1	-	-	-
BLACK---MALE----	2	-	-	-	2	1	-	-	-	1	-	-
FEMALE--	3	-	-	1	-	1	-	1	1	-	-	-
NEVADA ----------	53	56	59	58	60	69	64	47	29	8	1	-
WHITE------MALE----	30	38	35	35	31	32	22	20	13	2	1	-
FEMALE--	22	13	18	19	24	36	38	25	14	6	-	-
ALL OTHER--MALE----	1	2	2	3	3	1	1	2	1	-	-	-
FEMALE--	-	3	4	1	2	-	3	-	1	-	-	-
BLACK---MALE----	1	1	-	2	1	1	1	-	1	-	-	-
FEMALE--	-	2	2	1	1	-	2	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
NEW HAMPSHIRE ----------	363	1	1	-	-	1	-	-	-	6	5	11
WHITE------MALE----	143	1	1	-	-	-	-	-	-	3	4	7
FEMALE--	217	-	-	-	-	1	-	-	-	3	1	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2,542	16	2	-	-	2	3	8	29	59	101	143
WHITE------MALE----	1,079	6	-	-	-	1	-	4	16	31	46	77
FEMALE--	1,121	4	2	-	-	-	2	3	8	9	28	33
ALL OTHER--MALE----	182	4	-	-	-	-	1	-	3	4	18	22
FEMALE--	160	2	-	-	-	1	-	1	2	15	9	11
BLACK---MALE----	167	2	-	-	-	-	1	-	3	3	17	21
FEMALE--	148	2	-	-	-	1	-	1	2	14	9	11
NEW MEXICO ----------	657	5	-	1	-	1	-	2	12	34	42	58
WHITE------MALE----	333	3	-	-	-	1	-	1	6	11	27	36
FEMALE--	232	1	-	1	-	-	-	-	5	5	8	10
ALL OTHER--MALE----	49	1	-	-	-	-	-	1	1	9	3	11
FEMALE--	43	-	-	-	-	-	-	-	-	9	4	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4,836	33	5	3	3	7	7	14	41	85	169	307
WHITE------MALE----	2,067	15	1	-	2	3	2	6	18	44	94	154
FEMALE--	1,990	4	3	-	-	2	3	7	13	23	32	53
ALL OTHER--MALE----	448	10	1	2	1	-	-	1	8	10	28	74
FEMALE--	331	4	-	1	-	2	2	-	2	8	15	26
BLACK---MALE----	390	9	1	2	-	-	-	1	7	7	25	67
FEMALE--	294	4	-	1	-	2	2	-	2	6	13	25
NORTH CAROLINA ---------	2,445	17	6	1	-	3	2	11	26	58	106	127
WHITE------MALE----	966	3	1	1	-	1	-	4	13	28	49	62
FEMALE--	907	3	3	-	-	2	-	1	7	10	20	11
ALL OTHER--MALE----	288	5	1	-	-	-	-	1	4	15	18	39
FEMALE--	284	6	1	-	-	-	2	5	2	5	19	15
BLACK---MALE----	275	4	-	-	-	-	-	1	4	15	18	38
FEMALE--	267	6	1	-	-	-	2	5	2	5	19	14
NORTH DAKOTA ----------	186	-	-	-	-	-	-	1	2	6	6	2
WHITE------MALE----	89	-	-	-	-	-	-	1	1	3	3	1
FEMALE--	80	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
NEW HAMPSHIRE ----------	15	9	25	32	43	49	56	48	48	10	3	-
WHITE------MALE----	9	5	8	22	18	18	20	13	11	1	2	-
FEMALE--	6	4	15	10	25	31	36	35	36	9	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEW JERSEY ----------	157	158	179	219	302	326	323	280	156	71	8	-
WHITE------MALE----	84	84	90	113	144	127	116	86	39	15	-	-
FEMALE--	44	41	53	74	119	172	186	173	109	53	8	-
ALL OTHER--MALE----	21	24	20	17	13	14	7	11	3	-	-	-
FEMALE--	8	9	16	15	26	13	14	10	5	3	-	-
BLACK---MALE----	20	23	19	16	12	14	5	8	3	-	-	-
FEMALE--	8	9	16	15	24	10	10	9	4	3	-	-
NEW MEXICO ----------	55	51	57	56	58	62	73	51	29	9	1	-
WHITE------MALE----	38	23	30	25	35	30	39	13	12	3	-	-
FEMALE--	10	19	15	21	18	31	33	35	16	4	-	-
ALL OTHER--MALE----	5	5	3	4	3	1	1	-	-	1	-	-
FEMALE--	2	4	9	6	2	-	-	3	1	1	1	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	1	-	-	-
NEW YORK ----------	288	324	347	433	523	611	599	539	357	117	23	1
WHITE------MALE----	170	168	177	202	247	268	219	167	89	19	2	-
FEMALE--	56	78	96	138	201	265	330	324	253	92	17	-
ALL OTHER--MALE----	46	44	43	53	41	41	24	17	4	-	-	-
FEMALE--	16	34	31	40	34	37	26	31	11	6	4	1
BLACK---MALE----	41	35	38	45	36	35	22	15	4	-	-	-
FEMALE--	13	32	30	35	30	32	20	26	11	6	3	1
NORTH CAROLINA ---------	163	164	176	233	278	322	286	251	158	44	13	-
WHITE------MALE----	84	73	92	93	118	136	91	86	22	6	3	-
FEMALE--	26	38	50	72	106	136	143	131	111	30	7	-
ALL OTHER--MALE----	38	31	20	32	26	21	16	10	8	3	-	-
FEMALE--	15	22	14	36	28	29	36	24	17	5	3	-
BLACK---MALE----	36	30	18	32	24	19	16	9	8	3	-	-
FEMALE--	14	19	14	32	27	27	33	23	16	5	3	-
NORTH DAKOTA ----------	9	13	12	13	24	12	30	25	17	12	2	-
WHITE------MALE----	6	7	6	7	13	6	14	14	4	3	-	-
FEMALE--	1	2	3	6	9	6	16	10	11	9	2	-
ALL OTHER--MALE----	2	2	2	-	1	-	-	-	1	-	-	-
FEMALE--	-	2	1	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2536

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
OHIO ----------	3,465	24	4	3	5	7	6	9	24	58	148	153
WHITE------MALE----	1,500	11	1	1	3	6	2	5	17	32	95	92
FEMALE--	1,592	1	3	2	2	1	1	2	6	13	31	30
ALL OTHER--MALE----	192	5	-	-	-	-	2	-	1	8	11	24
FEMALE--	181	7	-	-	-	-	1	2	-	5	11	7
BLACK---MALE----	186	5	-	-	-	-	2	-	1	8	11	22
FEMALE--	177	7	-	-	-	-	1	2	-	5	11	7
OKLAHOMA ----------	1,200	6	3	-	4	4	3	2	8	28	54	87
WHITE------MALE----	499	1	1	-	1	1	1	1	3	12	33	42
FEMALE--	530	1	1	-	2	1	1	1	4	6	10	22
ALL OTHER--MALE----	90	3	1	-	1	1	1	-	-	7	6	17
FEMALE--	81	1	-	-	-	1	-	-	1	3	5	6
BLACK---MALE----	35	2	-	-	-	1	-	-	-	3	3	7
FEMALE--	32	-	-	-	-	1	-	-	-	1	1	2
OREGON ----------	987	1	2	1	1	1	2	2	3	14	25	64
WHITE------MALE----	450	-	1	1	1	1	1	2	1	7	17	48
FEMALE--	502	1	-	-	-	-	-	-	1	5	6	15
ALL OTHER--MALE----	21	-	1	-	-	-	1	-	1	2	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA ----------	4,177	17	4	4	4	1	7	6	25	71	144	190
WHITE------MALE----	1,745	4	1	1	1	1	2	4	13	37	86	113
FEMALE--	2,019	3	-	3	2	-	3	-	8	28	36	31
ALL OTHER--MALE----	213	7	3	-	1	-	-	-	2	2	12	28
FEMALE--	200	3	-	-	-	-	2	2	2	4	10	18
BLACK---MALE----	204	7	2	-	1	-	-	-	2	2	12	28
FEMALE--	192	3	-	-	-	-	2	2	2	4	9	18
RHODE ISLAND ----------	399	1	1	1	-	-	1	1	3	8	12	11
WHITE------MALE----	176	-	1	-	-	-	1	1	-	2	8	8
FEMALE--	208	1	-	1	-	-	-	-	2	5	3	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1,326	9	1	-	1	2	8	1	5	43	68	87
WHITE------MALE----	469	3	-	-	-	2	3	1	2	18	29	26
FEMALE--	496	1	-	-	-	-	2	-	1	7	9	17
ALL OTHER--MALE----	195	3	-	-	-	-	2	-	2	9	17	32
FEMALE--	166	2	1	-	1	-	1	-	-	9	13	12
BLACK---MALE----	194	3	-	-	-	-	2	-	2	9	16	32
FEMALE--	165	2	1	-	1	-	1	-	-	9	13	11

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
OHIO ----------	186	218	232	259	423	483	481	408	231	75	28	-
WHITE------MALE----	108	112	112	125	191	200	186	126	54	15	6	-
FEMALE--	49	67	87	104	191	243	260	257	169	53	20	-
ALL OTHER--MALE----	22	20	20	15	21	17	12	9	4	1	-	-
FEMALE--	7	19	13	15	20	23	23	16	4	6	2	-
BLACK---MALE----	22	20	19	13	21	16	12	9	4	1	-	-
FEMALE--	7	19	13	14	18	22	23	16	4	6	2	-
OKLAHOMA ----------	99	81	68	95	119	132	162	131	81	27	6	-
WHITE------MALE----	52	47	42	49	52	36	65	38	19	3	-	-
FEMALE--	23	20	20	26	51	85	88	83	56	23	6	-
ALL OTHER--MALE----	15	8	3	8	8	5	3	3	-	-	-	-
FEMALE--	9	6	3	12	8	6	6	7	6	1	-	-
BLACK---MALE----	6	2	3	1	2	1	2	2	-	-	-	-
FEMALE--	2	-	1	4	4	3	4	5	4	-	-	-
OREGON ----------	70	57	51	66	104	121	144	139	80	32	7	-
WHITE------MALE----	41	30	33	36	44	53	58	48	20	5	2	-
FEMALE--	23	24	16	28	56	62	83	90	60	27	5	-
ALL OTHER--MALE----	6	1	1	1	2	3	-	1	-	-	-	-
FEMALE--	-	2	1	1	2	3	3	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	220	199	241	331	479	566	594	577	335	140	22	-
WHITE------MALE----	111	120	118	170	232	230	232	173	76	16	4	-
FEMALE--	69	49	87	125	209	294	326	375	238	117	16	-
ALL OTHER--MALE----	31	21	24	22	18	14	12	9	5	2	-	-
FEMALE--	9	9	12	14	20	28	24	20	16	5	2	-
BLACK---MALE----	30	21	22	20	17	14	11	8	5	2	-	-
FEMALE--	9	9	11	14	18	25	24	20	15	5	2	-
RHODE ISLAND ----------	23	27	26	40	50	50	57	41	34	11	1	-
WHITE------MALE----	13	20	12	24	29	17	22	9	8	1	-	-
FEMALE--	8	7	12	15	20	31	33	31	25	10	1	-
ALL OTHER--MALE----	1	-	2	1	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	-	-	-	-
SOUTH CAROLINA ---------	99	106	117	117	134	153	156	121	71	25	2	-
WHITE------MALE----	44	51	50	55	44	44	49	31	16	1	-	-
FEMALE--	17	25	34	31	59	83	84	65	44	16	1	-
ALL OTHER--MALE----	25	19	15	18	13	10	11	13	2	3	1	-
FEMALE--	13	11	18	13	18	16	12	12	9	5	-	-
BLACK---MALE----	25	19	15	18	13	10	11	13	2	3	1	-
FEMALE--	13	11	18	13	18	16	12	12	9	5	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2537

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
SOUTH DAKOTA ----------	258	2	-	-	1	2	-	2	5	12	13	10
WHITE------MALE----	83	-	-	-	-	1	-	1	1	1	5	3
FEMALE--	122	1	-	-	1	-	-	-	1	3	1	2
ALL OTHER--MALE----	27	-	-	-	-	1	-	1	-	2	5	4
FEMALE--	26	1	-	-	-	-	-	-	3	6	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,817	11	-	2	1	4	5	5	16	50	76	115
WHITE------MALE----	787	6	-	-	-	3	2	3	8	26	44	62
FEMALE--	783	2	-	2	-	1	2	2	5	14	15	26
ALL OTHER--MALE----	125	2	-	-	-	-	1	-	1	6	9	20
FEMALE--	122	1	-	-	1	-	-	-	2	4	8	7
BLACK---MALE----	122	2	-	-	-	-	1	-	1	6	9	19
FEMALE--	122	1	-	-	1	-	-	-	2	4	8	7
TEXAS ----------	5,680	57	12	6	7	9	19	31	70	162	293	410
WHITE------MALE----	2,704	25	4	2	1	6	13	19	41	101	190	263
FEMALE--	2,355	20	7	1	4	2	2	7	22	42	65	82
ALL OTHER--MALE----	330	7	1	2	-	1	1	2	5	8	21	49
FEMALE--	291	5	-	1	2	-	3	3	2	11	17	16
BLACK---MALE----	301	6	1	1	-	1	1	2	5	7	18	44
FEMALE--	266	5	-	1	2	-	3	3	2	11	13	14
UTAH ----------	465	2	1	1	1	1	-	1	3	15	16	31
WHITE------MALE----	207	1	-	1	-	1	-	-	1	10	13	20
FEMALE--	242	1	1	-	1	-	-	1	-	4	1	9
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	2	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	197	-	-	-	-	-	-	1	1	2	7	9
WHITE------MALE----	100	-	-	-	-	-	-	1	1	1	6	8
FEMALE--	97	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,853	14	3	-	1	3	2	6	15	29	76	107
WHITE------MALE----	716	6	1	-	1	2	1	4	7	11	40	51
FEMALE--	742	5	1	-	-	-	1	-	2	8	14	19
ALL OTHER--MALE----	219	3	1	-	-	1	-	1	4	8	19	30
FEMALE--	176	-	-	-	-	-	-	1	2	2	3	7
BLACK---MALE----	203	3	1	-	-	1	-	1	4	6	17	29
FEMALE--	167	-	-	-	-	-	-	1	2	2	3	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
SOUTH DAKOTA ----------	17	14	17	10	21	21	34	27	33	14	3	-
WHITE------MALE----	4	3	7	2	13	11	8	9	10	3	1	-
FEMALE--	6	3	5	5	6	10	25	17	23	11	2	-
ALL OTHER--MALE----	4	4	5	1	-	-	-	-	-	-	-	-
FEMALE--	3	4	-	2	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	113	129	128	160	175	236	213	209	128	35	6	-
WHITE------MALE----	70	66	69	80	86	101	71	52	33	5	-	-
FEMALE--	23	39	43	59	72	112	122	132	80	26	6	-
ALL OTHER--MALE----	9	19	9	14	6	9	9	6	4	1	-	-
FEMALE--	11	5	7	7	11	14	11	19	11	3	-	-
BLACK---MALE----	9	18	9	14	6	9	9	6	3	1	-	-
FEMALE--	11	5	7	7	11	14	11	19	11	3	-	-
TEXAS ----------	414	373	442	451	575	591	648	585	371	125	28	1
WHITE------MALE----	257	229	245	232	282	248	275	157	94	17	3	-
FEMALE--	106	102	142	174	246	287	304	373	248	98	21	-
ALL OTHER--MALE----	33	36	28	25	26	23	25	25	9	2	-	1
FEMALE--	18	6	27	20	21	33	44	30	20	8	4	-
BLACK---MALE----	30	29	28	22	26	21	23	25	8	2	-	1
FEMALE--	18	5	25	16	20	30	39	27	20	8	4	-
UTAH ----------	27	16	32	43	43	56	72	46	42	15	1	-
WHITE------MALE----	13	11	17	21	19	23	28	15	12	1	-	-
FEMALE--	11	2	15	22	23	32	44	30	30	14	1	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	13	9	13	20	15	26	23	30	16	8	4	-
WHITE------MALE----	12	6	7	9	7	10	10	16	4	1	1	-
FEMALE--	1	3	6	11	8	16	13	14	12	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	111	120	149	152	199	251	245	189	129	42	10	-
WHITE------MALE----	51	68	81	70	83	87	73	48	22	8	1	-
FEMALE--	28	23	39	43	70	110	137	119	86	30	7	-
ALL OTHER--MALE----	23	16	16	18	28	21	13	8	7	1	1	-
FEMALE--	9	13	13	21	18	33	22	14	14	3	1	-
BLACK---MALE----	22	15	15	17	26	19	12	7	6	1	1	-
FEMALE--	9	13	12	18	18	31	22	13	13	3	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2538

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
WASHINGTON ----------	1,587	5	3	-	-	3	4	7	10	17	63	91
WHITE------MALE----	727	3	2	-	-	-	-	5	3	10	29	55
FEMALE--	739	1	1	-	-	2	2	2	3	5	23	26
ALL OTHER--MALE----	61	-	-	-	-	-	2	-	3	1	6	4
FEMALE--	60	1	-	-	-	1	-	-	1	1	5	6
BLACK---MALE----	22	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	23	1	-	-	-	1	-	-	1	-	3	2
WEST VIRGINIA ----------	743	2	-	-	1	-	1	5	9	17	21	23
WHITE------MALE----	379	1	-	-	-	-	1	3	7	11	13	19
FEMALE--	341	1	-	-	1	-	-	2	2	3	4	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	3	4	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	3	4	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
WISCONSIN ----------	1,602	8	1	3	2	2	1	3	4	24	41	62
WHITE------MALE----	710	5	1	-	1	1	1	-	3	10	24	35
FEMALE--	819	1	-	3	-	1	-	2	1	11	10	19
ALL OTHER--MALE----	41	1	-	-	-	-	-	1	-	2	5	6
FEMALE--	32	1	-	-	1	-	-	-	-	1	2	2
BLACK---MALE----	26	1	-	-	-	-	-	1	-	2	2	5
FEMALE--	22	1	-	-	1	-	-	-	-	-	2	2
WYOMING ----------	167	-	-	-	1	1	-	3	-	5	9	7
WHITE------MALE----	75	-	-	-	1	-	-	1	-	1	4	6
FEMALE--	84	-	-	-	-	1	-	1	-	1	4	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
WASHINGTON ----------	106	82	103	127	153	201	200	221	127	50	13	1
WHITE------MALE----	67	40	59	68	74	95	92	75	38	10	1	1
FEMALE--	26	35	35	46	69	87	99	143	87	37	10	-
ALL OTHER--MALE----	10	7	4	6	5	6	5	-	1	1	-	-
FEMALE--	3	-	5	7	5	13	4	3	1	2	2	-
BLACK---MALE----	3	3	3	3	2	1	2	-	-	-	-	-
FEMALE--	-	-	2	3	2	4	1	1	1	-	1	-
WEST VIRGINIA ----------	43	50	55	63	80	106	107	94	47	16	3	-
WHITE------MALE----	33	38	38	32	42	46	45	36	10	3	1	-
FEMALE--	9	12	14	29	36	57	61	56	37	12	2	-
ALL OTHER--MALE----	1	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	2	-	1	-	-
BLACK---MALE----	1	-	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	-	1	-	-
WISCONSIN ----------	82	84	107	101	166	178	245	221	188	65	14	-
WHITE------MALE----	45	47	68	54	87	77	102	76	55	15	3	-
FEMALE--	25	31	35	41	71	94	138	145	130	50	11	-
ALL OTHER--MALE----	7	4	2	3	4	3	2	-	1	-	-	-
FEMALE--	5	2	2	3	4	4	3	-	2	-	-	-
BLACK---MALE----	3	1	2	1	3	2	2	-	1	-	-	-
FEMALE--	3	1	1	2	3	2	3	-	1	-	-	-
WYOMING ----------	11	9	12	11	16	29	9	21	14	7	2	-
WHITE------MALE----	9	5	7	6	8	12	3	7	5	-	-	-
FEMALE--	2	4	4	5	7	17	6	13	9	7	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2539

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of esophagus (K20-K22)												
UNITED STATES -	2,160	13	8	2	1	6	2	8	13	15	22	38
WHITE------MALE----	890	7	-	-	1	2	1	2	5	10	12	18
FEMALE--	1,078	3	4	2	-	3	1	4	4	2	2	10
ALL OTHER--MALE----	111	2	4	-	-	1	-	2	3	3	7	8
FEMALE--	81	1	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	94	2	2	-	-	1	-	2	3	3	7	6
FEMALE--	72	1	-	-	-	-	-	-	1	-	1	2
ALABAMA ----------	35	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	35	-	1	-	-	-	-	-	-	1	-	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	195	3	3	-	-	-	-	-	1	1	-	3
WHITE------MALE----	85	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	95	1	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	10	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2539

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
UNITED STATES -	44	53	65	108	171	241	374	431	379	129	37	-
WHITE------MALE----	17	26	31	58	91	123	164	165	113	34	10	-
FEMALE--	15	21	22	36	62	101	186	235	251	89	25	-
ALL OTHER--MALE----	7	2	11	7	13	11	14	10	6	-	-	-
FEMALE--	5	4	1	7	5	6	10	21	9	6	2	-
BLACK---MALE----	5	1	10	7	12	10	10	8	5	-	-	-
FEMALE--	5	4	1	6	3	5	8	19	9	6	1	-
ALABAMA ----------	3	2	1	-	2	1	4	7	9	2	-	-
WHITE------MALE----	1	1	-	-	2	-	-	2	3	1	-	-
FEMALE--	1	1	-	-	-	-	2	5	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
ALASKA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	3	-	-	2	5	6	8	7	1	-	-
WHITE------MALE----	-	2	-	-	1	3	2	5	-	1	-	-
FEMALE--	-	1	-	-	1	2	4	2	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	2	1	4	2	6	8	6	-	-	-
WHITE------MALE----	-	-	2	1	3	2	3	2	1	-	-	-
FEMALE--	-	1	-	-	-	-	2	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
CALIFORNIA ----------	6	4	2	7	19	25	37	37	29	13	5	-
WHITE------MALE----	2	3	-	4	13	14	17	12	10	4	1	-
FEMALE--	1	1	-	3	5	10	19	23	18	8	4	-
ALL OTHER--MALE----	1	-	2	-	-	1	-	2	1	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2540

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of esophagus (K20-K22)												
COLORADO ----------	40	-	-	-	-	-	-	-	-	1	4	1
WHITE------MALE----	23	-	-	-	-	-	-	-	-	1	4	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	36	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	130	-	1	-	-	-	-	-	2	1	1	2
WHITE------MALE----	58	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	58	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	49	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2540

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
COLORADO ----------	1	1	1	2	2	5	6	8	6	2	-	-
WHITE------MALE----	1	-	-	2	1	3	4	5	2	-	-	-
FEMALE--	-	1	-	-	1	2	2	3	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	-	3	1	1	6	10	9	3	-	-
WHITE------MALE----	1	1	-	1	-	1	3	4	3	1	-	-
FEMALE--	-	-	-	2	1	-	3	6	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	1	1	-	-	2	1	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	1	-	-	1	1	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
FLORIDA ----------	4	1	6	8	12	15	23	26	21	5	2	-
WHITE------MALE----	-	-	5	4	4	4	14	12	11	1	-	-
FEMALE--	3	-	-	2	4	11	9	13	10	3	2	-
ALL OTHER--MALE----	1	-	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	-	1	-	-
GEORGIA ----------	1	4	3	3	2	5	11	11	4	3	-	-
WHITE------MALE----	-	1	1	2	1	3	7	6	-	1	-	-
FEMALE--	-	2	1	1	1	2	3	3	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2541

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of esophagus (K20-K22)												
HAWAII ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	14	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	81	-	1	-	-	1	-	-	1	-	-	3
WHITE------MALE----	32	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	1	-	-	1	-	-	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	60	-	-	-	-	-	-	-	-	1	-	4
WHITE------MALE----	23	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	37	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	22	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
HAWAII ----------	-	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	-	-	1	1	3	3	3	1	-
WHITE------MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	2	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	2	3	5	5	3	10	25	12	6	3	-
WHITE------MALE----	1	1	1	4	3	2	7	9	2	1	1	-
FEMALE--	-	-	2	-	2	1	3	15	10	4	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
INDIANA ----------	-	3	-	1	5	6	14	15	6	3	2	-
WHITE------MALE----	-	3	-	1	1	3	2	5	1	2	-	-
FEMALE--	-	-	-	-	4	2	10	9	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
IOWA ----------	1	1	-	1	2	7	6	7	7	4	-	-
WHITE------MALE----	-	1	-	-	1	4	3	1	5	-	-	-
FEMALE--	1	-	-	1	1	3	3	6	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
KANSAS ----------	-	-	-	-	1	1	6	6	6	1	-	-
WHITE------MALE----	-	-	-	-	-	1	2	2	3	-	-	-
FEMALE--	-	-	-	-	1	-	4	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of esophagus (K20-K22)												
KENTUCKY ----------	41	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	34	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	16	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	37	1	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	14	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	44	-	-	-	1	-	-	-	-	1	-	1
WHITE------MALE----	19	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	54	-	-	-	-	-	-	1	1	1	-	2
WHITE------MALE----	25	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	25	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
KENTUCKY ----------	-	1	-	5	1	3	3	9	16	2	-	-
WHITE------MALE----	-	1	-	3	1	3	1	2	2	1	-	-
FEMALE--	-	-	-	2	-	-	2	6	14	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA ----------	-	2	1	2	2	5	12	3	6	-	-	-
WHITE------MALE----	-	-	1	1	-	2	5	-	1	-	-	-
FEMALE--	-	2	-	1	2	2	5	1	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MAINE ----------	-	-	-	1	-	-	4	7	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	3	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	1	1	2	4	3	2	5	12	1	-	-
WHITE------MALE----	1	-	-	1	2	-	-	1	4	1	-	-
FEMALE--	1	1	1	-	1	3	2	1	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	3	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	3	1	-	-	-
MASSACHUSETTS ----------	1	2	1	2	5	5	8	9	4	4	-	-
WHITE------MALE----	1	-	1	2	4	1	5	2	-	-	-	-
FEMALE--	-	1	-	-	1	3	3	6	4	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN ----------	1	2	4	3	6	6	7	9	7	3	1	-
WHITE------MALE----	-	2	2	1	4	4	2	4	2	1	-	-
FEMALE--	1	-	1	1	2	2	5	4	5	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of esophagus (K20-K22)												
MINNESOTA ----------	47	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	17	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	55	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	11	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
MINNESOTA ----------	-	-	2	-	2	3	13	8	13	5	1	-
WHITE------MALE----	-	-	1	-	2	-	9	3	5	1	1	-
FEMALE--	-	-	1	-	-	3	4	5	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	2	2	4	2	1	1	2	-	-	-
WHITE------MALE----	-	-	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	-	-	-
MISSOURI ----------	-	-	2	6	7	10	8	9	10	2	1	-
WHITE------MALE----	-	-	1	3	4	7	4	2	2	1	-	-
FEMALE--	-	-	1	3	2	3	4	5	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MONTANA ----------	1	1	-	-	-	1	2	3	1	-	1	-
WHITE------MALE----	-	1	-	-	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	1	1	3	5	2	3	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	3	-	-
FEMALE--	-	-	-	1	-	1	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	1	1	-	1	2	1	2	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2544

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of esophagus (K20-K22)												
NEW HAMPSHIRE ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	42	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	93	1	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	37	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	68	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	2	5	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	2	2	3	10	7	8	3	4	-	-
WHITE------MALE----	-	-	-	-	1	3	3	3	-	-	-	-
FEMALE--	1	-	2	1	2	5	3	4	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
NEW MEXICO ----------	-	-	1	1	2	2	4	3	2	-	-	-
WHITE------MALE----	-	-	-	-	2	2	3	3	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	3	3	9	4	11	12	15	23	7	2	-
WHITE------MALE----	1	1	1	6	2	7	5	7	3	3	-	-
FEMALE--	-	1	2	2	2	3	7	8	20	4	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	1	1	6	5	14	14	9	10	3	-	-
WHITE------MALE----	1	-	1	2	2	9	4	2	2	2	-	-
FEMALE--	1	1	-	2	3	3	8	7	6	1	-	-
ALL OTHER--MALE----	1	-	-	2	-	1	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	1	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	-	-	-	-	2	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2545

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of esophagus (K20-K22)												
OHIO ----------	114	3	-	1	-	1	-	2	-	-	2	-
WHITE------MALE----	46	2	-	-	-	1	-	1	-	-	2	-
FEMALE--	58	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	39	-	-	-	-	-	-	-	1	-	-	2
WHITE------MALE----	17	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	37	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	108	1	-	1	-	1	-	-	1	-	1	1
WHITE------MALE----	41	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	59	1	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	12	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	38	-	-	-	-	-	1	-	-	3	-	2
WHITE------MALE----	11	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
OHIO ----------	2	1	3	3	7	18	22	25	18	3	3	-
WHITE------MALE----	-	-	-	2	1	6	10	13	5	-	3	-
FEMALE--	1	1	1	1	5	11	10	11	12	3	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
OKLAHOMA ----------	1	1	1	3	4	3	9	6	6	2	-	-
WHITE------MALE----	1	1	1	-	3	1	2	2	4	1	-	-
FEMALE--	-	-	-	2	1	2	6	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	2	1	-	2	5	9	6	7	3	2	-
WHITE------MALE----	-	1	1	-	1	1	7	3	1	1	-	-
FEMALE--	-	1	-	-	1	4	1	3	6	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	3	6	4	12	10	17	21	17	7	2	-
WHITE------MALE----	2	2	3	1	6	5	7	7	5	1	1	-
FEMALE--	-	1	3	2	6	4	10	14	10	6	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	1	-
RHODE ISLAND ----------	-	1	1	-	3	-	1	3	-	1	-	-
WHITE------MALE----	-	-	1	-	3	-	1	3	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	2	-	2	1	4	8	7	4	1	-	-
WHITE------MALE----	-	-	-	1	-	1	4	1	-	1	-	-
FEMALE--	2	2	-	-	-	1	3	4	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of esophagus (K20-K22)												
SOUTH DAKOTA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	55	1	-	-	-	-	1	-	-	1	-	1
WHITE------MALE----	23	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	28	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	161	1	1	-	-	-	-	1	3	-	2	5
WHITE------MALE----	67	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	74	-	1	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	9	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
UTAH ----------	20	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	36	-	1	-	-	1	-	-	-	1	1	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	1	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	1	-	-	1	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
SOUTH DAKOTA ----------	-	-	-	1	-	2	4	-	2	1	1	-
WHITE------MALE----	-	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	4	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	3	1	3	7	5	10	8	12	2	-	-
WHITE------MALE----	-	2	1	2	4	3	2	2	5	-	-	-
FEMALE--	-	1	-	1	2	2	7	5	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
TEXAS ----------	2	2	5	4	14	17	24	38	26	12	4	-
WHITE------MALE----	2	2	2	3	4	11	11	16	10	1	1	-
FEMALE--	-	-	2	1	7	4	11	18	14	10	3	-
ALL OTHER--MALE----	-	-	1	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	2	1	-	-
BLACK---MALE----	-	-	1	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	2	1	-	-
UTAH ----------	1	-	-	-	1	4	1	6	3	2	-	-
WHITE------MALE----	-	-	-	-	-	2	-	2	-	1	-	-
FEMALE--	1	-	-	-	-	2	1	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	2	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	3	4	3	5	6	7	1	-	-
WHITE------MALE----	-	-	-	-	2	1	2	3	3	1	-	-
FEMALE--	-	-	1	3	1	2	3	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of esophagus (K20-K22)												
WASHINGTON ----------	63	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	25	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	47	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
WASHINGTON ----------	-	-	3	4	1	7	9	11	17	8	2	-
WHITE------MALE----	-	-	2	4	1	5	3	3	5	1	-	-
FEMALE--	-	-	1	-	-	2	4	7	12	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
WEST VIRGINIA ----------	2	-	1	1	5	6	5	3	2	-	-	-
WHITE------MALE----	2	-	1	1	3	4	3	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	1	2	5	3	9	5	13	2	3	-
WHITE------MALE----	-	-	-	1	3	1	5	3	4	-	2	-
FEMALE--	1	1	-	1	1	2	4	2	9	2	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2548

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
UNITED STATES -	4,604	2	2	-	-	1	1	7	14	38	85	113
WHITE------MALE----	1,887	-	-	-	-	1	1	5	3	16	28	45
FEMALE--	2,153	1	2	-	-	-	-	1	6	5	28	35
ALL OTHER--MALE----	302	-	-	-	-	-	-	-	4	11	21	22
FEMALE--	262	1	-	-	-	-	-	1	1	6	8	11
BLACK---MALE----	243	-	-	-	-	-	-	-	3	11	20	20
FEMALE--	205	1	-	-	-	-	-	-	1	5	8	8
ALABAMA ----------	60	1	-	-	-	-	-	-	1	2	1	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	90	-	-	-	-	-	-	2	-	2	3	2
WHITE------MALE----	44	-	-	-	-	-	-	2	-	1	1	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	46	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	749	-	-	-	-	-	1	2	3	3	14	24
WHITE------MALE----	305	-	-	-	-	-	1	-	-	1	5	9
FEMALE--	319	-	-	-	-	-	-	1	2	-	6	6
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	65	-	-	-	-	-	-	1	-	2	1	4
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	33	-	-	-	-	-	-	-	-	2	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
UNITED STATES -	142	186	236	314	522	665	835	771	470	164	34	2
WHITE------MALE----	76	88	127	160	272	302	348	255	133	24	2	1
FEMALE--	30	64	71	99	185	298	412	458	306	126	26	-
ALL OTHER--MALE----	26	23	27	36	36	29	33	24	5	5	-	-
FEMALE--	10	11	11	19	29	36	42	34	26	9	6	1
BLACK---MALE----	23	22	25	29	26	19	21	18	3	3	-	-
FEMALE--	9	10	9	16	22	24	35	23	21	8	4	1
ALABAMA ----------	3	2	6	3	8	12	4	9	4	3	1	-
WHITE------MALE----	1	-	4	2	3	5	3	-	-	-	-	-
FEMALE--	-	1	2	-	2	6	-	9	4	2	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	1	1	-
BLACK---MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	1	1	-
ALASKA ----------	-	1	-	1	1	-	-	-	1	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	1	4	6	8	18	19	12	8	1	1	1
WHITE------MALE----	1	-	3	4	5	8	8	7	2	-	-	1
FEMALE--	1	1	1	2	3	9	11	5	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	2	1	5	4	7	11	8	3	1	-	-
WHITE------MALE----	1	-	1	2	2	6	4	3	1	-	-	-
FEMALE--	-	-	-	-	2	1	6	5	1	1	-	-
ALL OTHER--MALE----	-	2	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	2	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
CALIFORNIA ----------	18	39	45	45	78	116	119	140	69	25	8	-
WHITE------MALE----	9	18	23	20	37	54	53	48	24	3	-	-
FEMALE--	6	17	13	10	30	43	49	76	34	18	8	-
ALL OTHER--MALE----	3	2	3	10	7	9	9	6	1	2	-	-
FEMALE--	-	2	6	5	4	10	8	10	10	2	-	-
BLACK---MALE----	3	2	1	4	2	2	1	2	-	1	-	-
FEMALE--	-	1	4	3	1	2	4	6	5	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
COLORADO ----------	70	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT ----------	51	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	298	-	-	-	-	-	-	-	1	2	5	5
WHITE------MALE----	128	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	143	-	-	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	-	-	-	-	-	-	1	-	-	-
GEORGIA ----------	100	-	-	-	-	-	-	-	2	-	4	1
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	36	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
COLORADO ----------	3	10	-	5	7	8	16	10	7	-	1	-
WHITE------MALE----	2	3	-	3	3	4	8	5	4	-	-	-
FEMALE--	-	6	-	1	3	4	8	3	3	-	1	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT ----------	2	1	2	4	5	15	7	7	2	4	-	-
WHITE------MALE----	1	1	1	2	1	4	2	3	-	1	-	-
FEMALE--	-	-	-	1	4	9	5	3	2	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
DELAWARE ----------	-	-	1	1	3	2	3	2	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	2	-	-	-	2	1	2	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
FLORIDA ----------	10	9	18	18	31	43	53	51	37	10	4	1
WHITE------MALE----	8	5	8	11	18	22	23	18	9	3	-	-
FEMALE--	2	2	7	6	12	19	24	31	25	6	3	-
ALL OTHER--MALE----	-	1	3	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	6	1	3	1	1	1
BLACK---MALE----	-	1	3	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	5	1	3	1	1	1
GEORGIA ----------	6	9	9	5	18	10	15	12	8	-	1	-
WHITE------MALE----	1	2	8	3	8	3	3	3	2	-	-	-
FEMALE--	-	2	-	1	7	3	8	7	5	-	1	-
ALL OTHER--MALE----	3	1	1	1	2	2	3	2	1	-	-	-
FEMALE--	2	4	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	3	1	1	1	2	2	3	2	1	-	-	-
FEMALE--	2	4	-	-	1	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2550

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
HAWAII ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	26	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	204	-	1	-	-	-	-	1	2	3	8	4
WHITE------MALE----	74	-	-	-	-	-	-	1	1	-	2	2
FEMALE--	100	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	2	5	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	1	2	5	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	-
INDIANA ----------	90	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	69	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	32	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	54	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2550

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
HAWAII ----------	1	-	-	-	3	1	4	6	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	1	2	1	5	5	3	3	2	2	-	-
WHITE------MALE----	1	1	1	-	3	3	-	1	2	-	-	-
FEMALE--	-	-	1	1	2	2	3	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	6	2	19	20	32	29	34	30	6	3	-
WHITE------MALE----	4	1	-	10	9	13	13	7	9	1	1	-
FEMALE--	-	3	1	4	6	17	14	26	20	5	2	-
ALL OTHER--MALE----	-	1	-	4	2	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	3	2	1	1	1	-	-	-
BLACK---MALE----	-	1	-	4	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	3	2	1	-	1	-	-	-
INDIANA ----------	1	5	3	7	9	16	20	12	8	7	-	-
WHITE------MALE----	1	2	2	3	3	10	6	1	1	-	-	-
FEMALE--	-	3	-	4	4	5	12	11	7	7	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
IOWA ----------	-	2	1	3	8	8	14	9	11	8	1	-
WHITE------MALE----	-	2	1	3	3	6	8	6	1	1	-	-
FEMALE--	-	-	-	-	4	2	6	3	10	7	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	1	3	1	5	9	12	5	8	5	-	-
WHITE------MALE----	1	-	1	-	3	3	5	2	1	1	-	-
FEMALE--	1	1	2	1	2	5	7	3	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
KENTUCKY ----------	54	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	49	-	-	-	-	-	-	-	1	1	2	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	70	-	-	-	-	-	-	-	-	1	-	3
WHITE------MALE----	23	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	77	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	152	-	-	-	-	-	-	-	1	3	3	3
WHITE------MALE----	63	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	69	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
KENTUCKY ----------	3	2	2	3	3	10	9	12	4	1	1	-
WHITE------MALE----	-	1	-	1	2	3	4	6	2	-	-	-
FEMALE--	2	1	2	1	1	4	5	6	2	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA ----------	3	-	1	6	6	6	8	9	4	1	-	-
WHITE------MALE----	1	-	1	2	3	2	4	3	2	-	-	-
FEMALE--	1	-	-	2	2	3	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	1	1	-	-
MAINE ----------	2	-	2	-	3	7	5	2	3	2	1	-
WHITE------MALE----	2	-	1	-	2	1	2	2	1	2	-	-
FEMALE--	-	-	1	-	1	5	3	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	2	5	2	7	10	20	12	5	-	-	-
WHITE------MALE----	-	1	1	1	4	1	8	3	2	-	-	-
FEMALE--	-	-	-	-	2	7	11	6	3	-	-	-
ALL OTHER--MALE----	3	1	3	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	2	1	2	-	-	-	-
BLACK---MALE----	3	1	3	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	2	1	2	-	-	-	-
MASSACHUSETTS ----------	-	-	6	4	8	9	21	15	10	3	-	-
WHITE------MALE----	-	-	6	3	6	4	13	7	5	1	-	-
FEMALE--	-	-	-	1	2	5	8	8	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	6	8	6	17	20	33	29	14	2	1	-
WHITE------MALE----	3	1	4	3	9	11	17	7	4	1	-	-
FEMALE--	1	1	2	2	7	8	14	19	9	1	1	-
ALL OTHER--MALE----	1	4	1	1	1	-	2	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	1	-	-	-
BLACK---MALE----	1	4	1	1	1	-	2	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2552

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
MINNESOTA ----------	56	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	40	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	93	-	-	-	-	-	-	-	1	-	1	3
WHITE------MALE----	35	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	50	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
MONTANA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	36	-	-	-	-	-	-	-	-	1	-	3
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	38	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
MINNESOTA ----------	1	4	1	3	2	9	13	10	5	4	3	-
WHITE------MALE----	-	4	1	-	-	6	4	3	4	-	1	-
FEMALE--	-	-	-	3	2	3	9	7	1	4	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	1	3	5	6	8	3	5	2	1	-
WHITE------MALE----	1	-	1	3	4	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	4	2	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	1	-	-	-
MISSOURI ----------	4	1	5	11	10	10	18	13	12	4	-	-
WHITE------MALE----	2	1	4	3	5	4	7	4	2	1	-	-
FEMALE--	1	-	1	7	3	6	10	9	9	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
MONTANA ----------	1	1	-	-	-	2	4	2	-	2	-	-
WHITE------MALE----	1	1	-	-	-	2	3	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	2	2	1	2	6	1	10	7	1	-	-
WHITE------MALE----	-	1	2	1	1	4	-	1	1	-	-	-
FEMALE--	-	1	-	-	1	2	1	9	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	5	1	4	4	3	6	7	4	-	-	-
WHITE------MALE----	2	4	1	2	3	-	3	3	2	-	-	-
FEMALE--	-	1	-	2	1	3	2	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
NEW HAMPSHIRE ----------	29	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	111	-	-	-	-	-	-	-	-	-	5	3
WHITE------MALE----	53	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	47	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	25	-	-	-	-	-	-	1	-	-	1	2
WHITE------MALE----	18	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	327	-	-	-	-	1	-	-	1	4	6	12
WHITE------MALE----	132	-	-	-	-	1	-	-	1	3	3	4
FEMALE--	141	-	-	-	-	-	-	-	-	1	-	5
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
NORTH CAROLINA ---------	126	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	55	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
NEW HAMPSHIRE ----------	1	-	4	2	2	3	4	4	5	2	-	-
WHITE------MALE----	1	-	1	2	2	1	1	2	1	-	-	-
FEMALE--	-	-	3	-	-	2	3	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	7	3	9	12	23	17	14	10	6	-	-
WHITE------MALE----	2	3	2	5	9	14	8	5	2	1	-	-
FEMALE--	-	3	-	2	1	7	9	8	8	5	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
NEW MEXICO ----------	2	2	2	4	2	2	3	2	2	-	-	-
WHITE------MALE----	2	1	2	4	1	2	-	-	2	-	-	-
FEMALE--	-	1	-	-	1	-	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	14	13	12	29	42	48	56	48	29	10	2	-
WHITE------MALE----	8	7	6	10	22	18	20	17	8	4	-	-
FEMALE--	1	4	2	13	12	23	28	26	19	6	1	-
ALL OTHER--MALE----	3	-	4	3	2	5	7	1	1	-	-	-
FEMALE--	2	2	-	3	6	2	1	4	1	-	1	-
BLACK---MALE----	2	-	4	3	1	5	5	1	1	-	-	-
FEMALE--	1	2	-	3	4	2	1	4	1	-	-	-
NORTH CAROLINA ---------	5	5	6	14	22	19	26	9	12	5	-	-
WHITE------MALE----	5	3	3	4	10	13	12	4	-	-	-	-
FEMALE--	-	1	2	7	9	5	12	5	12	3	-	-
ALL OTHER--MALE----	-	1	1	3	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	1	-	-
BLACK---MALE----	-	1	1	3	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	1	-	-
NORTH DAKOTA ----------	-	2	1	1	4	1	1	3	1	-	-	-
WHITE------MALE----	-	1	1	-	2	1	1	2	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2554

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
OHIO ----------	175	-	-	-	-	-	-	-	-	1	3	6
WHITE------MALE----	69	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	90	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA ----------	64	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	32	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	69	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	177	-	-	-	-	-	-	-	-	1	9	1
WHITE------MALE----	72	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	90	-	-	-	-	-	-	-	-	-	4	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	16	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	71	-	-	-	-	-	-	-	-	-	4	4
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
OHIO ----------	3	2	9	8	24	27	36	37	12	5	2	-
WHITE------MALE----	1	1	3	3	15	10	13	14	4	-	-	-
FEMALE--	2	1	4	3	8	17	21	20	6	4	2	-
ALL OTHER--MALE----	-	-	2	1	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	1	-	-
BLACK---MALE----	-	-	2	1	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	1	-	-
OKLAHOMA ----------	2	3	4	3	11	12	11	7	7	2	-	-
WHITE------MALE----	1	2	3	3	7	4	6	2	4	-	-	-
FEMALE--	-	1	1	-	3	7	4	5	3	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	2	3	-	6	10	12	19	7	5	-	-
WHITE------MALE----	1	1	2	-	4	5	4	7	2	1	-	-
FEMALE--	1	1	1	-	2	5	8	12	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	2	11	15	19	22	33	35	19	7	-	-
WHITE------MALE----	1	2	6	7	12	11	15	9	5	-	-	-
FEMALE--	-	-	3	6	5	9	17	25	14	7	-	-
ALL OTHER--MALE----	2	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
BLACK---MALE----	2	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	2	3	2	2	2	2	1	-	-
WHITE------MALE----	-	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	4	8	6	9	10	8	8	5	2	-	-
WHITE------MALE----	1	2	2	3	5	3	5	2	-	-	-	-
FEMALE--	-	1	5	2	3	7	1	5	5	2	-	-
ALL OTHER--MALE----	2	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	2	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
SOUTH DAKOTA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	97	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	282	-	1	-	-	-	-	-	1	1	3	9
WHITE------MALE----	103	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	141	-	1	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	23	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	83	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
SOUTH DAKOTA ----------	-	-	-	-	1	3	1	1	1	1	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	6	3	7	9	16	21	18	9	2	-	-
WHITE------MALE----	2	3	2	4	5	6	9	7	3	1	-	-
FEMALE--	1	1	1	3	4	9	11	11	4	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	-	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	2	1	-	-
TEXAS ----------	10	12	17	22	39	24	54	58	20	9	2	-
WHITE------MALE----	3	5	6	10	18	10	24	17	4	1	-	-
FEMALE--	5	5	7	9	16	13	22	35	15	8	-	-
ALL OTHER--MALE----	1	2	2	2	4	1	2	1	-	-	-	-
FEMALE--	1	-	2	1	1	-	6	5	1	-	2	-
BLACK---MALE----	1	1	2	1	4	1	1	1	-	-	-	-
FEMALE--	1	-	2	1	1	-	5	5	1	-	2	-
UTAH ----------	1	-	1	1	3	1	6	4	4	-	-	-
WHITE------MALE----	-	-	1	1	2	1	1	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	5	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	2	2	2	3	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	7	7	7	9	12	14	12	7	2	1	-
WHITE------MALE----	2	3	5	6	6	3	2	1	1	-	-	-
FEMALE--	-	2	2	-	-	7	9	11	4	2	1	-
ALL OTHER--MALE----	-	2	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	3	-	2	-	-	-
BLACK---MALE----	-	2	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	3	-	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
WASHINGTON ----------	106	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	35	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	16	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	99	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	46	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
WASHINGTON ----------	5	1	6	9	10	10	23	18	20	3	-	-
WHITE------MALE----	1	-	3	5	3	5	11	6	6	-	-	-
FEMALE--	3	1	2	4	6	4	11	11	14	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	1	1	2	4	8	9	5	1	-	-	-
WHITE------MALE----	2	1	1	2	1	4	1	3	-	-	-	-
FEMALE--	-	-	-	-	3	4	8	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	2	6	5	11	6	20	18	22	7	-	-
WHITE------MALE----	-	2	2	5	7	3	9	8	8	1	-	-
FEMALE--	-	-	4	-	3	2	11	10	14	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	-	1	-	2	-	1	-	1	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastric ulcer (K25)												
UNITED STATES -	1,333	-	1	-	-	-	-	1	4	16	37	45
WHITE------MALE----	472	-	-	-	-	-	-	1	1	6	10	20
FEMALE--	655	-	1	-	-	-	-	-	2	3	12	13
ALL OTHER--MALE----	117	-	-	-	-	-	-	-	1	3	11	8
FEMALE--	89	-	-	-	-	-	-	-	-	4	4	4
BLACK---MALE----	101	-	-	-	-	-	-	-	1	3	10	8
FEMALE--	72	-	-	-	-	-	-	-	-	3	4	2
ALABAMA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	29	-	-	-	-	-	-	-	-	2	2	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	11	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	235	-	-	-	-	-	-	-	-	1	6	5
WHITE------MALE----	80	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	113	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
UNITED STATES -	58	68	64	83	159	197	235	212	109	39	5	-
WHITE------MALE----	28	26	29	31	72	73	88	61	21	5	-	-
FEMALE--	12	24	23	31	67	105	124	122	80	32	4	-
ALL OTHER--MALE----	14	12	8	11	13	9	10	15	1	1	-	-
FEMALE--	4	6	4	10	7	10	13	14	7	1	1	-
BLACK---MALE----	13	12	7	10	10	7	6	12	1	1	-	-
FEMALE--	4	5	4	10	6	5	13	9	5	1	1	-
ALABAMA ----------	1	1	3	-	1	5	-	1	1	-	1	-
WHITE------MALE----	-	-	2	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	2	1	2	6	6	5	-	-	-	-
WHITE------MALE----	1	-	1	-	2	3	-	3	-	-	-	-
FEMALE--	-	-	1	1	-	3	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	3	-	1	2	3	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA ----------	7	15	14	14	23	44	31	40	27	7	1	-
WHITE------MALE----	3	5	5	5	10	13	16	10	7	-	-	-
FEMALE--	3	7	6	5	11	23	11	22	16	7	1	-
ALL OTHER--MALE----	1	1	1	2	2	3	3	3	-	-	-	-
FEMALE--	-	2	2	2	-	5	1	5	4	-	-	-
BLACK---MALE----	1	1	-	1	1	1	-	2	-	-	-	-
FEMALE--	-	1	2	2	-	1	1	3	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastric ulcer (K25)												
COLORADO ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	19	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	88	-	-	-	-	-	-	-	-	1	1	4
WHITE------MALE----	32	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	25	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
COLORADO ----------	1	3	-	1	4	-	2	3	1	-	-	-
WHITE------MALE----	1	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	2	-	1	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT ----------	1	1	1	1	2	8	1	1	1	-	-	-
WHITE------MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	7	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	1	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	2	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	3	3	5	6	11	13	14	15	8	4	-	-
WHITE------MALE----	3	1	3	3	4	3	4	6	1	1	-	-
FEMALE--	-	1	2	2	6	9	9	8	7	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
GEORGIA ----------	4	3	3	-	5	2	2	3	1	-	-	-
WHITE------MALE----	1	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	4	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	-	2	-	-	-	-
FEMALE--	2	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	2	-	-	-	-
FEMALE--	2	2	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2559

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastric ulcer (K25)												
HAWAII ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	58	-	-	-	-	-	-	-	2	1	4	3
WHITE------MALE----	17	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
INDIANA ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	19	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
HAWAII ----------	1	-	-	-	3	-	-	4	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	2	-	2	2	3	1	-	1	-	-
WHITE------MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	3	-	5	6	5	8	10	7	2	-	-
WHITE------MALE----	2	-	-	2	2	1	3	1	3	-	-	-
FEMALE--	-	2	-	-	2	3	5	9	4	2	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	2	4	6	3	1	3	-	-
WHITE------MALE----	1	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	3	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA ----------	-	1	1	1	3	4	4	2	1	1	-	-
WHITE------MALE----	-	1	1	1	-	3	2	1	-	1	-	-
FEMALE--	-	-	-	-	3	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	1	-	1	4	7	2	2	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	6	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastric ulcer (K25)												
KENTUCKY ----------	16	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	16	-	-	-	-	-	-	-	1	1	2	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	16	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	21	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	53	-	-	-	-	-	-	-	-	1	3	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
KENTUCKY ----------	1	-	-	-	1	3	3	7	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	4	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	1	1	-	1	4	3	-	-	-	-
WHITE------MALE----	1	-	1	-	-	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE ----------	-	-	-	-	-	3	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	-	-	-	2	3	3	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	3	2	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	2	3	6	5	3	1	-	-	-
WHITE------MALE----	-	-	-	2	3	3	4	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	3	5	-	5	5	14	10	-	1	-	-
WHITE------MALE----	2	1	2	-	1	1	6	1	-	-	-	-
FEMALE--	1	-	2	-	4	3	7	7	-	1	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastric ulcer (K25)												
MINNESOTA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	11	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	28	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	10	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
MINNESOTA ----------	1	2	-	1	2	-	4	2	1	1	-	-
WHITE------MALE----	-	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	4	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	3	1	3	2	1	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	1	-	-	5	6	1	5	4	3	1	-	-
WHITE------MALE----	-	-	-	-	4	-	1	2	-	-	-	-
FEMALE--	-	-	-	4	1	1	4	2	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	2	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	-	-	3	-	2	2	-	-	-
WHITE------MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	3	1	2	3	-	-	1	1	-	-	-
WHITE------MALE----	1	3	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastric ulcer (K25)												
NEW HAMPSHIRE ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	32	-	-	-	-	-	-	-	-	-	3	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	7	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	94	-	-	-	-	-	-	-	-	3	1	4
WHITE------MALE----	41	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
NORTH CAROLINA ---------	39	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
NEW HAMPSHIRE ----------	1	-	1	1	1	-	-	1	2	1	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	3	1	-	6	6	4	6	2	-	-	-
WHITE------MALE----	1	2	-	-	4	4	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	4	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7	7	5	8	9	18	15	6	8	2	1	-
WHITE------MALE----	5	3	2	-	4	8	6	3	4	1	-	-
FEMALE--	1	4	1	3	5	8	7	2	3	1	1	-
ALL OTHER--MALE----	1	-	2	2	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	3	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	2	2	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	3	-	1	-	1	-	-	-	-
NORTH CAROLINA ---------	1	2	1	3	7	4	8	3	7	2	-	-
WHITE------MALE----	1	1	-	-	3	3	4	1	-	-	-	-
FEMALE--	-	1	-	2	4	1	3	2	7	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
NORTH DAKOTA ----------	-	1	-	-	1	-	-	2	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastric ulcer (K25)												
OHIO ----------	46	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	19	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	26	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	52	-	-	-	-	-	-	-	-	1	6	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	20	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
OHIO	1	-	-	2	6	7	9	13	2	2	1	-
WHITE--MALE	-	-	-	2	4	3	3	4	-	-	-	-
FEMALE	1	-	-	-	2	4	5	6	2	2	1	-
ALL OTHER--MALE	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE	-	-	-	-	-	-	1	1	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE	-	-	-	-	-	-	1	1	-	-	-	-
OKLAHOMA	1	1	1	1	5	5	1	2	1	-	-	-
WHITE--MALE	-	1	1	1	3	2	-	-	-	-	-	-
FEMALE	-	-	-	-	2	3	1	2	1	-	-	-
ALL OTHER--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	1	-	1	-	2	5	6	6	2	2	-	-
WHITE--MALE	1	-	-	-	2	4	3	1	-	1	-	-
FEMALE	-	-	1	-	-	1	3	5	2	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	3	5	4	6	10	8	6	2	-	-
WHITE--MALE	-	-	2	2	2	3	5	2	2	-	-	-
FEMALE	-	-	-	2	-	2	4	5	4	2	-	-
ALL OTHER--MALE	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	1	2	1	1	-	-	-	-	-
BLACK--MALE	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	1	2	1	1	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	1	1	2	2	1	3	1	3	1	1	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	2	1	1	3	-	2	1	1	-	-
ALL OTHER--MALE	1	1	-	1	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	1	1	-	1	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2564

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastric ulcer (K25)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	22	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	82	-	1	-	-	-	-	-	1	1	-	2
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	23	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2564

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
SOUTH DAKOTA ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	2	2	3	2	1	6	3	2	-	-	-
WHITE------MALE----	-	-	1	1	1	-	4	2	-	-	-	-
FEMALE--	-	1	1	2	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TEXAS ----------	4	4	4	8	11	7	17	15	4	3	-	-
WHITE------MALE----	1	1	1	4	6	1	7	5	-	-	-	-
FEMALE--	2	3	1	3	2	5	6	8	3	3	-	-
ALL OTHER--MALE----	1	-	1	-	2	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	1	1	-	-	-
BLACK---MALE----	1	-	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	1	1	-	-	-
UTAH ----------	-	-	-	-	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	2	1	3	2	1	4	4	3	-	1	-
WHITE------MALE----	1	-	1	2	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	4	1	-	1	-
ALL OTHER--MALE----	-	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-
BLACK---MALE----	-	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastric ulcer (K25)												
WASHINGTON ----------	28	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	26	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
WASHINGTON ----------	3	1	1	1	2	2	9	4	4	-	-	-
WHITE------MALE----	-	-	-	1	1	1	3	1	-	-	-	-
FEMALE--	3	1	-	-	-	1	5	2	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	-	-	1	2	4	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	1	2	7	-	7	3	4	1	-	-
WHITE------MALE----	-	-	-	2	4	-	2	1	-	-	-	-
FEMALE--	-	-	1	-	3	-	5	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2566

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
UNITED STATES -	1,476	2	1	-	-	1	1	5	7	13	33	43
WHITE------MALE----	703	-	-	-	-	1	1	4	2	6	13	15
FEMALE--	610	1	1	-	-	-	-	-	2	1	12	13
ALL OTHER--MALE----	90	-	-	-	-	-	-	-	2	5	6	11
FEMALE--	73	1	-	-	-	-	-	1	1	1	2	4
BLACK---MALE----	68	-	-	-	-	-	-	-	1	5	6	9
FEMALE--	55	1	-	-	-	-	-	-	1	1	2	3
ALABAMA ----------	24	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	23	-	-	-	-	-	-	2	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	229	-	-	-	-	-	1	1	2	2	5	11
WHITE------MALE----	116	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	74	-	-	-	-	-	-	-	1	-	4	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	18	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
UNITED STATES -	53	56	102	114	171	216	241	239	130	44	3	1
WHITE------MALE----	29	30	63	71	104	114	114	83	42	9	1	1
FEMALE--	12	19	29	28	49	82	110	142	79	28	2	-
ALL OTHER--MALE----	10	4	8	12	9	9	7	4	2	1	-	-
FEMALE--	2	3	2	3	9	11	10	10	7	6	-	-
BLACK---MALE----	8	4	7	9	4	6	5	3	1	-	-	-
FEMALE--	2	3	2	2	6	7	9	5	6	5	-	-
ALABAMA ----------	2	-	3	2	3	4	1	4	1	2	-	-
WHITE------MALE----	1	-	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	1	-	-
ALASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	1	1	3	3	2	2	4	2	-	-	1
WHITE------MALE----	-	-	1	2	-	-	2	1	-	-	-	1
FEMALE--	1	1	-	1	3	2	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	-	-	3	2	1	2	-	-	-
WHITE------MALE----	1	-	-	-	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA ----------	7	10	14	16	30	36	32	46	12	4	-	-
WHITE------MALE----	3	6	9	9	16	22	15	25	5	-	-	-
FEMALE--	2	4	3	2	8	10	13	18	4	2	-	-
ALL OTHER--MALE----	2	-	1	3	4	2	2	1	-	1	-	-
FEMALE--	-	-	1	2	2	2	2	2	3	1	-	-
BLACK---MALE----	2	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
COLORADO ----------	23	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	99	-	-	-	-	-	-	-	1	1	2	1
WHITE------MALE----	49	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
GEORGIA ----------	36	-	-	-	-	-	-	-	2	-	1	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
COLORADO ----------	2	3	-	4	1	3	5	4	-	-	-	-
WHITE------MALE----	1	2	-	3	-	1	3	2	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	2	2	4	5	2	-	2	-	-
WHITE------MALE----	-	-	-	1	-	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	2	-	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
DELAWARE ----------	-	-	1	-	1	-	-	2	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	3	9	7	8	12	16	20	12	2	1	-
WHITE------MALE----	3	3	5	4	7	8	7	7	5	-	-	-
FEMALE--	1	-	3	3	1	4	9	13	6	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
GEORGIA ----------	2	3	6	3	4	2	6	3	3	-	-	-
WHITE------MALE----	-	-	5	1	4	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	3	2	3	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
HAWAII ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	73	-	1	-	-	-	-	1	-	-	3	1
WHITE------MALE----	32	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	36	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
INDIANA ----------	33	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	26	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	18	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
HAWAII ----------	-	-	-	-	-	1	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	1	3	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	2	-	7	8	13	12	10	12	2	-	-
WHITE------MALE----	1	1	-	4	5	5	6	1	6	-	-	-
FEMALE--	-	-	-	3	2	8	6	8	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
INDIANA ----------	-	3	2	3	5	6	4	4	3	1	-	-
WHITE------MALE----	-	1	2	2	2	4	1	1	1	-	-	-
FEMALE--	-	2	-	1	2	2	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
IOWA ----------	-	1	-	2	5	1	7	3	3	2	-	-
WHITE------MALE----	-	1	-	2	3	-	4	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	2	-	1	5	3	-	-	4	-	-
WHITE------MALE----	-	-	1	-	-	2	2	-	-	1	-	-
FEMALE--	-	-	1	-	1	3	1	-	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
KENTUCKY ----------	16	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	21	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	26	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	43	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
KENTUCKY ----------	2	1	2	-	2	2	2	2	1	-	-	-
WHITE------MALE----	-	1	-	-	1	1	1	1	1	-	-	-
FEMALE--	2	-	2	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	1	2	2	1	3	-	1	-	-
WHITE------MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	2	-	1	-	2	1	2	1	-	1	-	-
WHITE------MALE----	2	-	-	-	1	-	2	1	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	1	-	4	3	5	6	-	-	-	-
WHITE------MALE----	-	-	1	-	3	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
MASSACHUSETTS ----------	-	-	3	-	4	1	8	4	4	2	-	-
WHITE------MALE----	-	-	3	-	3	-	5	1	2	1	-	-
FEMALE--	-	-	-	-	1	1	3	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	2	2	3	6	6	11	5	5	-	-	-
WHITE------MALE----	1	-	1	1	5	4	7	1	1	-	-	-
FEMALE--	-	1	-	2	1	2	4	4	3	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2570

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
MINNESOTA ----------	24	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	16	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	22	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	16	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
MINNESOTA ----------	-	1	-	1	-	9	3	5	2	1	1	-
WHITE------MALE----	-	1	-	-	-	6	2	-	2	-	1	-
FEMALE--	-	-	-	1	-	3	1	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	3	2	1	2	-	1	2	1	-
WHITE------MALE----	1	-	-	3	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSOURI ----------	-	1	2	4	1	3	3	5	1	-	-	-
WHITE------MALE----	-	1	2	3	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	1	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	2	1	1	3	1	5	1	-	-	-
WHITE------MALE----	-	-	2	1	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	-	1	1	-	4	3	1	-	-	-
WHITE------MALE----	-	1	-	1	1	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2571

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
NEW HAMPSHIRE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	33	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	101	-	-	-	-	1	-	-	1	1	3	5
WHITE------MALE----	47	-	-	-	-	1	-	-	1	1	1	2
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	38	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
NEW HAMPSHIRE ----------	-	-	-	1	-	1	2	1	-	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	1	2	5	10	5	2	2	2	-	-
WHITE------MALE----	-	-	1	2	4	5	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	3	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	1	3	1	1	-	-	1	-	-	-
WHITE------MALE----	1	-	1	3	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	3	6	10	14	16	14	13	6	3	-	-
WHITE------MALE----	2	3	4	5	9	6	5	5	-	2	-	-
FEMALE--	-	-	1	4	3	8	7	7	6	1	-	-
ALL OTHER--MALE----	2	-	1	1	1	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
NORTH CAROLINA ---------	2	1	1	7	7	7	6	2	3	2	-	-
WHITE------MALE----	2	1	-	3	3	5	3	-	-	-	-	-
FEMALE--	-	-	1	2	3	1	3	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	1	1	1	2	1	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2572

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
OHIO ----------	70	-	-	-	-	-	-	-	-	-	3	3
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA ----------	22	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	20	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	59	-	-	-	-	-	-	-	-	-	3	-
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	9	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	17	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
OHIO ----------	2	1	6	1	6	12	12	15	8	1	-	-
WHITE------MALE----	1	-	2	-	4	3	5	7	2	-	-	-
FEMALE--	1	1	3	-	1	9	7	8	4	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
OKLAHOMA ----------	1	1	2	1	3	2	4	4	2	1	-	-
WHITE------MALE----	1	-	2	1	2	-	2	1	1	-	-	-
FEMALE--	-	1	-	-	1	1	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	1	1	-	2	3	5	3	1	1	-	-
WHITE------MALE----	-	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	2	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	-	6	7	9	5	10	10	6	-	-	-
WHITE------MALE----	1	-	3	3	5	3	3	2	2	-	-	-
FEMALE--	-	-	2	3	4	2	7	8	4	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	2	1	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	3	2	3	2	2	-	3	-	-	-
WHITE------MALE----	-	1	2	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	33	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	82	-	-	-	-	-	-	-	-	-	2	5
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	7	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	32	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
SOUTH DAKOTA ----------	-	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	2	-	1	5	4	6	8	4	2	-	-
WHITE------MALE----	-	1	-	-	3	4	4	4	2	1	-	-
FEMALE--	1	-	-	1	2	-	1	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
TEXAS ----------	4	4	7	4	10	6	18	14	7	1	-	-
WHITE------MALE----	2	3	1	2	4	4	10	3	1	-	-	-
FEMALE--	2	1	5	1	6	2	6	9	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	-	-	-	-
UTAH ----------	-	-	1	1	-	1	-	1	2	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	3	4	2	3	5	4	5	3	-	-	-
WHITE------MALE----	1	1	3	2	3	2	1	1	-	-	-	-
FEMALE--	-	2	1	-	-	1	2	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
WASHINGTON ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	13	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2574

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
WASHINGTON ----------	2	-	5	3	1	3	8	3	5	1	-	-
WHITE------MALE----	1	-	3	2	-	2	5	1	3	-	-	-
FEMALE--	-	-	2	1	1	1	3	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	1	1	-	3	2	2	-	-	-	-
WHITE------MALE----	2	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	4	2	1	3	3	6	9	2	-	-
WHITE------MALE----	-	1	2	2	1	2	1	2	3	1	-	-
FEMALE--	-	-	2	-	-	1	2	4	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer, site unspecified (K27)												
UNITED STATES -	1,758	-	-	-	-	-	-	1	3	9	14	23
WHITE------MALE----	698	-	-	-	-	-	-	-	-	4	5	10
FEMALE--	872	-	-	-	-	-	-	1	2	1	3	7
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	1	3	4	3
FEMALE--	97	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	74	-	-	-	-	-	-	-	1	3	4	3
FEMALE--	76	-	-	-	-	-	-	-	-	1	2	3
ALABAMA ----------	22	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	37	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	23	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	281	-	-	-	-	-	-	1	1	-	3	8
WHITE------MALE----	109	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	130	-	-	-	-	-	-	1	1	-	1	3
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
UNITED STATES -	31	61	69	117	185	246	352	315	226	79	26	1
WHITE------MALE----	19	31	35	58	93	112	143	108	69	10	1	-
FEMALE--	6	21	19	40	66	110	175	192	144	65	20	-
ALL OTHER--MALE----	2	7	11	13	14	10	15	5	1	2	-	-
FEMALE--	4	2	4	6	12	14	19	10	12	2	5	1
BLACK---MALE----	2	6	11	10	12	6	10	3	1	2	-	-
FEMALE--	3	2	2	4	10	11	13	9	10	2	3	1
ALABAMA ----------	-	1	-	1	4	3	3	4	2	1	-	-
WHITE------MALE----	-	-	-	1	2	1	3	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALASKA ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	2	3	10	10	3	6	1	1	-
WHITE------MALE----	-	-	1	2	3	5	6	3	2	-	-	-
FEMALE--	-	-	-	-	-	4	4	-	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	1	2	3	3	6	4	1	1	-	-
WHITE------MALE----	-	-	1	1	2	2	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	14	17	15	25	36	55	52	29	14	7	-
WHITE------MALE----	3	7	9	6	11	19	22	13	12	3	-	-
FEMALE--	1	6	4	3	11	10	25	34	14	9	7	-
ALL OTHER--MALE----	-	1	1	5	1	4	3	2	-	1	-	-
FEMALE--	-	-	3	1	2	3	5	3	3	1	-	-
BLACK---MALE----	-	1	1	2	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	2	2	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer, site unspecified (K27)												
COLORADO ----------	32	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	108	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	39	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
COLORADO ----------	-	4	-	-	2	5	9	3	6	-	1	-
WHITE------MALE----	-	1	-	-	1	3	4	2	4	-	-	-
FEMALE--	-	3	-	-	-	2	5	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	1	1	3	1	4	1	2	-	-
WHITE------MALE----	1	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE ----------	-	-	-	1	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA ----------	3	3	4	5	10	18	23	16	17	4	3	1
WHITE------MALE----	2	1	-	4	6	11	12	5	3	2	-	-
FEMALE--	1	1	2	1	4	6	6	10	12	1	2	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	5	1	2	1	1	1
BLACK---MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	1	2	1	1	1
GEORGIA ----------	-	3	-	2	9	6	7	6	4	-	1	-
WHITE------MALE----	-	2	-	2	4	2	1	2	2	-	-	-
FEMALE--	-	1	-	-	3	1	4	4	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer, site unspecified (K27)												
HAWAII ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	71	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	37	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
HAWAII ----------	-	-	-	-	-	-	4	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	-	1	2	-	-	2	1	1	-	-
WHITE------MALE----	-	1	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	1	7	6	14	9	14	10	2	3	-
WHITE------MALE----	1	-	-	4	2	7	4	5	-	1	1	-
FEMALE--	-	1	1	1	2	6	3	9	9	1	2	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
INDIANA ----------	-	2	1	4	2	6	10	5	4	3	-	-
WHITE------MALE----	-	1	-	1	-	4	4	-	-	-	-	-
FEMALE--	-	1	-	3	1	2	6	5	4	3	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	3	3	4	7	5	1	-
WHITE------MALE----	-	-	-	-	-	3	2	4	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	6	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	1	3	-	2	3	6	1	-	-
WHITE------MALE----	1	-	-	-	2	-	2	2	1	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer, site unspecified (K27)												
KENTUCKY ----------	21	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	33	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	29	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	56	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
KENTUCKY ----------	-	1	-	3	-	4	4	3	3	1	1	-
WHITE------MALE----	-	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	1	-	1	-	2	2	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	4	4	3	3	3	4	-	-	-
WHITE------MALE----	-	-	-	1	1	1	1	1	2	-	-	-
FEMALE--	-	-	-	1	2	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	1	-	-	-
MAINE ----------	-	-	1	-	1	3	3	1	3	-	1	-
WHITE------MALE----	-	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	3	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	4	2	1	4	12	4	5	-	-	-
WHITE------MALE----	-	1	-	1	1	-	5	-	2	-	-	-
FEMALE--	-	-	-	-	-	4	7	3	3	-	-	-
ALL OTHER--MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	-	-	3	2	1	1	8	8	5	1	-	-
WHITE------MALE----	-	-	3	1	-	-	4	5	2	-	-	-
FEMALE--	-	-	-	1	1	1	4	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	1	3	6	9	8	14	9	1	1	-
WHITE------MALE----	-	-	1	2	3	6	4	5	3	1	-	-
FEMALE--	-	-	-	-	2	3	3	8	6	-	1	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer, site unspecified (K27)												
MINNESOTA ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	43	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	14	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
MINNESOTA ----------	-	1	1	1	-	-	6	3	2	2	2	-
WHITE------MALE----	-	1	1	-	-	-	2	2	2	-	-	-
FEMALE--	-	-	-	1	-	-	4	1	-	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	1	-	-	4	3	1	3	-	-	-
WHITE------MALE----	-	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
MISSOURI ----------	3	-	3	2	3	6	10	4	8	3	-	-
WHITE------MALE----	2	-	2	-	-	2	4	1	2	1	-	-
FEMALE--	1	-	1	2	2	4	5	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	1	-	-	-	-	1	1	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	-	3	3	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	-	1	-	3	2	3	2	-	-	-
WHITE------MALE----	1	-	-	1	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer, site unspecified (K27)												
NEW HAMPSHIRE ----------	15	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	46	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	130	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	49	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
NEW HAMPSHIRE ----------	-	-	3	-	1	2	2	2	3	-	-	-
WHITE------MALE----	-	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	4	1	7	1	7	8	6	6	4	-	-
WHITE------MALE----	1	1	1	3	1	5	4	2	1	-	-	-
FEMALE--	-	3	-	2	-	2	4	3	5	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	1	-	-	-	3	2	1	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	3	1	11	18	14	27	28	15	5	1	-
WHITE------MALE----	1	1	-	5	9	4	9	8	4	1	-	-
FEMALE--	-	-	-	6	4	7	14	17	10	4	-	-
ALL OTHER--MALE----	-	-	1	-	1	3	3	1	-	-	-	-
FEMALE--	1	2	-	-	4	-	1	2	1	-	1	-
BLACK---MALE----	-	-	1	-	1	3	2	1	-	-	-	-
FEMALE--	-	2	-	-	4	-	1	2	1	-	-	-
NORTH CAROLINA ---------	2	2	4	4	8	8	12	4	2	1	-	-
WHITE------MALE----	2	1	3	1	4	5	5	3	-	-	-	-
FEMALE--	-	-	1	3	2	3	6	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer, site unspecified (K27)												
OHIO ----------	58	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	25	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	66	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	33	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
OHIO ----------	-	1	3	5	12	8	15	9	2	1	1	-
WHITE------MALE----	-	1	1	1	7	4	5	3	2	-	-	-
FEMALE--	-	-	1	3	5	4	9	6	-	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	1	1	1	3	5	6	-	4	1	-	-
WHITE------MALE----	-	1	-	1	2	2	4	-	3	-	-	-
FEMALE--	-	-	1	-	-	3	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	1	1	-	2	2	1	10	3	2	-	-
WHITE------MALE----	-	1	1	-	1	-	-	5	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	5	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	2	2	3	6	11	13	17	7	5	-	-
WHITE------MALE----	-	2	1	2	5	5	7	5	1	-	-	-
FEMALE--	-	-	1	1	1	5	6	12	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	2	-	1	-	2	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	2	3	2	5	5	4	5	1	1	-	-
WHITE------MALE----	1	1	-	1	3	1	2	2	-	-	-	-
FEMALE--	-	1	2	1	2	4	1	3	1	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer, site unspecified (K27)												
SOUTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	42	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	114	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	26	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2582

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
SOUTH DAKOTA ----------	-	-	-	-	1	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	2	1	3	2	11	9	7	3	-	-	-
WHITE------MALE----	2	2	1	3	1	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	8	8	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TEXAS ----------	2	4	6	10	17	10	18	29	9	5	2	-
WHITE------MALE----	-	1	4	4	8	5	7	9	3	1	-	-
FEMALE--	1	1	1	5	7	5	9	18	6	4	-	-
ALL OTHER--MALE----	-	2	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	2	-	-	2	-
BLACK---MALE----	-	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	-	-	2	-
UTAH ----------	1	-	-	-	3	-	4	2	1	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	2	2	4	5	6	3	1	2	-	-
WHITE------MALE----	-	1	1	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	5	5	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2583

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer, site unspecified (K27)												
WASHINGTON ----------	42	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	41	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
WASHINGTON ----------	-	-	-	5	5	4	5	11	11	1	-	-
WHITE------MALE----	-	-	-	2	-	2	3	4	3	-	-	-
FEMALE--	-	-	-	3	5	2	2	7	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	3	3	3	2	1	-	-	-
WHITE------MALE----	-	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	1	1	3	3	10	8	9	4	-	-
WHITE------MALE----	-	1	-	1	2	1	6	4	5	-	-	-
FEMALE--	-	-	1	-	-	1	4	4	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2584

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastrojejunal ulcer (K28)												
UNITED STATES -	37	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2584

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastrojejunal ulcer (K28)												
UNITED STATES -	-	1	1	-	7	6	7	5	5	2	-	-
WHITE------MALE----	-	1	-	-	3	3	3	3	1	-	-	-
FEMALE--	-	-	-	-	3	1	3	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastrojejunal ulcer (K28)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastrojejunal ulcer (K28)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2586

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastrojejunal ulcer (K28)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastrojejunal ulcer (K28)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	1	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastrojejunal ulcer (K28)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastrojejunal ulcer (K28)												
KENTUCKY ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastrojejunal ulcer (K28)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Gastrojejunal ulcer (K28)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastrojejunal ulcer (K28)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastrojejunal ulcer (K28)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2590

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastrojejunal ulcer (K28)												
OHIO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastrojejunal ulcer (K28)												
OHIO	-	-	-	-	-	-	-	-	-	1	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastrojejunal ulcer (K28)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastrojejunal ulcer (K28)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2592

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastrojejunal ulcer (K28)												
WASHINGTON ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastrojejunal ulcer (K28)												
WASHINGTON ----------	-	-	-	-	2	1	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastritis and duodenitis (K29)												
UNITED STATES -	404	-	-	1	-	-	1	2	1	5	15	15
WHITE------MALE----	145	-	-	-	-	-	-	1	-	2	8	9
FEMALE--	197	-	-	-	-	-	1	-	1	1	4	2
ALL OTHER--MALE----	34	-	-	1	-	-	-	1	-	1	2	3
FEMALE--	28	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	28	-	-	1	-	-	-	1	-	1	1	3
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	1
ALABAMA ----------	9	-	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	53	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
UNITED STATES -	17	16	11	22	27	41	72	72	62	16	8	-
WHITE------MALE----	14	8	4	7	9	20	22	22	17	1	1	-
FEMALE--	2	6	7	8	13	11	35	44	42	13	7	-
ALL OTHER--MALE----	1	2	-	3	4	5	8	1	2	-	-	-
FEMALE--	-	-	-	4	1	5	7	5	1	2	-	-
BLACK---MALE----	1	2	-	2	4	3	6	1	2	-	-	-
FEMALE--	-	-	-	4	1	3	7	5	-	2	-	-
ALABAMA ----------	1	-	-	-	-	1	2	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	1	-	-	2	2	1	-	-	-
WHITE------MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA ----------	-	2	-	1	5	9	12	8	8	2	2	-
WHITE------MALE----	-	-	-	-	-	3	3	2	2	1	-	-
FEMALE--	-	2	-	1	5	2	5	6	6	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastritis and duodenitis (K29)												
COLORADO ----------	9	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	33	-	-	-	-	-	-	-	-	-	3	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
COLORADO ----------	1	1	-	-	-	1	2	2	-	1	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT ----------	-	-	-	-	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	1	-	-	3	4	2	9	8	2	-	-
WHITE------MALE----	1	-	-	-	1	4	-	5	3	-	-	-
FEMALE--	-	1	-	-	-	-	2	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	1	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastritis and duodenitis (K29)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
INDIANA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
HAWAII ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	1	-	1	2	4	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
INDIANA ----------	-	-	-	1	1	-	1	1	1	-	1	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	-	-	-	-	2	3	-	2	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastritis and duodenitis (K29)												
KENTUCKY ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	13	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	13	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
KENTUCKY ----------	-	-	-	-	-	-	1	-	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	1	-	-	-	1	1	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	-	1	-	1	2	-	2	-	-	-
WHITE------MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	1	-	4	4	2	-	-	-
WHITE------MALE----	-	-	-	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	1	1	1	2	4	2	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastritis and duodenitis (K29)												
MINNESOTA ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
MINNESOTA ----------	3	-	-	2	-	-	-	-	1	-	1	-
WHITE------MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	1	-	-	1	1	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	-	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	1	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastritis and duodenitis (K29)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	10	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	27	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	-	-	-	-	2	2	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	2	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	1	3	3	4	5	1	6	-	-	-
WHITE------MALE----	2	-	1	2	1	1	1	-	2	-	-	-
FEMALE--	-	-	-	1	2	3	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
NORTH CAROLINA ---------	1	1	-	2	2	-	2	2	1	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastritis and duodenitis (K29)												
OHIO ----------	20	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	11	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
OHIO	1	-	3	1	3	1	2	3	2	1	-	-
WHITE--MALE	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE	1	-	2	-	2	1	1	2	2	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	1	-	1	-	-	-	1	-	1	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	2	-	-	-	2	2	1	1	-	-	-
WHITE--MALE	-	2	-	-	-	1	1	1	-	-	-	-
FEMALE	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	1	-	-	-	-	3	-	-	-	-	-
WHITE--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	1	-	1	-	1	-	-	-
WHITE--MALE	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastritis and duodenitis (K29)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	8	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
TEXAS ----------	31	-	-	-	-	-	-	2	-	-	1	1
WHITE------MALE----	10	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2600

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	1	2	-	2	-	-	1	-
WHITE------MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	1	3	3	-	3	4	4	4	3	1	-
WHITE------MALE----	1	1	1	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	2	2	-	1	2	3	4	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
UTAH ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	1	3	1	4	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2601

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Gastritis and duodenitis (K29)												
WASHINGTON ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
WASHINGTON ----------	-	-	2	-	1	1	3	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	2	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	1	-	2	4	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2602

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
UNITED STATES -	557	4	-	-	2	1	2	5	4	9	16	21
WHITE------MALE----	202	2	-	-	-	1	-	1	1	2	10	10
FEMALE--	293	1	-	-	1	-	1	3	1	5	5	8
ALL OTHER--MALE----	26	1	-	-	-	-	-	1	1	-	1	1
FEMALE--	36	-	-	-	1	-	1	-	1	2	-	2
BLACK---MALE----	20	1	-	-	-	-	-	1	1	-	1	1
FEMALE--	34	-	-	-	1	-	1	-	1	2	-	2
ALABAMA ----------	10	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	33	1	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	12	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2602

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
UNITED STATES -	14	19	33	31	54	74	94	98	55	18	3	-
WHITE------MALE----	3	12	11	14	19	37	26	30	19	4	-	-
FEMALE--	9	7	16	11	25	34	59	58	32	14	3	-
ALL OTHER--MALE----	2	-	1	5	6	-	3	2	2	-	-	-
FEMALE--	-	-	5	1	4	3	6	8	2	-	-	-
BLACK---MALE----	2	-	1	3	5	-	1	2	1	-	-	-
FEMALE--	-	-	5	1	4	2	5	8	2	-	-	-
ALABAMA ----------	-	-	-	-	1	3	2	3	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	1	-	2	2	1	1	-	-	-
WHITE------MALE----	-	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	2	-	2	1	-	1	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	1	-	4	-	5	5	2	7	1	2	-
WHITE------MALE----	1	-	-	1	-	3	1	-	3	-	-	-
FEMALE--	1	1	-	3	-	2	2	1	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2603

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
COLORADO ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	31	-	-	-	-	-	-	1	1	1	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
GEORGIA ----------	26	1	-	-	-	-	2	-	-	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
COLORADO ----------	-	1	-	-	2	1	2	1	-	1	-	-
WHITE------MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	1	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	1	1	4	5	5	7	3	1	-	-
WHITE------MALE----	-	-	1	-	3	3	3	2	2	1	-	-
FEMALE--	1	-	-	1	1	1	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
GEORGIA ----------	1	-	2	-	4	2	4	8	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	-	3	-	3	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2604

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	28	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	12	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	10	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	3	1	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	1	-	4	5	7	6	3	-	-	-
WHITE------MALE----	-	-	-	-	2	1	3	2	2	-	-	-
FEMALE--	-	-	1	-	1	4	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
INDIANA ----------	-	1	-	1	1	1	2	2	-	1	-	-
WHITE------MALE----	-	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IOWA ----------	-	-	-	1	-	-	2	3	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	2	2	4	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
KENTUCKY ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	15	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	14	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
KENTUCKY ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	1	1	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MAINE ----------	-	-	-	-	-	3	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	1	3	2	4	2	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	2	1	-	-	-
FEMALE--	1	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	1	-	1	1	2	1	3	1	1	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	2	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	2	-	4	2	2	2	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
MINNESOTA ----------	15	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	11	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MISSOURI ----------	8	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
MINNESOTA ----------	-	1	-	1	2	1	5	2	2	-	-	-
WHITE------MALE----	-	1	-	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI ----------	-	-	2	-	1	1	4	-	2	-	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	2	-	-	-	1	1	-	1	1	-	-
WHITE------MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	-	-	2	-	1	1	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
NEW HAMPSHIRE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	14	-	-	-	-	-	-	1	-	-	2	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	22	-	-	-	-	1	-	1	-	-	2	-
WHITE------MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	15	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
NEW HAMPSHIRE ----------	-	-	-	1	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	2	-	-	1	-	2	4	1	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	2	1	3	2	3	4	2	1	-	-
WHITE------MALE----	-	-	-	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	1	1	-	1	-	2	4	3	1	-	-	-
WHITE------MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
OHIO ----------	23	1	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	11	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	28	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
OHIO ----------	1	1	3	1	-	3	2	6	3	-	-	-
WHITE------MALE----	1	1	-	1	-	1	1	1	2	-	-	-
FEMALE--	-	-	2	-	-	2	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	1	-	-	1	3	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	2	-	1	1	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	1	2	3	4	3	7	1	3	-	-
WHITE------MALE----	-	-	1	2	2	2	-	4	-	-	-	-
FEMALE--	1	-	-	-	1	2	3	3	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	1	2	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	3	-	2	1	1	-	3	1	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	3	-	1	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	21	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	34	-	-	-	2	-	-	-	-	-	1	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
UTAH ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	14	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	1	3	3	1	1	3	4	2	-	-	-
WHITE------MALE----	-	1	2	2	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	1	3	2	3	3	5	5	5	1	2	-	-
WHITE------MALE----	-	2	1	3	1	3	1	1	1	1	-	-
FEMALE--	1	1	-	-	1	2	3	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
UTAH ----------	-	-	2	-	2	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	2	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	2	1	4	2	1	1	-	-	-
WHITE------MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
WASHINGTON ----------	15	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
WASHINGTON ----------	-	1	-	1	-	1	2	4	4	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	3	-	-	-
FEMALE--	-	1	-	-	-	-	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	2	1	1	-	1	2	2	2	-	-
WHITE------MALE----	1	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2611

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
UNITED STATES -	390	3	2	12	14	2	3	3	3	13	11	25
WHITE------MALE----	184	1	-	4	6	1	2	3	-	8	5	11
FEMALE--	130	2	-	4	4	-	-	-	1	2	4	5
ALL OTHER--MALE----	52	-	2	2	3	1	1	-	2	2	2	7
FEMALE--	24	-	-	2	1	-	-	-	-	1	-	2
BLACK---MALE----	48	-	2	2	2	-	1	-	2	2	2	7
FEMALE--	20	-	-	2	1	-	-	-	-	1	-	1
ALABAMA ----------	10	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	-	-	-	1	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	53	1	2	3	3	-	1	-	-	3	2	3
WHITE------MALE----	28	1	-	1	2	-	1	-	-	2	-	1
FEMALE--	16	-	-	2	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	2	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	2	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
UNITED STATES -	24	22	26	30	39	43	53	40	18	3	1	-
WHITE------MALE----	17	12	12	15	15	24	15	21	9	2	1	-
FEMALE--	5	3	3	10	17	14	31	16	8	1	-	-
ALL OTHER--MALE----	2	5	5	3	5	4	4	2	-	-	-	-
FEMALE--	-	2	6	2	2	1	3	1	1	-	-	-
BLACK---MALE----	2	5	4	2	5	4	4	2	-	-	-	-
FEMALE--	-	2	6	1	2	1	2	-	1	-	-	-
ALABAMA ----------	1	-	1	-	2	-	3	1	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	2	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	2	4	2	6	4	3	9	1	-	-	-
WHITE------MALE----	4	1	2	1	3	3	1	4	1	-	-	-
FEMALE--	-	-	1	1	2	1	2	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
COLORADO ----------	3	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	24	-	-	-	1	-	1	-	-	-	-	1
WHITE------MALE----	12	-	-	-	1	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	10	-	-	-	1	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2612

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
COLORADO ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	3	4	2	2	4	4	1	-	-	-	-
WHITE------MALE----	1	2	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	1	1	-	3	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	16	-	-	2	-	-	-	-	-	1	-	1
WHITE------MALE----	8	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
INDIANA ----------	9	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	9	-	-	-	-	-	-	1	1	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
HAWAII	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	1	1	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	1	-	-	2	2	2	4	1	-	-	-
WHITE--MALE	-	-	-	-	1	2	-	2	-	-	-	-
FEMALE	-	1	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	1	-	4	-	1	-	-	1	-	-	-
WHITE--MALE	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
IOWA	-	1	-	-	2	-	-	1	2	-	-	-
WHITE--MALE	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE	-	1	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS	-	-	1	-	1	2	1	1	-	-	-	-
WHITE--MALE	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2614

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
KENTUCKY ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	10	-	-	-	1	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	7	-	-	-	1	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
KENTUCKY ----------	-	-	-	-	2	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	1	2	-	4	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	-	-	1	-	3	-	1	1	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	1	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
MINNESOTA ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	11	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
MINNESOTA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	2	1	2	-	1	-	-	1	-
WHITE------MALE----	-	-	-	1	-	1	-	1	-	-	1	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	13	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	5	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	35	-	-	1	1	-	-	-	-	1	1	4
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	-	1	1	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	1	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	11	-	-	1	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	1	1	1	-	2	5	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	4	4	3	4	1	1	4	4	-	-	-
WHITE------MALE----	2	2	1	1	-	-	-	4	1	-	-	-
FEMALE--	-	1	1	-	3	1	-	-	3	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	3	-	2	-	2	-	-	-	-	-
WHITE------MALE----	2	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
OHIO ----------	23	-	-	1	1	-	-	-	-	-	1	2
WHITE------MALE----	11	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	4	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	11	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
OHIO ----------	2	-	1	2	-	3	6	2	2	-	-	-
WHITE------MALE----	2	-	1	-	-	2	1	1	2	-	-	-
FEMALE--	-	-	-	2	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	2	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	1	-	-	3	2	3	-	-	-	-
WHITE------MALE----	-	-	1	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2618

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
SOUTH DAKOTA ----------	2	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	11	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	29	-	-	3	2	-	-	1	-	1	1	1
WHITE------MALE----	14	-	-	1	1	-	-	1	-	-	-	1
FEMALE--	9	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	1	1	3	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS ----------	1	1	2	1	2	3	5	2	2	1	-	-
WHITE------MALE----	-	1	1	1	1	-	4	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	2	-	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
WASHINGTON ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
WASHINGTON ----------	1	-	-	1	1	3	-	-	1	-	-	-
WHITE------MALE----	1	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	1	-	2	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2620

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
UNITED STATES -	1,464	44	3	1	1	1	2	6	10	15	24	16
WHITE------MALE----	535	20	2	1	-	1	1	3	2	9	11	9
FEMALE--	763	14	1	-	1	-	-	1	4	5	5	2
ALL OTHER--MALE----	62	6	-	-	-	-	1	2	1	1	2	3
FEMALE--	104	4	-	-	-	-	-	-	3	-	6	2
BLACK---MALE----	53	6	-	-	-	-	1	-	1	1	2	3
FEMALE--	87	3	-	-	-	-	-	-	3	-	6	2
ALABAMA ----------	24	3	-	-	-	-	-	-	2	-	2	-
WHITE------MALE----	5	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	19	2	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	17	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	9	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	154	3	-	1	-	-	-	-	-	2	4	2
WHITE------MALE----	55	1	-	1	-	-	-	-	-	1	2	1
FEMALE--	85	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
UNITED STATES -	39	36	71	77	138	186	265	269	196	56	8	-
WHITE------MALE----	17	21	36	29	57	68	109	86	44	7	2	-
FEMALE--	13	11	26	31	66	95	136	162	139	47	4	-
ALL OTHER--MALE----	3	-	3	5	2	7	8	10	7	1	-	-
FEMALE--	6	4	6	12	13	16	12	11	6	1	2	-
BLACK---MALE----	3	-	2	5	2	5	8	7	6	1	-	-
FEMALE--	4	4	6	7	10	15	10	8	6	1	2	-
ALABAMA ----------	1	-	1	-	2	3	3	3	1	3	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	1	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	-	4	4	1	2	3	-	-	-
WHITE------MALE----	-	-	1	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	-	3	3	5	2	1	-	-	-
WHITE------MALE----	-	-	1	-	2	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	4	4	1	13	14	19	27	38	12	9	1	-
WHITE------MALE----	3	4	1	5	5	7	11	9	3	1	-	-
FEMALE--	1	-	-	4	7	11	14	25	9	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	4	2	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
COLORADO ----------	11	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	23	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	89	1	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	28	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	33	1	-	-	-	-	-	-	1	-	2	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
COLORADO ----------	-	-	2	-	3	-	3	-	2	-	-	-
WHITE------MALE----	-	-	2	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	-	1	1	3	5	3	7	-	-	-
WHITE------MALE----	1	1	-	-	1	1	2	2	2	-	-	-
FEMALE--	-	-	-	1	-	2	3	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE ----------	-	-	-	-	-	1	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	3	2	-	6	9	18	20	19	5	-	-
WHITE------MALE----	2	-	1	-	2	3	6	6	3	1	-	-
FEMALE--	-	2	1	-	4	6	12	12	16	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
GEORGIA ----------	1	2	3	1	5	4	3	7	3	-	-	-
WHITE------MALE----	-	1	-	-	1	1	2	2	2	-	-	-
FEMALE--	-	1	2	1	4	1	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
HAWAII ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	62	2	-	-	1	-	-	-	-	1	-	1
WHITE------MALE----	25	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	29	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
INDIANA ----------	38	1	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	21	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	28	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	21	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
HAWAII ----------	1	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	1	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	3	2	5	6	12	12	8	6	1	1	-
WHITE------MALE----	-	1	1	3	2	5	5	4	1	-	-	-
FEMALE--	1	1	-	2	3	7	6	3	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	1	-
INDIANA ----------	1	-	2	3	4	7	4	9	4	-	-	-
WHITE------MALE----	-	-	1	1	2	3	2	2	-	-	-	-
FEMALE--	1	-	1	1	1	4	2	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
IOWA ----------	-	1	-	3	-	2	5	7	6	2	-	-
WHITE------MALE----	-	1	-	2	-	2	2	4	3	-	-	-
FEMALE--	-	-	-	1	-	-	3	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	1	3	1	4	2	4	4	-	-
WHITE------MALE----	-	-	1	1	1	-	2	1	1	1	-	-
FEMALE--	-	-	-	-	1	1	2	1	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
KENTUCKY ----------	24	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	29	1	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
MAINE ----------	12	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	27	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	46	-	1	-	-	-	-	1	-	1	1	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	27	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
KENTUCKY ----------	-	-	1	1	1	2	5	6	6	-	-	-
WHITE------MALE----	-	-	1	1	-	-	3	3	2	-	-	-
FEMALE--	-	-	-	-	1	2	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	3	2	4	2	9	3	3	-	-	-
WHITE------MALE----	-	-	1	1	-	-	4	1	1	-	-	-
FEMALE--	-	-	1	-	1	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	-	-	-	-	-
MAINE ----------	-	-	-	1	1	2	-	2	3	-	1	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	1	-	2	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	3	1	4	3	5	5	4	-	-	-
WHITE------MALE----	-	-	1	1	3	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	3	-	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
MASSACHUSETTS ----------	-	1	2	2	1	6	5	7	4	2	-	-
WHITE------MALE----	-	1	-	-	-	4	1	1	-	-	-	-
FEMALE--	-	-	2	2	1	2	4	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	2	2	7	5	4	13	4	2	-	-
WHITE------MALE----	-	-	2	1	3	2	1	2	1	-	-	-
FEMALE--	1	-	-	1	3	2	3	11	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2624

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
MINNESOTA ----------	25	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	16	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
MINNESOTA ----------	1	-	1	1	-	3	7	8	2	1	-	-
WHITE------MALE----	-	-	-	1	-	-	5	2	1	-	-	-
FEMALE--	-	-	1	-	-	3	2	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	1	1	4	1	5	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	4	-	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	2	2	-	2	3	5	6	3	2	1	1	-
WHITE------MALE----	1	1	-	1	1	1	2	1	1	-	-	-
FEMALE--	1	-	-	1	2	4	4	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	1	-	2	2	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	-	-	-	-	2	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2625

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
NEW HAMPSHIRE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	44	1	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	11	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	92	2	-	-	-	-	-	-	1	2	2	1
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	40	2	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
NORTH CAROLINA ---------	44	2	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	14	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
NEW HAMPSHIRE ----------	-	-	-	-	-	1	-	-	2	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	2	4	3	2	4	8	6	7	3	-	-
WHITE------MALE----	-	1	2	-	1	2	2	1	-	-	-	-
FEMALE--	2	1	2	1	1	2	5	5	7	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
NEW MEXICO ----------	1	-	1	2	1	1	-	1	2	-	-	-
WHITE------MALE----	1	-	-	1	1	1	-	-	2	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	1	8	5	15	11	15	10	10	5	1	-
WHITE------MALE----	2	-	6	1	8	4	6	3	1	1	-	-
FEMALE--	-	-	1	1	6	2	6	7	9	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	3	3	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	3	3	-	-	-	1	-
NORTH CAROLINA ---------	4	-	1	2	3	6	5	11	6	1	1	-
WHITE------MALE----	1	-	-	-	1	3	3	4	-	1	-	-
FEMALE--	2	-	1	2	2	2	2	6	4	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NORTH DAKOTA ----------	-	-	1	-	-	-	1	2	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
OHIO ----------	56	2	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	25	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	23	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	19	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	77	-	-	-	-	-	-	-	-	3	1	1
WHITE------MALE----	27	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	28	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
OHIO	1	2	4	6	5	9	8	7	7	1	-	-
WHITE--MALE	1	1	1	1	4	4	5	3	2	-	-	-
FEMALE	-	1	2	2	1	3	2	4	5	1	-	-
ALL OTHER--MALE	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE	-	-	1	1	-	2	-	-	-	-	-	-
BLACK--MALE	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE	-	-	1	1	-	2	-	-	-	-	-	-
OKLAHOMA	1	1	3	1	3	-	4	3	2	-	-	-
WHITE--MALE	1	1	2	-	-	-	1	2	1	-	-	-
FEMALE	-	-	1	-	3	-	3	1	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	1	-	-	1	3	6	4	5	1	-	-
WHITE--MALE	-	1	-	-	-	1	1	3	1	-	-	-
FEMALE	-	-	-	-	1	2	5	1	4	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	2	-	4	7	5	11	14	12	13	3	1	-
WHITE--MALE	1	-	1	5	1	3	5	4	2	-	-	-
FEMALE	1	-	3	2	3	7	7	8	10	2	1	-
ALL OTHER--MALE	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE	-	-	-	-	-	1	1	-	-	1	-	-
BLACK--MALE	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE	-	-	-	-	-	1	1	-	-	1	-	-
RHODE ISLAND	-	-	-	-	-	-	-	2	2	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	2	3	5	4	4	4	2	1	-	-
WHITE--MALE	-	-	1	-	3	1	1	-	-	-	-	-
FEMALE	-	-	1	2	2	2	3	2	1	-	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	1	-	1	-	-
FEMALE	-	-	-	-	-	1	-	1	1	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	1	-	1	-	-
FEMALE	-	-	-	-	-	1	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
SOUTH DAKOTA ----------	10	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	39	2	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	16	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
TEXAS ----------	103	3	2	-	-	-	-	-	-	-	2	2
WHITE------MALE----	44	3	2	-	-	-	-	-	-	-	-	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	28	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
SOUTH DAKOTA ----------	-	-	2	-	-	-	-	2	1	3	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	2	2	-	4	5	7	10	4	-	-	-
WHITE------MALE----	-	1	-	-	1	1	4	3	3	-	-	-
FEMALE--	1	1	1	-	1	4	3	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
TEXAS ----------	3	2	6	3	9	15	25	12	16	3	-	-
WHITE------MALE----	-	1	4	1	5	7	9	5	5	1	-	-
FEMALE--	1	1	2	2	4	5	16	6	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	1	-	-	-
UTAH ----------	-	1	1	-	-	1	3	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	2	-	2	-	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	1	1	4	6	6	4	2	-	-	-
WHITE------MALE----	1	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	3	1	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	3	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	2	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
WASHINGTON ----------	37	2	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	16	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	20	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	12	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	34	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
WASHINGTON ----------	1	2	1	-	1	3	6	11	7	2	-	-
WHITE------MALE----	1	1	1	-	1	1	3	4	2	-	-	-
FEMALE--	-	1	-	-	-	2	3	6	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	1	-	-	-	2	5	2	-	-	-	-
WHITE------MALE----	1	1	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	2	-	3	3	2	11	6	5	1	-	-
WHITE------MALE----	-	2	-	1	2	-	7	4	2	-	-	-
FEMALE--	-	-	-	2	1	2	4	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2629

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Crohn's disease and ulcerative colitis (K50-K51)												
UNITED STATES -	799	1	-	-	1	6	5	7	17	19	32	47
WHITE------MALE----	290	-	-	-	1	2	1	5	8	4	14	12
FEMALE--	448	-	-	-	-	2	2	1	4	10	16	27
ALL OTHER--MALE----	25	1	-	-	-	2	1	1	3	-	1	3
FEMALE--	36	-	-	-	-	-	1	-	2	5	1	5
BLACK---MALE----	24	1	-	-	-	2	1	1	3	-	1	3
FEMALE--	32	-	-	-	-	-	1	-	2	5	1	5
ALABAMA ----------	14	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	12	-	-	-	-	-	-	-	1	-	-	3
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	11	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	84	-	-	-	-	1	1	-	-	1	2	7
WHITE------MALE----	30	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	46	-	-	-	-	1	-	-	-	-	1	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
UNITED STATES -	49	45	42	55	95	118	124	88	35	12	1	-
WHITE------MALE----	18	20	15	30	41	43	44	22	9	1	-	-
FEMALE--	26	17	25	25	51	65	78	63	25	10	1	-
ALL OTHER--MALE----	3	2	1	-	1	5	1	-	-	-	-	-
FEMALE--	2	6	1	-	2	5	1	3	1	1	-	-
BLACK---MALE----	3	2	1	-	1	4	1	-	-	-	-	-
FEMALE--	2	5	1	-	1	5	-	2	1	1	-	-
ALABAMA ----------	1	-	-	-	3	1	4	-	1	1	-	-
WHITE------MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	1	1	1	1	2	1	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	1	-	3	3	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	14	6	8	7	12	5	9	4	-	-	-
WHITE------MALE----	2	7	2	4	1	6	1	2	1	-	-	-
FEMALE--	4	6	3	4	6	5	4	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Crohn's disease and ulcerative colitis (K50-K51)												
COLORADO ----------	10	-	-	-	-	-	1	1	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	10	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	59	-	-	-	1	-	-	-	-	-	2	1
WHITE------MALE----	24	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	15	-	-	-	-	-	-	-	1	-	1	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
COLORADO ----------	-	1	-	-	1	2	3	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	2	1	4	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	2	6	4	12	10	9	10	-	-	-	-
WHITE------MALE----	-	1	3	3	4	5	3	3	-	-	-	-
FEMALE--	2	-	3	1	7	4	6	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	1	3	-	1	1	2	-	-	2	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Crohn's disease and ulcerative colitis (K50-K51)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	43	-	-	-	-	-	-	1	1	1	-	1
WHITE------MALE----	16	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
INDIANA ----------	18	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	9	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
HAWAII ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	-	3	4	5	7	7	4	5	1	-	-
WHITE------MALE----	2	-	-	2	5	1	1	2	1	-	-	-
FEMALE--	1	-	3	2	-	5	6	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
INDIANA ----------	1	2	1	1	4	5	1	-	-	-	-	-
WHITE------MALE----	1	-	1	-	3	3	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
IOWA ----------	2	-	-	-	1	3	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	-	-	2	-	-	3	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Crohn's disease and ulcerative colitis (K50-K51)												
KENTUCKY ----------	14	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	11	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MAINE ----------	7	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	15	-	-	-	-	-	-	-	3	1	-	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	36	-	-	-	-	-	-	-	1	1	2	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
KENTUCKY ----------	-	-	1	3	-	3	2	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
LOUISIANA ----------	1	-	-	1	-	-	2	2	1	1	-	-
WHITE------MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	1	-	1	3	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	-	1	-	3	4	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	2	1	2	6	6	2	-	-	-
WHITE------MALE----	1	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	4	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	1	-	2	5	1	14	4	3	1	-	-
WHITE------MALE----	1	-	-	1	2	-	8	3	-	1	-	-
FEMALE--	-	1	-	1	3	1	6	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Crohn's disease and ulcerative colitis (K50-K51)												
MINNESOTA ----------	18	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	1	-	-	-	1	1	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	7	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	5	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
MINNESOTA ----------	2	2	1	1	3	1	2	-	2	2	-	-
WHITE------MALE----	1	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	1	1	-	1	2	1	1	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	2	-	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	1	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2634

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Crohn's disease and ulcerative colitis (K50-K51)												
NEW HAMPSHIRE ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	30	-	-	-	-	-	-	-	1	2	1	1
WHITE------MALE----	13	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
NEW MEXICO ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	54	-	-	-	-	-	-	-	2	1	2	5
WHITE------MALE----	15	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NORTH CAROLINA ---------	14	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
NEW HAMPSHIRE ----------	-	-	-	2	1	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	1	3	4	4	6	3	1	-	-	-
WHITE------MALE----	1	-	1	2	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	2	2	4	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	4	4	4	2	8	9	7	3	-	1	-
WHITE------MALE----	-	2	2	1	1	1	3	-	1	-	-	-
FEMALE--	2	2	2	3	1	7	6	7	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	2	2	2	2	1	1	2	-	-	-	-
WHITE------MALE----	-	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Crohn's disease and ulcerative colitis (K50-K51)												
OHIO ----------	39	-	-	-	-	-	-	1	1	1	2	2
WHITE------MALE----	13	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	11	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	9	-	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	35	-	-	-	-	-	-	-	-	3	2	4
WHITE------MALE----	13	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
RHODE ISLAND ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
OHIO ----------	3	1	4	3	3	5	7	5	1	-	-	-
WHITE------MALE----	-	-	2	2	3	1	2	-	-	-	-	-
FEMALE--	2	-	2	1	-	2	4	5	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
OKLAHOMA ----------	2	-	-	-	1	3	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	2	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	2	1	1	5	9	3	2	-	2	-	-
WHITE------MALE----	1	1	1	1	2	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	6	2	2	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	2	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	2	-	-	-	2	1	1	-	1	-	-
WHITE------MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Crohn's disease and ulcerative colitis (K50-K51)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	14	-	-	-	-	-	-	1	-	-	1	2
WHITE------MALE----	7	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	59	-	-	-	-	1	-	1	1	-	2	2
WHITE------MALE----	26	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	1	-	-	1	3	-	3	-	-	-	-
WHITE------MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	6	3	5	5	8	8	10	4	3	-	-	-
WHITE------MALE----	1	3	1	3	4	3	4	1	2	-	-	-
FEMALE--	5	-	4	2	4	5	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	1	-	2	1	1	2	1	-	-	-	-
WHITE------MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Crohn's disease and ulcerative colitis (K50-K51)												
WASHINGTON ----------	25	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	14	-	-	-	-	1	-	-	-	-	-	2
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
WASHINGTON ----------	2	1	-	2	8	5	3	2	-	-	-	-
WHITE------MALE----	2	-	-	1	3	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	5	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	-	-	2	-	-	2	-	-	-	-
WHITE------MALE----	-	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	2	2	4	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
UNITED STATES -	13,966	230	22	12	10	16	14	21	38	54	121	150
WHITE------MALE----	4,123	84	6	4	6	10	4	5	12	18	45	54
FEMALE--	8,145	42	6	6	2	4	5	10	18	21	36	51
ALL OTHER--MALE----	697	64	7	1	1	-	5	1	5	5	23	25
FEMALE--	1,001	40	3	1	1	2	-	5	3	10	17	20
BLACK---MALE----	607	55	5	1	1	-	5	1	5	5	23	24
FEMALE--	910	39	3	1	1	2	-	4	3	8	17	17
ALABAMA ----------	245	5	-	-	-	-	2	-	-	-	4	4
WHITE------MALE----	64	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	125	2	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	20	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	36	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	20	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	36	1	-	-	-	-	-	-	-	-	1	1
ALASKA ----------	9	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	215	1	1	-	-	-	-	1	1	2	2	3
WHITE------MALE----	74	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	126	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	188	5	-	1	-	-	-	1	-	-	-	1
WHITE------MALE----	45	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	114	-	-	1	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	13	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1,350	26	-	1	1	1	1	1	4	3	15	9
WHITE------MALE----	437	11	-	-	1	-	-	1	2	-	7	4
FEMALE--	762	5	-	1	-	1	1	-	2	2	5	4
ALL OTHER--MALE----	71	4	-	-	-	-	-	-	-	-	3	-
FEMALE--	80	6	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	38	2	-	-	-	-	-	-	-	-	3	-
FEMALE--	49	6	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
UNITED STATES -	256	384	568	964	1,519	2,196	2,564	2,561	1,605	564	96	1
WHITE------MALE----	86	151	208	317	559	743	788	626	311	72	14	-
FEMALE--	109	169	276	486	738	1,186	1,557	1,703	1,187	457	75	1
ALL OTHER--MALE----	30	30	40	67	90	96	89	82	25	9	2	-
FEMALE--	31	34	44	94	132	171	130	150	82	26	5	-
BLACK---MALE----	27	27	39	59	74	84	78	67	19	8	-	-
FEMALE--	29	30	40	85	119	153	112	141	78	24	4	-
ALABAMA ----------	4	14	14	25	26	33	46	40	24	4	-	-
WHITE------MALE----	1	9	6	6	5	7	13	8	5	-	-	-
FEMALE--	1	4	6	12	14	18	25	22	17	2	-	-
ALL OTHER--MALE----	1	1	1	2	3	3	1	4	-	-	-	-
FEMALE--	1	-	1	5	4	5	7	6	2	2	-	-
BLACK---MALE----	1	1	1	2	3	3	1	4	-	-	-	-
FEMALE--	1	-	1	5	4	5	7	6	2	2	-	-
ALASKA ----------	-	-	-	-	2	4	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	8	12	18	30	31	35	37	21	7	-	1
WHITE------MALE----	2	2	5	8	11	11	12	12	5	1	-	-
FEMALE--	1	5	6	9	17	18	23	23	16	6	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	2	2	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	-	-	-	-
ARKANSAS ----------	1	2	9	15	20	40	36	33	17	6	1	-
WHITE------MALE----	-	2	2	2	10	8	10	6	3	1	-	-
FEMALE--	-	-	6	11	6	26	21	23	12	5	1	-
ALL OTHER--MALE----	-	-	-	1	3	1	3	1	1	-	-	-
FEMALE--	1	-	1	1	1	5	2	3	1	-	-	-
BLACK---MALE----	-	-	-	1	2	1	3	1	1	-	-	-
FEMALE--	1	-	1	1	1	5	2	3	1	-	-	-
CALIFORNIA ----------	28	33	50	92	146	235	249	268	143	38	6	-
WHITE------MALE----	11	17	20	33	49	89	78	77	32	5	-	-
FEMALE--	11	12	19	48	78	117	151	167	100	33	5	-
ALL OTHER--MALE----	5	2	7	6	7	12	8	13	3	-	1	-
FEMALE--	1	2	4	5	12	17	12	11	8	-	-	-
BLACK---MALE----	4	2	6	4	2	6	3	5	1	-	-	-
FEMALE--	1	1	3	4	9	7	4	8	5	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
COLORADO ----------	181	-	2	1	-	-	-	1	-	2	4	3
WHITE------MALE----	60	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	109	-	1	1	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	238	1	1	-	-	-	-	1	1	-	1	1
WHITE------MALE----	83	1	1	-	-	-	-	1	-	-	1	-
FEMALE--	140	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	45	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	37	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
FLORIDA ----------	798	9	1	1	-	2	1	1	-	1	6	8
WHITE------MALE----	250	3	1	1	-	-	1	-	-	1	3	2
FEMALE--	472	2	-	-	-	1	-	-	-	-	1	5
ALL OTHER--MALE----	27	2	-	-	-	-	-	1	-	-	1	1
FEMALE--	49	2	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	27	2	-	-	-	-	-	1	-	-	1	1
FEMALE--	49	2	-	-	-	1	-	-	-	-	1	-
GEORGIA ----------	378	14	1	1	-	-	1	-	2	1	3	3
WHITE------MALE----	92	5	-	-	-	-	-	-	-	1	2	1
FEMALE--	201	3	-	-	-	-	1	-	2	-	-	1
ALL OTHER--MALE----	38	4	1	-	-	-	-	-	-	-	-	1
FEMALE--	47	2	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	37	4	1	-	-	-	-	-	-	-	-	1
FEMALE--	47	2	-	1	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
COLORADO ----------	2	8	8	8	13	23	29	43	29	5	-	-
WHITE------MALE----	2	2	3	2	5	15	11	12	2	-	-	-
FEMALE--	-	4	5	5	6	7	17	28	27	5	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	2	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
CONNECTICUT ----------	-	4	9	8	25	31	53	53	36	12	1	-
WHITE------MALE----	-	1	2	3	11	10	22	15	11	3	1	-
FEMALE--	-	2	7	5	12	17	30	33	24	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	2	4	1	5	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	2	4	1	5	-	-	-	-
DELAWARE ----------	1	-	3	2	9	4	9	9	6	1	-	-
WHITE------MALE----	1	-	1	-	3	-	3	-	1	-	-	-
FEMALE--	-	-	2	2	5	3	6	8	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	1	1	7	2	2	9	3	8	2	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	4	1	-	3	2	1	1	-	-	-
FEMALE--	1	1	1	1	2	6	-	7	1	-	-	-
BLACK---MALE----	-	-	4	1	-	3	2	1	1	-	-	-
FEMALE--	1	1	1	1	2	6	-	7	1	-	-	-
FLORIDA ----------	13	18	38	57	83	127	158	146	90	33	5	-
WHITE------MALE----	5	6	13	15	35	47	44	41	25	6	1	-
FEMALE--	6	10	17	31	39	65	109	95	60	27	4	-
ALL OTHER--MALE----	1	1	2	4	1	6	4	3	-	-	-	-
FEMALE--	1	1	6	7	8	9	1	7	5	-	-	-
BLACK---MALE----	1	1	2	4	1	6	4	3	-	-	-	-
FEMALE--	1	1	6	7	8	9	1	7	5	-	-	-
GEORGIA ----------	7	19	18	24	51	47	59	75	39	13	-	-
WHITE------MALE----	3	3	5	6	18	12	15	12	7	2	-	-
FEMALE--	1	10	10	12	22	26	32	48	23	10	-	-
ALL OTHER--MALE----	2	3	1	3	6	3	10	2	2	-	-	-
FEMALE--	1	3	2	3	5	6	2	13	7	1	-	-
BLACK---MALE----	2	3	1	3	6	3	9	2	2	-	-	-
FEMALE--	1	3	2	3	5	6	2	13	7	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
HAWAII ----------	36	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	51	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	599	14	1	1	-	-	-	1	3	1	5	10
WHITE------MALE----	175	3	-	1	-	-	-	-	-	1	3	4
FEMALE--	348	3	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	35	7	-	-	-	-	-	-	1	-	1	3
FEMALE--	41	1	1	-	-	-	-	-	2	-	-	2
BLACK---MALE----	34	6	-	-	-	-	-	-	1	-	1	3
FEMALE--	39	1	1	-	-	-	-	-	2	-	-	2
INDIANA ----------	369	3	-	-	3	1	1	-	-	2	4	5
WHITE------MALE----	115	1	-	-	1	1	-	-	-	-	2	2
FEMALE--	226	1	-	-	2	-	-	-	-	2	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	-
IOWA ----------	179	3	-	1	-	1	-	-	-	-	1	1
WHITE------MALE----	56	1	-	1	-	1	-	-	-	-	1	1
FEMALE--	119	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	145	4	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	51	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	90	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2640

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
HAWAII ----------	-	-	-	1	10	1	8	9	3	2	1	-
WHITE------MALE----	-	-	-	-	2	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	6	1	1	2	3	1	1	-
FEMALE--	-	-	-	-	2	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	3	5	6	7	10	7	8	2	-	-
WHITE------MALE----	-	-	2	-	2	2	3	2	1	1	-	-
FEMALE--	1	-	1	4	4	5	7	5	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	13	15	14	30	59	99	117	97	73	38	8	-
WHITE------MALE----	4	7	6	11	19	30	36	28	14	6	2	-
FEMALE--	5	6	6	14	28	56	69	65	57	31	5	-
ALL OTHER--MALE----	3	2	1	3	4	5	4	1	-	-	-	-
FEMALE--	1	-	1	2	8	8	8	3	2	1	1	-
BLACK---MALE----	3	2	1	3	4	5	4	1	-	-	-	-
FEMALE--	1	-	1	1	8	8	7	3	2	1	1	-
INDIANA ----------	9	6	18	35	36	59	73	50	47	14	3	-
WHITE------MALE----	4	2	5	9	14	26	26	13	8	-	1	-
FEMALE--	3	3	11	19	18	31	46	34	39	13	2	-
ALL OTHER--MALE----	-	-	1	3	2	-	-	-	-	1	-	-
FEMALE--	2	1	1	4	2	2	1	3	-	-	-	-
BLACK---MALE----	-	-	1	3	2	-	-	-	-	1	-	-
FEMALE--	2	1	1	4	2	2	1	3	-	-	-	-
IOWA ----------	3	5	3	16	12	24	30	41	27	7	4	-
WHITE------MALE----	1	1	2	6	5	12	8	9	5	-	2	-
FEMALE--	2	3	1	9	6	12	22	32	22	7	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS ----------	2	3	5	12	17	22	19	28	19	9	2	-
WHITE------MALE----	2	1	2	5	5	7	8	10	6	1	-	-
FEMALE--	-	2	3	5	11	14	11	18	13	8	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
KENTUCKY ----------	235	1	-	-	-	-	-	-	-	1	4	-
WHITE------MALE----	82	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	144	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	243	4	4	-	1	1	1	-	-	3	5	3
WHITE------MALE----	52	1	1	-	1	1	-	-	-	-	1	-
FEMALE--	120	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	27	2	2	-	-	-	1	-	-	1	1	1
FEMALE--	44	1	1	-	-	-	-	-	-	2	2	1
BLACK---MALE----	27	2	2	-	-	-	1	-	-	1	1	1
FEMALE--	43	1	1	-	-	-	-	-	-	2	2	1
MAINE ----------	74	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	26	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	242	4	-	-	-	-	1	-	-	1	5	4
WHITE------MALE----	54	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	132	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	22	2	-	-	-	-	-	-	-	-	4	1
FEMALE--	34	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	22	2	-	-	-	-	-	-	-	-	4	1
FEMALE--	34	1	-	-	-	-	-	-	-	-	1	1
MASSACHUSETTS ----------	385	3	-	-	-	1	-	-	2	1	3	2
WHITE------MALE----	129	1	-	-	-	1	-	-	-	-	1	1
FEMALE--	238	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	1	-	-	-
MICHIGAN ----------	542	6	1	-	-	-	1	2	1	3	5	7
WHITE------MALE----	142	3	-	-	-	-	-	-	-	2	2	1
FEMALE--	300	-	1	-	-	-	1	-	1	1	-	3
ALL OTHER--MALE----	35	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	65	2	-	-	-	-	-	2	-	-	2	2
BLACK---MALE----	35	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	61	2	-	-	-	-	-	2	-	-	2	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
KENTUCKY ----------	7	8	16	18	26	34	40	41	29	8	2	-
WHITE------MALE----	2	4	9	8	7	14	9	15	10	1	-	-
FEMALE--	4	4	7	9	17	20	30	25	17	7	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	2	-	-	-
LOUISIANA ----------	3	8	8	18	29	38	39	42	25	10	1	-
WHITE------MALE----	2	2	1	7	10	7	10	7	1	-	-	-
FEMALE--	-	3	5	8	10	16	16	28	22	9	1	-
ALL OTHER--MALE----	-	1	1	2	2	5	3	4	1	-	-	-
FEMALE--	1	2	1	1	7	10	10	3	1	1	-	-
BLACK---MALE----	-	1	1	2	2	5	3	4	1	-	-	-
FEMALE--	1	2	1	1	6	10	10	3	1	1	-	-
MAINE ----------	1	3	4	5	2	12	13	15	14	3	1	-
WHITE------MALE----	1	2	3	1	1	4	6	5	2	-	-	-
FEMALE--	-	1	1	4	1	8	7	10	12	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	11	7	14	23	46	42	34	34	9	1	-
WHITE------MALE----	1	5	-	6	6	12	11	5	4	1	-	-
FEMALE--	3	4	3	5	11	20	26	26	24	7	1	-
ALL OTHER--MALE----	1	-	1	1	3	5	1	1	2	-	-	-
FEMALE--	1	2	3	2	3	9	4	2	4	1	-	-
BLACK---MALE----	1	-	1	1	3	5	1	1	2	-	-	-
FEMALE--	1	2	3	2	3	9	4	2	4	1	-	-
MASSACHUSETTS ----------	6	10	15	20	39	60	78	71	46	20	8	-
WHITE------MALE----	3	6	6	6	22	22	27	23	7	3	-	-
FEMALE--	2	4	8	12	14	36	48	47	37	17	8	-
ALL OTHER--MALE----	1	-	-	1	-	2	1	-	1	-	-	-
FEMALE--	-	-	1	1	3	-	2	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	3	-	2	1	1	-	-	-
MICHIGAN ----------	8	19	17	44	57	92	96	98	63	20	2	-
WHITE------MALE----	1	9	3	15	20	28	26	16	13	2	1	-
FEMALE--	4	5	8	19	20	50	61	64	43	18	1	-
ALL OTHER--MALE----	2	4	4	3	6	2	2	8	1	-	-	-
FEMALE--	1	1	2	7	11	12	7	10	6	-	-	-
BLACK---MALE----	2	4	4	3	6	2	2	8	1	-	-	-
FEMALE--	1	1	1	7	8	12	7	10	6	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
MINNESOTA ----------	220	6	1	-	-	1	1	-	2	-	-	1
WHITE------MALE----	76	1	-	-	-	1	1	-	1	-	-	1
FEMALE--	142	4	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	160	8	-	-	1	-	-	1	2	2	4	1
WHITE------MALE----	46	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	75	1	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	12	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	27	3	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	12	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	27	3	-	-	-	-	-	-	-	2	2	-
MISSOURI ----------	346	3	-	-	-	-	1	1	2	3	-	4
WHITE------MALE----	96	1	-	-	-	-	1	-	1	3	-	-
FEMALE--	222	-	-	-	-	-	-	1	1	-	-	4
ALL OTHER--MALE----	12	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	37	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	92	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	78	1	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	23	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

Vascular disorders and obstruction of intestine without hernia (K55-K56)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	1	5	4	10	24	31	40	39	39	12	3	-
WHITE------MALE----	-	2	3	6	15	14	17	6	6	1	1	-
FEMALE--	1	3	1	3	9	17	23	33	33	11	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	3	9	17	21	28	21	23	13	3	1	-
WHITE------MALE----	-	2	4	2	9	15	6	4	-	-	-	-
FEMALE--	1	1	4	9	9	6	12	15	11	2	1	-
ALL OTHER--MALE----	-	-	-	2	-	3	1	1	1	-	-	-
FEMALE--	1	-	1	4	3	4	2	3	1	1	-	-
BLACK---MALE----	-	-	-	2	-	3	1	1	1	-	-	-
FEMALE--	1	-	1	4	3	4	2	3	1	1	-	-
MISSOURI ----------	6	12	14	16	39	55	64	67	42	14	3	-
WHITE------MALE----	3	5	5	4	14	16	16	20	5	2	-	-
FEMALE--	3	7	7	11	20	35	43	43	32	12	3	-
ALL OTHER--MALE----	-	-	1	-	2	2	2	1	2	-	-	-
FEMALE--	-	-	1	1	3	2	3	3	3	-	-	-
BLACK---MALE----	-	-	1	-	2	2	2	1	2	-	-	-
FEMALE--	-	-	1	1	3	2	3	3	3	-	-	-
MONTANA ----------	-	-	1	1	1	6	8	8	9	3	-	-
WHITE------MALE----	-	-	-	1	1	3	4	3	2	1	-	-
FEMALE--	-	-	1	-	-	3	3	5	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	2	1	16	12	19	19	14	8	-	-
WHITE------MALE----	-	1	2	-	7	7	6	5	4	2	-	-
FEMALE--	-	-	-	1	9	5	13	14	9	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	4	-	7	4	10	9	19	9	10	2	-	-
WHITE------MALE----	1	-	2	-	3	2	7	3	3	-	-	-
FEMALE--	3	-	4	4	5	6	10	5	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
NEW HAMPSHIRE ----------	64	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	344	4	-	-	-	-	-	1	2	2	3	4
WHITE------MALE----	104	2	-	-	-	-	-	-	2	-	-	1
FEMALE--	195	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	25	1	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	24	1	-	-	-	-	-	-	-	2	-	1
NEW MEXICO ----------	66	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	25	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	755	18	2	1	-	1	-	3	3	3	7	12
WHITE------MALE----	221	10	-	-	-	-	-	-	1	1	-	5
FEMALE--	445	1	2	-	-	-	-	3	2	2	3	4
ALL OTHER--MALE----	41	5	-	1	-	-	-	-	-	-	3	1
FEMALE--	48	2	-	-	-	1	-	-	-	-	1	2
BLACK---MALE----	34	4	-	1	-	-	-	-	-	-	3	1
FEMALE--	44	2	-	-	-	1	-	-	-	-	1	2
NORTH CAROLINA ---------	440	10	-	-	-	-	-	1	3	5	9	8
WHITE------MALE----	126	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	209	2	-	-	-	-	-	-	2	2	5	-
ALL OTHER--MALE----	42	3	-	-	-	-	-	-	1	1	1	5
FEMALE--	63	5	-	-	-	-	-	1	-	-	1	2
BLACK---MALE----	40	2	-	-	-	-	-	-	1	1	1	5
FEMALE--	58	5	-	-	-	-	-	1	-	-	1	1
NORTH DAKOTA ----------	34	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Vascular disorders and obstruction of intestine without hernia (K55-K56)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	-	4	3	7	11	11	9	14	3	1	-
WHITE------MALE----	-	-	1	1	3	3	2	2	3	-	1	-
FEMALE--	-	-	3	2	4	8	9	7	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEW JERSEY ----------	8	10	14	25	37	57	64	67	29	15	2	-
WHITE------MALE----	1	5	6	10	9	20	24	14	8	2	-	-
FEMALE--	3	4	5	8	23	33	33	50	20	11	2	-
ALL OTHER--MALE----	2	1	2	4	1	-	5	1	-	-	-	-
FEMALE--	2	-	1	3	4	4	2	2	1	2	-	-
BLACK---MALE----	2	1	2	4	1	-	3	1	-	-	-	-
FEMALE--	2	-	1	3	4	3	2	2	1	2	-	-
NEW MEXICO ----------	2	2	2	9	4	10	17	9	6	2	1	-
WHITE------MALE----	-	-	2	3	1	4	9	2	1	1	-	-
FEMALE--	2	2	-	4	1	6	8	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	1	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	12	17	31	60	79	110	136	143	84	29	4	-
WHITE------MALE----	6	10	10	20	24	40	46	31	15	2	-	-
FEMALE--	4	4	15	30	44	58	78	101	67	23	4	-
ALL OTHER--MALE----	1	2	3	5	4	5	6	5	-	-	-	-
FEMALE--	1	1	3	5	7	7	6	6	2	4	-	-
BLACK---MALE----	-	2	3	4	3	3	6	4	-	-	-	-
FEMALE--	1	1	3	4	7	7	4	5	2	4	-	-
NORTH CAROLINA ---------	14	11	19	38	51	70	71	78	38	10	4	-
WHITE------MALE----	4	1	8	8	23	27	15	26	6	2	1	-
FEMALE--	5	5	7	18	19	31	39	38	27	6	3	-
ALL OTHER--MALE----	3	1	3	3	5	5	5	4	1	1	-	-
FEMALE--	2	4	1	9	4	7	12	10	4	1	-	-
BLACK---MALE----	3	1	3	3	5	5	5	3	1	1	-	-
FEMALE--	2	3	1	7	4	7	12	9	4	1	-	-
NORTH DAKOTA ----------	1	-	3	3	6	1	8	4	5	2	-	-
WHITE------MALE----	-	-	2	2	4	-	5	1	2	1	-	-
FEMALE--	1	-	1	1	2	1	3	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
OHIO ----------	622	11	-	-	-	-	1	-	-	1	2	9
WHITE------MALE----	187	4	-	-	-	-	-	-	-	1	-	5
FEMALE--	374	-	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	20	4	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	3	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	20	4	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	3	-	-	-	-	-	-	-	-	1	1
OKLAHOMA ----------	209	4	-	-	-	1	-	1	-	-	-	3
WHITE------MALE----	54	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	132	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	9	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	187	-	1	-	-	1	-	1	-	-	2	2
WHITE------MALE----	61	-	1	-	-	1	-	1	-	-	1	-
FEMALE--	122	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA ----------	807	11	2	3	1	-	-	-	2	3	4	4
WHITE------MALE----	236	3	-	1	1	-	-	-	2	1	-	2
FEMALE--	490	1	-	2	-	-	-	-	-	1	4	-
ALL OTHER--MALE----	32	5	2	-	-	-	-	-	-	1	-	1
FEMALE--	49	2	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	31	5	1	-	-	-	-	-	-	1	-	1
FEMALE--	46	2	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	76	-	1	-	-	-	-	-	1	-	-	1
WHITE------MALE----	18	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	205	3	-	-	1	1	-	-	-	1	5	4
WHITE------MALE----	52	1	-	-	-	1	-	-	-	1	1	1
FEMALE--	93	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	26	2	-	-	-	-	-	-	-	-	2	2
FEMALE--	34	-	-	-	1	-	-	-	-	-	2	-
BLACK---MALE----	26	2	-	-	-	-	-	-	-	-	2	2
FEMALE--	34	-	-	-	1	-	-	-	-	-	2	-

Vascular disorders and obstruction of intestine without hernia (K55-K56)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	5	26	28	39	84	108	113	107	58	25	5	-
WHITE------MALE----	1	10	8	19	28	34	33	28	12	3	1	-
FEMALE--	4	12	18	19	43	64	74	69	45	19	3	-
ALL OTHER--MALE----	-	1	-	-	6	5	1	1	-	1	-	-
FEMALE--	-	3	2	1	7	5	5	9	1	2	1	-
BLACK---MALE----	-	1	-	-	6	5	1	1	-	1	-	-
FEMALE--	-	3	2	1	7	5	5	9	1	2	1	-
OKLAHOMA ----------	7	6	7	8	21	29	44	48	19	10	1	-
WHITE------MALE----	2	-	2	6	6	6	16	13	1	-	-	-
FEMALE--	3	3	5	1	12	22	26	31	15	10	1	-
ALL OTHER--MALE----	-	2	-	-	2	1	1	1	-	-	-	-
FEMALE--	2	1	-	1	1	-	1	3	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	3	-	-	-
OREGON ----------	4	4	7	13	22	21	36	42	21	9	1	-
WHITE------MALE----	1	1	4	2	8	7	13	16	4	1	-	-
FEMALE--	3	3	3	10	14	13	22	26	17	8	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	9	13	29	49	80	129	156	167	97	42	6	-
WHITE------MALE----	2	9	8	18	37	41	53	32	19	5	2	-
FEMALE--	7	3	16	23	37	74	89	122	72	35	4	-
ALL OTHER--MALE----	-	1	2	1	2	7	5	4	-	1	-	-
FEMALE--	-	-	3	7	4	7	9	9	6	1	-	-
BLACK---MALE----	-	1	2	1	2	7	5	4	-	1	-	-
FEMALE--	-	-	2	7	4	6	9	9	5	1	-	-
RHODE ISLAND ----------	1	1	3	3	11	11	19	14	7	3	-	-
WHITE------MALE----	-	1	1	-	3	4	5	1	1	1	-	-
FEMALE--	1	-	2	3	8	6	13	13	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
SOUTH CAROLINA ---------	10	8	12	17	27	34	27	33	15	6	1	-
WHITE------MALE----	2	1	4	5	9	7	7	8	4	-	-	-
FEMALE--	3	4	4	6	10	20	16	16	8	4	1	-
ALL OTHER--MALE----	2	2	2	2	3	1	3	4	-	1	-	-
FEMALE--	3	1	2	4	5	6	1	5	3	1	-	-
BLACK---MALE----	2	2	2	2	3	1	3	4	-	1	-	-
FEMALE--	3	1	2	4	5	6	1	5	3	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
SOUTH DAKOTA ----------	51	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	338	6	-	1	-	1	1	-	5	-	3	4
WHITE------MALE----	86	2	-	-	-	1	-	-	2	-	2	1
FEMALE--	199	1	-	1	-	-	-	-	3	-	1	2
ALL OTHER--MALE----	21	2	-	-	-	-	1	-	-	-	-	1
FEMALE--	32	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	2	-	-	-	-	1	-	-	-	-	1
FEMALE--	32	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	913	23	3	-	-	2	1	-	-	7	6	10
WHITE------MALE----	257	10	1	-	-	2	-	-	-	-	2	5
FEMALE--	540	9	1	-	-	-	-	-	-	5	3	4
ALL OTHER--MALE----	45	3	1	-	-	-	1	-	-	1	-	-
FEMALE--	71	1	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	43	2	1	-	-	-	1	-	-	1	-	-
FEMALE--	67	1	-	-	-	-	-	-	-	1	1	1
UTAH ----------	88	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	24	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	32	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	314	8	-	-	-	-	-	1	-	1	3	1
WHITE------MALE----	75	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	168	2	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	35	3	-	-	-	-	-	-	-	1	-	-
FEMALE--	36	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	33	3	-	-	-	-	-	-	-	1	-	-
FEMALE--	34	-	-	-	-	-	-	1	-	-	-	1

Vascular disorders and obstruction of intestine without hernia (K55-K56)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	2	-	2	2	5	6	16	7	6	3	-	-
WHITE------MALE----	1	-	-	-	3	1	4	2	1	-	-	-
FEMALE--	1	-	2	1	2	5	11	5	5	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	11	12	22	26	32	48	54	65	37	9	1	-
WHITE------MALE----	4	1	8	7	13	21	6	11	5	2	-	-
FEMALE--	5	8	11	15	15	21	39	43	26	7	1	-
ALL OTHER--MALE----	-	2	2	2	2	2	4	3	-	-	-	-
FEMALE--	2	1	1	2	2	4	5	8	6	-	-	-
BLACK---MALE----	-	2	2	2	2	2	4	3	-	-	-	-
FEMALE--	2	1	1	2	2	4	5	8	6	-	-	-
TEXAS ----------	16	22	36	79	98	150	147	160	105	41	7	-
WHITE------MALE----	2	9	15	27	41	46	45	30	19	3	-	-
FEMALE--	8	11	19	39	49	79	82	115	78	32	6	-
ALL OTHER--MALE----	3	-	2	6	3	6	7	8	2	2	-	-
FEMALE--	3	2	-	7	5	19	13	7	6	4	1	-
BLACK---MALE----	3	-	2	5	3	6	7	8	2	2	-	-
FEMALE--	3	2	-	5	5	17	13	7	6	4	1	-
UTAH ----------	-	-	2	5	11	12	20	16	13	5	1	-
WHITE------MALE----	-	-	1	3	2	3	8	4	2	-	-	-
FEMALE--	-	-	1	2	9	9	12	12	11	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	6	1	6	7	5	4	2	-	-
WHITE------MALE----	-	-	-	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	6	-	5	5	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	18	10	23	34	47	65	50	34	12	1	-
WHITE------MALE----	3	6	4	12	8	10	16	5	4	3	-	-
FEMALE--	1	6	4	6	11	26	41	35	26	7	1	-
ALL OTHER--MALE----	1	2	-	2	8	6	5	4	2	1	-	-
FEMALE--	1	4	2	3	7	5	3	6	2	1	-	-
BLACK---MALE----	1	1	-	2	8	6	4	4	2	1	-	-
FEMALE--	1	4	2	3	7	4	3	5	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
WASHINGTON ----------	258	2	-	-	-	-	-	-	-	1	1	4
WHITE------MALE----	85	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	156	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	109	-	-	-	-	-	-	1	1	-	2	1
WHITE------MALE----	37	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	70	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	300	5	-	-	1	1	-	-	-	-	1	1
WHITE------MALE----	105	3	-	-	1	-	-	-	-	-	1	1
FEMALE--	184	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	37	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
WASHINGTON ----------	9	9	8	15	26	44	60	46	21	10	2	-
WHITE------MALE----	4	2	3	5	8	22	17	14	5	1	-	-
FEMALE--	4	7	4	7	14	18	40	32	16	9	1	-
ALL OTHER--MALE----	1	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	3	3	1	-	-	-	1	-
BLACK---MALE----	1	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	1	-
WEST VIRGINIA ----------	1	2	2	11	10	20	26	15	13	4	-	-
WHITE------MALE----	-	1	2	4	2	7	8	7	2	1	-	-
FEMALE--	1	1	-	7	8	12	18	8	11	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WISCONSIN ----------	5	7	9	11	35	47	51	56	49	18	3	-
WHITE------MALE----	3	3	5	2	16	18	17	17	13	5	-	-
FEMALE--	1	3	4	7	17	29	31	39	35	13	3	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	2	-	1	-	-	-
WYOMING ----------	-	-	3	1	4	6	2	9	8	1	2	-
WHITE------MALE----	-	-	1	1	-	1	1	2	1	-	-	-
FEMALE--	-	-	2	-	4	5	1	7	7	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diverticular disease of intestine (K57)												
UNITED STATES -	3,427	-	-	-	-	-	1	-	6	12	16	36
WHITE------MALE----	963	-	-	-	-	-	1	-	3	5	9	17
FEMALE--	2,188	-	-	-	-	-	-	-	2	4	5	14
ALL OTHER--MALE----	84	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	192	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	70	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	176	-	-	-	-	-	-	-	1	1	1	3
ALABAMA ----------	65	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	54	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	36	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	440	-	-	-	-	-	-	-	2	2	1	3
WHITE------MALE----	140	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	265	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
UNITED STATES -	49	93	118	214	362	510	623	736	479	144	28	-
WHITE------MALE----	19	29	50	76	132	155	176	162	103	23	3	-
FEMALE--	25	45	49	109	195	321	406	539	342	111	21	-
ALL OTHER--MALE----	1	7	10	6	14	12	12	8	8	1	-	-
FEMALE--	4	12	9	23	21	22	29	27	26	9	4	-
BLACK---MALE----	1	6	9	5	12	11	10	6	5	1	-	-
FEMALE--	3	12	8	22	18	18	27	24	25	9	4	-
ALABAMA ----------	1	1	1	3	7	6	13	18	10	4	1	-
WHITE------MALE----	1	-	1	1	2	4	3	4	5	-	-	-
FEMALE--	-	-	-	2	5	1	9	13	4	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	3	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	3	-	-
ALASKA ----------	-	-	-	1	-	-	-	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	3	6	6	9	4	10	5	7	1	-	-
WHITE------MALE----	-	2	1	2	3	1	3	1	2	-	-	-
FEMALE--	-	1	4	4	6	3	7	4	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	3	3	7	14	7	-	1	-	-
WHITE------MALE----	-	-	-	-	2	2	2	2	-	1	-	-
FEMALE--	-	-	1	1	1	4	11	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
CALIFORNIA ----------	6	9	18	28	44	73	64	103	63	16	8	-
WHITE------MALE----	2	2	9	9	18	24	25	25	16	5	1	-
FEMALE--	4	6	5	16	23	41	33	74	44	11	6	-
ALL OTHER--MALE----	-	-	2	1	1	4	1	1	-	-	-	-
FEMALE--	-	1	2	2	2	4	5	3	3	-	1	-
BLACK---MALE----	-	-	2	-	1	3	-	1	-	-	-	-
FEMALE--	-	1	2	2	1	3	4	1	3	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diverticular disease of intestine (K57)												
COLORADO ----------	33	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	13	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	44	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	239	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	66	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	157	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	75	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
COLORADO ----------	-	-	-	4	4	7	2	10	1	1	-	-
WHITE------MALE----	-	-	-	1	3	1	-	5	-	-	-	-
FEMALE--	-	-	-	3	1	6	2	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	2	2	3	5	13	9	7	2	-	-
WHITE------MALE----	-	-	-	-	1	1	2	2	2	-	-	-
FEMALE--	-	-	2	2	1	4	11	7	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	1	5	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	2	-	1	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
FLORIDA ----------	4	8	8	13	27	40	55	36	31	12	3	-
WHITE------MALE----	2	1	3	5	11	10	14	11	9	-	-	-
FEMALE--	1	4	5	6	15	28	38	24	22	10	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	2	-	2	-	2	2	1	-	2	1	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	2	-	2	-	2	2	1	-	2	1	-
GEORGIA ----------	1	5	3	8	8	11	16	13	8	1	-	-
WHITE------MALE----	-	2	-	1	1	3	5	2	1	-	-	-
FEMALE--	-	1	2	5	6	5	9	9	7	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	2	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	-	2	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	2	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diverticular disease of intestine (K57)												
HAWAII ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	18	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	148	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	103	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	75	-	-	-	-	-	-	-	1	-	1	3
WHITE------MALE----	21	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	66	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	50	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	54	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
HAWAII	-	-	-	-	2	1	1	3	2	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	1	-	-	2	1	-	-	-
FEMALE	-	-	-	-	1	1	-	-	1	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	1	-	-	-	6	5	4	1	-	-	-
WHITE--MALE	-	-	-	-	-	3	-	2	-	-	-	-
FEMALE	-	1	-	-	-	3	5	2	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	2	3	6	7	19	20	32	24	23	8	2	-
WHITE--MALE	2	1	2	5	7	1	7	3	5	1	-	-
FEMALE	-	2	3	2	9	16	24	21	15	7	2	-
ALL OTHER--MALE	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE	-	-	1	-	2	3	1	-	2	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	2	3	1	-	2	-	-	-
INDIANA	-	3	2	7	6	9	11	16	15	1	-	-
WHITE--MALE	-	1	2	1	3	4	4	2	1	-	-	-
FEMALE	-	2	-	4	3	5	5	13	13	1	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE	-	-	-	1	-	-	2	1	-	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	-	-	2	1	-	-	-	-
IOWA	-	1	1	4	8	7	8	15	11	7	1	-
WHITE--MALE	-	-	1	2	1	3	3	3	2	-	-	-
FEMALE	-	1	-	2	7	4	5	12	9	7	1	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	3	2	1	10	10	9	12	7	-	-
WHITE--MALE	-	-	-	1	1	2	1	3	2	2	-	-
FEMALE	-	-	1	1	-	8	9	6	10	5	-	-
ALL OTHER--MALE	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2650

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diverticular disease of intestine (K57)												
KENTUCKY ----------	54	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	59	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	25	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	48	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	82	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	128	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	82	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
KENTUCKY ----------	3	-	-	6	7	10	8	12	5	3	-	-
WHITE------MALE----	2	-	-	1	3	2	1	1	1	-	-	-
FEMALE--	1	-	-	4	4	7	7	11	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
LOUISIANA ----------	-	1	4	2	5	9	11	18	7	1	-	-
WHITE------MALE----	-	-	1	-	3	2	6	3	-	-	-	-
FEMALE--	-	1	1	1	2	7	4	12	6	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	1	1	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	1	1	-	-	-	2	1	-	-	-
MAINE ----------	-	1	2	2	1	2	8	4	4	1	-	-
WHITE------MALE----	-	-	-	1	-	-	2	1	1	-	-	-
FEMALE--	-	1	2	1	1	2	6	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	2	7	2	4	11	12	7	3	-	-
WHITE------MALE----	-	-	2	4	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	2	2	3	9	9	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	3	-	-	-
MASSACHUSETTS ----------	1	1	1	5	6	12	15	19	17	3	-	-
WHITE------MALE----	1	-	-	-	1	3	3	6	2	-	-	-
FEMALE--	-	1	1	3	5	9	11	13	14	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	4	4	10	17	19	22	27	13	7	1	-
WHITE------MALE----	-	2	1	3	5	4	5	7	5	1	-	-
FEMALE--	1	1	3	6	11	13	15	18	6	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	2	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diverticular disease of intestine (K57)												
MINNESOTA ----------	59	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	37	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	76	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	24	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	17	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
MINNESOTA ----------	-	1	2	1	4	4	12	13	16	5	-	-
WHITE------MALE----	-	1	1	-	2	2	2	4	5	1	-	-
FEMALE--	-	-	1	1	2	1	10	9	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	1	2	2	9	5	7	7	1	1	-	-
WHITE------MALE----	1	-	1	2	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	6	3	5	4	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
MISSOURI ----------	1	3	2	5	9	12	13	16	9	5	1	-
WHITE------MALE----	-	-	1	2	3	3	2	5	-	-	-	-
FEMALE--	1	2	-	2	4	9	9	11	9	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	2	-	-	1	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	1	1	-
MONTANA ----------	-	-	-	1	1	1	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	3	-	1	-	5	6	7	1	-	-
WHITE------MALE----	-	1	2	-	-	-	2	1	3	1	-	-
FEMALE--	-	-	1	-	1	-	3	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	3	1	-	1	3	4	2	-	-	-
WHITE------MALE----	-	1	2	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	1	1	-	-	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diverticular disease of intestine (K57)												
NEW HAMPSHIRE ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	103	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	26	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	184	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	123	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
NORTH CAROLINA ---------	87	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
NEW HAMPSHIRE ----------	1	-	1	1	1	1	2	5	5	-	1	-
WHITE------MALE----	1	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	3	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	4	2	6	12	18	15	27	8	5	-	-
WHITE------MALE----	1	1	2	3	8	3	2	4	-	2	-	-
FEMALE--	1	3	-	3	1	14	10	21	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	3	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	3	2	-	-	-	-
NEW MEXICO ----------	2	-	2	3	6	4	2	2	3	1	-	-
WHITE------MALE----	1	-	-	1	3	-	-	-	1	1	-	-
FEMALE--	1	-	2	2	2	4	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	6	7	13	21	28	31	37	30	6	-	-
WHITE------MALE----	-	1	4	4	6	9	7	6	5	-	-	-
FEMALE--	1	2	2	6	11	18	23	30	24	6	-	-
ALL OTHER--MALE----	-	1	1	1	3	1	1	-	-	-	-	-
FEMALE--	1	2	-	2	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	1	3	1	1	-	-	-	-	-
FEMALE--	1	2	-	2	1	-	-	1	1	-	-	-
NORTH CAROLINA ---------	1	1	2	10	12	15	14	13	12	4	2	-
WHITE------MALE----	-	1	2	4	1	8	7	5	1	-	-	-
FEMALE--	-	-	-	5	5	6	5	7	9	3	1	-
ALL OTHER--MALE----	1	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	2	1	2	1	1	-
BLACK---MALE----	1	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	2	1	2	1	1	-
NORTH DAKOTA ----------	-	1	-	-	-	3	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diverticular disease of intestine (K57)												
OHIO ----------	120	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	32	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	84	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	49	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	41	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	142	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	41	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	92	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	20	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	46	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
OHIO ----------	1	4	2	7	16	23	24	22	13	2	4	-
WHITE------MALE----	-	1	-	2	4	9	6	3	4	1	1	-
FEMALE--	1	3	2	5	12	13	16	18	9	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
OKLAHOMA ----------	-	-	2	4	5	4	12	14	6	1	-	-
WHITE------MALE----	-	-	1	3	3	1	5	2	2	-	-	-
FEMALE--	-	-	-	1	-	3	6	10	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
OREGON ----------	2	1	-	1	3	7	14	7	3	2	1	-
WHITE------MALE----	-	1	-	1	1	3	6	2	1	1	-	-
FEMALE--	2	-	-	-	2	4	8	5	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	2	7	3	22	21	26	32	21	6	-	-
WHITE------MALE----	1	-	1	2	10	7	8	7	3	2	-	-
FEMALE--	1	2	4	1	11	14	16	24	15	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	2	-	1	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	2	-	1	-	2	1	1	-	-	-
RHODE ISLAND ----------	-	-	1	3	2	7	3	2	1	-	-	-
WHITE------MALE----	-	-	1	2	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	4	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	4	1	5	-	7	10	7	6	2	-	-
WHITE------MALE----	1	-	-	3	-	4	4	1	1	-	-	-
FEMALE--	1	1	1	1	-	3	5	6	5	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diverticular disease of intestine (K57)												
SOUTH DAKOTA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	78	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	226	-	-	-	-	-	1	-	-	3	4	4
WHITE------MALE----	73	-	-	-	-	-	1	-	-	3	3	2
FEMALE--	136	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	63	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
SOUTH DAKOTA ----------	-	-	-	-	1	-	3	5	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	6	2	3	8	10	15	15	15	3	-	-
WHITE------MALE----	-	1	1	1	4	3	5	3	2	-	-	-
FEMALE--	-	3	1	-	4	7	10	11	10	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	1	-	2	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	1	-	2	-	-	-	1	1	-	-	-
TEXAS ----------	6	4	5	14	27	32	34	49	32	9	2	-
WHITE------MALE----	2	2	5	6	8	12	11	10	6	2	-	-
FEMALE--	4	2	-	6	18	18	20	35	22	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	2	4	4	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	2	4	4	1	-	-
UTAH ----------	1	-	2	2	3	2	2	1	1	1	-	-
WHITE------MALE----	1	-	2	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	2	-	-	-	4	1	4	3	-	1	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	1	-	-	-	3	1	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	4	-	-	3	11	14	15	11	2	-	-
WHITE------MALE----	-	3	-	-	1	2	4	2	3	-	-	-
FEMALE--	2	-	-	-	2	7	9	12	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diverticular disease of intestine (K57)												
WASHINGTON ----------	82	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	33	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	37	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	64	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
WASHINGTON ----------	1	3	1	4	6	12	11	28	13	2	-	-
WHITE------MALE----	-	2	-	2	3	5	7	7	6	-	-	-
FEMALE--	1	1	1	2	3	5	4	21	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	-	-	2	2	3	8	6	8	5	2	-	-
WHITE------MALE----	-	-	1	-	2	1	1	1	2	-	-	-
FEMALE--	-	-	1	1	1	7	5	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	3	1	3	6	6	10	20	8	4	-	-
WHITE------MALE----	-	1	-	1	2	2	4	3	2	2	-	-
FEMALE--	1	2	1	2	4	4	6	17	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2656

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
UNITED STATES -	4,434	56	26	8	10	5	10	11	17	40	61	85
WHITE------MALE----	1,471	24	6	1	5	4	4	3	8	16	27	43
FEMALE--	2,492	12	14	4	2	-	3	5	7	15	21	22
ALL OTHER--MALE----	216	15	5	1	1	1	1	2	1	5	5	12
FEMALE--	255	5	1	2	2	-	2	1	1	4	8	8
BLACK---MALE----	182	13	5	-	1	1	1	1	-	4	5	12
FEMALE--	226	5	1	2	2	-	2	1	1	4	7	8
ALABAMA ----------	71	3	-	-	-	1	1	1	1	1	-	2
WHITE------MALE----	21	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	3	-	-	-	1	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	7	3	-	-	-	1	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	1	1	-	-	-	-
ALASKA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	68	1	1	-	-	-	1	-	-	-	-	1
WHITE------MALE----	24	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	41	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	52	-	-	-	-	-	1	1	-	-	-	1
WHITE------MALE----	20	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA ----------	357	10	4	2	2	1	-	-	2	4	10	11
WHITE------MALE----	125	6	1	-	1	1	-	-	-	1	6	7
FEMALE--	200	3	2	2	-	-	-	-	1	1	3	3
ALL OTHER--MALE----	19	1	-	-	1	-	-	-	1	1	1	1
FEMALE--	13	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	1	-	-	1	-	-	-	-	-	1	1
FEMALE--	9	-	1	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
UNITED STATES -	114	157	207	320	498	713	768	714	422	160	32	-
WHITE------MALE----	49	66	75	119	196	262	258	182	93	26	4	-
FEMALE--	43	68	100	158	248	385	446	487	303	123	26	-
ALL OTHER--MALE----	11	12	14	17	18	33	22	23	10	6	1	-
FEMALE--	11	11	18	26	36	33	42	22	16	5	1	-
BLACK---MALE----	11	10	10	17	15	22	20	20	10	4	-	-
FEMALE--	10	10	15	22	32	28	36	18	16	5	1	-
ALABAMA ----------	3	4	5	7	5	7	14	11	2	3	-	-
WHITE------MALE----	2	-	2	4	2	-	4	3	1	1	-	-
FEMALE--	-	3	1	3	3	7	8	7	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	2	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	2	-	1	1	-	-
ALASKA ----------	-	-	-	1	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	2	4	7	10	9	12	11	4	4	-	-
WHITE------MALE----	-	-	3	3	3	5	7	-	-	-	-	-
FEMALE--	1	1	1	4	7	4	4	11	4	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	3	6	7	4	10	9	7	1	-	-
WHITE------MALE----	2	-	-	4	4	1	4	3	1	-	-	-
FEMALE--	-	-	2	2	3	3	5	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
CALIFORNIA ----------	8	17	14	31	38	52	53	53	33	9	3	-
WHITE------MALE----	3	5	3	14	11	18	18	18	10	2	-	-
FEMALE--	3	12	6	15	26	26	30	34	23	7	3	-
ALL OTHER--MALE----	1	-	3	-	1	6	1	1	-	-	-	-
FEMALE--	1	-	2	2	-	2	4	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	3	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
COLORADO ----------	66	-	-	-	2	-	-	-	-	1	-	1
WHITE------MALE----	23	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	88	-	-	-	1	-	-	-	2	-	1	3
WHITE------MALE----	37	-	-	-	-	-	-	-	2	-	1	3
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
DELAWARE ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	263	3	-	-	-	-	-	-	-	1	1	3
WHITE------MALE----	85	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	154	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
GEORGIA ----------	100	4	2	-	-	-	1	1	-	1	-	5
WHITE------MALE----	23	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	55	1	-	-	-	-	1	1	-	1	-	1
ALL OTHER--MALE----	10	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	10	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
COLORADO ----------	1	4	4	4	6	12	9	10	8	3	1	-
WHITE------MALE----	-	3	3	1	-	3	4	5	1	-	1	-
FEMALE--	1	1	1	3	3	8	5	5	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
CONNECTICUT ----------	2	2	3	6	12	16	15	11	7	5	2	-
WHITE------MALE----	1	-	1	2	6	8	3	6	2	2	-	-
FEMALE--	1	1	2	3	6	8	10	5	4	3	2	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
DELAWARE ----------	-	-	1	-	1	2	1	1	1	1	-	-
WHITE------MALE----	-	-	1	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	2	4	2	-	2	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	3	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	3	-	-	1	2	-	-	-
FLORIDA ----------	11	9	8	23	27	49	44	47	29	8	-	-
WHITE------MALE----	4	4	6	8	11	19	12	10	8	1	-	-
FEMALE--	6	4	-	12	15	28	27	34	18	6	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	2	2	1	-	-	-
FEMALE--	1	1	1	2	1	1	3	1	2	1	-	-
BLACK---MALE----	-	-	1	1	-	1	2	2	1	-	-	-
FEMALE--	1	1	1	1	1	1	3	1	2	1	-	-
GEORGIA ----------	1	2	8	6	14	14	15	17	6	3	-	-
WHITE------MALE----	-	2	3	1	7	4	2	1	-	-	-	-
FEMALE--	1	-	4	2	6	8	10	10	6	3	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	3	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	3	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
HAWAII ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	22	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	218	7	3	-	-	-	-	-	-	5	2	4
WHITE------MALE----	63	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	126	2	2	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	18	1	1	-	-	-	-	-	-	1	-	2
FEMALE--	11	2	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	17	1	1	-	-	-	-	-	-	1	-	2
FEMALE--	11	2	-	-	-	-	-	-	-	1	1	-
INDIANA ----------	99	1	-	1	-	-	-	-	-	-	1	4
WHITE------MALE----	30	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	-
IOWA ----------	57	-	1	-	-	-	-	-	1	-	1	-
WHITE------MALE----	25	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	51	-	1	-	-	-	-	1	-	-	1	2
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
HAWAII ----------	1	1	-	2	1	2	3	2	-	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	2	1	-	-	-	1	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	2	1	2	1	3	2	4	3	3	-	-
WHITE------MALE----	-	1	-	1	1	1	-	1	1	1	-	-
FEMALE--	-	1	1	1	-	2	2	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	7	3	12	14	20	35	46	35	21	4	-	-
WHITE------MALE----	5	-	1	2	11	10	17	7	5	1	-	-
FEMALE--	2	2	9	10	8	21	24	26	14	2	-	-
ALL OTHER--MALE----	-	1	2	1	-	2	3	1	2	1	-	-
FEMALE--	-	-	-	1	1	2	2	1	-	-	-	-
BLACK---MALE----	-	1	2	1	-	2	3	-	2	1	-	-
FEMALE--	-	-	-	1	1	2	2	1	-	-	-	-
INDIANA ----------	2	2	6	7	9	21	16	16	9	4	-	-
WHITE------MALE----	-	2	3	2	5	9	4	-	1	1	-	-
FEMALE--	2	-	2	4	4	12	11	15	7	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
IOWA ----------	-	-	2	4	3	11	14	8	8	3	1	-
WHITE------MALE----	-	-	1	3	1	6	6	5	-	1	-	-
FEMALE--	-	-	1	1	2	5	8	3	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	2	3	2	5	6	9	11	2	3	-	-
WHITE------MALE----	2	1	1	-	2	2	3	3	-	1	-	-
FEMALE--	1	1	2	2	3	1	6	7	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
KENTUCKY ----------	83	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	78	3	1	-	-	-	1	-	-	1	1	-
WHITE------MALE----	26	1	-	-	-	-	1	-	-	1	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	90	-	-	-	-	-	1	-	-	4	-	2
WHITE------MALE----	27	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	-	2	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	1	-	-	2	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	134	-	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	36	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	95	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	171	-	-	-	-	-	-	-	2	3	4	3
WHITE------MALE----	49	-	-	-	-	-	-	-	-	3	2	1
FEMALE--	108	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
KENTUCKY ----------	2	4	4	14	10	13	11	14	7	3	-	-
WHITE------MALE----	2	1	1	5	6	2	4	4	2	1	-	-
FEMALE--	-	3	3	8	4	9	7	9	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
LOUISIANA ----------	2	3	3	4	11	13	15	12	8	-	-	-
WHITE------MALE----	1	1	1	1	5	4	2	5	2	-	-	-
FEMALE--	-	1	2	1	3	6	11	7	5	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	2	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	2	1	-	1	-	-	-
MAINE ----------	1	1	-	-	8	3	4	5	2	2	1	-
WHITE------MALE----	1	-	-	-	2	3	2	2	-	-	-	-
FEMALE--	-	1	-	-	6	-	2	3	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	3	3	7	16	10	21	11	5	5	-	-
WHITE------MALE----	-	2	1	2	5	3	7	4	2	-	-	-
FEMALE--	-	1	-	4	9	3	9	4	2	4	-	-
ALL OTHER--MALE----	1	-	-	-	1	3	3	2	-	1	-	-
FEMALE--	1	-	2	1	1	1	2	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	3	3	2	-	1	-	-
FEMALE--	1	-	2	1	1	1	2	1	1	-	-	-
MASSACHUSETTS ----------	3	3	4	4	9	29	23	25	22	8	1	-
WHITE------MALE----	1	1	1	1	6	13	5	1	2	4	-	-
FEMALE--	2	1	3	3	3	16	17	24	20	4	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	3	7	12	23	41	23	21	15	6	3	-
WHITE------MALE----	2	1	2	3	6	14	3	7	2	2	1	-
FEMALE--	1	1	5	9	15	24	20	12	11	4	2	-
ALL OTHER--MALE----	2	1	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	2	-	-	-
BLACK---MALE----	2	1	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
MINNESOTA ----------	64	1	1	1	-	-	-	-	1	-	2	1
WHITE------MALE----	28	1	1	1	-	-	-	-	1	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	43	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
MISSOURI ----------	112	-	-	-	1	-	-	-	1	-	-	4
WHITE------MALE----	43	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	35	-	-	-	-	-	1	-	-	1	-	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	35	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	11	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
MINNESOTA ----------	1	2	1	2	8	6	12	11	7	7	-	-
WHITE------MALE----	-	1	-	-	3	2	6	5	2	3	-	-
FEMALE--	1	1	1	1	5	4	6	6	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	5	3	5	7	4	7	5	2	1	-
WHITE------MALE----	-	1	-	-	1	1	-	1	3	-	-	-
FEMALE--	-	-	3	2	2	2	4	4	2	1	1	-
ALL OTHER--MALE----	-	-	1	1	1	2	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	1	-	-
BLACK---MALE----	-	-	1	1	1	2	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	1	-	-
MISSOURI ----------	4	6	4	13	7	18	16	15	15	8	-	-
WHITE------MALE----	2	3	2	9	3	7	6	4	3	1	-	-
FEMALE--	2	2	2	3	3	10	10	11	12	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	1	-	-
MONTANA ----------	-	1	-	1	-	2	1	-	1	2	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	1	6	6	5	6	4	2	-	-
WHITE------MALE----	-	-	-	1	2	4	2	3	3	-	-	-
FEMALE--	1	-	-	-	3	1	3	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	2	3	1	5	8	5	6	1	-	1	-
WHITE------MALE----	-	2	2	-	-	2	1	1	-	-	1	-
FEMALE--	1	-	1	1	5	6	4	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
NEW HAMPSHIRE ----------	22	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	162	4	1	-	-	-	-	-	1	1	5	3
WHITE------MALE----	55	1	-	-	-	-	-	-	-	-	3	2
FEMALE--	90	2	1	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	29	1	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	241	3	1	1	1	-	-	1	1	4	2	6
WHITE------MALE----	88	1	-	-	1	-	-	1	1	1	2	3
FEMALE--	135	-	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	1	-	-	-	-	-	1	-	1
BLACK---MALE----	8	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	1	-	-	-	-	-	1	-	1
NORTH CAROLINA ---------	126	2	3	-	-	-	-	-	1	-	2	2
WHITE------MALE----	32	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	71	-	2	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
NORTH DAKOTA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
NEW HAMPSHIRE ----------	-	-	1	1	3	6	3	5	2	-	-	-
WHITE------MALE----	-	-	-	1	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	3	2	5	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	6	10	10	23	24	27	25	17	2	1	-
WHITE------MALE----	2	2	2	7	6	7	12	6	5	-	-	-
FEMALE--	-	1	7	2	12	17	13	16	12	2	1	-
ALL OTHER--MALE----	-	2	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	4	-	1	2	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	4	-	1	1	-	-	-	-
NEW MEXICO ----------	1	2	2	1	5	4	4	4	3	-	-	-
WHITE------MALE----	1	1	1	-	2	1	4	-	1	-	-	-
FEMALE--	-	1	-	1	3	2	-	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	10	13	12	30	33	51	35	22	7	2	-
WHITE------MALE----	1	3	8	3	15	18	16	7	6	1	-	-
FEMALE--	4	6	5	7	14	15	32	26	15	6	2	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	2	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	2	1	1	-	-	-
NORTH CAROLINA ---------	2	7	7	8	16	21	18	21	11	5	-	-
WHITE------MALE----	-	-	2	2	7	9	1	7	1	-	-	-
FEMALE--	1	4	4	3	5	12	12	13	8	5	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	2	1	-	-	-	-
FEMALE--	1	2	-	2	4	-	3	-	2	-	-	-
BLACK---MALE----	-	1	1	1	-	-	2	1	-	-	-	-
FEMALE--	1	2	-	2	4	-	2	-	2	-	-	-
NORTH DAKOTA ----------	-	1	-	1	2	4	3	-	4	1	-	-
WHITE------MALE----	-	1	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2662

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
OHIO ----------	201	1	1	-	1	1	-	1	-	1	5	1
WHITE------MALE----	64	-	-	-	1	1	-	-	-	1	1	-
FEMALE--	109	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	1	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	1	-	-	-	-	-	-	-	-	3	-
OKLAHOMA ----------	66	-	-	-	1	-	-	-	1	1	1	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	47	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	242	2	-	-	-	-	-	1	1	1	5	3
WHITE------MALE----	87	1	-	-	-	-	-	1	-	1	4	2
FEMALE--	136	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	26	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	72	-	-	-	-	-	-	-	-	1	-	4
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
OHIO ----------	4	9	6	14	28	23	43	31	24	4	3	-
WHITE------MALE----	1	3	2	5	11	7	18	8	4	1	-	-
FEMALE--	3	4	2	6	11	12	21	22	20	3	3	-
ALL OTHER--MALE----	-	-	-	2	3	2	1	1	-	-	-	-
FEMALE--	-	2	2	1	3	2	3	-	-	-	-	-
BLACK---MALE----	-	-	-	2	3	2	1	1	-	-	-	-
FEMALE--	-	2	2	1	2	2	3	-	-	-	-	-
OKLAHOMA ----------	2	1	1	11	7	7	17	8	4	2	2	-
WHITE------MALE----	1	1	-	3	6	2	7	1	1	-	-	-
FEMALE--	1	-	1	6	1	4	9	6	3	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
OREGON ----------	-	1	5	1	7	7	10	8	5	1	-	-
WHITE------MALE----	-	1	1	-	5	2	6	3	3	-	-	-
FEMALE--	-	-	3	-	2	5	3	4	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	5	5	8	13	28	48	51	43	17	9	2	-
WHITE------MALE----	2	2	2	7	11	19	20	11	4	-	-	-
FEMALE--	1	2	6	6	12	25	29	31	11	9	1	-
ALL OTHER--MALE----	2	-	-	-	3	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	2	3	2	1	1	-	1	-
BLACK---MALE----	2	-	-	-	3	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	2	2	2	1	1	-	1	-
RHODE ISLAND ----------	2	2	-	2	2	5	4	3	4	1	-	-
WHITE------MALE----	2	2	-	1	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	4	3	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	6	9	7	7	12	8	4	7	5	-	-
WHITE------MALE----	-	1	3	1	1	6	1	-	3	-	-	-
FEMALE--	-	3	3	4	2	5	7	4	4	3	-	-
ALL OTHER--MALE----	2	2	-	2	1	1	-	-	-	1	-	-
FEMALE--	-	-	3	-	3	-	-	-	-	1	-	-
BLACK---MALE----	2	2	-	2	1	1	-	-	-	1	-	-
FEMALE--	-	-	3	-	3	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
SOUTH DAKOTA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	95	1	-	-	-	-	-	-	-	2	2	1
WHITE------MALE----	34	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	48	1	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
TEXAS ----------	284	7	2	-	-	1	3	1	2	5	6	5
WHITE------MALE----	101	5	-	-	-	1	1	-	1	4	1	4
FEMALE--	158	1	2	-	-	-	1	1	1	1	5	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	13	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
UTAH ----------	20	-	-	-	-	1	-	-	-	-	-	2
WHITE------MALE----	6	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	123	1	-	-	-	-	-	-	-	-	4	2
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	70	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
SOUTH DAKOTA ----------	1	1	-	-	1	1	1	-	1	1	-	-
WHITE------MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	3	6	8	8	13	15	22	10	1	1	-
WHITE------MALE----	2	1	2	5	5	4	5	6	3	-	-	-
FEMALE--	-	2	3	1	3	8	8	13	6	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	1	-	1	1	3	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	1	-	1	1	3	1	-	-	-
TEXAS ----------	12	9	16	18	28	49	43	43	23	9	2	-
WHITE------MALE----	3	7	7	7	10	18	18	9	4	1	-	-
FEMALE--	4	2	8	9	16	28	21	32	16	8	2	-
ALL OTHER--MALE----	2	-	1	2	1	-	1	1	3	-	-	-
FEMALE--	3	-	-	-	1	3	3	1	-	-	-	-
BLACK---MALE----	2	-	1	2	1	-	1	1	3	-	-	-
FEMALE--	3	-	-	-	1	3	2	1	-	-	-	-
UTAH ----------	-	-	1	3	1	-	4	8	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	3	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	1	1	-	3	3	2	3	-	-
WHITE------MALE----	1	-	-	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	6	4	13	13	22	20	18	13	4	-	-
WHITE------MALE----	-	4	1	3	3	8	3	6	-	-	-	-
FEMALE--	3	2	2	7	7	9	12	9	13	4	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	3	2	-	-	-	-
FEMALE--	-	-	1	2	2	4	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	3	1	-	-	-	-
FEMALE--	-	-	1	2	2	4	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
WASHINGTON ----------	75	-	1	-	-	-	-	1	-	1	2	-
WHITE------MALE----	28	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	44	-	1	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	39	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	84	-	-	-	1	-	-	1	-	1	-	1
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
WASHINGTON ----------	1	1	2	4	4	15	11	22	8	-	2	-
WHITE------MALE----	1	-	2	2	-	4	7	7	2	-	1	-
FEMALE--	-	1	-	2	4	8	4	15	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	3	3	-	1	2	11	11	3	3	-	-
WHITE------MALE----	1	2	1	-	-	1	7	7	1	-	-	-
FEMALE--	-	1	2	-	1	1	4	4	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	4	4	6	10	12	15	17	7	1	2	-
WHITE------MALE----	2	4	3	4	6	4	2	2	2	-	-	-
FEMALE--	-	-	1	2	4	8	13	15	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	1	-	2	3	2	1	-	1	-	-
WHITE------MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2665

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
UNITED STATES -	1,894	20	5	4	6	3	7	9	18	35	57	75
WHITE------MALE----	726	7	3	2	2	-	2	2	12	17	29	42
FEMALE--	851	4	2	-	1	1	2	2	4	13	16	19
ALL OTHER--MALE----	142	5	-	-	2	-	1	2	1	1	5	10
FEMALE--	175	4	-	2	1	2	2	3	1	4	7	4
BLACK---MALE----	124	4	-	-	1	-	1	1	1	1	3	9
FEMALE--	155	4	-	2	-	2	2	3	1	3	6	4
ALABAMA ----------	32	-	-	-	-	-	-	-	-	1	-	4
WHITE------MALE----	10	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	35	1	1	-	-	-	-	-	-	-	1	1
WHITE------MALE----	15	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	14	-	-	1	-	-	-	-	-	-	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	128	2	-	-	-	-	1	-	4	3	8	6
WHITE------MALE----	56	-	-	-	-	-	1	-	2	2	6	3
FEMALE--	58	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2665

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
UNITED STATES -	93	104	113	152	247	272	270	205	138	51	10	-
WHITE------MALE----	39	37	48	58	106	106	104	59	37	12	2	-
FEMALE--	26	36	41	60	103	127	144	120	87	37	6	-
ALL OTHER--MALE----	16	16	16	16	16	16	9	7	3	-	-	-
FEMALE--	12	15	8	18	22	23	13	19	11	2	2	-
BLACK---MALE----	16	15	12	13	15	14	9	6	3	-	-	-
FEMALE--	11	15	7	15	20	19	12	15	10	2	2	-
ALABAMA ----------	2	2	1	2	7	4	5	3	-	1	-	-
WHITE------MALE----	-	-	1	-	4	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	2	1	-	1	-	-	1	1	-	1	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	2	1	-	1	-	-	1	1	-	1	-	-
ALASKA ----------	-	2	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	2	3	3	3	7	2	3	4	-	-	-
WHITE------MALE----	1	1	2	1	1	2	2	2	1	-	-	-
FEMALE--	2	1	-	2	2	4	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	3	4	2	-	-	1	-	-	-
WHITE------MALE----	-	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
CALIFORNIA ----------	5	3	9	10	16	14	20	13	12	1	1	-
WHITE------MALE----	1	2	8	5	7	4	9	4	1	-	1	-
FEMALE--	3	1	1	4	6	8	10	7	11	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	3	2	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
COLORADO ----------	21	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	25	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	132	1	-	-	-	-	-	-	-	1	5	5
WHITE------MALE----	69	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	50	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
GEORGIA ----------	50	-	-	-	-	-	-	1	-	2	3	2
WHITE------MALE----	18	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
COLORADO ----------	1	-	1	1	3	2	4	4	2	1	1	-
WHITE------MALE----	-	-	1	-	2	2	3	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	2	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	1	3	3	4	6	3	2	1	-	-
WHITE------MALE----	1	-	-	1	1	3	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	4	2	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	2	-	1	-	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
FLORIDA ----------	10	6	9	13	19	13	22	14	8	6	-	-
WHITE------MALE----	5	2	5	9	12	11	8	4	5	1	-	-
FEMALE--	2	2	4	2	5	1	13	10	3	5	-	-
ALL OTHER--MALE----	3	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	-	-	-	-	-
BLACK---MALE----	3	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	-	-	-	-	-
GEORGIA ----------	4	9	1	2	7	8	2	2	5	1	1	-
WHITE------MALE----	-	3	-	1	5	4	-	1	1	-	-	-
FEMALE--	1	3	1	1	2	3	1	1	2	1	-	-
ALL OTHER--MALE----	1	3	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	1	3	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
HAWAII ----------	9	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	14	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	112	4	-	-	-	-	1	-	-	3	5	2
WHITE------MALE----	31	2	-	-	-	-	-	-	-	1	2	2
FEMALE--	54	1	-	-	-	-	1	-	-	2	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	1	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	2	-
INDIANA ----------	58	-	-	-	-	-	-	-	2	2	-	3
WHITE------MALE----	23	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	18	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	19	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
HAWAII ----------	-	-	1	-	1	2	-	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	1	2	-	4	1	2	1	-	-	-
WHITE------MALE----	1	-	1	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	-	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	2	8	12	18	12	11	18	8	2	1	-
WHITE------MALE----	1	-	2	3	6	3	3	5	1	-	-	-
FEMALE--	2	-	4	4	8	7	7	11	4	1	1	-
ALL OTHER--MALE----	2	2	1	1	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	4	2	-	-	1	3	1	-	-
BLACK---MALE----	2	1	1	1	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	3	2	-	-	1	3	1	-	-
INDIANA ----------	1	6	4	4	8	11	8	5	2	1	1	-
WHITE------MALE----	-	3	2	1	3	3	4	1	1	1	-	-
FEMALE--	1	2	2	2	5	6	3	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
IOWA ----------	-	-	-	2	2	2	3	3	3	1	-	-
WHITE------MALE----	-	-	-	1	2	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	3	4	5	2	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	2	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
KENTUCKY ----------	25	-	1	-	-	1	-	-	-	-	1	-
WHITE------MALE----	9	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	30	-	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	44	-	-	-	1	-	-	-	1	-	-	2
WHITE------MALE----	15	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	58	-	-	-	-	-	-	1	-	2	4	1
WHITE------MALE----	31	-	-	-	-	-	-	1	-	2	2	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	79	1	-	-	-	-	2	-	1	2	1	1
WHITE------MALE----	27	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	37	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
KENTUCKY ----------	1	-	1	2	4	5	4	4	-	-	1	-
WHITE------MALE----	-	-	1	2	1	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	4	2	4	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
LOUISIANA ----------	4	1	3	2	5	3	3	3	3	-	-	-
WHITE------MALE----	1	-	2	1	1	2	1	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	2	2	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	-	-	1	1	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	-	-	1	1	-	-	-
MAINE ----------	-	-	1	1	2	3	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	5	1	2	5	12	6	2	4	2	-	-
WHITE------MALE----	-	2	-	-	3	3	4	-	1	-	-	-
FEMALE--	-	-	-	2	1	6	2	1	2	2	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	2	-	1	1	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	2	-	1	1	-	-	-
MASSACHUSETTS ----------	5	-	3	3	8	13	6	5	5	2	-	-
WHITE------MALE----	4	-	2	2	4	5	4	1	2	1	-	-
FEMALE--	1	-	-	1	4	8	2	4	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	9	4	5	8	16	14	2	5	3	-	-
WHITE------MALE----	2	4	-	-	4	6	2	-	2	3	-	-
FEMALE--	-	2	3	3	3	7	11	2	3	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	2	1	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	2	-	2	-	2	1	-	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
MINNESOTA ----------	31	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	24	1	-	-	1	1	-	2	-	-	-	-
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	1	-	-	-	-
MISSOURI ----------	34	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	6	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	12	-	-	1	-	-	-	-	-	-	1	1
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
MINNESOTA	-	5	-	4	3	4	6	5	2	1	-	-
WHITE--MALE	-	3	-	1	-	2	2	2	-	-	-	-
FEMALE	-	2	-	2	3	2	4	3	2	1	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	1	4	6	3	3	1	1	-	-
WHITE--MALE	-	-	-	1	2	1	-	1	-	-	-	-
FEMALE	-	-	-	-	1	3	1	2	1	1	-	-
ALL OTHER--MALE	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE	-	-	-	-	1	1	1	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE	-	-	-	-	1	1	1	-	-	-	-	-
MISSOURI	3	-	-	5	4	8	6	3	2	-	1	-
WHITE--MALE	2	-	-	1	2	2	3	2	1	-	1	-
FEMALE	1	-	-	4	1	6	3	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	1	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	-	-	1	-	-	-	-
MONTANA	-	-	-	-	1	1	1	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	1	-	-	2	1	1	2	2	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	1	1	1	2	2	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA	1	2	1	-	1	3	2	1	-	-	-	-
WHITE--MALE	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE	-	2	1	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2670

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
NEW HAMPSHIRE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	75	1	-	-	-	-	-	-	2	5	1	5
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	41	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	9	1	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	8	1	-	-	-	-	-	-	-	2	-	-
NEW MEXICO ----------	12	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	122	4	-	-	-	-	1	-	1	6	1	4
WHITE------MALE----	37	2	-	-	-	-	-	-	1	3	-	3
FEMALE--	60	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	11	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	10	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	-
NORTH CAROLINA ---------	55	-	-	-	-	-	-	1	-	-	3	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	1	-	-	2	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
NEW HAMPSHIRE ----------	-	-	-	-	2	2	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	4	1	3	11	5	18	6	8	3	-	-
WHITE------MALE----	1	-	-	1	3	-	6	2	2	-	-	-
FEMALE--	1	4	-	-	6	3	11	4	5	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	2	-	1	-	-	-	-	-
NEW MEXICO ----------	1	1	1	-	-	2	3	2	-	-	-	-
WHITE------MALE----	1	1	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEW YORK ----------	5	11	11	8	18	9	21	12	7	3	-	-
WHITE------MALE----	2	2	1	2	6	2	9	2	1	1	-	-
FEMALE--	1	6	4	4	11	5	9	8	6	2	-	-
ALL OTHER--MALE----	2	-	6	-	-	-	1	-	-	-	-	-
FEMALE--	-	3	-	2	1	2	2	2	-	-	-	-
BLACK---MALE----	2	-	5	-	-	-	1	-	-	-	-	-
FEMALE--	-	3	-	2	1	2	2	2	-	-	-	-
NORTH CAROLINA ---------	3	-	3	8	7	6	7	9	4	1	1	-
WHITE------MALE----	1	-	1	2	1	3	1	1	-	-	-	-
FEMALE--	1	-	1	2	4	1	5	5	4	1	-	-
ALL OTHER--MALE----	1	-	-	3	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	3	-	-	1	-
BLACK---MALE----	1	-	-	3	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	3	-	-	1	-
NORTH DAKOTA ----------	-	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
OHIO ----------	85	-	1	-	1	-	-	-	1	-	2	2
WHITE------MALE----	37	-	-	-	1	-	-	-	1	-	2	2
FEMALE--	39	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	26	-	-	-	1	-	-	-	-	-	1	3
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	113	-	-	-	-	-	-	1	1	1	3	6
WHITE------MALE----	50	-	-	-	-	-	-	-	-	-	3	5
FEMALE--	52	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND ----------	5	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	33	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
OHIO ----------	4	4	8	7	11	14	13	9	5	2	1	-
WHITE------MALE----	3	-	4	3	4	7	7	3	-	-	-	-
FEMALE--	-	2	3	3	7	6	6	5	3	2	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	1	-	-	-
OKLAHOMA ----------	1	3	-	-	2	3	3	3	4	1	1	-
WHITE------MALE----	1	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	2	-	-	1	2	1	3	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	1	-	-	2	8	6	-	2	1	-	-
WHITE------MALE----	2	1	-	-	1	5	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	4	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	9	4	12	21	16	11	12	9	4	-	-
WHITE------MALE----	1	3	-	5	9	8	7	6	3	-	-	-
FEMALE--	2	3	4	5	10	7	4	6	5	4	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	-	-	1	-	-	-
RHODE ISLAND ----------	-	-	-	-	1	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	4	3	1	6	7	5	2	2	-	-	-
WHITE------MALE----	-	1	1	-	1	2	-	2	1	-	-	-
FEMALE--	-	-	1	-	4	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	1	3	1	-	1	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	1	3	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	27	-	-	-	-	-	-	-	-	2	2	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	108	3	1	1	-	-	-	1	-	1	4	6
WHITE------MALE----	38	1	-	-	-	-	-	-	-	1	-	4
FEMALE--	50	2	1	-	-	-	-	1	-	-	4	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	-
UTAH ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	49	1	-	-	-	-	-	-	1	-	-	4
WHITE------MALE----	23	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
SOUTH DAKOTA ----------	-	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	2	3	3	1	6	1	2	3	-	-	-
WHITE------MALE----	-	1	1	2	1	-	1	-	2	-	-	-
FEMALE--	-	-	1	1	-	4	-	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
TEXAS ----------	6	3	11	10	11	11	16	11	8	4	-	-
WHITE------MALE----	3	1	5	2	5	3	6	2	4	1	-	-
FEMALE--	2	2	3	5	6	5	6	7	3	3	-	-
ALL OTHER--MALE----	-	-	2	2	-	3	2	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	2	1	-	3	2	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	1	1	-	-	-
UTAH ----------	2	-	-	1	1	2	3	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	6	5	6	5	5	5	7	1	2	-	-
WHITE------MALE----	1	4	4	-	3	1	2	3	-	2	-	-
FEMALE--	-	1	1	2	-	2	3	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
WASHINGTON ----------	34	1	1	-	-	1	1	-	-	-	1	2
WHITE------MALE----	18	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
WEST VIRGINIA ----------	21	-	-	-	1	-	-	-	-	1	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	42	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
WASHINGTON ----------	2	1	2	5	3	5	3	4	2	-	-	-
WHITE------MALE----	2	-	1	3	1	4	2	2	-	-	-	-
FEMALE--	-	1	-	2	1	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	4	1	3	3	1	6	-	-	-	-
WHITE------MALE----	-	-	1	1	3	1	1	2	-	-	-	-
FEMALE--	-	-	3	-	-	2	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WISCONSIN ----------	3	-	2	-	4	3	10	10	4	2	-	-
WHITE------MALE----	1	-	1	-	3	2	4	5	2	1	-	-
FEMALE--	1	-	1	-	1	1	6	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2674

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
UNITED STATES -	33,619	86	23	11	16	31	47	112	456	1,367	2,695	3,916
WHITE------MALE----	18,323	30	10	2	2	14	11	52	234	718	1,564	2,371
FEMALE--	10,350	20	8	5	11	9	17	30	119	381	583	746
ALL OTHER--MALE----	3,027	27	1	4	1	2	7	12	57	153	355	550
FEMALE--	1,919	9	4	-	2	6	12	18	46	115	193	249
BLACK---MALE----	2,425	22	-	3	1	2	6	9	35	106	274	461
FEMALE--	1,494	8	4	-	2	6	11	16	33	81	156	202
ALABAMA ----------	569	-	1	-	1	-	2	6	9	26	45	75
WHITE------MALE----	300	-	-	-	-	-	1	2	5	10	24	43
FEMALE--	153	-	-	-	1	-	-	1	-	9	6	11
ALL OTHER--MALE----	68	-	-	-	-	-	-	1	2	5	7	16
FEMALE--	48	-	1	-	-	-	1	2	2	2	8	5
BLACK---MALE----	66	-	-	-	-	-	-	-	2	5	7	16
FEMALE--	48	-	1	-	-	-	1	2	2	2	8	5
ALASKA ----------	62	1	-	-	-	-	1	-	1	3	8	7
WHITE------MALE----	30	1	-	-	-	-	-	-	-	1	3	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	4	-
FEMALE--	14	-	-	-	-	-	1	-	-	1	1	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	810	2	2	-	-	2	-	2	15	30	83	100
WHITE------MALE----	443	1	2	-	-	1	-	-	4	6	41	58
FEMALE--	230	-	-	-	-	-	-	1	2	13	19	17
ALL OTHER--MALE----	86	1	-	-	-	1	-	-	6	6	16	13
FEMALE--	51	-	-	-	-	-	-	1	3	5	7	12
BLACK---MALE----	14	1	-	-	-	1	-	-	-	-	-	4
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	307	-	-	-	-	-	-	1	7	13	18	37
WHITE------MALE----	170	-	-	-	-	-	-	1	3	10	13	21
FEMALE--	100	-	-	-	-	-	-	-	2	2	4	9
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	19	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	3
CALIFORNIA ----------	4,054	8	4	-	2	6	3	20	71	177	368	527
WHITE------MALE----	2,370	2	1	-	-	5	-	13	44	116	221	350
FEMALE--	1,210	2	2	-	2	1	3	5	14	47	97	116
ALL OTHER--MALE----	285	2	-	-	-	-	-	-	10	8	35	38
FEMALE--	189	2	1	-	-	-	-	2	3	6	15	23
BLACK---MALE----	158	1	-	-	-	-	-	-	4	3	18	25
FEMALE--	105	2	1	-	-	-	-	1	2	5	8	18

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2674

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
UNITED STATES -	3,897	3,476	3,516	3,630	3,635	3,112	2,044	1,050	388	92	16	3
WHITE------MALE----	2,423	2,081	1,990	2,038	1,861	1,422	917	420	133	24	4	2
FEMALE--	805	792	981	1,151	1,417	1,438	999	545	223	60	10	-
ALL OTHER--MALE----	468	406	321	267	186	118	48	29	10	3	1	1
FEMALE--	201	197	224	174	171	134	80	56	22	5	1	-
BLACK---MALE----	387	329	266	215	149	89	38	24	6	1	1	1
FEMALE--	160	155	180	130	121	104	59	41	19	5	1	-
ALABAMA ----------	57	63	56	67	54	44	33	22	6	2	-	-
WHITE------MALE----	40	34	35	41	29	16	10	9	1	-	-	-
FEMALE--	7	17	7	17	19	23	19	11	3	2	-	-
ALL OTHER--MALE----	9	8	9	5	2	2	1	1	-	-	-	-
FEMALE--	1	4	5	4	4	3	3	1	2	-	-	-
BLACK---MALE----	8	8	9	5	2	2	1	1	-	-	-	-
FEMALE--	1	4	5	4	4	3	3	1	2	-	-	-
ALASKA ----------	8	8	6	5	6	3	4	1	-	-	-	-
WHITE------MALE----	5	4	3	4	5	1	1	-	-	-	-	-
FEMALE--	2	1	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	1	3	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	92	106	89	71	77	67	46	17	4	3	2	-
WHITE------MALE----	54	57	45	44	50	40	30	6	2	2	-	-
FEMALE--	22	29	28	21	21	26	15	11	2	1	2	-
ALL OTHER--MALE----	8	15	11	4	4	1	-	-	-	-	-	-
FEMALE--	8	5	5	2	2	-	1	-	-	-	-	-
BLACK---MALE----	1	3	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	33	34	32	29	29	33	23	13	5	-	-	-
WHITE------MALE----	20	23	18	17	16	13	8	5	2	-	-	-
FEMALE--	9	5	10	9	9	18	13	7	3	-	-	-
ALL OTHER--MALE----	3	5	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	2	3	2	2	1	-	-	-	-
BLACK---MALE----	3	5	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	1	2	2	2	1	-	-	-	-
CALIFORNIA ----------	510	438	440	429	415	320	198	82	27	8	-	1
WHITE------MALE----	337	290	249	251	208	151	91	30	8	2	-	1
FEMALE--	122	99	130	121	166	138	84	42	15	4	-	-
ALL OTHER--MALE----	34	34	36	41	21	15	7	3	-	1	-	-
FEMALE--	17	15	25	16	20	16	16	7	4	1	-	-
BLACK---MALE----	23	20	19	23	9	7	4	2	-	-	-	-
FEMALE--	9	12	13	6	8	7	7	3	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
COLORADO ----------	490	-	-	-	-	-	2	2	11	35	57	79
WHITE------MALE----	282	-	-	-	-	-	-	1	5	18	35	50
FEMALE--	175	-	-	-	-	-	1	-	5	15	18	24
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	1	3	3
FEMALE--	13	-	-	-	-	-	1	-	1	1	1	2
BLACK---MALE----	14	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT ----------	415	-	-	-	-	-	1	1	7	18	29	48
WHITE------MALE----	249	-	-	-	-	-	-	-	2	7	21	31
FEMALE--	133	-	-	-	-	-	1	-	4	8	7	8
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	-	1	1	7
FEMALE--	14	-	-	-	-	-	-	-	1	2	-	2
BLACK---MALE----	18	-	-	-	-	-	-	1	-	1	1	7
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	2
DELAWARE ----------	92	1	-	-	-	2	-	-	2	-	9	10
WHITE------MALE----	57	-	-	-	-	-	-	-	1	-	8	9
FEMALE--	22	1	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	82	2	-	-	-	-	-	-	-	1	6	11
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	36	1	-	-	-	-	-	-	-	-	2	3
FEMALE--	27	-	-	-	-	-	-	-	-	-	3	7
BLACK---MALE----	36	1	-	-	-	-	-	-	-	-	2	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	3	7
FLORIDA ----------	2,376	5	-	3	1	2	2	4	18	88	177	270
WHITE------MALE----	1,396	3	-	1	-	1	-	1	9	53	103	179
FEMALE--	722	1	-	1	1	1	-	2	6	23	48	57
ALL OTHER--MALE----	173	1	-	1	-	-	1	1	2	9	18	23
FEMALE--	85	-	-	-	-	-	1	-	1	3	8	11
BLACK---MALE----	163	1	-	1	-	-	1	1	1	8	18	22
FEMALE--	82	-	-	-	-	-	1	-	1	3	7	11
GEORGIA ----------	882	3	1	-	-	-	2	2	10	40	74	107
WHITE------MALE----	437	1	-	-	-	-	1	-	3	14	32	61
FEMALE--	237	-	1	-	-	-	1	-	4	13	11	19
ALL OTHER--MALE----	104	2	-	-	-	-	-	1	1	4	19	15
FEMALE--	104	-	-	-	-	-	-	1	2	9	12	12
BLACK---MALE----	100	2	-	-	-	-	-	-	1	3	19	14
FEMALE--	101	-	-	-	-	-	-	1	2	9	12	12

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
COLORADO ----------	62	45	46	45	42	36	15	10	3	-	-	-
WHITE------MALE----	41	25	28	31	19	16	9	4	-	-	-	-
FEMALE--	17	13	17	12	21	18	5	6	3	-	-	-
ALL OTHER--MALE----	3	5	-	2	-	2	-	-	-	-	-	-
FEMALE--	1	2	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	2	4	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	44	43	30	34	56	41	32	20	11	-	-	-
WHITE------MALE----	34	31	20	23	32	15	14	13	6	-	-	-
FEMALE--	7	5	7	10	23	24	18	6	5	-	-	-
ALL OTHER--MALE----	1	4	2	-	1	1	-	-	-	-	-	-
FEMALE--	2	3	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	3	2	-	1	1	-	-	-	-	-	-
FEMALE--	2	3	-	-	-	1	-	1	-	-	-	-
DELAWARE ----------	10	12	11	7	9	8	9	2	-	-	-	-
WHITE------MALE----	6	6	6	4	6	6	4	1	-	-	-	-
FEMALE--	1	3	3	2	3	2	3	1	-	-	-	-
ALL OTHER--MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	2	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	12	11	7	5	9	4	3	1	-	-	-
WHITE------MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	5	1	1	-	-	-	-
ALL OTHER--MALE----	6	10	6	3	2	1	2	-	-	-	-	-
FEMALE--	3	-	2	3	2	3	1	2	1	-	-	-
BLACK---MALE----	6	10	6	3	2	1	2	-	-	-	-	-
FEMALE--	3	-	2	3	2	3	1	2	-	-	-	-
FLORIDA ----------	256	243	275	286	249	219	156	87	30	4	1	-
WHITE------MALE----	166	151	168	170	142	112	80	43	13	1	-	-
FEMALE--	50	60	73	86	89	91	73	41	15	3	1	-
ALL OTHER--MALE----	30	22	22	19	13	10	-	1	-	-	-	-
FEMALE--	10	10	12	11	5	6	3	2	2	-	-	-
BLACK---MALE----	27	21	22	17	12	10	-	1	-	-	-	-
FEMALE--	10	10	11	11	5	5	3	2	2	-	-	-
GEORGIA ----------	112	109	104	100	87	61	41	18	9	2	-	-
WHITE------MALE----	71	59	54	52	43	27	11	5	2	1	-	-
FEMALE--	20	22	15	32	31	26	25	11	6	-	-	-
ALL OTHER--MALE----	15	15	18	7	3	2	1	1	-	-	-	-
FEMALE--	6	13	17	9	10	6	4	1	1	1	-	-
BLACK---MALE----	14	15	18	7	3	2	1	1	-	-	-	-
FEMALE--	6	11	17	8	10	6	4	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2676

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
HAWAII ----------	103	2	-	-	-	-	-	-	-	4	7	16
WHITE------MALE----	37	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	15	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	32	2	-	-	-	-	-	-	-	1	2	6
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
IDAHO ----------	104	-	-	-	-	-	-	-	2	5	8	11
WHITE------MALE----	59	-	-	-	-	-	-	-	2	1	5	6
FEMALE--	37	-	-	-	-	-	-	-	-	3	2	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,509	6	1	2	1	2	3	3	31	65	122	173
WHITE------MALE----	741	3	-	-	-	1	2	1	15	34	67	105
FEMALE--	489	-	1	1	1	-	-	-	10	15	29	26
ALL OTHER--MALE----	174	3	-	1	-	-	-	-	3	10	16	31
FEMALE--	105	-	-	-	-	1	1	2	3	6	10	11
BLACK---MALE----	160	2	-	1	-	-	-	-	3	8	15	30
FEMALE--	94	-	-	-	-	1	1	2	3	5	10	10
INDIANA ----------	600	1	-	-	-	1	2	3	11	23	43	49
WHITE------MALE----	336	-	-	-	-	-	1	2	4	9	29	29
FEMALE--	212	1	-	-	-	-	1	-	5	9	9	10
ALL OTHER--MALE----	36	-	-	-	-	1	-	1	2	2	5	6
FEMALE--	16	-	-	-	-	-	-	-	-	3	-	4
BLACK---MALE----	34	-	-	-	-	1	-	1	2	2	5	6
FEMALE--	15	-	-	-	-	-	-	-	-	3	-	4
IOWA ----------	257	-	1	-	1	-	-	-	4	11	13	24
WHITE------MALE----	158	-	1	-	-	-	-	-	2	6	7	18
FEMALE--	88	-	-	-	-	-	-	-	1	5	3	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
KANSAS ----------	268	3	-	-	-	-	1	-	3	12	20	30
WHITE------MALE----	141	1	-	-	-	-	1	-	3	6	15	18
FEMALE--	107	1	-	-	-	-	-	-	-	3	5	8
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	1	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
HAWAII ----------	8	7	8	10	20	12	5	2	2	-	-	-
WHITE------MALE----	5	6	2	4	6	3	-	-	1	-	-	-
FEMALE--	1	-	2	1	2	2	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	2	4	6	4	3	-	-	-	-	-
FEMALE--	-	1	2	1	6	3	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	14	11	7	10	14	8	7	5	2	-	-	-
WHITE------MALE----	9	5	4	7	11	2	5	1	1	-	-	-
FEMALE--	4	3	3	3	3	6	2	4	1	-	-	-
ALL OTHER--MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	169	142	144	152	185	150	81	54	15	7	1	-
WHITE------MALE----	89	74	68	68	90	69	33	13	6	2	1	-
FEMALE--	37	31	45	68	64	71	43	34	8	5	-	-
ALL OTHER--MALE----	29	27	18	9	18	6	2	1	-	-	-	-
FEMALE--	14	10	13	7	13	4	3	6	1	-	-	-
BLACK---MALE----	29	24	17	7	17	5	1	1	-	-	-	-
FEMALE--	14	9	12	7	8	4	2	5	1	-	-	-
INDIANA ----------	76	66	67	65	57	73	33	17	11	2	-	-
WHITE------MALE----	55	40	45	34	31	35	8	9	3	2	-	-
FEMALE--	12	18	18	28	26	36	23	8	8	-	-	-
ALL OTHER--MALE----	6	6	3	2	-	1	1	-	-	-	-	-
FEMALE--	3	2	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	5	6	3	1	-	1	1	-	-	-	-	-
FEMALE--	3	1	1	1	-	1	1	-	-	-	-	-
IOWA ----------	18	27	22	35	31	23	24	18	2	2	1	-
WHITE------MALE----	13	20	13	24	19	10	15	8	-	1	1	-
FEMALE--	3	5	9	9	12	13	9	10	2	1	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	27	24	22	21	32	33	23	10	6	1	-	-
WHITE------MALE----	18	10	14	12	14	12	8	5	3	1	-	-
FEMALE--	6	14	6	8	17	20	12	4	3	-	-	-
ALL OTHER--MALE----	3	-	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
KENTUCKY ----------	511	-	-	1	-	2	-	1	9	23	34	52
WHITE------MALE----	302	-	-	1	-	1	-	-	4	14	25	38
FEMALE--	173	-	-	-	-	1	-	1	3	7	6	12
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	23	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	1	1	2	1
LOUISIANA ----------	526	2	1	-	-	-	3	3	9	21	52	65
WHITE------MALE----	231	-	1	-	-	-	-	1	4	9	20	29
FEMALE--	137	1	-	-	-	-	-	1	2	3	7	6
ALL OTHER--MALE----	108	1	-	-	-	-	2	1	1	8	19	22
FEMALE--	50	-	-	-	-	-	1	-	2	1	6	8
BLACK---MALE----	106	1	-	-	-	-	2	1	1	8	19	21
FEMALE--	50	-	-	-	-	-	1	-	2	1	6	8
MAINE ----------	158	-	-	-	-	-	-	-	-	2	7	15
WHITE------MALE----	89	-	-	-	-	-	-	-	-	1	4	9
FEMALE--	66	-	-	-	-	-	-	-	-	1	3	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	635	2	-	1	-	-	-	3	8	27	62	94
WHITE------MALE----	259	-	-	-	-	-	-	1	3	10	22	43
FEMALE--	174	1	-	-	-	-	-	-	1	7	13	20
ALL OTHER--MALE----	133	-	-	1	-	-	-	1	2	7	22	24
FEMALE--	69	1	-	-	-	-	-	1	2	3	5	7
BLACK---MALE----	124	-	-	1	-	-	-	1	2	7	21	22
FEMALE--	65	1	-	-	-	-	-	1	2	3	5	7
MASSACHUSETTS ----------	833	-	-	-	-	2	-	1	10	25	55	76
WHITE------MALE----	507	-	-	-	-	1	-	-	5	11	35	51
FEMALE--	274	-	-	-	-	1	-	1	2	11	12	18
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	2	2	6	4
FEMALE--	23	-	-	-	-	-	-	-	1	1	2	3
BLACK---MALE----	23	-	-	-	-	-	-	-	1	2	6	3
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	1
MICHIGAN ----------	1,315	1	1	1	1	-	3	8	12	54	126	192
WHITE------MALE----	666	-	-	-	-	-	-	2	9	29	72	102
FEMALE--	373	1	-	1	-	-	-	3	-	10	22	26
ALL OTHER--MALE----	162	-	-	-	-	-	-	1	2	9	21	39
FEMALE--	114	-	1	-	1	-	3	2	1	6	11	25
BLACK---MALE----	158	-	-	-	-	-	-	1	2	9	20	39
FEMALE--	106	-	1	-	1	-	3	2	1	5	11	25

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
KENTUCKY ----------	63	60	46	67	56	36	32	16	12	1	-	-
WHITE------MALE----	44	42	26	36	34	12	15	5	4	1	-	-
FEMALE--	10	12	15	26	22	23	16	11	8	-	-	-
ALL OTHER--MALE----	4	6	4	5	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	4	6	4	5	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	1	1	-	-	-	-	-
LOUISIANA ----------	69	49	50	56	53	45	32	10	5	1	-	-
WHITE------MALE----	34	23	26	29	25	14	13	1	2	-	-	-
FEMALE--	12	10	12	15	19	25	13	8	2	1	-	-
ALL OTHER--MALE----	15	10	10	9	4	1	4	1	-	-	-	-
FEMALE--	8	6	2	3	5	5	2	-	1	-	-	-
BLACK---MALE----	14	10	10	9	4	1	4	1	-	-	-	-
FEMALE--	8	6	2	3	5	5	2	-	1	-	-	-
MAINE ----------	15	17	17	25	25	20	10	4	1	-	-	-
WHITE------MALE----	10	11	14	11	16	9	3	1	-	-	-	-
FEMALE--	5	6	2	14	8	11	7	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MARYLAND ----------	81	58	61	66	59	48	36	20	7	1	1	-
WHITE------MALE----	34	26	22	34	22	20	14	6	2	-	-	-
FEMALE--	14	11	15	13	28	20	20	9	1	1	-	-
ALL OTHER--MALE----	25	14	12	14	7	2	-	1	1	-	-	-
FEMALE--	8	7	12	5	2	6	2	4	3	-	1	-
BLACK---MALE----	23	14	11	14	6	1	-	1	-	-	-	-
FEMALE--	7	7	12	5	1	4	2	4	3	-	1	-
MASSACHUSETTS ----------	105	62	99	98	102	82	68	29	15	4	-	-
WHITE------MALE----	81	46	59	65	57	43	36	12	5	-	-	-
FEMALE--	20	14	32	31	37	35	30	16	10	4	-	-
ALL OTHER--MALE----	1	2	6	1	2	2	-	1	-	-	-	-
FEMALE--	3	-	2	1	6	2	2	-	-	-	-	-
BLACK---MALE----	1	2	5	-	2	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	4	1	2	-	-	-	-	-
MICHIGAN ----------	148	133	135	145	116	106	77	49	6	1	-	-
WHITE------MALE----	76	72	68	74	54	55	31	20	2	-	-	-
FEMALE--	26	25	43	51	48	43	43	26	4	1	-	-
ALL OTHER--MALE----	32	24	11	10	8	3	1	1	-	-	-	-
FEMALE--	14	12	13	10	6	5	2	2	-	-	-	-
BLACK---MALE----	31	23	11	9	8	3	1	1	-	-	-	-
FEMALE--	14	10	12	9	4	4	2	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2678

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
MINNESOTA ----------	396	2	1	-	1	-	-	2	1	14	20	39
WHITE------MALE----	223	1	-	-	-	-	-	1	1	11	13	24
FEMALE--	148	-	1	-	1	-	-	-	-	2	5	13
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	8	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	352	1	1	-	-	1	-	-	2	13	30	48
WHITE------MALE----	142	-	1	-	-	-	-	-	1	2	13	26
FEMALE--	105	-	-	-	-	-	-	-	1	6	6	9
ALL OTHER--MALE----	59	1	-	-	-	-	-	-	-	3	4	7
FEMALE--	46	-	-	-	-	1	-	-	-	2	7	6
BLACK---MALE----	53	1	-	-	-	-	-	-	-	3	4	5
FEMALE--	42	-	-	-	-	1	-	-	-	2	7	5
MISSOURI ----------	578	4	-	-	-	1	-	2	7	27	45	69
WHITE------MALE----	316	-	-	-	-	1	-	2	4	18	26	44
FEMALE--	194	-	-	-	-	-	-	-	2	8	7	14
ALL OTHER--MALE----	46	4	-	-	-	-	-	-	-	1	7	9
FEMALE--	22	-	-	-	-	-	-	-	1	-	5	2
BLACK---MALE----	44	4	-	-	-	-	-	-	-	1	7	8
FEMALE--	22	-	-	-	-	-	-	-	1	-	5	2
MONTANA ----------	115	-	-	-	-	-	-	-	2	3	12	14
WHITE------MALE----	55	-	-	-	-	-	-	-	1	-	7	4
FEMALE--	37	-	-	-	-	-	-	-	1	-	3	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	177	-	-	-	-	-	-	1	3	10	12	17
WHITE------MALE----	101	-	-	-	-	-	-	-	3	6	6	12
FEMALE--	62	-	-	-	-	-	-	1	-	4	3	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
NEVADA ----------	342	-	-	-	-	-	-	1	5	22	28	55
WHITE------MALE----	215	-	-	-	-	-	-	-	3	13	17	37
FEMALE--	104	-	-	-	-	-	-	1	2	9	7	13
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
MINNESOTA ----------	33	45	39	49	53	40	26	16	10	5	-	-
WHITE------MALE----	22	29	19	34	26	21	12	5	3	1	-	-
FEMALE--	8	12	15	12	24	19	14	11	7	4	-	-
ALL OTHER--MALE----	3	3	4	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	50	30	41	40	35	28	19	9	3	1	-	-
WHITE------MALE----	28	9	15	13	12	9	7	5	1	-	-	-
FEMALE--	6	8	14	16	12	12	11	2	2	-	-	-
ALL OTHER--MALE----	10	7	10	5	5	4	1	2	-	-	-	-
FEMALE--	6	6	2	6	6	3	-	-	-	1	-	-
BLACK---MALE----	9	6	8	5	5	4	1	2	-	-	-	-
FEMALE--	5	6	2	5	5	3	-	-	-	1	-	-
MISSOURI ----------	55	54	59	73	66	61	33	11	10	1	-	-
WHITE------MALE----	35	35	31	42	29	27	13	3	6	-	-	-
FEMALE--	10	13	21	25	33	30	20	6	4	1	-	-
ALL OTHER--MALE----	6	5	3	4	2	4	-	1	-	-	-	-
FEMALE--	4	1	4	2	2	-	-	1	-	-	-	-
BLACK---MALE----	5	5	3	4	2	4	-	1	-	-	-	-
FEMALE--	4	1	4	2	2	-	-	1	-	-	-	-
MONTANA ----------	18	11	9	10	14	9	9	3	1	-	-	-
WHITE------MALE----	10	5	6	7	4	5	3	2	1	-	-	-
FEMALE--	4	3	3	3	9	3	6	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	22	16	17	19	23	16	7	12	-	2	-	-
WHITE------MALE----	15	16	7	11	13	8	3	1	-	-	-	-
FEMALE--	3	-	9	8	8	7	4	10	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	3	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	34	41	34	35	37	27	11	10	1	1	-	-
WHITE------MALE----	21	27	23	25	22	14	6	6	1	-	-	-
FEMALE--	12	10	8	8	13	13	4	3	-	1	-	-
ALL OTHER--MALE----	1	1	2	2	1	-	1	1	-	-	-	-
FEMALE--	-	3	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
NEW HAMPSHIRE ----------	114	1	1	-	-	-	-	-	-	4	4	7
WHITE------MALE----	55	1	1	-	-	-	-	-	-	1	3	5
FEMALE--	58	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,065	5	1	-	-	1	1	4	17	40	70	109
WHITE------MALE----	567	1	-	-	-	-	-	2	10	26	35	61
FEMALE--	334	2	1	-	-	-	-	2	3	3	15	24
ALL OTHER--MALE----	104	2	-	-	-	-	1	-	2	2	15	16
FEMALE--	60	-	-	-	-	1	-	-	2	9	5	8
BLACK---MALE----	97	2	-	-	-	-	1	-	2	1	14	15
FEMALE--	58	-	-	-	-	1	-	-	2	8	5	8
NEW MEXICO ----------	358	2	-	-	-	-	-	-	10	33	37	48
WHITE------MALE----	194	1	-	-	-	-	-	-	5	11	23	29
FEMALE--	93	1	-	-	-	-	-	-	4	5	7	8
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	8	3	10
FEMALE--	33	-	-	-	-	-	-	-	-	9	4	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,964	3	-	-	-	3	4	2	24	46	127	226
WHITE------MALE----	1,049	2	-	-	-	1	1	2	8	27	76	123
FEMALE--	537	-	-	-	-	1	3	-	10	11	23	34
ALL OTHER--MALE----	241	1	-	-	-	-	-	-	5	5	16	53
FEMALE--	137	-	-	-	-	1	-	-	1	3	12	16
BLACK---MALE----	210	1	-	-	-	-	-	-	4	2	13	48
FEMALE--	117	-	-	-	-	1	-	-	1	2	10	16
NORTH CAROLINA ---------	932	1	-	-	-	2	1	6	10	39	75	97
WHITE------MALE----	453	-	-	-	-	1	-	3	4	20	35	52
FEMALE--	241	-	-	-	-	1	-	-	3	7	12	7
ALL OTHER--MALE----	136	-	-	-	-	-	-	-	1	9	14	28
FEMALE--	102	1	-	-	-	-	1	3	2	3	14	10
BLACK---MALE----	131	-	-	-	-	-	-	-	1	9	14	27
FEMALE--	96	1	-	-	-	-	1	3	2	3	14	10
NORTH DAKOTA ----------	62	-	-	-	-	-	-	-	2	4	5	2
WHITE------MALE----	29	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	19	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
NEW HAMPSHIRE ----------	11	8	13	17	19	13	12	3	1	-	-	-
WHITE------MALE----	6	5	5	11	6	5	5	1	-	-	-	-
FEMALE--	5	3	7	6	13	8	7	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	122	98	105	126	138	114	55	36	16	5	2	-
WHITE------MALE----	73	58	60	67	73	47	24	22	6	2	-	-
FEMALE--	31	16	27	44	51	59	31	12	8	3	2	-
ALL OTHER--MALE----	13	18	10	11	7	5	-	1	1	-	-	-
FEMALE--	5	6	8	4	7	3	-	1	1	-	-	-
BLACK---MALE----	13	17	9	10	6	5	-	1	1	-	-	-
FEMALE--	5	6	8	4	6	3	-	1	1	-	-	-
NEW MEXICO ----------	44	35	38	33	27	23	18	8	1	1	-	-
WHITE------MALE----	31	18	18	14	20	9	12	3	-	-	-	-
FEMALE--	6	10	10	12	6	14	5	4	1	-	-	-
ALL OTHER--MALE----	5	4	2	3	-	-	1	-	-	1	-	-
FEMALE--	2	3	8	4	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
NEW YORK ----------	210	220	206	219	214	217	135	75	31	2	-	-
WHITE------MALE----	131	124	114	118	111	110	56	32	13	-	-	-
FEMALE--	37	45	49	53	72	82	70	29	16	2	-	-
ALL OTHER--MALE----	32	32	24	30	20	12	4	7	-	-	-	-
FEMALE--	10	19	19	18	11	13	5	7	2	-	-	-
BLACK---MALE----	29	26	20	26	20	11	4	6	-	-	-	-
FEMALE--	8	18	18	14	10	10	2	5	2	-	-	-
NORTH CAROLINA ---------	103	105	107	97	105	102	49	22	11	-	-	-
WHITE------MALE----	60	53	59	53	45	37	21	8	2	-	-	-
FEMALE--	13	21	29	20	42	48	21	10	7	-	-	-
ALL OTHER--MALE----	21	18	11	12	8	9	3	1	1	-	-	-
FEMALE--	9	13	8	12	10	8	4	3	1	-	-	-
BLACK---MALE----	21	17	10	12	7	8	3	1	1	-	-	-
FEMALE--	8	11	8	11	9	7	4	3	1	-	-	-
NORTH DAKOTA ----------	8	9	6	4	11	2	6	2	1	-	-	-
WHITE------MALE----	6	5	1	3	6	-	1	1	1	-	-	-
FEMALE--	-	-	2	1	3	2	5	1	-	-	-	-
ALL OTHER--MALE----	2	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2680

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
OHIO ----------	1,322	6	-	-	-	-	3	3	18	43	105	115
WHITE------MALE----	721	4	-	-	-	-	-	2	11	24	72	73
FEMALE--	443	-	-	-	-	-	-	-	6	8	23	21
ALL OTHER--MALE----	98	-	-	-	-	-	2	-	1	6	7	18
FEMALE--	60	2	-	-	-	-	1	1	-	5	3	3
BLACK---MALE----	93	-	-	-	-	-	2	-	1	6	7	16
FEMALE--	57	2	-	-	-	-	1	1	-	5	3	3
OKLAHOMA ----------	471	-	1	-	-	1	1	-	1	20	40	63
WHITE------MALE----	240	-	-	-	-	-	1	-	-	8	25	32
FEMALE--	139	-	-	-	-	-	-	-	-	4	7	12
ALL OTHER--MALE----	53	-	1	-	-	-	-	-	-	6	5	14
FEMALE--	39	-	-	-	-	1	-	-	1	2	3	5
BLACK---MALE----	19	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	13	-	-	-	-	1	-	-	-	1	1	2
OREGON ----------	361	-	-	-	1	-	-	-	2	13	19	52
WHITE------MALE----	216	-	-	-	1	-	-	-	-	6	14	42
FEMALE--	126	-	-	-	-	-	-	-	1	5	4	9
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,558	2	1	-	3	-	4	2	16	55	104	141
WHITE------MALE----	817	-	1	-	-	-	-	1	10	28	61	87
FEMALE--	558	-	-	-	2	-	3	-	4	25	26	22
ALL OTHER--MALE----	109	2	-	-	1	-	-	-	-	1	7	23
FEMALE--	74	-	-	-	-	-	1	1	2	1	10	9
BLACK---MALE----	107	2	-	-	1	-	-	-	-	1	7	23
FEMALE--	70	-	-	-	-	-	1	1	2	1	9	9
RHODE ISLAND ----------	150	-	-	-	-	-	-	1	-	5	11	8
WHITE------MALE----	87	-	-	-	-	-	-	1	-	1	7	7
FEMALE--	58	-	-	-	-	-	-	-	-	4	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	534	3	1	-	-	-	-	-	2	28	49	54
WHITE------MALE----	223	1	-	-	-	-	-	-	-	10	22	17
FEMALE--	160	-	-	-	-	-	-	-	1	4	8	9
ALL OTHER--MALE----	92	1	-	-	-	-	-	-	1	8	13	20
FEMALE--	59	1	1	-	-	-	-	-	-	6	6	8
BLACK---MALE----	91	1	-	-	-	-	-	-	1	8	12	20
FEMALE--	59	1	1	-	-	-	-	-	-	6	6	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
OHIO ----------	140	141	132	132	177	138	96	49	16	7	1	-
WHITE------MALE----	87	83	78	67	86	69	44	13	5	3	-	-
FEMALE--	30	32	37	50	79	60	47	34	11	4	1	-
ALL OTHER--MALE----	17	16	13	7	7	3	1	-	-	-	-	-
FEMALE--	6	10	4	8	5	6	4	2	-	-	-	-
BLACK---MALE----	17	16	13	5	7	2	1	-	-	-	-	-
FEMALE--	6	10	4	7	4	5	4	2	-	-	-	-
OKLAHOMA ----------	74	55	40	44	46	45	23	10	5	2	-	-
WHITE------MALE----	41	35	25	24	18	13	12	6	-	-	-	-
FEMALE--	15	10	11	11	22	26	11	3	5	2	-	-
ALL OTHER--MALE----	12	5	3	3	3	1	-	-	-	-	-	-
FEMALE--	6	5	1	6	3	5	-	1	-	-	-	-
BLACK---MALE----	5	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	3	-	1	-	-	-	-
OREGON ----------	58	41	30	42	35	37	16	11	2	1	1	-
WHITE------MALE----	36	21	22	28	16	19	7	4	-	-	-	-
FEMALE--	17	17	7	14	17	15	9	7	2	1	1	-
ALL OTHER--MALE----	5	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	162	127	139	184	209	178	131	72	25	2	1	-
WHITE------MALE----	90	77	79	101	106	80	62	29	4	1	-	-
FEMALE--	41	33	38	65	85	87	66	39	20	1	1	-
ALL OTHER--MALE----	22	13	16	13	8	2	1	-	-	-	-	-
FEMALE--	9	4	6	5	10	9	2	4	1	-	-	-
BLACK---MALE----	22	13	16	11	8	2	1	-	-	-	-	-
FEMALE--	9	4	6	5	8	8	2	4	1	-	-	-
RHODE ISLAND ----------	17	17	18	20	21	17	9	2	3	1	-	-
WHITE------MALE----	8	13	6	15	16	6	5	1	1	-	-	-
FEMALE--	7	4	10	5	5	11	4	1	2	1	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	65	57	67	53	41	48	43	16	6	-	1	-
WHITE------MALE----	35	35	36	27	12	11	8	7	2	-	-	-
FEMALE--	9	9	14	11	23	32	30	7	3	-	-	-
ALL OTHER--MALE----	13	6	7	9	4	3	3	2	1	-	1	-
FEMALE--	8	7	10	6	2	2	2	-	-	-	-	-
BLACK---MALE----	13	6	7	9	4	3	3	2	1	-	1	-
FEMALE--	8	7	10	6	2	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2681

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
SOUTH DAKOTA ----------	91	-	-	-	-	-	-	1	5	9	11	9
WHITE------MALE----	30	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	20	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	-	2	5	4
FEMALE--	19	-	-	-	-	-	-	-	3	5	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	663	1	-	-	-	-	1	1	7	38	54	88
WHITE------MALE----	377	1	-	-	-	-	-	-	4	20	31	51
FEMALE--	208	-	-	-	-	-	1	1	1	10	13	21
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	5	6	11
FEMALE--	28	-	-	-	-	-	-	-	2	3	4	5
BLACK---MALE----	47	-	-	-	-	-	-	-	-	5	6	10
FEMALE--	28	-	-	-	-	-	-	-	2	3	4	5
TEXAS ----------	2,573	11	1	1	3	1	4	14	45	124	234	330
WHITE------MALE----	1,570	3	-	-	-	-	3	8	27	82	165	221
FEMALE--	740	6	1	-	3	1	1	4	13	31	41	57
ALL OTHER--MALE----	172	1	-	1	-	-	-	-	3	3	15	40
FEMALE--	91	1	-	-	-	-	-	2	2	8	13	12
BLACK---MALE----	151	1	-	-	-	-	-	-	3	2	12	35
FEMALE--	80	1	-	-	-	-	-	2	2	8	10	10
UTAH ----------	176	1	-	-	-	-	-	1	3	9	14	23
WHITE------MALE----	100	1	-	-	-	-	-	-	1	6	11	17
FEMALE--	61	-	-	-	-	-	-	1	-	2	1	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	2	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	66	-	-	-	-	-	-	-	-	2	5	6
WHITE------MALE----	49	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	740	-	2	-	1	1	1	2	8	20	58	79
WHITE------MALE----	366	-	1	-	1	1	-	2	3	7	33	42
FEMALE--	218	-	1	-	-	-	1	-	1	7	9	17
ALL OTHER--MALE----	100	-	-	-	-	-	-	-	2	5	14	16
FEMALE--	56	-	-	-	-	-	-	-	2	1	2	4
BLACK---MALE----	93	-	-	-	-	-	-	-	2	3	12	16
FEMALE--	53	-	-	-	-	-	-	-	2	1	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
SOUTH DAKOTA ----------	14	10	6	7	9	3	-	4	2	-	1	-
WHITE------MALE----	2	2	3	2	5	3	-	3	1	-	1	-
FEMALE--	5	2	1	4	3	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	4	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	67	75	62	73	65	71	30	19	6	4	1	-
WHITE------MALE----	49	49	41	40	32	36	13	9	1	-	-	-
FEMALE--	8	16	17	28	27	32	17	9	3	3	1	-
ALL OTHER--MALE----	7	8	4	4	3	1	-	-	1	-	-	-
FEMALE--	3	2	-	1	3	2	-	1	1	1	-	-
BLACK---MALE----	7	7	4	4	3	1	-	-	-	-	-	-
FEMALE--	3	2	-	1	3	2	-	1	1	1	-	-
TEXAS ----------	318	278	283	245	243	178	159	67	28	4	1	1
WHITE------MALE----	223	177	171	149	130	88	82	29	10	1	1	-
FEMALE--	66	68	79	80	94	81	63	35	14	2	-	-
ALL OTHER--MALE----	24	30	16	11	10	7	5	2	3	-	-	1
FEMALE--	5	3	17	5	9	2	9	1	1	1	-	-
BLACK---MALE----	21	24	16	11	10	6	5	2	2	-	-	1
FEMALE--	5	2	15	4	9	2	7	1	1	1	-	-
UTAH ----------	20	14	17	22	12	19	12	4	4	1	-	-
WHITE------MALE----	11	10	10	10	4	9	4	3	3	-	-	-
FEMALE--	6	1	7	12	8	9	8	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	11	4	7	7	7	10	3	4	-	-	-	-
WHITE------MALE----	10	4	5	6	5	3	2	3	-	-	-	-
FEMALE--	1	-	2	1	2	7	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	79	67	99	76	79	89	46	20	8	4	1	-
WHITE------MALE----	36	42	56	40	34	38	20	7	3	-	-	-
FEMALE--	17	10	24	19	34	35	21	13	4	4	1	-
ALL OTHER--MALE----	19	8	12	9	5	7	2	-	1	-	-	-
FEMALE--	7	7	7	8	6	9	3	-	-	-	-	-
BLACK---MALE----	19	8	11	9	5	5	2	-	1	-	-	-
FEMALE--	7	7	7	7	6	8	3	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2682

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
WASHINGTON ----------	626	-	-	-	-	1	2	5	8	10	55	75
WHITE------MALE----	360	-	-	-	-	-	-	3	2	6	27	47
FEMALE--	205	-	-	-	-	1	1	2	2	2	19	19
ALL OTHER--MALE----	34	-	-	-	-	-	1	-	3	1	5	3
FEMALE--	27	-	-	-	-	-	-	-	1	1	4	6
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	2	2
WEST VIRGINIA ----------	281	1	-	-	-	-	-	1	5	12	13	20
WHITE------MALE----	180	-	-	-	-	-	-	-	4	8	9	17
FEMALE--	92	1	-	-	-	-	-	1	1	2	2	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WISCONSIN ----------	534	3	1	2	-	-	-	2	3	16	31	48
WHITE------MALE----	282	2	1	-	-	-	-	-	3	7	17	27
FEMALE--	210	-	-	2	-	-	-	1	-	7	9	14
ALL OTHER--MALE----	28	1	-	-	-	-	-	1	-	1	4	6
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	15	1	-	-	-	-	-	1	-	1	1	5
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
WYOMING ----------	60	-	-	-	-	-	-	1	-	5	4	6
WHITE------MALE----	38	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	17	-	-	-	-	-	-	1	-	1	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
WASHINGTON ----------	78	58	64	71	72	56	38	23	6	3	-	1
WHITE------MALE----	51	31	38	41	45	26	27	11	3	1	-	1
FEMALE--	17	21	21	23	23	28	10	12	2	2	-	-
ALL OTHER--MALE----	7	6	2	2	3	-	-	-	1	-	-	-
FEMALE--	3	-	3	5	1	2	1	-	-	-	-	-
BLACK---MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	-	-	-	-	-
WEST VIRGINIA ----------	33	36	32	35	31	29	21	11	1	-	-	-
WHITE------MALE----	24	30	27	19	17	12	10	3	-	-	-	-
FEMALE--	8	6	5	15	13	16	11	8	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	56	51	66	60	59	57	46	19	8	6	-	-
WHITE------MALE----	31	28	44	32	33	31	18	5	1	2	-	-
FEMALE--	16	18	20	24	24	23	27	14	7	4	-	-
ALL OTHER--MALE----	6	4	-	2	1	1	1	-	-	-	-	-
FEMALE--	3	1	2	2	1	2	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	-	-	-	-	-
WYOMING ----------	8	4	2	7	8	8	2	3	2	-	-	-
WHITE------MALE----	8	4	2	3	6	5	1	1	2	-	-	-
FEMALE--	-	-	-	4	2	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
UNITED STATES -	11,958	-	-	-	-	-	8	37	222	763	1,423	1,965
WHITE------MALE----	7,602	-	-	-	-	-	4	21	115	409	840	1,252
FEMALE--	2,439	-	-	-	-	-	1	10	59	214	301	353
ALL OTHER--MALE----	1,320	-	-	-	-	-	2	3	26	82	189	249
FEMALE--	597	-	-	-	-	-	1	3	22	58	93	111
BLACK---MALE----	1,018	-	-	-	-	-	2	2	13	49	130	204
FEMALE--	448	-	-	-	-	-	-	2	12	35	69	88
ALABAMA ----------	139	-	-	-	-	-	1	-	5	8	17	28
WHITE------MALE----	90	-	-	-	-	-	1	-	2	4	7	14
FEMALE--	15	-	-	-	-	-	-	-	-	2	3	4
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	1	5	7
FEMALE--	11	-	-	-	-	-	-	-	2	1	2	3
BLACK---MALE----	22	-	-	-	-	-	-	-	1	1	5	7
FEMALE--	11	-	-	-	-	-	-	-	2	1	2	3
ALASKA ----------	29	-	-	-	-	-	1	-	1	2	7	4
WHITE------MALE----	13	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	301	-	-	-	-	-	-	1	9	17	45	41
WHITE------MALE----	168	-	-	-	-	-	-	-	2	4	18	25
FEMALE--	61	-	-	-	-	-	-	-	1	7	9	5
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	3	2	15	6
FEMALE--	26	-	-	-	-	-	-	1	3	4	3	5
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	77	-	-	-	-	-	-	1	2	4	9	25
WHITE------MALE----	49	-	-	-	-	-	-	1	-	3	7	14
FEMALE--	17	-	-	-	-	-	-	-	1	1	2	6
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	3
CALIFORNIA ----------	2,349	-	-	-	-	-	-	11	49	124	256	358
WHITE------MALE----	1,551	-	-	-	-	-	-	9	33	72	159	248
FEMALE--	559	-	-	-	-	-	-	2	11	40	67	71
ALL OTHER--MALE----	166	-	-	-	-	-	-	-	4	6	21	22
FEMALE--	73	-	-	-	-	-	-	-	1	6	9	17
BLACK---MALE----	105	-	-	-	-	-	-	-	1	2	11	16
FEMALE--	55	-	-	-	-	-	-	-	1	5	4	15

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2683

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
UNITED STATES -	1,837	1,511	1,348	1,104	831	533	256	94	21	3	-	2
WHITE------MALE----	1,217	993	883	753	564	325	161	50	12	1	-	2
FEMALE--	330	268	261	205	176	150	72	31	6	2	-	-
ALL OTHER--MALE----	209	186	132	114	66	39	13	9	1	-	-	-
FEMALE--	81	64	72	32	25	19	10	4	2	-	-	-
BLACK---MALE----	164	147	110	93	55	30	11	7	1	-	-	-
FEMALE--	63	47	57	24	22	15	8	4	2	-	-	-
ALABAMA ----------	14	14	19	17	10	4	1	1	-	-	-	-
WHITE------MALE----	12	9	18	13	7	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	3	-	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	3	-	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
ALASKA ----------	3	5	2	1	1	2	-	-	-	-	-	-
WHITE------MALE----	3	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	43	47	35	23	17	14	9	-	-	-	-	-
WHITE------MALE----	26	32	15	15	12	12	7	-	-	-	-	-
FEMALE--	9	8	10	5	3	2	2	-	-	-	-	-
ALL OTHER--MALE----	4	5	8	2	1	-	-	-	-	-	-	-
FEMALE--	4	2	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	11	11	8	2	2	2	-	-	-	-	-	-
WHITE------MALE----	7	8	4	2	1	2	-	-	-	-	-	-
FEMALE--	3	1	3	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CALIFORNIA ----------	339	283	259	242	185	138	71	24	8	1	-	1
WHITE------MALE----	240	199	180	163	113	79	40	12	3	-	-	1
FEMALE--	77	54	52	46	55	45	24	10	4	1	-	-
ALL OTHER--MALE----	17	24	18	28	12	9	3	2	-	-	-	-
FEMALE--	5	6	9	5	5	5	4	-	1	-	-	-
BLACK---MALE----	15	13	13	19	6	5	2	2	-	-	-	-
FEMALE--	4	5	6	3	5	3	3	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
COLORADO ----------	267	-	-	-	-	-	-	-	5	27	39	52
WHITE------MALE----	168	-	-	-	-	-	-	-	1	16	25	32
FEMALE--	82	-	-	-	-	-	-	-	3	11	11	17
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	103	-	-	-	-	-	-	1	1	7	9	18
WHITE------MALE----	74	-	-	-	-	-	-	-	-	2	6	13
FEMALE--	22	-	-	-	-	-	-	-	1	4	3	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DELAWARE ----------	34	-	-	-	-	-	-	-	1	-	6	8
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	5	7
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	32	-	-	-	-	-	-	-	-	1	4	5
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	3
FLORIDA ----------	793	-	-	-	-	-	1	-	5	46	97	130
WHITE------MALE----	539	-	-	-	-	-	-	-	2	27	59	92
FEMALE--	156	-	-	-	-	-	-	-	3	15	24	23
ALL OTHER--MALE----	70	-	-	-	-	-	1	-	-	3	9	12
FEMALE--	28	-	-	-	-	-	-	-	-	1	5	3
BLACK---MALE----	68	-	-	-	-	-	1	-	-	2	9	12
FEMALE--	26	-	-	-	-	-	-	-	-	1	4	3
GEORGIA ----------	227	-	-	-	-	-	-	-	4	16	30	41
WHITE------MALE----	122	-	-	-	-	-	-	-	2	6	12	22
FEMALE--	42	-	-	-	-	-	-	-	1	6	2	9
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	1	10	5
FEMALE--	26	-	-	-	-	-	-	-	-	3	6	5
BLACK---MALE----	37	-	-	-	-	-	-	-	1	1	10	5
FEMALE--	26	-	-	-	-	-	-	-	-	3	6	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
COLORADO ----------	43	29	22	18	16	9	6	1	-	-	-	-
WHITE------MALE----	26	18	14	13	11	7	5	-	-	-	-	-
FEMALE--	13	7	8	4	5	1	1	1	-	-	-	-
ALL OTHER--MALE----	3	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	17	16	7	5	9	6	3	4	-	-	-	-
WHITE------MALE----	14	12	6	5	7	3	3	3	-	-	-	-
FEMALE--	2	3	1	-	2	3	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	7	2	1	1	4	2	-	-	-	-	-
WHITE------MALE----	2	4	1	-	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	6	2	3	-	2	-	1	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	5	5	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	1	-	-	-	-
FLORIDA ----------	124	95	103	76	51	37	16	11	1	-	-	-
WHITE------MALE----	89	67	65	54	39	25	11	8	1	-	-	-
FEMALE--	18	18	21	11	8	8	5	2	-	-	-	-
ALL OTHER--MALE----	12	7	12	8	4	2	-	-	-	-	-	-
FEMALE--	5	3	5	3	-	2	-	1	-	-	-	-
BLACK---MALE----	11	7	12	8	4	2	-	-	-	-	-	-
FEMALE--	5	3	4	3	-	2	-	1	-	-	-	-
GEORGIA ----------	33	32	41	19	8	1	1	-	1	-	-	-
WHITE------MALE----	20	20	22	12	3	1	1	-	1	-	-	-
FEMALE--	4	10	4	3	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	2	8	4	1	-	-	-	-	-	-	-
FEMALE--	4	-	7	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	2	8	4	1	-	-	-	-	-	-	-
FEMALE--	4	-	7	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2685

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
HAWAII ----------	26	-	-	-	-	-	-	-	-	-	3	6
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	44	-	-	-	-	-	-	-	2	3	6	7
WHITE------MALE----	29	-	-	-	-	-	-	-	2	-	4	4
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	414	-	-	-	-	-	1	1	19	37	51	74
WHITE------MALE----	247	-	-	-	-	-	1	-	11	19	28	51
FEMALE--	85	-	-	-	-	-	-	-	6	9	13	5
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	1	5	7	15
FEMALE--	24	-	-	-	-	-	-	1	1	4	3	3
BLACK---MALE----	55	-	-	-	-	-	-	-	1	4	7	15
FEMALE--	22	-	-	-	-	-	-	1	1	4	3	2
INDIANA ----------	158	-	-	-	-	-	-	-	4	9	18	25
WHITE------MALE----	103	-	-	-	-	-	-	-	1	5	11	14
FEMALE--	35	-	-	-	-	-	-	-	2	4	4	7
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	3
IOWA ----------	99	-	-	-	-	-	-	-	4	8	12	13
WHITE------MALE----	77	-	-	-	-	-	-	-	2	4	7	11
FEMALE--	17	-	-	-	-	-	-	-	1	4	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	80	-	-	-	-	-	-	-	2	5	10	14
WHITE------MALE----	55	-	-	-	-	-	-	-	2	2	8	8
FEMALE--	19	-	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
HAWAII ----------	4	1	3	2	4	3	-	-	-	-	-	-
WHITE------MALE----	3	1	2	2	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	5	4	3	5	-	1	-	-	-	-	-
WHITE------MALE----	5	3	3	2	5	-	1	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	59	42	47	23	37	16	4	3	-	-	-	-
WHITE------MALE----	38	22	23	14	27	9	3	1	-	-	-	-
FEMALE--	15	4	12	8	5	6	1	1	-	-	-	-
ALL OTHER--MALE----	2	14	9	-	4	-	-	1	-	-	-	-
FEMALE--	4	2	3	1	1	1	-	-	-	-	-	-
BLACK---MALE----	2	13	8	-	4	-	-	1	-	-	-	-
FEMALE--	4	2	3	1	-	1	-	-	-	-	-	-
INDIANA ----------	32	22	17	15	8	7	1	-	-	-	-	-
WHITE------MALE----	23	14	15	6	8	5	1	-	-	-	-	-
FEMALE--	5	2	1	8	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	3	5	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	8	15	5	13	8	8	3	1	-	1	-	-
WHITE------MALE----	6	12	5	12	7	7	3	1	-	-	-	-
FEMALE--	1	3	-	1	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	11	11	5	6	10	1	1	4	-	-	-	-
WHITE------MALE----	9	7	5	4	7	-	1	2	-	-	-	-
FEMALE--	1	4	-	2	3	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
KENTUCKY ----------	145	-	-	-	-	-	-	-	4	10	20	22
WHITE------MALE----	106	-	-	-	-	-	-	-	2	7	14	17
FEMALE--	21	-	-	-	-	-	-	-	1	2	4	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	1
LOUISIANA ----------	184	-	-	-	-	-	-	-	2	13	36	22
WHITE------MALE----	93	-	-	-	-	-	-	-	2	5	14	13
FEMALE--	27	-	-	-	-	-	-	-	-	2	5	1
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	6	12	6
FEMALE--	15	-	-	-	-	-	-	-	-	-	5	2
BLACK---MALE----	49	-	-	-	-	-	-	-	-	6	12	6
FEMALE--	15	-	-	-	-	-	-	-	-	-	5	2
MAINE ----------	54	-	-	-	-	-	-	-	-	1	3	10
WHITE------MALE----	38	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	196	-	-	-	-	-	-	1	4	13	28	37
WHITE------MALE----	87	-	-	-	-	-	-	1	-	6	11	19
FEMALE--	45	-	-	-	-	-	-	-	1	2	7	12
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	2	3	9	6
FEMALE--	14	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	48	-	-	-	-	-	-	-	2	3	9	5
FEMALE--	13	-	-	-	-	-	-	-	1	2	1	-
MASSACHUSETTS ----------	163	-	-	-	-	-	-	-	2	9	16	24
WHITE------MALE----	114	-	-	-	-	-	-	-	1	4	9	17
FEMALE--	39	-	-	-	-	-	-	-	-	5	4	7
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN ----------	393	-	-	-	-	-	-	3	4	34	64	88
WHITE------MALE----	237	-	-	-	-	-	-	1	4	20	37	54
FEMALE--	71	-	-	-	-	-	-	2	-	5	11	14
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	4	10	15
FEMALE--	27	-	-	-	-	-	-	-	-	5	6	5
BLACK---MALE----	57	-	-	-	-	-	-	-	-	4	9	15
FEMALE--	25	-	-	-	-	-	-	-	-	4	6	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
KENTUCKY ----------	23	18	18	14	8	3	4	-	1	-	-	-
WHITE------MALE----	17	15	13	9	6	2	3	-	1	-	-	-
FEMALE--	3	2	1	2	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	4	3	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	4	3	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA ----------	30	21	14	21	10	8	7	-	-	-	-	-
WHITE------MALE----	16	11	7	13	6	5	1	-	-	-	-	-
FEMALE--	2	5	2	2	1	3	4	-	-	-	-	-
ALL OTHER--MALE----	7	4	5	5	3	-	1	-	-	-	-	-
FEMALE--	5	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	7	4	5	5	3	-	1	-	-	-	-	-
FEMALE--	5	1	-	1	-	-	1	-	-	-	-	-
MAINE ----------	8	9	7	9	3	3	1	-	-	-	-	-
WHITE------MALE----	5	7	6	6	3	2	1	-	-	-	-	-
FEMALE--	3	2	1	3	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	34	18	14	22	13	7	3	2	-	-	-	-
WHITE------MALE----	12	7	5	14	8	3	1	-	-	-	-	-
FEMALE--	7	-	4	4	2	2	2	2	-	-	-	-
ALL OTHER--MALE----	13	7	3	4	3	-	-	-	-	-	-	-
FEMALE--	2	4	2	-	-	2	-	-	-	-	-	-
BLACK---MALE----	12	7	3	4	3	-	-	-	-	-	-	-
FEMALE--	1	4	2	-	-	2	-	-	-	-	-	-
MASSACHUSETTS ----------	32	18	22	14	16	7	3	-	-	-	-	-
WHITE------MALE----	24	17	16	10	9	5	2	-	-	-	-	-
FEMALE--	7	-	5	4	5	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
MICHIGAN ----------	59	44	46	27	12	8	4	-	-	-	-	-
WHITE------MALE----	31	26	28	20	9	4	3	-	-	-	-	-
FEMALE--	11	7	11	5	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	12	8	5	1	2	1	-	-	-	-	-	-
FEMALE--	5	3	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	12	8	5	1	2	1	-	-	-	-	-	-
FEMALE--	5	2	2	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
MINNESOTA ----------	141	-	-	-	-	-	-	1	1	9	9	18
WHITE------MALE----	96	-	-	-	-	-	-	1	1	6	6	10
FEMALE--	37	-	-	-	-	-	-	-	-	2	2	7
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	89	-	-	-	-	-	-	-	1	7	14	24
WHITE------MALE----	40	-	-	-	-	-	-	-	-	1	6	12
FEMALE--	19	-	-	-	-	-	-	-	1	4	3	5
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	20	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	3
MISSOURI ----------	185	-	-	-	-	-	-	-	4	18	21	36
WHITE------MALE----	135	-	-	-	-	-	-	-	3	14	17	26
FEMALE--	25	-	-	-	-	-	-	-	1	4	1	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	2
MONTANA ----------	48	-	-	-	-	-	-	-	1	1	8	9
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	5	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	65	-	-	-	-	-	-	-	2	4	7	8
WHITE------MALE----	47	-	-	-	-	-	-	-	2	2	4	5
FEMALE--	15	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
NEVADA ----------	170	-	-	-	-	-	-	-	3	13	20	35
WHITE------MALE----	118	-	-	-	-	-	-	-	2	7	10	25
FEMALE--	42	-	-	-	-	-	-	-	1	6	7	6
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
MINNESOTA ----------	19	28	10	18	15	8	2	3	-	-	-	-
WHITE------MALE----	12	20	7	13	10	7	2	1	-	-	-	-
FEMALE--	5	5	3	5	5	1	-	2	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	15	4	10	7	5	1	-	1	-	-	-	-
WHITE------MALE----	11	-	5	2	3	-	-	-	-	-	-	-
FEMALE--	2	1	1	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	2	3	2	1	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	2	3	2	1	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
MISSOURI ----------	21	21	22	20	12	8	2	-	-	-	-	-
WHITE------MALE----	16	16	15	15	9	2	2	-	-	-	-	-
FEMALE--	1	1	4	3	1	4	-	-	-	-	-	-
ALL OTHER--MALE----	3	4	2	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	4	2	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
MONTANA ----------	10	3	6	4	2	3	-	1	-	-	-	-
WHITE------MALE----	6	2	5	2	1	2	-	1	-	-	-	-
FEMALE--	1	1	1	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	10	10	8	5	7	3	-	1	-	-	-	-
WHITE------MALE----	8	10	5	3	6	1	-	1	-	-	-	-
FEMALE--	2	-	2	2	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	21	23	16	14	13	6	3	3	-	-	-	-
WHITE------MALE----	13	18	10	12	11	5	3	2	-	-	-	-
FEMALE--	8	5	5	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
NEW HAMPSHIRE ----------	49	-	-	-	-	-	-	-	-	2	3	4
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	23	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	295	-	-	-	-	-	-	1	8	18	32	53
WHITE------MALE----	177	-	-	-	-	-	-	-	4	12	15	33
FEMALE--	61	-	-	-	-	-	-	1	1	2	9	11
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	2	-	6	4
FEMALE--	18	-	-	-	-	-	-	-	1	4	2	5
BLACK---MALE----	35	-	-	-	-	-	-	-	2	-	5	3
FEMALE--	17	-	-	-	-	-	-	-	1	3	2	5
NEW MEXICO ----------	173	-	-	-	-	-	-	-	7	28	27	28
WHITE------MALE----	100	-	-	-	-	-	-	-	5	8	15	19
FEMALE--	29	-	-	-	-	-	-	-	1	4	7	3
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	8	2	5
FEMALE--	20	-	-	-	-	-	-	-	-	8	3	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	708	-	-	-	-	-	1	-	10	26	70	113
WHITE------MALE----	410	-	-	-	-	-	1	-	3	17	44	55
FEMALE--	121	-	-	-	-	-	-	-	4	4	10	17
ALL OTHER--MALE----	121	-	-	-	-	-	-	-	2	4	8	30
FEMALE--	56	-	-	-	-	-	-	-	1	1	8	11
BLACK---MALE----	109	-	-	-	-	-	-	-	2	1	6	27
FEMALE--	52	-	-	-	-	-	-	-	1	1	7	11
NORTH CAROLINA ---------	369	-	-	-	-	-	-	2	4	27	42	64
WHITE------MALE----	193	-	-	-	-	-	-	2	1	14	20	35
FEMALE--	50	-	-	-	-	-	-	-	1	5	7	3
ALL OTHER--MALE----	87	-	-	-	-	-	-	-	-	6	8	20
FEMALE--	39	-	-	-	-	-	-	-	2	2	7	6
BLACK---MALE----	85	-	-	-	-	-	-	-	-	6	8	19
FEMALE--	36	-	-	-	-	-	-	-	2	2	7	6
NORTH DAKOTA ----------	37	-	-	-	-	-	-	-	2	4	4	1
WHITE------MALE----	19	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
NEW HAMPSHIRE ----------	8	5	8	7	6	2	3	1	-	-	-	-
WHITE------MALE----	4	3	3	5	3	1	1	-	-	-	-	-
FEMALE--	4	2	5	2	3	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	47	44	21	25	31	10	3	2	-	-	-	-
WHITE------MALE----	31	29	14	13	19	4	1	2	-	-	-	-
FEMALE--	9	4	6	7	6	3	2	-	-	-	-	-
ALL OTHER--MALE----	6	9	1	4	4	3	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	6	8	1	3	4	3	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	-	-	-	-	-	-	-
NEW MEXICO ----------	28	12	18	10	6	7	1	1	-	-	-	-
WHITE------MALE----	19	6	10	6	5	6	-	1	-	-	-	-
FEMALE--	3	4	2	3	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	5	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEW YORK ----------	108	111	85	72	45	41	17	8	1	-	-	-
WHITE------MALE----	69	64	46	49	30	22	6	4	-	-	-	-
FEMALE--	15	20	15	10	5	13	8	-	-	-	-	-
ALL OTHER--MALE----	17	18	15	10	8	5	1	3	-	-	-	-
FEMALE--	7	9	9	3	2	1	2	1	1	-	-	-
BLACK---MALE----	16	16	15	10	8	5	1	2	-	-	-	-
FEMALE--	6	9	9	3	2	-	1	1	1	-	-	-
NORTH CAROLINA ---------	61	47	41	35	20	17	8	1	-	-	-	-
WHITE------MALE----	34	22	24	21	10	7	3	-	-	-	-	-
FEMALE--	3	9	7	2	5	5	2	1	-	-	-	-
ALL OTHER--MALE----	18	10	7	8	3	4	3	-	-	-	-	-
FEMALE--	6	6	3	4	2	1	-	-	-	-	-	-
BLACK---MALE----	18	10	6	8	3	4	3	-	-	-	-	-
FEMALE--	5	5	3	3	2	1	-	-	-	-	-	-
NORTH DAKOTA ----------	5	7	3	3	6	1	1	-	-	-	-	-
WHITE------MALE----	5	3	-	3	4	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
OHIO ----------	357	-	-	-	-	-	1	1	6	19	45	57
WHITE------MALE----	245	-	-	-	-	-	-	1	3	14	34	41
FEMALE--	54	-	-	-	-	-	-	-	3	1	7	5
ALL OTHER--MALE----	42	-	-	-	-	-	1	-	-	2	3	9
FEMALE--	16	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	39	-	-	-	-	-	1	-	-	2	3	8
FEMALE--	16	-	-	-	-	-	-	-	-	2	1	2
OKLAHOMA ----------	144	-	-	-	-	-	-	-	-	10	12	25
WHITE------MALE----	79	-	-	-	-	-	-	-	-	3	7	11
FEMALE--	28	-	-	-	-	-	-	-	-	3	1	6
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	4	2	7
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
OREGON ----------	183	-	-	-	-	-	-	-	2	11	15	37
WHITE------MALE----	127	-	-	-	-	-	-	-	-	5	10	31
FEMALE--	46	-	-	-	-	-	-	-	1	4	4	6
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	276	-	-	-	-	-	-	-	5	12	33	42
WHITE------MALE----	196	-	-	-	-	-	-	-	4	9	24	31
FEMALE--	64	-	-	-	-	-	-	-	1	3	9	8
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	57	-	-	-	-	-	-	1	-	2	8	5
WHITE------MALE----	40	-	-	-	-	-	-	1	-	1	6	5
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	258	-	-	-	-	-	-	-	1	17	31	37
WHITE------MALE----	132	-	-	-	-	-	-	-	-	8	15	13
FEMALE--	37	-	-	-	-	-	-	-	1	1	5	5
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	-	6	8	15
FEMALE--	25	-	-	-	-	-	-	-	-	2	3	4
BLACK---MALE----	63	-	-	-	-	-	-	-	-	6	7	15
FEMALE--	25	-	-	-	-	-	-	-	-	2	3	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
OHIO ----------	61	48	35	30	25	16	10	1	1	1	-	-
WHITE------MALE----	38	31	26	19	18	10	7	1	1	1	-	-
FEMALE--	12	5	4	6	5	4	2	-	-	-	-	-
ALL OTHER--MALE----	9	7	4	5	1	-	1	-	-	-	-	-
FEMALE--	2	5	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	9	7	4	3	1	-	1	-	-	-	-	-
FEMALE--	2	5	1	-	1	2	-	-	-	-	-	-
OKLAHOMA ----------	36	23	16	10	6	3	3	-	-	-	-	-
WHITE------MALE----	20	15	11	6	3	3	-	-	-	-	-	-
FEMALE--	5	3	4	1	2	-	3	-	-	-	-	-
ALL OTHER--MALE----	8	4	1	2	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON ----------	32	28	19	18	8	9	2	2	-	-	-	-
WHITE------MALE----	21	14	16	13	7	8	2	-	-	-	-	-
FEMALE--	8	12	2	5	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	42	36	41	25	20	7	10	3	-	-	-	-
WHITE------MALE----	28	23	30	18	15	4	8	2	-	-	-	-
FEMALE--	10	10	8	6	4	2	2	1	-	-	-	-
ALL OTHER--MALE----	1	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	11	8	5	8	5	2	1	-	1	-	-	-
WHITE------MALE----	6	7	3	6	3	-	1	-	1	-	-	-
FEMALE--	4	1	2	2	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	40	34	40	25	14	6	6	4	3	-	-	-
WHITE------MALE----	24	20	25	15	4	1	4	2	1	-	-	-
FEMALE--	4	5	4	2	6	2	-	1	1	-	-	-
ALL OTHER--MALE----	7	6	6	7	3	3	1	1	1	-	-	-
FEMALE--	5	3	5	1	1	-	1	-	-	-	-	-
BLACK---MALE----	7	6	6	7	3	3	1	1	1	-	-	-
FEMALE--	5	3	5	1	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
SOUTH DAKOTA ----------	57	-	-	-	-	-	-	1	4	5	10	8
WHITE------MALE----	17	-	-	-	-	-	-	-	1	-	3	3
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	1	5	3
FEMALE--	14	-	-	-	-	-	-	-	3	3	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	228	-	-	-	-	-	1	1	3	21	31	34
WHITE------MALE----	160	-	-	-	-	-	-	-	2	12	18	24
FEMALE--	38	-	-	-	-	-	1	1	1	6	8	5
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	3	3	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	1
TEXAS ----------	790	-	-	-	-	-	1	5	14	64	97	138
WHITE------MALE----	575	-	-	-	-	-	1	3	9	41	71	95
FEMALE--	131	-	-	-	-	-	-	1	5	19	11	23
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	1	9	17
FEMALE--	26	-	-	-	-	-	-	1	-	3	6	3
BLACK---MALE----	48	-	-	-	-	-	-	-	-	-	7	15
FEMALE--	23	-	-	-	-	-	-	1	-	3	4	2
UTAH ----------	66	-	-	-	-	-	-	-	2	5	7	14
WHITE------MALE----	51	-	-	-	-	-	-	-	1	3	7	10
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	21	-	-	-	-	-	-	-	-	2	3	3
WHITE------MALE----	18	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	162	-	-	-	-	-	-	-	3	11	20	21
WHITE------MALE----	106	-	-	-	-	-	-	-	-	5	15	14
FEMALE--	28	-	-	-	-	-	-	-	1	5	4	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
SOUTH DAKOTA ----------	10	9	4	3	2	1	-	-	-	-	-	-
WHITE------MALE----	2	2	2	1	2	1	-	-	-	-	-	-
FEMALE--	3	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	34	33	29	18	12	8	2	1	-	-	-	-
WHITE------MALE----	29	26	23	8	9	8	1	-	-	-	-	-
FEMALE--	2	3	3	6	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	3	3	3	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	3	3	3	3	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
TEXAS ----------	129	99	84	68	51	23	13	2	2	-	-	-
WHITE------MALE----	96	76	57	57	39	19	9	1	1	-	-	-
FEMALE--	20	13	17	8	6	4	2	1	1	-	-	-
ALL OTHER--MALE----	9	10	5	2	4	-	1	-	-	-	-	-
FEMALE--	4	-	5	1	2	-	1	-	-	-	-	-
BLACK---MALE----	6	8	5	2	4	-	1	-	-	-	-	-
FEMALE--	4	-	5	1	2	-	1	-	-	-	-	-
UTAH ----------	8	9	6	6	2	5	2	-	-	-	-	-
WHITE------MALE----	6	7	5	5	2	3	2	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	2	4	2	2	-	-	-	-	-	-	-
WHITE------MALE----	3	2	3	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	23	18	26	17	9	12	2	-	-	-	-	-
WHITE------MALE----	11	15	19	13	5	7	2	-	-	-	-	-
FEMALE--	3	1	3	1	3	3	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	3	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	7	1	3	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	1	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
WASHINGTON ----------	419	-	-	-	-	-	-	3	8	9	45	56
WHITE------MALE----	260	-	-	-	-	-	-	1	2	6	21	33
FEMALE--	119	-	-	-	-	-	-	2	2	1	17	17
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	3	1	5	2
FEMALE--	15	-	-	-	-	-	-	-	1	1	2	4
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
WEST VIRGINIA ----------	72	-	-	-	-	-	-	-	1	6	5	10
WHITE------MALE----	58	-	-	-	-	-	-	-	1	4	4	8
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WISCONSIN ----------	199	-	-	-	-	-	-	2	1	13	14	29
WHITE------MALE----	124	-	-	-	-	-	-	-	1	5	8	18
FEMALE--	52	-	-	-	-	-	-	1	-	6	3	6
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	-	1	3	4
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	11	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WYOMING ----------	33	-	-	-	-	-	-	-	-	5	4	4
WHITE------MALE----	23	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
WASHINGTON ----------	61	41	48	48	46	28	17	6	2	-	-	1
WHITE------MALE----	43	23	33	33	31	14	13	4	2	-	-	1
FEMALE--	12	14	13	10	13	12	4	2	-	-	-	-
ALL OTHER--MALE----	5	4	1	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	2	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
WEST VIRGINIA ----------	15	13	9	6	4	2	1	-	-	-	-	-
WHITE------MALE----	14	10	7	5	3	1	1	-	-	-	-	-
FEMALE--	1	3	2	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	30	22	30	22	17	13	5	1	-	-	-	-
WHITE------MALE----	15	11	24	15	12	11	3	1	-	-	-	-
FEMALE--	9	9	6	6	4	1	1	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	4	2	2	6	1	1	-	-	-	-	-
WHITE------MALE----	4	4	2	2	5	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
UNITED STATES -	439	-	-	1	1	4	4	8	7	10	19	33
WHITE------MALE----	106	-	-	-	-	-	-	-	1	-	11	12
FEMALE--	249	-	-	-	1	2	2	4	2	4	5	13
ALL OTHER--MALE----	22	-	-	1	-	-	-	1	2	-	1	4
FEMALE--	62	-	-	-	-	2	2	3	2	6	2	4
BLACK---MALE----	13	-	-	1	-	-	-	1	1	-	1	3
FEMALE--	48	-	-	-	-	2	2	3	1	5	2	3
ALABAMA ----------	9	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	56	-	-	-	-	1	1	2	1	2	1	4
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	30	-	-	-	-	1	1	1	-	2	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2692

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
UNITED STATES -	35	37	46	40	64	58	46	21	4	1	-	-
WHITE------MALE----	16	10	11	7	13	12	8	5	-	-	-	-
FEMALE--	13	19	25	26	41	39	34	14	4	1	-	-
ALL OTHER--MALE----	2	-	-	-	6	3	2	-	-	-	-	-
FEMALE--	4	8	10	7	4	4	2	2	-	-	-	-
BLACK---MALE----	2	-	-	-	2	-	2	-	-	-	-	-
FEMALE--	3	4	7	6	4	3	1	2	-	-	-	-
ALABAMA ----------	-	1	-	-	-	2	3	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	2	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	2	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	7	3	5	9	5	4	4	-	-	-	-
WHITE------MALE----	4	1	2	2	1	2	1	1	-	-	-	-
FEMALE--	2	3	1	2	6	2	3	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	3	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
COLORADO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	11	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	24	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
GEORGIA ----------	15	-	-	-	-	-	-	1	-	1	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
COLORADO ----------	-	-	2	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	2	-	1	2	2	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	3	1	1	3	5	4	3	2	-	-	-	-
WHITE------MALE----	1	-	-	-	2	3	1	-	-	-	-	-
FEMALE--	1	1	1	2	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
GEORGIA ----------	-	3	2	2	1	1	2	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	14	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
HAWAII ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	3	2	-	3	2	-	2	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	1	1	2	2	1	-	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	1	-	4	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
KENTUCKY ----------	9	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	13	-	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	11	-	-	-	-	-	-	1	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	11	-	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
KENTUCKY ----------	-	2	-	2	1	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	2	2	3	2	-	1	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	1	1	2	1	1	1	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	2	2	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
MINNESOTA ----------	14	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
MINNESOTA ----------	-	3	3	-	3	-	3	-	1	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	3	2	-	2	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MISSOURI ----------	1	-	-	1	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	15	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	17	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	8	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
NEW HAMPSHIRE ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	1	2	-	4	3	-	-	1	-	-	-
WHITE------MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	1	2	3	2	2	2	1	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	3	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	2	1	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
OHIO ----------	19	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	12	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	19	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
OHIO ----------	2	1	1	2	4	3	3	-	-	-	-	-
WHITE------MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
OKLAHOMA ----------	2	-	1	1	1	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	1	-	3	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	2	2	1	4	4	2	2	-	-	-	-
WHITE------MALE----	1	1	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	1	4	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TEXAS ----------	38	-	-	-	1	-	-	1	1	2	5	5
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	18	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	1	-	2	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	2	1	-
UTAH ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	1	-	2	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	4	4	1	3	7	2	1	-	-	-	-
WHITE------MALE----	1	2	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	2	2	1	3	5	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	1	2	2	1	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
WASHINGTON ----------	10	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WEST VIRGINIA ----------	4	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	11	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
WASHINGTON ----------	-	1	2	2	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	2	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	1	1	3	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2701

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
UNITED STATES -	13,862	5	2	-	-	5	5	25	108	330	757	1,230
WHITE------MALE----	7,082	4	-	-	-	3	1	14	62	191	455	738
FEMALE--	5,142	-	-	-	-	2	-	3	32	87	159	228
ALL OTHER--MALE----	983	-	-	-	-	-	1	2	10	34	102	191
FEMALE--	655	1	2	-	-	-	3	6	4	18	41	73
BLACK---MALE----	811	-	-	-	-	-	1	2	9	26	90	159
FEMALE--	495	-	2	-	-	-	3	6	3	14	36	59
ALABAMA ----------	264	-	-	-	-	-	-	2	2	11	15	26
WHITE------MALE----	139	-	-	-	-	-	-	1	2	6	8	19
FEMALE--	88	-	-	-	-	-	-	1	-	3	3	2
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	13	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	13	-	-	-	-	-	-	-	-	1	2	-
ALASKA ----------	17	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	343	-	-	-	-	-	-	-	2	8	28	47
WHITE------MALE----	198	-	-	-	-	-	-	-	1	1	17	28
FEMALE--	105	-	-	-	-	-	-	-	-	3	9	8
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	3	1	6
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	5
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	137	-	-	-	-	-	-	-	3	3	5	7
WHITE------MALE----	76	-	-	-	-	-	-	-	2	2	4	4
FEMALE--	49	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1,167	-	1	-	-	1	-	2	10	30	69	115
WHITE------MALE----	562	-	-	-	-	1	-	2	5	27	40	71
FEMALE--	454	-	-	-	-	-	-	-	2	2	20	26
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	1	1	6	14
FEMALE--	73	-	1	-	-	-	-	-	2	-	3	4
BLACK---MALE----	37	-	-	-	-	-	-	-	1	1	2	8
FEMALE--	27	-	1	-	-	-	-	-	1	-	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2701

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
UNITED STATES -	1,268	1,255	1,440	1,689	1,914	1,805	1,203	587	201	29	4	-
WHITE------MALE----	786	722	753	873	904	781	494	220	67	12	2	-
FEMALE--	272	326	489	645	866	913	651	334	119	14	2	-
ALL OTHER--MALE----	153	140	113	90	64	48	19	9	6	1	-	-
FEMALE--	57	67	85	81	80	63	39	24	9	2	-	-
BLACK---MALE----	131	113	90	74	53	37	16	7	3	-	-	-
FEMALE--	43	59	65	54	51	45	27	18	8	2	-	-
ALABAMA ----------	28	33	25	33	32	29	12	13	3	-	-	-
WHITE------MALE----	19	20	10	20	15	9	4	5	1	-	-	-
FEMALE--	4	9	6	13	14	17	7	8	1	-	-	-
ALL OTHER--MALE----	5	2	6	-	2	1	-	-	-	-	-	-
FEMALE--	-	2	3	-	1	2	1	-	1	-	-	-
BLACK---MALE----	5	2	6	-	2	1	-	-	-	-	-	-
FEMALE--	-	2	3	-	1	2	1	-	1	-	-	-
ALASKA ----------	3	1	3	3	2	1	2	-	-	-	-	-
WHITE------MALE----	1	-	2	2	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	25	37	39	38	44	38	25	9	2	1	-	-
WHITE------MALE----	16	19	23	23	30	20	16	2	1	1	-	-
FEMALE--	3	10	11	14	12	18	9	7	1	-	-	-
ALL OTHER--MALE----	3	6	3	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	13	19	13	12	21	15	14	9	3	-	-	-
WHITE------MALE----	9	13	8	8	12	7	3	3	1	-	-	-
FEMALE--	2	4	4	4	7	8	9	6	2	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	2	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
CALIFORNIA ----------	118	96	130	145	161	141	93	39	12	4	-	-
WHITE------MALE----	66	59	51	69	67	53	35	10	5	1	-	-
FEMALE--	29	28	52	61	79	76	49	22	6	2	-	-
ALL OTHER--MALE----	14	6	14	8	6	4	2	1	-	1	-	-
FEMALE--	9	3	13	7	9	8	7	6	1	-	-	-
BLACK---MALE----	6	4	6	3	2	2	2	-	-	-	-	-
FEMALE--	2	3	6	1	1	2	2	3	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2702

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
COLORADO ----------	119	-	-	-	-	-	-	-	1	6	12	17
WHITE------MALE----	62	-	-	-	-	-	-	-	-	1	9	12
FEMALE--	49	-	-	-	-	-	-	-	1	3	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	187	-	-	-	-	-	-	-	2	5	11	17
WHITE------MALE----	95	-	-	-	-	-	-	-	-	1	8	12
FEMALE--	75	-	-	-	-	-	-	-	2	3	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
DELAWARE ----------	33	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	25	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
FLORIDA ----------	1,155	-	-	-	-	1	-	1	7	21	62	106
WHITE------MALE----	645	-	-	-	-	-	-	1	4	15	34	67
FEMALE--	410	-	-	-	-	1	-	-	2	5	18	28
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	1	1	8	7
FEMALE--	36	-	-	-	-	-	-	-	-	-	2	4
BLACK---MALE----	59	-	-	-	-	-	-	-	1	1	8	6
FEMALE--	35	-	-	-	-	-	-	-	-	-	2	4
GEORGIA ----------	385	-	-	-	-	-	1	-	1	13	19	36
WHITE------MALE----	199	-	-	-	-	-	1	-	-	4	9	24
FEMALE--	117	-	-	-	-	-	-	-	1	4	4	4
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	2	4	5
FEMALE--	36	-	-	-	-	-	-	-	-	3	2	3
BLACK---MALE----	33	-	-	-	-	-	-	-	-	2	4	5
FEMALE--	35	-	-	-	-	-	-	-	-	3	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
COLORADO ----------	9	9	14	13	12	16	4	4	2	-	-	-
WHITE------MALE----	7	4	8	9	6	5	-	1	-	-	-	-
FEMALE--	2	3	6	4	6	11	3	3	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	15	18	14	14	33	24	20	11	3	-	-	-
WHITE------MALE----	10	13	8	8	15	7	6	6	1	-	-	-
FEMALE--	3	1	4	5	17	17	14	4	2	-	-	-
ALL OTHER--MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	1	-	-	-	-
DELAWARE ----------	4	4	4	4	7	2	4	1	-	-	-	-
WHITE------MALE----	2	2	3	2	4	2	1	-	-	-	-	-
FEMALE--	1	2	1	2	3	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	4	4	3	-	5	2	-	1	-	-	-
WHITE------MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	3	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	1	-	-	-
BLACK---MALE----	1	3	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
FLORIDA ----------	90	113	137	155	149	141	97	55	17	3	-	-
WHITE------MALE----	56	65	88	89	81	67	47	24	6	1	-	-
FEMALE--	21	30	39	52	60	65	48	30	9	2	-	-
ALL OTHER--MALE----	11	12	6	7	5	5	-	1	-	-	-	-
FEMALE--	2	6	4	7	3	4	2	-	2	-	-	-
BLACK---MALE----	10	11	6	5	5	5	-	1	-	-	-	-
FEMALE--	2	6	4	7	3	3	2	-	2	-	-	-
GEORGIA ----------	48	47	36	57	49	37	26	10	3	2	-	-
WHITE------MALE----	32	26	18	26	29	18	6	4	1	1	-	-
FEMALE--	11	7	9	22	16	14	18	5	2	-	-	-
ALL OTHER--MALE----	5	7	5	3	1	1	-	-	-	-	-	-
FEMALE--	-	7	4	6	3	4	2	1	-	1	-	-
BLACK---MALE----	5	7	5	3	1	1	-	-	-	-	-	-
FEMALE--	-	7	4	5	3	4	2	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2703

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
HAWAII ----------	43	-	-	-	-	-	-	-	-	2	2	5
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	43	-	-	-	-	-	-	-	-	2	1	4
WHITE------MALE----	20	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	667	-	-	-	-	1	1	2	9	14	40	57
WHITE------MALE----	321	-	-	-	-	1	-	1	4	10	21	33
FEMALE--	243	-	-	-	-	-	-	-	3	2	11	8
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	1	2	4	12
FEMALE--	44	-	-	-	-	-	1	1	1	-	4	4
BLACK---MALE----	56	-	-	-	-	-	-	-	1	1	4	12
FEMALE--	40	-	-	-	-	-	1	1	1	-	4	4
INDIANA ----------	278	-	-	-	-	-	-	1	3	5	18	15
WHITE------MALE----	150	-	-	-	-	-	-	1	2	2	14	10
FEMALE--	109	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
IOWA ----------	108	-	-	-	-	-	-	-	-	2	1	4
WHITE------MALE----	56	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	47	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	101	-	-	-	-	-	-	-	-	4	6	7
WHITE------MALE----	45	-	-	-	-	-	-	-	-	3	4	6
FEMALE--	54	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
HAWAII ----------	-	3	3	5	12	7	4	-	-	-	-	-
WHITE------MALE----	-	3	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	3	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	5	3	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	5	1	5	7	6	5	3	1	-	-	-
WHITE------MALE----	1	2	-	3	6	1	4	-	-	-	-	-
FEMALE--	1	2	1	2	1	5	1	3	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	54	61	64	81	97	91	54	29	9	2	1	-
WHITE------MALE----	31	34	34	38	42	41	18	7	4	1	1	-
FEMALE--	9	14	18	37	40	44	33	19	4	1	-	-
ALL OTHER--MALE----	10	9	5	2	8	5	1	-	-	-	-	-
FEMALE--	4	4	7	4	7	1	2	3	1	-	-	-
BLACK---MALE----	10	8	5	2	8	5	-	-	-	-	-	-
FEMALE--	4	4	7	4	3	1	2	3	1	-	-	-
INDIANA ----------	31	28	29	29	32	48	25	9	4	1	-	-
WHITE------MALE----	23	18	16	17	12	24	4	4	2	1	-	-
FEMALE--	5	10	11	11	20	22	19	5	2	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
IOWA ----------	8	9	13	16	15	14	13	12	-	1	-	-
WHITE------MALE----	6	6	6	8	8	3	7	6	-	1	-	-
FEMALE--	1	1	7	6	7	11	6	6	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	6	11	11	9	14	17	9	2	5	-	-	-
WHITE------MALE----	4	3	6	3	5	6	2	1	2	-	-	-
FEMALE--	2	8	5	5	9	11	6	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2704

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
KENTUCKY ----------	232	-	-	-	-	-	-	1	4	6	3	20
WHITE------MALE----	125	-	-	-	-	-	-	-	2	4	2	15
FEMALE--	95	-	-	-	-	-	-	1	1	2	1	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	204	-	-	-	-	-	1	1	2	5	12	25
WHITE------MALE----	87	-	-	-	-	-	-	1	1	2	5	11
FEMALE--	71	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	32	-	-	-	-	-	1	-	1	2	5	8
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	30	-	-	-	-	-	1	-	1	2	5	7
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	3
MAINE ----------	71	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	272	-	-	-	-	-	-	2	2	7	19	34
WHITE------MALE----	116	-	-	-	-	-	-	-	2	2	7	14
FEMALE--	79	-	-	-	-	-	-	-	-	3	2	6
ALL OTHER--MALE----	49	-	-	-	-	-	-	1	-	2	8	9
FEMALE--	28	-	-	-	-	-	-	1	-	-	2	5
BLACK---MALE----	44	-	-	-	-	-	-	1	-	2	7	8
FEMALE--	25	-	-	-	-	-	-	1	-	-	2	5
MASSACHUSETTS ----------	416	-	-	-	-	-	-	-	3	11	20	28
WHITE------MALE----	248	-	-	-	-	-	-	-	2	7	11	19
FEMALE--	151	-	-	-	-	-	-	-	1	3	5	6
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN ----------	625	-	1	-	-	-	1	3	5	10	39	73
WHITE------MALE----	291	-	-	-	-	-	-	-	4	5	22	37
FEMALE--	208	-	-	-	-	-	-	-	-	4	5	9
ALL OTHER--MALE----	68	-	-	-	-	-	-	1	1	1	7	14
FEMALE--	58	-	1	-	-	-	1	2	-	-	5	13
BLACK---MALE----	66	-	-	-	-	-	-	1	1	1	7	14
FEMALE--	53	-	1	-	-	-	1	2	-	-	5	13

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
KENTUCKY ----------	25	26	18	34	38	25	15	12	4	1	-	-
WHITE------MALE----	19	17	7	19	21	8	6	3	1	1	-	-
FEMALE--	2	4	11	14	17	17	8	9	3	-	-	-
ALL OTHER--MALE----	2	5	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	5	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	21	11	20	24	29	24	17	8	4	-	-	-
WHITE------MALE----	8	6	11	12	13	6	9	1	1	-	-	-
FEMALE--	6	2	7	9	12	15	6	6	2	-	-	-
ALL OTHER--MALE----	6	3	1	2	1	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	3	3	1	-	1	-	-	-
BLACK---MALE----	5	3	1	2	1	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	3	3	1	-	1	-	-	-
MAINE ----------	5	6	4	11	18	12	7	4	1	-	-	-
WHITE------MALE----	5	2	4	4	11	4	2	1	-	-	-	-
FEMALE--	-	4	-	7	6	8	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	27	27	28	29	37	30	20	8	2	-	-	-
WHITE------MALE----	12	11	11	15	13	16	9	3	1	-	-	-
FEMALE--	5	7	7	5	19	11	10	4	-	-	-	-
ALL OTHER--MALE----	7	6	4	6	3	1	-	1	1	-	-	-
FEMALE--	3	3	6	3	2	2	1	-	-	-	-	-
BLACK---MALE----	6	6	4	6	3	-	-	1	-	-	-	-
FEMALE--	3	3	6	3	1	-	1	-	-	-	-	-
MASSACHUSETTS ----------	44	30	51	59	55	53	37	17	6	2	-	-
WHITE------MALE----	36	23	29	37	31	28	16	7	2	-	-	-
FEMALE--	7	7	19	22	22	23	21	9	4	2	-	-
ALL OTHER--MALE----	1	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MICHIGAN ----------	58	67	60	80	73	69	52	27	6	1	-	-
WHITE------MALE----	29	30	28	33	33	38	19	11	2	-	-	-
FEMALE--	10	16	20	32	32	27	32	16	4	1	-	-
ALL OTHER--MALE----	13	13	4	9	3	2	-	-	-	-	-	-
FEMALE--	6	8	8	6	5	2	1	-	-	-	-	-
BLACK---MALE----	13	12	4	8	3	2	-	-	-	-	-	-
FEMALE--	6	7	7	5	4	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2705

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
MINNESOTA ----------	158	1	-	-	-	-	-	-	-	4	7	12
WHITE------MALE----	80	-	-	-	-	-	-	-	-	4	6	7
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	157	-	-	-	-	-	-	-	1	2	8	16
WHITE------MALE----	62	-	-	-	-	-	-	-	1	-	4	9
FEMALE--	53	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	2	1
MISSOURI ----------	237	-	-	-	-	-	-	-	2	5	12	16
WHITE------MALE----	116	-	-	-	-	-	-	-	1	2	5	12
FEMALE--	106	-	-	-	-	-	-	-	1	3	3	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	43	-	-	-	-	-	-	-	1	1	3	4
WHITE------MALE----	20	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	56	-	-	-	-	-	-	-	1	2	3	6
WHITE------MALE----	28	-	-	-	-	-	-	-	1	2	2	4
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	94	-	-	-	-	-	-	1	-	4	5	11
WHITE------MALE----	52	-	-	-	-	-	-	-	-	4	4	7
FEMALE--	36	-	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
MINNESOTA ----------	11	8	19	19	25	24	15	8	5	-	-	-
WHITE------MALE----	8	5	7	13	9	11	6	3	1	-	-	-
FEMALE--	2	3	8	6	15	13	9	5	4	-	-	-
ALL OTHER--MALE----	1	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	26	15	17	20	17	16	13	4	2	-	-	-
WHITE------MALE----	12	4	7	7	6	4	4	3	1	-	-	-
FEMALE--	4	3	5	9	7	9	9	1	1	-	-	-
ALL OTHER--MALE----	6	4	5	1	1	2	-	-	-	-	-	-
FEMALE--	4	4	-	3	3	1	-	-	-	-	-	-
BLACK---MALE----	6	3	3	1	1	2	-	-	-	-	-	-
FEMALE--	3	4	-	3	2	1	-	-	-	-	-	-
MISSOURI ----------	21	20	18	31	40	37	24	5	5	1	-	-
WHITE------MALE----	13	9	9	16	17	18	8	2	4	-	-	-
FEMALE--	5	9	9	13	22	18	16	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
MONTANA ----------	6	4	2	3	7	4	8	-	-	-	-	-
WHITE------MALE----	4	2	1	2	2	1	3	-	-	-	-	-
FEMALE--	2	1	1	1	5	3	5	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	7	4	3	5	9	7	4	5	-	-	-	-
WHITE------MALE----	5	4	-	3	4	2	1	-	-	-	-	-
FEMALE--	-	-	3	2	4	5	3	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	7	9	11	14	16	9	5	2	-	-	-	-
WHITE------MALE----	4	6	7	8	6	3	2	1	-	-	-	-
FEMALE--	2	2	3	5	10	6	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
NEW HAMPSHIRE ----------	37	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	481	-	-	-	-	-	-	-	5	12	19	31
WHITE------MALE----	263	-	-	-	-	-	-	-	4	10	9	16
FEMALE--	170	-	-	-	-	-	-	-	1	-	4	9
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	5	6
FEMALE--	15	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	5	6
FEMALE--	14	-	-	-	-	-	-	-	-	2	1	-
NEW MEXICO ----------	111	-	-	-	-	-	-	-	2	4	3	12
WHITE------MALE----	58	-	-	-	-	-	-	-	-	3	3	5
FEMALE--	39	-	-	-	-	-	-	-	2	1	-	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	809	1	-	-	-	1	-	1	5	6	39	71
WHITE------MALE----	430	1	-	-	-	1	-	1	2	3	24	46
FEMALE--	267	-	-	-	-	-	-	-	3	2	7	10
ALL OTHER--MALE----	71	-	-	-	-	-	-	-	-	-	7	14
FEMALE--	41	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	57	-	-	-	-	-	-	-	-	-	6	12
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	1
NORTH CAROLINA ---------	354	-	-	-	-	1	-	-	1	5	18	16
WHITE------MALE----	166	-	-	-	-	-	-	-	1	2	9	10
FEMALE--	134	-	-	-	-	1	-	-	-	2	2	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	1	4	5
FEMALE--	25	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	4	5
FEMALE--	25	-	-	-	-	-	-	-	-	-	3	-
NORTH DAKOTA ----------	17	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
NEW HAMPSHIRE ----------	2	1	4	6	6	8	6	1	1	-	-	-
WHITE------MALE----	1	1	2	3	2	2	3	1	-	-	-	-
FEMALE--	1	-	1	3	4	6	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	50	29	59	68	71	72	36	17	11	-	1	-
WHITE------MALE----	31	17	34	39	35	36	17	10	5	-	-	-
FEMALE--	15	6	16	23	32	33	19	6	5	-	1	-
ALL OTHER--MALE----	3	6	5	5	1	1	-	-	1	-	-	-
FEMALE--	1	-	4	1	3	2	-	1	-	-	-	-
BLACK---MALE----	3	6	4	5	1	1	-	-	1	-	-	-
FEMALE--	1	-	4	1	2	2	-	1	-	-	-	-
NEW MEXICO ----------	8	15	12	12	14	11	14	3	1	-	-	-
WHITE------MALE----	6	8	4	3	10	3	11	2	-	-	-	-
FEMALE--	2	5	4	5	4	8	3	1	1	-	-	-
ALL OTHER--MALE----	-	2	1	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	64	60	85	95	119	120	79	46	17	-	-	-
WHITE------MALE----	40	33	48	47	59	63	33	21	8	-	-	-
FEMALE--	11	16	23	30	47	46	43	20	9	-	-	-
ALL OTHER--MALE----	11	7	7	10	7	5	2	1	-	-	-	-
FEMALE--	2	4	7	8	6	6	1	4	-	-	-	-
BLACK---MALE----	10	3	4	8	7	4	2	1	-	-	-	-
FEMALE--	1	3	6	5	5	6	-	3	-	-	-	-
NORTH CAROLINA ---------	26	39	43	41	58	60	27	14	5	-	-	-
WHITE------MALE----	19	21	20	21	25	20	11	6	1	-	-	-
FEMALE--	5	9	17	13	25	34	15	6	4	-	-	-
ALL OTHER--MALE----	1	6	3	2	3	3	-	1	-	-	-	-
FEMALE--	1	3	3	5	5	3	1	1	-	-	-	-
BLACK---MALE----	1	5	3	2	2	2	-	1	-	-	-	-
FEMALE--	1	3	3	5	5	3	1	1	-	-	-	-
NORTH DAKOTA ----------	2	1	2	1	4	1	3	1	-	-	-	-
WHITE------MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	3	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
OHIO ----------	631	2	-	-	-	-	1	2	8	9	36	35
WHITE------MALE----	317	2	-	-	-	-	-	1	5	3	24	20
FEMALE--	257	-	-	-	-	-	-	-	3	3	8	6
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	2	3	8
FEMALE--	23	-	-	-	-	-	1	1	-	1	1	1
BLACK---MALE----	34	-	-	-	-	-	-	-	-	2	3	8
FEMALE--	22	-	-	-	-	-	1	1	-	1	1	1
OKLAHOMA ----------	209	-	-	-	-	-	-	-	-	5	17	23
WHITE------MALE----	106	-	-	-	-	-	-	-	-	2	14	12
FEMALE--	75	-	-	-	-	-	-	-	-	-	3	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	-	5
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
OREGON ----------	116	-	-	-	-	-	-	-	-	2	2	10
WHITE------MALE----	62	-	-	-	-	-	-	-	-	1	2	9
FEMALE--	51	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	729	-	-	-	-	-	-	2	1	22	37	56
WHITE------MALE----	361	-	-	-	-	-	-	1	-	11	19	28
FEMALE--	291	-	-	-	-	-	-	-	1	11	11	9
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	-	4	13
FEMALE--	23	-	-	-	-	-	-	1	-	-	3	6
BLACK---MALE----	54	-	-	-	-	-	-	-	-	-	4	13
FEMALE--	21	-	-	-	-	-	-	1	-	-	3	6
RHODE ISLAND ----------	62	-	-	-	-	-	-	-	-	3	2	2
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	3	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	154	-	-	-	-	-	-	-	-	4	8	5
WHITE------MALE----	51	-	-	-	-	-	-	-	-	1	4	-
FEMALE--	85	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
OHIO ----------	51	59	66	68	104	84	61	34	8	2	1	-
WHITE------MALE----	35	35	36	35	46	36	28	10	-	1	-	-
FEMALE--	10	15	25	26	52	45	31	23	8	1	1	-
ALL OTHER--MALE----	4	6	5	2	3	1	-	-	-	-	-	-
FEMALE--	2	3	-	5	3	2	2	1	-	-	-	-
BLACK---MALE----	4	6	5	2	3	1	-	-	-	-	-	-
FEMALE--	2	3	-	4	3	2	2	1	-	-	-	-
OKLAHOMA ----------	25	22	16	24	25	30	14	5	2	1	-	-
WHITE------MALE----	15	12	10	11	11	9	8	2	-	-	-	-
FEMALE--	7	7	5	8	12	17	6	2	2	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	2	-	5	1	3	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
OREGON ----------	17	8	8	17	14	17	11	8	2	-	-	-
WHITE------MALE----	11	5	4	9	5	8	4	4	-	-	-	-
FEMALE--	6	2	4	8	8	8	7	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	61	50	56	85	109	113	77	45	14	1	-	-
WHITE------MALE----	34	37	27	44	57	54	32	16	-	1	-	-
FEMALE--	13	9	19	35	45	54	44	27	13	-	-	-
ALL OTHER--MALE----	13	4	8	6	4	1	1	-	-	-	-	-
FEMALE--	1	-	2	-	3	4	-	2	1	-	-	-
BLACK---MALE----	13	4	8	6	4	1	1	-	-	-	-	-
FEMALE--	1	-	2	-	2	3	-	2	1	-	-	-
RHODE ISLAND ----------	6	3	8	6	13	8	7	2	1	1	-	-
WHITE------MALE----	2	1	1	5	10	3	3	1	-	-	-	-
FEMALE--	3	2	6	1	3	5	4	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	11	13	15	13	18	34	26	5	2	-	-	-
WHITE------MALE----	7	8	7	9	5	7	1	1	1	-	-	-
FEMALE--	1	2	7	4	12	26	23	4	1	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	3	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	3	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2708

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
SOUTH DAKOTA ----------	24	-	-	-	-	-	-	-	1	3	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	315	1	-	-	-	-	-	-	2	12	16	39
WHITE------MALE----	160	1	-	-	-	-	-	-	2	7	9	20
FEMALE--	127	-	-	-	-	-	-	-	-	3	3	13
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
TEXAS ----------	1,276	-	-	-	-	-	-	4	15	44	92	137
WHITE------MALE----	726	-	-	-	-	-	-	4	8	33	68	91
FEMALE--	428	-	-	-	-	-	-	-	5	9	15	22
ALL OTHER--MALE----	81	-	-	-	-	-	-	-	2	2	4	16
FEMALE--	41	-	-	-	-	-	-	-	-	-	5	8
BLACK---MALE----	73	-	-	-	-	-	-	-	2	2	3	14
FEMALE--	36	-	-	-	-	-	-	-	-	-	4	7
UTAH ----------	69	-	-	-	-	-	-	-	-	3	4	7
WHITE------MALE----	34	-	-	-	-	-	-	-	-	2	4	5
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	29	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	354	-	-	-	-	-	-	-	4	5	22	40
WHITE------MALE----	176	-	-	-	-	-	-	-	2	1	11	21
FEMALE--	106	-	-	-	-	-	-	-	-	1	3	6
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	1	3	8	9
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	4
BLACK---MALE----	43	-	-	-	-	-	-	-	1	2	7	9
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2708

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
SOUTH DAKOTA ----------	1	1	2	4	4	2	-	2	2	-	-	-
WHITE------MALE----	-	-	1	1	2	2	-	1	1	-	-	-
FEMALE--	1	-	1	3	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	24	30	23	41	40	47	22	13	3	2	-	-
WHITE------MALE----	16	17	12	24	15	21	9	6	1	-	-	-
FEMALE--	5	9	11	16	22	23	13	7	1	1	-	-
ALL OTHER--MALE----	2	4	-	1	2	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	1	-	-
BLACK---MALE----	2	4	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	1	-	-
TEXAS ----------	139	125	149	146	145	115	104	39	20	1	1	-
WHITE------MALE----	93	71	85	76	65	53	54	15	8	1	1	-
FEMALE--	34	39	48	58	71	57	40	22	8	-	-	-
ALL OTHER--MALE----	12	13	8	8	4	4	4	1	3	-	-	-
FEMALE--	-	2	8	4	5	1	6	1	1	-	-	-
BLACK---MALE----	12	10	8	8	4	3	4	1	2	-	-	-
FEMALE--	-	2	8	3	5	1	4	1	1	-	-	-
UTAH ----------	7	2	6	13	8	9	5	3	2	-	-	-
WHITE------MALE----	3	2	4	4	1	3	2	2	2	-	-	-
FEMALE--	3	-	2	9	7	5	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	1	2	2	2	7	3	4	-	-	-	-
WHITE------MALE----	4	1	2	2	1	1	2	3	-	-	-	-
FEMALE--	-	-	-	-	1	6	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	24	32	52	40	43	49	28	12	3	-	-	-
WHITE------MALE----	14	20	25	24	17	22	14	3	2	-	-	-
FEMALE--	4	5	16	7	22	21	11	9	1	-	-	-
ALL OTHER--MALE----	5	4	8	3	2	3	1	-	-	-	-	-
FEMALE--	1	3	3	6	2	3	2	-	-	-	-	-
BLACK---MALE----	5	4	7	3	2	2	1	-	-	-	-	-
FEMALE--	1	3	3	5	2	3	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
WASHINGTON ----------	103	-	-	-	-	-	-	-	-	-	2	7
WHITE------MALE----	51	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	131	-	-	-	-	-	-	-	-	4	2	6
WHITE------MALE----	73	-	-	-	-	-	-	-	-	3	2	6
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	198	-	-	-	-	-	-	-	2	3	11	9
WHITE------MALE----	93	-	-	-	-	-	-	-	2	2	8	3
FEMALE--	96	-	-	-	-	-	-	-	-	1	2	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	16	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
WASHINGTON ----------	6	8	4	11	17	22	11	13	1	1	-	-
WHITE------MALE----	3	5	2	2	9	10	6	5	-	1	-	-
FEMALE--	1	3	2	7	7	12	4	8	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WEST VIRGINIA ----------	12	12	13	19	21	22	14	5	1	-	-	-
WHITE------MALE----	6	9	10	9	12	7	7	2	-	-	-	-
FEMALE--	6	3	3	10	9	15	7	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	12	19	24	22	27	27	28	8	5	1	-	-
WHITE------MALE----	6	11	14	9	13	13	10	1	1	-	-	-
FEMALE--	4	7	9	11	14	13	18	7	4	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	4	1	5	1	1	-	-	-	-
WHITE------MALE----	2	-	-	1	-	4	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2710

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
UNITED STATES -	7,360	81	21	10	15	22	30	42	119	264	496	688
WHITE------MALE----	3,533	26	10	2	2	11	6	17	56	118	258	369
FEMALE--	2,520	20	8	5	10	5	14	13	26	76	118	152
ALL OTHER--MALE----	702	27	1	3	1	2	4	6	19	37	63	106
FEMALE--	605	8	2	-	2	4	6	6	18	33	57	61
BLACK---MALE----	583	22	-	2	1	2	3	4	12	31	53	95
FEMALE--	503	8	2	-	2	4	6	5	17	27	49	52
ALABAMA ----------	157	-	1	-	1	-	-	4	2	7	13	20
WHITE------MALE----	69	-	-	-	-	-	-	1	1	-	9	9
FEMALE--	44	-	-	-	1	-	-	-	-	4	-	5
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	3	-	4
FEMALE--	23	-	1	-	-	-	-	2	-	-	4	2
BLACK---MALE----	20	-	-	-	-	-	-	-	1	3	-	4
FEMALE--	23	-	1	-	-	-	-	2	-	-	4	2
ALASKA ----------	16	1	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	9	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	157	2	2	-	-	2	-	1	4	5	9	11
WHITE------MALE----	76	1	2	-	-	1	-	-	1	1	5	5
FEMALE--	56	-	-	-	-	-	-	1	1	3	1	3
ALL OTHER--MALE----	16	1	-	-	-	1	-	-	2	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	3	2
BLACK---MALE----	4	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS ----------	89	-	-	-	-	-	-	-	2	6	3	5
WHITE------MALE----	43	-	-	-	-	-	-	-	1	5	1	3
FEMALE--	34	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA ----------	482	8	3	-	2	4	2	5	11	21	42	50
WHITE------MALE----	241	2	1	-	-	4	-	2	6	17	22	29
FEMALE--	167	2	2	-	2	-	2	2	1	3	9	17
ALL OTHER--MALE----	37	2	-	-	-	-	-	-	4	1	8	2
FEMALE--	37	2	-	-	-	-	-	1	-	-	3	2
BLACK---MALE----	15	1	-	-	-	-	-	-	2	-	5	1
FEMALE--	18	2	-	-	-	-	-	-	-	-	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2710

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
UNITED STATES -	757	673	682	797	826	716	539	348	162	59	12	1
WHITE------MALE----	404	356	343	405	380	304	254	145	54	11	2	-
FEMALE--	190	179	206	275	334	336	242	166	94	43	8	-
ALL OTHER--MALE----	104	80	76	63	50	28	14	11	3	2	1	1
FEMALE--	59	58	57	54	62	48	29	26	11	3	1	-
BLACK---MALE----	90	69	66	48	39	22	9	10	2	1	1	1
FEMALE--	51	45	51	46	44	41	23	17	9	3	1	-
ALABAMA ----------	15	15	12	17	12	9	17	7	3	2	-	-
WHITE------MALE----	9	4	7	8	7	5	5	4	-	-	-	-
FEMALE--	3	7	-	3	4	3	9	1	2	2	-	-
ALL OTHER--MALE----	2	3	3	2	-	-	1	1	-	-	-	-
FEMALE--	1	1	2	4	1	1	2	1	1	-	-	-
BLACK---MALE----	2	3	3	2	-	-	1	1	-	-	-	-
FEMALE--	1	1	2	4	1	1	2	1	1	-	-	-
ALASKA ----------	2	2	1	1	3	-	2	1	-	-	-	-
WHITE------MALE----	1	1	1	1	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	22	22	13	10	15	14	11	8	2	2	2	-
WHITE------MALE----	12	6	7	6	8	8	7	4	1	1	-	-
FEMALE--	8	11	5	2	5	5	3	4	1	1	2	-
ALL OTHER--MALE----	1	4	-	2	2	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	4	9	15	5	16	9	4	2	-	-	-
WHITE------MALE----	4	2	5	7	3	4	5	2	1	-	-	-
FEMALE--	4	-	3	5	2	10	4	1	1	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	-	1	-	-	-	-
BLACK---MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	1	-	-	-	-
CALIFORNIA ----------	46	52	48	37	60	36	30	15	7	3	-	-
WHITE------MALE----	27	31	16	17	27	17	15	7	-	1	-	-
FEMALE--	14	14	25	12	26	15	8	7	5	1	-	-
ALL OTHER--MALE----	2	4	4	5	2	1	2	-	-	-	-	-
FEMALE--	3	3	3	3	5	3	5	1	2	1	-	-
BLACK---MALE----	1	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	2	1	1	1	2	2	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
COLORADO ----------	99	-	-	-	-	-	2	2	5	2	6	10
WHITE------MALE----	52	-	-	-	-	-	-	1	4	1	1	6
FEMALE--	40	-	-	-	-	-	1	-	1	1	5	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT ----------	114	-	-	-	-	-	1	-	4	5	9	11
WHITE------MALE----	75	-	-	-	-	-	-	-	2	4	7	5
FEMALE--	32	-	-	-	-	-	1	-	1	1	2	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
DELAWARE ----------	24	1	-	-	-	1	-	-	-	-	2	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	6	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	25	2	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	2
FLORIDA ----------	404	5	-	3	1	1	1	3	5	20	18	34
WHITE------MALE----	204	3	-	1	-	1	-	-	2	11	10	20
FEMALE--	144	1	-	1	1	-	-	2	1	3	6	6
ALL OTHER--MALE----	38	1	-	1	-	-	-	1	1	5	1	4
FEMALE--	18	-	-	-	-	-	1	-	1	1	1	4
BLACK---MALE----	35	1	-	1	-	-	-	1	-	5	1	4
FEMALE--	18	-	-	-	-	-	1	-	1	1	1	4
GEORGIA ----------	255	3	1	-	-	-	1	1	5	10	24	29
WHITE------MALE----	113	1	-	-	-	-	-	-	1	4	10	15
FEMALE--	70	-	1	-	-	-	1	-	2	3	5	5
ALL OTHER--MALE----	34	2	-	-	-	-	-	1	-	1	5	5
FEMALE--	38	-	-	-	-	-	-	-	2	2	4	4
BLACK---MALE----	30	2	-	-	-	-	-	-	-	-	5	4
FEMALE--	37	-	-	-	-	-	-	-	2	2	4	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
COLORADO ----------	10	7	8	13	13	10	5	5	1	-	-	-
WHITE------MALE----	8	3	6	9	2	4	4	3	-	-	-	-
FEMALE--	2	3	2	3	9	5	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	11	9	7	15	13	9	7	5	8	-	-	-
WHITE------MALE----	9	6	6	10	9	4	4	4	5	-	-	-
FEMALE--	2	1	-	5	4	3	3	1	3	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	4	1	5	2	1	2	3	1	-	-	-	-
WHITE------MALE----	2	-	2	2	1	1	2	1	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	2	5	1	5	2	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	2	4	-	2	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	2	1	1	1	-	-	-	-
BLACK---MALE----	-	2	4	-	2	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	2	1	1	1	-	-	-	-
FLORIDA ----------	39	34	34	52	44	37	40	19	12	1	1	-
WHITE------MALE----	20	19	15	27	20	17	21	11	6	-	-	-
FEMALE--	10	11	12	21	19	17	18	7	6	1	1	-
ALL OTHER--MALE----	7	3	4	4	3	3	-	-	-	-	-	-
FEMALE--	2	1	3	-	2	-	1	1	-	-	-	-
BLACK---MALE----	6	3	4	4	2	3	-	-	-	-	-	-
FEMALE--	2	1	3	-	2	-	1	1	-	-	-	-
GEORGIA ----------	31	27	25	22	29	22	12	8	5	-	-	-
WHITE------MALE----	19	13	13	13	11	8	4	1	-	-	-	-
FEMALE--	5	3	2	6	11	11	5	6	4	-	-	-
ALL OTHER--MALE----	5	6	5	-	1	1	1	1	-	-	-	-
FEMALE--	2	5	5	3	6	2	2	-	1	-	-	-
BLACK---MALE----	4	6	5	-	1	1	1	1	-	-	-	-
FEMALE--	2	4	5	3	6	2	2	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2712

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
HAWAII ----------	33	2	-	-	-	-	-	-	-	2	2	5
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
IDAHO ----------	16	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	414	6	1	2	1	1	1	-	3	13	31	41
WHITE------MALE----	170	3	-	-	-	-	1	-	-	5	18	21
FEMALE--	153	-	1	1	1	-	-	-	1	3	5	12
ALL OTHER--MALE----	56	3	-	1	-	-	-	-	1	3	5	4
FEMALE--	35	-	-	-	-	1	-	-	1	2	3	4
BLACK---MALE----	49	2	-	1	-	-	-	-	1	3	4	3
FEMALE--	31	-	-	-	-	1	-	-	1	1	3	4
INDIANA ----------	156	1	-	-	-	1	2	2	4	9	7	9
WHITE------MALE----	80	-	-	-	-	-	1	1	1	2	4	5
FEMALE--	63	1	-	-	-	-	1	-	2	5	3	2
ALL OTHER--MALE----	9	-	-	-	-	1	-	1	1	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	1	-	1	1	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
IOWA ----------	48	-	1	-	1	-	-	-	-	1	-	7
WHITE------MALE----	25	-	1	-	-	-	-	-	-	-	-	4
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
KANSAS ----------	80	3	-	-	-	-	1	-	1	3	4	9
WHITE------MALE----	40	1	-	-	-	-	1	-	1	1	3	4
FEMALE--	29	1	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
HAWAII ----------	4	3	2	3	3	2	1	2	2	-	-	-
WHITE------MALE----	2	2	-	1	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	2	2	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	1	2	2	2	2	1	2	1	-	-	-
WHITE------MALE----	2	-	1	2	-	1	-	1	1	-	-	-
FEMALE--	-	1	1	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	56	36	31	48	48	41	23	20	6	5	-	-
WHITE------MALE----	20	17	10	16	21	19	12	4	2	1	-	-
FEMALE--	13	12	15	23	17	19	9	13	4	4	-	-
ALL OTHER--MALE----	17	4	4	7	5	1	1	-	-	-	-	-
FEMALE--	6	3	2	2	5	2	1	3	-	-	-	-
BLACK---MALE----	17	3	4	5	5	-	1	-	-	-	-	-
FEMALE--	6	2	2	2	5	2	-	2	-	-	-	-
INDIANA ----------	12	16	20	20	15	16	6	8	7	1	-	-
WHITE------MALE----	8	8	14	10	10	6	3	5	1	1	-	-
FEMALE--	2	6	5	9	5	10	3	3	6	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
IOWA ----------	2	2	4	5	8	1	8	5	2	-	1	-
WHITE------MALE----	1	2	2	4	4	-	5	1	-	-	1	-
FEMALE--	1	-	2	1	4	1	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	10	2	5	6	7	15	9	3	1	1	-	-
WHITE------MALE----	5	-	2	5	2	6	5	2	1	1	-	-
FEMALE--	3	2	1	1	4	8	3	1	-	-	-	-
ALL OTHER--MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
KENTUCKY ----------	125	-	-	1	-	2	-	-	1	7	10	8
WHITE------MALE----	67	-	-	1	-	1	-	-	-	3	8	6
FEMALE--	52	-	-	-	-	1	-	-	1	3	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
LOUISIANA ----------	134	2	1	-	-	-	1	2	5	3	4	18
WHITE------MALE----	51	-	1	-	-	-	-	-	1	2	1	5
FEMALE--	37	1	-	-	-	-	-	1	2	-	-	2
ALL OTHER--MALE----	26	1	-	-	-	-	1	1	-	-	2	8
FEMALE--	20	-	-	-	-	-	-	-	2	1	1	3
BLACK---MALE----	26	1	-	-	-	-	1	1	-	-	2	8
FEMALE--	20	-	-	-	-	-	-	-	2	1	1	3
MAINE ----------	30	-	-	-	-	-	-	-	-	1	2	4
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	154	2	-	-	-	-	-	-	2	7	15	22
WHITE------MALE----	54	-	-	-	-	-	-	-	1	2	4	10
FEMALE--	42	1	-	-	-	-	-	-	-	2	4	2
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	2	5	8
FEMALE--	26	1	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	30	-	-	-	-	-	-	-	-	2	5	8
FEMALE--	26	1	-	-	-	-	-	-	1	1	2	2
MASSACHUSETTS ----------	243	-	-	-	-	2	-	-	5	5	19	22
WHITE------MALE----	142	-	-	-	-	1	-	-	2	-	15	14
FEMALE--	76	-	-	-	-	1	-	-	1	3	3	4
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	2	2	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	11	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	286	1	-	1	1	-	2	1	3	9	23	30
WHITE------MALE----	137	-	-	-	-	-	-	1	1	4	13	11
FEMALE--	87	1	-	1	-	-	-	-	-	-	6	3
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	1	4	4	10
FEMALE--	26	-	-	-	1	-	2	-	1	1	-	6
BLACK---MALE----	35	-	-	-	-	-	-	-	1	4	4	10
FEMALE--	25	-	-	-	1	-	2	-	1	1	-	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
KENTUCKY ----------	15	14	10	17	9	8	12	4	7	-	-	-
WHITE------MALE----	8	9	6	8	6	2	5	2	2	-	-	-
FEMALE--	5	5	3	8	3	6	7	2	5	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	17	17	16	11	14	13	7	2	1	-	-	-
WHITE------MALE----	10	6	8	4	6	3	3	-	1	-	-	-
FEMALE--	3	3	3	4	6	7	3	2	-	-	-	-
ALL OTHER--MALE----	2	3	4	2	-	1	1	-	-	-	-	-
FEMALE--	2	5	1	1	2	2	-	-	-	-	-	-
BLACK---MALE----	2	3	4	2	-	1	1	-	-	-	-	-
FEMALE--	2	5	1	1	2	2	-	-	-	-	-	-
MAINE ----------	2	2	6	4	3	4	2	-	-	-	-	-
WHITE------MALE----	-	2	4	1	2	3	-	-	-	-	-	-
FEMALE--	2	-	1	3	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MARYLAND ----------	20	12	19	13	7	8	11	10	4	1	1	-
WHITE------MALE----	10	7	6	4	1	1	4	3	1	-	-	-
FEMALE--	2	4	4	4	5	4	6	3	-	1	-	-
ALL OTHER--MALE----	5	1	5	4	1	1	-	-	-	-	-	-
FEMALE--	3	-	4	1	-	2	1	4	3	-	1	-
BLACK---MALE----	5	1	4	4	-	1	-	-	-	-	-	-
FEMALE--	3	-	4	1	-	2	1	4	3	-	1	-
MASSACHUSETTS ----------	28	14	26	24	30	20	27	11	8	2	-	-
WHITE------MALE----	20	6	14	18	16	10	18	5	3	-	-	-
FEMALE--	6	7	8	4	10	8	8	6	5	2	-	-
ALL OTHER--MALE----	-	1	4	1	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	3	1	1	-	-	-	-	-
BLACK---MALE----	-	1	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	1	-	-	-	-	-
MICHIGAN ----------	30	22	27	36	30	27	21	22	-	-	-	-
WHITE------MALE----	16	16	12	21	12	12	9	9	-	-	-	-
FEMALE--	4	2	10	13	14	13	10	10	-	-	-	-
ALL OTHER--MALE----	7	3	2	-	3	-	1	1	-	-	-	-
FEMALE--	3	1	3	2	1	2	1	2	-	-	-	-
BLACK---MALE----	6	3	2	-	3	-	1	1	-	-	-	-
FEMALE--	3	1	3	2	-	2	1	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
MINNESOTA ----------	83	1	1	-	1	-	-	-	-	1	4	9
WHITE------MALE----	45	1	-	-	-	-	-	-	-	1	1	7
FEMALE--	30	-	1	-	1	-	-	-	-	-	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	102	1	1	-	-	1	-	-	-	4	7	7
WHITE------MALE----	40	-	1	-	-	-	-	-	-	1	3	5
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	14	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	1	-	-	-	2	2	1
BLACK---MALE----	14	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	1	-	-	-	2	2	1
MISSOURI ----------	150	4	-	-	-	1	-	2	1	4	11	17
WHITE------MALE----	64	-	-	-	-	1	-	2	-	2	4	6
FEMALE--	59	-	-	-	-	-	-	-	-	1	2	6
ALL OTHER--MALE----	18	4	-	-	-	-	-	-	-	1	2	5
FEMALE--	9	-	-	-	-	-	-	-	1	-	3	-
BLACK---MALE----	16	4	-	-	-	-	-	-	-	1	2	4
FEMALE--	9	-	-	-	-	-	-	-	1	-	3	-
MONTANA ----------	24	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	54	-	-	-	-	-	-	-	-	4	2	3
WHITE------MALE----	26	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	22	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	74	-	-	-	-	-	-	-	2	5	3	8
WHITE------MALE----	44	-	-	-	-	-	-	-	1	2	3	5
FEMALE--	23	-	-	-	-	-	-	-	1	3	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
MINNESOTA ----------	3	6	7	12	10	8	6	5	4	5	-	-
WHITE------MALE----	2	4	4	8	6	3	4	1	2	1	-	-
FEMALE--	1	1	2	1	2	5	2	4	2	4	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	11	14	13	13	10	6	4	1	1	-	-
WHITE------MALE----	5	5	3	4	3	5	3	2	-	-	-	-
FEMALE--	-	4	8	5	5	3	2	1	1	-	-	-
ALL OTHER--MALE----	2	1	3	1	2	1	1	1	-	-	-	-
FEMALE--	1	1	-	3	3	1	-	-	-	1	-	-
BLACK---MALE----	2	1	3	1	2	1	1	1	-	-	-	-
FEMALE--	1	1	-	2	3	1	-	-	-	1	-	-
MISSOURI ----------	12	13	19	21	13	15	7	5	5	-	-	-
WHITE------MALE----	6	10	7	10	3	7	3	1	2	-	-	-
FEMALE--	3	3	8	9	9	7	4	4	3	-	-	-
ALL OTHER--MALE----	3	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	3	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	3	1	1	-	-	-	-	-	-	-
MONTANA ----------	2	4	1	3	5	2	1	2	1	-	-	-
WHITE------MALE----	-	1	-	3	1	2	-	1	1	-	-	-
FEMALE--	1	1	1	-	3	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	2	6	8	7	6	3	6	-	2	-	-
WHITE------MALE----	2	2	2	5	3	5	2	-	-	-	-	-
FEMALE--	1	-	4	3	3	1	1	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	8	7	7	8	12	2	5	1	1	-	-
WHITE------MALE----	4	2	6	5	5	6	1	3	1	-	-	-
FEMALE--	1	3	-	2	2	6	-	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
NEW HAMPSHIRE ----------	27	1	1	-	-	-	-	-	-	1	1	2
WHITE------MALE----	12	1	1	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	274	5	1	-	-	1	1	3	3	10	18	24
WHITE------MALE----	122	1	-	-	-	-	-	2	2	4	11	11
FEMALE--	97	2	1	-	-	-	-	1	-	1	2	4
ALL OTHER--MALE----	30	2	-	-	-	-	1	-	-	2	3	6
FEMALE--	25	-	-	-	-	1	-	-	1	3	2	3
BLACK---MALE----	29	2	-	-	-	-	1	-	-	1	3	6
FEMALE--	25	-	-	-	-	1	-	-	1	3	2	3
NEW MEXICO ----------	70	2	-	-	-	-	-	-	1	1	7	7
WHITE------MALE----	35	1	-	-	-	-	-	-	-	-	5	5
FEMALE--	23	1	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	430	2	-	-	-	1	2	1	9	14	18	42
WHITE------MALE----	205	1	-	-	-	-	-	1	3	7	8	22
FEMALE--	141	-	-	-	-	1	2	-	3	5	6	7
ALL OTHER--MALE----	48	1	-	-	-	-	-	-	3	1	1	9
FEMALE--	36	-	-	-	-	-	-	-	-	1	3	4
BLACK---MALE----	43	1	-	-	-	-	-	-	2	1	1	9
FEMALE--	30	-	-	-	-	-	-	-	-	-	3	4
NORTH CAROLINA ---------	201	1	-	-	-	1	1	4	5	7	14	16
WHITE------MALE----	92	-	-	-	-	1	-	1	2	4	5	7
FEMALE--	55	-	-	-	-	-	-	-	2	-	3	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	35	1	-	-	-	-	1	3	-	1	4	3
BLACK---MALE----	19	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	33	1	-	-	-	-	1	3	-	1	4	3
NORTH DAKOTA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
NEW HAMPSHIRE ----------	1	2	1	4	6	3	3	1	-	-	-	-
WHITE------MALE----	1	1	-	3	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	6	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	24	24	23	33	32	29	16	17	4	5	1	-
WHITE------MALE----	10	11	11	15	19	6	6	10	1	2	-	-
FEMALE--	7	6	4	14	12	21	10	6	2	3	1	-
ALL OTHER--MALE----	4	3	4	2	1	1	-	1	-	-	-	-
FEMALE--	3	4	4	2	-	1	-	-	1	-	-	-
BLACK---MALE----	4	3	4	2	1	1	-	1	-	-	-	-
FEMALE--	3	4	4	2	-	1	-	-	1	-	-	-
NEW MEXICO ----------	7	7	7	11	7	5	3	4	-	1	-	-
WHITE------MALE----	5	4	4	5	5	-	1	-	-	-	-	-
FEMALE--	1	1	3	4	1	5	2	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	2	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW YORK ----------	36	48	34	49	48	54	37	20	13	2	-	-
WHITE------MALE----	20	27	20	22	21	25	17	6	5	-	-	-
FEMALE--	11	9	10	10	19	22	18	9	7	2	-	-
ALL OTHER--MALE----	4	7	2	10	5	2	-	3	-	-	-	-
FEMALE--	1	5	2	7	3	5	2	2	1	-	-	-
BLACK---MALE----	3	7	1	8	5	2	-	3	-	-	-	-
FEMALE--	1	5	2	6	3	3	1	1	1	-	-	-
NORTH CAROLINA ---------	14	18	22	21	27	24	14	6	6	-	-	-
WHITE------MALE----	6	10	15	11	10	10	7	2	1	-	-	-
FEMALE--	5	3	5	5	12	8	4	2	3	-	-	-
ALL OTHER--MALE----	1	2	1	2	2	2	-	-	1	-	-	-
FEMALE--	2	3	1	3	3	4	3	2	1	-	-	-
BLACK---MALE----	1	2	1	2	2	2	-	-	1	-	-	-
FEMALE--	2	3	1	3	2	3	3	2	1	-	-	-
NORTH DAKOTA ----------	1	1	-	-	-	-	2	1	1	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
OHIO ----------	315	4	-	-	-	-	1	-	4	15	24	20
WHITE------MALE----	154	2	-	-	-	-	-	-	3	7	14	10
FEMALE--	122	-	-	-	-	-	-	-	-	4	8	9
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	1	2	1	1
FEMALE--	18	2	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	20	-	-	-	-	-	1	-	1	2	1	-
FEMALE--	17	2	-	-	-	-	-	-	-	2	1	-
OKLAHOMA ----------	106	-	1	-	-	1	1	-	-	5	10	14
WHITE------MALE----	53	-	-	-	-	-	1	-	-	3	3	9
FEMALE--	30	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	-	-	3	2
FEMALE--	11	-	-	-	-	1	-	-	-	1	1	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	1
OREGON ----------	55	-	-	-	1	-	-	-	-	-	2	4
WHITE------MALE----	26	-	-	-	1	-	-	-	-	-	2	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	534	2	1	-	3	-	4	-	10	21	33	43
WHITE------MALE----	253	-	1	-	-	-	-	-	6	8	17	28
FEMALE--	192	-	-	-	2	-	3	-	2	11	6	5
ALL OTHER--MALE----	45	2	-	-	1	-	-	-	-	1	3	8
FEMALE--	44	-	-	-	-	-	1	-	2	1	7	2
BLACK---MALE----	43	2	-	-	1	-	-	-	-	1	3	8
FEMALE--	42	-	-	-	-	-	1	-	2	1	6	2
RHODE ISLAND ----------	31	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	119	3	1	-	-	-	-	-	1	7	9	12
WHITE------MALE----	39	1	-	-	-	-	-	-	-	1	2	4
FEMALE--	37	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	1	1	3	4
FEMALE--	25	1	1	-	-	-	-	-	-	3	2	3
BLACK---MALE----	18	1	-	-	-	-	-	-	1	1	3	4
FEMALE--	25	1	1	-	-	-	-	-	-	3	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
OHIO ----------	26	33	30	32	44	35	22	14	7	4	-	-
WHITE------MALE----	14	17	15	13	20	23	9	2	4	1	-	-
FEMALE--	6	11	8	17	20	10	12	11	3	3	-	-
ALL OTHER--MALE----	4	3	4	-	3	1	-	-	-	-	-	-
FEMALE--	2	2	3	2	1	1	1	1	-	-	-	-
BLACK---MALE----	4	3	4	-	3	1	-	-	-	-	-	-
FEMALE--	2	2	3	2	-	1	1	1	-	-	-	-
OKLAHOMA ----------	11	10	7	9	14	10	4	5	3	1	-	-
WHITE------MALE----	6	8	4	7	4	1	3	4	-	-	-	-
FEMALE--	2	-	2	1	7	7	1	1	3	1	-	-
ALL OTHER--MALE----	3	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	2	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
OREGON ----------	9	5	2	6	13	8	3	-	-	1	1	-
WHITE------MALE----	4	2	2	5	4	3	1	-	-	-	-	-
FEMALE--	3	3	-	1	8	4	2	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	58	39	40	73	76	54	42	22	11	1	1	-
WHITE------MALE----	27	16	21	39	34	21	21	10	4	-	-	-
FEMALE--	18	13	10	23	32	28	19	11	7	1	1	-
ALL OTHER--MALE----	8	6	7	6	3	-	-	-	-	-	-	-
FEMALE--	5	4	2	5	7	5	2	1	-	-	-	-
BLACK---MALE----	8	6	7	4	3	-	-	-	-	-	-	-
FEMALE--	5	4	2	5	6	5	2	1	-	-	-	-
RHODE ISLAND ----------	-	6	5	6	3	7	1	-	1	-	-	-
WHITE------MALE----	-	5	2	4	3	3	1	-	-	-	-	-
FEMALE--	-	1	2	2	-	4	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	13	10	11	15	9	8	11	7	1	-	1	-
WHITE------MALE----	4	7	4	3	3	3	3	4	-	-	-	-
FEMALE--	4	2	2	5	5	4	7	2	1	-	-	-
ALL OTHER--MALE----	3	-	-	2	1	-	-	1	-	-	1	-
FEMALE--	2	1	5	5	-	1	1	-	-	-	-	-
BLACK---MALE----	3	-	-	2	1	-	-	1	-	-	1	-
FEMALE--	2	1	5	5	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2717

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
SOUTH DAKOTA ----------	9	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	114	-	-	-	-	-	-	-	1	5	7	15
WHITE------MALE----	57	-	-	-	-	-	-	-	-	1	4	7
FEMALE--	38	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	2	1	4
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	2	1	4
TEXAS ----------	469	11	1	1	2	1	3	4	15	14	40	50
WHITE------MALE----	257	3	-	-	-	-	2	1	10	8	23	32
FEMALE--	163	6	1	-	2	1	1	3	3	3	14	11
ALL OTHER--MALE----	31	1	-	1	-	-	-	-	-	-	2	6
FEMALE--	18	1	-	-	-	-	-	-	2	3	1	1
BLACK---MALE----	28	1	-	-	-	-	-	-	-	-	2	5
FEMALE--	16	1	-	-	-	-	-	-	2	3	1	1
UTAH ----------	38	1	-	-	-	-	-	1	1	1	2	2
WHITE------MALE----	15	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	215	-	2	-	1	1	1	2	1	3	16	18
WHITE------MALE----	83	-	1	-	1	1	-	2	1	1	7	7
FEMALE--	79	-	1	-	-	-	1	-	-	1	2	7
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	1	5	4
FEMALE--	20	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
SOUTH DAKOTA ----------	3	-	-	-	3	-	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	9	11	10	12	13	16	4	5	3	2	1	-
WHITE------MALE----	4	6	6	8	8	7	3	3	-	-	-	-
FEMALE--	1	3	3	4	4	9	1	2	2	2	1	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	1	-	-	-
TEXAS ----------	49	50	46	30	44	33	40	25	6	3	-	1
WHITE------MALE----	33	28	29	16	26	14	18	13	1	-	-	-
FEMALE--	12	14	12	13	14	15	20	11	5	2	-	-
ALL OTHER--MALE----	3	7	3	1	2	3	-	1	-	-	-	1
FEMALE--	1	1	2	-	2	1	2	-	-	1	-	-
BLACK---MALE----	3	6	3	1	2	3	-	1	-	-	-	1
FEMALE--	1	-	1	-	2	1	2	-	-	1	-	-
UTAH ----------	5	3	3	3	2	5	5	1	2	1	-	-
WHITE------MALE----	2	1	1	1	1	3	-	1	1	-	-	-
FEMALE--	3	-	2	2	1	2	5	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	1	1	3	2	2	-	-	-	-	-	-
WHITE------MALE----	3	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	31	17	20	17	25	27	16	7	5	4	1	-
WHITE------MALE----	11	7	11	3	12	9	4	4	1	-	-	-
FEMALE--	9	4	5	10	8	10	10	3	3	4	1	-
ALL OTHER--MALE----	7	3	1	4	3	3	1	-	1	-	-	-
FEMALE--	4	3	3	-	2	5	1	-	-	-	-	-
BLACK---MALE----	7	3	1	4	3	2	1	-	1	-	-	-
FEMALE--	4	3	3	-	2	4	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2718

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
WASHINGTON ----------	94	-	-	-	-	-	2	2	-	1	8	11
WHITE------MALE----	48	-	-	-	-	-	-	2	-	-	4	8
FEMALE--	32	-	-	-	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
WEST VIRGINIA ----------	74	1	-	-	-	-	-	1	3	2	6	3
WHITE------MALE----	48	-	-	-	-	-	-	-	3	1	3	2
FEMALE--	22	1	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	126	3	1	2	-	-	-	-	-	-	5	10
WHITE------MALE----	65	2	1	-	-	-	-	-	-	-	1	6
FEMALE--	52	-	-	2	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
WYOMING ----------	11	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
WASHINGTON ----------	11	8	10	10	7	6	9	4	3	2	-	-
WHITE------MALE----	5	3	3	6	5	2	7	2	1	-	-	-
FEMALE--	4	3	4	4	1	4	2	2	1	2	-	-
ALL OTHER--MALE----	-	2	1	-	1	-	-	-	1	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	11	10	9	6	5	5	6	-	-	-	-
WHITE------MALE----	4	11	10	5	2	4	2	1	-	-	-	-
FEMALE--	1	-	-	4	3	-	3	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	14	9	11	15	12	16	11	9	3	5	-	-
WHITE------MALE----	10	6	6	8	8	7	5	3	-	2	-	-
FEMALE--	3	1	5	6	3	8	6	6	3	3	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
WYOMING ----------	2	-	-	1	1	2	-	2	2	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2719

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
UNITED STATES -	2,830	2	-	-	1	4	6	5	11	25	34	55
WHITE------MALE----	1,101	-	-	-	1	1	3	-	2	10	10	21
FEMALE--	1,386	-	-	-	-	2	-	4	7	7	10	22
ALL OTHER--MALE----	147	1	-	-	-	1	-	-	2	4	6	7
FEMALE--	196	1	-	-	-	-	3	1	-	4	8	5
BLACK---MALE----	102	1	-	-	-	1	-	-	2	3	6	5
FEMALE--	155	1	-	-	-	-	3	1	-	4	7	3
ALABAMA ----------	51	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	41	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	21	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	326	-	-	-	-	1	-	1	2	6	5	8
WHITE------MALE----	120	-	-	-	-	1	-	-	-	5	3	1
FEMALE--	156	-	-	-	-	-	-	1	2	1	2	6
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
UNITED STATES -	69	95	108	171	304	417	531	521	324	120	27	-
WHITE------MALE----	24	38	53	72	145	191	227	184	93	22	4	-
FEMALE--	30	34	28	62	119	187	259	297	206	91	21	-
ALL OTHER--MALE----	6	16	13	17	18	17	12	19	8	-	-	-
FEMALE--	9	7	14	20	22	22	33	21	17	7	2	-
BLACK---MALE----	4	10	9	12	13	12	11	9	4	-	-	-
FEMALE--	9	4	12	17	17	14	28	16	11	6	2	-
ALABAMA ----------	1	1	2	1	10	6	14	13	3	-	-	-
WHITE------MALE----	-	-	-	1	3	2	7	2	-	-	-	-
FEMALE--	-	-	-	-	6	1	7	6	2	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	4	1	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	4	1	-	-	-
ALASKA ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	2	6	7	5	6	5	5	3	-	-
WHITE------MALE----	-	-	1	1	4	3	2	5	2	1	-	-
FEMALE--	-	1	-	3	2	2	4	-	1	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	2	-	2	4	4	3	2	2	-	-
WHITE------MALE----	-	-	-	-	-	4	1	2	1	-	-	-
FEMALE--	-	-	1	-	2	-	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-
CALIFORNIA ----------	13	17	8	21	33	56	52	57	28	14	4	-
WHITE------MALE----	5	6	3	8	13	28	25	11	8	2	1	-
FEMALE--	5	7	3	8	14	20	21	36	15	12	3	-
ALL OTHER--MALE----	1	3	2	4	2	5	1	6	2	-	-	-
FEMALE--	2	1	-	1	4	3	5	4	3	-	-	-
BLACK---MALE----	1	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	2	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2720

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
COLORADO ----------	40	-	-	-	-	-	-	-	-	-	3	2
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	30	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	10	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	169	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	82	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	72	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	80	-	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
COLORADO ----------	-	-	1	4	1	9	8	8	3	1	-	-
WHITE------MALE----	-	-	1	3	-	5	4	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	4	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT ----------	-	1	-	1	6	3	6	2	8	1	-	-
WHITE------MALE----	-	-	-	1	2	-	3	1	1	1	-	-
FEMALE--	-	1	-	-	4	3	3	1	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE ----------	1	-	1	1	1	-	2	1	2	-	-	-
WHITE------MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	1	-	-	-	1	1	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
FLORIDA ----------	4	4	2	11	15	31	26	48	17	5	2	-
WHITE------MALE----	2	3	2	5	10	14	15	23	5	1	1	-
FEMALE--	-	-	-	3	5	14	9	22	12	4	1	-
ALL OTHER--MALE----	1	1	-	2	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	1	2	-	-	-	-
BLACK---MALE----	1	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	2	-	-	-	-
GEORGIA ----------	3	4	5	3	9	11	14	20	7	-	1	-
WHITE------MALE----	1	2	2	1	1	2	6	9	1	-	-	-
FEMALE--	2	1	1	1	4	6	4	10	5	-	1	-
ALL OTHER--MALE----	-	1	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	2	-	3	1	3	1	-	-	-	-
BLACK---MALE----	-	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	2	-	3	1	3	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
HAWAII ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	102	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	43	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	44	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	38	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	23	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
HAWAII ----------	-	-	2	-	-	1	-	5	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	4	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	-	-	1	1	5	3	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	1	4	7	16	11	23	18	7	10	-	-
WHITE------MALE----	1	-	2	2	6	8	9	6	4	2	-	-
FEMALE--	1	1	2	4	7	3	11	12	3	8	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	-	-	-	-	-
INDIANA ----------	1	1	-	2	3	3	12	15	3	1	-	-
WHITE------MALE----	1	1	-	2	3	1	5	5	-	-	-	-
FEMALE--	-	-	-	-	-	2	6	10	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA ----------	-	1	-	3	2	7	10	4	8	2	-	-
WHITE------MALE----	-	-	-	1	1	7	3	2	2	-	-	-
FEMALE--	-	1	-	2	1	-	7	2	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	2	-	-	2	2	4	7	2	3	-	-
WHITE------MALE----	-	1	-	-	-	-	3	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	4	2	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
KENTUCKY ----------	48	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	51	-	-	-	-	1	-	-	-	-	1	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
MAINE ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	43	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	68	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	25	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	93	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	45	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
KENTUCKY ----------	1	2	3	2	5	11	9	6	6	2	-	-
WHITE------MALE----	-	1	3	2	5	4	2	2	1	1	-	-
FEMALE--	1	1	-	-	-	7	7	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA ----------	1	2	4	1	7	6	11	9	5	2	-	-
WHITE------MALE----	-	-	-	-	4	2	4	5	1	-	-	-
FEMALE--	1	2	1	1	2	2	5	2	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	2	-	1	-	-
BLACK---MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	1	-	1	-	-
MAINE ----------	-	-	1	-	2	3	2	3	5	2	-	-
WHITE------MALE----	-	-	-	-	2	2	-	-	2	-	-	-
FEMALE--	-	-	1	-	-	1	2	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	3	8	3	9	10	3	3	1	1	-
WHITE------MALE----	-	-	1	2	-	4	4	2	-	1	-	-
FEMALE--	-	-	1	2	2	5	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	4	1	-	2	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	4	1	-	2	-	1	-	1	-
MASSACHUSETTS ----------	-	-	-	2	7	9	16	11	12	8	1	-
WHITE------MALE----	-	-	-	1	3	3	10	4	2	1	-	-
FEMALE--	-	-	-	1	4	5	6	6	9	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
MICHIGAN ----------	4	4	4	10	6	15	18	18	6	3	1	-
WHITE------MALE----	2	3	3	3	3	10	9	10	-	-	-	-
FEMALE--	2	-	1	6	2	5	8	8	6	3	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
MINNESOTA ----------	43	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	24	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	66	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	9	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	10	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
MINNESOTA ----------	-	1	2	3	8	6	8	8	3	3	-	-
WHITE------MALE----	-	1	2	3	2	4	6	2	1	1	-	-
FEMALE--	-	-	-	-	6	2	1	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI ----------	1	3	1	3	2	6	1	3	3	-	-	-
WHITE------MALE----	-	2	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	4	-	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	3	-	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	3	-	1	1	-	1	-	-	-
MISSOURI ----------	2	4	1	1	4	12	11	12	14	1	1	-
WHITE------MALE----	-	2	-	1	3	4	3	4	3	1	-	-
FEMALE--	1	2	-	-	1	8	6	8	10	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	2	4	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	3	4	6	3	2	3	-	-
WHITE------MALE----	-	-	-	-	3	2	5	1	2	1	-	-
FEMALE--	-	-	-	1	-	2	1	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	2	-	-	2	-	1	1	1	-	-
WHITE------MALE----	-	1	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
NEW HAMPSHIRE ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	92	-	-	-	-	-	-	1	-	1	2	4
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
NEW MEXICO ----------	27	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	155	1	-	-	1	-	-	1	-	-	2	5
WHITE------MALE----	59	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	73	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	2
NORTH CAROLINA ---------	111	-	-	-	-	-	-	-	2	1	1	2
WHITE------MALE----	40	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	47	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
NEW HAMPSHIRE ----------	1	-	-	2	2	2	4	6	4	-	-	-
WHITE------MALE----	1	-	-	2	2	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	2	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	3	2	2	11	13	18	15	14	3	2	-
WHITE------MALE----	-	2	1	-	8	1	6	4	5	1	-	-
FEMALE--	1	1	-	2	3	11	11	11	9	2	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	-	2	3	1	2	-	9	6	1	1	-	-
WHITE------MALE----	-	-	2	1	1	-	3	1	1	1	-	-
FEMALE--	-	1	-	-	1	-	6	5	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	6	9	10	16	20	22	27	22	8	1	-
WHITE------MALE----	-	1	1	5	11	11	10	8	9	1	-	-
FEMALE--	3	-	4	3	3	9	12	19	13	5	-	-
ALL OTHER--MALE----	-	3	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	2	2	-	2	-	-	-	-	2	1	-
BLACK---MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	2	-	-	-	-	2	1	-
NORTH CAROLINA ---------	4	3	1	13	17	14	22	16	12	3	-	-
WHITE------MALE----	2	1	1	4	7	7	6	8	2	-	-	-
FEMALE--	1	1	-	3	5	7	13	6	7	3	-	-
ALL OTHER--MALE----	1	1	-	2	3	-	1	1	1	-	-	-
FEMALE--	-	-	-	4	2	-	2	1	2	-	-	-
BLACK---MALE----	-	1	-	2	2	-	1	1	1	-	-	-
FEMALE--	-	-	-	3	2	-	1	1	2	-	-	-
NORTH DAKOTA ----------	-	-	1	-	-	-	-	5	-	1	-	-
WHITE------MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
OHIO ----------	107	-	-	-	-	-	-	-	-	1	4	1
WHITE------MALE----	44	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	53	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	33	-	-	-	-	-	-	-	2	-	1	4
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	2	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	39	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	100	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND ----------	25	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	43	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
OHIO ----------	3	6	3	6	15	25	20	10	10	2	1	-
WHITE------MALE----	1	2	1	2	10	14	7	4	1	-	-	-
FEMALE--	2	3	2	3	4	9	11	5	9	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	1	-	-	-	-
OKLAHOMA ----------	1	1	2	-	2	4	8	4	1	3	-	-
WHITE------MALE----	1	1	2	-	-	1	4	3	-	1	-	-
FEMALE--	-	-	-	-	1	3	4	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	1	1	8	6	5	11	5	1	-	-
WHITE------MALE----	-	-	-	1	4	2	2	4	3	-	-	-
FEMALE--	-	-	1	-	4	3	3	7	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	2	3	4	4	14	22	22	18	7	2	-
WHITE------MALE----	-	1	1	2	-	4	4	6	6	-	-	-
FEMALE--	1	-	2	2	3	9	17	15	12	6	2	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
RHODE ISLAND ----------	-	1	1	5	1	1	6	5	3	-	1	-
WHITE------MALE----	-	1	1	2	1	-	3	2	1	-	-	-
FEMALE--	-	-	-	2	-	-	3	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	4	1	4	6	4	4	9	4	-	-	-
WHITE------MALE----	2	2	-	1	2	1	3	2	1	-	-	-
FEMALE--	1	2	-	2	2	2	1	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	1	1	-	-	-
FEMALE--	1	-	1	-	1	1	-	2	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	1	1	-	-	-
FEMALE--	1	-	1	-	1	1	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
SOUTH DAKOTA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	81	-	-	-	-	-	-	-	1	-	1	3
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	38	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	226	1	-	-	-	-	1	-	2	5	3	6
WHITE------MALE----	90	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	114	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	1	-	-	1	2	1
BLACK---MALE----	9	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	1	1	1
UTAH ----------	24	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	7	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	49	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
SOUTH DAKOTA ----------	-	1	2	-	1	1	4	1	1	-	1	-
WHITE------MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	1	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	5	5	6	10	14	16	8	7	2	-	-
WHITE------MALE----	-	-	2	3	5	6	8	2	1	-	-	-
FEMALE--	-	3	1	1	5	7	6	5	6	2	-	-
ALL OTHER--MALE----	-	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	1	-	1	1	1	-	-	-	-
TEXAS ----------	5	4	11	11	23	28	38	46	31	8	3	-
WHITE------MALE----	3	2	8	6	9	14	18	13	12	-	-	-
FEMALE--	2	2	3	5	10	12	15	29	19	8	3	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	2	1	4	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	1	-	-	-	-
UTAH ----------	-	-	3	2	2	1	7	2	6	-	-	-
WHITE------MALE----	-	-	1	2	2	1	4	1	3	-	-	-
FEMALE--	-	-	2	-	-	-	3	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	1	-	1	2	-	-	1	-
WHITE------MALE----	-	-	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	2	4	10	13	7	2	6	-	1	-
WHITE------MALE----	-	-	1	-	5	7	3	2	-	-	-	-
FEMALE--	-	-	1	1	1	4	3	-	3	-	1	-
ALL OTHER--MALE----	-	-	-	1	3	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	2	-	-	3	-	-	-
BLACK---MALE----	-	-	-	1	3	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	2	-	-	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
WASHINGTON ----------	52	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	40	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	73	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
WASHINGTON ----------	1	-	2	3	3	9	10	13	5	5	1	-
WHITE------MALE----	-	-	2	1	2	3	5	8	2	2	-	-
FEMALE--	1	-	-	2	1	4	5	5	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	1	3	8	7	7	5	4	2	1	-
WHITE------MALE----	-	-	1	1	5	3	2	1	1	1	1	-
FEMALE--	-	1	-	2	3	4	4	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WISCONSIN ----------	1	4	3	1	8	5	21	16	9	4	1	-
WHITE------MALE----	-	1	3	-	2	2	9	7	3	2	1	-
FEMALE--	1	3	-	1	5	3	11	9	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
WYOMING ----------	2	-	1	-	-	-	2	-	1	-	-	-
WHITE------MALE----	1	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2728

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
UNITED STATES -	4,447	11	4	1	12	16	29	50	92	131	229	251
WHITE------MALE----	1,880	4	1	1	3	5	9	25	43	61	118	115
FEMALE--	1,823	3	2	-	6	6	8	12	22	30	58	53
ALL OTHER--MALE----	422	3	-	-	1	4	5	11	19	26	35	57
FEMALE--	322	1	1	-	2	1	7	2	8	14	18	26
BLACK---MALE----	370	3	-	-	1	4	4	11	18	26	32	53
FEMALE--	271	1	1	-	1	1	7	2	4	12	15	22
ALABAMA ----------	97	-	-	-	-	-	-	1	1	1	8	6
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	1	5	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	18	-	-	-	-	-	-	1	-	-	1	2
BLACK---MALE----	17	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	18	-	-	-	-	-	-	1	-	-	1	2
ALASKA ----------	12	1	-	-	-	1	-	-	1	1	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	50	-	-	-	-	-	1	-	-	-	1	3
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	23	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	49	-	-	-	-	-	1	-	-	2	2	3
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	383	1	-	1	1	4	5	4	8	10	25	24
WHITE------MALE----	179	1	-	1	-	3	3	2	5	8	13	14
FEMALE--	148	-	-	-	1	-	1	2	-	1	7	6
ALL OTHER--MALE----	28	-	-	-	-	1	-	-	2	1	4	3
FEMALE--	28	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	13	-	-	-	-	1	-	-	1	1	2	2
FEMALE--	12	-	-	-	-	-	1	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2728

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
UNITED STATES -	269	267	303	347	480	530	504	517	285	104	15	-
WHITE------MALE----	128	131	147	176	238	246	192	160	64	13	-	-
FEMALE--	78	76	91	115	192	221	260	301	198	77	14	-
ALL OTHER--MALE----	48	43	34	28	23	28	18	29	6	4	-	-
FEMALE--	15	17	31	28	27	35	34	27	17	10	1	-
BLACK---MALE----	44	39	30	26	16	22	13	20	5	3	-	-
FEMALE--	14	15	29	25	23	25	30	22	14	8	-	-
ALABAMA ----------	7	3	6	5	9	14	13	15	7	1	-	-
WHITE------MALE----	2	-	2	2	4	4	4	5	4	-	-	-
FEMALE--	1	-	1	3	4	7	7	4	-	-	-	-
ALL OTHER--MALE----	2	2	2	-	-	1	-	3	1	1	-	-
FEMALE--	2	1	1	-	1	2	2	3	2	-	-	-
BLACK---MALE----	2	2	2	-	-	1	-	3	1	1	-	-
FEMALE--	2	1	1	-	1	2	2	3	2	-	-	-
ALASKA ----------	1	2	2	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	9	3	4	8	7	2	7	1	2	-	-
WHITE------MALE----	1	4	1	2	4	4	1	1	-	-	-	-
FEMALE--	-	5	1	2	4	2	-	6	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	4	4	3	3	8	5	6	3	2	-	-
WHITE------MALE----	1	3	3	2	-	3	1	2	-	-	-	-
FEMALE--	2	1	-	1	2	4	4	4	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	34	22	29	35	37	40	40	36	21	5	1	-
WHITE------MALE----	17	16	12	21	15	18	15	12	3	-	-	-
FEMALE--	11	4	13	10	17	15	20	18	16	5	1	-
ALL OTHER--MALE----	4	1	1	1	2	2	1	4	1	-	-	-
FEMALE--	2	1	3	3	3	5	4	2	1	-	-	-
BLACK---MALE----	3	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	3	2	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2729

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
COLORADO ----------	60	-	-	-	-	-	-	1	2	3	3	3
WHITE------MALE----	27	-	-	-	-	-	-	1	2	3	2	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	65	-	-	-	-	-	-	1	2	2	2	1
WHITE------MALE----	30	-	-	-	-	-	-	1	2	2	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	19	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	13	-	-	-	-	-	2	-	-	-	2	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	2	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	2	-	-	-	1	1
FLORIDA ----------	310	1	-	-	2	1	1	2	3	8	13	19
WHITE------MALE----	137	-	-	-	2	-	1	2	2	3	6	10
FEMALE--	135	-	-	-	-	-	-	-	1	4	6	5
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	19	-	-	-	-	1	-	-	-	-	1	2
BLACK---MALE----	19	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	19	-	-	-	-	1	-	-	-	-	1	2
GEORGIA ----------	140	-	-	-	1	-	1	3	6	11	8	18
WHITE------MALE----	56	-	-	-	-	-	-	-	-	4	4	10
FEMALE--	42	-	-	-	-	-	-	1	1	3	2	-
ALL OTHER--MALE----	24	-	-	-	-	-	1	2	4	3	1	5
FEMALE--	18	-	-	-	1	-	-	-	1	1	1	3
BLACK---MALE----	24	-	-	-	-	-	1	2	4	3	1	5
FEMALE--	18	-	-	-	1	-	-	-	1	1	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
COLORADO ----------	3	3	3	7	9	10	5	1	5	2	-	-
WHITE------MALE----	-	1	1	5	3	6	1	-	2	-	-	-
FEMALE--	2	1	2	1	6	4	3	1	3	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	3	7	8	7	7	10	9	3	1	-
WHITE------MALE----	-	1	1	6	3	4	3	2	5	-	-	-
FEMALE--	1	-	1	-	5	2	4	7	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	2	2	2	3	1	3	1	1	-	-
WHITE------MALE----	1	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	3	-	1	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
FLORIDA ----------	13	13	21	31	37	46	33	38	21	6	1	-
WHITE------MALE----	6	4	11	19	21	25	8	10	6	1	-	-
FEMALE--	1	4	4	11	13	19	24	25	12	5	1	-
ALL OTHER--MALE----	5	1	5	-	-	1	-	2	1	-	-	-
FEMALE--	1	4	1	1	3	1	1	1	2	-	-	-
BLACK---MALE----	5	1	5	-	-	1	-	2	1	-	-	-
FEMALE--	1	4	1	1	3	1	1	1	2	-	-	-
GEORGIA ----------	9	10	6	11	14	15	8	10	7	2	-	-
WHITE------MALE----	5	4	4	8	4	7	4	1	-	1	-	-
FEMALE--	1	2	1	2	5	8	2	6	7	1	-	-
ALL OTHER--MALE----	2	4	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	4	-	2	3	-	-	-	-
BLACK---MALE----	2	4	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	4	-	2	3	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
HAWAII ----------	19	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	13	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	198	-	1	-	1	-	-	5	4	6	12	11
WHITE------MALE----	71	-	-	-	-	-	-	3	-	1	6	7
FEMALE--	95	-	1	-	1	-	-	-	3	1	6	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	2	1	4	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	2	1	4	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
INDIANA ----------	110	-	-	-	1	1	-	5	2	3	6	5
WHITE------MALE----	52	-	-	-	-	-	-	3	-	1	3	3
FEMALE--	47	-	-	-	1	1	-	1	1	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
IOWA ----------	43	-	-	-	-	-	-	1	-	2	1	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	21	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	51	-	-	-	-	-	-	1	3	-	3	2
WHITE------MALE----	28	-	-	-	-	-	-	-	2	-	3	1
FEMALE--	22	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
HAWAII ----------	2	2	2	-	1	1	3	2	1	3	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	2	-	2	5	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	4	1	1	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	8	10	16	18	22	18	30	19	6	-	-
WHITE------MALE----	5	6	5	3	10	7	7	8	2	1	-	-
FEMALE--	2	2	3	8	6	12	10	19	16	3	-	-
ALL OTHER--MALE----	3	-	-	2	2	-	-	1	-	1	-	-
FEMALE--	1	-	2	3	-	3	1	2	1	1	-	-
BLACK---MALE----	3	-	-	2	-	-	-	1	-	1	-	-
FEMALE--	1	-	2	3	-	3	1	2	1	1	-	-
INDIANA ----------	8	9	10	8	11	9	11	15	6	-	-	-
WHITE------MALE----	7	6	4	4	8	4	3	5	1	-	-	-
FEMALE--	1	2	6	3	2	5	8	10	4	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	2	4	4	9	6	5	7	1	-	1	-
WHITE------MALE----	-	-	4	2	2	5	3	2	-	-	-	-
FEMALE--	-	1	-	2	7	1	2	5	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	5	3	2	6	6	2	7	6	3	-	-
WHITE------MALE----	-	3	2	1	3	2	2	5	3	1	-	-
FEMALE--	2	2	1	1	3	4	-	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
KENTUCKY ----------	83	-	-	-	-	-	-	-	-	2	4	3
WHITE------MALE----	37	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	84	-	-	-	-	-	-	3	2	3	3	6
WHITE------MALE----	27	-	-	-	-	-	-	2	1	1	-	1
FEMALE--	26	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
MAINE ----------	26	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	13	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	90	1	-	-	-	-	-	2	4	3	8	5
WHITE------MALE----	27	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	30	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	15	1	-	-	-	-	-	2	1	1	2	2
FEMALE--	18	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	13	1	-	-	-	-	-	2	1	1	2	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	3	1
MASSACHUSETTS ----------	105	1	-	-	-	1	-	1	2	3	4	4
WHITE------MALE----	47	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	50	-	-	-	-	1	-	-	-	2	2	1
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	185	-	-	-	-	1	1	1	7	4	11	8
WHITE------MALE----	83	-	-	-	-	1	-	-	4	2	5	4
FEMALE--	61	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	19	-	-	-	-	-	1	-	2	1	-	-
BLACK---MALE----	21	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	17	-	-	-	-	-	1	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
KENTUCKY ----------	3	10	4	6	7	8	16	15	4	1	-	-
WHITE------MALE----	2	4	4	1	3	6	6	6	-	-	-	-
FEMALE--	1	6	-	3	4	1	9	8	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
LOUISIANA ----------	6	3	8	9	12	5	12	6	4	2	-	-
WHITE------MALE----	3	1	4	4	5	-	3	1	-	1	-	-
FEMALE--	2	-	2	2	5	3	4	3	3	-	-	-
ALL OTHER--MALE----	1	1	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	1	2	4	1	1	1	-	-
BLACK---MALE----	1	1	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	1	2	4	1	1	1	-	-
MAINE ----------	2	-	1	3	4	1	2	8	2	1	-	-
WHITE------MALE----	1	-	1	1	1	-	1	5	1	-	-	-
FEMALE--	1	-	-	2	3	1	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	8	4	6	9	9	8	10	4	2	1	-
WHITE------MALE----	3	3	1	2	6	3	1	3	1	-	-	-
FEMALE--	2	2	2	2	2	2	6	4	2	1	1	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	3	-	-	-	-
FEMALE--	1	1	1	1	1	4	1	-	1	1	-	-
BLACK---MALE----	-	2	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	1	1	1	1	4	1	-	1	1	-	-
MASSACHUSETTS ----------	2	5	5	4	10	16	17	16	12	1	1	-
WHITE------MALE----	1	2	3	3	1	9	9	7	6	-	-	-
FEMALE--	-	3	1	1	8	7	7	9	6	1	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN ----------	13	10	14	14	22	21	26	20	9	3	-	-
WHITE------MALE----	6	5	11	6	7	10	13	6	2	1	-	-
FEMALE--	4	3	2	3	8	9	8	10	7	2	-	-
ALL OTHER--MALE----	1	2	-	1	3	1	5	1	-	-	-	-
FEMALE--	2	-	1	4	4	1	-	3	-	-	-	-
BLACK---MALE----	1	2	-	1	3	1	4	1	-	-	-	-
FEMALE--	2	-	1	4	4	1	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
MINNESOTA ----------	64	-	-	-	-	-	-	-	1	2	6	2
WHITE------MALE----	28	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	61	-	-	-	-	-	-	1	2	3	3	3
WHITE------MALE----	23	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	99	-	-	-	1	-	-	2	3	2	5	5
WHITE------MALE----	53	-	-	-	-	-	-	1	2	2	4	3
FEMALE--	37	-	-	-	-	-	-	1	1	-	1	2
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	26	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	26	-	-	-	1	-	-	-	1	-	4	4
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
MINNESOTA ----------	2	4	3	5	4	5	13	12	3	2	-	-
WHITE------MALE----	2	1	2	4	4	3	3	5	-	-	-	-
FEMALE--	-	2	1	1	-	1	9	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	2	4	3	8	10	6	6	2	2	-	-
WHITE------MALE----	2	2	3	-	6	5	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	5	6	5	1	-	-	-
ALL OTHER--MALE----	3	-	-	2	1	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	1	-	-
BLACK---MALE----	3	-	-	2	1	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	1	-	-
MISSOURI ----------	8	5	7	12	8	14	10	11	4	2	-	-
WHITE------MALE----	5	2	3	9	6	5	6	2	2	1	-	-
FEMALE--	2	1	2	2	1	8	4	9	2	1	-	-
ALL OTHER--MALE----	1	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
MONTANA ----------	-	2	-	1	3	1	4	-	3	-	-	-
WHITE------MALE----	-	2	-	1	3	-	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	1	-	4	2	2	5	2	3	3	-	-
WHITE------MALE----	-	-	-	2	-	1	2	1	1	-	-	-
FEMALE--	1	1	-	2	2	-	3	1	2	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	1	2	2	2	2	2	1	1	-	-	-
WHITE------MALE----	1	-	1	1	2	1	-	-	1	-	-	-
FEMALE--	2	-	1	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
NEW HAMPSHIRE ----------	12	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	148	1	-	-	-	-	2	1	4	4	5	7
WHITE------MALE----	62	1	-	-	-	-	-	1	2	1	4	2
FEMALE--	60	-	-	-	-	-	2	-	2	-	1	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	1
NEW MEXICO ----------	29	-	-	-	-	1	-	-	1	-	1	1
WHITE------MALE----	17	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	273	1	-	-	-	-	2	5	5	12	8	18
WHITE------MALE----	110	-	-	-	-	-	1	2	2	4	4	4
FEMALE--	101	1	-	-	-	-	-	2	-	4	2	1
ALL OTHER--MALE----	41	-	-	-	-	-	-	1	3	3	2	10
FEMALE--	21	-	-	-	-	-	1	-	-	1	-	3
BLACK---MALE----	38	-	-	-	-	-	-	1	3	3	2	9
FEMALE--	19	-	-	-	-	-	1	-	-	1	-	3
NORTH CAROLINA ---------	141	1	2	-	-	1	1	1	2	4	8	8
WHITE------MALE----	57	1	-	-	-	-	-	-	1	2	5	5
FEMALE--	47	-	1	-	-	1	-	1	-	-	1	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	17	-	1	-	-	-	1	-	-	1	-	1
BLACK---MALE----	19	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	17	-	1	-	-	-	1	-	-	1	-	1
NORTH DAKOTA ----------	7	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
NEW HAMPSHIRE ----------	-	-	1	1	1	4	1	1	1	-	-	-
WHITE------MALE----	-	-	1	1	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	8	8	18	6	19	17	16	21	6	5	-	-
WHITE------MALE----	2	3	8	-	11	11	7	7	2	-	-	-
FEMALE--	4	3	4	5	6	4	8	11	3	4	-	-
ALL OTHER--MALE----	2	1	4	-	1	1	1	2	-	-	-	-
FEMALE--	-	1	2	1	1	1	-	1	1	1	-	-
BLACK---MALE----	1	1	4	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	1	-	1	-	1	-	-
NEW MEXICO ----------	1	6	4	1	4	2	2	1	3	1	-	-
WHITE------MALE----	1	2	3	1	3	2	1	1	1	-	-	-
FEMALE--	-	3	1	-	1	-	1	-	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	15	18	22	25	29	39	28	21	17	8	-	-
WHITE------MALE----	8	9	12	11	17	17	9	7	2	1	-	-
FEMALE--	3	4	7	8	9	12	15	12	14	7	-	-
ALL OTHER--MALE----	4	4	-	3	2	8	-	1	-	-	-	-
FEMALE--	-	1	3	3	1	2	4	1	1	-	-	-
BLACK---MALE----	4	4	-	3	1	7	-	1	-	-	-	-
FEMALE--	-	1	3	3	1	1	4	-	1	-	-	-
NORTH CAROLINA ---------	9	14	11	14	12	14	14	12	12	1	-	-
WHITE------MALE----	4	6	5	5	5	7	6	3	2	-	-	-
FEMALE--	1	3	2	5	6	2	7	8	8	-	-	-
ALL OTHER--MALE----	3	4	2	3	-	2	-	-	1	-	-	-
FEMALE--	1	1	2	1	1	3	1	1	1	1	-	-
BLACK---MALE----	3	4	2	3	-	1	-	-	1	-	-	-
FEMALE--	1	1	2	1	1	3	1	1	1	1	-	-
NORTH DAKOTA ----------	-	-	-	-	1	-	2	2	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
OHIO ----------	185	-	-	-	1	1	-	-	3	4	15	7
WHITE------MALE----	84	-	-	-	-	-	-	-	3	2	7	4
FEMALE--	73	-	-	-	1	1	-	-	-	1	4	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	1
OKLAHOMA ----------	73	-	-	-	1	1	2	-	3	3	4	4
WHITE------MALE----	23	-	-	-	-	-	-	-	2	1	2	2
FEMALE--	37	-	-	-	1	-	1	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	-	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	33	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	205	-	-	-	-	-	1	1	3	2	6	8
WHITE------MALE----	76	-	-	-	-	-	1	1	1	1	6	4
FEMALE--	112	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	85	-	-	-	-	-	4	-	1	6	4	12
WHITE------MALE----	30	-	-	-	-	-	-	-	1	3	1	3
FEMALE--	30	-	-	-	-	-	2	-	-	1	-	3
ALL OTHER--MALE----	14	-	-	-	-	-	2	-	-	-	-	4
FEMALE--	11	-	-	-	-	-	-	-	-	2	3	2
BLACK---MALE----	14	-	-	-	-	-	2	-	-	-	-	4
FEMALE--	10	-	-	-	-	-	-	-	-	2	3	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
OHIO ----------	11	13	10	11	20	29	19	26	10	4	1	-
WHITE------MALE----	7	5	3	7	12	14	8	10	1	1	-	-
FEMALE--	2	6	5	3	5	10	8	15	8	2	1	-
ALL OTHER--MALE----	2	1	1	1	1	4	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	2	1	1	1	-	-
BLACK---MALE----	2	1	1	1	1	4	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	2	1	1	1	-	-
OKLAHOMA ----------	4	3	4	7	6	5	11	6	7	2	-	-
WHITE------MALE----	2	2	3	3	3	-	3	-	-	-	-	-
FEMALE--	1	1	-	2	3	4	7	6	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
OREGON ----------	1	-	1	3	6	2	8	6	2	-	-	-
WHITE------MALE----	1	-	-	1	2	-	3	2	-	-	-	-
FEMALE--	-	-	1	2	3	1	5	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	16	11	7	11	23	28	35	32	13	7	1	-
WHITE------MALE----	7	7	3	4	9	11	9	10	1	1	-	-
FEMALE--	7	2	2	6	13	17	23	22	10	6	1	-
ALL OTHER--MALE----	2	1	1	1	1	-	2	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	1	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
RHODE ISLAND ----------	2	-	-	3	1	4	1	2	3	1	-	-
WHITE------MALE----	2	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	7	2	8	8	5	9	10	4	-	-	-
WHITE------MALE----	1	3	-	7	1	2	4	2	2	-	-	-
FEMALE--	1	1	1	-	6	3	4	7	1	-	-	-
ALL OTHER--MALE----	3	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	3	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
SOUTH DAKOTA ----------	8	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	95	-	-	-	-	1	-	1	-	2	6	8
WHITE------MALE----	40	-	-	-	-	-	-	1	-	2	4	3
FEMALE--	39	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
TEXAS ----------	299	3	-	-	-	2	2	2	10	10	14	20
WHITE------MALE----	134	1	-	-	-	-	1	1	5	4	9	11
FEMALE--	124	1	-	-	-	1	-	-	5	3	3	6
ALL OTHER--MALE----	22	-	-	-	-	1	-	-	-	2	2	3
FEMALE--	19	1	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	22	-	-	-	-	1	-	-	-	2	2	3
FEMALE--	18	1	-	-	-	-	1	1	-	1	-	-
UTAH ----------	28	-	-	-	1	-	-	-	-	2	2	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	17	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	9	-	-	-	-	-	-	1	-	-	2	1
WHITE------MALE----	7	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	113	-	-	-	-	-	1	2	3	-	5	9
WHITE------MALE----	39	-	-	-	-	-	1	1	1	-	1	3
FEMALE--	43	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	-	2	6
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	1	1	-	2	5
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
SOUTH DAKOTA ----------	-	-	3	-	-	2	-	1	1	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	3	7	10	12	10	11	9	5	3	1	-
WHITE------MALE----	2	2	3	3	7	6	5	-	1	1	-	-
FEMALE--	3	1	2	4	5	4	4	7	4	2	1	-
ALL OTHER--MALE----	1	-	1	3	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	3	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
TEXAS ----------	18	14	22	19	35	28	33	41	20	6	-	-
WHITE------MALE----	9	6	8	7	24	14	15	12	6	1	-	-
FEMALE--	7	3	10	8	10	12	15	21	14	5	-	-
ALL OTHER--MALE----	1	4	2	-	1	1	1	4	-	-	-	-
FEMALE--	1	1	2	4	-	1	2	4	-	-	-	-
BLACK---MALE----	1	4	2	-	1	1	1	4	-	-	-	-
FEMALE--	1	1	2	4	-	1	2	3	-	-	-	-
UTAH ----------	1	1	2	3	5	6	3	-	1	1	-	-
WHITE------MALE----	1	1	1	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	3	6	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	2	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	10	8	12	6	11	11	15	10	7	3	-	-
WHITE------MALE----	3	4	4	3	6	4	3	4	1	-	-	-
FEMALE--	4	2	3	1	3	5	9	4	6	3	-	-
ALL OTHER--MALE----	2	2	4	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	2	3	1	-	-	-	-
BLACK---MALE----	1	2	4	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	2	3	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
WASHINGTON ----------	70	-	1	-	-	-	1	-	-	3	3	3
WHITE------MALE----	36	-	1	-	-	-	-	-	-	2	2	-
FEMALE--	27	-	-	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	38	-	-	-	-	-	-	1	1	2	2	-
WHITE------MALE----	18	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	70	-	-	-	-	-	-	-	1	2	2	2
WHITE------MALE----	36	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	30	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	13	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
WASHINGTON ----------	5	4	6	4	9	14	5	6	1	3	2	-
WHITE------MALE----	4	3	3	2	5	7	4	2	-	1	-	-
FEMALE--	-	-	2	2	4	6	1	4	1	2	1	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	2	3	5	6	4	5	3	1	2	-
WHITE------MALE----	-	1	1	2	2	3	3	2	1	-	-	-
FEMALE--	-	-	-	1	3	3	1	3	2	1	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	5	6	4	9	10	7	7	7	3	1	-
WHITE------MALE----	1	3	4	3	6	6	4	3	1	-	-	-
FEMALE--	2	2	1	1	2	3	3	4	6	3	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
WYOMING ----------	1	2	3	1	1	1	1	1	-	-	-	-
WHITE------MALE----	-	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	1	1	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2737

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
UNITED STATES -	3,289	1	1	1	10	12	26	47	88	121	206	223
WHITE------MALE----	1,423	1	-	1	3	3	7	24	42	57	108	100
FEMALE--	1,279	-	1	-	5	5	8	11	21	27	50	47
ALL OTHER--MALE----	346	-	-	-	-	3	5	10	17	25	34	52
FEMALE--	241	-	-	-	2	1	6	2	8	12	14	24
BLACK---MALE----	309	-	-	-	-	3	4	10	16	25	31	48
FEMALE--	204	-	-	-	1	1	6	2	4	10	12	20
ALABAMA ----------	70	-	-	-	-	-	-	1	1	1	6	4
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	4	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	1
ALASKA ----------	9	-	-	-	-	1	-	-	1	1	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	34	-	-	-	-	-	1	-	-	-	1	3
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	14	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	41	-	-	-	-	-	1	-	-	2	2	3
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	285	-	-	1	1	2	3	3	8	10	22	20
WHITE------MALE----	137	-	-	1	-	2	1	2	5	8	13	11
FEMALE--	105	-	-	-	1	-	1	1	-	1	5	5
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	2	1	3	3
FEMALE--	22	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	10	-	-	-	-	-	1	-	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
UNITED STATES -	230	205	235	280	358	380	334	319	147	56	9	-
WHITE------MALE----	104	103	120	143	180	176	122	94	30	5	-	-
FEMALE--	66	56	64	94	137	157	178	192	105	47	8	-
ALL OTHER--MALE----	45	33	27	24	18	18	13	17	4	1	-	-
FEMALE--	15	13	24	19	23	29	21	16	8	3	1	-
BLACK---MALE----	41	32	23	23	12	15	10	11	4	1	-	-
FEMALE--	14	11	23	18	19	21	18	14	7	3	-	-
ALABAMA ----------	7	3	5	5	7	7	9	10	4	-	-	-
WHITE------MALE----	2	-	2	2	3	2	2	5	2	-	-	-
FEMALE--	1	-	1	3	3	4	6	2	-	-	-	-
ALL OTHER--MALE----	2	2	2	-	-	-	-	2	1	-	-	-
FEMALE--	2	1	-	-	1	1	1	1	1	-	-	-
BLACK---MALE----	2	2	2	-	-	-	-	2	1	-	-	-
FEMALE--	2	1	-	-	1	1	1	1	1	-	-	-
ALASKA ----------	-	2	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	6	3	3	5	6	2	3	-	-	-	-
WHITE------MALE----	1	3	1	1	2	4	1	1	-	-	-	-
FEMALE--	-	3	1	2	3	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	4	4	3	3	5	2	6	2	2	-	-
WHITE------MALE----	1	3	3	2	-	3	1	2	-	-	-	-
FEMALE--	1	1	-	1	2	2	1	4	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	29	17	23	31	26	29	25	22	9	3	1	-
WHITE------MALE----	14	11	8	20	10	12	10	8	1	-	-	-
FEMALE--	9	4	11	9	12	11	11	12	8	3	1	-
ALL OTHER--MALE----	4	1	1	1	1	1	1	2	-	-	-	-
FEMALE--	2	1	3	1	3	5	3	-	-	-	-	-
BLACK---MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	3	1	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
COLORADO ----------	41	-	-	-	-	-	-	1	2	2	2	3
WHITE------MALE----	18	-	-	-	-	-	-	1	2	2	2	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	41	-	-	-	-	-	-	1	2	1	2	1
WHITE------MALE----	20	-	-	-	-	-	-	1	2	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	13	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	-	-	-	-	-	2	-	-	-	2	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	2	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	2	-	-	-	1	1
FLORIDA ----------	242	-	-	-	2	1	1	2	3	8	12	17
WHITE------MALE----	110	-	-	-	2	-	1	2	2	3	6	9
FEMALE--	103	-	-	-	-	-	-	-	1	4	5	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	15	-	-	-	-	1	-	-	-	-	1	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	15	-	-	-	-	1	-	-	-	-	1	2
GEORGIA ----------	110	-	-	-	1	-	1	3	5	10	7	14
WHITE------MALE----	45	-	-	-	-	-	-	-	-	3	4	7
FEMALE--	30	-	-	-	-	-	-	1	1	3	2	-
ALL OTHER--MALE----	22	-	-	-	-	-	1	2	3	3	1	4
FEMALE--	13	-	-	-	1	-	-	-	1	1	-	3
BLACK---MALE----	22	-	-	-	-	-	1	2	3	3	1	4
FEMALE--	13	-	-	-	1	-	-	-	1	1	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
COLORADO ----------	3	3	1	6	6	4	4	-	2	2	-	-
WHITE------MALE----	-	1	-	4	1	3	1	-	1	-	-	-
FEMALE--	2	1	1	1	5	1	2	-	1	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	1	5	6	4	4	7	4	2	-	-
WHITE------MALE----	-	-	-	4	3	2	2	2	3	-	-	-
FEMALE--	1	-	-	-	3	1	2	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	2	2	2	1	-	1	1	1	-	-
WHITE------MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	1	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
FLORIDA ----------	12	9	14	26	29	39	26	26	12	3	-	-
WHITE------MALE----	5	4	7	17	14	21	5	8	4	-	-	-
FEMALE--	1	1	3	8	12	17	20	17	7	3	-	-
ALL OTHER--MALE----	5	1	4	-	-	-	-	-	1	-	-	-
FEMALE--	1	3	-	1	3	1	1	1	-	-	-	-
BLACK---MALE----	5	1	4	-	-	-	-	-	1	-	-	-
FEMALE--	1	3	-	1	3	1	1	1	-	-	-	-
GEORGIA ----------	8	8	5	9	12	13	5	5	3	1	-	-
WHITE------MALE----	4	2	4	7	4	6	3	1	-	-	-	-
FEMALE--	1	2	-	1	4	7	1	3	3	1	-	-
ALL OTHER--MALE----	2	4	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	3	-	1	1	-	-	-	-
BLACK---MALE----	2	4	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	3	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
HAWAII ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	148	-	1	-	1	-	-	5	4	4	11	11
WHITE------MALE----	58	-	-	-	-	-	-	3	-	1	5	7
FEMALE--	66	-	1	-	1	-	-	-	3	-	6	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	2	1	3	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	2	1	3	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
INDIANA ----------	88	-	-	-	1	1	-	5	2	2	6	4
WHITE------MALE----	42	-	-	-	-	-	-	3	-	1	3	2
FEMALE--	36	-	-	-	1	1	-	1	1	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
IOWA ----------	32	-	-	-	-	-	-	1	-	2	1	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	32	-	-	-	-	-	-	1	3	-	2	2
WHITE------MALE----	18	-	-	-	-	-	-	-	2	-	2	1
FEMALE--	13	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
HAWAII ----------	1	1	2	-	1	1	1	2	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	2	-	-	3	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	3	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	5	8	12	13	16	12	17	15	2	-	-
WHITE------MALE----	5	4	5	3	8	6	6	3	2	-	-	-
FEMALE--	2	1	1	6	4	8	6	11	12	2	-	-
ALL OTHER--MALE----	3	-	-	2	1	-	-	1	-	-	-	-
FEMALE--	1	-	2	1	-	2	-	2	1	-	-	-
BLACK---MALE----	3	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	1	-	2	1	-	2	-	2	1	-	-	-
INDIANA ----------	6	7	9	7	9	7	9	10	3	-	-	-
WHITE------MALE----	6	4	4	4	6	2	2	5	-	-	-	-
FEMALE--	-	2	5	2	2	5	7	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	4	4	5	5	4	5	-	-	1	-
WHITE------MALE----	-	-	4	2	1	4	3	1	-	-	-	-
FEMALE--	-	-	-	2	4	1	1	4	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	2	2	4	4	1	3	3	3	-	-
WHITE------MALE----	-	1	2	1	2	2	1	1	2	1	-	-
FEMALE--	1	-	-	1	2	2	-	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2740

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
KENTUCKY ----------	62	-	-	-	-	-	-	-	-	2	4	3
WHITE------MALE----	27	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	70	-	-	-	-	-	-	3	2	3	3	5
WHITE------MALE----	22	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	23	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
MAINE ----------	19	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	10	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	66	-	-	-	-	-	-	1	3	3	7	5
WHITE------MALE----	21	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	16	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	15	-	-	-	-	-	-	-	-	1	3	1
MASSACHUSETTS ----------	65	-	-	-	-	1	-	1	2	3	3	4
WHITE------MALE----	26	-	-	-	-	-	-	1	1	-	-	3
FEMALE--	32	-	-	-	-	1	-	-	-	2	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	138	-	-	-	-	1	-	1	7	4	10	8
WHITE------MALE----	60	-	-	-	-	1	-	-	4	2	4	4
FEMALE--	46	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	14	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	17	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
KENTUCKY ----------	3	8	3	5	4	5	12	9	3	1	-	-
WHITE------MALE----	2	4	3	-	2	5	4	2	-	-	-	-
FEMALE--	1	4	-	3	2	-	8	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
LOUISIANA ----------	5	1	7	6	11	5	10	5	2	2	-	-
WHITE------MALE----	2	-	3	3	5	-	3	1	-	1	-	-
FEMALE--	2	-	2	2	4	3	4	2	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	2	1	-	1	-	-
BLACK---MALE----	1	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	2	1	-	1	-	-
MAINE ----------	2	-	1	3	2	1	2	5	1	-	-	-
WHITE------MALE----	1	-	1	1	-	-	1	3	1	-	-	-
FEMALE--	1	-	-	2	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	6	1	6	7	8	5	4	4	1	-	-
WHITE------MALE----	2	3	-	2	5	2	1	2	1	-	-	-
FEMALE--	2	1	-	2	1	2	3	2	2	1	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	4	1	-	1	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	4	1	-	1	-	-	-
MASSACHUSETTS ----------	2	4	4	4	8	9	6	8	5	-	1	-
WHITE------MALE----	1	1	2	3	1	6	3	2	2	-	-	-
FEMALE--	-	3	1	1	6	3	2	6	3	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN ----------	12	8	13	11	17	14	17	8	5	2	-	-
WHITE------MALE----	5	5	10	6	4	7	7	1	-	-	-	-
FEMALE--	4	2	2	1	7	6	6	6	5	2	-	-
ALL OTHER--MALE----	1	1	-	1	2	1	4	-	-	-	-	-
FEMALE--	2	-	1	3	4	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	2	1	3	-	-	-	-	-
FEMALE--	2	-	1	3	4	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
MINNESOTA ----------	47	-	-	-	-	-	-	-	1	2	6	2
WHITE------MALE----	23	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	52	-	-	-	-	-	-	1	2	2	3	2
WHITE------MALE----	19	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	75	-	-	-	-	-	-	2	3	2	5	3
WHITE------MALE----	42	-	-	-	-	-	-	1	2	2	4	3
FEMALE--	28	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	19	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	20	-	-	-	1	-	-	-	1	-	4	3
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
MINNESOTA ----------	2	4	3	4	4	2	5	8	3	1	-	-
WHITE------MALE----	2	1	2	4	4	1	2	3	-	-	-	-
FEMALE--	-	2	1	-	-	-	3	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	2	3	3	7	9	4	5	1	2	-	-
WHITE------MALE----	2	2	2	-	6	4	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	5	4	5	-	-	-	-
ALL OTHER--MALE----	3	-	-	2	1	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	1	-	-
BLACK---MALE----	3	-	-	2	1	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	1	-	-
MISSOURI ----------	8	3	5	11	6	9	7	9	1	1	-	-
WHITE------MALE----	5	1	1	8	5	4	4	1	-	1	-	-
FEMALE--	2	1	2	2	1	5	3	8	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
MONTANA ----------	-	2	-	-	1	1	4	-	2	-	-	-
WHITE------MALE----	-	2	-	-	1	-	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	1	-	4	2	2	3	2	-	2	-	-
WHITE------MALE----	-	-	-	2	-	1	2	1	-	-	-	-
FEMALE--	1	1	-	2	2	-	1	1	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	2	-	2	1	2	-	1	-	-	-
WHITE------MALE----	1	-	1	-	2	-	-	-	1	-	-	-
FEMALE--	2	-	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2742

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
NEW HAMPSHIRE ----------	10	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	105	-	-	-	-	-	2	1	3	4	5	6
WHITE------MALE----	42	-	-	-	-	-	-	1	1	1	4	2
FEMALE--	43	-	-	-	-	-	2	-	2	-	1	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
NEW MEXICO ----------	21	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	188	-	-	-	-	-	2	5	5	11	7	16
WHITE------MALE----	80	-	-	-	-	-	1	2	2	4	4	4
FEMALE--	58	-	-	-	-	-	-	2	-	4	1	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	1	3	3	2	9
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	32	-	-	-	-	-	-	1	3	3	2	8
FEMALE--	14	-	-	-	-	-	1	-	-	-	-	2
NORTH CAROLINA ---------	112	1	-	-	-	1	1	1	2	4	8	8
WHITE------MALE----	46	1	-	-	-	-	-	-	1	2	5	5
FEMALE--	33	-	-	-	-	1	-	1	-	-	1	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	14	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	14	-	-	-	-	-	1	-	-	1	-	1
NORTH DAKOTA ----------	7	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
NEW HAMPSHIRE ----------	-	-	1	-	1	3	1	1	1	-	-	-
WHITE------MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	7	6	14	5	13	10	11	11	3	4	-	-
WHITE------MALE----	2	2	7	-	7	6	5	3	1	-	-	-
FEMALE--	3	2	4	4	4	2	5	6	1	4	-	-
ALL OTHER--MALE----	2	1	2	-	1	1	1	2	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	1	-	-	-
BLACK---MALE----	1	1	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
NEW MEXICO ----------	1	6	4	-	3	1	-	1	1	1	-	-
WHITE------MALE----	1	2	3	-	2	1	-	1	-	-	-	-
FEMALE--	-	3	1	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	14	14	13	17	19	30	17	8	9	1	-	-
WHITE------MALE----	7	9	8	7	12	13	4	2	1	-	-	-
FEMALE--	3	3	2	5	5	9	10	4	8	1	-	-
ALL OTHER--MALE----	4	1	-	2	2	6	-	1	-	-	-	-
FEMALE--	-	1	3	3	-	2	3	1	-	-	-	-
BLACK---MALE----	4	1	-	2	1	6	-	1	-	-	-	-
FEMALE--	-	1	3	3	-	1	3	-	-	-	-	-
NORTH CAROLINA ---------	4	11	10	13	11	11	13	9	4	-	-	-
WHITE------MALE----	1	5	5	5	5	4	5	2	-	-	-	-
FEMALE--	-	2	1	4	5	2	7	6	2	-	-	-
ALL OTHER--MALE----	2	4	2	3	-	2	-	-	1	-	-	-
FEMALE--	1	-	2	1	1	3	1	1	1	-	-	-
BLACK---MALE----	2	4	2	3	-	1	-	-	1	-	-	-
FEMALE--	1	-	2	1	1	3	1	1	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	1	-	2	2	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
OHIO ----------	131	-	-	-	1	1	-	-	3	4	14	5
WHITE------MALE----	57	-	-	-	-	-	-	-	3	2	6	2
FEMALE--	53	-	-	-	1	1	-	-	-	1	4	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	1
OKLAHOMA ----------	45	-	-	-	1	1	2	-	3	3	4	4
WHITE------MALE----	17	-	-	-	-	-	-	-	2	1	2	2
FEMALE--	18	-	-	-	1	-	1	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	23	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	143	-	-	-	-	-	1	1	3	2	6	8
WHITE------MALE----	57	-	-	-	-	-	1	1	1	1	6	4
FEMALE--	75	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	69	-	-	-	-	-	4	-	1	6	3	11
WHITE------MALE----	24	-	-	-	-	-	-	-	1	3	1	3
FEMALE--	23	-	-	-	-	-	2	-	-	1	-	2
ALL OTHER--MALE----	13	-	-	-	-	-	2	-	-	-	-	4
FEMALE--	9	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	13	-	-	-	-	-	2	-	-	-	-	4
FEMALE--	8	-	-	-	-	-	-	-	-	2	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
OHIO ----------	7	12	7	8	14	24	12	13	5	-	1	-
WHITE------MALE----	3	5	3	4	9	12	3	5	-	-	-	-
FEMALE--	2	5	3	3	4	8	7	7	5	-	1	-
ALL OTHER--MALE----	2	1	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	2	1	-	-	-	-
BLACK---MALE----	2	1	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	2	1	-	-	-	-
OKLAHOMA ----------	3	3	4	4	1	1	4	3	3	1	-	-
WHITE------MALE----	1	2	3	2	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	3	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	1	1	5	1	6	3	1	-	-	-
WHITE------MALE----	1	-	-	-	2	-	3	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	15	8	5	9	17	19	23	21	4	-	1	-
WHITE------MALE----	6	5	3	3	9	8	4	5	-	-	-	-
FEMALE--	7	1	2	5	7	11	18	16	4	-	1	-
ALL OTHER--MALE----	2	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	3	1	4	1	2	1	1	-	-
WHITE------MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	6	2	6	6	4	6	7	2	-	-	-
WHITE------MALE----	1	2	-	6	1	2	3	1	-	-	-	-
FEMALE--	1	1	1	-	4	2	3	5	1	-	-	-
ALL OTHER--MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2744

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
SOUTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	70	-	-	-	-	-	-	1	-	2	4	7
WHITE------MALE----	33	-	-	-	-	-	-	1	-	2	2	3
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
TEXAS ----------	230	-	-	-	-	2	2	1	9	9	12	18
WHITE------MALE----	107	-	-	-	-	-	1	-	5	4	8	9
FEMALE--	91	-	-	-	-	1	-	-	4	2	2	6
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	-	2	2	3
FEMALE--	16	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	16	-	-	-	-	1	-	-	-	2	2	3
FEMALE--	15	-	-	-	-	-	1	1	-	1	-	-
UTAH ----------	21	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	7	-	-	-	-	-	-	1	-	-	2	1
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	88	-	-	-	-	-	1	2	3	-	5	9
WHITE------MALE----	30	-	-	-	-	-	1	1	1	-	1	3
FEMALE--	31	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	1	-	2	6
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	1	1	-	2	5
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
SOUTH DAKOTA ----------	-	-	2	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	2	5	9	10	6	7	6	2	3	1	-
WHITE------MALE----	2	2	3	3	7	4	2	-	1	1	-	-
FEMALE--	2	-	1	3	3	2	3	5	1	2	1	-
ALL OTHER--MALE----	1	-	1	3	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	3	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	13	12	15	14	26	24	24	31	13	5	-	-
WHITE------MALE----	6	5	7	5	19	12	11	9	5	1	-	-
FEMALE--	6	2	6	7	7	11	10	15	8	4	-	-
ALL OTHER--MALE----	-	4	-	-	-	-	1	3	-	-	-	-
FEMALE--	1	1	2	2	-	1	2	4	-	-	-	-
BLACK---MALE----	-	4	-	-	-	-	1	3	-	-	-	-
FEMALE--	1	1	2	2	-	1	2	3	-	-	-	-
UTAH ----------	1	1	2	2	5	4	3	-	-	1	-	-
WHITE------MALE----	1	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	3	4	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	2	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	6	10	4	9	6	11	6	5	2	-	-
WHITE------MALE----	3	3	4	1	5	2	2	2	1	-	-	-
FEMALE--	3	2	2	1	2	3	7	2	4	2	-	-
ALL OTHER--MALE----	2	1	4	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	1	-	-	-	-
BLACK---MALE----	1	1	4	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
WASHINGTON ----------	48	-	-	-	-	-	1	-	-	3	3	3
WHITE------MALE----	23	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	18	-	-	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	31	-	-	-	-	-	-	1	1	2	2	-
WHITE------MALE----	14	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	51	-	-	-	-	-	-	-	1	2	2	2
WHITE------MALE----	26	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	21	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	11	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
WASHINGTON ----------	5	3	5	3	5	8	3	3	-	2	1	-
WHITE------MALE----	4	2	2	1	3	3	2	2	-	-	-	-
FEMALE--	-	-	2	2	2	4	1	1	-	2	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	1	3	5	5	2	5	2	1	-	-
WHITE------MALE----	-	1	-	2	2	3	1	2	-	-	-	-
FEMALE--	-	-	-	1	3	2	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	5	5	3	6	9	3	3	4	2	1	-
WHITE------MALE----	1	3	3	2	3	5	2	2	-	-	-	-
FEMALE--	1	2	1	1	2	3	1	1	4	2	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
WYOMING ----------	1	1	3	1	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
UNITED STATES -	1,158	10	3	-	2	4	3	3	4	10	23	28
WHITE------MALE----	457	3	1	-	-	2	2	1	1	4	10	15
FEMALE--	544	3	1	-	1	1	-	1	1	3	8	6
ALL OTHER--MALE----	76	3	-	-	1	1	-	1	2	1	1	5
FEMALE--	81	1	1	-	-	-	1	-	-	2	4	2
BLACK---MALE----	61	3	-	-	1	1	-	1	2	1	1	5
FEMALE--	67	1	1	-	-	-	1	-	-	2	3	2
ALABAMA ----------	27	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
ALASKA ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	98	1	-	-	-	2	2	1	-	-	3	4
WHITE------MALE----	42	1	-	-	-	1	2	-	-	-	-	3
FEMALE--	43	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
UNITED STATES -	39	62	68	67	122	150	170	198	138	48	6	-
WHITE------MALE----	24	28	27	33	58	70	70	66	34	8	-	-
FEMALE--	12	20	27	21	55	64	82	109	93	30	6	-
ALL OTHER--MALE----	3	10	7	4	5	10	5	12	2	3	-	-
FEMALE--	-	4	7	9	4	6	13	11	9	7	-	-
BLACK---MALE----	3	7	7	3	4	7	3	9	1	2	-	-
FEMALE--	-	4	6	7	4	4	12	8	7	5	-	-
ALABAMA ----------	-	-	1	-	2	7	4	5	3	1	-	-
WHITE------MALE----	-	-	-	-	1	2	2	-	2	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	1	2	1	-	-	-
ALASKA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	3	-	1	3	1	-	4	1	2	-	-
WHITE------MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	4	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	3	3	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	5	5	6	4	11	11	15	14	12	2	-	-
WHITE------MALE----	3	5	4	1	5	6	5	4	2	-	-	-
FEMALE--	2	-	2	1	5	4	9	6	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	2	1	-	-	-
FEMALE--	-	-	-	2	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
COLORADO ----------	19	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	24	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	68	1	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	30	-	-	-	-	-	-	-	1	1	1	4
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
COLORADO ----------	-	-	2	1	3	6	1	1	3	-	-	-
WHITE------MALE----	-	-	1	1	2	3	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	2	2	2	3	3	3	5	1	1	-
WHITE------MALE----	-	1	1	2	-	2	1	-	2	-	-	-
FEMALE--	-	-	1	-	2	1	2	3	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	2	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	2	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA ----------	1	4	7	5	8	7	7	12	9	3	1	-
WHITE------MALE----	1	-	4	2	7	4	3	2	2	1	-	-
FEMALE--	-	3	1	3	1	2	4	8	5	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	2	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	2	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	2	-	-	-
GEORGIA ----------	1	2	1	2	2	2	3	5	4	1	-	-
WHITE------MALE----	1	2	-	1	-	1	1	-	-	1	-	-
FEMALE--	-	-	1	1	1	1	1	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
HAWAII ----------	8	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	50	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	22	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
IOWA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	19	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
HAWAII ----------	1	1	-	-	-	-	2	-	1	2	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	2	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	3	2	4	5	6	6	13	4	4	-	-
WHITE------MALE----	-	2	-	-	2	1	1	5	-	1	-	-
FEMALE--	-	1	2	2	2	4	4	8	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	1	-	-
INDIANA ----------	2	2	1	1	2	2	2	5	3	-	-	-
WHITE------MALE----	1	2	-	-	2	2	1	-	1	-	-	-
FEMALE--	1	-	1	1	-	-	1	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	2	-	-	4	1	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	4	1	-	2	2	1	4	3	-	-	-
WHITE------MALE----	-	2	-	-	1	-	1	4	1	-	-	-
FEMALE--	1	2	1	-	1	2	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
KENTUCKY ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	14	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	24	1	-	-	-	-	-	1	1	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	40	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	47	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
KENTUCKY ----------	-	2	1	1	3	3	4	6	1	-	-	-
WHITE------MALE----	-	-	1	1	1	1	2	4	-	-	-	-
FEMALE--	-	2	-	-	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	1	2	1	3	1	-	2	1	2	-	-	-
WHITE------MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-
MAINE ----------	-	-	-	-	2	-	-	3	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	2	3	-	2	1	3	6	-	1	1	-
WHITE------MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	2	-	1	-	3	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	-	1	1	-	2	7	11	8	7	1	-	-
WHITE------MALE----	-	1	1	-	-	3	6	5	4	-	-	-
FEMALE--	-	-	-	-	2	4	5	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	2	1	3	5	7	9	12	4	1	-	-
WHITE------MALE----	1	-	1	-	3	3	6	5	2	1	-	-
FEMALE--	-	1	-	2	1	3	2	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
MINNESOTA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	24	-	-	-	1	-	-	-	-	-	-	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
MINNESOTA ----------	-	-	-	1	-	3	8	4	-	1	-	-
WHITE------MALE----	-	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	6	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	1	-	1	1	2	1	1	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	2	2	1	2	5	3	2	3	1	-	-
WHITE------MALE----	-	1	2	1	1	1	2	1	2	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	1	2	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	2	-	3	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	-	2	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	43	1	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	20	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	8	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	85	1	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
NORTH CAROLINA ---------	29	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
NEW HAMPSHIRE ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	2	4	1	6	7	5	10	3	1	-	-
WHITE------MALE----	-	1	1	-	4	5	2	4	1	-	-	-
FEMALE--	1	1	-	1	2	2	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	1	-	-
NEW MEXICO ----------	-	-	-	1	1	1	2	-	2	-	-	-
WHITE------MALE----	-	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	4	9	8	10	9	11	13	8	7	-	-
WHITE------MALE----	1	-	4	4	5	4	5	5	1	1	-	-
FEMALE--	-	1	5	3	4	3	5	8	6	6	-	-
ALL OTHER--MALE----	-	3	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
NORTH CAROLINA ---------	5	3	1	1	1	3	1	3	8	1	-	-
WHITE------MALE----	3	1	-	-	-	3	1	1	2	-	-	-
FEMALE--	1	1	1	1	1	-	-	2	6	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
OHIO ----------	54	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	28	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	62	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	16	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
OHIO ----------	4	1	3	3	6	5	7	13	5	4	-	-
WHITE------MALE----	4	-	-	3	3	2	5	5	1	1	-	-
FEMALE--	-	1	2	-	1	2	1	8	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	1	-	-
OKLAHOMA ----------	1	-	-	3	5	4	7	3	4	1	-	-
WHITE------MALE----	1	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	3	3	4	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON ----------	-	-	-	2	1	1	2	3	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	3	2	2	6	9	12	11	9	7	-	-
WHITE------MALE----	1	2	-	1	-	3	5	5	1	1	-	-
FEMALE--	-	1	-	1	6	6	5	6	6	6	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	2	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	-	2	2	1	3	3	2	-	-	-
WHITE------MALE----	-	1	-	1	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	25	-	-	-	-	1	-	-	-	-	2	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	15	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	69	3	-	-	-	-	-	1	1	1	2	2
WHITE------MALE----	27	1	-	-	-	-	-	1	-	-	1	2
FEMALE--	33	1	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
UTAH ----------	7	-	-	-	1	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	25	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
SOUTH DAKOTA ----------	-	-	1	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	2	1	2	4	4	3	3	-	-	-
WHITE------MALE----	-	-	-	-	-	2	3	-	-	-	-	-
FEMALE--	1	1	1	1	2	2	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
TEXAS ----------	5	2	7	5	9	4	9	10	7	1	-	-
WHITE------MALE----	3	1	1	2	5	2	4	3	1	-	-	-
FEMALE--	1	1	4	1	3	1	5	6	6	1	-	-
ALL OTHER--MALE----	1	-	2	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	1	-	2	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	2	2	2	2	5	4	4	2	1	-	-
WHITE------MALE----	-	1	-	2	1	2	1	2	-	-	-	-
FEMALE--	1	-	1	-	1	2	2	2	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
WASHINGTON ----------	22	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
WASHINGTON ----------	-	1	1	1	4	6	2	3	1	1	1	-
WHITE------MALE----	-	1	1	1	2	4	2	-	-	1	-	-
FEMALE--	-	-	-	-	2	2	-	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	-	-	1	2	-	1	-	2	-
WHITE------MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	1	1	3	1	4	4	3	1	-	-
WHITE------MALE----	-	-	1	1	3	1	2	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
UNITED STATES -	7,760	26	20	3	5	2	6	8	15	33	82	128
WHITE------MALE----	2,973	10	5	1	1	-	4	6	7	20	45	71
FEMALE--	3,848	7	9	2	3	2	-	-	5	8	15	27
ALL OTHER--MALE----	450	5	4	-	-	-	2	1	2	4	10	21
FEMALE--	489	4	2	-	1	-	-	1	1	1	12	9
BLACK---MALE----	381	4	2	-	-	-	1	1	1	4	9	19
FEMALE--	435	4	2	-	1	-	-	1	1	1	10	9
ALABAMA ----------	164	-	-	-	-	-	-	-	-	2	2	5
WHITE------MALE----	51	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	124	1	1	-	-	-	-	-	-	-	3	3
WHITE------MALE----	58	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	57	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	116	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	258	2	5	-	-	-	-	-	-	-	3	9
WHITE------MALE----	116	1	1	-	-	-	-	-	-	-	2	8
FEMALE--	121	1	3	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2755

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
UNITED STATES -	170	223	300	452	686	1,034	1,358	1,455	1,149	490	114	1
WHITE------MALE----	85	111	149	221	333	452	566	479	291	96	20	-
FEMALE--	37	64	84	146	256	442	657	868	775	360	81	-
ALL OTHER--MALE----	33	32	34	46	55	70	53	42	26	9	1	-
FEMALE--	15	16	33	39	42	70	82	66	57	25	12	1
BLACK---MALE----	27	31	29	38	49	61	44	32	20	8	1	-
FEMALE--	12	10	30	33	41	62	71	62	52	21	11	1
ALABAMA ----------	9	4	13	11	14	27	28	24	16	8	1	-
WHITE------MALE----	5	-	5	1	3	11	13	2	6	2	-	-
FEMALE--	2	2	4	6	8	9	10	16	7	4	1	-
ALL OTHER--MALE----	2	2	2	1	-	2	3	2	1	-	-	-
FEMALE--	-	-	2	3	3	5	2	4	2	2	-	-
BLACK---MALE----	2	2	2	1	-	2	3	2	1	-	-	-
FEMALE--	-	-	2	3	3	5	2	4	2	2	-	-
ALASKA ----------	-	-	-	1	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	3	5	8	10	17	15	36	8	8	-	-
WHITE------MALE----	4	1	2	4	7	11	9	12	2	1	-	-
FEMALE--	2	-	3	3	2	6	5	24	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS ----------	3	1	2	6	10	16	23	34	13	7	-	-
WHITE------MALE----	-	1	1	1	5	5	7	6	3	-	-	-
FEMALE--	-	-	1	2	4	7	10	26	9	6	-	-
ALL OTHER--MALE----	2	-	-	1	-	2	2	2	-	-	-	-
FEMALE--	1	-	-	2	1	2	4	-	1	1	-	-
BLACK---MALE----	2	-	-	1	-	1	2	2	-	-	-	-
FEMALE--	1	-	-	2	1	2	3	-	1	1	-	-
CALIFORNIA ----------	3	7	9	10	16	49	43	49	34	17	2	-
WHITE------MALE----	3	5	5	4	8	21	25	18	8	6	1	-
FEMALE--	-	1	3	5	5	24	17	27	23	9	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	2	-	1	-	-
FEMALE--	-	1	1	-	2	2	-	2	3	1	-	-
BLACK---MALE----	-	-	-	1	1	2	-	1	-	1	-	-
FEMALE--	-	-	1	-	2	1	-	2	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
COLORADO ----------	140	1	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	61	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	72	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	123	-	-	-	-	-	-	1	-	1	-	3
WHITE------MALE----	59	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	353	1	3	1	-	-	-	1	1	-	3	3
WHITE------MALE----	151	-	1	-	-	-	-	1	-	-	3	3
FEMALE--	174	-	2	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	230	-	-	-	-	-	-	-	-	6	5	4
WHITE------MALE----	80	-	-	-	-	-	-	-	-	3	3	1
FEMALE--	101	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
COLORADO ----------	4	3	2	6	19	19	27	24	23	6	1	-
WHITE------MALE----	3	1	-	3	9	10	15	13	2	1	1	-
FEMALE--	1	1	1	2	10	9	11	10	21	5	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
CONNECTICUT ----------	5	2	2	6	7	18	19	25	18	14	2	-
WHITE------MALE----	3	2	-	4	4	11	10	13	5	2	-	-
FEMALE--	1	-	1	2	3	7	8	12	13	11	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	1	1	4	2	6	6	-	1	-
WHITE------MALE----	-	-	-	1	1	3	1	2	2	-	-	-
FEMALE--	-	-	1	-	-	1	-	4	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	1	1	-	1	4	3	3	5	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	2	1	1	-	1	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	1	1	-	-
BLACK---MALE----	2	1	1	-	1	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	1	1	-	-
FLORIDA ----------	6	6	13	16	29	51	73	75	51	16	4	-
WHITE------MALE----	4	2	6	6	13	24	33	32	17	6	-	-
FEMALE--	1	4	5	6	13	23	35	39	32	9	3	-
ALL OTHER--MALE----	-	-	1	2	2	3	2	1	-	-	-	-
FEMALE--	1	-	1	2	1	1	3	3	2	1	1	-
BLACK---MALE----	-	-	1	2	2	3	2	1	-	-	-	-
FEMALE--	1	-	1	2	1	1	3	3	2	1	-	-
GEORGIA ----------	5	10	14	17	26	30	44	34	27	7	1	-
WHITE------MALE----	2	4	6	8	11	9	16	10	6	1	-	-
FEMALE--	3	3	4	6	10	14	19	20	13	5	-	-
ALL OTHER--MALE----	-	3	1	2	3	7	3	2	1	-	-	-
FEMALE--	-	-	3	1	2	-	6	2	7	1	1	-
BLACK---MALE----	-	3	1	2	3	7	3	2	1	-	-	-
FEMALE--	-	-	3	1	2	-	6	2	7	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
HAWAII ----------	43	-	-	-	-	-	-	-	1	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	40	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	369	3	-	-	-	-	1	-	2	1	1	9
WHITE------MALE----	125	2	-	-	-	-	-	-	1	-	-	3
FEMALE--	184	-	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	28	1	-	-	-	-	1	-	-	-	-	2
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	24	1	-	-	-	-	1	-	-	-	-	2
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	1
INDIANA ----------	186	1	-	-	-	-	-	-	-	2	4	2
WHITE------MALE----	74	1	-	-	-	-	-	-	-	2	1	2
FEMALE--	107	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	104	1	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	40	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	64	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	96	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
HAWAII ----------	4	1	1	5	8	5	6	3	4	3	-	-
WHITE------MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	1	3	2	3	3	4	2	-	-
FEMALE--	2	1	1	2	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	2	1	2	3	8	14	6	1	-	-
WHITE------MALE----	-	-	1	-	1	1	3	5	1	-	-	-
FEMALE--	1	-	1	1	1	2	5	9	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	7	11	10	20	34	46	64	72	56	26	6	-
WHITE------MALE----	3	6	5	8	15	21	23	19	13	4	2	-
FEMALE--	2	3	2	5	13	18	32	44	36	21	4	-
ALL OTHER--MALE----	1	1	2	5	2	3	2	4	4	-	-	-
FEMALE--	1	1	1	2	4	4	7	5	3	1	-	-
BLACK---MALE----	1	1	2	4	2	3	2	1	4	-	-	-
FEMALE--	1	1	1	2	4	4	7	5	3	1	-	-
INDIANA ----------	5	7	4	15	14	22	38	36	20	16	-	-
WHITE------MALE----	5	5	3	7	11	10	13	6	5	3	-	-
FEMALE--	-	2	1	7	3	11	23	30	15	13	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
IOWA ----------	1	1	2	3	7	9	25	17	21	12	3	-
WHITE------MALE----	1	1	1	1	3	4	12	5	6	4	1	-
FEMALE--	-	-	1	2	4	5	13	12	15	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	2	1	8	6	15	7	18	26	7	2	-
WHITE------MALE----	2	1	1	4	1	9	3	4	6	2	2	-
FEMALE--	-	1	-	3	3	5	4	13	20	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2758

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
KENTUCKY ----------	153	-	1	-	1	-	-	-	-	1	2	5
WHITE------MALE----	70	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	69	-	1	-	1	-	-	-	-	-	-	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	104	2	-	-	-	-	-	-	2	-	1	3
WHITE------MALE----	31	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	1	-	1	-
MAINE ----------	65	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	24	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	181	-	-	-	-	-	-	-	2	-	-	3
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	82	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	266	-	-	-	-	1	-	1	-	1	5	5
WHITE------MALE----	109	-	-	-	-	-	-	1	-	1	3	5
FEMALE--	149	-	-	-	-	1	-	-	-	-	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	350	1	-	-	-	-	2	1	1	3	3	6
WHITE------MALE----	127	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	174	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	21	1	-	-	-	-	1	-	-	-	-	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	19	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1

All other diseases of digestive system (K90,K92)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	3	5	3	10	16	16	30	26	28	5	1	-
WHITE------MALE----	2	3	3	7	10	8	11	10	10	1	-	-
FEMALE--	1	1	-	2	4	7	15	15	15	4	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	2	-	2	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	1	-	1	-
BLACK---MALE----	-	-	-	1	2	-	1	-	2	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	1	-	1	-
LOUISIANA ----------	1	3	5	9	11	14	13	16	14	7	3	-
WHITE------MALE----	-	-	1	3	5	2	5	4	6	-	1	-
FEMALE--	-	1	1	-	2	4	7	7	6	6	1	-
ALL OTHER--MALE----	-	1	2	4	1	4	1	2	-	1	-	-
FEMALE--	1	1	1	2	3	4	-	3	2	-	1	-
BLACK---MALE----	-	1	2	4	1	4	1	2	-	1	-	-
FEMALE--	1	1	1	2	3	4	-	3	2	-	1	-
MAINE ----------	2	-	-	3	2	11	5	10	17	11	3	-
WHITE------MALE----	1	-	-	2	2	6	2	4	3	2	1	-
FEMALE--	1	-	-	1	-	5	3	6	14	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	6	10	17	19	32	31	27	18	9	2	-
WHITE------MALE----	1	-	3	4	3	9	14	8	3	-	-	-
FEMALE--	1	3	1	6	9	14	8	17	12	7	2	-
ALL OTHER--MALE----	3	3	4	3	4	3	5	-	1	1	-	-
FEMALE--	-	-	2	4	3	6	4	2	2	1	-	-
BLACK---MALE----	2	2	4	2	4	3	4	-	1	1	-	-
FEMALE--	-	-	2	4	3	4	4	2	1	1	-	-
MASSACHUSETTS ----------	2	5	6	14	24	25	42	53	48	26	8	-
WHITE------MALE----	1	2	3	7	9	17	21	20	10	9	-	-
FEMALE--	1	3	3	7	14	7	19	31	36	17	8	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
MICHIGAN ----------	8	11	19	21	30	44	59	72	48	14	7	-
WHITE------MALE----	3	5	9	12	14	22	25	20	10	2	-	-
FEMALE--	1	3	5	7	12	18	28	46	32	10	5	-
ALL OTHER--MALE----	3	3	2	1	3	1	2	-	1	1	-	-
FEMALE--	1	-	3	1	1	3	4	6	5	1	2	-
BLACK---MALE----	3	3	1	1	3	1	2	-	1	1	-	-
FEMALE--	1	-	3	1	1	3	4	5	5	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
MINNESOTA ----------	134	2	1	-	-	-	-	-	-	-	-	2
WHITE------MALE----	52	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	78	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	118	1	-	-	-	-	-	-	-	2	3	2
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	50	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	19	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	19	1	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	180	-	-	-	-	-	-	1	-	-	3	-
WHITE------MALE----	76	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	94	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	45	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	65	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	62	-	-	-	-	-	-	1	-	1	1	2
WHITE------MALE----	31	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

All other diseases of digestive system (K90,K92)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	-	4	1	6	11	14	20	27	31	12	3	-
WHITE------MALE----	-	2	1	4	9	4	7	9	11	1	1	-
FEMALE--	-	2	-	2	2	8	13	18	20	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI ----------	3	7	6	9	10	18	24	15	11	6	1	-
WHITE------MALE----	1	4	2	5	5	9	4	2	2	-	-	-
FEMALE--	-	1	2	3	4	4	15	10	7	3	-	-
ALL OTHER--MALE----	2	2	1	1	-	1	3	-	-	-	-	-
FEMALE--	-	-	1	-	1	4	2	3	2	3	1	-
BLACK---MALE----	2	2	1	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	1	-	1	4	2	3	2	3	1	-
MISSOURI ----------	4	6	6	10	24	15	38	40	26	4	3	-
WHITE------MALE----	2	4	2	7	18	9	12	14	7	1	-	-
FEMALE--	-	1	4	3	5	6	23	26	19	3	3	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
MONTANA ----------	1	1	2	1	5	1	13	9	6	3	2	-
WHITE------MALE----	-	1	1	-	2	-	7	4	2	1	-	-
FEMALE--	-	-	-	-	3	-	6	5	4	2	2	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	2	-	6	5	7	13	9	13	6	1	-
WHITE------MALE----	-	1	-	3	1	4	8	2	2	1	-	-
FEMALE--	-	-	-	2	3	2	5	6	11	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
NEVADA ----------	4	2	2	8	1	12	12	5	7	4	-	-
WHITE------MALE----	2	2	1	4	1	8	3	3	3	2	-	-
FEMALE--	2	-	-	3	-	4	9	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
NEW HAMPSHIRE ----------	47	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	289	-	-	-	-	-	-	-	-	1	4	4
WHITE------MALE----	110	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	146	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	46	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	19	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	477	-	2	-	-	-	-	-	-	1	4	9
WHITE------MALE----	201	-	1	-	-	-	-	-	-	1	1	7
FEMALE--	213	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	33	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	31	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	2	-
NORTH CAROLINA ---------	248	1	1	-	-	-	-	-	2	2	5	2
WHITE------MALE----	91	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	91	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	31	1	1	-	-	-	-	-	-	1	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	29	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other diseases of digestive system (K90,K92)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	1	1	2	5	4	11	7	11	4	-	-
WHITE------MALE----	-	-	-	2	2	2	7	1	2	1	-	-
FEMALE--	-	1	1	-	3	2	4	6	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	12	16	23	29	35	63	46	34	19	1	-
WHITE------MALE----	-	7	5	18	13	16	18	14	7	7	-	-
FEMALE--	-	3	6	4	11	14	41	26	24	12	1	-
ALL OTHER--MALE----	2	1	1	-	2	4	-	4	1	-	-	-
FEMALE--	-	1	4	1	3	1	4	2	2	-	-	-
BLACK---MALE----	2	1	1	-	2	4	-	3	1	-	-	-
FEMALE--	-	1	4	1	3	1	1	2	2	-	-	-
NEW MEXICO ----------	-	-	1	1	5	10	8	11	5	3	-	-
WHITE------MALE----	-	-	1	-	1	6	5	2	2	-	-	-
FEMALE--	-	-	-	-	3	4	3	9	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEW YORK ----------	9	11	14	31	43	70	74	100	67	31	10	1
WHITE------MALE----	7	6	10	17	22	29	30	42	21	5	2	-
FEMALE--	-	3	2	7	10	26	40	49	42	26	7	-
ALL OTHER--MALE----	2	1	2	4	8	7	3	2	1	-	-	-
FEMALE--	-	1	-	3	3	8	1	7	3	-	1	1
BLACK---MALE----	2	1	2	4	7	6	3	2	1	-	-	-
FEMALE--	-	1	-	3	2	7	-	6	3	-	1	1
NORTH CAROLINA ---------	9	12	12	18	21	38	37	44	28	11	5	-
WHITE------MALE----	2	4	7	7	12	13	12	17	6	1	2	-
FEMALE--	1	1	2	3	5	17	14	20	17	8	2	-
ALL OTHER--MALE----	5	5	1	3	3	2	4	2	1	1	-	-
FEMALE--	1	2	2	5	1	6	7	5	4	1	1	-
BLACK---MALE----	4	5	1	3	3	2	4	2	1	1	-	-
FEMALE--	1	2	2	5	1	5	6	5	3	1	1	-
NORTH DAKOTA ----------	-	-	-	-	-	-	6	3	5	6	1	-
WHITE------MALE----	-	-	-	-	-	-	2	3	1	2	-	-
FEMALE--	-	-	-	-	-	-	4	-	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
OHIO ----------	358	-	2	1	1	-	1	1	-	-	2	3
WHITE------MALE----	136	-	1	1	-	-	1	-	-	-	1	1
FEMALE--	195	-	1	-	1	-	-	-	-	-	1	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA ----------	114	1	1	-	1	-	-	-	-	1	1	2
WHITE------MALE----	47	-	1	-	1	-	-	-	-	-	1	1
FEMALE--	55	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	101	-	1	-	-	-	1	-	1	-	-	1
WHITE------MALE----	35	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	554	1	1	-	-	-	1	-	-	2	4	16
WHITE------MALE----	228	-	-	-	-	-	1	-	-	2	3	7
FEMALE--	279	1	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	24	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	4
BLACK---MALE----	20	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	4
RHODE ISLAND ----------	33	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	131	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	45	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
OHIO ----------	5	6	16	19	29	57	70	69	50	19	7	-
WHITE------MALE----	3	3	8	10	11	22	30	25	12	6	1	-
FEMALE--	1	2	5	6	14	32	35	42	37	11	5	-
ALL OTHER--MALE----	-	1	2	2	3	2	1	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	4	1	-	2	1	-
BLACK---MALE----	-	1	1	2	3	2	1	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	4	1	-	2	1	-
OKLAHOMA ----------	4	4	4	12	10	12	18	19	20	2	2	-
WHITE------MALE----	1	2	3	6	5	5	8	7	6	-	-	-
FEMALE--	1	2	1	3	3	6	9	11	12	2	2	-
ALL OTHER--MALE----	2	-	-	3	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
OREGON ----------	-	3	3	4	7	13	20	22	17	6	2	-
WHITE------MALE----	-	2	3	2	2	7	7	3	3	1	2	-
FEMALE--	-	1	-	2	4	6	13	19	14	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	11	19	20	26	47	71	88	115	84	41	7	-
WHITE------MALE----	3	12	11	15	26	33	39	45	24	6	1	-
FEMALE--	7	3	6	7	20	31	41	63	57	33	6	-
ALL OTHER--MALE----	1	3	3	4	1	2	3	3	-	1	-	-
FEMALE--	-	1	-	-	-	5	5	4	3	1	-	-
BLACK---MALE----	-	3	1	4	1	2	3	2	-	1	-	-
FEMALE--	-	1	-	-	-	5	5	4	3	1	-	-
RHODE ISLAND ----------	-	4	1	1	4	1	7	6	5	3	-	-
WHITE------MALE----	-	2	1	-	2	1	5	-	2	-	-	-
FEMALE--	-	2	-	1	1	-	2	5	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
SOUTH CAROLINA ---------	3	6	9	10	20	14	27	20	12	6	-	-
WHITE------MALE----	2	4	3	6	8	3	10	5	2	-	-	-
FEMALE--	-	-	1	3	6	5	10	10	8	4	-	-
ALL OTHER--MALE----	1	2	3	-	2	4	2	3	-	-	-	-
FEMALE--	-	-	2	1	4	2	5	2	2	2	-	-
BLACK---MALE----	1	2	3	-	2	4	2	3	-	-	-	-
FEMALE--	-	-	2	1	4	2	5	2	2	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
SOUTH DAKOTA ----------	37	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	184	-	-	-	1	-	-	-	1	2	4	2
WHITE------MALE----	76	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	82	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	1	-	-	-	-	-	1	-
TEXAS ----------	303	5	-	-	-	-	-	1	-	-	4	3
WHITE------MALE----	120	2	-	-	-	-	-	1	-	-	3	2
FEMALE--	149	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	2	-	-	-	-	-	-	-	-	-	-
UTAH ----------	38	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	24	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	205	1	-	-	-	-	-	-	-	1	1	5
WHITE------MALE----	73	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	92	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-

All other diseases of digestive system (K90,K92)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	-	1	2	-	3	2	4	5	15	4	-	-
WHITE------MALE----	-	-	1	-	3	1	1	1	6	1	-	-
FEMALE--	-	-	1	-	-	1	3	4	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	12	9	11	15	15	31	29	24	18	9	1	-
WHITE------MALE----	7	4	6	8	8	11	11	7	7	1	-	-
FEMALE--	4	3	4	5	3	13	15	15	11	8	1	-
ALL OTHER--MALE----	-	1	-	2	-	3	-	-	-	-	-	-
FEMALE--	1	1	1	-	4	4	3	2	-	-	-	-
BLACK---MALE----	-	1	-	2	-	3	-	-	-	-	-	-
FEMALE--	1	1	1	-	4	4	3	2	-	-	-	-
TEXAS ----------	8	13	18	13	32	39	50	45	52	14	6	-
WHITE------MALE----	4	8	10	6	19	16	24	10	10	4	1	-
FEMALE--	1	5	3	6	10	20	21	29	38	10	4	-
ALL OTHER--MALE----	1	-	2	1	2	1	4	4	-	-	-	-
FEMALE--	2	-	3	-	1	2	1	2	4	-	1	-
BLACK---MALE----	1	-	2	1	2	1	3	4	-	-	-	-
FEMALE--	2	-	3	-	1	2	-	-	4	-	1	-
UTAH ----------	-	-	1	3	2	7	7	4	8	5	-	-
WHITE------MALE----	-	-	-	1	2	4	6	3	2	-	-	-
FEMALE--	-	-	1	2	-	3	1	1	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	3	2	3	6	4	2	2	1	-
WHITE------MALE----	-	-	1	-	-	2	2	4	-	-	-	-
FEMALE--	-	-	-	3	2	1	4	-	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5	2	7	9	24	21	43	37	31	12	6	-
WHITE------MALE----	4	1	5	5	11	7	16	10	7	2	1	-
FEMALE--	-	-	-	2	8	9	21	23	18	8	3	-
ALL OTHER--MALE----	1	1	-	1	5	3	1	1	3	-	1	-
FEMALE--	-	-	2	1	-	2	5	3	3	2	1	-
BLACK---MALE----	1	1	-	1	5	3	1	1	2	-	1	-
FEMALE--	-	-	1	1	-	2	5	3	3	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
WASHINGTON ----------	125	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	37	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	82	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	89	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	35	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	204	-	-	1	-	-	-	-	-	-	2	-
WHITE------MALE----	81	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	119	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	16	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
WASHINGTON ----------	-	-	6	4	8	16	16	33	20	14	4	-
WHITE------MALE----	-	-	4	1	1	8	5	10	2	4	-	-
FEMALE--	-	-	2	1	7	5	11	23	18	9	4	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	4	7	5	7	15	11	19	14	4	-	-
WHITE------MALE----	1	1	2	2	5	8	6	6	2	1	-	-
FEMALE--	-	3	3	3	2	6	5	12	12	2	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
WISCONSIN ----------	5	4	7	5	11	25	36	40	49	15	4	-
WHITE------MALE----	3	2	5	4	7	7	19	16	15	2	-	-
FEMALE--	2	2	2	1	4	16	17	24	32	13	4	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	1	-	-	6	-	3	1	3	-	-
WHITE------MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	4	-	2	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2764

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
UNITED STATES -	3,697	2	2	4	3	5	12	11	30	41	66	98
WHITE------MALE----	944	2	1	-	-	2	3	2	10	13	12	27
FEMALE--	1,735	-	1	2	3	1	2	6	9	10	24	31
ALL OTHER--MALE----	352	-	-	1	-	1	2	-	6	8	10	23
FEMALE--	666	-	-	1	-	1	5	3	5	10	20	17
BLACK---MALE----	330	-	-	1	-	1	2	-	5	8	9	23
FEMALE--	633	-	-	-	-	1	3	3	5	9	19	16
ALABAMA ----------	75	-	-	-	-	-	-	1	-	2	1	3
WHITE------MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	1	-	1	1	2
ALASKA ----------	3	-	-	1	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	59	-	-	-	-	-	-	-	2	1	1	4
WHITE------MALE----	16	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	44	-	-	-	-	-	-	-	-	2	3	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	224	1	-	-	-	-	-	1	4	1	5	8
WHITE------MALE----	68	1	-	-	-	-	-	-	3	-	1	2
FEMALE--	115	-	-	-	-	-	-	1	1	-	3	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	23	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
UNITED STATES -	97	107	134	214	315	486	618	677	499	222	54	-
WHITE------MALE----	29	34	40	72	97	129	171	169	97	32	2	-
FEMALE--	30	34	48	75	130	218	306	357	291	125	32	-
ALL OTHER--MALE----	17	18	18	28	38	55	49	42	22	11	3	-
FEMALE--	21	21	28	39	50	84	92	109	89	54	17	-
BLACK---MALE----	16	17	17	26	36	51	45	39	20	11	3	-
FEMALE--	19	21	28	35	49	79	89	102	85	53	17	-
ALABAMA ----------	2	3	5	7	6	10	9	12	9	4	1	-
WHITE------MALE----	-	2	4	2	-	1	2	4	1	1	-	-
FEMALE--	-	-	-	3	3	3	3	4	5	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	2	2	5	3	4	3	1	1	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	2	2	5	3	4	3	1	1	-
ALASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	1	-	2	3	11	11	11	5	4	1	-
WHITE------MALE----	-	-	-	-	2	5	3	3	1	-	-	-
FEMALE--	2	-	-	-	1	4	7	8	3	4	1	-
ALL OTHER--MALE----	-	1	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS ----------	1	-	1	3	7	6	5	5	7	4	-	-
WHITE------MALE----	-	-	-	2	2	-	1	2	2	-	-	-
FEMALE--	-	-	-	-	4	3	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	-	1	-	-	-
FEMALE--	1	-	-	1	-	3	-	-	1	3	-	-
BLACK---MALE----	-	-	1	-	1	-	2	-	1	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	1	3	-	-
CALIFORNIA ----------	8	12	8	13	20	32	32	38	29	7	5	-
WHITE------MALE----	2	6	5	5	7	9	8	10	7	2	-	-
FEMALE--	2	5	2	4	10	13	19	23	21	4	5	-
ALL OTHER--MALE----	2	-	1	1	1	4	2	3	1	-	-	-
FEMALE--	2	1	-	3	2	6	3	2	-	1	-	-
BLACK---MALE----	1	-	1	-	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	2	2	5	2	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
COLORADO ----------	43	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT ----------	34	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	15	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DELAWARE ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	25	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	204	-	-	-	-	-	-	2	3	3	4	4
WHITE------MALE----	55	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	101	-	-	-	-	-	-	1	2	2	2	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	35	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	35	-	-	-	-	-	-	1	1	-	-	1
GEORGIA ----------	162	-	-	-	-	1	-	-	1	3	1	6
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	62	-	-	-	-	1	-	-	1	2	-	2
BLACK---MALE----	33	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	62	-	-	-	-	1	-	-	1	2	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
COLORADO ----------	2	1	2	4	4	3	8	4	7	3	1	-
WHITE------MALE----	1	1	2	-	2	1	4	2	1	-	-	-
FEMALE--	1	-	-	3	2	2	3	2	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
CONNECTICUT ----------	-	-	3	1	1	4	9	6	4	2	1	-
WHITE------MALE----	-	-	2	-	-	2	4	2	3	-	1	-
FEMALE--	-	-	-	-	1	2	5	4	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	2	2	3	1	2	-	-
WHITE------MALE----	-	-	-	-	-	2	-	1	-	2	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	3	3	5	9	2	1	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	-	-	-	1	-	2	2	3	6	1	1	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	-	-	-	1	-	2	2	3	6	1	1	-
FLORIDA ----------	4	9	7	12	12	32	34	36	25	10	7	-
WHITE------MALE----	2	2	4	5	2	8	12	13	3	1	-	-
FEMALE--	-	5	2	5	3	17	15	18	18	8	3	-
ALL OTHER--MALE----	1	-	-	1	1	3	3	-	-	-	1	-
FEMALE--	1	2	1	1	6	4	4	5	4	1	3	-
BLACK---MALE----	1	-	-	1	1	3	3	-	-	-	1	-
FEMALE--	1	2	1	1	6	4	4	5	4	1	3	-
GEORGIA ----------	4	6	10	9	10	27	24	35	19	5	1	-
WHITE------MALE----	1	-	-	1	3	3	4	5	5	1	-	-
FEMALE--	1	-	-	1	1	11	10	12	4	1	-	-
ALL OTHER--MALE----	2	2	4	3	2	5	4	5	3	-	-	-
FEMALE--	-	4	6	4	4	8	6	13	7	3	1	-
BLACK---MALE----	2	2	4	3	2	4	4	5	3	-	-	-
FEMALE--	-	4	6	4	4	8	6	13	7	3	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
HAWAII ----------	7	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	16	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	235	-	-	-	-	1	2	-	2	3	3	7
WHITE------MALE----	43	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	102	-	-	-	-	-	-	-	2	1	1	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	63	-	-	-	-	-	2	-	-	1	2	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	60	-	-	-	-	-	1	-	-	-	2	-
INDIANA ----------	62	-	-	-	-	-	-	1	1	-	1	2
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	39	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2766

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
HAWAII ----------	2	-	-	-	1	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	1	3	7	1	2	-	-	-
WHITE------MALE----	-	-	-	1	1	1	4	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	6	11	17	26	29	40	38	33	12	3	-
WHITE------MALE----	-	1	5	3	7	6	6	8	4	1	-	-
FEMALE--	1	3	3	8	7	12	20	14	21	5	2	-
ALL OTHER--MALE----	-	1	-	3	5	2	3	6	2	-	-	-
FEMALE--	1	1	3	3	7	9	11	10	6	6	1	-
BLACK---MALE----	-	1	-	3	4	2	3	6	1	-	-	-
FEMALE--	1	1	3	3	7	9	11	9	6	6	1	-
INDIANA ----------	-	3	4	5	5	9	10	9	9	3	-	-
WHITE------MALE----	-	1	1	1	3	3	5	3	4	1	-	-
FEMALE--	-	2	3	4	2	6	4	6	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	2	1	3	-	4	5	8	5	2	1	-
WHITE------MALE----	-	-	1	1	-	1	4	3	1	1	-	-
FEMALE--	-	2	-	2	-	3	1	5	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	3	4	3	3	4	11	4	3	1	-
WHITE------MALE----	-	-	-	2	-	-	-	2	3	-	-	-
FEMALE--	-	-	3	2	3	3	3	8	1	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2767

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
KENTUCKY ----------	48	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	115	-	-	-	-	-	-	1	2	1	3	3
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	42	-	-	-	-	-	-	1	-	-	3	1
BLACK---MALE----	30	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	42	-	-	-	-	-	-	1	-	-	3	1
MAINE ----------	17	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	101	-	-	-	-	-	-	-	1	2	2	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	76	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	161	1	-	-	-	-	2	-	1	-	3	2
WHITE------MALE----	39	1	-	-	-	-	1	-	-	-	1	2
FEMALE--	59	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	27	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
KENTUCKY ----------	-	2	1	5	5	6	10	7	6	2	1	-
WHITE------MALE----	-	2	-	2	3	3	1	3	1	1	-	-
FEMALE--	-	-	1	3	1	3	8	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
LOUISIANA ----------	2	2	5	5	9	11	22	24	12	9	4	-
WHITE------MALE----	-	-	2	-	-	3	4	3	-	-	1	-
FEMALE--	-	-	-	2	3	1	6	7	4	4	2	-
ALL OTHER--MALE----	-	2	2	1	6	4	3	4	2	2	-	-
FEMALE--	2	-	1	2	-	3	9	10	6	3	1	-
BLACK---MALE----	-	2	2	1	6	4	3	4	2	2	-	-
FEMALE--	2	-	1	2	-	3	9	10	6	3	1	-
MAINE ----------	-	-	1	-	4	1	5	1	3	1	-	-
WHITE------MALE----	-	-	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	3	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	1	3	6	8	15	22	14	15	7	2	-
WHITE------MALE----	1	-	-	1	3	2	3	3	1	-	-	-
FEMALE--	-	-	-	2	3	5	8	7	8	2	1	-
ALL OTHER--MALE----	1	1	2	2	1	5	4	2	1	-	1	-
FEMALE--	-	-	1	1	1	3	7	2	5	5	-	-
BLACK---MALE----	1	1	1	2	1	5	4	2	1	-	1	-
FEMALE--	-	-	1	1	1	3	7	2	5	5	-	-
MASSACHUSETTS ----------	5	3	1	3	6	9	13	17	13	4	-	-
WHITE------MALE----	4	1	1	1	2	2	6	6	1	-	-	-
FEMALE--	-	1	-	2	4	7	7	11	12	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	11	3	3	11	16	22	28	33	13	10	2	-
WHITE------MALE----	3	1	-	4	8	1	9	4	3	1	-	-
FEMALE--	3	-	1	3	4	9	10	14	8	7	-	-
ALL OTHER--MALE----	3	1	1	2	3	5	4	4	-	1	-	-
FEMALE--	2	1	1	2	1	7	5	11	2	1	2	-
BLACK---MALE----	3	1	1	2	3	5	4	4	-	1	-	-
FEMALE--	2	1	1	2	1	7	5	10	2	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2768

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
MINNESOTA ----------	35	-	-	-	-	-	-	-	-	3	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	58	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	74	-	-	-	-	1	1	1	2	1	1	2
WHITE------MALE----	23	-	-	-	-	1	-	-	1	1	-	1
FEMALE--	36	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	1	-	-	-
MONTANA ----------	12	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	17	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	32	-	-	-	-	-	1	-	1	-	2	-
WHITE------MALE----	13	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
MINNESOTA ----------	-	1	-	1	5	3	5	7	3	3	3	-
WHITE------MALE----	-	1	-	1	3	1	-	4	1	-	-	-
FEMALE--	-	-	-	-	2	2	5	3	2	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	2	2	7	8	6	9	9	7	3	-	-
WHITE------MALE----	-	-	-	2	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	4	2	4	-	-	-
ALL OTHER--MALE----	-	1	1	2	2	2	1	3	-	-	-	-
FEMALE--	-	1	-	2	4	2	4	3	3	3	-	-
BLACK---MALE----	-	1	1	2	2	2	1	3	-	-	-	-
FEMALE--	-	1	-	2	4	2	4	3	3	3	-	-
MISSOURI ----------	-	2	3	7	4	11	11	11	11	3	2	-
WHITE------MALE----	-	1	1	4	-	5	2	6	-	-	-	-
FEMALE--	-	1	1	1	2	5	5	4	10	2	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	4	-	1	1	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	4	-	1	1	-	-
MONTANA ----------	-	-	-	1	2	2	2	1	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	2	3	2	3	2	3	1	-	-
WHITE------MALE----	-	-	-	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA ----------	2	1	1	4	2	4	6	4	2	2	-	-
WHITE------MALE----	2	-	-	1	1	2	1	2	2	-	-	-
FEMALE--	-	1	1	2	1	2	4	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
NEW HAMPSHIRE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	159	-	-	1	-	1	-	-	2	1	5	3
WHITE------MALE----	40	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	83	-	-	1	-	1	-	-	-	-	3	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	1	-	2	2
NEW MEXICO ----------	13	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	229	-	-	-	-	-	1	2	1	1	2	4
WHITE------MALE----	75	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	106	-	-	-	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	18	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
NORTH CAROLINA ---------	123	-	-	-	-	-	1	-	-	2	1	5
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	54	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	3	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	4	3	2	19	20	40	29	19	6	-	-
WHITE------MALE----	1	-	1	1	6	8	13	3	4	-	-	-
FEMALE--	3	1	1	1	9	5	24	21	9	4	-	-
ALL OTHER--MALE----	-	3	-	-	1	5	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	2	2	5	6	2	-	-
BLACK---MALE----	-	3	-	-	1	5	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	2	2	5	5	2	-	-
NEW MEXICO ----------	1	-	1	-	-	1	3	1	2	2	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	3	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	4	5	18	18	37	30	62	30	12	-	-
WHITE------MALE----	-	1	1	6	3	9	13	23	12	6	-	-
FEMALE--	1	1	3	7	9	21	12	32	13	3	-	-
ALL OTHER--MALE----	1	-	-	2	2	3	2	2	1	2	-	-
FEMALE--	-	2	1	3	4	4	3	5	4	1	-	-
BLACK---MALE----	1	-	-	2	2	2	2	2	1	2	-	-
FEMALE--	-	2	1	3	4	3	3	5	4	1	-	-
NORTH CAROLINA ---------	2	7	4	6	10	14	19	26	17	8	1	-
WHITE------MALE----	1	3	-	3	3	-	4	4	3	1	-	-
FEMALE--	1	-	2	1	4	7	11	15	7	3	1	-
ALL OTHER--MALE----	-	2	-	1	-	1	3	1	2	2	-	-
FEMALE--	-	2	2	1	3	6	1	6	5	2	-	-
BLACK---MALE----	-	2	-	1	-	1	3	1	2	2	-	-
FEMALE--	-	2	2	1	3	6	1	6	5	2	-	-
NORTH DAKOTA ----------	-	-	-	1	-	-	-	1	2	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2770

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
OHIO ----------	133	-	-	-	-	-	-	-	1	-	2	3
WHITE------MALE----	40	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	68	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA ----------	52	-	-	-	-	-	-	-	1	-	2	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
OREGON ----------	37	-	-	-	-	-	1	-	-	1	-	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	185	-	-	-	-	-	-	-	-	3	3	6
WHITE------MALE----	38	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	110	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	2
RHODE ISLAND ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	79	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
OHIO ----------	9	4	7	5	14	17	18	22	16	14	1	-
WHITE------MALE----	1	2	1	1	3	9	11	5	4	-	-	-
FEMALE--	4	2	4	1	9	5	7	12	12	10	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	2	-	1	-	-
FEMALE--	4	-	2	2	2	1	-	3	-	3	-	-
BLACK---MALE----	-	-	-	1	-	2	-	2	-	1	-	-
FEMALE--	4	-	2	2	2	1	-	3	-	3	-	-
OKLAHOMA ----------	1	2	1	3	9	3	8	9	8	3	1	-
WHITE------MALE----	1	1	-	2	3	2	3	3	3	1	-	-
FEMALE--	-	-	1	1	5	1	5	4	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
OREGON ----------	-	1	3	4	4	1	3	9	5	3	1	-
WHITE------MALE----	-	1	-	4	3	1	1	3	2	2	-	-
FEMALE--	-	-	3	-	1	-	2	6	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	4	7	5	8	23	38	34	33	12	3	-
WHITE------MALE----	2	1	-	3	3	6	9	6	3	2	-	-
FEMALE--	2	2	3	1	4	13	21	24	27	8	-	-
ALL OTHER--MALE----	1	-	2	1	-	1	1	1	-	-	-	-
FEMALE--	1	1	2	-	1	3	7	3	3	2	3	-
BLACK---MALE----	1	-	2	1	-	1	1	1	-	-	-	-
FEMALE--	1	1	2	-	1	3	7	3	3	2	3	-
RHODE ISLAND ----------	2	-	1	1	4	-	1	1	3	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	1	-	1	1	2	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	5	4	2	7	12	13	15	12	4	1	-
WHITE------MALE----	-	1	-	2	2	1	5	2	2	-	-	-
FEMALE--	-	1	1	-	1	4	3	9	5	-	1	-
ALL OTHER--MALE----	1	-	1	-	3	1	3	-	1	-	-	-
FEMALE--	-	3	2	-	1	6	2	4	4	4	-	-
BLACK---MALE----	1	-	1	-	3	1	3	-	1	-	-	-
FEMALE--	-	3	2	-	1	6	2	4	4	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	82	-	-	-	-	-	-	-	-	2	2	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
TEXAS ----------	253	-	-	-	2	-	2	2	1	1	4	10
WHITE------MALE----	73	-	-	-	-	-	1	1	1	1	1	4
FEMALE--	117	-	-	-	2	-	-	1	-	-	1	4
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	38	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	1
UTAH ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	122	-	-	1	-	-	1	-	-	2	3	3
WHITE------MALE----	11	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	18	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	18	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	2	5	4	6	11	13	16	11	5	1	-
WHITE------MALE----	-	-	2	-	-	2	2	3	3	1	-	-
FEMALE--	1	2	3	-	4	6	6	9	4	2	1	-
ALL OTHER--MALE----	-	-	-	2	1	2	2	1	2	1	-	-
FEMALE--	1	-	-	2	1	1	3	3	2	1	-	-
BLACK---MALE----	-	-	-	2	1	2	2	1	2	1	-	-
FEMALE--	1	-	-	2	1	1	3	3	2	1	-	-
TEXAS ----------	6	4	9	17	23	32	36	41	46	15	2	-
WHITE------MALE----	2	2	4	8	12	14	9	7	4	2	-	-
FEMALE--	1	-	3	4	9	14	17	22	30	7	2	-
ALL OTHER--MALE----	2	1	1	3	1	1	4	6	3	1	-	-
FEMALE--	1	1	1	2	1	3	6	6	9	5	-	-
BLACK---MALE----	2	1	1	3	1	1	4	6	3	1	-	-
FEMALE--	1	1	1	2	1	3	6	5	8	5	-	-
UTAH ----------	-	1	1	-	1	5	4	4	3	2	-	-
WHITE------MALE----	-	-	1	-	-	1	2	2	1	1	-	-
FEMALE--	-	1	-	-	1	3	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	2	1	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	1	3	4	10	17	17	23	16	12	5	-
WHITE------MALE----	-	-	-	-	-	3	2	3	2	-	-	-
FEMALE--	2	-	1	2	2	8	8	16	7	7	1	-
ALL OTHER--MALE----	1	1	-	1	4	4	1	-	2	-	1	-
FEMALE--	1	-	2	1	4	2	6	4	5	5	3	-
BLACK---MALE----	1	1	-	1	4	4	1	-	2	-	1	-
FEMALE--	1	-	2	1	4	2	6	4	5	5	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2772

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
WASHINGTON ----------	50	-	-	-	-	-	-	-	1	-	-	3
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	40	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	56	-	-	-	-	-	-	-	-	2	1	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
WYOMING ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
WASHINGTON ----------	4	4	3	3	4	6	7	8	3	4	-	-
WHITE------MALE----	1	2	1	-	2	2	2	5	-	1	-	-
FEMALE--	2	1	1	2	2	4	4	3	3	3	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	1	1	1	2	3	12	7	6	5	-	-
WHITE------MALE----	-	-	1	1	-	1	3	3	3	1	-	-
FEMALE--	1	1	-	-	2	2	9	4	2	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WISCONSIN ----------	2	3	1	3	4	10	9	6	8	5	1	-
WHITE------MALE----	1	1	-	1	2	4	1	1	3	2	-	-
FEMALE--	1	2	1	2	1	5	8	5	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	1	3	3	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2773

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
UNITED STATES -	983	-	1	-	-	1	2	2	12	12	17	46
WHITE------MALE----	343	-	-	-	-	1	1	2	5	7	7	17
FEMALE--	499	-	1	-	-	-	1	-	3	2	3	10
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	2	2	2	13
FEMALE--	76	-	-	-	-	-	-	-	2	1	5	6
BLACK---MALE----	57	-	-	-	-	-	-	-	1	2	1	13
FEMALE--	67	-	-	-	-	-	-	-	2	-	5	5
ALABAMA ----------	16	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	26	-	-	-	-	-	-	-	1	1	1	3
WHITE------MALE----	11	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	84	-	-	-	-	-	-	-	2	-	3	6
WHITE------MALE----	36	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
UNITED STATES -	36	44	52	67	95	108	143	153	122	54	16	-
WHITE------MALE----	16	19	19	30	36	32	55	50	30	15	1	-
FEMALE--	10	12	21	26	47	67	79	92	82	32	11	-
ALL OTHER--MALE----	6	8	3	1	4	7	5	5	4	3	-	-
FEMALE--	4	5	9	10	8	2	4	6	6	4	4	-
BLACK---MALE----	6	8	3	-	3	6	4	4	3	3	-	-
FEMALE--	3	5	9	8	7	1	4	6	4	4	4	-
ALABAMA ----------	-	1	3	2	1	-	2	5	-	1	-	-
WHITE------MALE----	-	1	2	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	2	3	5	4	4	1	-	-	-
WHITE------MALE----	-	-	-	-	2	2	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	3	1	1	1	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA ----------	3	6	5	6	8	7	13	13	9	2	1	-
WHITE------MALE----	1	5	3	2	5	2	5	4	3	1	-	-
FEMALE--	-	1	2	2	2	4	7	8	5	1	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	1	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
COLORADO ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	12	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	53	-	-	-	-	-	-	-	1	-	1	4
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
GEORGIA ----------	32	-	-	-	-	-	-	-	1	-	1	4
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
COLORADO ----------	2	1	1	1	2	-	3	3	2	2	1	-
WHITE------MALE----	1	1	1	-	-	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	2	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	3	1	-	2	1	2	1	-	1	-
WHITE------MALE----	-	-	2	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	1	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
FLORIDA ----------	2	2	2	3	4	6	11	9	4	4	-	-
WHITE------MALE----	1	1	2	2	1	2	7	3	1	1	-	-
FEMALE--	-	-	-	1	2	3	3	5	3	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
GEORGIA ----------	2	2	2	1	2	4	4	5	4	-	-	-
WHITE------MALE----	-	-	-	1	1	2	1	1	1	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	2	-	-	1	1	2	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	2	-	-	1	1	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	59	-	-	-	-	1	-	-	1	1	1	3
WHITE------MALE----	15	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
INDIANA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
HAWAII ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	3	2	5	8	5	7	8	8	4	2	-
WHITE------MALE----	-	-	1	2	2	1	3	3	1	-	-	-
FEMALE--	-	2	1	2	4	4	4	5	7	3	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	1	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	1	1	-
INDIANA ----------	-	2	3	3	2	2	3	1	-	1	-	-
WHITE------MALE----	-	-	-	1	2	-	1	1	-	1	-	-
FEMALE--	-	2	3	2	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	1	-	2	3	5	1	1	1	-
WHITE------MALE----	-	-	1	-	-	-	2	3	-	1	-	-
FEMALE--	-	-	-	1	-	2	1	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	1	-	1	1	3	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	1	-	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
KENTUCKY ----------	14	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	24	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	41	-	-	-	-	-	1	-	-	-	1	2
WHITE------MALE----	14	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
KENTUCKY ----------	-	1	-	2	1	1	2	1	-	2	1	-
WHITE------MALE----	-	1	-	1	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA ----------	-	-	3	2	1	-	1	2	-	2	-	-
WHITE------MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	4	1	2	-	1	1	-	-
WHITE------MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	1	1	1	4	2	2	-	-	-
WHITE------MALE----	1	-	-	1	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	1	1	1	2	1	3	3	7	-	-	-
WHITE------MALE----	3	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	2	7	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	2	1	2	4	4	4	8	3	5	1	-
WHITE------MALE----	2	1	-	2	2	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	2	4	2	6	3	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
MINNESOTA ----------	10	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	17	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	11	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
MINNESOTA ----------	-	-	-	1	-	-	2	1	1	2	1	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	1	2	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MISSOURI ----------	-	-	2	3	1	4	-	2	2	-	2	-
WHITE------MALE----	-	-	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	2	2	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	1	-	2	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	2	1	3	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	1	1	-	1	3	-	2	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	-	1	1	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	39	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
NEW MEXICO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	70	-	-	-	-	-	1	1	1	-	1	4
WHITE------MALE----	25	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	35	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
NORTH CAROLINA ---------	34	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	2	-	1	6	4	7	7	3	3	-	-
WHITE------MALE----	1	-	-	1	1	2	2	2	1	-	-	-
FEMALE--	-	1	-	-	4	2	5	5	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
NEW MEXICO ----------	-	-	1	-	-	1	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	3	1	8	8	12	6	16	7	-	-	-
WHITE------MALE----	-	1	-	4	-	2	5	8	4	-	-	-
FEMALE--	1	1	1	3	7	9	1	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	2	3	-	4	3	7	4	6	2	-	-
WHITE------MALE----	-	1	-	-	2	-	3	2	1	1	-	-
FEMALE--	-	-	1	-	2	3	4	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
OHIO ----------	39	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	15	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	11	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	57	-	-	-	-	-	-	-	-	2	-	2
WHITE------MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
OHIO ----------	2	-	3	3	4	7	5	3	9	2	-	-
WHITE------MALE----	-	-	1	1	1	3	3	1	2	-	-	-
FEMALE--	1	-	1	1	3	4	2	2	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	1	-	-
OKLAHOMA ----------	-	1	-	-	3	1	3	3	2	-	1	-
WHITE------MALE----	-	1	-	-	2	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	1	1	1	2	-	1	1	1	2	-	-
WHITE------MALE----	-	1	-	1	2	-	-	-	1	2	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	2	2	2	2	6	8	7	14	6	1	-
WHITE------MALE----	1	1	-	2	-	3	2	1	1	2	-	-
FEMALE--	2	1	2	-	2	3	5	6	12	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	1	-
RHODE ISLAND ----------	2	-	1	1	2	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	2	1	2	2	5	1	1	-	1	-
WHITE------MALE----	-	1	-	1	1	-	2	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	3	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	57	-	-	-	-	-	-	1	-	1	2	5
WHITE------MALE----	18	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
UTAH ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	30	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	1	1	1	2	2	4	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	1	1	-	1	1	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
TEXAS ----------	4	2	4	3	5	4	7	6	8	3	2	-
WHITE------MALE----	1	1	2	-	3	2	1	-	1	1	-	-
FEMALE--	-	-	1	3	2	2	5	5	6	1	2	-
ALL OTHER--MALE----	2	1	1	-	-	-	1	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	1	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	1	1	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	1	1	1	-	8	3	6	7	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	1	-	-	1	-	4	3	5	5	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	4	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	4	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
WASHINGTON ----------	16	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	19	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
WASHINGTON ----------	1	3	1	1	1	1	2	3	-	1	-	-
WHITE------MALE----	1	2	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	1	-	1	-	3	4	2	5	-	-	-
WHITE------MALE----	1	-	-	1	-	1	1	-	2	-	-	-
FEMALE--	1	1	-	-	-	2	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	1	2	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2782

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
UNITED STATES -	2,714	2	1	4	3	4	10	9	18	29	49	52
WHITE------MALE----	601	2	1	-	-	1	2	-	5	6	5	10
FEMALE--	1,236	-	-	2	3	1	1	6	6	8	21	21
ALL OTHER--MALE----	287	-	-	1	-	1	2	-	4	6	8	10
FEMALE--	590	-	-	1	-	1	5	3	3	9	15	11
BLACK---MALE----	273	-	-	1	-	1	2	-	4	6	8	10
FEMALE--	566	-	-	-	-	1	3	3	3	9	14	11
ALABAMA ----------	59	-	-	-	-	-	-	1	-	1	1	3
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	1	-	1	1	2
ALASKA ----------	2	-	-	1	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	33	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	35	-	-	-	-	-	-	-	-	2	3	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	140	1	-	-	-	-	-	1	2	1	2	2
WHITE------MALE----	32	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	79	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	1

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
UNITED STATES -	61	63	82	147	220	378	475	524	377	168	38	-
WHITE------MALE----	13	15	21	42	61	97	116	119	67	17	1	-
FEMALE--	20	22	27	49	83	151	227	265	209	93	21	-
ALL OTHER--MALE----	11	10	15	27	34	48	44	37	18	8	3	-
FEMALE--	17	16	19	29	42	82	88	103	83	50	13	-
BLACK---MALE----	10	9	14	26	33	45	41	35	17	8	3	-
FEMALE--	16	16	19	27	42	78	85	96	81	49	13	-
ALABAMA ----------	2	2	2	5	5	10	7	7	9	3	1	-
WHITE------MALE----	-	1	2	1	-	1	1	2	1	1	-	-
FEMALE--	-	-	-	2	3	3	2	1	5	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	5	3	4	3	1	1	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	5	3	4	3	1	1	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	-	-	-	6	7	7	4	4	1	-
WHITE------MALE----	-	-	-	-	-	3	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	2	5	6	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS ----------	-	-	1	3	4	5	4	4	6	3	-	-
WHITE------MALE----	-	-	-	2	1	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	3	2	2	2	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	1	2	-	-
BLACK---MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	1	2	-	-
CALIFORNIA ----------	5	6	3	7	12	25	19	25	20	5	4	-
WHITE------MALE----	1	1	2	3	2	7	3	6	4	1	-	-
FEMALE--	2	4	-	2	8	9	12	15	16	3	4	-
ALL OTHER--MALE----	1	-	1	1	-	4	1	2	-	-	-	-
FEMALE--	1	1	-	1	2	5	3	2	-	1	-	-
BLACK---MALE----	-	-	1	-	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	5	2	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
COLORADO ----------	25	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT ----------	22	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DELAWARE ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	21	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	151	-	-	-	-	-	-	2	2	3	3	-
WHITE------MALE----	32	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	80	-	-	-	-	-	-	1	1	2	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	1	1	-	-	-
GEORGIA ----------	130	-	-	-	-	1	-	-	-	3	-	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	52	-	-	-	-	1	-	-	-	2	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	52	-	-	-	-	1	-	-	-	2	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
COLORADO ----------	-	-	1	3	2	3	5	1	5	1	-	-
WHITE------MALE----	-	-	1	-	2	1	2	1	1	-	-	-
FEMALE--	-	-	-	3	-	2	2	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
CONNECTICUT ----------	-	-	-	-	1	2	8	4	3	2	-	-
WHITE------MALE----	-	-	-	-	-	1	4	1	3	-	-	-
FEMALE--	-	-	-	-	1	1	4	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	2	2	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	3	3	4	6	2	1	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	-	-	-	1	-	2	2	2	4	1	1	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	-	-	-	1	-	2	2	2	4	1	1	-
FLORIDA ----------	2	7	5	9	8	26	23	27	21	6	7	-
WHITE------MALE----	1	1	2	3	1	6	5	10	2	-	-	-
FEMALE--	-	5	2	4	1	14	12	13	15	5	3	-
ALL OTHER--MALE----	-	-	-	1	1	2	2	-	-	-	1	-
FEMALE--	1	1	1	1	5	4	4	4	4	1	3	-
BLACK---MALE----	-	-	-	1	1	2	2	-	-	-	1	-
FEMALE--	1	1	1	1	5	4	4	4	4	1	3	-
GEORGIA ----------	2	4	8	8	8	23	20	30	15	5	1	-
WHITE------MALE----	1	-	-	-	2	1	3	4	4	1	-	-
FEMALE--	-	-	-	1	-	10	9	11	3	1	-	-
ALL OTHER--MALE----	1	1	4	3	2	5	3	4	2	-	-	-
FEMALE--	-	3	4	4	4	7	5	11	6	3	1	-
BLACK---MALE----	1	1	4	3	2	4	3	4	2	-	-	-
FEMALE--	-	3	4	4	4	7	5	11	6	3	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
HAWAII ----------	6	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	176	-	-	-	-	-	2	-	1	2	2	4
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	68	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	56	-	-	-	-	-	2	-	-	-	1	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	54	-	-	-	-	-	1	-	-	-	1	-
INDIANA ----------	45	-	-	-	-	-	-	1	1	-	1	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	30	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
HAWAII ----------	2	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	-	2	6	1	2	-	-	-
WHITE------MALE----	-	-	-	1	-	1	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	3	9	12	18	24	33	30	25	8	1	-
WHITE------MALE----	-	1	4	1	5	5	3	5	3	1	-	-
FEMALE--	1	1	2	6	3	8	16	9	14	2	1	-
ALL OTHER--MALE----	-	-	-	3	5	2	3	6	2	-	-	-
FEMALE--	1	1	3	2	5	9	11	10	6	5	-	-
BLACK---MALE----	-	-	-	3	4	2	3	6	1	-	-	-
FEMALE--	1	1	3	2	5	9	11	9	6	5	-	-
INDIANA ----------	-	1	1	2	3	7	7	8	9	2	-	-
WHITE------MALE----	-	1	1	-	1	3	4	2	4	-	-	-
FEMALE--	-	-	-	2	2	4	2	6	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	2	-	2	-	2	2	3	4	1	-	-
WHITE------MALE----	-	-	-	1	-	1	2	-	1	-	-	-
FEMALE--	-	2	-	1	-	1	-	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	3	3	3	2	3	8	2	2	1	-
WHITE------MALE----	-	-	-	2	-	-	-	2	1	-	-	-
FEMALE--	-	-	3	1	3	2	3	5	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
KENTUCKY ----------	34	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	104	-	-	-	-	-	-	1	2	1	3	3
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	42	-	-	-	-	-	-	1	-	-	3	1
BLACK---MALE----	28	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	42	-	-	-	-	-	-	1	-	-	3	1
MAINE ----------	8	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	89	-	-	-	-	-	-	-	1	2	2	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	52	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	120	1	-	-	-	-	1	-	1	-	2	-
WHITE------MALE----	25	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	24	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	-	1	1	3	4	5	8	6	6	-	-	-
WHITE------MALE----	-	1	-	1	2	3	1	3	1	-	-	-
FEMALE--	-	-	1	2	1	2	6	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA ----------	2	2	2	3	8	11	21	22	12	7	4	-
WHITE------MALE----	-	-	-	-	-	3	4	2	-	-	1	-
FEMALE--	-	-	-	-	2	1	5	6	4	3	2	-
ALL OTHER--MALE----	-	2	1	1	6	4	3	4	2	1	-	-
FEMALE--	2	-	1	2	-	3	9	10	6	3	1	-
BLACK---MALE----	-	2	1	1	6	4	3	4	2	1	-	-
FEMALE--	2	-	1	2	-	3	9	10	6	3	1	-
MAINE ----------	-	-	1	-	-	-	3	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	3	5	7	14	18	12	13	7	2	-
WHITE------MALE----	-	-	-	-	3	2	1	1	1	-	-	-
FEMALE--	-	-	-	2	2	4	6	7	6	2	1	-
ALL OTHER--MALE----	1	1	2	2	1	5	4	2	1	-	1	-
FEMALE--	-	-	1	1	1	3	7	2	5	5	-	-
BLACK---MALE----	1	1	1	2	1	5	4	2	1	-	1	-
FEMALE--	-	-	1	1	1	3	7	2	5	5	-	-
MASSACHUSETTS ----------	2	2	-	2	4	8	10	14	6	4	-	-
WHITE------MALE----	1	1	-	1	1	2	6	5	1	-	-	-
FEMALE--	-	1	-	1	3	6	4	9	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	8	1	2	9	12	18	24	25	10	5	1	-
WHITE------MALE----	1	-	-	2	6	1	8	3	3	-	-	-
FEMALE--	3	-	1	3	2	5	8	8	5	3	-	-
ALL OTHER--MALE----	2	1	1	2	3	5	3	3	-	1	-	-
FEMALE--	2	-	-	2	1	7	5	11	2	1	1	-
BLACK---MALE----	2	1	1	2	3	5	3	3	-	1	-	-
FEMALE--	2	-	-	2	1	7	5	10	2	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
MINNESOTA ----------	25	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	50	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	57	-	-	-	-	1	1	1	2	-	1	2
WHITE------MALE----	17	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	26	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	1	-	-	-
MONTANA ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	10	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	21	-	-	-	-	-	1	-	-	-	2	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
MINNESOTA ----------	-	1	-	-	5	3	3	6	2	1	2	-
WHITE------MALE----	-	1	-	-	3	1	-	3	1	-	-	-
FEMALE--	-	-	-	-	2	2	3	3	1	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	1	5	7	5	9	8	7	3	-	-
WHITE------MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	4	1	4	-	-	-
ALL OTHER--MALE----	-	-	1	2	2	2	1	3	-	-	-	-
FEMALE--	-	1	-	1	3	2	4	3	3	3	-	-
BLACK---MALE----	-	-	1	2	2	2	1	3	-	-	-	-
FEMALE--	-	1	-	1	3	2	4	3	3	3	-	-
MISSOURI ----------	-	2	1	4	3	7	11	9	9	3	-	-
WHITE------MALE----	-	1	-	1	-	4	2	6	-	-	-	-
FEMALE--	-	1	-	1	2	2	5	2	8	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	4	-	1	1	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	4	-	1	1	-	-
MONTANA ----------	-	-	-	1	1	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	1	1	-	2	3	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA ----------	1	-	-	3	2	3	3	4	-	2	-	-
WHITE------MALE----	1	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
NEW HAMPSHIRE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	120	-	-	1	-	1	-	-	1	1	3	1
WHITE------MALE----	29	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	62	-	-	1	-	1	-	-	-	-	2	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
NEW MEXICO ----------	8	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	159	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	50	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	71	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	89	-	-	-	-	-	1	-	-	2	1	2
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	3	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	2	3	1	13	16	33	22	16	3	-	-
WHITE------MALE----	-	-	1	-	5	6	11	1	3	-	-	-
FEMALE--	3	-	1	1	5	3	19	16	8	2	-	-
ALL OTHER--MALE----	-	2	-	-	1	5	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	2	5	5	1	-	-
BLACK---MALE----	-	2	-	-	1	5	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	2	5	5	1	-	-
NEW MEXICO ----------	1	-	-	-	-	-	2	-	2	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	4	10	10	25	24	46	23	12	-	-
WHITE------MALE----	-	-	1	2	3	7	8	15	8	6	-	-
FEMALE--	-	-	2	4	2	12	11	25	10	3	-	-
ALL OTHER--MALE----	1	-	-	2	1	2	2	1	1	2	-	-
FEMALE--	-	1	1	2	4	4	3	5	4	1	-	-
BLACK---MALE----	1	-	-	2	1	1	2	1	1	2	-	-
FEMALE--	-	1	1	2	4	3	3	5	4	1	-	-
NORTH CAROLINA ---------	2	5	1	6	6	11	12	22	11	6	1	-
WHITE------MALE----	1	2	-	3	1	-	1	2	2	-	-	-
FEMALE--	1	-	1	1	2	4	7	13	3	3	1	-
ALL OTHER--MALE----	-	2	-	1	-	1	3	1	1	1	-	-
FEMALE--	-	1	-	1	3	6	1	6	5	2	-	-
BLACK---MALE----	-	2	-	1	-	1	3	1	1	1	-	-
FEMALE--	-	1	-	1	3	6	1	6	5	2	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
OHIO ----------	94	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	28	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA ----------	37	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
OREGON ----------	26	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	128	-	-	-	-	-	-	-	-	1	3	4
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	72	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	2
RHODE ISLAND ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	63	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
OHIO ----------	7	4	4	2	10	10	13	19	7	12	1	-
WHITE------MALE----	1	2	-	-	2	6	8	4	2	-	-	-
FEMALE--	3	2	3	-	6	1	5	10	5	9	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	2	-	1	-	-
FEMALE--	3	-	1	1	2	1	-	3	-	2	-	-
BLACK---MALE----	-	-	-	1	-	2	-	2	-	1	-	-
FEMALE--	3	-	1	1	2	1	-	3	-	2	-	-
OKLAHOMA ----------	1	1	1	3	6	2	5	6	6	3	-	-
WHITE------MALE----	1	-	-	2	1	1	3	1	3	1	-	-
FEMALE--	-	-	1	1	5	1	2	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
OREGON ----------	-	-	2	3	2	1	2	8	4	1	1	-
WHITE------MALE----	-	-	-	3	1	1	1	3	1	-	-	-
FEMALE--	-	-	2	-	1	-	1	5	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	2	5	3	6	17	30	27	19	6	2	-
WHITE------MALE----	1	-	-	1	3	3	7	5	2	-	-	-
FEMALE--	-	1	1	1	2	10	16	18	15	4	-	-
ALL OTHER--MALE----	1	-	2	1	-	1	1	1	-	-	-	-
FEMALE--	1	1	2	-	1	3	6	3	2	2	2	-
BLACK---MALE----	1	-	2	1	-	1	1	1	-	-	-	-
FEMALE--	1	1	2	-	1	3	6	3	2	2	2	-
RHODE ISLAND ----------	-	-	-	-	2	-	1	-	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	4	2	1	5	10	8	14	11	4	-	-
WHITE------MALE----	-	-	-	1	1	1	3	2	1	-	-	-
FEMALE--	-	1	-	-	1	2	-	9	5	-	-	-
ALL OTHER--MALE----	1	-	1	-	2	1	3	-	1	-	-	-
FEMALE--	-	3	1	-	1	6	2	3	4	4	-	-
BLACK---MALE----	1	-	1	-	2	1	3	-	1	-	-	-
FEMALE--	-	3	1	-	1	6	2	3	4	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	67	-	-	-	-	-	-	-	-	2	2	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
TEXAS ----------	196	-	-	-	2	-	2	1	1	-	2	5
WHITE------MALE----	55	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	89	-	-	-	2	-	-	1	-	-	1	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	35	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	92	-	-	1	-	-	1	-	-	1	3	2
WHITE------MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	12	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	12	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2789

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	4	3	5	9	11	12	9	5	1	-
WHITE------MALE----	-	-	2	-	-	1	2	3	2	1	-	-
FEMALE--	-	1	2	-	3	5	5	6	3	2	1	-
ALL OTHER--MALE----	-	-	-	2	1	2	2	1	2	1	-	-
FEMALE--	1	-	-	1	1	1	2	2	2	1	-	-
BLACK---MALE----	-	-	-	2	1	2	2	1	2	1	-	-
FEMALE--	1	-	-	1	1	1	2	2	2	1	-	-
TEXAS ----------	2	2	5	14	18	28	29	35	38	12	-	-
WHITE------MALE----	1	1	2	8	9	12	8	7	3	1	-	-
FEMALE--	1	-	2	1	7	12	12	17	24	6	-	-
ALL OTHER--MALE----	-	-	-	3	1	1	3	5	2	-	-	-
FEMALE--	-	1	1	2	1	3	6	6	9	5	-	-
BLACK---MALE----	-	-	-	3	1	1	3	5	2	-	-	-
FEMALE--	-	1	1	2	1	3	6	5	8	5	-	-
UTAH ----------	-	1	1	-	-	4	3	3	3	1	-	-
WHITE------MALE----	-	-	1	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	3	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	-	2	3	10	9	14	17	9	12	5	-
WHITE------MALE----	-	-	-	-	-	3	2	2	-	-	-	-
FEMALE--	1	-	1	1	2	4	5	11	2	7	1	-
ALL OTHER--MALE----	1	-	-	1	4	-	1	-	2	-	1	-
FEMALE--	1	-	1	1	4	2	6	4	5	5	3	-
BLACK---MALE----	1	-	-	1	4	-	1	-	2	-	1	-
FEMALE--	1	-	1	1	4	2	6	4	5	5	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
WASHINGTON ----------	34	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	37	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	37	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
WYOMING ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
WASHINGTON ----------	3	1	2	2	3	5	5	5	3	3	-	-
WHITE------MALE----	-	-	1	-	1	2	1	3	-	1	-	-
FEMALE--	2	-	-	1	2	3	3	2	3	2	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	1	1	1	2	2	12	7	4	5	-	-
WHITE------MALE----	-	-	1	1	-	-	3	3	2	1	-	-
FEMALE--	1	1	-	-	2	2	9	4	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WISCONSIN ----------	-	2	1	2	4	7	5	4	3	5	1	-
WHITE------MALE----	-	1	-	-	2	3	-	1	1	2	-	-
FEMALE--	-	1	1	2	1	3	5	3	2	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	1	2	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2791

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
UNITED STATES -	13,347	9	8	10	28	59	89	124	167	278	358	471
WHITE------MALE----	3,229	5	3	3	4	12	10	18	36	47	73	97
FEMALE--	8,149	-	4	1	15	19	30	45	64	93	127	203
ALL OTHER--MALE----	584	1	1	3	3	4	13	11	12	39	46	46
FEMALE--	1,385	3	-	3	6	24	36	50	55	99	112	125
BLACK---MALE----	506	1	1	3	3	2	13	11	11	33	44	42
FEMALE--	1,183	3	-	1	5	21	33	44	49	88	106	114
ALABAMA ----------	193	1	1	-	-	2	4	1	3	4	5	3
WHITE------MALE----	43	1	-	-	-	1	1	-	1	2	-	2
FEMALE--	97	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	23	-	1	-	-	-	1	-	1	1	-	1
FEMALE--	30	-	-	-	-	1	1	1	1	1	4	-
BLACK---MALE----	23	-	1	-	-	-	1	-	1	1	-	1
FEMALE--	30	-	-	-	-	1	1	1	1	1	4	-
ALASKA ----------	15	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	260	-	-	-	1	-	-	1	2	6	4	9
WHITE------MALE----	80	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	165	-	-	-	1	-	-	1	1	2	3	6
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	132	1	-	-	1	1	3	4	3	4	2	5
WHITE------MALE----	40	-	-	-	-	-	-	1	2	-	1	1
FEMALE--	73	-	-	-	-	-	-	1	1	3	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	1	-	-	1	1	3	2	-	1	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	1	-	-	1	1	3	2	-	1	1	1
CALIFORNIA ----------	1,336	-	2	2	-	9	15	27	20	42	46	64
WHITE------MALE----	340	-	-	1	-	1	4	6	4	8	17	17
FEMALE--	791	-	2	-	-	3	8	13	11	18	14	28
ALL OTHER--MALE----	63	-	-	-	-	1	-	3	1	4	4	3
FEMALE--	142	-	-	1	-	4	3	5	4	12	11	16
BLACK---MALE----	34	-	-	-	-	-	-	3	1	2	2	1
FEMALE--	87	-	-	-	-	2	3	2	2	7	10	14

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
UNITED STATES -	533	567	717	962	1,380	1,876	1,921	1,827	1,307	519	137	-
WHITE------MALE----	135	146	201	254	438	527	525	403	219	60	13	-
FEMALE--	237	281	383	548	793	1,172	1,273	1,314	1,013	423	111	-
ALL OTHER--MALE----	42	48	40	50	47	81	32	34	20	9	2	-
FEMALE--	119	92	93	110	102	96	91	76	55	27	11	-
BLACK---MALE----	34	38	32	47	42	71	24	30	15	8	1	-
FEMALE--	96	79	81	91	87	80	70	58	47	21	9	-
ALABAMA ----------	5	12	16	19	22	35	21	23	12	4	-	-
WHITE------MALE----	-	2	3	5	5	8	6	3	2	1	-	-
FEMALE--	4	6	6	8	14	18	12	15	10	2	-	-
ALL OTHER--MALE----	1	1	2	2	1	5	2	3	-	1	-	-
FEMALE--	-	3	5	4	2	4	1	2	-	-	-	-
BLACK---MALE----	1	1	2	2	1	5	2	3	-	1	-	-
FEMALE--	-	3	5	4	2	4	1	2	-	-	-	-
ALASKA ----------	-	2	1	2	2	3	-	1	2	1	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	10	14	23	24	24	42	42	35	20	2	1	-
WHITE------MALE----	1	5	10	9	8	18	11	10	3	-	-	-
FEMALE--	8	4	13	14	15	22	31	25	16	2	1	-
ALL OTHER--MALE----	-	3	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	2	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ARKANSAS ----------	7	4	15	9	14	10	15	17	15	2	-	-
WHITE------MALE----	4	1	6	-	6	5	5	4	4	-	-	-
FEMALE--	3	2	8	6	7	5	9	13	11	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	3	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	-	-	-	-	-
CALIFORNIA ----------	69	50	77	103	116	205	153	159	119	50	8	-
WHITE------MALE----	20	14	14	24	35	58	48	43	20	4	2	-
FEMALE--	31	24	47	59	68	129	89	103	94	45	5	-
ALL OTHER--MALE----	5	5	6	5	5	8	4	5	2	1	1	-
FEMALE--	13	7	10	15	8	10	12	8	3	-	-	-
BLACK---MALE----	4	3	2	3	3	4	2	2	1	1	-	-
FEMALE--	8	6	6	10	4	3	5	3	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2792

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
COLORADO ----------	186	1	-	-	1	1	-	-	3	6	2	4
WHITE------MALE----	53	1	-	-	-	-	-	-	2	1	-	1
FEMALE--	124	-	-	-	1	1	-	-	1	2	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	3	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	-
CONNECTICUT ----------	132	-	-	-	2	-	-	1	1	3	4	3
WHITE------MALE----	28	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	94	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	1	-	-	1	-	-	-	1
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	1	-	-	1	-	-	-	1
DELAWARE ----------	45	-	-	-	-	-	-	2	-	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
DISTRICT OF COLUMBIA ---	20	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
FLORIDA ----------	786	-	-	-	5	5	7	5	9	27	26	27
WHITE------MALE----	216	-	-	-	-	1	-	-	1	4	4	2
FEMALE--	446	-	-	-	2	-	3	-	5	9	10	10
ALL OTHER--MALE----	31	-	-	-	1	-	-	2	-	2	4	5
FEMALE--	93	-	-	-	2	4	4	3	3	12	8	10
BLACK---MALE----	31	-	-	-	1	-	-	2	-	2	4	5
FEMALE--	83	-	-	-	2	4	4	3	2	12	8	9
GEORGIA ----------	343	-	-	1	-	4	5	7	9	13	16	18
WHITE------MALE----	77	-	-	-	-	1	-	1	1	1	1	-
FEMALE--	157	-	-	-	-	-	1	2	1	4	5	5
ALL OTHER--MALE----	27	-	-	1	-	-	1	-	-	2	2	2
FEMALE--	82	-	-	-	-	3	3	4	7	6	8	11
BLACK---MALE----	25	-	-	1	-	-	1	-	-	2	2	2
FEMALE--	82	-	-	-	-	3	3	4	7	6	8	11

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
COLORADO ----------	6	6	11	5	16	26	27	28	27	11	5	-
WHITE------MALE----	4	1	3	-	6	7	12	10	5	-	-	-
FEMALE--	2	4	8	4	10	18	14	17	22	11	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
CONNECTICUT ----------	5	4	7	11	8	13	19	23	22	5	1	-
WHITE------MALE----	1	1	2	5	2	6	5	1	1	-	-	-
FEMALE--	3	3	5	4	6	7	13	22	20	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	-	-	-
DELAWARE ----------	1	3	1	3	6	6	6	10	4	-	1	-
WHITE------MALE----	1	-	-	2	2	1	2	-	2	-	-	-
FEMALE--	-	3	1	-	3	5	4	8	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	3	1	2	1	1	6	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	4	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	2	-	1	-	-	4	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	1	-	-	-	-
FLORIDA ----------	37	30	45	51	97	117	104	87	81	18	8	-
WHITE------MALE----	8	9	18	17	33	38	38	21	18	4	-	-
FEMALE--	17	16	22	28	57	69	62	59	57	12	8	-
ALL OTHER--MALE----	1	2	1	2	1	6	1	2	-	1	-	-
FEMALE--	11	3	4	4	6	4	3	5	6	1	-	-
BLACK---MALE----	1	2	1	2	1	6	1	2	-	1	-	-
FEMALE--	8	2	3	4	5	4	1	5	6	1	-	-
GEORGIA ----------	11	24	23	22	34	44	46	35	20	9	2	-
WHITE------MALE----	4	6	9	7	10	13	11	8	3	1	-	-
FEMALE--	2	5	7	12	14	25	30	22	15	7	-	-
ALL OTHER--MALE----	2	6	1	1	4	3	1	1	-	-	-	-
FEMALE--	3	7	6	2	6	3	4	4	2	1	2	-
BLACK---MALE----	2	5	1	1	4	2	1	1	-	-	-	-
FEMALE--	3	7	6	2	6	3	4	4	2	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2793

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
HAWAII ----------	51	-	-	1	-	-	1	1	1	1	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	1	-	-	1	1	1	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	78	-	-	-	-	1	1	-	-	-	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	57	-	-	-	-	1	1	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	602	1	-	1	-	-	3	6	12	13	19	17
WHITE------MALE----	132	1	-	-	-	-	-	1	3	3	2	6
FEMALE--	370	-	-	-	-	-	-	2	4	3	7	4
ALL OTHER--MALE----	35	-	-	1	-	-	2	-	-	1	4	5
FEMALE--	65	-	-	-	-	-	1	3	5	6	6	2
BLACK---MALE----	34	-	-	1	-	-	2	-	-	1	4	4
FEMALE--	63	-	-	-	-	-	1	3	5	6	6	2
INDIANA ----------	306	-	-	-	-	1	3	3	3	4	4	10
WHITE------MALE----	72	-	-	-	-	-	-	2	1	-	1	2
FEMALE--	211	-	-	-	-	1	2	1	1	1	2	7
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	15	-	-	-	-	-	1	-	-	1	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	15	-	-	-	-	-	1	-	-	1	1	1
IOWA ----------	164	-	-	-	2	1	2	-	-	1	1	3
WHITE------MALE----	35	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	126	-	-	-	1	1	1	-	-	1	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	148	-	-	-	2	-	1	-	-	3	2	6
WHITE------MALE----	32	-	-	-	1	-	-	-	-	3	-	2
FEMALE--	106	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	1	-	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
HAWAII ----------	2	-	4	4	1	5	11	8	7	2	1	-
WHITE------MALE----	-	-	1	-	-	1	2	2	-	-	-	-
FEMALE--	1	-	-	-	-	3	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	2	-	2	-	-	-
FEMALE--	-	-	2	4	1	1	6	4	4	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	4	2	5	8	13	9	13	12	3	-	-
WHITE------MALE----	-	-	-	1	5	3	4	4	2	-	-	-
FEMALE--	4	4	2	3	3	10	5	9	10	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	23	26	25	29	76	76	97	78	63	31	6	-
WHITE------MALE----	4	6	4	8	15	24	25	18	7	4	1	-
FEMALE--	9	11	15	17	51	43	68	56	52	24	4	-
ALL OTHER--MALE----	4	4	2	2	2	3	1	-	2	2	-	-
FEMALE--	6	5	4	2	8	6	3	4	2	1	1	-
BLACK---MALE----	4	4	2	2	2	3	1	-	2	2	-	-
FEMALE--	6	4	4	2	8	6	3	3	2	1	1	-
INDIANA ----------	14	6	19	13	35	32	59	42	38	14	6	-
WHITE------MALE----	3	1	4	4	13	4	17	10	7	2	1	-
FEMALE--	10	3	14	7	20	25	40	31	30	11	5	-
ALL OTHER--MALE----	-	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	3	2	1	1	1	-	-
BLACK---MALE----	-	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	3	2	1	1	1	-	-
IOWA ----------	5	7	5	8	10	18	30	39	24	7	1	-
WHITE------MALE----	1	1	3	2	2	5	10	6	2	1	-	-
FEMALE--	4	5	2	6	8	12	20	33	22	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS ----------	6	4	8	6	12	24	21	17	22	12	2	-
WHITE------MALE----	2	1	-	2	1	10	3	3	2	2	-	-
FEMALE--	4	3	4	4	11	13	18	13	19	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	4	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	4	-	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2794

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
KENTUCKY ----------	181	-	1	-	1	2	-	-	2	-	9	3
WHITE------MALE----	45	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	117	-	1	-	1	2	-	-	1	-	4	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	2	-
LOUISIANA ----------	238	-	1	1	-	1	1	2	3	5	11	12
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	126	-	1	-	-	-	-	-	1	2	5	4
ALL OTHER--MALE----	20	-	-	1	-	-	-	-	-	2	2	1
FEMALE--	55	-	-	-	-	1	1	2	2	1	4	5
BLACK---MALE----	19	-	-	1	-	-	-	-	-	1	2	1
FEMALE--	55	-	-	-	-	1	1	2	2	1	4	5
MAINE ----------	60	-	-	-	1	-	-	-	2	-	-	-
WHITE------MALE----	12	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	266	-	-	-	-	1	1	4	4	6	8	13
WHITE------MALE----	55	-	-	-	-	1	-	1	-	1	-	1
FEMALE--	129	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	3	4	3
FEMALE--	57	-	-	-	-	-	1	3	3	1	4	8
BLACK---MALE----	25	-	-	-	-	-	-	-	-	3	4	3
FEMALE--	56	-	-	-	-	-	1	3	3	1	4	8
MASSACHUSETTS ----------	286	-	-	-	-	-	-	3	3	1	6	9
WHITE------MALE----	87	-	-	-	-	-	-	2	2	-	-	5
FEMALE--	185	-	-	-	-	-	-	1	1	-	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	2
MICHIGAN ----------	547	-	-	-	2	1	2	2	6	8	11	23
WHITE------MALE----	123	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	344	-	-	-	2	1	1	-	3	1	6	10
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	4	1	4
FEMALE--	52	-	-	-	-	-	1	2	1	3	3	7
BLACK---MALE----	27	-	-	-	-	-	-	-	1	4	1	4
FEMALE--	48	-	-	-	-	-	-	1	1	3	3	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
KENTUCKY ----------	3	2	16	14	21	26	28	29	16	8	-	-
WHITE------MALE----	1	-	5	4	10	5	4	6	3	3	-	-
FEMALE--	2	2	8	8	10	19	23	19	11	5	-	-
ALL OTHER--MALE----	-	-	1	2	1	2	-	-	1	-	-	-
FEMALE--	-	-	2	-	-	-	1	4	1	-	-	-
BLACK---MALE----	-	-	1	2	1	2	-	-	1	-	-	-
FEMALE--	-	-	2	-	-	-	1	3	1	-	-	-
LOUISIANA ----------	13	15	16	16	33	29	25	33	14	7	-	-
WHITE------MALE----	1	-	5	4	3	6	6	8	1	1	-	-
FEMALE--	3	5	5	7	22	17	15	23	10	6	-	-
ALL OTHER--MALE----	1	1	2	1	3	3	1	1	1	-	-	-
FEMALE--	8	9	4	4	5	3	3	1	2	-	-	-
BLACK---MALE----	1	1	2	1	3	3	1	1	1	-	-	-
FEMALE--	8	9	4	4	5	3	3	1	2	-	-	-
MAINE ----------	1	1	1	5	4	8	9	11	10	7	-	-
WHITE------MALE----	-	-	-	3	-	1	3	1	2	-	-	-
FEMALE--	1	1	1	2	4	7	6	10	8	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	8	12	16	22	22	37	46	31	24	9	2	-
WHITE------MALE----	1	3	3	6	6	11	9	6	5	-	1	-
FEMALE--	2	5	5	10	10	20	32	23	12	6	1	-
ALL OTHER--MALE----	1	2	3	-	2	4	1	-	2	-	-	-
FEMALE--	4	2	5	6	4	2	4	2	5	3	-	-
BLACK---MALE----	1	2	3	-	2	4	1	-	2	-	-	-
FEMALE--	4	2	5	6	4	2	3	2	5	3	-	-
MASSACHUSETTS ----------	6	15	15	18	20	46	53	46	29	13	3	-
WHITE------MALE----	1	5	6	4	8	14	17	13	7	2	1	-
FEMALE--	5	9	8	14	12	29	33	33	22	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	3	-	-	-	-	-
MICHIGAN ----------	24	23	32	34	63	83	81	67	52	25	8	-
WHITE------MALE----	2	7	11	11	19	17	21	13	15	3	-	-
FEMALE--	11	11	20	17	38	57	54	50	35	20	7	-
ALL OTHER--MALE----	5	1	-	2	2	4	-	1	2	-	1	-
FEMALE--	6	4	1	4	4	5	6	3	-	2	-	-
BLACK---MALE----	5	1	-	2	2	3	-	1	2	-	1	-
FEMALE--	5	4	1	4	4	5	6	3	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
MINNESOTA ----------	314	-	-	1	-	3	-	1	1	3	1	5
WHITE------MALE----	81	-	-	1	-	2	-	-	-	-	1	1
FEMALE--	225	-	-	-	-	1	-	-	1	3	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	2
MISSISSIPPI ----------	86	-	-	-	1	1	1	1	1	3	7	2
WHITE------MALE----	15	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	32	-	-	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	1	2	6	1
BLACK---MALE----	11	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	1	2	6	1
MISSOURI ----------	257	-	-	-	-	2	2	3	5	2	7	9
WHITE------MALE----	58	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	169	-	-	-	-	-	-	-	-	1	4	6
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	21	-	-	-	-	2	-	3	4	-	2	2
BLACK---MALE----	9	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	17	-	-	-	-	2	-	2	3	-	2	2
MONTANA ----------	68	-	-	-	1	1	-	-	-	-	-	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	44	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	120	-	-	-	-	-	-	-	2	-	-	1
WHITE------MALE----	25	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	95	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	71	-	-	-	-	-	-	1	2	5	-	3
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	-	-	-	-	-	-	1	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	3	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	3	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
MINNESOTA ----------	7	8	6	14	19	46	57	56	55	28	3	-
WHITE------MALE----	4	2	2	4	7	17	20	8	10	2	-	-
FEMALE--	3	6	3	9	11	27	37	48	45	26	3	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	6	8	9	15	7	8	6	3	1	-	-
WHITE------MALE----	2	3	1	1	2	2	2	1	-	-	-	-
FEMALE--	1	1	4	2	7	2	4	5	2	1	-	-
ALL OTHER--MALE----	-	1	1	2	1	2	1	-	-	-	-	-
FEMALE--	3	1	2	4	5	1	1	-	1	-	-	-
BLACK---MALE----	-	1	1	2	1	2	1	-	-	-	-	-
FEMALE--	3	1	2	4	5	1	1	-	1	-	-	-
MISSOURI ----------	5	7	19	19	22	38	43	35	28	8	3	-
WHITE------MALE----	4	2	4	5	10	9	12	6	2	1	-	-
FEMALE--	1	4	12	14	10	25	30	28	25	6	3	-
ALL OTHER--MALE----	-	-	3	-	-	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	1	1	1	-	-
BLACK---MALE----	-	-	3	-	-	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	1	-	-
MONTANA ----------	5	4	3	6	8	5	8	11	9	3	2	-
WHITE------MALE----	2	1	1	3	-	1	4	2	-	1	-	-
FEMALE--	2	3	1	3	5	4	3	8	9	2	2	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA ----------	-	2	7	9	8	12	16	20	27	9	7	-
WHITE------MALE----	-	-	-	4	4	4	3	2	4	1	1	-
FEMALE--	-	2	7	5	4	8	13	18	23	8	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	4	5	7	11	8	12	5	5	2	-	-
WHITE------MALE----	1	1	2	3	4	3	3	1	2	-	-	-
FEMALE--	-	3	1	4	7	5	8	4	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
NEW HAMPSHIRE ----------	71	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	429	1	-	-	1	2	1	3	10	7	14	22
WHITE------MALE----	113	-	-	-	-	-	-	-	2	1	4	6
FEMALE--	244	-	-	-	1	1	-	1	6	-	4	7
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	-	2	2	3
FEMALE--	55	-	-	-	-	1	1	2	2	4	4	6
BLACK---MALE----	16	1	-	-	-	-	-	-	-	2	2	3
FEMALE--	52	-	-	-	-	1	1	2	2	4	4	6
NEW MEXICO ----------	123	-	-	-	-	-	-	1	-	1	1	1
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	89	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	627	-	1	-	-	4	3	8	11	21	30	28
WHITE------MALE----	154	-	1	-	-	1	1	1	5	-	6	6
FEMALE--	354	-	-	-	-	-	-	3	1	10	9	13
ALL OTHER--MALE----	29	-	-	-	-	1	1	-	2	2	2	3
FEMALE--	90	-	-	-	-	2	1	4	3	9	13	6
BLACK---MALE----	26	-	-	-	-	1	1	-	2	2	2	2
FEMALE--	84	-	-	-	-	2	1	4	3	9	12	6
NORTH CAROLINA ---------	391	1	-	-	1	-	4	3	6	7	13	15
WHITE------MALE----	77	1	-	-	-	-	1	-	-	-	3	2
FEMALE--	207	-	-	-	-	-	-	1	4	1	2	3
ALL OTHER--MALE----	33	-	-	-	-	-	2	1	-	2	2	1
FEMALE--	74	-	-	-	1	-	1	1	2	4	6	9
BLACK---MALE----	33	-	-	-	-	-	2	1	-	2	2	1
FEMALE--	68	-	-	-	1	-	1	1	2	4	6	9
NORTH DAKOTA ----------	45	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
NEW HAMPSHIRE ----------	2	2	1	2	10	10	12	11	14	3	1	-
WHITE------MALE----	-	-	1	-	4	3	2	2	3	1	1	-
FEMALE--	2	2	-	2	6	7	10	9	11	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	26	15	19	38	48	56	58	59	28	15	6	-
WHITE------MALE----	5	2	5	10	19	13	18	18	7	3	-	-
FEMALE--	11	9	11	26	24	37	34	38	19	9	6	-
ALL OTHER--MALE----	2	2	-	1	1	2	1	-	-	-	-	-
FEMALE--	8	2	3	1	4	4	5	3	2	3	-	-
BLACK---MALE----	2	2	-	1	1	1	1	-	-	-	-	-
FEMALE--	7	2	3	1	4	4	4	3	2	2	-	-
NEW MEXICO ----------	3	5	2	12	11	25	14	33	9	4	1	-
WHITE------MALE----	1	1	-	3	4	7	5	5	2	-	-	-
FEMALE--	2	4	2	9	7	18	9	25	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	32	37	26	45	64	82	74	79	52	22	8	-
WHITE------MALE----	5	12	6	12	21	25	22	17	9	3	1	-
FEMALE--	13	18	14	25	35	47	48	56	39	16	7	-
ALL OTHER--MALE----	1	2	1	4	3	5	1	1	-	-	-	-
FEMALE--	13	5	5	4	5	5	3	5	4	3	-	-
BLACK---MALE----	-	2	1	4	2	5	1	1	-	-	-	-
FEMALE--	11	5	5	4	3	4	3	5	4	3	-	-
NORTH CAROLINA ---------	14	19	22	43	42	59	59	40	31	9	3	-
WHITE------MALE----	2	5	4	7	11	13	13	10	5	-	-	-
FEMALE--	4	7	10	25	21	36	38	23	23	7	2	-
ALL OTHER--MALE----	3	1	2	5	2	3	6	2	1	-	-	-
FEMALE--	5	6	6	6	8	7	2	5	2	2	1	-
BLACK---MALE----	3	1	2	5	2	3	6	2	1	-	-	-
FEMALE--	4	5	5	5	8	6	2	5	1	2	1	-
NORTH DAKOTA ----------	-	2	2	4	1	9	8	7	5	4	1	-
WHITE------MALE----	-	1	2	1	-	3	-	2	1	1	-	-
FEMALE--	-	1	-	3	1	6	8	5	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2797

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
OHIO ----------	669	-	-	1	-	-	4	3	6	15	16	18
WHITE------MALE----	155	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	429	-	-	-	-	-	2	2	5	4	9	11
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	5	1	3
FEMALE--	56	-	-	-	-	-	2	1	-	5	5	3
BLACK---MALE----	29	-	-	-	-	-	-	-	1	5	1	3
FEMALE--	53	-	-	-	-	-	2	1	-	4	5	3
OKLAHOMA ----------	169	-	-	-	-	-	-	3	2	2	9	7
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	107	-	-	-	-	-	-	3	1	2	5	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
OREGON ----------	212	-	-	1	1	-	-	-	-	1	2	3
WHITE------MALE----	62	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	144	-	-	1	1	-	-	-	-	-	1	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	648	2	-	-	2	-	3	4	4	9	17	19
WHITE------MALE----	167	1	-	-	-	-	1	-	-	1	4	5
FEMALE--	418	-	-	-	1	-	-	2	2	3	6	12
ALL OTHER--MALE----	21	-	-	-	1	-	-	2	-	1	4	1
FEMALE--	42	1	-	-	-	-	2	-	2	4	3	1
BLACK---MALE----	20	-	-	-	1	-	-	2	-	1	4	1
FEMALE--	39	1	-	-	-	-	2	-	2	4	3	-
RHODE ISLAND ----------	37	-	-	-	-	1	-	-	-	1	1	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	196	-	1	-	-	1	1	4	5	5	5	10
WHITE------MALE----	32	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	107	-	-	-	-	-	1	-	-	1	1	4
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	40	-	-	-	-	1	-	3	4	3	3	3
BLACK---MALE----	17	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	40	-	-	-	-	1	-	3	4	3	3	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
OHIO ----------	21	19	31	49	93	95	101	99	67	24	7	-
WHITE------MALE----	8	6	7	14	32	30	24	18	9	3	-	-
FEMALE--	8	10	19	27	54	55	70	76	53	18	6	-
ALL OTHER--MALE----	1	2	1	3	3	2	1	3	2	1	-	-
FEMALE--	4	1	4	5	4	8	6	2	3	2	1	-
BLACK---MALE----	1	2	1	3	3	2	1	3	2	1	-	-
FEMALE--	3	1	4	5	4	7	6	2	3	2	1	-
OKLAHOMA ----------	4	10	10	22	17	23	22	18	17	3	-	-
WHITE------MALE----	2	2	4	4	3	6	8	5	4	-	-	-
FEMALE--	1	6	5	14	13	14	14	13	12	2	-	-
ALL OTHER--MALE----	1	2	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	4	-	1	-	-	1	1	-	-
BLACK---MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
OREGON ----------	10	7	8	10	15	24	39	44	33	12	2	-
WHITE------MALE----	5	1	3	2	6	7	15	13	8	1	-	-
FEMALE--	4	5	5	8	8	17	24	30	24	11	2	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	20	16	34	39	69	97	106	97	71	31	8	-
WHITE------MALE----	4	5	10	10	28	28	24	24	15	6	1	-
FEMALE--	10	8	19	23	36	62	79	71	54	23	7	-
ALL OTHER--MALE----	-	-	2	3	1	2	2	2	-	-	-	-
FEMALE--	6	3	3	3	4	5	1	-	2	2	-	-
BLACK---MALE----	-	-	2	3	1	2	1	2	-	-	-	-
FEMALE--	5	3	3	3	3	5	1	-	2	2	-	-
RHODE ISLAND ----------	2	2	2	3	5	7	2	3	5	1	1	-
WHITE------MALE----	1	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	2	2	1	4	6	1	3	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	11	19	9	23	20	19	27	18	13	5	-	-
WHITE------MALE----	2	7	4	5	3	4	2	2	-	-	-	-
FEMALE--	5	8	4	9	12	13	20	14	10	5	-	-
ALL OTHER--MALE----	2	-	1	3	2	1	1	1	1	-	-	-
FEMALE--	2	4	-	6	3	1	4	1	2	-	-	-
BLACK---MALE----	2	-	1	3	2	1	1	1	1	-	-	-
FEMALE--	2	4	-	6	3	1	4	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
SOUTH DAKOTA ----------	46	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	310	1	-	-	-	3	2	4	3	5	3	16
WHITE------MALE----	75	-	-	-	-	2	-	-	-	3	1	4
FEMALE--	175	-	-	-	-	-	-	-	-	-	1	8
ALL OTHER--MALE----	15	-	-	-	-	1	-	1	-	-	1	2
FEMALE--	45	1	-	-	-	-	2	3	3	2	-	2
BLACK---MALE----	15	-	-	-	-	1	-	1	-	-	1	2
FEMALE--	44	1	-	-	-	-	2	3	3	2	-	2
TEXAS ----------	921	-	1	1	3	8	13	9	11	26	29	43
WHITE------MALE----	216	-	1	-	1	1	-	1	3	7	7	7
FEMALE--	571	-	-	-	2	4	7	6	4	9	11	22
ALL OTHER--MALE----	40	-	-	-	-	-	2	-	1	2	2	4
FEMALE--	94	-	-	1	-	3	4	2	3	8	9	10
BLACK---MALE----	36	-	-	-	-	-	2	-	-	2	2	4
FEMALE--	90	-	-	1	-	3	4	2	3	8	7	9
UTAH ----------	157	-	-	-	-	-	1	1	1	2	3	5
WHITE------MALE----	42	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	110	-	-	-	-	-	1	1	1	1	1	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	29	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	298	-	-	-	-	1	1	2	4	5	7	11
WHITE------MALE----	72	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	155	-	-	-	-	-	-	1	1	-	1	3
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	45	-	-	-	-	1	1	1	2	3	3	4
BLACK---MALE----	24	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	42	-	-	-	-	-	1	1	2	3	3	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
SOUTH DAKOTA ----------	2	-	2	6	1	2	9	8	9	4	1	-
WHITE------MALE----	1	-	-	3	-	2	2	3	2	-	-	-
FEMALE--	-	-	2	1	-	-	7	5	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	17	15	26	36	27	39	40	44	17	9	3	-
WHITE------MALE----	5	4	6	11	10	9	11	8	-	1	-	-
FEMALE--	6	7	13	22	11	28	22	32	15	8	2	-
ALL OTHER--MALE----	-	1	1	2	3	-	1	2	-	-	-	-
FEMALE--	6	3	6	1	3	2	6	2	2	-	1	-
BLACK---MALE----	-	1	1	2	3	-	1	2	-	-	-	-
FEMALE--	6	3	5	1	3	2	6	2	2	-	1	-
TEXAS ----------	43	59	51	73	98	126	117	106	71	28	5	-
WHITE------MALE----	13	14	15	16	33	25	29	24	14	4	1	-
FEMALE--	20	32	29	44	57	87	82	75	53	23	4	-
ALL OTHER--MALE----	1	5	2	4	2	8	3	3	-	1	-	-
FEMALE--	9	8	5	9	6	6	3	4	4	-	-	-
BLACK---MALE----	1	5	2	4	2	8	1	2	-	1	-	-
FEMALE--	8	8	5	9	6	6	3	4	4	-	-	-
UTAH ----------	4	3	7	7	10	26	27	26	24	8	2	-
WHITE------MALE----	1	1	4	2	5	11	5	8	-	1	1	-
FEMALE--	3	2	3	5	5	15	21	16	24	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT ----------	1	-	1	3	4	7	5	5	1	1	-	-
WHITE------MALE----	1	-	-	-	2	3	1	1	-	-	-	-
FEMALE--	-	-	1	3	2	4	4	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	10	16	14	13	31	50	46	46	25	14	2	-
WHITE------MALE----	1	3	4	5	12	14	15	7	3	1	-	-
FEMALE--	5	5	4	4	16	28	26	31	19	11	-	-
ALL OTHER--MALE----	3	4	1	1	1	4	1	6	1	1	-	-
FEMALE--	1	4	5	3	2	4	4	2	2	1	2	-
BLACK---MALE----	2	3	1	1	1	4	1	6	1	1	-	-
FEMALE--	1	3	5	3	2	4	4	2	2	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
WASHINGTON ----------	291	-	-	-	-	1	2	1	4	6	8	7
WHITE------MALE----	72	-	-	-	-	1	1	-	3	2	4	3
FEMALE--	189	-	-	-	-	-	-	1	1	3	2	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	95	-	-	-	-	-	-	-	-	3	4	-
WHITE------MALE----	30	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	65	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	265	-	-	-	-	-	2	2	1	1	1	4
WHITE------MALE----	68	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	181	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	-
WYOMING ----------	27	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
WASHINGTON ----------	11	8	10	20	41	42	40	43	27	10	10	-
WHITE------MALE----	3	-	5	2	13	10	12	9	2	1	1	-
FEMALE--	2	4	4	13	23	31	27	32	24	9	9	-
ALL OTHER--MALE----	3	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	3	4	1	3	4	1	1	2	1	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	2	-	-	2	-	-	-	-
WEST VIRGINIA ----------	3	4	4	10	16	14	13	16	5	2	1	-
WHITE------MALE----	-	4	2	4	5	5	3	4	-	-	-	-
FEMALE--	3	-	2	6	11	9	10	12	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	12	8	14	26	41	51	53	19	18	5	-
WHITE------MALE----	3	6	1	3	9	17	9	13	4	1	-	-
FEMALE--	2	5	5	9	17	22	42	40	15	17	4	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	1	-
WYOMING ----------	2	1	-	2	3	3	4	6	3	1	-	-
WHITE------MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	2	1	-	1	2	3	3	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2800

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
UNITED STATES -	2,763	-	-	1	2	-	-	2	9	7	13	37
WHITE------MALE----	613	-	-	-	-	-	-	-	3	1	5	9
FEMALE--	1,972	-	-	-	1	-	-	1	5	4	4	22
ALL OTHER--MALE----	44	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	134	-	-	1	-	-	-	1	1	2	3	5
BLACK---MALE----	38	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	103	-	-	-	-	-	-	1	1	2	3	4
ALABAMA ----------	39	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	70	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	27	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	231	-	-	1	-	-	-	-	-	1	3	3
WHITE------MALE----	50	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	166	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2800

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
UNITED STATES -	48	101	170	239	398	640	517	386	147	39	7	-
WHITE------MALE----	16	29	55	62	115	138	96	62	20	2	-	-
FEMALE--	26	58	104	157	264	458	392	308	124	37	7	-
ALL OTHER--MALE----	3	4	2	7	5	14	4	2	-	-	-	-
FEMALE--	3	10	9	13	14	30	25	14	3	-	-	-
BLACK---MALE----	1	4	1	7	4	14	2	2	-	-	-	-
FEMALE--	2	8	7	10	11	22	17	12	3	-	-	-
ALABAMA ----------	-	3	3	5	5	11	7	4	1	-	-	-
WHITE------MALE----	-	1	1	2	2	2	1	-	-	-	-	-
FEMALE--	-	2	1	2	3	7	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ALASKA ----------	-	-	-	1	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	3	7	9	8	16	13	7	4	-	-	-
WHITE------MALE----	-	2	3	3	2	6	3	2	-	-	-	-
FEMALE--	1	1	4	5	6	10	10	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	4	1	5	4	5	3	2	-	-	-
WHITE------MALE----	1	1	3	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	3	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
CALIFORNIA ----------	3	6	8	22	33	60	41	32	15	3	-	-
WHITE------MALE----	1	1	-	5	11	14	7	5	1	1	-	-
FEMALE--	1	5	8	16	20	43	28	27	14	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	3	5	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
COLORADO ----------	37	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	29	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	136	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	43	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	81	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
GEORGIA ----------	54	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
COLORADO ----------	-	1	3	3	5	8	7	5	4	-	1	-
WHITE------MALE----	-	1	-	-	1	1	2	3	-	-	-	-
FEMALE--	-	-	3	3	4	7	5	2	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	2	2	5	3	3	6	5	-	-	-
WHITE------MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	3	2	3	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	1	3	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	-	-	2	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	5	3	10	9	28	31	26	14	7	1	-	-
WHITE------MALE----	3	1	6	4	6	9	10	2	2	-	-	-
FEMALE--	2	1	4	3	20	19	16	10	5	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	2	-	-	-	-
BLACK---MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	2	-	-	-	-
GEORGIA ----------	2	4	5	5	8	8	11	5	3	1	-	-
WHITE------MALE----	1	1	2	2	3	2	3	-	1	-	-	-
FEMALE--	1	2	1	2	5	5	8	4	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
HAWAII ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	124	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	95	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	58	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	36	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	41	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
HAWAII ----------	-	-	1	-	-	4	5	2	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	1	2	3	4	4	3	3	-	-	-	-
WHITE------MALE----	-	-	-	1	3	-	1	1	-	-	-	-
FEMALE--	1	1	2	2	1	4	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	4	5	5	21	29	32	21	4	1	-	-
WHITE------MALE----	-	2	-	1	2	10	5	1	-	-	-	-
FEMALE--	-	2	4	3	18	17	26	20	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	-	-	-	-	-
INDIANA ----------	2	2	5	4	11	12	12	5	2	-	1	-
WHITE------MALE----	1	-	1	2	3	1	1	2	1	-	-	-
FEMALE--	1	2	4	2	8	10	10	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
IOWA ----------	1	1	3	-	4	4	11	9	3	-	-	-
WHITE------MALE----	-	-	3	-	1	1	3	-	-	-	-	-
FEMALE--	1	1	-	-	3	2	8	9	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS ----------	1	1	2	3	3	13	7	4	3	-	1	-
WHITE------MALE----	1	1	-	1	1	8	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	5	7	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
KENTUCKY ----------	43	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	39	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	39	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	65	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	123	-	-	-	1	-	-	-	2	-	1	-
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	91	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
KENTUCKY ----------	1	-	8	6	7	7	9	5	-	-	-	-
WHITE------MALE----	-	-	2	2	4	-	2	1	-	-	-	-
FEMALE--	1	-	6	4	3	7	7	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	2	5	4	10	10	2	3	1	-	-	-
WHITE------MALE----	-	-	3	1	-	2	1	1	-	-	-	-
FEMALE--	1	1	2	3	8	6	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
MAINE ----------	1	-	-	1	-	2	3	2	3	1	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	2	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	2	6	3	10	11	6	1	-	-	-
WHITE------MALE----	-	-	-	1	1	1	3	-	-	-	-	-
FEMALE--	-	-	1	4	1	7	6	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	1	1	-	-	-
MASSACHUSETTS ----------	-	3	4	3	4	14	16	14	2	4	1	-
WHITE------MALE----	-	1	1	-	-	2	3	3	-	-	-	-
FEMALE--	-	2	3	3	4	11	12	11	2	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
MICHIGAN ----------	4	5	8	9	20	33	23	12	3	2	-	-
WHITE------MALE----	1	2	1	2	10	4	4	3	-	-	-	-
FEMALE--	3	3	7	7	9	28	18	9	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
MINNESOTA ----------	83	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	58	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
MINNESOTA ----------	2	2	2	4	5	22	21	10	9	4	-	-
WHITE------MALE----	1	-	-	-	2	3	4	-	2	-	-	-
FEMALE--	1	2	2	4	3	18	17	10	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	1	-	5	4	3	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	3	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	2	-	-	-	-	-	-	-
MISSOURI ----------	-	1	3	7	5	17	10	9	3	1	1	-
WHITE------MALE----	-	-	1	1	1	2	3	2	-	-	-	-
FEMALE--	-	1	2	6	3	13	7	7	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	2	-	2	2	1	1	1	-	1	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	2	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	3	3	3	4	4	5	4	1	-	-
WHITE------MALE----	-	-	-	2	-	3	-	-	-	-	-	-
FEMALE--	-	-	3	1	3	1	4	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	3	1	3	3	3	-	-	-	-	-
WHITE------MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
NEW HAMPSHIRE ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	74	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	40	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	100	-	-	-	-	-	-	1	1	-	-	2
WHITE------MALE----	21	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
NORTH CAROLINA ---------	92	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
NORTH DAKOTA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
NEW HAMPSHIRE ----------	-	-	-	1	3	7	4	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	3	4	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	2	3	9	10	22	10	9	5	1	-	-
WHITE------MALE----	-	1	1	3	2	5	1	1	2	-	-	-
FEMALE--	2	-	2	6	6	17	7	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	2	-	-	-	-
NEW MEXICO ----------	-	2	1	8	6	7	4	11	1	-	-	-
WHITE------MALE----	-	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	2	1	7	6	5	2	10	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	6	5	9	14	25	15	14	8	-	-	-
WHITE------MALE----	-	1	1	1	6	7	2	1	1	-	-	-
FEMALE--	-	4	4	8	8	18	13	13	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
NORTH CAROLINA ---------	2	3	8	7	15	23	14	12	3	-	1	-
WHITE------MALE----	2	2	3	-	5	4	2	3	2	-	-	-
FEMALE--	-	1	3	5	10	16	11	6	1	-	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	3	1	3	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	3	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	1	2	5	3	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	5	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
OHIO ----------	163	-	-	-	-	-	-	-	2	2	-	4
WHITE------MALE----	42	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	111	-	-	-	-	-	-	-	2	2	-	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	43	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	54	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	139	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	98	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	39	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
OHIO ----------	2	4	8	18	35	31	29	16	10	2	-	-
WHITE------MALE----	-	1	3	7	15	7	4	2	3	-	-	-
FEMALE--	2	2	5	9	18	20	25	13	7	2	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	4	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	-	-	-	-
OKLAHOMA ----------	1	4	2	6	7	7	8	3	2	1	-	-
WHITE------MALE----	-	-	2	1	-	1	1	-	1	-	-	-
FEMALE--	-	3	-	5	7	6	7	3	1	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	2	2	1	4	13	14	11	4	-	-	-
WHITE------MALE----	1	-	-	-	3	3	2	-	1	-	-	-
FEMALE--	1	1	2	1	1	10	12	11	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	3	12	9	23	29	24	27	7	1	1	-
WHITE------MALE----	1	1	3	2	10	5	4	8	2	-	-	-
FEMALE--	-	1	9	6	13	23	20	19	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	6	-	1	4	11	6	5	1	1	-	-
WHITE------MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	3	-	1	3	9	4	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
SOUTH DAKOTA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	73	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	180	-	-	-	-	-	-	1	1	-	-	3
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	137	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	33	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	71	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
SOUTH DAKOTA ----------	-	-	1	3	-	-	3	-	2	-	-	-
WHITE------MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	4	7	14	7	14	12	7	3	2	-	-
WHITE------MALE----	-	1	3	3	2	1	3	-	-	-	-	-
FEMALE--	-	3	4	11	5	12	6	6	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
TEXAS ----------	3	12	11	14	25	36	34	27	12	1	-	-
WHITE------MALE----	1	2	4	3	5	6	7	7	1	-	-	-
FEMALE--	2	8	7	10	19	28	27	20	11	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
UTAH ----------	1	1	3	3	4	9	5	5	1	-	-	-
WHITE------MALE----	1	1	2	1	2	2	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	7	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	1	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	2	3	7	6	18	14	12	2	4	-	-
WHITE------MALE----	-	-	2	2	-	5	2	1	-	-	-	-
FEMALE--	1	2	1	3	6	11	10	11	2	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
WASHINGTON ----------	60	-	-	-	-	-	-	-	1	-	-	2
WHITE------MALE----	14	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	23	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	72	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
WASHINGTON ----------	1	2	3	5	10	19	8	8	-	1	-	-
WHITE------MALE----	-	-	1	1	1	5	2	1	-	1	-	-
FEMALE--	-	1	2	4	9	13	6	6	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WEST VIRGINIA ----------	-	1	-	1	5	9	3	1	2	-	-	-
WHITE------MALE----	-	1	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	4	6	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	2	4	8	13	15	23	2	4	-	-
WHITE------MALE----	-	1	-	1	3	2	1	6	-	-	-	-
FEMALE--	-	-	1	2	5	9	14	17	2	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2809

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
UNITED STATES -	1,322	-	-	-	6	25	57	62	74	115	126	133
WHITE------MALE----	130	-	-	-	1	2	3	2	6	6	6	10
FEMALE--	703	-	-	-	1	6	19	27	26	41	52	67
ALL OTHER--MALE----	58	-	-	-	-	2	7	2	6	8	9	6
FEMALE--	431	-	-	-	4	15	28	31	36	60	59	50
BLACK---MALE----	48	-	-	-	-	1	7	2	5	6	8	6
FEMALE--	384	-	-	-	3	13	26	27	31	53	57	48
ALABAMA ----------	27	-	-	-	-	2	3	1	1	1	3	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	-	1	1	1	1	1	3	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	-	1	1	1	1	1	3	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	18	-	-	-	-	-	-	1	1	2	-	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	1	1	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	25	-	-	-	-	1	3	3	1	2	1	2
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	12	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	1	3	2	-	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	1	3	2	-	1	1	1
CALIFORNIA ----------	174	-	-	-	-	5	9	14	10	13	18	15
WHITE------MALE----	17	-	-	-	-	-	2	1	-	1	2	1
FEMALE--	101	-	-	-	-	1	5	8	6	6	8	11
ALL OTHER--MALE----	5	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	51	-	-	-	-	3	2	4	4	6	7	3
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	35	-	-	-	-	2	2	2	2	2	6	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
UNITED STATES -	117	92	87	98	108	98	64	40	15	3	2	-
WHITE------MALE----	13	9	9	8	15	17	13	7	2	1	-	-
FEMALE--	58	54	58	59	72	72	46	32	10	2	1	-
ALL OTHER--MALE----	4	4	2	3	2	1	-	-	2	-	-	-
FEMALE--	42	25	18	28	19	8	5	1	1	-	1	-
BLACK---MALE----	2	4	1	3	2	-	-	-	1	-	-	-
FEMALE--	32	23	16	25	17	7	3	1	1	-	1	-
ALABAMA ----------	1	2	2	3	2	4	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	-	2	3	1	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	2	3	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	4	2	3	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	3	2	3	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	23	11	15	14	13	5	6	1	2	-	-	-
WHITE------MALE----	3	1	-	1	1	2	2	-	-	-	-	-
FEMALE--	12	7	11	7	10	3	3	1	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	3	3	6	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	2	5	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2810

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
COLORADO ----------	12	-	-	-	1	-	-	-	1	2	2	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	1	-	-	-	1	1	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT ----------	11	-	-	-	1	-	-	1	-	1	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
FLORIDA ----------	91	-	-	-	1	3	5	2	4	9	8	9
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	2	-	2	3	4	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	1	3	3	2	2	5	4	4
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	30	-	-	-	1	3	3	2	1	5	4	4
GEORGIA ----------	43	-	-	-	-	-	3	2	4	5	2	6
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	3	1	4	4	1	4
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	3	1	4	4	1	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
COLORADO ----------	1	1	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	-	-	-	1	3	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	11	7	5	3	4	9	7	2	2	-	-	-
WHITE------MALE----	2	2	1	-	2	1	-	-	1	-	-	-
FEMALE--	4	4	3	2	2	7	7	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	1	-	1	-	-	-	-	-	-
GEORGIA ----------	2	5	2	5	2	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	4	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	3	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	3	1	1	2	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
HAWAII ----------	8	-	-	-	-	-	-	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	59	-	-	-	-	-	2	2	5	6	6	5
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	-	1	1	1	4	2
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	1	4	5	2	1
BLACK---MALE----	3	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	1	4	5	2	1
INDIANA ----------	29	-	-	-	-	-	2	1	2	-	2	3
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	1	1	1	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	1
IOWA ----------	12	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	14	-	-	-	1	-	1	-	-	-	1	3
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
HAWAII ----------	-	-	-	2	-	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	5	5	1	10	4	3	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	2	5	-	8	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	3	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	2	1	-	-	-	-	-	-
INDIANA ----------	2	2	3	1	1	3	4	2	1	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	2	1	-	2	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
IOWA ----------	-	1	2	3	-	2	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	3	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	2	1	1	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
KENTUCKY ----------	13	-	-	-	-	2	-	-	1	-	3	2
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	2	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
LOUISIANA ----------	35	-	-	-	-	-	1	1	1	2	4	4
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	1	1	-	1	3	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	1	1	-	1	3	2
MAINE ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	26	-	-	-	-	-	1	2	3	2	3	6
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	1	2	2	1	3	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	1	2	2	1	3	5
MASSACHUSETTS ----------	13	-	-	-	-	-	-	1	-	-	4	2
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN ----------	39	-	-	-	-	-	1	-	1	3	4	5
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	1	-	-	3	2	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	3	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
KENTUCKY ----------	-	-	1	-	1	2	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	4	-	3	4	2	1	4	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	3	2	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	3	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	3	-	2	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	2	1	3	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	2	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	2	-	1	-	-	1	1	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	4	4	2	2	5	3	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	2	4	-	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	2	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
MINNESOTA ----------	13	-	-	-	-	-	-	1	-	2	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI ----------	16	-	-	-	-	1	-	-	-	3	6	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	5	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	5	-
MISSOURI ----------	25	-	-	-	-	2	-	2	4	2	3	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	2	-	2	3	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	2	-	1	2	-	1	1
MONTANA ----------	7	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	-	-	-	-	-	-	-	1	2	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
MINNESOTA	-	1	2	-	1	3	-	2	-	-	1	-
WHITE--MALE	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE	-	1	1	-	1	2	-	2	-	-	1	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	1	1	2	1	1	-	-	-	-	-	-
WHITE--MALE	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	1	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	1	-	-	-	-	-	-	-
MISSOURI	-	-	5	1	-	2	-	2	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	4	1	-	2	-	1	-	-	-	-
ALL OTHER--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	1	-	1	2	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	1	1	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	1	-	-	1	1	-	-	-	-	-	-	-
WHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	45	-	-	-	-	-	1	2	4	5	5	4
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	20	-	-	-	-	-	-	1	3	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	17	-	-	-	-	-	1	1	1	2	3	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	16	-	-	-	-	-	1	1	1	2	3	2
NEW MEXICO ----------	3	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	90	-	-	-	-	2	2	6	7	14	11	11
WHITE------MALE----	8	-	-	-	-	1	-	-	3	-	1	-
FEMALE--	40	-	-	-	-	-	-	3	-	7	3	6
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	36	-	-	-	-	1	1	3	3	7	7	4
BLACK---MALE----	5	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	35	-	-	-	-	1	1	3	3	7	6	4
NORTH CAROLINA ---------	35	-	-	-	1	-	1	1	2	3	6	5
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	1	-	1	1	1	2	4	4
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	1	-	1	1	1	2	4	4
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
NEW HAMPSHIRE ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	7	3	4	2	2	2	3	1	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	2	3	2	2	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	1	1	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	10	5	2	3	7	4	3	2	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	6	3	1	1	4	3	1	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	1	2	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	1	2	-	1	1	-	-	-	-
NORTH CAROLINA ---------	2	1	1	5	1	2	4	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	3	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
OHIO ----------	56	-	-	-	-	-	2	1	3	6	5	6
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	1	-	3	1	5	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	14	-	-	-	-	-	1	1	-	3	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	13	-	-	-	-	-	1	1	-	2	-	2
OKLAHOMA ----------	16	-	-	-	-	-	-	2	-	1	-	4
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	2	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	8	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	45	-	-	-	-	-	1	1	2	4	5	5
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	25	-	-	-	-	-	-	1	1	-	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	1	-	1	3	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	1	-	1	3	2	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	26	-	-	-	-	1	1	1	2	2	3	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	1	-	1	2	1	2	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	1	-	1	2	1	2	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
OHIO ----------	2	3	2	8	7	3	5	1	2	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	3	1	5	6	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	-	1	-	1	-	-	-
OKLAHOMA ----------	-	2	1	1	1	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	3	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	1	3	2	4	6	3	1	-	1	-	-
WHITE------MALE----	-	-	1	-	1	2	-	1	-	-	-	-
FEMALE--	4	-	2	2	2	4	3	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	4	-	3	1	3	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	3	-	-	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	3	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	37	-	-	-	-	1	2	1	2	1	2	5
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	2	1	2	1	-	2
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	2	1	2	1	-	2
TEXAS ----------	125	-	-	-	1	2	10	7	4	13	11	10
WHITE------MALE----	17	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	71	-	-	-	-	-	5	5	1	6	6	7
ALL OTHER--MALE----	8	-	-	-	-	-	2	-	1	-	1	-
FEMALE--	29	-	-	-	-	2	3	2	2	7	3	2
BLACK---MALE----	7	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	28	-	-	-	-	2	3	2	2	7	3	2
UTAH ----------	12	-	-	-	-	-	1	1	1	2	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	1	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	27	-	-	-	-	1	-	1	3	-	2	4
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	1	-	1	2	-	2	2
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	2	-	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	-	3	3	6	4	-	2	1	-	-	-
WHITE------MALE----	-	-	-	1	2	2	-	1	-	-	-	-
FEMALE--	2	-	1	1	3	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	-	-	-	-	-	-	-
TEXAS ----------	13	9	6	14	10	6	3	6	-	-	-	-
WHITE------MALE----	2	3	1	2	2	1	1	2	-	-	-	-
FEMALE--	6	3	4	11	6	5	2	4	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	4	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	1	-	-	-	-	-	-	-
UTAH ----------	1	1	-	1	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	5	1	-	2	4	-	1	-	-	1	-
WHITE------MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	1	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
WASHINGTON ----------	22	-	-	-	-	-	2	-	1	1	1	1
WHITE------MALE----	4	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	7	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	20	-	-	-	-	-	2	2	1	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
WASHINGTON ----------	-	1	1	3	4	5	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	3	2	5	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	-	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	2	-	1	2	2	2	1	1	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	2	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2818

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
UNITED STATES -	4,652	5	2	4	5	21	19	38	57	111	152	207
WHITE------MALE----	1,178	2	2	1	-	4	3	8	11	25	32	37
FEMALE--	2,699	-	-	1	2	9	8	10	22	36	51	84
ALL OTHER--MALE----	242	1	-	1	2	2	2	6	6	21	26	26
FEMALE--	533	2	-	1	1	6	6	14	18	29	43	60
BLACK---MALE----	217	1	-	1	2	1	2	6	6	21	26	24
FEMALE--	453	2	-	1	1	5	5	12	17	26	39	52
ALABAMA ----------	69	-	-	-	-	-	-	-	1	-	2	3
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	3	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	74	-	-	-	-	-	-	-	-	3	1	3
WHITE------MALE----	24	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	46	1	-	-	1	-	-	-	1	2	1	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	29	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
CALIFORNIA ----------	471	-	-	1	-	3	4	8	5	15	7	19
WHITE------MALE----	127	-	-	1	-	-	1	2	1	3	1	2
FEMALE--	263	-	-	-	-	2	2	3	3	5	3	6
ALL OTHER--MALE----	27	-	-	-	-	-	-	2	1	2	1	2
FEMALE--	54	-	-	-	-	1	1	1	-	5	2	9
BLACK---MALE----	17	-	-	-	-	-	-	2	1	2	1	-
FEMALE--	33	-	-	-	-	-	1	-	-	4	2	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2818

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
UNITED STATES -	251	234	313	398	530	579	579	525	400	169	53	-
WHITE------MALE----	63	58	78	105	152	174	171	131	82	31	8	-
FEMALE--	100	119	163	234	315	356	371	365	294	123	36	-
ALL OTHER--MALE----	24	21	21	17	19	22	9	7	6	2	1	-
FEMALE--	64	36	51	42	44	27	28	22	18	13	8	-
BLACK---MALE----	20	18	19	15	16	20	6	6	4	2	1	-
FEMALE--	53	31	44	33	36	21	24	17	15	12	7	-
ALABAMA ----------	3	3	7	8	11	11	6	7	4	3	-	-
WHITE------MALE----	-	1	1	2	1	2	1	2	-	-	-	-
FEMALE--	2	1	2	4	7	7	4	5	4	2	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	1	-	-	1	-	-
FEMALE--	-	1	3	1	2	2	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	1	-	-	1	-	-
FEMALE--	-	1	3	1	2	2	-	-	-	-	-	-
ALASKA ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	4	9	5	5	14	8	11	5	-	1	-
WHITE------MALE----	1	1	3	1	1	5	3	5	2	-	-	-
FEMALE--	3	3	6	4	4	7	5	6	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS ----------	1	2	6	4	3	3	4	6	9	1	-	-
WHITE------MALE----	1	-	3	-	2	2	1	2	2	-	-	-
FEMALE--	-	2	3	3	1	1	3	4	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	25	22	44	45	45	77	43	55	35	17	1	-
WHITE------MALE----	8	4	12	11	14	21	19	18	6	2	1	-
FEMALE--	10	11	23	27	24	46	21	34	28	15	-	-
ALL OTHER--MALE----	2	3	2	2	3	4	1	1	1	-	-	-
FEMALE--	5	4	7	5	4	6	2	2	-	-	-	-
BLACK---MALE----	2	2	1	1	1	3	-	-	1	-	-	-
FEMALE--	4	3	4	2	3	2	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
COLORADO ----------	65	-	-	-	-	-	-	-	1	4	-	2
WHITE------MALE----	24	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT ----------	46	-	-	-	1	-	-	-	-	2	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DELAWARE ----------	19	-	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	328	-	-	-	1	2	2	2	3	17	15	13
WHITE------MALE----	81	-	-	-	-	1	-	-	-	4	3	1
FEMALE--	188	-	-	-	-	-	1	-	2	6	6	3
ALL OTHER--MALE----	19	-	-	-	1	-	-	1	-	1	3	5
FEMALE--	40	-	-	-	-	1	1	1	1	6	3	4
BLACK---MALE----	19	-	-	-	1	-	-	1	-	1	3	5
FEMALE--	34	-	-	-	-	1	1	1	1	6	3	3
GEORGIA ----------	132	-	-	-	-	3	2	3	4	7	10	10
WHITE------MALE----	34	-	-	-	-	1	-	1	1	1	1	-
FEMALE--	52	-	-	-	-	-	1	1	-	3	2	3
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	2	1	1
FEMALE--	31	-	-	-	-	2	-	1	3	1	6	6
BLACK---MALE----	15	-	-	-	-	-	1	-	-	2	1	1
FEMALE--	31	-	-	-	-	2	-	1	3	1	6	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
COLORADO ----------	5	3	3	2	7	11	6	9	7	3	2	-
WHITE------MALE----	4	-	1	-	4	3	1	5	3	-	-	-
FEMALE--	1	2	2	1	3	8	5	4	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	2	2	4	2	6	2	6	11	1	1	-
WHITE------MALE----	-	1	-	1	-	3	-	-	1	-	-	-
FEMALE--	3	1	2	3	2	3	2	6	9	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE ----------	1	1	-	2	2	1	1	6	2	-	-	-
WHITE------MALE----	1	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	2	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
FLORIDA ----------	15	18	20	33	43	42	40	23	31	5	3	-
WHITE------MALE----	2	4	5	10	10	15	12	6	6	2	-	-
FEMALE--	6	11	11	20	28	25	26	15	23	2	3	-
ALL OTHER--MALE----	1	1	1	1	1	1	1	1	-	-	-	-
FEMALE--	6	2	3	2	4	1	1	1	2	1	-	-
BLACK---MALE----	1	1	1	1	1	1	1	1	-	-	-	-
FEMALE--	5	1	2	2	3	1	-	1	2	1	-	-
GEORGIA ----------	6	9	11	8	15	14	11	13	3	1	2	-
WHITE------MALE----	2	2	4	5	5	5	2	4	-	-	-	-
FEMALE--	-	2	4	3	6	8	9	7	2	1	-	-
ALL OTHER--MALE----	2	4	-	-	3	1	-	-	-	-	-	-
FEMALE--	2	1	3	-	1	-	-	2	1	-	2	-
BLACK---MALE----	2	4	-	-	3	1	-	-	-	-	-	-
FEMALE--	2	1	3	-	1	-	-	2	1	-	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2820

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
HAWAII ----------	16	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	198	1	-	-	-	-	1	2	6	6	10	8
WHITE------MALE----	50	1	-	-	-	-	-	-	3	3	1	2
FEMALE--	108	-	-	-	-	-	-	-	2	2	3	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	26	-	-	-	-	-	1	2	1	1	4	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	25	-	-	-	-	-	1	2	1	1	4	1
INDIANA ----------	107	-	-	-	-	-	1	1	1	3	1	4
WHITE------MALE----	31	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	65	-	-	-	-	-	1	-	-	1	-	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
IOWA ----------	47	-	-	-	-	-	1	-	-	-	1	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	47	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2820

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
HAWAII ----------	2	-	1	1	1	1	3	1	3	1	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	2	-	1	3	4	3	-	1	2	-	-
WHITE------MALE----	-	-	-	-	2	1	2	-	1	-	-	-
FEMALE--	1	2	-	-	1	3	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	8	10	13	27	21	22	19	17	13	3	-
WHITE------MALE----	1	2	1	4	6	9	7	4	3	2	1	-
FEMALE--	4	3	5	9	17	9	14	13	14	10	1	-
ALL OTHER--MALE----	3	2	1	-	1	1	-	-	-	1	-	-
FEMALE--	3	1	3	-	3	2	1	2	-	-	1	-
BLACK---MALE----	3	2	1	-	1	1	-	-	-	1	-	-
FEMALE--	3	1	3	-	3	2	1	1	-	-	1	-
INDIANA ----------	9	1	8	5	11	9	22	11	11	7	2	-
WHITE------MALE----	2	1	2	2	3	1	10	2	2	1	1	-
FEMALE--	6	-	5	1	7	7	12	8	8	5	1	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	1	1	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	1	1	-	-
IOWA ----------	2	3	-	5	3	7	9	11	3	-	-	-
WHITE------MALE----	-	1	-	2	1	3	3	3	-	-	-	-
FEMALE--	2	1	-	3	2	4	6	8	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	2	4	1	6	5	7	5	7	5	-	-
WHITE------MALE----	1	-	-	-	-	1	3	1	2	1	-	-
FEMALE--	2	2	2	1	6	4	4	4	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
KENTUCKY ----------	56	-	-	-	-	-	-	-	1	-	3	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	33	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	90	-	-	1	-	-	-	1	2	2	5	4
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	9	-	-	1	-	-	-	-	-	1	2	-
FEMALE--	24	-	-	-	-	-	-	1	2	-	1	1
BLACK---MALE----	9	-	-	1	-	-	-	-	-	1	2	-
FEMALE--	24	-	-	-	-	-	-	1	2	-	1	1
MAINE ----------	21	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	109	-	-	-	-	-	-	1	1	4	5	6
WHITE------MALE----	31	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	3	4	2
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	3
BLACK---MALE----	14	-	-	-	-	-	-	-	-	3	4	2
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	3
MASSACHUSETTS ----------	88	-	-	-	-	-	-	2	2	1	2	4
WHITE------MALE----	31	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	53	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
MICHIGAN ----------	189	-	-	-	-	1	1	2	2	5	4	11
WHITE------MALE----	45	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	107	-	-	-	-	1	1	-	1	1	2	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	4	1	3
FEMALE--	18	-	-	-	-	-	-	2	-	-	-	4
BLACK---MALE----	19	-	-	-	-	-	-	-	1	4	1	3
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
KENTUCKY ----------	1	1	3	4	7	12	8	8	5	3	-	-
WHITE------MALE----	-	-	2	1	2	4	1	1	1	2	-	-
FEMALE--	1	1	1	2	5	6	6	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
LOUISIANA ----------	5	6	7	6	12	14	11	11	2	1	-	-
WHITE------MALE----	-	-	1	1	-	3	3	3	-	-	-	-
FEMALE--	-	2	3	2	10	8	5	8	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	4	4	3	2	1	1	3	-	1	-	-	-
BLACK---MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	4	4	3	2	1	1	3	-	1	-	-	-
MAINE ----------	-	1	1	3	2	4	1	5	2	1	-	-
WHITE------MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	3	-	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	7	8	11	6	15	14	12	5	6	2	-
WHITE------MALE----	1	3	2	3	2	6	4	4	2	-	1	-
FEMALE--	2	2	2	4	4	8	9	8	3	4	1	-
ALL OTHER--MALE----	1	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	2	4	-	-	1	-	-	2	-	-
BLACK---MALE----	1	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	2	4	-	-	1	-	-	2	-	-
MASSACHUSETTS ----------	2	7	9	9	8	14	10	8	7	3	-	-
WHITE------MALE----	1	2	4	2	3	4	3	2	4	2	-	-
FEMALE--	1	5	4	7	5	9	7	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	11	7	10	14	31	22	26	15	17	8	2	-
WHITE------MALE----	-	2	4	5	8	7	6	4	6	1	-	-
FEMALE--	3	4	6	6	22	14	17	8	10	7	1	-
ALL OTHER--MALE----	4	-	-	1	1	1	-	1	1	-	1	-
FEMALE--	4	1	-	2	-	-	3	2	-	-	-	-
BLACK---MALE----	4	-	-	1	1	1	-	1	1	-	1	-
FEMALE--	4	1	-	2	-	-	3	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2822

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
MINNESOTA ----------	99	-	-	-	-	2	-	-	1	-	1	2
WHITE------MALE----	37	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	59	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI ----------	32	-	-	-	1	-	-	1	1	-	1	2
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	1
MISSOURI ----------	89	-	-	-	-	-	1	1	1	-	3	7
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	1	1	-	1	1
MONTANA ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	37	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	24	-	-	-	-	-	-	-	-	1	-	3
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
MINNESOTA ----------	3	2	-	8	10	7	16	20	18	7	2	-
WHITE------MALE----	2	-	-	3	5	4	8	4	6	2	-	-
FEMALE--	1	2	-	4	4	3	8	16	12	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	4	4	3	5	-	3	2	1	1	-	-
WHITE------MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	3	-	3	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	3	2	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	3	2	-	1	-	-	-	-	-
MISSOURI ----------	3	4	7	7	11	9	14	8	7	5	1	-
WHITE------MALE----	2	1	1	1	5	3	3	1	-	1	-	-
FEMALE--	1	2	5	6	5	5	10	6	7	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
MONTANA ----------	4	1	3	3	3	2	3	5	5	2	-	-
WHITE------MALE----	1	-	1	2	-	1	3	-	-	1	-	-
FEMALE--	2	1	1	1	1	1	-	5	5	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	2	2	3	4	1	3	12	3	5	-
WHITE------MALE----	-	-	-	1	2	-	1	-	3	-	1	-
FEMALE--	-	1	2	1	1	4	-	3	9	3	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	2	4	4	2	5	-	2	-	-	-
WHITE------MALE----	-	-	1	1	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	3	2	1	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
NEW HAMPSHIRE ----------	22	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	169	1	-	-	-	1	-	1	3	2	5	14
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	106	-	-	-	-	1	-	-	2	-	1	6
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	1	1	2	1	4
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	1	1	2	1	4
NEW MEXICO ----------	37	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	214	-	-	-	-	2	1	-	2	6	15	8
WHITE------MALE----	47	-	-	-	-	-	1	-	1	-	5	1
FEMALE--	125	-	-	-	-	-	-	-	-	3	4	5
ALL OTHER--MALE----	11	-	-	-	-	1	-	-	1	1	1	1
FEMALE--	31	-	-	-	-	1	-	-	-	2	5	1
BLACK---MALE----	10	-	-	-	-	1	-	-	1	1	1	1
FEMALE--	27	-	-	-	-	1	-	-	-	2	5	1
NORTH CAROLINA ---------	142	1	-	-	-	-	1	1	3	1	4	7
WHITE------MALE----	30	1	-	-	-	-	1	-	-	-	2	1
FEMALE--	68	-	-	-	-	-	-	1	2	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	31	-	-	-	-	-	-	-	1	-	1	4
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	27	-	-	-	-	-	-	-	1	-	1	4
NORTH DAKOTA ----------	13	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
NEW HAMPSHIRE ----------	1	1	1	-	4	2	3	3	3	2	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	2	1	-	-
FEMALE--	1	1	-	-	3	2	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	12	6	6	20	23	15	21	19	9	7	4	-
WHITE------MALE----	2	-	2	4	9	2	4	4	1	2	-	-
FEMALE--	5	3	3	14	13	13	15	14	7	5	4	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	1	1	-	2	1	1	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	1	1	-	2	1	1	-	-	-
NEW MEXICO ----------	2	2	1	4	4	8	3	9	2	1	-	-
WHITE------MALE----	1	1	-	2	3	2	1	2	-	-	-	-
FEMALE--	1	1	1	2	1	6	2	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	17	17	13	16	26	21	24	20	14	9	3	-
WHITE------MALE----	4	7	1	2	4	7	6	4	1	2	1	-
FEMALE--	7	8	8	11	17	12	16	15	12	5	2	-
ALL OTHER--MALE----	-	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	6	1	3	2	3	2	1	1	1	2	-	-
BLACK---MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	5	1	3	2	1	1	1	1	1	2	-	-
NORTH CAROLINA ---------	6	11	8	21	14	16	22	14	7	3	2	-
WHITE------MALE----	-	3	-	5	4	4	4	3	2	-	-	-
FEMALE--	2	3	5	11	4	9	15	9	4	1	1	-
ALL OTHER--MALE----	-	1	2	2	2	-	2	1	-	-	-	-
FEMALE--	4	4	1	3	4	3	1	1	1	2	1	-
BLACK---MALE----	-	1	2	2	2	-	2	1	-	-	-	-
FEMALE--	3	3	1	2	4	3	1	1	-	2	1	-
NORTH DAKOTA ----------	-	2	1	2	-	3	2	2	-	-	-	-
WHITE------MALE----	-	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
OHIO ----------	242	-	-	-	-	-	1	-	1	5	10	7
WHITE------MALE----	61	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	150	-	-	-	-	-	-	-	-	1	4	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	23	-	-	-	-	-	1	-	-	2	4	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	22	-	-	-	-	-	1	-	-	2	4	1
OKLAHOMA ----------	61	-	-	-	-	-	-	1	1	-	7	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	38	-	-	-	-	-	-	1	-	-	4	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	69	-	-	1	-	-	-	-	-	-	1	2
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	1	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	238	-	-	-	-	-	-	3	2	5	8	10
WHITE------MALE----	54	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	158	-	-	-	-	-	-	1	1	3	4	7
ALL OTHER--MALE----	10	-	-	-	-	-	-	2	-	1	2	1
FEMALE--	16	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	10	-	-	-	-	-	-	2	-	1	2	1
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	-
RHODE ISLAND ----------	14	-	-	-	-	1	-	-	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	64	-	1	-	-	-	-	2	2	2	1	4
WHITE------MALE----	14	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	2	2	2	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	2	2	2	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
OHIO ----------	13	7	13	15	30	34	40	29	25	10	2	-
WHITE------MALE----	5	4	2	3	9	12	11	8	3	2	-	-
FEMALE--	4	3	9	12	20	18	26	21	21	6	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	3	-	2	-	1	3	3	-	-	2	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	2	-	1	3	3	-	-	2	1	-
OKLAHOMA ----------	3	3	5	10	4	6	5	7	8	-	-	-
WHITE------MALE----	2	2	1	3	1	1	2	2	1	-	-	-
FEMALE--	1	1	4	6	3	4	3	5	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	1	3	4	7	6	12	17	8	3	1	-
WHITE------MALE----	-	-	1	1	3	4	6	8	3	-	-	-
FEMALE--	3	1	2	3	4	2	6	9	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	9	13	14	28	34	36	23	28	11	4	-
WHITE------MALE----	2	1	3	2	10	11	5	7	6	3	1	-
FEMALE--	4	7	5	9	16	23	31	15	22	7	3	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	4	1	3	2	2	-	-	-	-	1	-	-
BLACK---MALE----	-	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	3	1	3	2	1	-	-	-	-	1	-	-
RHODE ISLAND ----------	1	1	2	2	3	1	-	1	-	-	-	-
WHITE------MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	3	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	2	9	11	7	1	8	4	6	1	-	-
WHITE------MALE----	1	1	4	3	1	1	1	-	-	-	-	-
FEMALE--	2	-	4	4	3	-	6	4	5	1	-	-
ALL OTHER--MALE----	-	-	1	2	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	2	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	2	2	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
SOUTH DAKOTA ----------	15	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	108	1	-	-	-	-	-	2	1	2	1	5
WHITE------MALE----	26	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	17	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	16	1	-	-	-	-	-	1	1	-	-	-
TEXAS ----------	316	-	1	1	1	4	2	1	4	11	14	26
WHITE------MALE----	79	-	1	-	-	-	-	1	1	6	3	4
FEMALE--	185	-	-	-	1	3	1	-	2	3	4	12
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	39	-	-	1	-	1	1	-	1	-	6	8
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	36	-	-	1	-	1	1	-	1	-	4	7
UTAH ----------	46	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	110	-	-	-	-	-	-	1	1	2	4	4
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	51	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	2	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
SOUTH DAKOTA ----------	2	-	-	2	-	-	2	3	2	1	1	-
WHITE------MALE----	1	-	-	1	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	9	7	11	12	7	13	13	17	2	5	-	-
WHITE------MALE----	4	-	2	3	3	3	3	2	-	1	-	-
FEMALE--	2	4	4	9	3	10	9	14	1	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	4	-	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	3	-	1	-	1	1	1	-	-	-
TEXAS ----------	19	26	24	25	38	40	33	23	15	7	1	-
WHITE------MALE----	7	6	5	6	12	6	10	4	5	2	-	-
FEMALE--	9	15	15	16	23	28	20	19	8	5	1	-
ALL OTHER--MALE----	-	2	1	-	-	4	1	-	-	-	-	-
FEMALE--	3	3	3	3	3	2	2	-	2	-	-	-
BLACK---MALE----	-	2	1	-	-	4	-	-	-	-	-	-
FEMALE--	3	3	3	3	3	2	2	-	2	-	-	-
UTAH ----------	1	1	3	3	4	5	8	8	9	-	1	-
WHITE------MALE----	-	-	2	1	2	3	2	2	-	-	-	-
FEMALE--	1	1	1	2	2	2	5	6	9	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	1	3	3	2	1	1	-	-	-
WHITE------MALE----	1	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	4	9	3	12	15	14	17	14	3	1	-
WHITE------MALE----	-	1	1	2	3	3	8	4	2	-	-	-
FEMALE--	3	-	3	-	6	9	5	10	10	2	-	-
ALL OTHER--MALE----	2	1	1	-	1	1	-	2	-	-	-	-
FEMALE--	1	2	4	1	2	2	1	1	2	1	1	-
BLACK---MALE----	1	1	1	-	1	1	-	2	-	-	-	-
FEMALE--	1	1	4	1	2	2	1	1	2	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
WASHINGTON ----------	94	-	-	-	-	1	-	1	-	1	4	1
WHITE------MALE----	19	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	59	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	31	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	72	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
WYOMING ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
WASHINGTON ----------	6	3	3	8	15	12	12	16	6	3	2	-
WHITE------MALE----	1	-	2	1	4	1	2	4	-	-	1	-
FEMALE--	-	1	1	5	7	11	10	11	6	3	1	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	3	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	-	-	1	-	-	-	-
WEST VIRGINIA ----------	1	1	2	5	8	1	4	4	2	1	-	-
WHITE------MALE----	-	1	2	-	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	5	6	1	3	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	7	3	5	6	11	14	7	6	3	4	-
WHITE------MALE----	-	3	-	1	-	6	2	1	3	1	-	-
FEMALE--	1	3	3	3	6	5	12	6	3	2	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	1	-
WYOMING ----------	1	-	-	2	1	1	1	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2827

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dorsopathies (M40-M54)												
UNITED STATES -	787	-	3	2	11	8	7	6	13	8	13	21
WHITE------MALE----	298	-	1	1	3	2	3	2	8	3	6	11
FEMALE--	404	-	2	-	7	3	2	2	5	3	6	7
ALL OTHER--MALE----	41	-	-	1	-	-	1	1	-	2	1	1
FEMALE--	44	-	-	-	1	3	1	1	-	-	-	2
BLACK---MALE----	32	-	-	1	-	-	1	1	-	-	1	-
FEMALE--	38	-	-	-	1	3	1	1	-	-	-	2
ALABAMA ----------	12	-	-	-	-	-	1	-	1	2	-	-
WHITE------MALE----	6	-	-	-	-	-	1	-	1	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	19	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	88	-	1	-	-	1	-	2	2	3	2	7
WHITE------MALE----	31	-	-	-	-	1	-	2	2	-	2	3
FEMALE--	47	-	1	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
UNITED STATES -	34	26	37	56	83	111	124	127	73	18	6	-
WHITE------MALE----	12	9	17	27	34	47	49	38	18	6	1	-
FEMALE--	19	12	13	18	40	51	69	82	47	11	5	-
ALL OTHER--MALE----	1	1	6	4	5	8	2	3	4	-	-	-
FEMALE--	2	4	1	7	4	5	4	4	4	1	-	-
BLACK---MALE----	1	-	4	4	5	8	1	2	3	-	-	-
FEMALE--	2	4	1	6	4	5	2	3	3	-	-	-
ALABAMA ----------	1	1	1	1	1	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	2	3	2	2	1	5	-	-	-	-
WHITE------MALE----	-	-	2	3	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	2	5	5	9	11	14	12	7	1	-	-
WHITE------MALE----	1	2	1	2	3	5	3	3	1	-	-	-
FEMALE--	3	-	3	1	5	6	9	8	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2828

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dorsopathies (M40-M54)												
COLORADO ----------	13	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	48	-	-	-	3	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
GEORGIA ----------	16	-	-	1	-	1	-	1	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
COLORADO ----------	-	1	1	-	-	4	2	3	1	-	-	-
WHITE------MALE----	-	-	1	-	-	1	2	2	-	-	-	-
FEMALE--	-	1	-	-	-	3	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	1	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	1	-	-	-	2	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	-	4	1	4	12	5	9	5	2	1	-
WHITE------MALE----	-	-	3	1	4	4	2	4	2	2	-	-
FEMALE--	2	-	1	-	-	6	3	5	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
GEORGIA ----------	-	-	1	-	3	2	3	2	1	-	-	-
WHITE------MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2829

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dorsopathies (M40-M54)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	34	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	12	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	9	-	-	-	1	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	1	3	6	3	7	6	3	1	-	-
WHITE------MALE----	1	-	1	1	4	-	4	4	1	1	-	-
FEMALE--	-	-	-	1	2	3	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	1	3	1	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	1	1	3	4	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	1	2	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2830

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dorsopathies (M40-M54)												
KENTUCKY ----------	11	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	17	-	1	-	-	1	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
MAINE ----------	8	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	22	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	35	-	-	-	-	-	-	-	1	-	1	2
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
KENTUCKY ----------	1	1	-	1	2	-	1	2	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	2	1	1	1	2	2	1	2	-	-	-
WHITE------MALE----	1	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	1	1	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MAINE ----------	-	-	-	1	-	1	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	3	1	-	2	1	1	1	2	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	2	-	-	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	1	-	5	8	2	3	1	1	-
WHITE------MALE----	-	-	-	1	-	3	2	1	1	-	1	-
FEMALE--	-	-	-	-	-	2	5	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	3	2	3	-	3	5	4	6	2	2	1	-
WHITE------MALE----	1	1	1	-	1	1	1	2	1	1	-	-
FEMALE--	2	1	1	-	2	4	3	4	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dorsopathies (M40-M54)												
MINNESOTA ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	11	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
MINNESOTA ----------	1	1	1	1	1	7	3	4	2	-	-	-
WHITE------MALE----	-	-	-	1	-	3	2	-	-	-	-	-
FEMALE--	1	1	-	-	1	3	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	2	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSOURI ----------	1	-	-	2	2	-	2	1	2	-	-	-
WHITE------MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	1	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	1	-	1	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dorsopathies (M40-M54)												
NEW HAMPSHIRE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	20	-	-	-	1	1	-	-	1	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	13	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	33	-	1	-	-	-	-	-	-	-	-	3
WHITE------MALE----	18	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	27	-	-	-	-	-	1	-	1	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
NEW HAMPSHIRE ----------	-	-	-	1	2	-	2	1	1	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	1	1	3	3	3	3	1	-	-	-
WHITE------MALE----	-	-	-	-	2	1	2	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	3	3	4	2	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	1	2	5	6	5	5	4	-	-	-
WHITE------MALE----	-	1	1	2	2	4	3	3	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	1	1	1	3	4	5	3	4	2	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	2	3	2	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dorsopathies (M40-M54)												
OHIO ----------	40	-	-	1	-	-	1	1	-	-	-	-
WHITE------MALE----	14	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	10	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	11	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	28	-	-	-	1	-	2	-	-	-	-	1
WHITE------MALE----	13	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	13	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	9	-	-	-	-	-	-	1	1	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
OHIO ----------	1	-	2	3	5	6	5	8	5	2	-	-
WHITE------MALE----	1	-	1	2	2	2	3	1	1	-	-	-
FEMALE--	-	-	1	1	3	3	1	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
OKLAHOMA ----------	-	-	-	-	2	2	1	2	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	1	1	1	2	2	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	1	2	-	1	4	3	8	3	1	-	-
WHITE------MALE----	-	1	1	-	1	3	2	1	1	1	-	-
FEMALE--	1	-	1	-	-	1	1	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND ----------	-	-	-	-	1	-	1	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	2	-	2	1	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dorsopathies (M40-M54)												
SOUTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	15	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	56	-	-	-	1	1	1	-	1	-	1	1
WHITE------MALE----	21	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	26	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
SOUTH DAKOTA ----------	-	-	-	-	-	1	3	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	1	1	2	2	2	3	1	-	-	-	-
WHITE------MALE----	-	1	-	2	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
TEXAS ----------	2	4	3	7	4	7	8	6	8	1	-	-
WHITE------MALE----	2	1	2	3	2	4	1	2	1	-	-	-
FEMALE--	-	2	1	1	2	2	6	2	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	1	-	-	-
UTAH ----------	-	-	-	-	-	2	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	2	2	-	4	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	1	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dorsopathies (M40-M54)												
WASHINGTON ----------	21	-	-	-	-	-	-	-	1	-	2	-
WHITE------MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
WASHINGTON ----------	1	-	1	2	2	1	2	3	3	2	1	-
WHITE------MALE----	-	-	1	-	2	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	2	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	4	-	2	-	1	-	1	-	-
WHITE------MALE----	-	-	-	3	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	1	1	1	3	1	3	2	2	1	-	-
WHITE------MALE----	1	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	-	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2836

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
UNITED STATES -	956	3	2	1	4	4	5	13	11	31	43	47
WHITE------MALE----	411	2	-	-	-	3	1	5	6	10	22	17
FEMALE--	346	-	2	-	4	1	1	4	5	8	11	13
ALL OTHER--MALE----	106	-	-	1	-	-	2	2	-	7	6	9
FEMALE--	93	1	-	-	-	-	1	2	-	6	4	8
BLACK---MALE----	94	-	-	1	-	-	2	2	-	6	6	8
FEMALE--	83	1	-	-	-	-	1	2	-	5	4	8
ALABAMA ----------	18	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	27	-	-	-	1	-	-	-	-	1	2	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	13	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	130	-	1	-	-	-	2	3	3	10	13	17
WHITE------MALE----	61	-	-	-	-	-	1	1	1	4	10	8
FEMALE--	48	-	1	-	-	-	1	2	2	4	3	6
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2836

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
UNITED STATES -	53	66	55	77	103	127	133	105	57	12	4	-
WHITE------MALE----	21	27	19	29	58	62	61	40	23	5	-	-
FEMALE--	20	16	19	29	29	47	55	47	24	7	4	-
ALL OTHER--MALE----	7	10	8	8	9	13	11	10	3	-	-	-
FEMALE--	5	13	9	11	7	5	6	8	7	-	-	-
BLACK---MALE----	7	7	6	7	9	11	10	9	3	-	-	-
FEMALE--	5	10	8	9	7	5	4	7	7	-	-	-
ALABAMA ----------	-	1	3	2	1	6	1	3	-	-	-	-
WHITE------MALE----	-	-	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	1	-	-	-	-
ALASKA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	4	1	3	4	2	5	2	-	-	-	-
WHITE------MALE----	-	2	1	2	1	1	1	2	-	-	-	-
FEMALE--	1	-	-	1	2	1	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	2	2	2	2	1	1	-	-	-
WHITE------MALE----	1	-	-	-	2	2	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	12	6	3	9	9	12	10	12	8	-	-	-
WHITE------MALE----	5	4	-	2	4	6	6	6	3	-	-	-
FEMALE--	5	1	1	4	4	3	2	4	5	-	-	-
ALL OTHER--MALE----	2	1	2	2	1	3	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
COLORADO ----------	11	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	12	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	47	-	-	-	-	-	-	1	2	1	-	3
WHITE------MALE----	22	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
GEORGIA ----------	18	-	-	-	-	-	-	-	-	-	3	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
COLORADO ----------	-	-	2	-	2	1	2	2	-	-	1	-
WHITE------MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	3	1	1	2	2	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	2	3	2	6	5	5	8	4	-	1	-
WHITE------MALE----	1	2	1	1	6	3	4	2	-	-	-	-
FEMALE--	3	-	2	1	-	2	-	5	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
GEORGIA ----------	1	2	3	2	-	3	3	-	1	-	-	-
WHITE------MALE----	1	-	1	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
HAWAII ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	43	-	-	1	-	-	-	2	-	1	2	2
WHITE------MALE----	17	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	9	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	28	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	7	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
HAWAII ----------	-	-	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	5	1	1	3	6	8	2	3	2	-	-
WHITE------MALE----	1	2	-	1	2	4	2	-	1	1	-	-
FEMALE--	3	1	-	-	1	2	5	2	-	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	2	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	2	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	1	-	1	4	4	4	7	2	1	1	-
WHITE------MALE----	-	-	-	-	1	2	3	2	-	1	-	-
FEMALE--	1	-	-	1	2	2	1	5	2	-	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	1	-	-	-	-	1	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
KENTUCKY ----------	27	-	1	-	1	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA ----------	13	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	24	-	-	-	-	1	-	1	-	-	-	1
WHITE------MALE----	7	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	15	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN ----------	34	-	-	-	1	-	-	-	-	-	-	3
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	1	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
KENTUCKY ----------	-	-	4	2	1	3	7	4	2	1	-	-
WHITE------MALE----	-	-	1	1	1	-	1	3	-	-	-	-
FEMALE--	-	-	1	1	-	3	6	-	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	1	2	-	2	-	2	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	1	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	2	-	1	2	7	5	1	3	-	-	-
WHITE------MALE----	-	-	-	1	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
MASSACHUSETTS ----------	1	3	-	-	3	1	2	2	2	-	-	-
WHITE------MALE----	-	1	-	-	3	1	1	2	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	2	6	6	1	5	3	4	2	-	-	-
WHITE------MALE----	-	1	4	2	-	2	2	-	2	-	-	-
FEMALE--	1	-	2	3	-	3	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2840

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
MINNESOTA ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	-	-	-	-	-	-	-	1	2	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
MINNESOTA ----------	-	1	-	-	-	1	3	2	2	-	-	-
WHITE------MALE----	-	1	-	-	-	1	2	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	2	3	2	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
MISSOURI ----------	1	-	2	2	2	5	2	1	1	-	-	-
WHITE------MALE----	1	-	1	2	1	4	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	-	1	2	1	-	-	1	-	-	-
WHITE------MALE----	-	1	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	39	-	-	-	-	-	-	-	2	-	3	3
WHITE------MALE----	24	-	-	-	-	-	-	-	2	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	8	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	58	-	-	-	-	-	-	1	-	1	3	-
WHITE------MALE----	23	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	33	-	-	-	-	-	1	1	-	2	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	9	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
NEW HAMPSHIRE ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	1	2	4	4	5	7	3	2	1	-	-
WHITE------MALE----	1	-	-	2	3	2	6	2	2	1	-	-
FEMALE--	-	1	1	2	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	-	1	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	7	1	6	6	7	8	7	4	2	1	-
WHITE------MALE----	1	2	1	3	4	3	3	2	2	1	-	-
FEMALE--	-	3	-	2	2	3	4	4	2	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	-	1	-	-	-	-	-
NORTH CAROLINA ---------	2	2	1	5	3	7	4	2	1	-	-	-
WHITE------MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	3	1	4	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	2	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	2	1	-	1	1	-	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2842

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
OHIO ----------	33	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	12	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	36	2	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	16	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	4	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	27	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
OHIO ----------	1	4	2	1	6	5	4	6	1	-	-	-
WHITE------MALE----	1	1	-	-	2	2	2	2	1	-	-	-
FEMALE--	-	2	1	-	2	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
OKLAHOMA ----------	-	1	1	-	2	1	3	1	-	-	-	-
WHITE------MALE----	-	-	1	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	1	1	2	-	-	4	2	-	-	-	-
WHITE------MALE----	3	1	1	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	2	1	3	4	9	9	1	3	-	-	-
WHITE------MALE----	-	2	1	1	3	3	2	-	2	-	-	-
FEMALE--	-	-	-	2	1	5	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	3	-	3	3	-	5	3	3	1	-	-
WHITE------MALE----	1	3	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	1	2	1	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	19	-	-	-	-	1	-	1	-	1	-	1
WHITE------MALE----	9	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
TEXAS ----------	71	-	-	-	-	1	-	-	-	1	2	2
WHITE------MALE----	35	-	-	-	-	1	-	-	-	1	2	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	18	-	-	-	-	-	1	-	-	2	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
SOUTH DAKOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	2	1	2	4	1	2	2	-	-	-	-
WHITE------MALE----	-	1	-	1	1	1	2	2	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	3	5	6	10	7	10	13	5	1	-	-
WHITE------MALE----	1	1	2	1	6	3	5	7	3	1	-	-
FEMALE--	2	2	1	3	3	3	4	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	1	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	1	1	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	1	-	-	-	-
UTAH ----------	-	-	-	-	-	3	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	3	1	1	2	2	1	1	-	1	-	-
WHITE------MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2844

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
WASHINGTON ----------	18	-	-	-	-	-	-	-	1	4	1	2
WHITE------MALE----	8	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	7	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	17	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
WASHINGTON ----------	-	1	-	1	4	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	2	-	-	1	1	1	1	-	-	-	-
WHITE------MALE----	-	2	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	2	1	4	5	1	1	-	1	-	-
WHITE------MALE----	1	-	1	1	2	3	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
UNITED STATES -	2,867	1	1	2	-	1	1	3	3	6	11	26
WHITE------MALE----	599	1	-	1	-	1	-	1	2	2	2	13
FEMALE--	2,025	-	-	-	-	-	-	1	1	1	3	10
ALL OTHER--MALE----	93	-	1	-	-	-	1	-	-	1	3	3
FEMALE--	150	-	-	1	-	-	-	1	-	2	3	-
BLACK---MALE----	77	-	1	-	-	-	1	-	-	-	2	3
FEMALE--	122	-	-	-	-	-	-	1	-	2	3	-
ALABAMA ----------	28	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	52	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	242	-	-	-	-	-	-	-	-	-	3	3
WHITE------MALE----	54	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	166	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2845

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
UNITED STATES -	30	48	55	94	158	321	504	644	615	278	65	-
WHITE------MALE----	10	14	23	23	64	89	135	125	74	15	4	-
FEMALE--	14	22	26	51	73	188	340	480	514	243	58	-
ALL OTHER--MALE----	3	8	1	11	7	23	6	12	5	7	1	-
FEMALE--	3	4	5	9	14	21	23	27	22	13	2	-
BLACK---MALE----	3	5	1	11	6	18	5	11	4	6	-	-
FEMALE--	2	3	5	8	12	20	20	18	18	9	1	-
ALABAMA ----------	-	2	-	-	2	3	6	6	6	1	-	-
WHITE------MALE----	-	-	-	-	-	1	3	1	1	1	-	-
FEMALE--	-	1	-	-	2	1	3	3	5	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	1	-	-	-	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	2	2	1	4	7	14	9	11	2	-	-
WHITE------MALE----	-	-	1	-	2	5	3	-	1	-	-	-
FEMALE--	-	-	1	1	2	2	11	9	10	2	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	1	1	3	6	3	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	1	-	-	-	1	1	3	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	3	2	8	7	40	39	47	52	29	7	-
WHITE------MALE----	2	2	1	3	2	10	11	11	9	1	1	-
FEMALE--	-	-	1	4	5	28	26	29	39	27	5	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	2	1	1	1	-
FEMALE--	-	-	-	-	-	1	1	5	3	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2846

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
COLORADO ----------	48	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	136	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	39	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	88	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	80	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
COLORADO ----------	-	-	2	-	1	2	9	9	15	8	1	-
WHITE------MALE----	-	-	-	-	-	1	6	-	2	-	-	-
FEMALE--	-	-	2	-	1	-	2	9	13	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT ----------	-	1	1	1	-	2	7	9	5	4	-	-
WHITE------MALE----	-	-	1	1	-	1	3	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	8	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE ----------	-	2	-	-	2	2	3	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	2	-	-	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
FLORIDA ----------	-	-	3	3	12	18	21	31	32	10	3	-
WHITE------MALE----	-	-	2	1	5	6	10	7	7	-	-	-
FEMALE--	-	-	1	2	7	10	10	22	23	9	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
GEORGIA ----------	-	4	1	2	6	15	16	14	12	7	-	-
WHITE------MALE----	-	3	1	-	1	6	2	4	1	1	-	-
FEMALE--	-	-	-	2	3	7	9	8	11	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	4	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	4	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
HAWAII ----------	12	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	27	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	144	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	106	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	73	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	13	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	59	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	50	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	34	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
HAWAII ----------	-	-	-	-	-	-	1	5	3	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	3	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	-	3	3	8	10	1	-	-
WHITE------MALE----	-	-	-	-	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	6	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	4	3	6	9	13	25	29	36	14	3	-
WHITE------MALE----	-	-	2	1	1	1	7	8	2	-	-	-
FEMALE--	1	3	1	4	5	9	17	19	32	12	3	-
ALL OTHER--MALE----	1	1	-	1	1	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	1	1	2	2	1	-	-
BLACK---MALE----	1	1	-	1	1	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	1	1	2	2	1	-	-
INDIANA ----------	-	-	3	1	5	3	15	15	21	6	2	-
WHITE------MALE----	-	-	-	-	4	-	2	3	3	-	-	-
FEMALE--	-	-	3	1	1	3	12	12	18	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA ----------	1	1	-	-	2	4	6	11	17	7	1	-
WHITE------MALE----	-	-	-	-	-	-	1	1	2	1	-	-
FEMALE--	1	1	-	-	2	4	5	10	15	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	-	-	3	5	6	11	7	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	1	-	-	-	2	5	5	11	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
KENTUCKY ----------	31	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	44	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	56	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	83	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	127	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	87	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
KENTUCKY ----------	-	-	-	1	3	2	3	10	8	3	-	-
WHITE------MALE----	-	-	-	-	2	-	-	1	2	-	-	-
FEMALE--	-	-	-	1	1	2	3	8	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA ----------	1	-	1	2	4	1	7	13	7	6	-	-
WHITE------MALE----	-	-	1	-	3	-	-	4	-	1	-	-
FEMALE--	-	-	-	2	-	1	6	8	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	1	1	3	2	3	4	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	3	3	6	4	14	11	12	3	-	-
WHITE------MALE----	-	-	1	1	1	1	1	2	1	-	-	-
FEMALE--	-	-	2	2	2	2	13	9	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	2	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	2	1	-	-
MASSACHUSETTS ----------	3	-	2	4	5	12	16	19	14	5	1	-
WHITE------MALE----	-	-	1	1	2	4	7	5	2	-	-	-
FEMALE--	3	-	1	3	3	7	8	14	12	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	2	3	1	3	6	13	22	29	27	13	5	-
WHITE------MALE----	-	1	1	2	-	2	6	4	6	1	-	-
FEMALE--	1	1	-	1	4	5	14	24	20	10	5	-
ALL OTHER--MALE----	1	1	-	-	1	3	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	2	1	-	2	-	-
BLACK---MALE----	1	1	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	2	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
MINNESOTA ----------	88	-	-	1	-	1	-	-	-	1	-	-
WHITE------MALE----	16	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	72	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	58	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	43	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
MINNESOTA ----------	1	1	1	1	2	6	14	18	24	17	-	-
WHITE------MALE----	1	1	1	-	-	5	4	2	-	-	-	-
FEMALE--	-	-	-	1	2	1	10	16	24	17	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	1	-	-	1	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	2	2	-	2	5	15	14	15	2	1	-
WHITE------MALE----	-	1	1	-	2	-	3	2	1	-	-	-
FEMALE--	-	1	-	-	-	4	12	12	13	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
MONTANA ----------	-	-	-	-	-	2	1	5	4	-	2	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	3	4	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	2	2	3	9	10	10	5	2	-
WHITE------MALE----	-	-	-	-	2	-	2	2	1	1	-	-
FEMALE--	-	-	-	2	-	3	7	8	9	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	2	-	-	1	2	3	5	2	2	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	2	-	-	1	1	3	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2850

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
NEW HAMPSHIRE ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	82	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	132	-	-	-	-	-	-	-	1	-	1	4
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	78	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	62	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
NEW HAMPSHIRE ----------	-	-	-	-	-	1	3	6	8	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	1	3	4	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	3	3	2	6	9	14	24	11	6	2	-
WHITE------MALE----	1	1	1	1	3	3	4	10	1	-	-	-
FEMALE--	1	2	2	1	3	4	9	14	9	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	2	-	-
NEW MEXICO ----------	-	-	-	-	-	4	3	7	4	3	1	-
WHITE------MALE----	-	-	-	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	6	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	4	9	6	19	19	31	21	11	4	-
WHITE------MALE----	-	1	2	4	4	3	7	7	5	-	-	-
FEMALE--	-	-	1	3	2	10	12	21	14	10	4	-
ALL OTHER--MALE----	-	-	-	1	-	4	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	3	2	1	-	-
BLACK---MALE----	-	-	-	1	-	4	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	3	2	1	-	-
NORTH CAROLINA ---------	1	1	3	2	5	6	12	8	18	6	-	-
WHITE------MALE----	-	-	-	-	1	1	5	4	-	-	-	-
FEMALE--	-	1	1	2	2	4	5	4	17	6	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	1	1	2	5	3	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	1	-	1	1	2	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
OHIO ----------	135	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	23	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	100	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	56	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	162	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	40	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	108	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
OHIO ----------	2	1	4	4	10	16	18	39	24	10	5	-
WHITE------MALE----	1	-	1	1	4	6	3	4	1	1	-	-
FEMALE--	1	-	2	-	5	10	14	34	21	8	5	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	1	1	-	1	-	2	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	1	1	-	1	-	2	-	-	-
OKLAHOMA ----------	-	-	1	5	1	5	5	4	5	1	-	-
WHITE------MALE----	-	-	-	-	-	3	3	1	1	-	-	-
FEMALE--	-	-	1	2	1	1	2	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
OREGON ----------	1	-	1	2	2	3	7	12	19	8	1	-
WHITE------MALE----	1	-	1	-	-	-	3	3	4	1	-	-
FEMALE--	-	-	-	2	1	3	4	8	15	7	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	3	11	9	15	31	37	30	17	3	-
WHITE------MALE----	1	-	1	5	3	4	11	7	4	2	-	-
FEMALE--	1	-	2	4	4	6	19	29	25	14	3	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	-	1	1	-	-
BLACK---MALE----	-	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	-	1	1	-	-
RHODE ISLAND ----------	-	1	-	1	-	2	-	1	5	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	2	-	3	4	4	7	5	3	2	-	-
WHITE------MALE----	-	-	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	2	-	2	4	1	6	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
SOUTH DAKOTA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	58	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	173	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	28	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	127	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
UTAH ----------	55	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	60	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2852

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
SOUTH DAKOTA ----------	-	-	-	1	1	1	1	4	5	3	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	3	3	1	5	10	15	11	2	3	-
WHITE------MALE----	1	1	1	1	1	1	1	3	-	-	-	-
FEMALE--	-	-	2	1	-	3	7	10	10	2	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	-	1	-
TEXAS ----------	1	5	2	7	11	30	29	31	31	18	4	-
WHITE------MALE----	-	1	1	1	6	5	5	2	4	1	1	-
FEMALE--	1	2	1	3	4	21	23	26	26	16	3	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	1	-	2	1	3	1	3	1	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	1	-	2	1	3	1	3	1	-	-	-
UTAH ----------	1	-	1	-	1	5	12	11	13	8	1	-
WHITE------MALE----	-	-	-	-	1	1	2	4	-	1	1	-
FEMALE--	1	-	1	-	-	4	10	5	13	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	2	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	2	-	-	7	11	13	14	8	5	-	-
WHITE------MALE----	-	1	-	-	6	4	3	2	1	-	-	-
FEMALE--	-	1	-	-	1	5	8	9	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
WASHINGTON ----------	76	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	67	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal systemand connective tissue (M80-M99)												
WASHINGTON ----------	3	1	2	1	6	4	16	13	18	4	7	-
WHITE------MALE----	2	-	1	-	4	2	6	2	2	-	-	-
FEMALE--	1	-	-	1	2	2	9	11	16	4	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	1	-	-	1	4	9	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	4	8	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	-	2	3	9	16	19	8	8	1	-
WHITE------MALE----	-	1	-	-	3	5	5	4	1	-	-	-
FEMALE--	-	-	-	2	-	4	11	15	7	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	1	1	4	2	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2854

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteoporosis (M80-M81)												
UNITED STATES -	1,642	1	-	1	-	-	-	-	1	-	1	2
WHITE------MALE----	153	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1,448	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	14	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	35	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	146	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	119	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
UNITED STATES -	1	5	8	28	42	147	281	427	443	204	50	-
WHITE------MALE----	1	1	-	4	6	21	38	43	28	6	3	-
FEMALE--	-	4	7	23	36	122	237	373	407	190	45	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	3	1	-
FEMALE--	-	-	1	-	-	3	5	11	8	5	1	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	2	-	-
FEMALE--	-	-	1	-	-	3	3	5	4	1	-	-
ALABAMA ----------	-	-	-	-	1	2	2	2	6	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	1	4	10	7	10	2	-	-
WHITE------MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	9	7	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	1	1	2	5	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	3	19	26	29	39	23	6	-
WHITE------MALE----	1	-	-	-	-	4	7	5	6	1	-	-
FEMALE--	-	-	-	-	3	15	19	24	31	22	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteoporosis (M80-M81)												
COLORADO ----------	34	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	73	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	39	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
COLORADO ----------	-	-	-	-	-	1	6	8	13	5	1	-
WHITE------MALE----	-	-	-	-	-	-	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	8	13	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	1	-	-	2	7	5	2	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	7	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	1	-	4	7	11	19	20	8	2	-
WHITE------MALE----	-	-	-	-	1	-	4	2	1	-	-	-
FEMALE--	-	-	1	-	3	6	7	17	19	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
GEORGIA ----------	-	-	-	2	2	5	9	10	7	4	-	-
WHITE------MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	2	2	5	6	8	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteoporosis (M80-M81)												
HAWAII ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	78	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	68	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	41	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	36	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2856

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
HAWAII ----------	-	-	-	-	-	-	1	5	3	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	3	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	-	2	2	6	9	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	6	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	1	1	4	5	13	17	26	10	1	-
WHITE------MALE----	-	-	-	1	-	-	3	3	1	-	-	-
FEMALE--	-	-	1	-	4	5	10	14	25	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
INDIANA ----------	-	-	-	1	-	2	10	10	13	4	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	10	9	13	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	2	2	3	8	13	7	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	2	2	3	7	12	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	-	-	1	5	5	7	7	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	5	5	7	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteoporosis (M80-M81)												
KENTUCKY ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	24	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	44	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	60	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
KENTUCKY ----------	-	-	-	-	1	2	3	7	4	3	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	3	6	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA ----------	-	-	-	1	-	1	5	9	3	5	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	5	7	3	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	1	2	2	2	4	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	2	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	1	1	-	2	5	8	5	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	5	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	1	1	6	7	13	11	4	1	-
WHITE------MALE----	-	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	1	5	5	11	11	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	-	-	-	1	1	2	10	19	14	8	4	-
WHITE------MALE----	-	-	-	-	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	1	1	2	8	17	13	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteoporosis (M80-M81)												
MINNESOTA ----------	68	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	35	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	35	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
MINNESOTA	-	-	-	1	2	3	10	16	20	15	-	-
WHITE--MALE	-	-	-	-	-	3	2	-	-	-	-	-
FEMALE	-	-	-	1	2	-	8	16	20	15	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	3	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	3	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	3	9	11	10	1	1	-
WHITE--MALE	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE	-	-	-	-	-	3	8	10	10	1	1	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	2	-	5	4	-	2	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	2	-	3	4	-	2	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	2	-	3	7	8	10	4	1	-
WHITE--MALE	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE	-	-	-	2	-	3	7	7	9	3	1	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	1	1	1	3	2	1	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	1	1	1	3	1	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2859

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteoporosis (M80-M81)												
NEW HAMPSHIRE ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	26	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	48	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	32	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
NEW HAMPSHIRE ----------	-	-	-	-	-	1	2	3	7	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	2	3	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	-	-	-	1	5	7	7	3	2	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	5	7	5	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	-	-	-	-	-	2	1	5	4	3	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	4	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	1	2	6	8	12	9	5	4	-
WHITE------MALE----	-	-	-	-	1	-	1	3	-	-	-	-
FEMALE--	-	-	-	1	1	6	7	9	8	5	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NORTH CAROLINA ---------	-	-	-	1	1	1	6	4	14	5	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	5	3	14	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	-	1	2	3	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2860

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteoporosis (M80-M81)												
OHIO ----------	79	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	71	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	37	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	78	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	68	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2860

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
OHIO ----------	-	-	2	-	5	11	10	24	18	5	4	-
WHITE------MALE----	-	-	-	-	1	2	-	1	1	1	-	-
FEMALE--	-	-	1	-	4	9	10	23	16	4	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	-	-	-	1	1	-	3	4	4	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	3	3	9	15	6	-	-
WHITE------MALE----	-	-	-	-	-	-	1	2	2	-	-	-
FEMALE--	-	-	-	-	1	3	2	6	13	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	1	3	5	12	23	19	12	2	-
WHITE------MALE----	-	-	-	1	2	1	1	3	2	-	-	-
FEMALE--	-	-	-	-	1	4	11	20	17	12	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	1	-	1	5	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	-	3	1	1	6	4	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	6	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteoporosis (M80-M81)												
SOUTH DAKOTA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	106	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	97	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	46	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
SOUTH DAKOTA ----------	-	-	-	-	-	1	-	3	4	3	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	1	-	1	7	10	7	2	1	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	6	9	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	-	1	1	3	4	17	16	25	22	15	2	-
WHITE------MALE----	-	-	-	1	1	-	2	-	2	-	1	-
FEMALE--	-	1	1	2	3	16	14	24	20	15	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
UTAH ----------	-	-	1	-	-	5	9	10	12	8	1	-
WHITE------MALE----	-	-	-	-	-	1	-	4	-	1	1	-
FEMALE--	-	-	1	-	-	4	9	4	12	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	5	7	9	6	3	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	6	8	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2862

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Osteoporosis (M80-M81)												
WASHINGTON ----------	45	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	42	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
WASHINGTON ----------	-	-	-	-	-	3	10	7	15	3	7	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	9	7	14	3	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	2	5	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	5	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	-	2	-	3	11	13	6	6	-	-
WHITE------MALE----	-	1	-	-	-	1	2	2	1	-	-	-
FEMALE--	-	-	-	2	-	2	9	11	5	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	1	-	3	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2863

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
UNITED STATES -	1,225	-	1	1	-	1	1	3	2	6	10	24
WHITE------MALE----	446	-	-	-	-	1	-	1	2	2	2	13
FEMALE--	577	-	-	-	-	-	-	1	-	1	2	8
ALL OTHER--MALE----	86	-	1	-	-	-	1	-	-	1	3	3
FEMALE--	116	-	-	1	-	-	-	1	-	2	3	-
BLACK---MALE----	73	-	1	-	-	-	1	-	-	-	2	3
FEMALE--	105	-	-	-	-	-	-	1	-	2	3	-
ALABAMA ----------	14	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	96	-	-	-	-	-	-	-	-	-	3	3
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
UNITED STATES -	29	43	47	66	116	174	223	217	172	74	15	-
WHITE------MALE----	9	13	23	19	58	68	97	82	46	9	1	-
FEMALE--	14	18	19	28	37	66	103	107	107	53	13	-
ALL OTHER--MALE----	3	8	1	10	7	22	5	12	5	4	-	-
FEMALE--	3	4	4	9	14	18	18	16	14	8	1	-
BLACK---MALE----	3	5	1	10	6	17	5	11	4	4	-	-
FEMALE--	2	3	4	8	12	17	17	13	14	8	1	-
ALABAMA ----------	-	2	-	-	1	1	4	4	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	-	1	-	-
FEMALE--	-	1	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	2	2	-	3	3	4	2	1	-	-	-
WHITE------MALE----	-	-	1	-	2	2	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	1	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	3	2	8	4	21	13	18	13	6	1	-
WHITE------MALE----	1	2	1	3	2	6	4	6	3	-	1	-
FEMALE--	-	-	1	4	2	13	7	5	8	5	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	2	1	1	-	-
FEMALE--	-	-	-	-	-	1	1	5	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
COLORADO ----------	14	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	63	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	41	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
COLORADO ----------	-	-	2	-	1	1	3	1	2	3	-	-
WHITE------MALE----	-	-	-	-	-	1	2	-	2	-	-	-
FEMALE--	-	-	2	-	1	-	1	1	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	1	-	-	2	5	2	-	2	-	-
WHITE------MALE----	-	-	1	-	-	1	3	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE ----------	-	2	-	-	2	1	3	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	2	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
FLORIDA ----------	-	-	2	3	8	11	10	12	12	2	1	-
WHITE------MALE----	-	-	2	1	4	6	6	5	6	-	-	-
FEMALE--	-	-	-	2	4	4	3	5	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
GEORGIA ----------	-	4	1	-	4	10	7	4	5	3	-	-
WHITE------MALE----	-	3	1	-	1	6	1	2	1	1	-	-
FEMALE--	-	-	-	-	1	2	3	-	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	2	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	2	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
HAWAII ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	66	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	32	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	12	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	1	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	4	2	5	5	8	12	12	10	4	2	-
WHITE------MALE----	-	-	2	-	1	1	4	5	1	-	-	-
FEMALE--	1	3	-	4	1	4	7	5	7	4	2	-
ALL OTHER--MALE----	1	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	2	-	-	-
BLACK---MALE----	1	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	2	-	-	-
INDIANA ----------	-	-	3	-	5	1	5	5	8	2	1	-
WHITE------MALE----	-	-	-	-	4	-	2	2	3	-	-	-
FEMALE--	-	-	3	-	1	1	2	3	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA ----------	1	1	-	-	-	2	3	3	4	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	1	-	-	-	2	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	2	-	1	4	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
KENTUCKY ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	20	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	33	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	39	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	67	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
KENTUCKY ----------	-	-	-	1	2	-	-	3	4	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	1	1	4	-	2	4	4	1	-	-
WHITE------MALE----	-	-	1	-	3	-	-	2	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	2	2	6	2	9	3	7	2	-	-
WHITE------MALE----	-	-	1	1	1	-	1	2	1	-	-	-
FEMALE--	-	-	1	1	2	1	8	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	2	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	2	1	-	-
MASSACHUSETTS ----------	3	-	2	3	4	6	9	6	3	1	-	-
WHITE------MALE----	-	-	1	1	2	3	6	3	2	-	-	-
FEMALE--	3	-	1	2	2	2	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	3	1	2	5	11	12	10	13	5	1	-
WHITE------MALE----	-	1	1	2	-	2	4	2	5	1	-	-
FEMALE--	1	1	-	-	3	3	6	7	7	3	1	-
ALL OTHER--MALE----	1	1	-	-	1	3	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	2	1	-	1	-	-
BLACK---MALE----	1	1	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	2	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
MINNESOTA ----------	20	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	10	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
MINNESOTA ----------	1	1	1	-	-	3	4	2	4	2	-	-
WHITE------MALE----	1	1	1	-	-	2	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	1	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	2	2	-	2	2	6	3	5	1	-	-
WHITE------MALE----	-	1	1	-	2	-	2	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	4	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
MONTANA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	2	-	2	2	-	1	1	-
WHITE------MALE----	-	-	-	-	2	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	2	-	-	-	1	2	2	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
NEW HAMPSHIRE ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	56	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	84	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	32	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	1	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	2	3	2	6	8	9	17	4	3	-	-
WHITE------MALE----	1	1	1	1	3	3	4	10	-	-	-	-
FEMALE--	1	1	2	1	3	3	4	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	2	-	-
NEW MEXICO ----------	-	-	-	-	-	2	2	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	4	8	4	13	11	19	12	6	-	-
WHITE------MALE----	-	1	2	4	3	3	6	4	5	-	-	-
FEMALE--	-	-	1	2	1	4	5	12	6	5	-	-
ALL OTHER--MALE----	-	-	-	1	-	4	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	3	1	1	-	-
BLACK---MALE----	-	-	-	1	-	4	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	3	1	1	-	-
NORTH CAROLINA ---------	1	1	3	1	4	5	6	4	4	1	-	-
WHITE------MALE----	-	-	-	-	1	1	4	3	-	-	-	-
FEMALE--	-	1	1	1	1	3	-	1	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	-	2	3	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
OHIO ----------	56	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	84	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
OHIO ----------	2	1	2	4	5	5	8	15	6	5	1	-
WHITE------MALE----	1	-	1	1	3	4	3	3	-	-	-	-
FEMALE--	1	-	1	-	1	1	4	11	5	4	1	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
OKLAHOMA ----------	-	-	1	4	-	5	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	3	2	-	1	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
OREGON ----------	1	-	1	2	1	-	4	3	4	2	1	-
WHITE------MALE----	1	-	1	-	-	-	2	1	2	1	-	-
FEMALE--	-	-	-	2	-	-	2	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	3	10	6	10	19	14	11	5	1	-
WHITE------MALE----	1	-	1	4	1	3	10	4	2	2	-	-
FEMALE--	1	-	2	4	3	2	8	9	8	2	1	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	-	1	1	-	-
BLACK---MALE----	-	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	-	1	1	-	-
RHODE ISLAND ----------	-	1	-	1	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	-	-	3	3	1	1	2	2	-	-
WHITE------MALE----	-	-	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	-	-	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
SOUTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	28	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	67	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	21	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
UTAH ----------	9	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
SOUTH DAKOTA ----------	-	-	-	1	1	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	2	2	1	4	3	5	4	-	2	-
WHITE------MALE----	1	1	1	1	1	1	-	3	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	3	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	-	1	-
TEXAS ----------	1	4	1	4	7	13	13	6	9	3	2	-
WHITE------MALE----	-	1	1	-	5	5	3	2	2	1	-	-
FEMALE--	1	1	-	1	1	5	9	2	6	1	2	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	1	-	2	1	2	1	2	1	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	1	-	2	1	2	1	2	1	-	-	-
UTAH ----------	1	-	-	-	1	-	3	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	2	-	-	7	6	6	5	2	2	-	-
WHITE------MALE----	-	1	-	-	6	3	2	2	1	-	-	-
FEMALE--	-	1	-	-	1	2	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2871

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
WASHINGTON ----------	31	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	25	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
WASHINGTON ----------	3	1	2	1	6	1	6	6	3	1	-	-
WHITE------MALE----	2	-	1	-	4	1	6	2	1	-	-	-
FEMALE--	1	-	-	1	2	-	-	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	1	-	-	-	2	4	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	3	6	5	6	2	2	1	-
WHITE------MALE----	-	-	-	-	3	4	3	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	4	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
UNITED STATES -	53,127	192	24	21	27	35	59	132	189	339	544	764
WHITE------MALE----	18,732	69	9	10	10	12	12	33	58	104	163	244
FEMALE--	24,557	49	10	8	7	11	20	42	53	90	149	191
ALL OTHER--MALE----	4,330	28	5	2	4	3	14	23	38	76	129	192
FEMALE--	5,508	46	-	1	6	9	13	34	40	69	103	137
BLACK---MALE----	3,847	25	4	2	4	3	13	19	31	73	119	183
FEMALE--	4,961	42	-	1	5	8	13	31	37	63	99	126
ALABAMA ----------	1,363	9	1	-	2	-	1	5	6	13	20	20
WHITE------MALE----	350	2	1	-	-	-	-	1	1	1	6	5
FEMALE--	522	3	-	-	-	-	-	1	3	1	-	4
ALL OTHER--MALE----	211	-	-	-	1	-	1	2	2	6	7	7
FEMALE--	280	4	-	-	1	-	-	1	-	5	7	4
BLACK---MALE----	210	-	-	-	1	-	1	2	2	6	7	7
FEMALE--	274	4	-	-	1	-	-	1	-	5	7	4
ALASKA ----------	51	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
ARIZONA ----------	823	2	-	-	2	-	3	1	4	4	13	12
WHITE------MALE----	353	2	-	-	-	-	3	1	1	1	5	5
FEMALE--	369	-	-	-	1	-	-	-	1	1	2	6
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	2	1	4	-
FEMALE--	53	-	-	-	1	-	-	-	-	1	2	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	16	-	-	-	1	-	-	-	-	-	1	-
ARKANSAS ----------	676	3	-	-	-	-	1	1	2	3	7	13
WHITE------MALE----	215	1	-	-	-	-	-	-	1	-	2	3
FEMALE--	311	2	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	64	-	-	-	-	-	1	-	-	2	3	5
FEMALE--	86	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	63	-	-	-	-	-	1	-	-	2	3	5
FEMALE--	86	-	-	-	-	-	-	1	-	1	1	2
CALIFORNIA ----------	4,596	16	2	2	3	2	4	17	19	32	50	62
WHITE------MALE----	1,616	6	-	2	2	-	1	5	8	10	13	24
FEMALE--	2,201	4	1	-	-	1	3	10	6	10	24	23
ALL OTHER--MALE----	356	3	1	-	-	-	-	-	4	7	3	7
FEMALE--	423	3	-	-	1	1	-	2	1	5	10	8
BLACK---MALE----	171	1	1	-	-	-	-	-	2	7	2	7
FEMALE--	237	3	-	-	-	-	-	2	1	5	9	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
UNITED STATES -	1,082	1,470	2,120	3,389	5,475	8,041	9,652	9,740	6,701	2,616	514	1
WHITE------MALE----	347	541	773	1,237	2,169	3,283	3,799	3,302	1,858	605	94	-
FEMALE--	307	442	677	1,196	2,084	3,381	4,527	5,208	4,101	1,677	327	-
ALL OTHER--MALE----	224	225	344	450	568	643	559	476	237	69	21	-
FEMALE--	204	262	326	506	654	734	767	754	505	265	72	1
BLACK---MALE----	214	194	310	393	508	570	497	408	200	57	20	-
FEMALE--	187	235	293	462	581	662	670	676	458	241	70	1
ALABAMA ----------	46	47	62	94	117	211	235	238	164	56	16	-
WHITE------MALE----	11	14	19	24	34	68	63	65	27	5	3	-
FEMALE--	6	11	20	24	32	69	106	114	86	34	8	-
ALL OTHER--MALE----	19	7	12	17	24	35	26	27	17	-	1	-
FEMALE--	10	15	11	29	27	39	40	32	34	17	4	-
BLACK---MALE----	19	7	12	17	24	35	26	26	17	-	1	-
FEMALE--	10	15	11	29	26	39	38	31	32	17	4	-
ALASKA ----------	2	2	2	5	5	4	11	6	8	1	1	-
WHITE------MALE----	1	2	-	-	3	2	3	3	3	-	1	-
FEMALE--	1	-	1	1	-	1	4	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	3	2	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	4	1	2	-	-	-
BLACK---MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARIZONA ----------	17	38	54	51	84	113	169	146	81	24	5	-
WHITE------MALE----	6	19	24	18	34	61	72	61	34	6	-	-
FEMALE--	7	11	18	19	42	44	84	76	39	15	3	-
ALL OTHER--MALE----	2	6	6	7	6	3	3	3	4	-	1	-
FEMALE--	2	2	6	7	2	5	10	6	4	3	1	-
BLACK---MALE----	1	4	2	4	3	2	2	2	2	-	-	-
FEMALE--	2	-	2	1	-	1	2	3	1	1	1	-
ARKANSAS ----------	13	16	38	34	71	99	125	119	90	36	5	-
WHITE------MALE----	3	6	14	11	27	31	48	36	24	7	1	-
FEMALE--	3	5	12	13	24	47	60	64	50	23	3	-
ALL OTHER--MALE----	2	3	3	2	11	10	8	8	5	-	1	-
FEMALE--	5	2	9	8	9	11	9	11	11	6	-	-
BLACK---MALE----	2	3	3	2	11	10	7	8	5	-	1	-
FEMALE--	5	2	9	8	9	11	9	11	11	6	-	-
CALIFORNIA ----------	89	134	169	270	486	680	820	855	598	256	30	-
WHITE------MALE----	32	50	64	90	178	276	337	277	172	63	6	-
FEMALE--	33	47	57	119	191	301	366	455	363	165	22	-
ALL OTHER--MALE----	13	18	24	32	55	50	48	56	26	9	-	-
FEMALE--	11	19	24	29	62	53	69	67	37	19	2	-
BLACK---MALE----	11	7	13	11	26	26	24	21	9	3	-	-
FEMALE--	7	11	13	19	27	29	33	38	19	12	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
COLORADO ----------	456	4	-	-	-	-	-	1	1	4	4	6
WHITE------MALE----	197	2	-	-	-	-	-	1	-	2	3	5
FEMALE--	229	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	-
CONNECTICUT ----------	662	4	-	-	-	-	1	4	-	7	4	11
WHITE------MALE----	251	1	-	-	-	-	-	1	-	1	3	5
FEMALE--	356	1	-	-	-	-	1	1	-	4	-	2
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	31	2	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	28	2	-	-	-	-	-	1	-	1	1	1
DELAWARE ----------	154	1	-	-	-	-	1	-	-	2	3	2
WHITE------MALE----	53	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	1	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	1	-	-	1	-	-
DISTRICT OF COLUMBIA ---	141	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	67	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	52	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	67	-	-	-	-	-	-	-	-	-	1	-
FLORIDA ----------	2,782	5	1	-	2	1	6	8	6	17	24	28
WHITE------MALE----	1,151	2	-	-	1	-	-	1	1	6	10	9
FEMALE--	1,193	-	1	-	-	1	1	-	1	5	6	8
ALL OTHER--MALE----	207	1	-	-	-	-	1	3	1	2	3	5
FEMALE--	231	2	-	-	1	-	4	4	3	4	5	6
BLACK---MALE----	201	1	-	-	-	-	1	3	1	2	3	4
FEMALE--	230	2	-	-	1	-	4	4	3	4	5	6
GEORGIA ----------	1,623	11	-	-	1	2	1	3	8	16	19	36
WHITE------MALE----	416	4	-	-	-	-	-	-	2	4	2	10
FEMALE--	583	1	-	-	-	1	-	1	1	1	7	3
ALL OTHER--MALE----	242	2	-	-	1	-	-	1	4	5	6	10
FEMALE--	382	4	-	-	-	1	1	1	1	6	4	13
BLACK---MALE----	241	2	-	-	1	-	-	1	4	5	6	10
FEMALE--	378	4	-	-	-	1	1	1	1	5	4	13

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
COLORADO ----------	8	11	19	34	45	63	80	85	52	29	10	-
WHITE------MALE----	5	4	10	18	15	31	33	37	16	11	4	-
FEMALE--	2	5	7	13	26	28	40	47	34	18	5	-
ALL OTHER--MALE----	-	2	-	1	3	1	3	-	-	-	1	-
FEMALE--	1	-	2	2	1	3	4	1	2	-	-	-
BLACK---MALE----	-	2	-	1	1	1	2	-	-	-	1	-
FEMALE--	1	-	2	2	1	2	2	-	1	-	-	-
CONNECTICUT ----------	15	21	21	36	65	102	112	127	93	29	10	-
WHITE------MALE----	8	6	9	16	26	46	47	48	23	8	3	-
FEMALE--	3	11	6	16	33	47	61	76	69	19	6	-
ALL OTHER--MALE----	2	1	1	3	3	5	1	1	-	2	-	-
FEMALE--	2	3	5	1	3	4	3	2	1	-	1	-
BLACK---MALE----	2	1	1	3	3	4	1	-	-	2	-	-
FEMALE--	2	3	4	1	3	2	3	2	1	-	1	-
DELAWARE ----------	5	3	4	14	10	24	26	25	23	7	4	-
WHITE------MALE----	-	1	2	4	3	9	9	10	9	2	1	-
FEMALE--	1	2	1	4	4	9	13	12	11	4	1	-
ALL OTHER--MALE----	2	-	-	4	1	1	4	2	1	-	-	-
FEMALE--	2	-	1	2	2	5	-	1	2	1	2	-
BLACK---MALE----	2	-	-	4	1	1	4	2	1	-	-	-
FEMALE--	2	-	1	2	2	5	-	1	2	1	2	-
DISTRICT OF COLUMBIA ---	5	5	4	13	17	31	20	23	11	4	4	-
WHITE------MALE----	1	1	1	-	2	1	1	3	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	4	-	1	-
ALL OTHER--MALE----	4	1	3	5	6	15	9	7	-	1	-	-
FEMALE--	-	3	-	6	8	15	9	12	7	3	3	-
BLACK---MALE----	4	1	3	5	6	14	8	7	-	1	-	-
FEMALE--	-	3	-	6	8	15	9	12	7	3	3	-
FLORIDA ----------	44	82	108	161	280	425	525	526	375	125	33	-
WHITE------MALE----	16	26	36	64	124	206	252	219	130	39	9	-
FEMALE--	10	24	27	60	94	167	222	258	214	77	17	-
ALL OTHER--MALE----	7	18	24	24	32	27	24	19	14	1	1	-
FEMALE--	11	14	21	13	30	25	27	30	17	8	6	-
BLACK---MALE----	6	18	22	24	32	26	23	19	14	1	1	-
FEMALE--	11	14	21	13	30	25	27	29	17	8	6	-
GEORGIA ----------	63	58	89	113	151	230	279	268	199	67	9	-
WHITE------MALE----	14	15	14	30	47	74	86	66	37	10	1	-
FEMALE--	13	11	23	24	45	71	114	116	110	36	5	-
ALL OTHER--MALE----	16	13	30	25	25	33	25	25	17	4	-	-
FEMALE--	20	19	22	34	34	52	54	61	35	17	3	-
BLACK---MALE----	16	13	30	24	25	33	25	25	17	4	-	-
FEMALE--	20	19	22	34	34	50	53	61	35	17	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2874

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
HAWAII ----------	175	-	-	-	-	-	-	3	2	3	1	3
WHITE------MALE----	21	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	65	-	-	-	-	-	-	2	1	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	156	2	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	75	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	79	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2,702	10	3	2	1	-	3	11	15	15	35	44
WHITE------MALE----	946	3	2	2	-	-	-	1	1	3	8	9
FEMALE--	1,176	3	1	-	-	-	1	3	4	3	8	10
ALL OTHER--MALE----	246	1	-	-	1	-	2	5	5	3	11	13
FEMALE--	334	3	-	-	-	-	-	2	5	6	8	12
BLACK---MALE----	234	1	-	-	1	-	2	4	5	3	11	13
FEMALE--	325	3	-	-	-	-	-	2	5	6	8	12
INDIANA ----------	1,435	8	-	-	1	3	-	1	4	7	12	18
WHITE------MALE----	557	5	-	-	-	2	-	-	2	3	5	6
FEMALE--	727	1	-	-	1	1	-	-	1	1	5	6
ALL OTHER--MALE----	68	2	-	-	-	-	-	-	1	2	1	2
FEMALE--	83	-	-	-	-	-	-	1	-	1	1	4
BLACK---MALE----	68	2	-	-	-	-	-	-	1	2	1	2
FEMALE--	81	-	-	-	-	-	-	1	-	1	1	4
IOWA ----------	448	1	-	-	-	-	2	-	-	2	4	5
WHITE------MALE----	182	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	252	-	-	-	-	-	1	-	-	-	1	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
KANSAS ----------	520	3	1	-	-	-	1	1	1	2	2	6
WHITE------MALE----	190	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	295	2	1	-	-	-	1	1	1	2	1	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	1	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	1	-	-	-	-	-	-	-	-	-	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2874

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
HAWAII ----------	2	7	12	18	13	29	27	26	21	8	-	-
WHITE------MALE----	-	1	-	2	4	4	3	3	1	-	-	-
FEMALE--	-	-	-	2	-	2	5	5	3	1	-	-
ALL OTHER--MALE----	1	3	7	8	7	11	9	7	12	2	-	-
FEMALE--	1	3	5	6	2	12	10	11	5	5	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO ----------	6	4	5	6	10	20	35	30	22	9	4	-
WHITE------MALE----	-	3	3	4	6	14	17	12	10	2	-	-
FEMALE--	5	1	2	2	4	6	18	17	12	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	39	75	106	162	301	398	492	486	355	122	27	-
WHITE------MALE----	15	28	33	60	126	149	198	166	105	34	3	-
FEMALE--	8	20	28	51	99	169	222	244	208	72	22	-
ALL OTHER--MALE----	9	8	26	22	36	30	35	24	10	4	1	-
FEMALE--	7	19	19	29	40	50	37	52	32	12	1	-
BLACK---MALE----	8	8	24	20	36	29	33	22	9	4	1	-
FEMALE--	7	19	19	29	38	47	36	50	32	11	1	-
INDIANA ----------	28	34	61	87	129	220	255	275	197	82	13	-
WHITE------MALE----	10	18	27	39	52	102	105	90	68	19	4	-
FEMALE--	9	12	29	27	62	99	131	160	120	55	7	-
ALL OTHER--MALE----	6	2	2	11	12	6	7	8	3	2	1	-
FEMALE--	3	2	3	10	3	13	12	17	6	6	1	-
BLACK---MALE----	6	2	2	11	12	6	7	8	3	2	1	-
FEMALE--	3	1	3	10	3	13	11	17	6	6	1	-
IOWA ----------	9	6	18	19	45	49	93	84	73	34	4	-
WHITE------MALE----	4	1	12	6	25	24	41	33	18	11	1	-
FEMALE--	3	5	4	11	19	23	52	50	53	23	3	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	1	2	1	2	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	2	-	-	1	-	-	-
KANSAS ----------	9	10	19	23	46	70	91	108	82	39	6	-
WHITE------MALE----	2	1	7	9	22	31	36	49	25	7	-	-
FEMALE--	5	6	10	12	19	35	52	54	54	30	6	-
ALL OTHER--MALE----	-	2	-	2	2	1	2	2	1	-	-	-
FEMALE--	2	1	2	-	3	3	1	3	2	2	-	-
BLACK---MALE----	-	2	-	2	1	1	2	2	1	-	-	-
FEMALE--	2	1	2	-	1	3	1	2	2	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
KENTUCKY ----------	968	3	1	-	-	-	-	6	3	6	8	19
WHITE------MALE----	385	3	-	-	-	-	-	3	1	3	5	10
FEMALE--	479	-	1	-	-	-	-	3	1	-	-	5
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	65	-	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	39	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	64	-	-	-	-	-	-	-	1	2	3	1
LOUISIANA ----------	1,194	7	-	1	-	2	2	-	3	8	20	25
WHITE------MALE----	334	-	-	1	-	-	-	-	1	-	7	2
FEMALE--	426	2	-	-	-	2	2	-	-	3	3	3
ALL OTHER--MALE----	191	1	-	-	-	-	-	-	-	3	5	11
FEMALE--	243	4	-	-	-	-	-	-	2	2	5	9
BLACK---MALE----	190	1	-	-	-	-	-	-	-	3	5	11
FEMALE--	242	4	-	-	-	-	-	-	2	2	5	9
MAINE ----------	276	-	-	-	-	-	-	-	1	1	1	2
WHITE------MALE----	122	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	154	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	898	2	1	2	-	1	-	1	1	4	13	16
WHITE------MALE----	235	-	-	1	-	-	-	-	-	-	2	4
FEMALE--	354	1	1	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	139	-	-	-	-	-	-	1	1	2	5	7
FEMALE--	170	1	-	1	-	1	-	-	-	1	4	3
BLACK---MALE----	132	-	-	-	-	-	-	1	1	2	5	7
FEMALE--	164	-	-	1	-	1	-	-	-	1	4	3
MASSACHUSETTS ----------	1,549	3	-	1	1	-	-	2	5	9	8	13
WHITE------MALE----	624	-	-	1	-	-	-	-	1	3	4	3
FEMALE--	817	2	-	-	-	-	-	1	1	3	3	6
ALL OTHER--MALE----	49	1	-	-	-	-	-	1	3	2	1	3
FEMALE--	59	-	-	-	1	-	-	-	-	1	-	1
BLACK---MALE----	42	1	-	-	-	-	-	1	3	2	1	3
FEMALE--	50	-	-	-	1	-	-	-	-	1	-	1
MICHIGAN ----------	2,021	10	-	-	2	3	4	6	3	13	17	44
WHITE------MALE----	695	2	-	-	1	2	-	2	2	5	5	16
FEMALE--	945	3	-	-	-	1	2	3	1	1	4	9
ALL OTHER--MALE----	174	-	-	-	1	-	2	-	-	4	5	14
FEMALE--	207	5	-	-	-	-	-	1	-	3	3	5
BLACK---MALE----	168	-	-	-	1	-	2	-	-	4	5	13
FEMALE--	199	5	-	-	-	-	-	1	-	3	3	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
KENTUCKY ----------	17	27	47	62	97	143	163	191	116	52	7	-
WHITE------MALE----	6	13	24	26	49	61	76	61	27	16	1	-
FEMALE--	7	9	14	27	34	68	77	116	78	34	5	-
ALL OTHER--MALE----	3	4	2	3	6	7	6	2	2	-	-	-
FEMALE--	1	1	7	6	8	7	4	12	9	2	1	-
BLACK---MALE----	3	4	2	3	6	7	6	2	2	-	-	-
FEMALE--	1	-	7	6	8	7	4	12	9	2	1	-
LOUISIANA ----------	36	37	54	98	140	186	202	190	134	33	16	-
WHITE------MALE----	10	10	13	26	45	69	66	50	30	3	1	-
FEMALE--	9	11	11	26	42	65	73	89	61	18	6	-
ALL OTHER--MALE----	6	9	19	18	23	26	25	23	16	4	2	-
FEMALE--	11	7	11	28	30	26	38	28	27	8	7	-
BLACK---MALE----	6	9	18	18	23	26	25	23	16	4	2	-
FEMALE--	11	7	11	28	30	26	38	27	27	8	7	-
MAINE ----------	5	7	8	13	30	40	57	56	35	16	4	-
WHITE------MALE----	4	3	4	7	18	21	17	27	12	6	-	-
FEMALE--	1	4	4	6	12	19	40	29	23	10	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	21	30	38	65	101	152	144	162	105	30	8	1
WHITE------MALE----	5	4	11	17	23	50	40	55	18	5	-	-
FEMALE--	7	6	12	18	33	56	64	72	55	19	5	-
ALL OTHER--MALE----	5	13	7	12	18	22	20	16	7	2	1	-
FEMALE--	4	7	8	18	27	24	20	19	25	4	2	1
BLACK---MALE----	5	13	6	12	18	21	17	14	7	2	1	-
FEMALE--	4	7	8	18	23	24	19	19	25	4	2	1
MASSACHUSETTS ----------	20	34	39	107	151	259	271	301	222	86	17	-
WHITE------MALE----	7	15	17	64	70	114	118	122	62	20	3	-
FEMALE--	6	15	17	38	67	126	141	166	151	61	13	-
ALL OTHER--MALE----	2	1	3	2	8	11	4	5	2	-	-	-
FEMALE--	5	3	2	3	6	8	8	8	7	5	1	-
BLACK---MALE----	2	1	3	1	7	8	3	4	2	-	-	-
FEMALE--	5	3	2	2	6	6	7	7	5	3	1	-
MICHIGAN ----------	47	55	82	122	213	323	358	361	233	108	17	-
WHITE------MALE----	19	16	24	44	88	124	127	123	62	31	2	-
FEMALE--	9	20	26	39	91	138	178	188	151	66	15	-
ALL OTHER--MALE----	12	6	15	21	14	30	20	18	9	3	-	-
FEMALE--	7	13	17	18	20	31	33	32	11	8	-	-
BLACK---MALE----	11	6	14	20	13	30	20	17	9	3	-	-
FEMALE--	7	13	16	15	20	30	31	31	11	8	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
MINNESOTA ----------	834	4	-	-	1	-	-	1	3	5	3	7
WHITE------MALE----	366	1	-	-	1	-	-	-	1	-	1	4
FEMALE--	442	2	-	-	-	-	-	-	2	2	2	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	12	1	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	871	3	-	-	-	4	-	3	6	4	15	20
WHITE------MALE----	208	-	-	-	-	1	-	-	1	2	-	4
FEMALE--	268	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	183	3	-	-	-	1	-	1	3	-	8	10
FEMALE--	212	-	-	-	-	2	-	2	1	1	6	4
BLACK---MALE----	183	3	-	-	-	1	-	1	3	-	8	10
FEMALE--	211	-	-	-	-	2	-	2	1	1	6	4
MISSOURI ----------	1,322	2	1	-	-	-	1	3	3	5	11	19
WHITE------MALE----	481	1	-	-	-	-	1	1	-	2	1	9
FEMALE--	686	1	1	-	-	-	-	1	1	2	5	3
ALL OTHER--MALE----	71	-	-	-	-	-	-	-	2	1	1	5
FEMALE--	84	-	-	-	-	-	-	1	-	-	4	2
BLACK---MALE----	68	-	-	-	-	-	-	-	2	1	1	5
FEMALE--	83	-	-	-	-	-	-	1	-	-	4	2
MONTANA ----------	154	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	55	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	92	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	312	1	-	-	-	1	-	-	1	2	2	2
WHITE------MALE----	143	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	156	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	1	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	391	1	-	1	-	-	-	-	1	6	3	3
WHITE------MALE----	187	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	160	-	-	-	-	-	-	-	1	3	1	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	23	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	19	1	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
MINNESOTA ----------	8	14	11	32	69	110	179	186	139	53	9	-
WHITE------MALE----	3	7	8	20	36	53	80	78	56	16	1	-
FEMALE--	5	5	2	10	28	55	96	104	83	37	8	-
ALL OTHER--MALE----	-	1	1	2	2	1	-	3	-	-	-	-
FEMALE--	-	1	-	-	3	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
MISSISSIPPI ----------	22	40	38	60	93	121	151	155	86	40	10	-
WHITE------MALE----	7	11	9	12	29	36	44	35	12	4	1	-
FEMALE--	2	3	10	14	22	36	58	57	39	18	4	-
ALL OTHER--MALE----	11	15	6	14	16	20	19	29	18	7	2	-
FEMALE--	2	11	13	20	26	29	30	34	17	11	3	-
BLACK---MALE----	11	15	6	14	16	20	19	29	18	7	2	-
FEMALE--	2	11	13	19	26	29	30	34	17	11	3	-
MISSOURI ----------	18	37	45	75	121	189	229	279	183	86	15	-
WHITE------MALE----	8	13	20	28	60	77	86	98	51	20	5	-
FEMALE--	6	14	13	30	44	89	124	164	123	57	8	-
ALL OTHER--MALE----	3	6	5	5	10	14	4	8	4	3	-	-
FEMALE--	1	4	7	12	7	9	15	9	5	6	2	-
BLACK---MALE----	3	5	5	5	9	13	4	8	4	3	-	-
FEMALE--	1	4	7	11	7	9	15	9	5	6	2	-
MONTANA ----------	1	1	7	8	9	24	25	35	31	10	2	-
WHITE------MALE----	-	1	1	5	4	10	13	11	7	2	1	-
FEMALE--	1	-	5	2	5	12	11	24	23	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	6	12	20	26	45	61	57	55	16	2	-
WHITE------MALE----	2	3	6	11	11	25	34	26	17	5	-	-
FEMALE--	1	3	4	9	15	18	24	31	38	9	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	2	3	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	-	-	1	-	-
NEVADA ----------	5	11	21	44	67	63	73	52	26	12	2	-
WHITE------MALE----	2	2	12	19	38	38	40	18	12	3	-	-
FEMALE--	3	8	6	18	20	19	28	28	13	9	2	-
ALL OTHER--MALE----	-	-	-	1	5	3	3	5	-	-	-	-
FEMALE--	-	1	3	6	4	3	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	4	2	2	1	-	-	-	-
FEMALE--	-	-	2	5	3	3	2	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
NEW HAMPSHIRE ----------	172	2	-	-	-	-	-	1	-	2	2	1
WHITE------MALE----	69	1	-	-	-	-	-	1	-	1	-	1
FEMALE--	101	1	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,828	8	3	-	1	-	-	4	8	19	13	26
WHITE------MALE----	725	2	1	-	1	-	-	1	3	7	2	7
FEMALE--	785	1	-	-	-	-	-	-	2	2	1	6
ALL OTHER--MALE----	148	3	2	-	-	-	-	-	1	3	9	7
FEMALE--	170	2	-	-	-	-	-	3	2	7	1	6
BLACK---MALE----	141	3	2	-	-	-	-	-	1	3	9	6
FEMALE--	159	2	-	-	-	-	-	3	2	6	1	6
NEW MEXICO ----------	241	1	-	-	1	-	-	1	-	2	7	4
WHITE------MALE----	96	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	111	-	-	-	1	-	-	-	-	1	2	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3,288	11	2	3	2	1	7	11	13	18	30	48
WHITE------MALE----	1,179	4	1	1	1	-	2	5	4	4	10	17
FEMALE--	1,514	4	1	2	1	-	2	3	5	6	5	9
ALL OTHER--MALE----	256	1	-	-	-	-	2	1	-	5	7	14
FEMALE--	339	2	-	-	-	1	1	2	4	3	8	8
BLACK---MALE----	235	1	-	-	-	-	2	1	-	5	6	14
FEMALE--	306	2	-	-	-	1	1	2	4	2	7	6
NORTH CAROLINA ---------	1,695	6	1	2	-	1	3	1	6	14	16	18
WHITE------MALE----	463	3	-	-	-	1	-	-	2	3	7	4
FEMALE--	686	-	-	1	-	-	2	1	-	3	3	3
ALL OTHER--MALE----	230	2	1	1	-	-	1	-	1	5	3	9
FEMALE--	316	1	-	-	-	-	-	-	3	3	3	2
BLACK---MALE----	224	2	-	1	-	-	-	-	1	5	3	8
FEMALE--	301	1	-	-	-	-	-	-	3	3	3	2
NORTH DAKOTA ----------	111	1	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	49	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	60	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
NEW HAMPSHIRE ----------	3	3	9	12	20	21	30	31	28	7	-	-
WHITE------MALE----	2	1	4	2	8	12	14	13	9	-	-	-
FEMALE--	1	1	5	10	12	9	16	18	18	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	29	43	71	116	183	313	343	337	218	83	10	-
WHITE------MALE----	9	20	31	46	75	151	162	117	64	24	2	-
FEMALE--	10	12	17	34	67	114	148	183	133	51	4	-
ALL OTHER--MALE----	5	7	14	21	20	23	12	18	2	1	-	-
FEMALE--	5	4	9	15	21	25	21	19	19	7	4	-
BLACK---MALE----	5	7	14	19	19	23	11	16	2	1	-	-
FEMALE--	5	4	9	15	20	23	19	16	17	7	4	-
NEW MEXICO ----------	2	11	14	14	27	48	38	39	24	6	2	-
WHITE------MALE----	-	3	7	3	12	24	16	14	10	1	-	-
FEMALE--	-	3	4	7	13	19	20	22	12	4	2	-
ALL OTHER--MALE----	-	5	3	3	1	3	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	2	2	3	2	1	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
NEW YORK ----------	72	87	126	218	357	475	623	589	395	166	34	-
WHITE------MALE----	19	41	46	81	136	194	261	201	111	34	6	-
FEMALE--	20	16	40	71	142	205	268	329	254	110	21	-
ALL OTHER--MALE----	16	18	20	30	36	39	36	17	7	6	1	-
FEMALE--	17	12	20	36	43	37	58	42	23	16	6	-
BLACK---MALE----	16	15	20	29	34	33	33	15	5	5	1	-
FEMALE--	15	12	20	34	38	34	50	37	21	14	6	-
NORTH CAROLINA ---------	46	53	89	131	196	268	282	284	190	70	18	-
WHITE------MALE----	12	17	23	38	59	78	94	67	41	10	4	-
FEMALE--	4	12	22	45	66	112	104	150	113	37	8	-
ALL OTHER--MALE----	19	6	24	23	26	33	36	27	9	2	2	-
FEMALE--	11	18	20	25	45	45	48	40	27	21	4	-
BLACK---MALE----	19	6	24	22	26	32	36	26	9	2	2	-
FEMALE--	9	14	19	24	45	43	47	38	26	21	3	-
NORTH DAKOTA ----------	-	1	2	1	8	11	23	15	28	13	4	-
WHITE------MALE----	-	1	1	-	4	8	11	8	11	2	-	-
FEMALE--	-	-	1	1	2	3	12	7	17	11	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2878

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
OHIO ----------	2,514	7	1	-	-	1	-	2	7	15	26	42
WHITE------MALE----	908	4	1	-	-	-	-	-	2	6	8	15
FEMALE--	1,214	1	-	-	-	-	-	1	2	3	9	11
ALL OTHER--MALE----	168	1	-	-	-	-	-	1	-	3	4	9
FEMALE--	224	1	-	-	-	1	-	-	3	3	5	7
BLACK---MALE----	167	1	-	-	-	-	-	1	-	3	4	9
FEMALE--	221	1	-	-	-	1	-	-	3	3	5	7
OKLAHOMA ----------	689	4	-	-	1	1	1	-	1	7	12	11
WHITE------MALE----	229	3	-	-	-	1	1	-	-	4	1	-
FEMALE--	350	1	-	-	1	-	-	-	1	2	6	3
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	66	-	-	-	-	-	-	-	-	-	3	5
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	38	-	-	-	-	-	-	-	-	-	3	2
OREGON ----------	423	1	-	-	-	1	-	1	1	2	3	6
WHITE------MALE----	153	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	249	1	-	-	-	1	-	-	-	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3,533	7	-	2	-	1	2	4	11	14	23	37
WHITE------MALE----	1,339	1	-	-	-	1	1	1	4	3	10	11
FEMALE--	1,769	2	-	2	-	-	-	-	4	7	8	14
ALL OTHER--MALE----	207	2	-	-	-	-	-	1	2	3	5	9
FEMALE--	218	2	-	-	-	-	1	2	1	1	-	3
BLACK---MALE----	199	2	-	-	-	-	-	-	2	3	5	9
FEMALE--	212	1	-	-	-	-	1	2	1	1	-	3
RHODE ISLAND ----------	196	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	77	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	109	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	779	1	1	-	-	-	1	3	3	7	13	13
WHITE------MALE----	183	1	-	-	-	-	-	-	-	1	4	2
FEMALE--	313	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	140	-	1	-	-	-	-	3	-	3	5	5
FEMALE--	143	-	-	-	-	-	1	-	2	2	2	3
BLACK---MALE----	139	-	1	-	-	-	-	3	-	3	5	5
FEMALE--	143	-	-	-	-	-	1	-	2	2	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
OHIO ----------	49	57	91	155	309	415	444	475	264	125	29	-
WHITE------MALE----	14	25	37	61	119	168	169	164	85	24	6	-
FEMALE--	16	18	35	57	124	185	231	271	149	83	18	-
ALL OTHER--MALE----	10	5	10	17	33	27	18	18	8	4	-	-
FEMALE--	9	9	9	20	33	35	26	22	22	14	5	-
BLACK---MALE----	10	5	10	17	32	27	18	18	8	4	-	-
FEMALE--	8	9	9	20	32	35	25	22	22	14	5	-
OKLAHOMA ----------	14	22	21	41	64	92	103	137	96	51	10	-
WHITE------MALE----	6	10	11	13	28	37	33	42	26	12	1	-
FEMALE--	3	5	4	15	23	47	59	77	63	33	7	-
ALL OTHER--MALE----	3	-	2	5	7	3	4	9	3	1	1	-
FEMALE--	2	7	4	8	6	5	7	9	4	5	1	-
BLACK---MALE----	1	-	2	-	4	3	2	6	3	-	1	-
FEMALE--	-	5	2	4	3	4	7	4	2	2	-	-
OREGON ----------	11	5	12	14	40	64	86	70	75	26	5	-
WHITE------MALE----	6	-	4	6	16	25	39	21	20	6	3	-
FEMALE--	4	4	6	6	20	37	46	46	53	19	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	2	1	-	-	-
FEMALE--	1	-	2	2	4	1	1	1	1	1	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	1	1	1	1	-	1	-	-	-
PENNSYLVANIA ----------	55	74	124	258	370	582	702	685	404	157	21	-
WHITE------MALE----	16	29	52	99	151	258	296	249	109	42	6	-
FEMALE--	25	21	41	107	162	255	346	384	270	106	15	-
ALL OTHER--MALE----	6	11	19	22	33	42	33	10	8	1	-	-
FEMALE--	8	13	12	30	24	27	27	42	17	8	-	-
BLACK---MALE----	6	9	19	21	33	40	31	10	8	1	-	-
FEMALE--	8	13	11	29	23	26	27	41	17	8	-	-
RHODE ISLAND ----------	1	-	10	8	23	35	40	38	28	9	2	-
WHITE------MALE----	-	-	6	2	11	10	20	13	8	4	1	-
FEMALE--	1	-	4	5	10	21	19	24	20	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	3	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	-	-	1	-
SOUTH CAROLINA ---------	20	20	44	55	82	133	145	131	80	22	5	-
WHITE------MALE----	6	3	13	10	22	42	41	22	13	3	-	-
FEMALE--	5	6	9	14	28	54	61	65	49	12	3	-
ALL OTHER--MALE----	2	7	15	15	18	17	22	21	3	2	1	-
FEMALE--	7	4	7	16	14	20	21	23	15	5	1	-
BLACK---MALE----	2	6	15	15	18	17	22	21	3	2	1	-
FEMALE--	7	4	7	16	14	20	21	23	15	5	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2879

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
SOUTH DAKOTA ----------	146	-	-	-	-	1	-	-	-	-	1	1
WHITE------MALE----	56	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	76	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,211	3	-	1	-	1	5	5	9	11	15	18
WHITE------MALE----	362	-	-	-	-	-	1	2	4	4	3	5
FEMALE--	583	2	-	-	-	1	-	1	3	4	3	4
ALL OTHER--MALE----	104	-	-	1	-	-	2	-	2	1	4	5
FEMALE--	162	1	-	-	-	-	2	2	-	2	5	4
BLACK---MALE----	104	-	-	1	-	-	2	-	2	1	4	5
FEMALE--	162	1	-	-	-	-	2	2	-	2	5	4
TEXAS ----------	2,824	14	2	2	4	5	7	12	15	21	36	55
WHITE------MALE----	990	6	2	1	2	2	1	1	6	11	11	18
FEMALE--	1,340	3	-	1	1	1	4	7	4	5	15	18
ALL OTHER--MALE----	194	3	-	-	-	-	1	-	1	4	5	9
FEMALE--	300	2	-	-	1	2	1	4	4	1	5	10
BLACK---MALE----	181	2	-	-	-	-	1	-	1	4	5	9
FEMALE--	293	2	-	-	1	2	1	4	4	1	5	10
UTAH ----------	229	-	1	-	-	-	-	1	2	2	5	1
WHITE------MALE----	102	-	-	-	-	-	-	-	2	1	4	1
FEMALE--	121	-	1	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	90	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,462	6	1	-	1	3	-	4	6	6	21	23
WHITE------MALE----	426	3	1	-	1	-	-	1	1	1	4	8
FEMALE--	581	1	-	-	-	1	-	2	2	2	4	3
ALL OTHER--MALE----	210	1	-	-	-	2	-	-	-	3	8	7
FEMALE--	245	1	-	-	-	-	-	1	3	-	5	5
BLACK---MALE----	202	1	-	-	-	2	-	-	-	3	8	7
FEMALE--	235	1	-	-	-	-	-	1	2	-	5	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
SOUTH DAKOTA ----------	-	4	7	8	9	19	29	32	21	12	2	-
WHITE------MALE----	-	1	2	4	4	9	10	12	9	3	-	-
FEMALE--	-	1	4	2	3	7	16	20	12	9	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	1	1	2	3	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	41	34	49	85	121	184	221	217	135	49	7	-
WHITE------MALE----	17	10	15	32	47	61	70	57	27	6	1	-
FEMALE--	11	10	18	28	46	84	119	123	87	34	5	-
ALL OTHER--MALE----	7	5	6	11	10	15	13	16	6	-	-	-
FEMALE--	6	9	10	14	18	24	19	21	15	9	1	-
BLACK---MALE----	7	5	6	11	10	15	13	16	6	-	-	-
FEMALE--	6	9	10	14	18	24	19	21	15	9	1	-
TEXAS ----------	65	107	126	169	250	385	467	479	406	164	33	-
WHITE------MALE----	18	44	53	71	100	168	166	163	106	36	4	-
FEMALE--	22	38	40	58	107	155	230	257	252	100	22	-
ALL OTHER--MALE----	11	9	17	22	16	28	29	18	14	5	2	-
FEMALE--	14	16	16	18	27	34	42	41	34	23	5	-
BLACK---MALE----	11	9	16	22	15	25	25	16	13	5	2	-
FEMALE--	13	16	15	18	26	34	40	40	33	23	5	-
UTAH ----------	5	1	10	12	21	36	51	43	29	9	-	-
WHITE------MALE----	3	-	4	6	9	18	23	18	9	4	-	-
FEMALE--	1	1	6	6	12	16	26	25	20	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT ----------	-	1	7	4	7	16	21	14	14	3	1	-
WHITE------MALE----	-	1	3	1	3	9	9	5	-	3	1	-
FEMALE--	-	-	4	3	4	7	12	9	13	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	36	49	57	118	175	226	277	243	143	56	11	-
WHITE------MALE----	8	18	12	35	54	74	90	69	37	8	1	-
FEMALE--	9	13	21	34	44	82	116	120	82	39	6	-
ALL OTHER--MALE----	13	5	12	25	34	38	34	20	5	1	2	-
FEMALE--	6	13	12	24	43	32	37	34	19	8	2	-
BLACK---MALE----	13	4	12	25	32	35	33	20	4	1	2	-
FEMALE--	6	13	12	24	42	31	34	32	18	8	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
WASHINGTON ----------	539	-	-	-	-	-	1	1	5	2	3	7
WHITE------MALE----	212	-	-	-	-	-	-	1	2	-	-	4
FEMALE--	273	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	29	-	-	-	-	-	1	-	2	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	13	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
WEST VIRGINIA ----------	492	3	-	-	-	-	1	2	2	2	5	5
WHITE------MALE----	188	2	-	-	-	-	1	1	1	1	2	2
FEMALE--	284	-	-	-	-	-	-	1	1	1	2	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1,052	2	1	2	1	-	-	1	1	4	3	4
WHITE------MALE----	431	1	-	-	-	-	-	1	-	2	-	2
FEMALE--	569	1	1	2	1	-	-	-	1	2	1	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	60	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2880

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
WASHINGTON ----------	14	14	13	23	47	75	102	119	70	32	11	-
WHITE------MALE----	5	5	6	9	17	26	53	51	23	9	1	-
FEMALE--	3	5	6	8	23	40	42	67	43	23	9	-
ALL OTHER--MALE----	3	3	-	4	1	7	5	-	1	-	-	-
FEMALE--	3	1	1	2	6	2	2	1	3	-	1	-
BLACK---MALE----	2	2	-	2	1	2	2	-	-	-	-	-
FEMALE--	1	-	-	1	3	1	1	1	-	-	1	-
WEST VIRGINIA ----------	8	10	16	47	67	60	93	87	62	17	5	-
WHITE------MALE----	3	7	6	24	40	27	29	28	12	2	-	-
FEMALE--	4	1	10	21	25	32	59	57	49	13	5	-
ALL OTHER--MALE----	-	1	-	2	1	-	3	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	2	1	1	2	-	-
BLACK---MALE----	-	1	-	2	1	-	3	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	2	1	1	2	-	-
WISCONSIN ----------	8	19	28	48	103	149	216	211	172	66	13	-
WHITE------MALE----	2	8	13	18	53	71	100	82	56	17	5	-
FEMALE--	2	6	10	23	41	73	105	128	115	48	7	-
ALL OTHER--MALE----	2	3	3	5	4	1	6	-	-	-	-	-
FEMALE--	2	2	2	2	5	4	5	1	1	1	1	-
BLACK---MALE----	2	2	3	4	4	1	6	-	-	-	-	-
FEMALE--	2	1	2	1	5	3	4	1	1	1	1	-
WYOMING ----------	-	3	1	6	4	11	8	12	10	3	1	-
WHITE------MALE----	-	3	-	2	2	6	1	4	4	-	-	-
FEMALE--	-	-	1	4	2	5	7	7	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2881

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
UNITED STATES -	52,189	177	23	21	25	34	56	128	182	330	528	748
WHITE------MALE----	18,215	69	9	10	10	12	12	33	58	103	161	243
FEMALE--	24,290	41	9	8	5	10	19	41	49	87	140	184
ALL OTHER--MALE----	4,255	28	5	2	4	3	14	23	38	76	129	191
FEMALE--	5,429	39	-	1	6	9	11	31	37	64	98	130
BLACK---MALE----	3,776	25	4	2	4	3	13	19	31	73	119	182
FEMALE--	4,885	35	-	1	5	8	11	28	35	59	94	119
ALABAMA ----------	1,344	8	1	-	2	-	1	5	6	13	20	20
WHITE------MALE----	345	2	1	-	-	-	-	1	1	1	6	5
FEMALE--	517	2	-	-	-	-	-	1	3	1	-	4
ALL OTHER--MALE----	209	-	-	-	1	-	1	2	2	6	7	7
FEMALE--	273	4	-	-	1	-	-	1	-	5	7	4
BLACK---MALE----	208	-	-	-	1	-	1	2	2	6	7	7
FEMALE--	267	4	-	-	1	-	-	1	-	5	7	4
ALASKA ----------	51	-	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
ARIZONA ----------	810	2	-	-	2	-	3	1	4	4	12	12
WHITE------MALE----	343	2	-	-	-	-	3	1	1	1	4	5
FEMALE--	366	-	-	-	1	-	-	-	1	1	2	6
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	2	1	4	-
FEMALE--	53	-	-	-	1	-	-	-	-	1	2	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	16	-	-	-	1	-	-	-	-	-	1	-
ARKANSAS ----------	669	2	-	-	-	-	1	1	2	3	7	13
WHITE------MALE----	212	1	-	-	-	-	-	-	1	-	2	3
FEMALE--	309	1	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	63	-	-	-	-	-	1	-	-	2	3	5
FEMALE--	85	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	62	-	-	-	-	-	1	-	-	2	3	5
FEMALE--	85	-	-	-	-	-	-	1	-	1	1	2
CALIFORNIA ----------	4,471	15	2	2	3	2	4	17	18	31	46	58
WHITE------MALE----	1,535	6	-	2	2	-	1	5	8	10	13	24
FEMALE--	2,171	4	1	-	-	1	3	10	5	10	21	20
ALL OTHER--MALE----	348	3	1	-	-	-	-	-	4	7	3	7
FEMALE--	417	2	-	-	1	1	-	2	1	4	9	7
BLACK---MALE----	166	1	1	-	-	-	-	-	2	7	2	7
FEMALE--	231	2	-	-	-	-	-	2	1	4	8	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2881

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
UNITED STATES -	1,061	1,444	2,084	3,342	5,399	7,913	9,477	9,560	6,590	2,568	498	1
WHITE------MALE----	342	534	759	1,212	2,129	3,209	3,683	3,180	1,784	577	86	-
FEMALE--	299	429	664	1,185	2,066	3,346	4,485	5,169	4,072	1,660	322	-
ALL OTHER--MALE----	218	221	338	444	557	638	545	464	230	68	19	-
FEMALE--	202	260	323	501	647	720	764	747	504	263	71	1
BLACK---MALE----	209	190	304	387	498	565	483	397	194	56	18	-
FEMALE--	185	233	290	457	574	649	667	669	457	239	69	1
ALABAMA ----------	44	47	61	93	112	209	233	234	163	56	16	-
WHITE------MALE----	11	14	18	24	34	68	62	63	26	5	3	-
FEMALE--	5	11	20	24	31	69	105	113	86	34	8	-
ALL OTHER--MALE----	19	7	12	16	23	35	26	27	17	-	1	-
FEMALE--	9	15	11	29	24	37	40	31	34	17	4	-
BLACK---MALE----	19	7	12	16	23	35	26	26	17	-	1	-
FEMALE--	9	15	11	29	23	37	38	30	32	17	4	-
ALASKA ----------	2	2	2	5	5	4	11	6	8	1	1	-
WHITE------MALE----	1	2	-	-	3	2	3	3	3	-	1	-
FEMALE--	1	-	1	1	-	1	4	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	3	2	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	4	1	2	-	-	-
BLACK---MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARIZONA ----------	17	37	54	51	84	111	166	142	80	23	5	-
WHITE------MALE----	6	18	24	18	34	59	70	58	33	6	-	-
FEMALE--	7	11	18	19	42	44	83	75	39	14	3	-
ALL OTHER--MALE----	2	6	6	7	6	3	3	3	4	-	1	-
FEMALE--	2	2	6	7	2	5	10	6	4	3	1	-
BLACK---MALE----	1	4	2	4	3	2	2	2	2	-	-	-
FEMALE--	2	-	2	1	-	1	2	3	1	1	1	-
ARKANSAS ----------	13	16	38	34	70	97	125	118	89	36	4	-
WHITE------MALE----	3	6	14	11	26	30	48	36	23	7	1	-
FEMALE--	3	5	12	13	24	47	60	63	50	23	3	-
ALL OTHER--MALE----	2	3	3	2	11	10	8	8	5	-	-	-
FEMALE--	5	2	9	8	9	10	9	11	11	6	-	-
BLACK---MALE----	2	3	3	2	11	10	7	8	5	-	-	-
FEMALE--	5	2	9	8	9	10	9	11	11	6	-	-
CALIFORNIA ----------	88	133	165	264	477	662	797	825	582	252	28	-
WHITE------MALE----	32	50	62	86	172	264	319	257	158	59	5	-
FEMALE--	32	46	55	117	190	295	365	448	362	165	21	-
ALL OTHER--MALE----	13	18	24	32	53	50	45	54	25	9	-	-
FEMALE--	11	19	24	29	62	53	68	66	37	19	2	-
BLACK---MALE----	11	7	13	11	25	26	21	20	9	3	-	-
FEMALE--	7	11	13	19	27	29	32	37	19	12	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2882

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
COLORADO ----------	450	4	-	-	-	-	-	1	1	4	4	6
WHITE------MALE----	192	2	-	-	-	-	-	1	-	2	3	5
FEMALE--	228	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	-
CONNECTICUT ----------	650	4	-	-	-	-	1	4	-	7	3	11
WHITE------MALE----	242	1	-	-	-	-	-	1	-	1	3	5
FEMALE--	355	1	-	-	-	-	1	1	-	4	-	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	30	2	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	27	2	-	-	-	-	-	1	-	1	-	1
DELAWARE ----------	148	1	-	-	-	-	-	-	-	2	3	2
WHITE------MALE----	49	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	136	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	49	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	-
FLORIDA ----------	2,732	5	1	-	2	-	5	8	5	15	23	28
WHITE------MALE----	1,128	2	-	-	1	-	-	1	1	6	10	9
FEMALE--	1,180	-	1	-	-	-	1	-	1	5	5	8
ALL OTHER--MALE----	199	1	-	-	-	-	1	3	1	2	3	5
FEMALE--	225	2	-	-	1	-	3	4	2	2	5	6
BLACK---MALE----	193	1	-	-	-	-	1	3	1	2	3	4
FEMALE--	224	2	-	-	1	-	3	4	2	2	5	6
GEORGIA ----------	1,608	11	-	-	1	2	1	3	8	16	18	36
WHITE------MALE----	408	4	-	-	-	-	-	-	2	4	2	10
FEMALE--	580	1	-	-	-	1	-	1	1	1	7	3
ALL OTHER--MALE----	240	2	-	-	1	-	-	1	4	5	6	10
FEMALE--	380	4	-	-	-	1	1	1	1	6	3	13
BLACK---MALE----	239	2	-	-	1	-	-	1	4	5	6	10
FEMALE--	376	4	-	-	-	1	1	1	1	5	3	13

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2882

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
COLORADO ----------	8	10	19	34	45	63	79	84	49	29	10	-
WHITE------MALE----	5	3	10	18	15	31	32	36	14	11	4	-
FEMALE--	2	5	7	13	26	28	40	47	33	18	5	-
ALL OTHER--MALE----	-	2	-	1	3	1	3	-	-	-	1	-
FEMALE--	1	-	2	2	1	3	4	1	2	-	-	-
BLACK---MALE----	-	2	-	1	1	1	2	-	-	-	1	-
FEMALE--	1	-	2	2	1	2	2	-	1	-	-	-
CONNECTICUT ----------	14	21	21	36	64	101	108	125	92	28	10	-
WHITE------MALE----	8	6	9	16	25	45	43	46	23	7	3	-
FEMALE--	3	11	6	16	33	47	61	76	68	19	6	-
ALL OTHER--MALE----	1	1	1	3	3	5	1	1	-	2	-	-
FEMALE--	2	3	5	1	3	4	3	2	1	-	1	-
BLACK---MALE----	1	1	1	3	3	4	1	-	-	2	-	-
FEMALE--	2	3	4	1	3	2	3	2	1	-	1	-
DELAWARE ----------	5	3	4	14	10	24	25	21	23	7	4	-
WHITE------MALE----	-	1	2	4	3	9	8	7	9	2	1	-
FEMALE--	1	2	1	4	4	9	13	12	11	4	1	-
ALL OTHER--MALE----	2	-	-	4	1	1	4	1	1	-	-	-
FEMALE--	2	-	1	2	2	5	-	1	2	1	2	-
BLACK---MALE----	2	-	-	4	1	1	4	1	1	-	-	-
FEMALE--	2	-	1	2	2	5	-	1	2	1	2	-
DISTRICT OF COLUMBIA ---	5	4	4	12	16	31	18	23	11	4	4	-
WHITE------MALE----	1	1	1	-	1	1	1	3	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	4	-	1	-
ALL OTHER--MALE----	4	1	3	4	6	15	7	7	-	1	-	-
FEMALE--	-	2	-	6	8	15	9	12	7	3	3	-
BLACK---MALE----	4	1	3	4	6	14	6	7	-	1	-	-
FEMALE--	-	2	-	6	8	15	9	12	7	3	3	-
FLORIDA ----------	43	81	108	154	277	419	515	519	371	122	31	-
WHITE------MALE----	16	26	36	62	122	204	244	215	127	37	9	-
FEMALE--	10	24	27	59	94	164	220	255	214	76	16	-
ALL OTHER--MALE----	6	17	24	21	31	26	24	19	13	1	1	-
FEMALE--	11	14	21	12	30	25	27	30	17	8	5	-
BLACK---MALE----	5	17	22	21	31	25	23	19	13	1	1	-
FEMALE--	11	14	21	12	30	25	27	29	17	8	5	-
GEORGIA ----------	62	58	88	111	150	228	276	267	197	66	9	-
WHITE------MALE----	14	15	14	29	47	72	84	65	36	9	1	-
FEMALE--	13	11	22	24	44	71	113	116	110	36	5	-
ALL OTHER--MALE----	15	13	30	25	25	33	25	25	16	4	-	-
FEMALE--	20	19	22	33	34	52	54	61	35	17	3	-
BLACK---MALE----	15	13	30	24	25	33	25	25	16	4	-	-
FEMALE--	20	19	22	33	34	50	53	61	35	17	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
HAWAII ----------	173	-	-	-	-	-	-	3	2	2	1	3
WHITE------MALE----	20	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	64	-	-	-	-	-	-	2	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	152	1	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	74	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	76	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2,665	10	3	2	1	-	3	11	15	15	35	44
WHITE------MALE----	918	3	2	2	-	-	-	1	1	3	8	9
FEMALE--	1,173	3	1	-	-	-	1	3	4	3	8	10
ALL OTHER--MALE----	242	1	-	-	1	-	2	5	5	3	11	13
FEMALE--	332	3	-	-	-	-	-	2	5	6	8	12
BLACK---MALE----	230	1	-	-	1	-	2	4	5	3	11	13
FEMALE--	323	3	-	-	-	-	-	2	5	6	8	12
INDIANA ----------	1,408	8	-	-	1	3	-	1	3	7	12	17
WHITE------MALE----	540	5	-	-	-	2	-	-	2	3	5	6
FEMALE--	718	1	-	-	1	1	-	-	-	1	5	6
ALL OTHER--MALE----	68	2	-	-	-	-	-	-	1	2	1	2
FEMALE--	82	-	-	-	-	-	-	1	-	1	1	3
BLACK---MALE----	68	2	-	-	-	-	-	-	1	2	1	2
FEMALE--	80	-	-	-	-	-	-	1	-	1	1	3
IOWA ----------	423	1	-	-	-	-	2	-	-	2	4	5
WHITE------MALE----	164	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	245	-	-	-	-	-	1	-	-	-	1	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
KANSAS ----------	513	3	1	-	-	-	1	1	1	2	2	6
WHITE------MALE----	186	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	292	2	1	-	-	-	1	1	1	2	1	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	1	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	1	-	-	-	-	-	-	-	-	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
HAWAII ----------	2	7	12	18	13	29	27	25	21	8	-	-
WHITE------MALE----	-	1	-	2	4	4	3	2	1	-	-	-
FEMALE--	-	-	-	2	-	2	5	5	3	1	-	-
ALL OTHER--MALE----	1	3	7	8	7	11	9	7	12	2	-	-
FEMALE--	1	3	5	6	2	12	10	11	5	5	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO ----------	6	4	5	5	9	20	35	30	21	9	4	-
WHITE------MALE----	-	3	3	4	6	14	17	12	9	2	-	-
FEMALE--	5	1	2	1	3	6	18	17	12	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	39	75	104	160	296	395	482	477	350	121	27	-
WHITE------MALE----	15	28	31	58	124	146	191	159	101	33	3	-
FEMALE--	8	20	28	51	98	169	221	244	207	72	22	-
ALL OTHER--MALE----	9	8	26	22	35	30	33	23	10	4	1	-
FEMALE--	7	19	19	29	39	50	37	51	32	12	1	-
BLACK---MALE----	8	8	24	20	35	29	31	21	9	4	1	-
FEMALE--	7	19	19	29	37	47	36	49	32	11	1	-
INDIANA ----------	27	34	58	87	128	213	249	271	197	80	12	-
WHITE------MALE----	9	18	26	39	51	97	101	87	68	18	3	-
FEMALE--	9	12	27	27	62	97	129	159	120	54	7	-
ALL OTHER--MALE----	6	2	2	11	12	6	7	8	3	2	1	-
FEMALE--	3	2	3	10	3	13	12	17	6	6	1	-
BLACK---MALE----	6	2	2	11	12	6	7	8	3	2	1	-
FEMALE--	3	1	3	10	3	13	11	17	6	6	1	-
IOWA ----------	9	5	17	18	44	45	86	79	72	30	4	-
WHITE------MALE----	4	1	11	5	24	20	37	29	18	8	1	-
FEMALE--	3	4	4	11	19	23	49	49	52	22	3	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	1	2	1	2	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	2	-	-	1	-	-	-
KANSAS ----------	9	10	19	22	46	69	90	105	82	38	6	-
WHITE------MALE----	2	1	7	9	22	30	35	47	25	7	-	-
FEMALE--	5	6	10	11	19	35	52	53	54	29	6	-
ALL OTHER--MALE----	-	2	-	2	2	1	2	2	1	-	-	-
FEMALE--	2	1	2	-	3	3	1	3	2	2	-	-
BLACK---MALE----	-	2	-	2	1	1	2	2	1	-	-	-
FEMALE--	2	1	2	-	1	3	1	2	2	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2884

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
KENTUCKY ----------	956	3	-	-	-	-	-	6	3	6	8	19
WHITE------MALE----	379	3	-	-	-	-	-	3	1	3	5	10
FEMALE--	474	-	-	-	-	-	-	3	1	-	-	5
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	65	-	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	38	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	64	-	-	-	-	-	-	-	1	2	3	1
LOUISIANA ----------	1,182	6	-	1	-	2	2	-	3	8	20	24
WHITE------MALE----	331	-	-	1	-	-	-	-	1	-	7	2
FEMALE--	422	1	-	-	-	2	2	-	-	3	3	3
ALL OTHER--MALE----	186	1	-	-	-	-	-	-	-	3	5	10
FEMALE--	243	4	-	-	-	-	-	-	2	2	5	9
BLACK---MALE----	185	1	-	-	-	-	-	-	-	3	5	10
FEMALE--	242	4	-	-	-	-	-	-	2	2	5	9
MAINE ----------	274	-	-	-	-	-	-	-	1	1	1	2
WHITE------MALE----	120	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	154	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	879	2	1	2	-	1	-	1	1	4	13	16
WHITE------MALE----	226	-	-	1	-	-	-	-	-	-	2	4
FEMALE--	348	1	1	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	137	-	-	-	-	-	-	1	1	2	5	7
FEMALE--	168	1	-	1	-	1	-	-	-	1	4	3
BLACK---MALE----	130	-	-	-	-	-	-	1	1	2	5	7
FEMALE--	162	-	-	1	-	1	-	-	-	1	4	3
MASSACHUSETTS ----------	1,535	2	-	1	1	-	-	2	5	9	8	13
WHITE------MALE----	614	-	-	1	-	-	-	-	1	3	4	3
FEMALE--	813	1	-	-	-	-	-	1	1	3	3	6
ALL OTHER--MALE----	49	1	-	-	-	-	-	1	3	2	1	3
FEMALE--	59	-	-	-	1	-	-	-	-	1	-	1
BLACK---MALE----	42	1	-	-	-	-	-	1	3	2	1	3
FEMALE--	50	-	-	-	1	-	-	-	-	1	-	1
MICHIGAN ----------	1,982	9	-	-	2	3	3	5	3	13	17	42
WHITE------MALE----	678	2	-	-	1	2	-	2	2	5	5	16
FEMALE--	930	2	-	-	-	1	1	3	1	1	4	7
ALL OTHER--MALE----	169	-	-	-	1	-	2	-	-	4	5	14
FEMALE--	205	5	-	-	-	-	-	-	-	3	3	5
BLACK---MALE----	163	-	-	-	1	-	2	-	-	4	5	13
FEMALE--	197	5	-	-	-	-	-	-	-	3	3	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2884

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
KENTUCKY ----------	16	27	47	61	96	142	160	188	115	52	7	-
WHITE------MALE----	6	13	24	26	48	60	73	60	27	16	1	-
FEMALE--	7	9	14	26	34	68	77	114	77	34	5	-
ALL OTHER--MALE----	2	4	2	3	6	7	6	2	2	-	-	-
FEMALE--	1	1	7	6	8	7	4	12	9	2	1	-
BLACK---MALE----	2	4	2	3	6	7	6	2	2	-	-	-
FEMALE--	1	-	7	6	8	7	4	12	9	2	1	-
LOUISIANA ----------	35	37	53	98	139	184	201	188	132	33	16	-
WHITE------MALE----	10	10	13	26	45	69	65	49	29	3	1	-
FEMALE--	8	11	11	26	42	63	73	89	61	18	6	-
ALL OTHER--MALE----	6	9	18	18	22	26	25	22	15	4	2	-
FEMALE--	11	7	11	28	30	26	38	28	27	8	7	-
BLACK---MALE----	6	9	17	18	22	26	25	22	15	4	2	-
FEMALE--	11	7	11	28	30	26	38	27	27	8	7	-
MAINE ----------	5	7	8	13	29	40	57	56	34	16	4	-
WHITE------MALE----	4	3	4	7	17	21	17	27	11	6	-	-
FEMALE--	1	4	4	6	12	19	40	29	23	10	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	21	29	36	64	99	150	140	158	102	30	8	1
WHITE------MALE----	5	4	9	17	22	50	38	52	17	5	-	-
FEMALE--	7	5	12	18	32	55	62	72	54	19	5	-
ALL OTHER--MALE----	5	13	7	12	18	22	20	15	6	2	1	-
FEMALE--	4	7	8	17	27	23	20	19	25	4	2	1
BLACK---MALE----	5	13	6	12	18	21	17	13	6	2	1	-
FEMALE--	4	7	8	17	23	23	19	19	25	4	2	1
MASSACHUSETTS ----------	20	34	39	106	149	258	268	298	221	84	17	-
WHITE------MALE----	7	15	17	63	69	114	115	119	62	18	3	-
FEMALE--	6	15	17	38	66	125	141	166	150	61	13	-
ALL OTHER--MALE----	2	1	3	2	8	11	4	5	2	-	-	-
FEMALE--	5	3	2	3	6	8	8	8	7	5	1	-
BLACK---MALE----	2	1	3	1	7	8	3	4	2	-	-	-
FEMALE--	5	3	2	2	6	6	7	7	5	3	1	-
MICHIGAN ----------	46	54	80	117	210	318	353	357	229	105	16	-
WHITE------MALE----	18	16	24	41	87	123	125	119	58	30	2	-
FEMALE--	9	20	26	38	89	135	175	188	151	65	14	-
ALL OTHER--MALE----	12	5	14	20	14	29	20	18	9	2	-	-
FEMALE--	7	13	16	18	20	31	33	32	11	8	-	-
BLACK---MALE----	11	5	13	19	13	29	20	17	9	2	-	-
FEMALE--	7	13	15	15	20	30	31	31	11	8	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2885

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
MINNESOTA ----------	817	3	-	-	1	-	-	1	2	4	3	7
WHITE------MALE----	354	1	-	-	1	-	-	-	1	-	1	4
FEMALE--	438	1	-	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	11	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	863	3	-	-	-	4	-	2	6	4	15	20
WHITE------MALE----	205	-	-	-	-	1	-	-	1	2	-	4
FEMALE--	265	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	183	3	-	-	-	1	-	1	3	-	8	10
FEMALE--	210	-	-	-	-	2	-	1	1	1	6	4
BLACK---MALE----	183	3	-	-	-	1	-	1	3	-	8	10
FEMALE--	209	-	-	-	-	2	-	1	1	1	6	4
MISSOURI ----------	1,298	2	1	-	-	-	1	3	3	5	10	18
WHITE------MALE----	472	1	-	-	-	-	1	1	-	2	1	9
FEMALE--	673	1	1	-	-	-	-	1	1	2	4	3
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	2	1	1	5
FEMALE--	83	-	-	-	-	-	-	1	-	-	4	1
BLACK---MALE----	67	-	-	-	-	-	-	-	2	1	1	5
FEMALE--	82	-	-	-	-	-	-	1	-	-	4	1
MONTANA ----------	149	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	52	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	90	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	308	1	-	-	-	1	-	-	1	2	2	2
WHITE------MALE----	141	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	154	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	1	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	388	-	-	1	-	-	-	-	1	6	3	3
WHITE------MALE----	185	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	160	-	-	-	-	-	-	-	1	3	1	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
MINNESOTA ----------	8	14	11	32	67	109	177	183	134	52	9	-
WHITE------MALE----	3	7	8	20	34	52	79	75	52	15	1	-
FEMALE--	5	5	2	10	28	55	95	104	82	37	8	-
ALL OTHER--MALE----	-	1	1	2	2	1	-	3	-	-	-	-
FEMALE--	-	1	-	-	3	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
MISSISSIPPI ----------	22	40	37	60	91	120	150	153	86	40	10	-
WHITE------MALE----	7	11	9	12	28	36	43	34	12	4	1	-
FEMALE--	2	3	9	14	21	36	58	56	39	18	4	-
ALL OTHER--MALE----	11	15	6	14	16	20	19	29	18	7	2	-
FEMALE--	2	11	13	20	26	28	30	34	17	11	3	-
BLACK---MALE----	11	15	6	14	16	20	19	29	18	7	2	-
FEMALE--	2	11	13	19	26	28	30	34	17	11	3	-
MISSOURI ----------	18	36	44	74	120	186	224	276	180	82	15	-
WHITE------MALE----	8	13	19	28	59	76	84	96	50	19	5	-
FEMALE--	6	13	13	29	44	87	121	163	122	54	8	-
ALL OTHER--MALE----	3	6	5	5	10	14	4	8	3	3	-	-
FEMALE--	1	4	7	12	7	9	15	9	5	6	2	-
BLACK---MALE----	3	5	5	5	9	13	4	8	3	3	-	-
FEMALE--	1	4	7	11	7	9	15	9	5	6	2	-
MONTANA ----------	1	1	6	8	9	23	25	34	30	10	1	-
WHITE------MALE----	-	1	1	5	4	9	13	10	7	2	-	-
FEMALE--	1	-	4	2	5	12	11	24	22	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	6	11	20	26	45	61	57	53	15	2	-
WHITE------MALE----	2	3	6	11	11	25	34	26	16	4	-	-
FEMALE--	1	3	3	9	15	18	24	31	37	9	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	2	3	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	-	-	1	-	-
NEVADA ----------	5	11	21	44	67	62	73	51	26	12	2	-
WHITE------MALE----	2	2	12	19	38	37	40	17	12	3	-	-
FEMALE--	3	8	6	18	20	19	28	28	13	9	2	-
ALL OTHER--MALE----	-	-	-	1	5	3	3	5	-	-	-	-
FEMALE--	-	1	3	6	4	3	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	4	2	2	1	-	-	-	-
FEMALE--	-	-	2	5	3	3	2	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
NEW HAMPSHIRE ----------	168	2	-	-	-	-	-	1	-	2	2	1
WHITE------MALE----	66	1	-	-	-	-	-	1	-	1	-	1
FEMALE--	100	1	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,803	7	3	-	1	-	-	4	8	19	13	26
WHITE------MALE----	713	2	1	-	1	-	-	1	3	7	2	7
FEMALE--	775	1	-	-	-	-	-	-	2	2	1	6
ALL OTHER--MALE----	147	3	2	-	-	-	-	-	1	3	9	7
FEMALE--	168	1	-	-	-	-	-	3	2	7	1	6
BLACK---MALE----	140	3	2	-	-	-	-	-	1	3	9	6
FEMALE--	157	1	-	-	-	-	-	3	2	6	1	6
NEW MEXICO ----------	235	1	-	-	-	-	-	1	-	2	7	4
WHITE------MALE----	92	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	109	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3,230	10	2	3	2	1	7	11	12	17	30	45
WHITE------MALE----	1,152	4	1	1	1	-	2	5	4	4	10	17
FEMALE--	1,494	4	1	2	1	-	2	3	4	5	5	9
ALL OTHER--MALE----	252	1	-	-	-	-	2	1	-	5	7	14
FEMALE--	332	1	-	-	-	1	1	2	4	3	8	5
BLACK---MALE----	231	1	-	-	-	-	2	1	-	5	6	14
FEMALE--	299	1	-	-	-	1	1	2	4	2	7	3
NORTH CAROLINA ---------	1,666	6	1	2	-	1	3	1	6	14	16	18
WHITE------MALE----	451	3	-	-	-	1	-	-	2	3	7	4
FEMALE--	679	-	-	1	-	-	2	1	-	3	3	3
ALL OTHER--MALE----	225	2	1	1	-	-	1	-	1	5	3	9
FEMALE--	311	1	-	-	-	-	-	-	3	3	3	2
BLACK---MALE----	219	2	-	1	-	-	-	-	1	5	3	8
FEMALE--	296	1	-	-	-	-	-	-	3	3	3	2
NORTH DAKOTA ----------	109	1	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	47	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	60	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2886

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
NEW HAMPSHIRE ----------	2	3	9	12	20	21	29	31	26	7	-	-
WHITE------MALE----	2	1	4	2	8	12	13	13	7	-	-	-
FEMALE--	-	1	5	10	12	9	16	18	18	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	25	42	71	116	180	310	336	331	218	83	10	-
WHITE------MALE----	8	20	31	46	74	149	157	114	64	24	2	-
FEMALE--	8	12	17	34	65	113	146	180	133	51	4	-
ALL OTHER--MALE----	5	6	14	21	20	23	12	18	2	1	-	-
FEMALE--	4	4	9	15	21	25	21	19	19	7	4	-
BLACK---MALE----	5	6	14	19	19	23	11	16	2	1	-	-
FEMALE--	4	4	9	15	20	23	19	16	17	7	4	-
NEW MEXICO ----------	2	11	13	14	27	47	37	37	24	6	2	-
WHITE------MALE----	-	3	6	3	12	23	15	13	10	1	-	-
FEMALE--	-	3	4	7	13	19	20	21	12	4	2	-
ALL OTHER--MALE----	-	5	3	3	1	3	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	2	2	3	2	1	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
NEW YORK ----------	71	83	123	215	351	468	613	579	392	164	31	-
WHITE------MALE----	19	38	46	78	132	192	256	196	109	33	4	-
FEMALE--	19	15	38	71	142	201	264	326	253	109	20	-
ALL OTHER--MALE----	16	18	20	30	34	39	35	16	7	6	1	-
FEMALE--	17	12	19	36	43	36	58	41	23	16	6	-
BLACK---MALE----	16	15	20	29	32	33	32	14	5	5	1	-
FEMALE--	15	12	19	34	38	33	50	36	21	14	6	-
NORTH CAROLINA ---------	45	53	88	131	195	264	276	274	185	69	18	-
WHITE------MALE----	11	17	22	38	59	77	92	62	39	10	4	-
FEMALE--	4	12	22	45	66	111	103	148	111	36	8	-
ALL OTHER--MALE----	19	6	24	23	26	33	34	25	8	2	2	-
FEMALE--	11	18	20	25	44	43	47	39	27	21	4	-
BLACK---MALE----	19	6	24	22	26	32	34	24	8	2	2	-
FEMALE--	9	14	19	24	44	41	46	37	26	21	3	-
NORTH DAKOTA ----------	-	1	2	1	8	11	22	15	28	12	4	-
WHITE------MALE----	-	1	1	-	4	8	10	8	11	1	-	-
FEMALE--	-	-	1	1	2	3	12	7	17	11	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2887

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
OHIO ----------	2,462	6	1	-	-	1	-	2	7	15	25	41
WHITE------MALE----	880	4	1	-	-	-	-	-	2	6	8	15
FEMALE--	1,199	1	-	-	-	-	-	1	2	3	8	11
ALL OTHER--MALE----	164	1	-	-	-	-	-	1	-	3	4	9
FEMALE--	219	-	-	-	-	1	-	-	3	3	5	6
BLACK---MALE----	163	1	-	-	-	-	-	1	-	3	4	9
FEMALE--	216	-	-	-	-	1	-	-	3	3	5	6
OKLAHOMA ----------	679	4	-	-	1	1	1	-	1	7	12	11
WHITE------MALE----	224	3	-	-	-	1	1	-	-	4	1	-
FEMALE--	347	1	-	-	1	-	-	-	1	2	6	3
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	65	-	-	-	-	-	-	-	-	-	3	5
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	37	-	-	-	-	-	-	-	-	-	3	2
OREGON ----------	417	1	-	-	-	1	-	1	1	2	3	6
WHITE------MALE----	150	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	246	1	-	-	-	1	-	-	-	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3,490	7	-	2	-	1	2	4	11	13	22	36
WHITE------MALE----	1,318	1	-	-	-	1	1	1	4	3	10	11
FEMALE--	1,753	2	-	2	-	-	-	-	4	6	7	13
ALL OTHER--MALE----	204	2	-	-	-	-	-	1	2	3	5	9
FEMALE--	215	2	-	-	-	-	1	2	1	1	-	3
BLACK---MALE----	196	2	-	-	-	-	-	-	2	3	5	9
FEMALE--	209	1	-	-	-	-	1	2	1	1	-	3
RHODE ISLAND ----------	193	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	75	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	109	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	767	1	1	-	-	-	1	3	3	7	13	13
WHITE------MALE----	182	1	-	-	-	-	-	-	-	1	4	2
FEMALE--	308	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	136	-	1	-	-	-	-	3	-	3	5	5
FEMALE--	141	-	-	-	-	-	1	-	2	2	2	3
BLACK---MALE----	135	-	1	-	-	-	-	3	-	3	5	5
FEMALE--	141	-	-	-	-	-	1	-	2	2	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
OHIO ----------	49	54	89	155	307	406	431	471	253	120	29	-
WHITE------MALE----	14	24	37	61	119	163	160	160	78	22	6	-
FEMALE--	16	16	35	57	124	182	227	271	146	81	18	-
ALL OTHER--MALE----	10	5	8	17	32	26	18	18	8	4	-	-
FEMALE--	9	9	9	20	32	35	26	22	21	13	5	-
BLACK---MALE----	10	5	8	17	31	26	18	18	8	4	-	-
FEMALE--	8	9	9	20	31	35	25	22	21	13	5	-
OKLAHOMA ----------	12	22	21	39	64	91	102	136	94	50	10	-
WHITE------MALE----	5	10	11	12	28	36	32	41	26	12	1	-
FEMALE--	3	5	4	15	23	47	59	77	61	32	7	-
ALL OTHER--MALE----	2	-	2	5	7	3	4	9	3	1	1	-
FEMALE--	2	7	4	7	6	5	7	9	4	5	1	-
BLACK---MALE----	1	-	2	-	4	3	2	6	3	-	1	-
FEMALE--	-	5	2	3	3	4	7	4	2	2	-	-
OREGON ----------	11	4	12	14	40	64	86	66	74	26	5	-
WHITE------MALE----	6	-	4	6	16	25	39	19	19	6	3	-
FEMALE--	4	3	6	6	20	37	46	44	53	19	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	2	1	-	-	-
FEMALE--	1	-	2	2	4	1	1	1	1	1	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	1	1	1	1	-	1	-	-	-
PENNSYLVANIA ----------	55	72	123	257	368	577	693	674	397	155	21	-
WHITE------MALE----	16	28	52	99	150	256	291	241	107	40	6	-
FEMALE--	25	20	41	107	161	254	343	382	265	106	15	-
ALL OTHER--MALE----	6	11	18	22	33	41	32	10	8	1	-	-
FEMALE--	8	13	12	29	24	26	27	41	17	8	-	-
BLACK---MALE----	6	9	18	21	33	39	30	10	8	1	-	-
FEMALE--	8	13	11	28	23	25	27	40	17	8	-	-
RHODE ISLAND ----------	1	-	10	8	23	34	40	37	28	8	2	-
WHITE------MALE----	-	-	6	2	11	10	20	12	8	3	1	-
FEMALE--	1	-	4	5	10	21	19	24	20	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	-	-	1	-
SOUTH CAROLINA ---------	20	20	42	55	81	129	143	129	79	22	5	-
WHITE------MALE----	6	3	13	10	22	41	41	22	13	3	-	-
FEMALE--	5	6	8	14	28	54	60	63	48	12	3	-
ALL OTHER--MALE----	2	7	14	15	17	16	21	21	3	2	1	-
FEMALE--	7	4	7	16	14	18	21	23	15	5	1	-
BLACK---MALE----	2	6	14	15	17	16	21	21	3	2	1	-
FEMALE--	7	4	7	16	14	18	21	23	15	5	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2888

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
SOUTH DAKOTA ----------	140	-	-	-	-	1	-	-	-	-	1	1
WHITE------MALE----	52	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	74	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,192	2	-	1	-	1	5	4	9	11	15	16
WHITE------MALE----	352	-	-	-	-	-	1	2	4	4	3	4
FEMALE--	579	2	-	-	-	1	-	1	3	4	3	3
ALL OTHER--MALE----	103	-	-	1	-	-	2	-	2	1	4	5
FEMALE--	158	-	-	-	-	-	2	1	-	2	5	4
BLACK---MALE----	103	-	-	1	-	-	2	-	2	1	4	5
FEMALE--	158	-	-	-	-	-	2	1	-	2	5	4
TEXAS ----------	2,762	14	2	2	4	5	7	12	14	20	33	55
WHITE------MALE----	949	6	2	1	2	2	1	1	6	10	10	18
FEMALE--	1,329	3	-	1	1	1	4	7	4	5	14	18
ALL OTHER--MALE----	189	3	-	-	-	-	1	-	1	4	5	9
FEMALE--	295	2	-	-	1	2	1	4	3	1	4	10
BLACK---MALE----	176	2	-	-	-	-	1	-	1	4	5	9
FEMALE--	288	2	-	-	1	2	1	4	3	1	4	10
UTAH ----------	227	-	1	-	-	-	-	1	2	2	5	1
WHITE------MALE----	101	-	-	-	-	-	-	-	2	1	4	1
FEMALE--	120	-	1	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	90	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,431	5	1	-	1	3	-	3	5	6	19	23
WHITE------MALE----	416	3	1	-	1	-	-	1	1	1	4	8
FEMALE--	568	1	-	-	-	1	-	1	2	2	3	3
ALL OTHER--MALE----	208	1	-	-	-	2	-	-	-	3	8	7
FEMALE--	239	-	-	-	-	-	-	1	2	-	4	5
BLACK---MALE----	200	1	-	-	-	2	-	-	-	3	8	7
FEMALE--	230	-	-	-	-	-	-	1	2	-	4	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2888

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
SOUTH DAKOTA ----------	-	4	7	8	8	18	27	31	20	12	2	-
WHITE------MALE----	-	1	2	4	4	8	9	11	8	3	-	-
FEMALE--	-	1	4	2	2	7	15	20	12	9	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	1	1	2	3	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	41	34	48	84	117	182	219	214	133	49	7	-
WHITE------MALE----	17	10	15	31	45	59	68	57	25	6	1	-
FEMALE--	11	10	18	28	44	84	119	122	87	34	5	-
ALL OTHER--MALE----	7	5	6	11	10	15	13	15	6	-	-	-
FEMALE--	6	9	9	14	18	24	19	20	15	9	1	-
BLACK---MALE----	7	5	6	11	10	15	13	15	6	-	-	-
FEMALE--	6	9	9	14	18	24	19	20	15	9	1	-
TEXAS ----------	65	103	124	165	243	374	457	470	400	163	30	-
WHITE------MALE----	18	44	52	68	96	159	159	155	101	36	2	-
FEMALE--	22	36	39	57	105	154	228	257	251	100	22	-
ALL OTHER--MALE----	11	8	17	22	15	28	28	17	14	5	1	-
FEMALE--	14	15	16	18	27	33	42	41	34	22	5	-
BLACK---MALE----	11	8	16	22	14	25	24	15	13	5	1	-
FEMALE--	13	15	15	18	26	33	40	40	33	22	5	-
UTAH ----------	5	1	10	12	21	36	51	42	28	9	-	-
WHITE------MALE----	3	-	4	6	9	18	23	17	9	4	-	-
FEMALE--	1	1	6	6	12	16	26	25	19	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT ----------	-	1	7	4	7	16	21	14	14	3	1	-
WHITE------MALE----	-	1	3	1	3	9	9	5	-	3	1	-
FEMALE--	-	-	4	3	4	7	12	9	13	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	35	47	56	117	173	221	271	240	141	53	11	-
WHITE------MALE----	8	18	12	35	53	72	87	67	36	7	1	-
FEMALE--	8	11	20	33	44	80	115	120	81	37	6	-
ALL OTHER--MALE----	13	5	12	25	34	38	33	19	5	1	2	-
FEMALE--	6	13	12	24	42	31	36	34	19	8	2	-
BLACK---MALE----	13	4	12	25	32	35	32	19	4	1	2	-
FEMALE--	6	13	12	24	41	30	33	32	18	8	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2889

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
WASHINGTON ----------	516	-	-	-	-	-	1	1	5	1	3	7
WHITE------MALE----	193	-	-	-	-	-	-	1	2	-	-	4
FEMALE--	270	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	28	-	-	-	-	-	1	-	2	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	12	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
WEST VIRGINIA ----------	489	3	-	-	-	-	1	2	2	2	5	5
WHITE------MALE----	187	2	-	-	-	-	1	1	1	1	2	2
FEMALE--	282	-	-	-	-	-	-	1	1	1	2	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1,032	1	1	2	-	-	-	1	1	4	3	4
WHITE------MALE----	418	1	-	-	-	-	-	1	-	2	-	2
FEMALE--	562	-	1	2	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	57	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
WASHINGTON ----------	13	14	12	21	45	71	98	113	68	32	11	-
WHITE------MALE----	5	5	5	7	15	22	49	47	21	9	1	-
FEMALE--	3	5	6	8	23	40	42	65	43	23	9	-
ALL OTHER--MALE----	2	3	-	4	1	7	5	-	1	-	-	-
FEMALE--	3	1	1	2	6	2	2	1	3	-	1	-
BLACK---MALE----	1	2	-	2	1	2	2	-	-	-	-	-
FEMALE--	1	-	-	1	3	1	1	1	-	-	1	-
WEST VIRGINIA ----------	8	10	16	47	67	59	93	86	61	17	5	-
WHITE------MALE----	3	7	6	24	40	27	29	28	11	2	-	-
FEMALE--	4	1	10	21	25	31	59	56	49	13	5	-
ALL OTHER--MALE----	-	1	-	2	1	-	3	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	2	1	1	2	-	-
BLACK---MALE----	-	1	-	2	1	-	3	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	2	1	1	2	-	-
WISCONSIN ----------	8	19	28	47	102	146	213	209	168	64	11	-
WHITE------MALE----	2	8	13	17	52	69	99	80	52	16	4	-
FEMALE--	2	6	10	23	41	72	103	128	115	47	6	-
ALL OTHER--MALE----	2	3	3	5	4	1	6	-	-	-	-	-
FEMALE--	2	2	2	2	5	4	5	1	1	1	1	-
BLACK---MALE----	2	2	3	4	4	1	6	-	-	-	-	-
FEMALE--	2	1	2	1	5	3	4	1	1	1	1	-
WYOMING ----------	-	3	1	5	4	11	8	11	9	3	1	-
WHITE------MALE----	-	3	-	2	2	6	1	3	3	-	-	-
FEMALE--	-	-	1	3	2	5	7	7	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2890

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
UNITED STATES -	2,076	7	7	5	2	5	8	23	10	28	37	49
WHITE------MALE----	775	5	3	2	1	2	2	10	3	6	14	18
FEMALE--	987	-	2	3	-	-	2	7	4	12	12	24
ALL OTHER--MALE----	149	-	2	-	-	1	4	3	2	2	6	4
FEMALE--	165	2	-	-	1	2	-	3	1	8	5	3
BLACK---MALE----	126	-	2	-	-	1	3	2	1	2	5	4
FEMALE--	135	1	-	-	1	2	-	2	1	6	5	2
ALABAMA ----------	35	-	1	-	-	-	-	-	-	-	2	1
WHITE------MALE----	10	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	64	-	-	-	1	-	1	-	-	1	-	1
WHITE------MALE----	28	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS ----------	26	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	299	2	2	-	1	-	-	7	4	4	7	10
WHITE------MALE----	106	1	-	-	1	-	-	4	1	1	3	4
FEMALE--	154	-	1	-	-	-	-	2	3	2	4	4
ALL OTHER--MALE----	16	-	1	-	-	-	-	-	-	1	-	2
FEMALE--	23	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	1	-	-	-	-	-	-	1	-	2
FEMALE--	9	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2890

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
UNITED STATES -	78	75	82	120	199	309	350	366	220	85	11	-
WHITE------MALE----	26	28	31	41	57	130	158	136	67	31	4	-
FEMALE--	31	32	27	49	105	144	157	194	130	46	6	-
ALL OTHER--MALE----	9	7	12	13	19	15	18	18	11	3	-	-
FEMALE--	12	8	12	17	18	20	17	18	12	5	1	-
BLACK---MALE----	9	5	10	10	18	12	12	17	10	3	-	-
FEMALE--	10	7	8	13	15	16	14	17	10	4	1	-
ALABAMA ----------	1	1	1	1	2	9	6	7	3	-	-	-
WHITE------MALE----	-	-	-	-	-	1	3	4	-	-	-	-
FEMALE--	1	-	1	1	2	5	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
ALASKA ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	2	5	4	6	11	11	12	5	1	1	-
WHITE------MALE----	1	1	2	1	1	8	5	4	4	-	-	-
FEMALE--	1	1	3	1	5	3	6	8	-	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	3	4	5	5	4	2	1	-	-
WHITE------MALE----	-	-	-	1	1	1	-	2	1	-	-	-
FEMALE--	-	-	-	2	2	3	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA ----------	11	9	11	23	27	45	45	47	28	16	-	-
WHITE------MALE----	5	3	5	4	6	21	21	18	4	4	-	-
FEMALE--	4	5	1	16	19	18	20	25	21	9	-	-
ALL OTHER--MALE----	-	-	2	2	-	2	3	1	1	1	-	-
FEMALE--	2	1	3	1	2	4	1	3	2	2	-	-
BLACK---MALE----	-	-	1	1	-	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	1	1	2	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
COLORADO ----------	18	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	143	-	1	-	-	-	-	3	-	4	1	2
WHITE------MALE----	68	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	56	-	1	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	2	-	-
GEORGIA ----------	47	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
COLORADO ----------	-	-	-	1	2	6	5	2	-	-	-	-
WHITE------MALE----	-	-	-	1	1	4	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	-	1	2	1	1	2	5	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	7	7	8	20	16	30	14	17	7	2	-
WHITE------MALE----	3	2	4	4	7	8	19	8	7	4	1	-
FEMALE--	-	4	-	3	10	6	10	4	9	3	1	-
ALL OTHER--MALE----	-	1	2	1	1	1	1	2	1	-	-	-
FEMALE--	1	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	1	2	1	-	-	-
FEMALE--	1	-	1	-	2	1	-	-	-	-	-	-
GEORGIA ----------	2	2	1	3	3	7	14	7	5	1	-	-
WHITE------MALE----	-	-	-	1	-	4	5	1	2	1	-	-
FEMALE--	-	-	-	-	2	1	4	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	2	1	-	-	-
FEMALE--	2	1	1	2	1	2	3	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	2	1	-	-	-
FEMALE--	2	1	1	2	1	2	3	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
HAWAII ----------	6	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	74	-	-	-	-	-	1	2	-	-	1	1
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	2	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	45	-	-	-	-	1	-	-	-	1	-	2
WHITE------MALE----	16	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	32	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	19	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
HAWAII ----------	1	-	-	-	-	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	-	-	1	1	-	1	2	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	-	4	2	8	12	9	16	12	2	1	-
WHITE------MALE----	2	-	2	2	3	5	4	6	4	1	-	-
FEMALE--	1	-	1	-	4	7	4	9	7	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
INDIANA ----------	2	2	1	-	4	7	6	8	7	2	2	-
WHITE------MALE----	-	1	1	-	2	5	1	1	2	1	1	-
FEMALE--	2	1	-	-	2	2	5	5	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IOWA ----------	2	-	1	2	2	5	6	7	4	3	-	-
WHITE------MALE----	1	-	1	1	1	1	2	5	-	3	-	-
FEMALE--	1	-	-	-	1	4	4	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	2	-	1	1	5	4	2	-	-	-
WHITE------MALE----	-	-	1	-	1	-	2	1	2	-	-	-
FEMALE--	1	1	1	-	-	1	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
KENTUCKY ----------	33	1	-	-	-	-	-	1	-	-	1	2
WHITE------MALE----	11	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	35	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	27	-	-	1	-	-	-	1	-	-	2	1
WHITE------MALE----	9	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS ----------	20	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	65	-	-	-	-	-	-	2	-	1	-	1
WHITE------MALE----	21	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
KENTUCKY ----------	-	-	1	1	3	3	5	9	4	1	1	-
WHITE------MALE----	-	-	-	-	-	2	3	2	-	-	1	-
FEMALE--	-	-	-	1	3	1	2	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	4	5	2	3	5	6	4	3	-	-	-
WHITE------MALE----	-	-	1	-	-	-	5	1	1	-	-	-
FEMALE--	-	2	4	1	1	3	-	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
MAINE ----------	1	-	1	-	1	-	1	2	-	-	-	-
WHITE------MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	1	-	4	6	4	3	3	-	-	-
WHITE------MALE----	1	-	-	-	2	2	-	2	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
MASSACHUSETTS ----------	-	2	-	-	3	2	5	4	2	1	-	-
WHITE------MALE----	-	1	-	-	-	2	3	2	2	-	-	-
FEMALE--	-	1	-	-	3	-	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	7	2	2	3	7	7	12	12	5	3	1	-
WHITE------MALE----	4	-	1	-	2	3	4	3	1	2	-	-
FEMALE--	2	1	-	3	2	3	7	4	3	1	1	-
ALL OTHER--MALE----	1	-	1	-	2	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	3	1	-	-	-
BLACK---MALE----	1	-	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	3	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2894

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
MINNESOTA ----------	29	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	30	-	-	-	-	-	-	-	1	-	2	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	39	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	15	-	-	1	-	-	-	-	-	1	-	-
WHITE------MALE----	10	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
MINNESOTA ----------	-	1	-	-	2	7	5	7	4	1	1	-
WHITE------MALE----	-	1	-	-	1	2	3	2	1	-	1	-
FEMALE--	-	-	-	-	1	5	2	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	2	-	-	5	2	4	7	2	2	-	-
WHITE------MALE----	-	1	-	-	1	2	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	3	2	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	1	-	-	2	-	-	3	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	1	-	-	2	-	-	3	-	-	-	-
MISSOURI ----------	-	4	-	2	2	6	7	11	3	2	1	-
WHITE------MALE----	-	2	-	-	-	2	1	4	-	-	-	-
FEMALE--	-	1	-	2	2	4	5	7	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
MONTANA ----------	-	-	1	-	-	2	1	3	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	-	2	-	-	4	2	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	3	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	1	4	3	3	1	-	-	-
WHITE------MALE----	-	-	-	-	1	4	1	2	1	-	-	-
FEMALE--	1	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
NEW HAMPSHIRE ----------	10	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	58	-	1	-	-	-	-	-	2	1	-	3
WHITE------MALE----	24	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
NEW MEXICO ----------	17	-	-	-	-	-	-	-	-	1	3	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	123	1	-	1	-	1	3	2	1	3	-	4
WHITE------MALE----	45	1	-	-	-	-	1	1	-	1	-	-
FEMALE--	51	-	-	1	-	-	1	1	-	1	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	16	-	-	-	-	1	-	-	1	1	-	1
BLACK---MALE----	11	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	15	-	-	-	-	1	-	-	1	1	-	-
NORTH CAROLINA ---------	62	-	-	-	-	-	1	-	-	-	2	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
NEW HAMPSHIRE ----------	-	-	-	1	-	1	-	4	2	1	-	-
WHITE------MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	2	3	2	4	10	9	13	4	2	-	-
WHITE------MALE----	-	1	2	2	2	4	3	4	2	2	-	-
FEMALE--	-	1	-	-	1	5	5	8	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
NEW MEXICO ----------	-	2	-	2	1	3	3	1	1	-	-	-
WHITE------MALE----	-	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	8	6	7	7	12	10	25	17	11	4	-	-
WHITE------MALE----	1	4	2	4	1	6	12	7	4	-	-	-
FEMALE--	4	1	4	1	5	2	9	8	7	4	-	-
ALL OTHER--MALE----	1	1	1	1	4	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	2	2	4	1	-	-	-	-
BLACK---MALE----	1	1	1	1	4	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	2	2	4	1	-	-	-	-
NORTH CAROLINA ---------	3	1	4	7	9	8	8	11	6	2	-	-
WHITE------MALE----	-	1	-	1	3	1	4	6	3	-	-	-
FEMALE--	-	-	1	5	2	4	2	4	1	1	-	-
ALL OTHER--MALE----	3	-	2	-	2	1	1	-	-	1	-	-
FEMALE--	-	-	1	1	2	2	1	1	2	-	-	-
BLACK---MALE----	3	-	2	-	2	1	1	-	-	1	-	-
FEMALE--	-	-	1	1	2	2	1	1	2	-	-	-
NORTH DAKOTA ----------	-	-	-	-	1	-	2	2	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
OHIO ----------	92	-	-	-	-	1	-	-	-	2	3	4
WHITE------MALE----	39	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	1	1	1
OKLAHOMA ----------	30	-	-	-	-	1	-	-	-	-	2	-
WHITE------MALE----	12	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
OREGON ----------	34	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	84	1	-	-	-	-	-	1	-	-	-	2
WHITE------MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	46	-	1	-	-	-	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
OHIO ----------	4	4	3	4	8	16	11	18	12	2	-	-
WHITE------MALE----	1	2	3	1	1	5	5	10	6	1	-	-
FEMALE--	3	2	-	1	6	10	6	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	-	-
OKLAHOMA ----------	1	-	-	2	1	4	3	10	3	3	-	-
WHITE------MALE----	-	-	-	1	1	2	-	4	2	1	-	-
FEMALE--	1	-	-	-	-	2	3	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON ----------	2	-	2	2	5	4	4	6	4	3	-	-
WHITE------MALE----	2	-	-	1	1	1	3	1	2	2	-	-
FEMALE--	-	-	2	-	3	3	1	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	2	3	5	9	12	20	15	9	1	1	-
WHITE------MALE----	-	1	-	2	3	2	12	7	2	-	-	-
FEMALE--	3	1	1	2	5	10	7	8	5	-	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	1	-	-
RHODE ISLAND ----------	-	-	1	-	-	2	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	1	3	6	4	5	10	3	6	2	-	-
WHITE------MALE----	1	-	1	2	1	3	1	-	1	-	-	-
FEMALE--	1	1	1	1	2	1	6	3	4	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	2	-	1	-	-	-
FEMALE--	1	-	-	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	2	-	1	-	-	-
FEMALE--	1	-	-	2	1	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
SOUTH DAKOTA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	57	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	129	-	1	1	-	-	1	-	1	3	-	3
WHITE------MALE----	45	-	1	-	-	-	-	-	1	1	-	1
FEMALE--	65	-	-	1	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	20	-	-	-	-	-	-	1	-	-	3	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	33	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
SOUTH DAKOTA ----------	-	-	2	-	-	2	2	4	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	1	2	5	6	11	7	12	5	4	-	-
WHITE------MALE----	-	1	1	2	1	4	3	3	-	2	-	-
FEMALE--	2	-	1	2	3	6	3	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	2	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	2	1	1	2	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	1	-	-
TEXAS ----------	4	9	5	6	11	16	20	23	17	8	-	-
WHITE------MALE----	1	2	1	3	2	6	10	6	7	3	-	-
FEMALE--	2	5	2	2	7	7	8	15	7	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	2	2	-	-	-
FEMALE--	-	2	2	1	2	2	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	2	2	-	-	-
FEMALE--	-	2	2	1	2	2	1	-	1	-	-	-
UTAH ----------	1	-	-	2	-	5	2	4	2	-	-	-
WHITE------MALE----	1	-	-	1	-	3	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	1	2	1	5	6	5	9	2	-	-
WHITE------MALE----	-	-	-	-	-	3	5	1	-	1	-	-
FEMALE--	-	1	-	-	-	2	1	3	7	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	-	-
BLACK---MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2898

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
WASHINGTON ----------	40	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	45	1	-	1	-	-	-	-	-	2	-	-
WHITE------MALE----	16	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	26	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
WASHINGTON ----------	2	1	1	3	5	8	4	9	2	3	-	-
WHITE------MALE----	1	1	-	1	3	6	1	5	1	1	-	-
FEMALE--	1	-	1	-	2	2	3	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	2	4	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	1	6	5	9	8	5	2	3	-	-
WHITE------MALE----	-	-	-	2	2	2	5	1	1	1	-	-
FEMALE--	-	-	1	3	3	7	3	4	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2899

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular diseases (N00-N07)												
UNITED STATES -	716	3	3	4	2	2	6	13	6	13	16	21
WHITE------MALE----	286	3	2	2	1	1	2	6	3	3	7	10
FEMALE--	283	-	1	2	-	-	1	3	-	6	1	7
ALL OTHER--MALE----	73	-	-	-	-	1	3	3	2	2	4	2
FEMALE--	74	-	-	-	1	-	-	1	1	2	4	2
BLACK---MALE----	56	-	-	-	-	1	3	2	1	2	3	2
FEMALE--	57	-	-	-	1	-	-	-	1	2	4	1
ALABAMA ----------	5	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	16	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS ----------	10	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	121	1	1	-	1	-	-	5	1	4	3	4
WHITE------MALE----	52	1	-	-	1	-	-	3	1	1	3	2
FEMALE--	46	-	1	-	-	-	-	2	-	2	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
UNITED STATES -	32	30	43	46	82	127	113	101	39	13	1	-
WHITE------MALE----	12	9	17	16	27	60	50	35	13	7	-	-
FEMALE--	9	11	13	17	43	51	44	50	19	4	1	-
ALL OTHER--MALE----	5	5	6	5	6	6	11	8	3	1	-	-
FEMALE--	6	5	7	8	6	10	8	8	4	1	-	-
BLACK---MALE----	5	3	5	3	5	5	6	7	2	1	-	-
FEMALE--	5	4	3	7	4	7	6	8	3	1	-	-
ALABAMA ----------	-	1	-	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	2	1	2	4	4	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	2	2	-	-	-	-	-
FEMALE--	-	1	1	-	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	2	-	4	1	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	8	3	7	9	8	19	17	18	10	2	-	-
WHITE------MALE----	5	1	1	2	2	9	6	9	3	2	-	-
FEMALE--	1	1	1	7	5	6	8	7	4	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	2	1	1	-	-	-
FEMALE--	2	1	3	-	1	3	1	1	2	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2900

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular diseases (N00-N07)												
COLORADO ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	56	-	-	-	-	-	-	1	-	3	-	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
GEORGIA ----------	20	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
COLORADO ----------	-	-	-	1	1	2	3	1	-	-	-	-
WHITE------MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	-	1	1	1	1	-	2	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	4	4	4	8	9	11	4	3	3	-	-
WHITE------MALE----	1	1	3	2	3	4	6	1	1	2	-	-
FEMALE--	-	2	-	1	5	4	4	2	2	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	2	-	1	2	4	6	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	1	1	-	1	-	1	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	1	1	-	1	-	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2901

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular diseases (N00-N07)												
HAWAII ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	16	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	14	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
HAWAII ----------	-	-	-	-	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	3	-	2	4	1	2	3	-	-	-
WHITE------MALE----	-	-	2	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
INDIANA ----------	-	2	-	-	3	3	2	1	-	-	1	-
WHITE------MALE----	-	1	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	2	1	3	2	1	-	1	-	-
WHITE------MALE----	1	-	-	1	-	1	1	1	-	1	-	-
FEMALE--	1	-	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2902

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular diseases (N00-N07)												
KENTUCKY ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	14	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	11	-	-	1	-	-	-	1	-	-	2	1
WHITE------MALE----	5	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	18	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
KENTUCKY ----------	-	-	-	-	1	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	2	3	2	2	1	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	1	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MAINE ----------	-	-	1	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	2	1	2	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	-	-	1	2	1	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	1	1	2	2	2	5	1	1	-	-
WHITE------MALE----	1	-	1	-	1	2	1	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular diseases (N00-N07)												
MINNESOTA ----------	9	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	10	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
MINNESOTA ----------	-	-	-	-	1	3	2	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	2	1	-	3	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MISSOURI ----------	-	4	-	-	-	3	1	5	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	1	-	-	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	2	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2904

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular diseases (N00-N07)												
NEW HAMPSHIRE ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	25	-	-	-	-	-	-	-	1	-	-	3
WHITE------MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
NEW MEXICO ----------	6	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	47	1	-	1	-	-	2	1	1	-	-	2
WHITE------MALE----	22	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	16	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
NORTH CAROLINA ---------	21	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2904

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
NEW HAMPSHIRE ----------	-	-	-	-	-	1	-	2	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	1	2	-	2	4	2	6	2	-	-	-
WHITE------MALE----	-	-	1	-	2	2	1	2	2	-	-	-
FEMALE--	-	1	-	-	-	2	-	3	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
NEW MEXICO ----------	-	2	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	2	4	2	2	6	11	6	3	-	-	-
WHITE------MALE----	-	2	2	1	-	3	5	5	1	-	-	-
FEMALE--	1	-	2	-	2	1	5	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	1	-	-	-	-	-
NORTH CAROLINA ---------	1	-	1	1	4	4	4	3	2	-	-	-
WHITE------MALE----	-	-	-	1	1	1	4	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	1	2	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	1	2	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2905

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular diseases (N00-N07)												
OHIO ----------	27	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	5	-	-	-	-	1	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OREGON ----------	12	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	34	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
OHIO ----------	2	-	1	3	3	8	1	4	2	-	-	-
WHITE------MALE----	1	-	1	-	-	3	-	4	1	-	-	-
FEMALE--	1	-	-	1	2	5	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	2	3	2	1	1	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	2	2	6	4	8	6	1	1	-	-
WHITE------MALE----	-	-	-	-	3	-	4	2	-	-	-	-
FEMALE--	2	-	1	1	3	4	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	1	4	1	3	4	-	-	-	-	-
WHITE------MALE----	1	-	-	2	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular diseases (N00-N07)												
SOUTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	28	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	27	-	1	1	-	-	1	-	1	1	-	-
WHITE------MALE----	8	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	7	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
SOUTH DAKOTA ----------	-	-	2	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	2	2	4	5	4	7	2	-	-	-
WHITE------MALE----	-	-	1	2	1	3	2	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	2	1	1	-	5	3	4	3	3	-	-	-
WHITE------MALE----	-	-	-	-	1	2	1	1	1	-	-	-
FEMALE--	1	-	1	-	3	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
UTAH ----------	1	-	-	1	-	2	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	-	1	2	2	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2907

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular diseases (N00-N07)												
WASHINGTON ----------	17	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	15	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
WASHINGTON ----------	-	-	1	2	5	4	-	2	1	-	-	-
WHITE------MALE----	-	-	-	1	3	3	-	1	1	-	-	-
FEMALE--	-	-	1	-	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	1	-	3	2	3	2	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	3	-	1	1	-	-
FEMALE--	-	-	1	-	2	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and rapidly progressive nephritic syndrome (N00-N01)												
UNITED STATES -	28	-	-	1	-	-	-	-	1	1	-	-
WHITE------MALE----	10	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2908

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and rapidly progressive nephritic syndrome (N00-N01)												
UNITED STATES -	1	1	2	4	3	5	3	5	1	-	-	-
WHITE------MALE----	-	-	-	3	1	3	1	-	1	-	-	-
FEMALE--	1	-	1	-	2	2	2	4	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and rapidly progressive nephritic syndrome (N00-N01)												
COLORADO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and rapidly progressive nephritic syndrome (N00-N01)												
COLORADO ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and rapidly progressive nephritic syndrome (N00-N01)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and rapidly progressive nephritic syndrome (N00-N01)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and rapidly progressive nephritic syndrome (N00-N01)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and rapidly progressive nephritic syndrome (N00-N01)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and rapidly progressive nephritic syndrome (N00-N01)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and rapidly progressive nephritic syndrome (N00-N01)												
MINNESOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and rapidly progressive nephritic syndrome (N00-N01)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and rapidly progressive nephritic syndrome (N00-N01)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Acute and rapidly progressive nephritic syndrome (N00-N01)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and rapidly progressive nephritic syndrome (N00-N01)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and rapidly progressive nephritic syndrome (N00-N01)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and rapidly progressive nephritic syndrome (N00-N01)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and rapidly progressive nephritic syndrome (N00-N01)												
WASHINGTON ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and rapidly progressive nephritic syndrome (N00-N01)												
WASHINGTON ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephrotic syndrome (N04)												
UNITED STATES -	154	3	2	2	2	-	2	3	1	1	3	6
WHITE------MALE----	57	3	2	-	1	-	1	-	1	-	1	2
FEMALE--	64	-	-	2	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	18	-	-	-	-	-	1	2	-	-	1	1
FEMALE--	15	-	-	-	1	-	-	-	-	-	1	1
BLACK---MALE----	14	-	-	-	-	-	1	2	-	-	1	1
FEMALE--	12	-	-	-	1	-	-	-	-	-	1	1
ALABAMA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	17	1	-	-	1	-	-	-	-	1	-	1
WHITE------MALE----	8	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
UNITED STATES -	4	4	9	6	24	32	22	17	6	5	-	-
WHITE------MALE----	2	1	2	1	9	10	12	5	-	4	-	-
FEMALE--	-	2	3	5	11	17	5	8	6	1	-	-
ALL OTHER--MALE----	1	-	1	-	2	2	4	3	-	-	-	-
FEMALE--	1	1	3	-	2	3	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	2	1	2	2	-	-	-	-
FEMALE--	1	1	2	-	1	2	1	1	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	1	1	1	5	1	3	1	-	-	-
WHITE------MALE----	-	-	-	-	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephrotic syndrome (N04)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	15	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
COLORADO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	1	1	4	3	3	-	-	2	-	-
WHITE------MALE----	-	-	-	-	1	-	3	-	-	2	-	-
FEMALE--	-	-	-	1	3	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephrotic syndrome (N04)												
HAWAII ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
HAWAII ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	1	-	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	1	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephrotic syndrome (N04)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
KENTUCKY ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	1	-	1	2	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephrotic syndrome (N04)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephrotic syndrome (N04)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	10	1	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	1	-	1	2	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	2	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephrotic syndrome (N04)												
OHIO ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
OHIO ----------	1	-	-	1	1	1	-	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	1	2	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	1	-	3	1	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	1	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephrotic syndrome (N04)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	7	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2924

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
SOUTH DAKOTA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	-	-	-	1	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2925

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephrotic syndrome (N04)												
WASHINGTON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
WASHINGTON ----------	-	-	-	-	-	1	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	1	-	-	1	2	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2926

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
UNITED STATES -	534	-	1	1	-	2	4	10	4	11	13	15
WHITE------MALE----	219	-	-	1	-	1	1	6	2	3	6	8
FEMALE--	206	-	1	-	-	-	1	2	-	4	1	5
ALL OTHER--MALE----	50	-	-	-	-	1	2	1	1	2	3	1
FEMALE--	59	-	-	-	-	-	-	1	1	2	3	1
BLACK---MALE----	40	-	-	-	-	1	2	-	1	2	2	1
FEMALE--	45	-	-	-	-	-	-	-	1	2	3	-
ALABAMA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	102	-	1	-	-	-	-	5	1	3	3	3
WHITE------MALE----	43	-	-	-	-	-	-	3	1	1	3	2
FEMALE--	38	-	1	-	-	-	-	2	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
UNITED STATES -	27	25	32	36	55	90	88	79	32	8	1	-
WHITE------MALE----	10	8	15	12	17	47	37	30	12	3	-	-
FEMALE--	8	9	9	12	30	32	37	38	13	3	1	-
ALL OTHER--MALE----	4	4	4	4	4	4	7	4	3	1	-	-
FEMALE--	5	4	4	8	4	7	7	7	4	1	-	-
BLACK---MALE----	4	3	3	3	3	4	4	4	2	1	-	-
FEMALE--	4	3	1	7	3	5	5	7	3	1	-	-
ALABAMA ----------	-	1	-	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	2	1	2	2	4	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	2	-	2	1	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	8	3	6	7	7	14	16	14	9	2	-	-
WHITE------MALE----	5	1	1	1	1	7	5	7	3	2	-	-
FEMALE--	1	1	1	6	5	3	8	5	3	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	2	1	1	-	-	-
FEMALE--	2	1	2	-	1	3	1	1	2	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
COLORADO ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	40	-	-	-	-	-	-	-	-	3	-	1
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
GEORGIA ----------	15	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
COLORADO ----------	-	-	-	-	1	1	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	-	1	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	4	3	3	4	6	7	4	3	1	-	-
WHITE------MALE----	1	1	3	2	2	4	3	1	1	-	-	-
FEMALE--	-	2	-	-	2	2	3	2	2	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	2	-	1	2	3	4	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	9	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
HAWAII ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	2	-	1	2	-	2	3	-	-	-
WHITE------MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
INDIANA ----------	-	1	-	-	1	3	1	-	-	-	1	-
WHITE------MALE----	-	1	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	2	1	3	2	1	-	1	-	-
WHITE------MALE----	-	-	-	1	-	1	1	1	-	1	-	-
FEMALE--	1	-	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
KENTUCKY ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	12	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	12	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
KENTUCKY ----------	-	-	-	-	1	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	2	2	2	2	1	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	1	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	1	1	1	2	1	3	-	-	-	-
WHITE------MALE----	1	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2930

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
MINNESOTA ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	7	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
MINNESOTA ----------	-	-	-	-	1	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	1	1	-	2	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MISSOURI ----------	-	2	-	-	-	3	-	5	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	1	-	-	-	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	1	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
NEW HAMPSHIRE ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	20	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	6	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	36	-	-	-	-	-	2	1	1	-	-	1
WHITE------MALE----	19	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
NORTH CAROLINA ---------	15	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
NEW HAMPSHIRE ----------	-	-	-	-	-	1	-	2	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	1	2	-	1	4	2	4	2	-	-	-
WHITE------MALE----	-	-	1	-	1	2	1	2	2	-	-	-
FEMALE--	-	1	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	2	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	2	3	2	1	4	10	6	2	-	-	-
WHITE------MALE----	-	2	2	1	-	2	4	5	1	-	-	-
FEMALE--	-	-	1	-	1	-	5	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
NORTH CAROLINA ---------	-	-	1	1	2	2	3	3	2	-	-	-
WHITE------MALE----	-	-	-	1	1	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	2	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	2	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2932

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
OHIO ----------	21	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	4	-	-	-	-	1	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OREGON ----------	5	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	23	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
OHIO ----------	1	-	1	2	2	7	1	2	2	-	-	-
WHITE------MALE----	-	-	1	-	-	3	-	2	1	-	-	-
FEMALE--	1	-	-	-	1	4	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	1	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	1	2	1	3	5	6	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	3	2	-	-	-	-
FEMALE--	2	-	1	1	1	3	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	-	2	-	2	4	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	25	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	19	-	-	-	-	-	1	-	1	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	7	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
SOUTH DAKOTA ----------	-	-	2	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	2	2	3	5	3	6	2	-	-	-
WHITE------MALE----	-	-	1	2	1	3	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	2	-	1	-	5	2	3	1	2	-	-	-
WHITE------MALE----	-	-	-	-	1	2	1	1	1	-	-	-
FEMALE--	1	-	1	-	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
UTAH ----------	1	-	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	1	1	2	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
WASHINGTON ----------	12	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
WASHINGTON ----------	-	-	1	1	5	3	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	3	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	3	1	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2935

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
UNITED STATES -	1,360	4	4	1	-	3	2	10	4	15	21	28
WHITE------MALE----	489	2	1	-	-	1	-	4	-	3	7	8
FEMALE--	704	-	1	1	-	-	1	4	4	6	11	17
ALL OTHER--MALE----	76	-	2	-	-	-	1	-	-	-	2	2
FEMALE--	91	2	-	-	-	2	-	2	-	6	1	1
BLACK---MALE----	70	-	2	-	-	-	-	-	-	-	2	2
FEMALE--	78	1	-	-	-	2	-	2	-	4	1	1
ALABAMA ----------	30	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	48	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	16	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	178	1	1	-	-	-	-	2	3	-	4	6
WHITE------MALE----	54	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	108	-	-	-	-	-	-	-	3	-	4	3
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	9	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2935

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
UNITED STATES -	46	45	39	74	117	182	237	265	181	72	10	-
WHITE------MALE----	14	19	14	25	30	70	108	101	54	24	4	-
FEMALE--	22	21	14	32	62	93	113	144	111	42	5	-
ALL OTHER--MALE----	4	2	6	8	13	9	7	10	8	2	-	-
FEMALE--	6	3	5	9	12	10	9	10	8	4	1	-
BLACK---MALE----	4	2	5	7	13	7	6	10	8	2	-	-
FEMALE--	5	3	5	6	11	9	8	9	7	3	1	-
ALABAMA ----------	1	-	1	-	2	9	5	6	3	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	4	-	-	-	-
FEMALE--	1	-	1	-	2	5	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	1	3	3	4	7	7	12	5	1	1	-
WHITE------MALE----	1	1	1	1	1	6	3	4	4	-	-	-
FEMALE--	1	-	2	1	3	1	4	8	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	1	4	1	4	2	2	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	2	1	-	-	-
FEMALE--	-	-	-	1	2	1	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA ----------	3	6	4	14	19	26	28	29	18	14	-	-
WHITE------MALE----	-	2	4	2	4	12	15	9	1	2	-	-
FEMALE--	3	4	-	9	14	12	12	18	17	9	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	-	2	-	2	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
COLORADO ----------	9	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	87	-	1	-	-	-	-	2	-	1	1	1
WHITE------MALE----	44	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	33	-	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
GEORGIA ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
COLORADO ----------	-	-	-	-	1	4	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	1	-	-	2	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	3	3	3	4	12	7	19	10	14	4	2	-
WHITE------MALE----	2	1	1	2	4	4	13	7	6	2	1	-
FEMALE--	-	2	-	2	5	2	6	2	7	2	1	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
GEORGIA ----------	1	-	1	2	1	3	8	5	5	1	-	-
WHITE------MALE----	-	-	-	1	-	2	4	1	2	1	-	-
FEMALE--	-	-	-	-	-	-	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
HAWAII ----------	3	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	58	-	-	-	-	-	-	2	-	-	1	1
WHITE------MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	2	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	31	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	11	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	16	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
HAWAII	1	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	1	-	-	-	-	-	1	2	1	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	-	1	2	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	3	-	1	2	6	8	8	14	9	2	1	-
WHITE--MALE	2	-	-	2	3	3	3	6	4	1	-	-
FEMALE	1	-	1	-	2	5	4	8	4	1	1	-
ALL OTHER--MALE	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
INDIANA	2	-	1	-	1	4	4	7	7	2	1	-
WHITE--MALE	-	-	1	-	1	2	1	1	2	1	1	-
FEMALE	2	-	-	-	-	2	3	5	4	1	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	1	-	-	-	-
IOWA	-	-	1	-	1	2	4	6	4	2	-	-
WHITE--MALE	-	-	1	-	1	-	1	4	-	2	-	-
FEMALE	-	-	-	-	-	2	3	2	4	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	1	1	1	-	1	1	4	4	2	-	-	-
WHITE--MALE	-	-	-	-	1	-	1	1	2	-	-	-
FEMALE	1	1	1	-	-	1	3	3	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2938

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
KENTUCKY ----------	28	1	-	-	-	-	-	1	-	-	1	2
WHITE------MALE----	8	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	21	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	47	-	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
KENTUCKY ----------	-	-	1	1	2	2	3	8	4	1	1	-
WHITE------MALE----	-	-	-	-	-	1	1	2	-	-	1	-
FEMALE--	-	-	-	1	2	1	2	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	2	2	-	1	4	6	2	3	-	-	-
WHITE------MALE----	-	-	1	-	-	-	5	1	1	-	-	-
FEMALE--	-	2	1	-	-	3	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	1	-	2	5	2	3	3	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
MASSACHUSETTS ----------	-	1	-	-	2	-	4	3	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	2	1	2	5	5	10	7	4	2	1	-
WHITE------MALE----	3	-	-	-	1	1	3	3	1	1	-	-
FEMALE--	1	1	-	2	2	3	6	1	2	1	1	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	1	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
MINNESOTA ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	20	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	26	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	11	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
MINNESOTA ----------	-	1	-	-	1	4	3	6	4	-	1	-
WHITE------MALE----	-	1	-	-	1	-	1	2	1	-	1	-
FEMALE--	-	-	-	-	-	4	2	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	2	-	-	3	1	4	4	2	1	-	-
WHITE------MALE----	-	1	-	-	1	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	3	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	-	-	-	-
MISSOURI ----------	-	-	-	2	2	3	6	6	3	2	1	-
WHITE------MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	2	2	1	4	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
MONTANA ----------	-	-	1	-	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	1	-	-	3	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	1	2	3	2	1	-	-	-
WHITE------MALE----	-	-	-	-	1	2	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
NEW HAMPSHIRE ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	33	-	1	-	-	-	-	-	1	1	-	-
WHITE------MALE----	13	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	11	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	76	-	-	-	-	1	1	1	-	3	-	2
WHITE------MALE----	23	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	35	-	-	-	-	-	1	1	-	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	1	-	-	-	1	-	-
NORTH CAROLINA ---------	41	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
NEW HAMPSHIRE ----------	-	-	-	1	-	-	-	2	2	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	1	2	2	6	7	7	2	2	-	-
WHITE------MALE----	-	1	1	2	-	2	2	2	-	2	-	-
FEMALE--	-	-	-	-	1	3	5	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	2	-	3	2	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	4	3	5	10	4	14	11	8	4	-	-
WHITE------MALE----	1	2	-	3	1	3	7	2	3	-	-	-
FEMALE--	3	1	2	1	3	1	4	7	5	4	-	-
ALL OTHER--MALE----	-	1	1	1	4	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	3	1	-	-	-	-
BLACK---MALE----	-	1	1	1	4	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	3	1	-	-	-	-
NORTH CAROLINA ---------	2	1	3	6	5	4	4	8	4	2	-	-
WHITE------MALE----	-	1	-	-	2	-	-	5	3	-	-	-
FEMALE--	-	-	1	5	2	4	2	3	1	1	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	1	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	1	-	1	2	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2941

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
OHIO ----------	65	-	-	-	-	1	-	-	-	1	2	3
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	1	1	1
OKLAHOMA ----------	25	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	50	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	31	-	1	-	-	-	-	-	-	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
OHIO ----------	2	4	2	1	5	8	10	14	10	2	-	-
WHITE------MALE----	-	2	2	1	1	2	5	6	5	1	-	-
FEMALE--	2	2	-	-	4	5	5	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
OKLAHOMA ----------	-	-	-	2	1	4	2	9	3	3	-	-
WHITE------MALE----	-	-	-	1	1	2	-	4	2	1	-	-
FEMALE--	-	-	-	-	-	2	2	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON ----------	2	-	1	-	2	2	3	5	4	3	-	-
WHITE------MALE----	2	-	-	-	-	1	3	-	2	2	-	-
FEMALE--	-	-	1	-	2	1	-	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	2	1	3	3	8	12	9	8	-	1	-
WHITE------MALE----	-	1	-	2	-	2	8	5	2	-	-	-
FEMALE--	1	1	-	1	2	6	4	4	4	-	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	2	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	2	2	3	2	6	3	6	2	-	-
WHITE------MALE----	-	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	1	-	2	-	4	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
SOUTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	29	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	102	-	-	-	-	-	-	-	-	2	-	3
WHITE------MALE----	37	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	54	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	13	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	24	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	2	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	1	-	3	2	6	3	5	3	4	-	-
WHITE------MALE----	-	1	-	-	-	1	1	2	-	2	-	-
FEMALE--	2	-	-	2	1	5	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
TEXAS ----------	2	8	4	6	6	13	16	20	14	8	-	-
WHITE------MALE----	1	2	1	3	1	4	9	5	6	3	-	-
FEMALE--	1	5	1	2	4	6	7	14	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	1	2	1	1	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	1	2	1	1	2	-	-	1	-	-	-
UTAH ----------	-	-	-	1	-	3	2	3	2	-	-	-
WHITE------MALE----	-	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	2	-	3	4	4	8	2	-	-
WHITE------MALE----	-	-	-	-	-	2	3	1	-	1	-	-
FEMALE--	-	1	-	-	-	1	1	2	6	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
WASHINGTON ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	30	-	-	1	-	-	-	-	-	1	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
WASHINGTON ----------	2	1	-	1	-	4	4	7	1	3	-	-
WHITE------MALE----	1	1	-	-	-	3	1	4	-	1	-	-
FEMALE--	1	-	-	-	-	1	3	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	1	2	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	-	6	2	7	5	3	1	2	-	-
WHITE------MALE----	-	-	-	2	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	3	1	5	3	2	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2944

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
UNITED STATES -	34,719	163	12	9	16	21	42	83	147	250	423	586
WHITE------MALE----	13,312	59	5	5	7	7	8	18	42	79	128	181
FEMALE--	14,095	40	5	2	3	7	15	24	38	56	99	121
ALL OTHER--MALE----	3,299	28	2	1	2	1	9	16	34	64	111	171
FEMALE--	4,013	36	-	1	4	6	10	25	33	51	85	113
BLACK---MALE----	2,943	25	1	1	2	1	9	15	29	63	103	162
FEMALE--	3,634	33	-	1	3	6	10	23	32	49	82	105
ALABAMA ----------	973	7	-	-	1	-	1	5	4	11	18	14
WHITE------MALE----	261	1	-	-	-	-	-	1	-	1	5	3
FEMALE--	320	2	-	-	-	-	-	1	2	1	-	1
ALL OTHER--MALE----	175	-	-	-	1	-	1	2	2	5	6	6
FEMALE--	217	4	-	-	-	-	-	1	-	4	7	4
BLACK---MALE----	174	-	-	-	1	-	1	2	2	5	6	6
FEMALE--	213	4	-	-	-	-	-	1	-	4	7	4
ALASKA ----------	33	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA ----------	528	2	-	-	1	-	2	1	4	1	9	8
WHITE------MALE----	244	2	-	-	-	-	2	1	1	1	3	4
FEMALE--	205	-	-	-	1	-	-	-	1	-	1	3
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	2	-	3	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS ----------	448	2	-	-	-	-	1	1	1	2	5	9
WHITE------MALE----	156	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	180	1	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	50	-	-	-	-	-	1	-	-	2	2	4
FEMALE--	62	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	49	-	-	-	-	-	1	-	-	2	2	4
FEMALE--	62	-	-	-	-	-	-	1	-	-	1	1
CALIFORNIA ----------	2,132	13	-	1	2	1	3	4	12	22	31	38
WHITE------MALE----	879	5	-	1	1	-	1	-	5	6	7	18
FEMALE--	784	4	-	-	-	1	2	3	2	7	12	10
ALL OTHER--MALE----	229	3	-	-	-	-	-	-	4	6	3	3
FEMALE--	240	1	-	-	1	-	-	1	1	3	9	7
BLACK---MALE----	108	1	-	-	-	-	-	-	2	6	2	3
FEMALE--	127	1	-	-	-	-	-	1	1	3	8	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2944

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
UNITED STATES -	836	1,144	1,640	2,641	4,056	5,560	6,092	5,718	3,656	1,372	252	-
WHITE------MALE----	269	415	601	986	1,675	2,426	2,570	2,204	1,196	376	55	-
FEMALE--	213	307	492	884	1,427	2,125	2,580	2,696	2,016	802	143	-
ALL OTHER--MALE----	193	197	279	354	425	486	406	331	138	39	12	-
FEMALE--	161	225	268	417	529	523	536	487	306	155	42	-
BLACK---MALE----	184	169	252	310	380	431	368	285	112	29	12	-
FEMALE--	151	205	242	382	475	471	468	431	280	143	42	-
ALABAMA ----------	36	39	52	81	92	147	161	153	104	36	11	-
WHITE------MALE----	8	12	16	20	29	50	46	44	18	5	2	-
FEMALE--	4	7	16	21	22	46	60	66	45	21	5	-
ALL OTHER--MALE----	18	7	10	14	20	25	21	24	12	-	1	-
FEMALE--	6	13	10	26	21	26	34	19	29	10	3	-
BLACK---MALE----	18	7	10	14	20	25	21	23	12	-	1	-
FEMALE--	6	13	10	26	20	26	32	19	28	10	3	-
ALASKA ----------	1	1	1	5	5	2	9	4	2	1	-	-
WHITE------MALE----	1	1	-	-	3	2	3	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	3	2	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	4	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	14	30	43	44	63	81	91	82	35	17	-	-
WHITE------MALE----	5	14	19	16	26	39	42	44	20	5	-	-
FEMALE--	5	8	12	16	29	35	41	31	12	10	-	-
ALL OTHER--MALE----	2	6	6	6	6	2	1	2	1	-	-	-
FEMALE--	2	2	6	6	2	5	7	5	2	2	-	-
BLACK---MALE----	1	4	2	4	3	1	1	2	-	-	-	-
FEMALE--	2	-	2	1	-	1	2	2	1	1	-	-
ARKANSAS ----------	10	14	31	27	53	68	85	65	55	18	1	-
WHITE------MALE----	3	5	13	8	22	24	40	18	15	4	-	-
FEMALE--	2	4	8	11	17	28	33	33	29	9	1	-
ALL OTHER--MALE----	2	3	3	2	7	7	7	6	4	-	-	-
FEMALE--	3	2	7	6	7	9	5	8	7	5	-	-
BLACK---MALE----	2	3	3	2	7	7	6	6	4	-	-	-
FEMALE--	3	2	7	6	7	9	5	8	7	5	-	-
CALIFORNIA ----------	64	92	105	169	271	341	344	321	199	91	8	-
WHITE------MALE----	25	35	41	67	101	163	161	128	79	32	3	-
FEMALE--	20	27	31	60	97	122	120	127	90	45	4	-
ALL OTHER--MALE----	11	17	16	20	37	33	29	31	11	5	-	-
FEMALE--	8	13	17	22	36	23	34	35	19	9	1	-
BLACK---MALE----	9	7	10	5	17	18	16	8	3	1	-	-
FEMALE--	5	8	10	15	14	10	13	15	10	6	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2945

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
COLORADO ----------	299	3	-	-	-	-	-	1	1	2	4	5
WHITE------MALE----	137	2	-	-	-	-	-	1	-	1	3	4
FEMALE--	142	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	-
CONNECTICUT ----------	449	4	-	-	-	-	1	4	-	6	3	9
WHITE------MALE----	183	1	-	-	-	-	-	1	-	1	3	3
FEMALE--	224	1	-	-	-	-	1	1	-	3	-	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	22	2	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	20	2	-	-	-	-	-	1	-	1	-	1
DELAWARE ----------	99	1	-	-	-	-	-	-	-	2	3	1
WHITE------MALE----	34	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	88	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	-
FLORIDA ----------	1,775	5	-	-	2	-	5	5	4	9	20	23
WHITE------MALE----	817	2	-	-	1	-	-	-	1	5	9	8
FEMALE--	652	-	-	-	-	-	1	-	1	2	3	5
ALL OTHER--MALE----	136	1	-	-	-	-	1	2	-	2	3	4
FEMALE--	170	2	-	-	1	-	3	3	2	-	5	6
BLACK---MALE----	132	1	-	-	-	-	1	2	-	2	3	3
FEMALE--	170	2	-	-	1	-	3	3	2	-	5	6
GEORGIA ----------	1,121	11	-	-	1	2	1	2	7	14	15	30
WHITE------MALE----	295	4	-	-	-	-	-	-	1	2	1	7
FEMALE--	333	1	-	-	-	1	-	1	1	1	5	3
ALL OTHER--MALE----	203	2	-	-	1	-	-	1	4	5	6	10
FEMALE--	290	4	-	-	-	1	1	-	1	6	3	10
BLACK---MALE----	202	2	-	-	1	-	-	1	4	5	6	10
FEMALE--	286	4	-	-	-	1	1	-	1	5	3	10

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
COLORADO ----------	8	8	14	25	31	42	50	54	29	16	6	-
WHITE------MALE----	5	3	7	14	9	25	20	26	8	6	3	-
FEMALE--	2	3	6	8	20	15	25	28	20	10	3	-
ALL OTHER--MALE----	-	2	-	1	2	-	2	-	-	-	-	-
FEMALE--	1	-	1	2	-	2	3	-	1	-	-	-
BLACK---MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	2	-	1	2	-	1	-	-	-
CONNECTICUT ----------	13	19	17	33	51	84	65	75	43	15	7	-
WHITE------MALE----	7	6	8	15	19	38	27	32	15	5	2	-
FEMALE--	3	9	4	15	27	38	37	41	28	10	4	-
ALL OTHER--MALE----	1	1	1	2	3	5	1	1	-	-	-	-
FEMALE--	2	3	4	1	2	3	-	1	-	-	1	-
BLACK---MALE----	1	1	1	2	3	4	1	-	-	-	-	-
FEMALE--	2	3	3	1	2	2	-	1	-	-	1	-
DELAWARE ----------	5	1	3	9	9	20	18	12	10	3	2	-
WHITE------MALE----	-	-	1	3	3	6	8	4	4	2	-	-
FEMALE--	1	1	1	2	3	8	7	6	4	1	1	-
ALL OTHER--MALE----	2	-	-	4	1	1	3	1	1	-	-	-
FEMALE--	2	-	1	-	2	5	-	1	1	-	1	-
BLACK---MALE----	2	-	-	4	1	1	3	1	1	-	-	-
FEMALE--	2	-	1	-	2	5	-	1	1	-	1	-
DISTRICT OF COLUMBIA ---	4	4	2	9	12	19	11	18	4	2	1	-
WHITE------MALE----	1	1	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	2	4	4	9	3	5	-	-	-	-
FEMALE--	-	2	-	4	7	9	7	11	4	2	1	-
BLACK---MALE----	3	1	2	4	4	8	3	5	-	-	-	-
FEMALE--	-	2	-	4	7	9	7	11	4	2	1	-
FLORIDA ----------	38	59	79	115	195	291	337	301	208	61	18	-
WHITE------MALE----	12	18	27	49	95	153	173	146	89	22	7	-
FEMALE--	10	18	17	43	57	102	129	121	101	36	6	-
ALL OTHER--MALE----	6	13	17	13	20	20	16	12	5	-	1	-
FEMALE--	10	10	18	10	23	16	19	22	13	3	4	-
BLACK---MALE----	5	13	16	13	20	19	16	12	5	-	1	-
FEMALE--	10	10	18	10	23	16	19	22	13	3	4	-
GEORGIA ----------	57	52	81	87	119	152	171	174	104	35	6	-
WHITE------MALE----	14	13	14	20	39	46	55	50	21	7	1	-
FEMALE--	10	10	20	17	28	42	66	57	53	15	2	-
ALL OTHER--MALE----	15	11	27	24	23	25	16	19	12	2	-	-
FEMALE--	18	18	20	26	29	39	34	48	18	11	3	-
BLACK---MALE----	15	11	27	23	23	25	16	19	12	2	-	-
FEMALE--	18	18	20	26	29	37	33	48	18	11	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2946

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
HAWAII ----------	130	-	-	-	-	-	-	2	2	2	1	2
WHITE------MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	47	-	-	-	-	-	-	2	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	97	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	51	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,948	9	2	1	-	-	2	5	14	14	29	42
WHITE------MALE----	718	3	2	1	-	-	-	-	1	2	8	9
FEMALE--	761	3	-	-	-	-	1	-	3	3	6	9
ALL OTHER--MALE----	209	1	-	-	-	-	1	3	5	3	8	13
FEMALE--	260	2	-	-	-	-	-	2	5	6	7	11
BLACK---MALE----	199	1	-	-	-	-	1	3	5	3	8	13
FEMALE--	252	2	-	-	-	-	-	2	5	6	7	11
INDIANA ----------	1,008	7	-	-	-	2	-	1	2	5	11	14
WHITE------MALE----	426	4	-	-	-	1	-	-	1	2	5	5
FEMALE--	464	1	-	-	-	1	-	-	-	-	5	4
ALL OTHER--MALE----	56	2	-	-	-	-	-	-	1	2	-	2
FEMALE--	62	-	-	-	-	-	-	1	-	1	1	3
BLACK---MALE----	56	2	-	-	-	-	-	-	1	2	-	2
FEMALE--	60	-	-	-	-	-	-	1	-	1	1	3
IOWA ----------	211	1	-	-	-	-	2	-	-	1	3	1
WHITE------MALE----	90	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	110	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
KANSAS ----------	387	3	1	-	-	-	1	1	1	1	2	3
WHITE------MALE----	145	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	211	2	1	-	-	-	1	1	1	1	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	1	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	1	-	-	-	-	-	-	-	-	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
HAWAII ----------	1	7	12	14	10	23	16	16	18	4	-	-
WHITE------MALE----	-	1	-	1	2	3	-	2	1	-	-	-
FEMALE--	-	-	-	2	-	2	2	3	1	1	-	-
ALL OTHER--MALE----	1	3	7	6	6	9	6	5	12	2	-	-
FEMALE--	-	3	5	5	2	9	8	6	4	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO ----------	4	2	3	2	8	14	21	19	14	5	2	-
WHITE------MALE----	-	2	2	1	6	10	10	9	6	2	-	-
FEMALE--	3	-	1	1	2	4	11	9	8	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	32	66	92	137	235	294	343	333	210	71	17	-
WHITE------MALE----	11	25	27	48	102	114	150	120	70	22	3	-
FEMALE--	7	15	26	44	67	115	136	153	117	43	13	-
ALL OTHER--MALE----	8	7	24	19	31	27	28	21	6	3	1	-
FEMALE--	6	19	15	26	35	38	29	39	17	3	-	-
BLACK---MALE----	7	7	23	17	31	26	26	19	5	3	1	-
FEMALE--	6	19	15	26	33	35	28	37	17	3	-	-
INDIANA ----------	22	28	50	73	100	158	178	179	124	48	6	-
WHITE------MALE----	9	15	22	32	43	75	79	69	49	13	2	-
FEMALE--	6	9	24	21	46	70	83	93	70	29	2	-
ALL OTHER--MALE----	5	2	2	11	9	4	6	7	1	1	1	-
FEMALE--	2	2	2	9	2	9	10	10	4	5	1	-
BLACK---MALE----	5	2	2	11	9	4	6	7	1	1	1	-
FEMALE--	2	1	2	9	2	9	9	10	4	5	1	-
IOWA ----------	7	5	12	14	23	31	39	29	36	6	1	-
WHITE------MALE----	3	1	8	4	13	17	15	14	9	2	-	-
FEMALE--	2	4	2	9	9	12	24	15	25	4	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	1	2	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	1	2	-	-	1	-	-	-
KANSAS ----------	6	8	14	18	38	55	68	77	58	31	1	-
WHITE------MALE----	2	1	5	6	17	26	26	38	18	5	-	-
FEMALE--	2	4	8	10	16	26	39	35	38	24	1	-
ALL OTHER--MALE----	-	2	-	2	2	-	2	1	-	-	-	-
FEMALE--	2	1	1	-	3	3	1	3	2	2	-	-
BLACK---MALE----	-	2	-	2	1	-	2	1	-	-	-	-
FEMALE--	2	1	1	-	1	3	1	2	2	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2947

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
KENTUCKY ----------	672	2	-	-	-	-	-	4	2	6	6	16
WHITE------MALE----	300	2	-	-	-	-	-	2	1	3	3	10
FEMALE--	291	-	-	-	-	-	-	2	-	-	-	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	51	-	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	50	-	-	-	-	-	-	-	1	2	3	1
LOUISIANA ----------	896	6	-	1	-	1	1	-	3	6	18	21
WHITE------MALE----	266	-	-	1	-	-	-	-	1	-	6	1
FEMALE--	291	1	-	-	-	1	1	-	-	2	3	3
ALL OTHER--MALE----	146	1	-	-	-	-	-	-	-	3	4	9
FEMALE--	193	4	-	-	-	-	-	-	2	1	5	8
BLACK---MALE----	145	1	-	-	-	-	-	-	-	3	4	9
FEMALE--	192	4	-	-	-	-	-	-	2	1	5	8
MAINE ----------	188	-	-	-	-	-	-	-	1	1	1	2
WHITE------MALE----	92	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	96	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	550	2	1	1	-	1	-	-	1	4	10	12
WHITE------MALE----	153	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	171	1	1	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	107	-	-	-	-	-	-	-	1	2	4	5
FEMALE--	119	1	-	1	-	1	-	-	-	1	3	3
BLACK---MALE----	101	-	-	-	-	-	-	-	1	2	4	5
FEMALE--	116	-	-	1	-	1	-	-	-	1	3	3
MASSACHUSETTS ----------	1,119	2	-	-	1	-	-	2	5	8	8	10
WHITE------MALE----	500	-	-	-	-	-	-	-	1	2	4	2
FEMALE--	528	1	-	-	-	-	-	1	1	3	3	4
ALL OTHER--MALE----	41	1	-	-	-	-	-	1	3	2	1	3
FEMALE--	50	-	-	-	1	-	-	-	-	1	-	1
BLACK---MALE----	35	1	-	-	-	-	-	1	3	2	1	3
FEMALE--	44	-	-	-	1	-	-	-	-	1	-	1
MICHIGAN ----------	1,398	9	-	-	1	2	3	1	2	11	15	36
WHITE------MALE----	513	2	-	-	1	2	-	1	1	4	4	13
FEMALE--	603	2	-	-	-	-	1	-	1	1	3	5
ALL OTHER--MALE----	134	-	-	-	-	-	2	-	-	4	5	13
FEMALE--	148	5	-	-	-	-	-	-	-	2	3	5
BLACK---MALE----	129	-	-	-	-	-	2	-	-	4	5	12
FEMALE--	141	5	-	-	-	-	-	-	-	2	3	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
KENTUCKY ----------	16	24	35	47	84	101	108	121	65	31	4	-
WHITE------MALE----	6	11	20	21	44	45	59	42	18	13	-	-
FEMALE--	7	8	8	19	28	43	43	68	42	18	3	-
ALL OTHER--MALE----	2	4	1	1	4	7	5	1	1	-	-	-
FEMALE--	1	1	6	6	8	6	1	10	4	-	1	-
BLACK---MALE----	2	4	1	1	4	7	5	1	1	-	-	-
FEMALE--	1	-	6	6	8	6	1	10	4	-	1	-
LOUISIANA ----------	32	25	41	87	117	145	144	133	87	19	9	-
WHITE------MALE----	8	6	11	26	40	57	44	41	23	1	-	-
FEMALE--	8	7	6	24	33	47	50	55	38	9	3	-
ALL OTHER--MALE----	6	7	13	14	20	22	19	18	5	3	2	-
FEMALE--	10	5	11	23	24	19	31	19	21	6	4	-
BLACK---MALE----	6	7	12	14	20	22	19	18	5	3	2	-
FEMALE--	10	5	11	23	24	19	31	18	21	6	4	-
MAINE ----------	4	7	6	12	24	30	38	38	17	7	-	-
WHITE------MALE----	3	3	2	7	15	17	12	20	8	2	-	-
FEMALE--	1	4	4	5	9	13	26	18	9	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	16	24	25	50	70	107	85	79	44	14	4	-
WHITE------MALE----	3	4	6	15	15	39	24	31	11	2	-	-
FEMALE--	6	3	7	12	18	32	32	28	17	7	2	-
ALL OTHER--MALE----	3	13	6	8	16	19	16	8	4	1	1	-
FEMALE--	4	4	6	15	21	17	13	12	12	4	1	-
BLACK---MALE----	3	13	5	8	16	18	13	7	4	1	1	-
FEMALE--	4	4	6	15	19	17	13	12	12	4	1	-
MASSACHUSETTS ----------	20	28	33	84	127	198	189	213	138	44	9	-
WHITE------MALE----	7	10	15	53	61	94	92	92	50	14	3	-
FEMALE--	6	14	15	28	54	89	85	110	81	27	6	-
ALL OTHER--MALE----	2	1	3	1	6	7	4	4	2	-	-	-
FEMALE--	5	3	-	2	6	8	8	7	5	3	-	-
BLACK---MALE----	2	1	3	-	5	5	3	3	2	-	-	-
FEMALE--	5	3	-	2	6	6	7	6	3	3	-	-
MICHIGAN ----------	34	46	66	92	158	239	247	236	131	59	10	-
WHITE------MALE----	12	13	16	34	73	96	89	92	40	19	1	-
FEMALE--	5	16	25	26	59	99	119	115	82	35	9	-
ALL OTHER--MALE----	11	5	11	17	10	23	16	13	4	-	-	-
FEMALE--	6	12	14	15	16	21	23	16	5	5	-	-
BLACK---MALE----	10	5	10	16	9	23	16	13	4	-	-	-
FEMALE--	6	12	13	12	16	20	22	15	5	5	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
MINNESOTA ----------	593	3	-	-	1	-	-	-	-	3	1	6
WHITE------MALE----	285	1	-	-	1	-	-	-	-	-	-	3
FEMALE--	287	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	9	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	612	3	-	-	-	2	-	2	3	3	12	17
WHITE------MALE----	144	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	167	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	133	3	-	-	-	-	-	1	2	-	6	8
FEMALE--	168	-	-	-	-	2	-	1	-	1	5	4
BLACK---MALE----	133	3	-	-	-	-	-	1	2	-	6	8
FEMALE--	167	-	-	-	-	2	-	1	-	1	5	4
MISSOURI ----------	893	2	1	-	-	-	1	2	2	5	7	16
WHITE------MALE----	356	1	-	-	-	-	1	1	-	2	1	8
FEMALE--	425	1	1	-	-	-	-	1	-	2	3	3
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	55	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	55	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	54	-	-	-	-	-	-	-	-	-	2	1
MONTANA ----------	87	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	227	1	-	-	-	-	-	-	1	1	2	1
WHITE------MALE----	105	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	110	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	1	-	-	-	-	-	-	1	-	-	-
NEVADA ----------	294	-	-	-	-	-	-	-	1	5	2	3
WHITE------MALE----	151	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	108	-	-	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
MINNESOTA ----------	6	12	11	28	53	83	124	124	95	37	6	-
WHITE------MALE----	3	5	8	16	27	47	62	57	43	12	-	-
FEMALE--	3	5	2	10	22	34	60	64	52	25	6	-
ALL OTHER--MALE----	-	1	1	2	2	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	17	32	29	49	68	94	102	101	50	22	6	-
WHITE------MALE----	5	8	7	10	23	25	29	19	10	2	1	-
FEMALE--	1	1	5	11	12	28	33	41	20	10	1	-
ALL OTHER--MALE----	9	14	5	8	11	16	13	22	10	3	2	-
FEMALE--	2	9	12	20	22	25	27	19	10	7	2	-
BLACK---MALE----	9	14	5	8	11	16	13	22	10	3	2	-
FEMALE--	2	9	12	19	22	25	27	19	10	7	2	-
MISSOURI ----------	15	25	37	52	95	134	152	170	118	54	5	-
WHITE------MALE----	8	9	16	21	51	57	58	66	39	15	2	-
FEMALE--	5	7	10	19	31	58	82	93	75	32	2	-
ALL OTHER--MALE----	2	5	4	5	8	12	4	6	1	2	-	-
FEMALE--	-	4	7	7	5	7	8	5	3	5	1	-
BLACK---MALE----	2	5	4	5	7	11	4	6	1	2	-	-
FEMALE--	-	4	7	6	5	7	8	5	3	5	1	-
MONTANA ----------	1	1	1	7	5	16	15	18	15	6	1	-
WHITE------MALE----	-	1	-	4	2	7	9	6	5	2	-	-
FEMALE--	1	-	1	2	3	8	5	12	10	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	5	9	16	20	33	45	42	37	10	1	-
WHITE------MALE----	2	2	6	9	8	18	26	19	10	4	-	-
FEMALE--	1	3	2	7	12	13	16	23	27	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	3	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	1	-	-
NEVADA ----------	3	9	19	36	58	47	55	32	16	8	-	-
WHITE------MALE----	1	2	11	17	33	30	31	13	8	3	-	-
FEMALE--	2	6	5	14	18	13	19	14	7	5	-	-
ALL OTHER--MALE----	-	-	-	-	3	2	3	4	-	-	-	-
FEMALE--	-	1	3	5	4	2	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	3	1	2	1	-	-	-	-
FEMALE--	-	-	2	4	3	2	2	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
NEW HAMPSHIRE ----------	88	2	-	-	-	-	-	1	-	1	2	-
WHITE------MALE----	41	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	46	1	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1,354	7	1	-	1	-	-	4	6	14	11	20
WHITE------MALE----	579	2	-	-	1	-	-	1	2	6	2	5
FEMALE--	519	1	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	117	3	1	-	-	-	-	-	1	1	7	7
FEMALE--	139	1	-	-	-	-	-	3	2	6	1	5
BLACK---MALE----	112	3	1	-	-	-	-	-	1	1	7	6
FEMALE--	132	1	-	-	-	-	-	3	2	6	1	5
NEW MEXICO ----------	156	1	-	-	-	-	-	1	-	1	4	3
WHITE------MALE----	62	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	68	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2,253	9	1	2	2	-	4	8	11	12	30	34
WHITE------MALE----	886	3	-	1	1	-	1	3	4	3	10	14
FEMALE--	928	4	1	1	1	-	1	2	4	4	5	6
ALL OTHER--MALE----	200	1	-	-	-	-	1	1	-	4	7	12
FEMALE--	239	1	-	-	-	-	1	2	3	1	8	2
BLACK---MALE----	181	1	-	-	-	-	1	1	-	4	6	12
FEMALE--	215	1	-	-	-	-	1	2	3	1	7	2
NORTH CAROLINA ---------	1,115	6	1	-	-	1	2	1	6	12	13	17
WHITE------MALE----	324	3	-	-	-	1	-	-	2	3	7	3
FEMALE--	383	-	-	-	-	-	2	1	-	1	1	3
ALL OTHER--MALE----	173	2	1	-	-	-	-	-	1	5	3	9
FEMALE--	235	1	-	-	-	-	-	-	3	3	2	2
BLACK---MALE----	169	2	-	-	-	-	-	-	1	5	3	8
FEMALE--	225	1	-	-	-	-	-	-	3	3	2	2
NORTH DAKOTA ----------	83	1	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	39	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	42	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
NEW HAMPSHIRE ----------	2	2	5	7	12	13	14	13	12	2	-	-
WHITE------MALE----	2	1	2	-	5	8	8	8	4	-	-	-
FEMALE--	-	1	3	7	7	5	6	5	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	20	34	64	98	149	248	256	220	141	53	7	-
WHITE------MALE----	7	16	28	39	63	129	129	83	48	17	1	-
FEMALE--	7	8	14	27	52	82	101	110	75	32	4	-
ALL OTHER--MALE----	3	6	13	18	15	16	10	14	1	1	-	-
FEMALE--	3	4	9	14	19	21	16	13	17	3	2	-
BLACK---MALE----	3	6	13	17	14	16	10	12	1	1	-	-
FEMALE--	3	4	9	14	18	19	15	11	16	3	2	-
NEW MEXICO ----------	1	9	10	11	19	28	27	21	15	5	-	-
WHITE------MALE----	-	3	3	2	8	15	13	8	5	1	-	-
FEMALE--	-	2	4	7	9	10	12	11	8	3	-	-
ALL OTHER--MALE----	-	4	3	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	2	2	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
NEW YORK ----------	53	64	99	175	279	343	435	360	227	88	17	-
WHITE------MALE----	15	28	37	65	110	146	194	149	74	25	3	-
FEMALE--	10	10	29	56	108	143	174	177	134	49	9	-
ALL OTHER--MALE----	14	16	17	23	26	30	27	10	6	4	1	-
FEMALE--	14	10	16	31	35	24	40	24	13	10	4	-
BLACK---MALE----	14	13	17	22	24	25	24	9	4	3	1	-
FEMALE--	12	10	16	29	31	22	34	20	12	8	4	-
NORTH CAROLINA ---------	34	42	72	110	148	184	161	161	103	33	8	-
WHITE------MALE----	8	14	21	34	46	56	51	39	26	7	3	-
FEMALE--	3	9	15	35	47	74	47	79	50	13	3	-
ALL OTHER--MALE----	15	5	18	19	19	22	27	19	6	1	1	-
FEMALE--	8	14	18	22	36	32	36	24	21	12	1	-
BLACK---MALE----	15	5	18	18	19	22	27	18	6	1	1	-
FEMALE--	7	13	17	21	36	30	35	22	20	12	1	-
NORTH DAKOTA ----------	-	1	1	1	6	10	18	11	20	10	2	-
WHITE------MALE----	-	1	-	-	3	7	9	7	9	1	-	-
FEMALE--	-	-	1	1	1	3	9	4	11	9	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2950

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
OHIO ----------	1,719	6	1	-	-	-	-	2	7	10	18	29
WHITE------MALE----	668	4	1	-	-	-	-	-	2	5	6	10
FEMALE--	746	1	-	-	-	-	-	1	2	1	5	7
ALL OTHER--MALE----	133	1	-	-	-	-	-	1	-	2	4	8
FEMALE--	172	-	-	-	-	-	-	-	3	2	3	4
BLACK---MALE----	133	1	-	-	-	-	-	1	-	2	4	8
FEMALE--	169	-	-	-	-	-	-	-	3	2	3	4
OKLAHOMA ----------	420	4	-	-	1	-	1	-	1	6	6	8
WHITE------MALE----	149	3	-	-	-	-	1	-	-	3	-	-
FEMALE--	189	1	-	-	1	-	-	-	1	2	3	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	52	-	-	-	-	-	-	-	-	-	2	5
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	2	2
OREGON ----------	248	1	-	-	-	1	-	-	-	2	2	5
WHITE------MALE----	110	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	123	1	-	-	-	1	-	-	-	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2,642	5	-	1	-	1	2	2	9	10	20	29
WHITE------MALE----	1,096	-	-	-	-	1	1	1	4	2	9	8
FEMALE--	1,194	2	-	1	-	-	-	-	3	4	6	9
ALL OTHER--MALE----	177	2	-	-	-	-	-	-	2	3	5	9
FEMALE--	175	1	-	-	-	-	1	1	-	1	-	3
BLACK---MALE----	171	2	-	-	-	-	-	-	2	3	5	9
FEMALE--	170	1	-	-	-	-	1	1	-	1	-	3
RHODE ISLAND ----------	110	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	49	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	417	1	-	-	-	-	1	2	3	4	10	12
WHITE------MALE----	106	1	-	-	-	-	-	-	-	1	4	1
FEMALE--	132	-	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	93	-	-	-	-	-	-	2	-	2	5	5
FEMALE--	86	-	-	-	-	-	1	-	2	1	1	3
BLACK---MALE----	92	-	-	-	-	-	-	2	-	2	5	5
FEMALE--	86	-	-	-	-	-	1	-	2	1	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2950

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
OHIO ----------	42	41	71	131	241	286	295	292	153	78	16	-
WHITE------MALE----	11	16	27	55	99	125	118	112	57	16	4	-
FEMALE--	12	11	29	44	90	109	145	154	78	49	8	-
ALL OTHER--MALE----	10	5	7	14	23	22	14	12	7	3	-	-
FEMALE--	9	9	8	18	29	30	18	14	11	10	4	-
BLACK---MALE----	10	5	7	14	23	22	14	12	7	3	-	-
FEMALE--	8	9	8	18	28	30	17	14	11	10	4	-
OKLAHOMA ----------	10	19	16	29	44	56	61	79	47	27	5	-
WHITE------MALE----	5	8	7	8	19	23	26	24	12	9	1	-
FEMALE--	2	5	3	10	16	25	29	43	31	13	4	-
ALL OTHER--MALE----	2	-	2	5	3	3	2	5	2	1	-	-
FEMALE--	1	6	4	6	6	5	4	7	2	4	-	-
BLACK---MALE----	1	-	2	-	2	3	1	3	2	-	-	-
FEMALE--	-	4	2	2	3	4	4	2	-	1	-	-
OREGON ----------	7	3	7	7	26	45	48	39	39	13	3	-
WHITE------MALE----	4	-	3	4	14	21	26	15	16	2	1	-
FEMALE--	2	2	2	2	10	23	21	21	22	10	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	2	1	-	-	-
FEMALE--	1	-	2	1	2	-	1	1	-	1	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
PENNSYLVANIA ----------	41	60	109	222	308	467	507	474	266	96	13	-
WHITE------MALE----	12	23	48	89	127	225	231	195	83	31	6	-
FEMALE--	17	16	34	87	133	182	231	238	164	60	7	-
ALL OTHER--MALE----	6	9	16	21	27	37	24	9	6	1	-	-
FEMALE--	6	12	11	25	21	23	21	32	13	4	-	-
BLACK---MALE----	6	7	16	20	27	35	23	9	6	1	-	-
FEMALE--	6	12	10	24	20	22	21	31	13	4	-	-
RHODE ISLAND ----------	1	-	6	5	16	17	23	21	17	1	1	-
WHITE------MALE----	-	-	4	-	9	6	12	8	8	-	-	-
FEMALE--	1	-	2	4	5	9	10	13	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	1	-
SOUTH CAROLINA ---------	11	16	29	40	46	78	75	57	26	6	-	-
WHITE------MALE----	2	2	7	5	17	26	21	11	6	2	-	-
FEMALE--	2	4	6	11	13	29	26	21	12	4	-	-
ALL OTHER--MALE----	2	7	11	11	7	13	15	12	1	-	-	-
FEMALE--	5	3	5	13	9	10	13	13	7	-	-	-
BLACK---MALE----	2	6	11	11	7	13	15	12	1	-	-	-
FEMALE--	5	3	5	13	9	10	13	13	7	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2951

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
SOUTH DAKOTA ----------	92	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	40	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	640	2	-	1	-	1	2	3	7	8	12	13
WHITE------MALE----	199	-	-	-	-	-	-	1	2	3	2	2
FEMALE--	272	2	-	-	-	1	-	1	3	3	2	2
ALL OTHER--MALE----	67	-	-	1	-	-	1	-	2	-	3	5
FEMALE--	102	-	-	-	-	-	1	1	-	2	5	4
BLACK---MALE----	67	-	-	1	-	-	1	-	2	-	3	5
FEMALE--	102	-	-	-	-	-	1	1	-	2	5	4
TEXAS ----------	1,637	12	1	1	2	3	4	11	13	15	25	40
WHITE------MALE----	638	4	1	1	1	1	-	1	5	8	7	14
FEMALE--	672	3	-	-	-	-	3	6	4	4	10	11
ALL OTHER--MALE----	131	3	-	-	-	-	-	-	1	2	5	8
FEMALE--	196	2	-	-	1	2	1	4	3	1	3	7
BLACK---MALE----	122	2	-	-	-	-	-	-	1	2	5	8
FEMALE--	193	2	-	-	1	2	1	4	3	1	3	7
UTAH ----------	127	-	1	-	-	-	-	-	1	-	2	-
WHITE------MALE----	66	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	56	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	55	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1,024	5	1	-	-	2	-	2	5	6	16	19
WHITE------MALE----	307	3	1	-	-	-	-	-	1	1	3	6
FEMALE--	360	1	-	-	-	1	-	1	2	2	2	3
ALL OTHER--MALE----	174	1	-	-	-	1	-	-	-	3	8	6
FEMALE--	183	-	-	-	-	-	-	1	2	-	3	4
BLACK---MALE----	167	1	-	-	-	1	-	-	-	3	8	6
FEMALE--	177	-	-	-	-	-	-	1	2	-	3	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
SOUTH DAKOTA ----------	-	3	2	6	7	13	18	20	16	4	1	-
WHITE------MALE----	-	-	1	3	3	6	6	9	8	2	-	-
FEMALE--	-	1	1	1	2	5	10	11	8	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	26	27	32	58	80	104	104	89	49	19	3	-
WHITE------MALE----	10	7	10	21	31	35	40	23	10	2	-	-
FEMALE--	7	7	14	18	29	45	46	48	32	10	2	-
ALL OTHER--MALE----	6	4	3	9	7	7	8	10	1	-	-	-
FEMALE--	3	9	5	10	13	17	10	8	6	7	1	-
BLACK---MALE----	6	4	3	9	7	7	8	10	1	-	-	-
FEMALE--	3	9	5	10	13	17	10	8	6	7	1	-
TEXAS ----------	49	72	97	121	161	242	244	234	197	76	17	-
WHITE------MALE----	13	33	41	52	66	122	92	99	59	17	1	-
FEMALE--	16	23	28	40	59	83	110	104	112	44	12	-
ALL OTHER--MALE----	9	5	16	16	11	17	20	7	8	3	-	-
FEMALE--	11	11	12	13	25	20	22	24	18	12	4	-
BLACK---MALE----	9	5	15	16	10	15	18	6	7	3	-	-
FEMALE--	11	11	12	13	24	20	21	24	17	12	4	-
UTAH ----------	2	-	6	6	15	22	32	18	17	5	-	-
WHITE------MALE----	1	-	4	2	8	12	18	10	6	3	-	-
FEMALE--	1	-	2	4	7	8	12	8	11	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT ----------	-	1	3	3	6	10	13	9	7	2	-	-
WHITE------MALE----	-	1	1	1	3	5	5	5	-	2	-	-
FEMALE--	-	-	2	2	3	5	8	4	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	29	41	43	96	140	160	201	148	75	28	7	-
WHITE------MALE----	6	17	10	26	42	48	65	47	25	5	1	-
FEMALE--	6	7	15	29	33	57	82	62	36	17	4	-
ALL OTHER--MALE----	12	4	10	21	28	32	25	17	4	1	1	-
FEMALE--	5	13	8	20	37	23	29	22	10	5	1	-
BLACK---MALE----	12	3	10	21	26	29	24	17	4	1	1	-
FEMALE--	5	13	8	20	37	22	26	20	10	5	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2952

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
WASHINGTON ----------	255	-	-	-	-	-	1	-	1	1	2	6
WHITE------MALE----	110	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	109	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	18	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
WEST VIRGINIA ----------	341	3	-	-	-	-	1	2	2	2	5	4
WHITE------MALE----	143	2	-	-	-	-	1	1	1	1	2	1
FEMALE--	182	-	-	-	-	-	-	1	1	1	2	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	661	-	-	-	-	-	-	1	1	-	2	3
WHITE------MALE----	299	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	319	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
WASHINGTON ----------	8	11	9	11	25	38	45	50	34	12	1	-
WHITE------MALE----	4	3	4	5	7	12	28	24	13	6	-	-
FEMALE--	1	4	4	4	12	19	13	25	18	6	1	-
ALL OTHER--MALE----	2	3	-	1	-	5	3	-	1	-	-	-
FEMALE--	1	1	1	1	6	2	1	1	2	-	-	-
BLACK---MALE----	1	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	1	1	-	-	-	-
WEST VIRGINIA ----------	6	9	15	43	53	44	57	51	32	9	3	-
WHITE------MALE----	3	6	6	22	33	22	15	20	7	-	-	-
FEMALE--	2	1	9	19	18	21	39	29	25	8	3	-
ALL OTHER--MALE----	-	1	-	2	1	-	2	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	1	-	1	-	-
BLACK---MALE----	-	1	-	2	1	-	2	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	1	-	1	-	-
WISCONSIN ----------	5	14	20	36	78	99	143	125	94	34	6	-
WHITE------MALE----	2	7	9	15	39	50	71	60	32	7	4	-
FEMALE--	1	3	7	15	32	45	61	64	61	26	2	-
ALL OTHER--MALE----	2	2	2	5	3	1	6	-	-	-	-	-
FEMALE--	-	2	2	1	4	3	5	1	1	1	-	-
BLACK---MALE----	2	1	2	4	3	1	6	-	-	-	-	-
FEMALE--	-	1	2	1	4	2	4	1	1	1	-	-
WYOMING ----------	-	2	1	3	3	4	4	7	3	-	-	-
WHITE------MALE----	-	2	-	1	2	3	1	3	1	-	-	-
FEMALE--	-	-	1	2	1	1	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urolithiasis (N20-N23)												
UNITED STATES -	235	-	-	1	-	-	-	-	-	4	3	3
WHITE------MALE----	83	-	-	1	-	-	-	-	-	2	1	1
FEMALE--	128	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	41	-	-	1	-	-	-	-	-	1	-	1
WHITE------MALE----	13	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
UNITED STATES -	7	10	20	15	25	25	44	42	26	10	-	-
WHITE------MALE----	4	7	10	7	8	10	17	11	3	1	-	-
FEMALE--	1	2	9	4	14	11	26	26	22	7	-	-
ALL OTHER--MALE----	2	1	-	3	-	2	1	3	-	-	-	-
FEMALE--	-	-	1	1	3	2	-	2	1	2	-	-
BLACK---MALE----	2	-	-	2	-	2	-	3	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	2	1	2	-	-
ALABAMA ----------	-	-	-	-	-	-	2	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	6	3	3	6	4	6	4	5	1	-	-
WHITE------MALE----	-	3	2	1	2	-	3	-	-	-	-	-
FEMALE--	-	2	1	1	3	2	3	4	5	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urolithiasis (N20-N23)												
COLORADO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	5	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2954

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
COLORADO ----------	-	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	3	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	1	-	2	2	3	1	1	1	-	-
WHITE------MALE----	-	-	1	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	1	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urolithiasis (N20-N23)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2955

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	1	1	-	-	4	6	3	-	-	-
WHITE------MALE----	-	-	1	1	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	2	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urolithiasis (N20-N23)												
KENTUCKY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2956

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
KENTUCKY ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	2	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	1	-	2	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	2	1	1	2	2	-	2	-	-	-
WHITE------MALE----	-	-	1	-	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urolithiasis (N20-N23)												
MINNESOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
MINNESOTA ----------	-	-	-	-	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	1	1	-	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urolithiasis (N20-N23)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	11	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	1	1	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	2	1	-	1	1	7	3	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	5	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	1	-	1	1	4	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2959

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urolithiasis (N20-N23)												
OHIO ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	13	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
OHIO ----------	-	1	1	2	3	-	1	1	2	-	-	-
WHITE------MALE----	-	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OREGON ----------	-	-	-	-	1	-	1	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	1	-	2	-	1	3	2	1	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urolithiasis (N20-N23)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	17	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	-	-	-	2	2	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
TEXAS ----------	1	-	2	1	1	2	3	2	2	1	-	-
WHITE------MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	1	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	2	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2961

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urolithiasis (N20-N23)												
WASHINGTON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
WASHINGTON ----------	-	-	-	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	-	1	-	-	1	1	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2962

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified disorders of kidney (N25-N27)												
UNITED STATES -	90	-	-	-	-	1	-	1	2	5	-	1
WHITE------MALE----	34	-	-	-	-	1	-	-	1	1	-	1
FEMALE--	31	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2962

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified disorders of kidney (N25-N27)												
UNITED STATES -	4	2	5	7	9	20	15	6	8	3	1	-
WHITE------MALE----	1	1	-	3	4	6	7	4	3	1	-	-
FEMALE--	1	-	2	2	3	11	4	-	2	2	1	-
ALL OTHER--MALE----	1	-	-	2	1	2	1	2	-	-	-	-
FEMALE--	1	1	3	-	1	1	3	-	3	-	-	-
BLACK---MALE----	1	-	-	2	-	2	1	1	-	-	-	-
FEMALE--	1	1	3	-	1	1	3	-	2	-	-	-
ALABAMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	1	1	2	2	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified disorders of kidney (N25-N27)												
COLORADO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	15	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified disorders of kidney (N25-N27)												
COLORADO ----------	-	-	-	2	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	2	-	1	-	3	5	2	-	1	-	-
WHITE------MALE----	-	1	-	-	-	1	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2964

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified disorders of kidney (N25-N27)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified disorders of kidney (N25-N27)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified disorders of kidney (N25-N27)												
KENTUCKY ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2965

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified disorders of kidney (N25-N27)												
KENTUCKY ----------	-	-	-	-	-	2	2	2	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified disorders of kidney (N25-N27)												
MINNESOTA ----------	3	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified disorders of kidney (N25-N27)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA	-	-	-	-	-	1	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	1	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified disorders of kidney (N25-N27)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified disorders of kidney (N25-N27)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified disorders of kidney (N25-N27)												
OHIO ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified disorders of kidney (N25-N27)												
OHIO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified disorders of kidney (N25-N27)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2969

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified disorders of kidney (N25-N27)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	2	2	-	2	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	1	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2970

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified disorders of kidney (N25-N27)												
WASHINGTON ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified disorders of kidney (N25-N27)												
WASHINGTON ----------	1	-	-	-	2	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
UNITED STATES -	14,021	2	2	2	3	5	5	14	19	24	49	83
WHITE------MALE----	3,583	1	1	1	-	2	2	4	8	9	12	28
FEMALE--	8,621	-	1	1	2	1	1	5	6	8	22	33
ALL OTHER--MALE----	677	-	-	-	1	1	1	2	2	3	8	9
FEMALE--	1,140	1	-	-	-	1	1	3	3	4	7	13
BLACK---MALE----	596	-	-	-	1	1	1	1	1	3	8	9
FEMALE--	1,019	1	-	-	-	-	1	3	2	3	6	12
ALABAMA ----------	309	-	-	-	-	-	-	-	2	1	-	4
WHITE------MALE----	65	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	169	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	49	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	47	-	-	-	-	-	-	-	-	1	-	-
ALASKA ----------	12	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ARIZONA ----------	204	-	-	-	-	-	-	-	-	1	2	3
WHITE------MALE----	65	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	124	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	172	-	-	-	-	-	-	-	1	1	-	2
WHITE------MALE----	44	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	100	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1
CALIFORNIA ----------	1,903	-	-	-	-	1	-	3	-	3	6	8
WHITE------MALE----	506	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	1,157	-	-	-	-	-	-	2	-	-	5	5
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	147	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	46	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	93	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
UNITED STATES -	100	160	275	483	992	1,866	2,792	3,278	2,576	1,061	230	-
WHITE------MALE----	29	60	95	139	328	581	857	770	479	153	24	-
FEMALE--	42	72	109	226	479	1,002	1,641	2,174	1,840	785	171	-
ALL OTHER--MALE----	6	9	37	55	98	122	108	105	78	25	7	-
FEMALE--	23	19	34	63	87	161	186	229	179	98	28	-
BLACK---MALE----	6	9	33	50	88	109	92	86	69	23	6	-
FEMALE--	19	15	31	58	72	147	165	208	162	88	26	-
ALABAMA ----------	4	5	7	11	16	49	62	70	55	18	5	-
WHITE------MALE----	1	1	2	4	4	17	12	14	7	-	1	-
FEMALE--	-	3	3	2	7	16	40	43	38	11	3	-
ALL OTHER--MALE----	-	-	1	2	2	8	4	3	5	-	-	-
FEMALE--	3	1	1	3	3	8	6	10	5	7	1	-
BLACK---MALE----	-	-	1	2	2	8	4	3	5	-	-	-
FEMALE--	3	1	1	3	3	8	6	9	4	7	1	-
ALASKA ----------	1	-	-	-	-	1	2	2	5	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	2	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARIZONA ----------	1	5	4	1	14	17	60	47	40	5	4	-
WHITE------MALE----	-	3	2	1	6	10	21	10	9	1	-	-
FEMALE--	1	2	2	-	8	6	34	35	27	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	1	3	-	1	-
FEMALE--	-	-	-	-	-	-	3	1	1	1	1	-
BLACK---MALE----	-	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
ARKANSAS ----------	3	2	6	4	10	20	33	41	29	17	3	-
WHITE------MALE----	-	1	1	2	2	5	8	13	6	3	1	-
FEMALE--	1	1	3	-	4	12	21	24	19	13	2	-
ALL OTHER--MALE----	-	-	-	-	3	2	1	1	1	-	-	-
FEMALE--	2	-	2	2	1	1	3	3	3	1	-	-
BLACK---MALE----	-	-	-	-	3	2	1	1	1	-	-	-
FEMALE--	2	-	2	2	1	1	3	3	3	1	-	-
CALIFORNIA ----------	12	21	42	63	163	262	383	437	340	139	20	-
WHITE------MALE----	2	7	13	11	60	79	126	108	70	22	2	-
FEMALE--	7	10	20	38	65	146	214	281	241	106	17	-
ALL OTHER--MALE----	2	-	5	8	15	13	12	21	13	3	-	-
FEMALE--	1	4	4	6	23	24	31	27	16	8	1	-
BLACK---MALE----	2	-	2	5	7	6	5	11	6	1	-	-
FEMALE--	1	3	3	4	13	17	18	19	8	5	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
COLORADO ----------	114	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	166	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	45	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	113	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	42	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	34	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	728	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	207	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	442	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	38	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	412	-	-	-	-	-	-	1	1	-	1	5
WHITE------MALE----	92	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	224	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	70	-	-	-	-	-	-	1	-	-	-	3
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	70	-	-	-	-	-	-	1	-	-	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
COLORADO ----------	-	2	4	6	11	10	23	24	18	12	4	-
WHITE------MALE----	-	-	2	1	5	1	9	8	5	4	1	-
FEMALE--	-	2	1	5	5	7	13	15	12	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	-	-	1	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
CONNECTICUT ----------	-	1	3	1	10	15	36	45	41	12	2	-
WHITE------MALE----	-	-	1	1	4	6	11	12	7	2	1	-
FEMALE--	-	1	1	-	5	8	22	33	33	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	3	-	1	-	-	-
DELAWARE ----------	-	1	1	3	-	4	7	8	12	4	2	-
WHITE------MALE----	-	-	1	1	-	3	-	3	5	-	1	-
FEMALE--	-	1	-	1	-	1	6	5	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ---	1	-	1	3	3	7	5	4	5	1	3	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	1	-
ALL OTHER--MALE----	1	-	1	-	1	3	3	1	-	1	-	-
FEMALE--	-	-	-	2	1	4	2	1	3	-	2	-
BLACK---MALE----	1	-	1	-	1	3	2	1	-	1	-	-
FEMALE--	-	-	-	2	1	4	2	1	3	-	2	-
FLORIDA ----------	1	10	16	23	51	100	132	190	137	52	11	-
WHITE------MALE----	1	5	3	7	17	37	41	55	29	10	1	-
FEMALE--	-	1	9	11	21	53	78	123	99	36	9	-
ALL OTHER--MALE----	-	2	2	3	9	4	7	4	5	1	-	-
FEMALE--	-	2	2	2	4	6	6	8	4	5	1	-
BLACK---MALE----	-	2	2	3	9	4	6	4	5	1	-	-
FEMALE--	-	2	2	2	4	6	6	7	4	5	1	-
GEORGIA ----------	3	3	6	21	25	64	82	84	84	29	3	-
WHITE------MALE----	-	2	-	8	7	21	24	14	12	1	-	-
FEMALE--	3	-	2	7	14	27	38	55	53	21	3	-
ALL OTHER--MALE----	-	1	3	1	2	6	5	3	3	2	-	-
FEMALE--	-	-	1	5	2	10	15	12	16	5	-	-
BLACK---MALE----	-	1	3	1	2	6	5	3	3	2	-	-
FEMALE--	-	-	1	5	2	10	15	12	16	5	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
HAWAII ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	41	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	585	1	-	-	-	-	-	3	1	1	4	1
WHITE------MALE----	144	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	350	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	2	-	-	2	-
FEMALE--	66	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	23	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	66	1	-	-	-	-	-	-	-	-	1	1
INDIANA ----------	332	-	-	-	1	-	-	-	1	1	1	-
WHITE------MALE----	87	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	218	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	166	-	-	-	-	-	-	-	-	-	1	4
WHITE------MALE----	50	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	115	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	95	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
HAWAII ----------	-	-	-	2	3	4	7	8	3	4	-	-
WHITE------MALE----	-	-	-	-	2	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	5	1	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	2	2	-	5	14	9	4	3	2	-
WHITE------MALE----	-	-	1	2	-	3	7	3	2	-	-	-
FEMALE--	-	-	1	-	-	2	7	6	2	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	5	5	17	48	86	121	117	118	46	9	-
WHITE------MALE----	-	1	1	6	16	25	35	28	21	9	-	-
FEMALE--	-	4	-	7	26	46	74	76	79	28	8	-
ALL OTHER--MALE----	1	-	2	1	4	3	4	2	3	1	-	-
FEMALE--	1	-	2	3	2	12	8	11	15	8	1	-
BLACK---MALE----	1	-	1	1	4	3	4	2	3	1	-	-
FEMALE--	1	-	2	3	2	12	8	11	15	8	1	-
INDIANA ----------	3	3	2	14	20	45	63	81	64	29	4	-
WHITE------MALE----	-	1	1	7	4	15	21	16	16	4	-	-
FEMALE--	1	2	1	6	13	24	39	59	45	23	4	-
ALL OTHER--MALE----	1	-	-	-	2	2	1	-	1	1	-	-
FEMALE--	1	-	-	1	1	4	2	6	2	1	-	-
BLACK---MALE----	1	-	-	-	2	2	1	-	1	1	-	-
FEMALE--	1	-	-	1	1	4	2	6	2	1	-	-
IOWA ----------	-	-	2	2	17	5	38	42	31	21	3	-
WHITE------MALE----	-	-	1	-	8	-	17	9	9	3	1	-
FEMALE--	-	-	1	2	9	5	21	32	22	18	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	1	2	3	6	12	14	21	22	5	5	-
WHITE------MALE----	-	-	-	2	3	4	6	5	5	1	-	-
FEMALE--	2	1	1	1	3	7	8	15	16	4	5	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
KENTUCKY ----------	224	-	-	-	-	-	-	1	1	-	1	-
WHITE------MALE----	58	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	147	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	228	-	-	-	-	1	1	-	-	-	1	1
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	110	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	73	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	274	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	52	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	160	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	364	-	-	1	-	-	-	-	-	1	-	1
WHITE------MALE----	94	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	257	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	465	-	-	-	1	-	-	1	1	-	2	2
WHITE------MALE----	121	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	280	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	23	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
KENTUCKY ----------	-	2	9	13	6	31	42	53	44	19	2	-
WHITE------MALE----	-	2	3	5	3	9	9	14	9	3	-	-
FEMALE--	-	-	5	6	1	21	30	37	29	14	2	-
ALL OTHER--MALE----	-	-	1	2	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	5	2	-	-
BLACK---MALE----	-	-	1	2	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	5	2	-	-
LOUISIANA ----------	3	8	5	8	17	26	45	49	42	14	7	-
WHITE------MALE----	2	4	1	-	4	7	12	7	5	2	1	-
FEMALE--	-	2	-	1	7	12	23	29	22	9	3	-
ALL OTHER--MALE----	-	1	4	3	1	3	4	4	9	1	-	-
FEMALE--	1	1	-	4	5	4	6	9	6	2	3	-
BLACK---MALE----	-	1	4	3	1	3	4	4	9	1	-	-
FEMALE--	1	1	-	4	5	4	6	9	6	2	3	-
MAINE ----------	-	-	-	1	3	9	17	16	15	8	4	-
WHITE------MALE----	-	-	-	-	1	4	3	6	3	3	-	-
FEMALE--	-	-	-	1	2	5	14	10	12	5	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	4	8	13	22	34	47	70	52	16	4	-
WHITE------MALE----	1	-	3	1	5	6	13	14	5	3	-	-
FEMALE--	1	2	2	6	10	22	27	42	33	12	3	-
ALL OTHER--MALE----	-	-	1	4	1	2	2	7	2	1	-	-
FEMALE--	-	2	2	2	6	4	5	7	12	-	1	-
BLACK---MALE----	-	-	1	4	1	2	2	6	2	1	-	-
FEMALE--	-	2	2	2	4	4	5	7	12	-	1	-
MASSACHUSETTS ----------	-	3	5	16	17	51	70	76	77	38	8	-
WHITE------MALE----	-	3	2	8	7	16	19	23	10	4	-	-
FEMALE--	-	-	2	7	8	32	51	52	65	32	7	-
ALL OTHER--MALE----	-	-	-	-	2	3	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	2	2	1	-
BLACK---MALE----	-	-	-	-	2	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	2	-	1	-
MICHIGAN ----------	1	4	10	17	38	63	83	105	89	43	5	-
WHITE------MALE----	-	1	6	6	9	20	26	24	16	9	1	-
FEMALE--	1	3	1	7	26	30	47	65	64	29	4	-
ALL OTHER--MALE----	-	-	2	1	2	5	3	3	4	2	-	-
FEMALE--	-	-	1	3	1	8	7	13	5	3	-	-
BLACK---MALE----	-	-	2	1	2	5	3	3	4	2	-	-
FEMALE--	-	-	1	3	1	8	6	13	5	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
MINNESOTA ----------	157	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	119	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	198	-	-	-	-	2	-	-	2	1	1	-
WHITE------MALE----	42	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	84	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	40	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	-
MISSOURI ----------	339	-	-	-	-	-	-	1	1	-	2	2
WHITE------MALE----	97	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	210	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	1	-	-	2	-
MONTANA ----------	49	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	59	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	23	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	70	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
MINNESOTA ----------	-	-	-	3	7	16	37	46	32	13	2	-
WHITE------MALE----	-	-	-	3	2	3	8	11	7	2	-	-
FEMALE--	-	-	-	-	4	13	29	34	25	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	4	7	10	14	23	38	42	33	15	4	-
WHITE------MALE----	1	1	2	1	1	8	11	13	1	1	-	-
FEMALE--	1	1	4	3	7	8	20	12	17	7	3	-
ALL OTHER--MALE----	-	1	1	6	4	4	5	6	8	3	-	-
FEMALE--	-	1	-	-	2	3	2	11	7	4	1	-
BLACK---MALE----	-	1	1	6	4	4	5	6	8	3	-	-
FEMALE--	-	1	-	-	2	3	2	11	7	4	1	-
MISSOURI ----------	2	6	7	16	20	43	61	88	56	26	8	-
WHITE------MALE----	-	1	3	6	7	16	24	23	10	4	2	-
FEMALE--	1	5	3	6	9	24	32	61	42	20	6	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	1	2	1	-	-
FEMALE--	1	-	-	4	2	2	5	3	2	1	-	-
BLACK---MALE----	-	-	1	-	2	1	-	1	2	1	-	-
FEMALE--	1	-	-	4	2	2	5	3	2	1	-	-
MONTANA ----------	-	-	4	-	3	5	9	11	13	4	-	-
WHITE------MALE----	-	-	1	-	1	2	3	3	2	-	-	-
FEMALE--	-	-	2	-	2	2	6	8	10	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	2	3	9	15	9	13	5	1	-
WHITE------MALE----	-	-	-	1	2	5	7	2	5	-	-	-
FEMALE--	-	-	-	1	1	4	8	7	8	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	2	5	7	11	15	15	8	4	2	-
WHITE------MALE----	-	-	1	-	4	3	8	2	2	-	-	-
FEMALE--	-	1	1	4	2	6	7	12	6	4	2	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
NEW HAMPSHIRE ----------	65	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	350	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	96	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	217	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	56	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	778	-	1	-	-	-	-	1	-	1	-	6
WHITE------MALE----	196	-	1	-	-	-	-	1	-	-	-	2
FEMALE--	477	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	69	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	1
NORTH CAROLINA ---------	451	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	95	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	256	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	16	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
NEW HAMPSHIRE ----------	-	-	4	4	8	7	14	12	12	3	-	-
WHITE------MALE----	-	-	2	1	3	4	5	2	3	-	-	-
FEMALE--	-	-	2	3	5	3	9	10	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	4	2	11	22	48	67	94	67	27	3	-
WHITE------MALE----	1	2	1	3	6	15	22	26	13	4	1	-
FEMALE--	-	2	1	6	12	24	40	60	52	19	-	-
ALL OTHER--MALE----	-	-	-	1	3	5	2	4	1	-	-	-
FEMALE--	-	-	-	1	1	4	3	4	1	4	2	-
BLACK---MALE----	-	-	-	1	3	5	1	4	1	-	-	-
FEMALE--	-	-	-	1	1	4	3	3	1	4	2	-
NEW MEXICO ----------	1	-	3	-	6	14	7	14	7	1	2	-
WHITE------MALE----	-	-	3	-	2	5	1	5	3	-	-	-
FEMALE--	-	-	-	-	4	7	6	8	4	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	8	9	11	26	56	109	139	181	148	68	14	-
WHITE------MALE----	2	4	4	6	20	39	45	35	30	6	1	-
FEMALE--	5	3	2	13	27	52	75	127	107	54	11	-
ALL OTHER--MALE----	-	1	2	4	4	8	8	5	1	2	-	-
FEMALE--	1	1	3	3	5	10	11	14	10	6	2	-
BLACK---MALE----	-	1	2	4	4	8	8	4	1	2	-	-
FEMALE--	1	1	3	3	4	9	9	13	9	6	2	-
NORTH CAROLINA ---------	7	10	8	14	34	67	98	95	72	34	10	-
WHITE------MALE----	3	2	1	3	8	18	33	14	8	3	1	-
FEMALE--	1	3	3	5	15	31	50	62	58	22	5	-
ALL OTHER--MALE----	-	1	4	4	5	9	6	5	2	-	1	-
FEMALE--	3	4	-	2	6	9	9	14	4	9	3	-
BLACK---MALE----	-	1	4	4	5	8	6	5	2	-	1	-
FEMALE--	2	1	-	2	6	9	9	14	4	9	2	-
NORTH DAKOTA ----------	-	-	1	-	-	-	2	2	7	1	2	-
WHITE------MALE----	-	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	6	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
OHIO ----------	588	-	-	-	-	-	-	-	-	-	2	6
WHITE------MALE----	147	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	380	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA ----------	214	-	-	-	-	-	-	-	-	1	4	2
WHITE------MALE----	58	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	137	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	123	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	98	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	703	1	-	1	-	-	-	1	2	1	-	4
WHITE------MALE----	168	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	487	-	-	1	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	1	1	-	-	-
RHODE ISLAND ----------	71	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ----------	282	-	-	-	-	-	-	-	-	2	2	-
WHITE------MALE----	56	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	148	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
OHIO ----------	2	5	9	13	51	97	112	159	83	36	13	-
WHITE------MALE----	1	2	4	-	16	28	34	38	15	5	2	-
FEMALE--	1	3	4	11	25	61	66	110	59	27	10	-
ALL OTHER--MALE----	-	-	-	1	7	4	4	4	1	1	-	-
FEMALE--	-	-	1	1	3	4	8	7	8	3	1	-
BLACK---MALE----	-	-	-	1	7	4	4	4	1	1	-	-
FEMALE--	-	-	1	1	3	4	8	7	8	3	1	-
OKLAHOMA ----------	1	3	4	8	15	31	35	44	42	19	5	-
WHITE------MALE----	-	2	3	3	7	11	5	12	11	2	-	-
FEMALE--	-	-	1	5	6	20	25	28	28	17	3	-
ALL OTHER--MALE----	-	-	-	-	2	-	2	2	1	-	1	-
FEMALE--	1	1	-	-	-	-	3	2	2	-	1	-
BLACK---MALE----	-	-	-	-	1	-	1	1	1	-	1	-
FEMALE--	-	1	-	-	-	-	3	2	2	-	-	-
OREGON ----------	2	1	2	5	7	15	30	20	29	9	2	-
WHITE------MALE----	-	-	1	1	-	3	9	2	1	2	2	-
FEMALE--	2	1	1	4	6	11	21	18	27	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
PENNSYLVANIA ----------	6	7	7	29	41	90	159	177	115	55	7	-
WHITE------MALE----	3	2	2	7	15	26	45	37	22	7	-	-
FEMALE--	3	3	5	18	20	58	102	130	90	45	7	-
ALL OTHER--MALE----	-	1	-	1	4	3	7	1	1	-	-	-
FEMALE--	-	1	-	3	2	3	5	9	2	3	-	-
BLACK---MALE----	-	1	-	1	4	3	6	1	1	-	-	-
FEMALE--	-	1	-	3	2	3	5	9	2	3	-	-
RHODE ISLAND ----------	-	-	3	3	7	14	12	14	10	7	1	-
WHITE------MALE----	-	-	1	2	2	3	6	4	-	3	1	-
FEMALE--	-	-	2	1	5	10	6	9	10	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA ---------	3	1	8	9	27	43	56	67	45	14	5	-
WHITE------MALE----	1	-	3	3	4	10	18	10	6	1	-	-
FEMALE--	2	1	1	2	11	24	27	39	30	6	3	-
ALL OTHER--MALE----	-	-	2	3	8	3	4	9	1	2	1	-
FEMALE--	-	-	2	1	4	6	7	9	8	5	1	-
BLACK---MALE----	-	-	2	3	8	3	4	9	1	2	1	-
FEMALE--	-	-	2	1	4	6	7	9	8	5	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
SOUTH DAKOTA ----------	35	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	458	-	-	-	-	-	2	-	1	2	3	3
WHITE------MALE----	120	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	266	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	47	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	47	-	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	907	-	-	-	1	-	2	1	-	1	5	12
WHITE------MALE----	222	-	-	-	-	-	1	-	-	-	2	3
FEMALE--	556	-	-	-	1	-	-	1	-	-	2	5
ALL OTHER--MALE----	45	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	84	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	42	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	81	-	-	-	-	-	-	-	-	-	1	3
UTAH ----------	68	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	49	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	27	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	332	-	-	-	-	-	-	1	-	-	2	3
WHITE------MALE----	85	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	181	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
SOUTH DAKOTA ----------	-	1	2	2	-	3	6	7	4	8	1	-
WHITE------MALE----	-	1	-	1	-	2	2	2	-	1	-	-
FEMALE--	-	-	2	1	-	1	4	5	4	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	8	4	11	18	27	62	103	110	75	25	4	-
WHITE------MALE----	4	2	3	7	11	18	24	30	14	1	1	-
FEMALE--	2	2	3	6	12	30	67	67	48	23	3	-
ALL OTHER--MALE----	-	-	3	2	1	7	3	3	4	-	-	-
FEMALE--	2	-	2	3	3	7	9	10	9	1	-	-
BLACK---MALE----	-	-	3	2	1	7	3	3	4	-	-	-
FEMALE--	2	-	2	3	3	7	9	10	9	1	-	-
TEXAS ----------	9	16	16	30	62	104	180	201	179	75	13	-
WHITE------MALE----	3	7	7	8	21	26	53	45	32	13	1	-
FEMALE--	3	7	6	14	37	58	103	131	128	50	10	-
ALL OTHER--MALE----	1	1	1	4	4	10	6	8	4	2	1	-
FEMALE--	2	1	2	4	-	10	18	17	15	10	1	-
BLACK---MALE----	1	1	1	4	4	9	5	7	4	2	1	-
FEMALE--	2	1	1	4	-	10	17	16	15	10	1	-
UTAH ----------	1	1	3	3	5	8	13	19	8	4	-	-
WHITE------MALE----	1	-	-	2	1	2	3	5	2	1	-	-
FEMALE--	-	1	3	1	4	6	10	14	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	3	1	-	3	8	4	5	1	1	-
WHITE------MALE----	-	-	2	-	-	2	4	-	-	1	1	-
FEMALE--	-	-	1	1	-	1	4	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	1	9	15	29	48	60	82	54	21	4	-
WHITE------MALE----	2	-	2	6	10	18	15	18	9	1	-	-
FEMALE--	-	1	3	3	10	18	32	54	38	19	2	-
ALL OTHER--MALE----	-	-	-	2	4	5	8	-	1	-	1	-
FEMALE--	1	-	4	4	5	7	5	10	6	1	1	-
BLACK---MALE----	-	-	-	2	4	5	8	-	-	-	1	-
FEMALE--	1	-	4	4	4	7	5	10	6	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
WASHINGTON ----------	202	-	-	-	-	-	-	-	3	-	1	-
WHITE------MALE----	52	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	139	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	130	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	37	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	90	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	294	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	88	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	200	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	25	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
WASHINGTON ----------	2	2	1	5	12	25	45	52	31	15	8	-
WHITE------MALE----	-	1	-	-	3	4	19	16	6	2	-	-
FEMALE--	1	1	1	4	8	19	24	36	24	13	7	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	1	-	1	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	2	1	1	3	13	11	30	33	27	7	2	-
WHITE------MALE----	-	1	-	2	7	3	13	6	4	1	-	-
FEMALE--	2	-	1	1	6	8	16	27	22	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
WISCONSIN ----------	1	2	7	3	15	35	53	77	68	26	5	-
WHITE------MALE----	-	-	4	-	7	16	17	19	17	8	-	-
FEMALE--	-	2	2	3	6	18	36	58	51	18	4	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	1	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	1	-
WYOMING ----------	-	1	-	1	1	5	2	4	6	3	1	-
WHITE------MALE----	-	1	-	-	-	2	-	-	2	-	-	-
FEMALE--	-	-	-	1	1	3	2	3	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2980

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
UNITED STATES -	1,048	5	2	4	4	2	1	7	4	19	16	26
WHITE------MALE----	428	4	-	1	2	-	-	1	4	6	6	14
FEMALE--	428	1	1	2	-	2	1	4	-	8	5	4
ALL OTHER--MALE----	106	-	1	1	1	-	-	2	-	4	4	7
FEMALE--	86	-	-	-	1	-	-	-	-	1	1	1
BLACK---MALE----	93	-	1	1	1	-	-	1	-	3	3	7
FEMALE--	75	-	-	-	1	-	-	-	-	1	1	-
ALABAMA ----------	23	1	-	-	1	-	-	-	-	1	-	1
WHITE------MALE----	9	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	13	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	21	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	88	-	-	-	-	-	1	3	2	1	2	1
WHITE------MALE----	29	-	-	-	-	-	-	-	2	-	2	-
FEMALE--	48	-	-	-	-	-	1	3	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
UNITED STATES -	36	53	62	76	118	133	184	150	104	37	4	1
WHITE------MALE----	13	23	22	36	57	56	74	55	36	15	3	-
FEMALE--	11	16	25	20	38	53	77	79	62	18	1	-
ALL OTHER--MALE----	7	7	10	17	14	11	11	5	3	1	-	-
FEMALE--	5	7	5	3	9	13	22	11	3	3	-	1
BLACK---MALE----	7	7	9	13	12	9	10	5	3	1	-	-
FEMALE--	4	5	5	3	9	13	17	11	2	2	-	1
ALABAMA ----------	3	2	1	-	2	3	2	4	1	1	-	-
WHITE------MALE----	2	1	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	2	1	2	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALASKA ----------	-	-	1	-	-	-	-	-	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	2	2	1	2	3	1	-	-	-	-
WHITE------MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	-	3	4	2	6	3	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	2	1	-	-	-
FEMALE--	-	-	1	-	1	4	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
CALIFORNIA ----------	1	5	4	5	9	8	17	15	10	4	-	-
WHITE------MALE----	-	2	1	3	3	1	6	3	5	1	-	-
FEMALE--	1	2	2	1	5	5	8	11	5	3	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
COLORADO ----------	13	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	17	-	-	-	-	-	-	-	-	1	-	2
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	60	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	22	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
COLORADO ----------	-	-	1	-	-	3	1	4	2	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	1	1	1	1	3	2	3	1	-	-
WHITE------MALE----	1	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE ----------	-	-	-	1	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	4	1	-	1	1	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
FLORIDA ----------	-	3	5	7	9	7	8	11	8	-	-	-
WHITE------MALE----	-	-	1	2	2	4	6	5	2	-	-	-
FEMALE--	-	1	1	2	5	1	1	6	4	-	-	-
ALL OTHER--MALE----	-	1	3	3	1	1	-	-	2	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	3	3	1	1	-	-	2	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
GEORGIA ----------	-	1	-	-	3	5	8	2	2	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	4	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2982

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
HAWAII ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	42	-	1	1	1	-	-	1	-	-	1	-
WHITE------MALE----	21	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	14	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	20	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
HAWAII ----------	-	-	-	2	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	1	-	1	-	-	-	1	1	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	4	2	2	5	3	5	5	7	2	-	-
WHITE------MALE----	2	2	-	1	3	2	1	3	5	1	-	-
FEMALE--	-	1	1	-	1	1	4	2	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
INDIANA ----------	-	1	3	-	4	3	2	2	2	1	-	-
WHITE------MALE----	-	1	1	-	2	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	-	1	1	3	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	3	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	1	1	1	2	3	-	2	-	-
WHITE------MALE----	-	-	1	1	1	-	1	3	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
KENTUCKY ----------	17	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	21	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	21	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	27	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	43	-	-	-	-	1	-	-	-	1	-	3
WHITE------MALE----	17	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	15	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
KENTUCKY ----------	-	1	2	-	2	5	3	3	-	-	-	-
WHITE------MALE----	-	-	1	-	-	3	2	-	-	-	-	-
FEMALE--	-	1	1	-	2	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	2	1	2	7	5	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	4	3	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
MAINE ----------	-	-	1	-	1	1	1	-	2	1	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	1	-	1	2	1	4	4	3	-	-	1
WHITE------MALE----	-	-	-	1	-	1	1	4	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	1
MASSACHUSETTS ----------	-	1	1	5	2	5	3	5	3	1	-	-
WHITE------MALE----	-	1	-	2	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	2	1	2	2	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
MICHIGAN ----------	4	2	-	4	6	7	9	4	2	-	-	-
WHITE------MALE----	2	2	-	1	2	3	4	-	-	-	-	-
FEMALE--	1	-	-	2	2	2	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	2	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	2	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2984

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
MINNESOTA ----------	32	-	-	-	-	-	-	1	1	-	1	1
WHITE------MALE----	19	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	20	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
MINNESOTA ----------	2	1	-	1	5	2	8	5	3	1	-	-
WHITE------MALE----	-	1	-	1	4	-	5	4	1	1	-	-
FEMALE--	2	-	-	-	1	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	1	1	1	4	1	5	3	-	1	-	-
WHITE------MALE----	1	-	-	1	3	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
MISSOURI ----------	-	1	-	3	2	2	3	5	3	-	1	-
WHITE------MALE----	-	1	-	1	1	1	1	3	1	-	1	-
FEMALE--	-	-	-	2	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MONTANA ----------	-	-	-	1	1	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	2	1	2	1	2	1	-	-	-
WHITE------MALE----	-	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	-	2	1	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
NEW HAMPSHIRE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	35	-	1	-	-	-	-	-	-	3	1	1
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	1	-	-	-	-	-	-	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	58	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	25	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
NEW HAMPSHIRE ----------	-	1	-	-	-	-	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	2	1	4	4	3	3	4	5	1	-	-
WHITE------MALE----	-	1	-	1	2	1	3	1	1	1	-	-
FEMALE--	1	1	1	1	-	1	-	2	3	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
NEW MEXICO ----------	-	-	-	1	1	2	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	4	4	6	3	5	13	14	3	4	-	-
WHITE------MALE----	1	2	2	3	1	1	5	3	1	2	-	-
FEMALE--	-	1	2	-	2	3	5	9	2	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	3	2	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	3	2	-	-	-	-
NORTH CAROLINA ---------	-	-	3	-	3	4	5	4	4	-	-	-
WHITE------MALE----	-	-	-	-	2	2	1	2	2	-	-	-
FEMALE--	-	-	2	-	1	2	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
OHIO ----------	50	-	-	-	-	-	-	-	-	2	2	2
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	14	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	44	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	17	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
OHIO ----------	1	3	4	5	4	7	12	1	3	4	-	-
WHITE------MALE----	1	3	2	3	2	5	3	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	9	1	3	4	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	1	-	4	-	3	3	2	-	-	-
WHITE------MALE----	-	-	1	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	-	1	-	3	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	2	3	1	7	7	6	5	4	2	-	-
WHITE------MALE----	1	1	1	1	4	3	3	2	-	2	-	-
FEMALE--	1	-	1	-	1	3	2	3	4	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	1	3	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	2	2	-	3	3	1	1	2	-	-	-
WHITE------MALE----	-	1	2	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	23	-	-	-	-	-	-	1	1	1	-	-
WHITE------MALE----	10	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	67	2	-	-	1	1	-	-	-	1	1	-
WHITE------MALE----	36	2	-	-	1	-	-	-	-	1	1	-
FEMALE--	22	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	36	-	-	-	1	-	-	-	-	-	1	1
WHITE------MALE----	11	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
SOUTH DAKOTA ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	2	1	1	2	1	5	2	3	1	-	-
WHITE------MALE----	1	-	1	-	2	-	1	1	-	1	-	-
FEMALE--	-	1	-	1	-	1	3	1	3	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	6	3	7	7	9	10	10	4	3	-	-
WHITE------MALE----	-	2	3	4	6	3	4	4	2	3	-	-
FEMALE--	1	1	-	1	1	5	4	6	2	-	-	-
ALL OTHER--MALE----	-	2	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	2	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
UTAH ----------	1	-	1	1	1	-	4	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	1	1	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	4	3	4	1	5	4	5	2	2	-	-
WHITE------MALE----	-	1	-	3	-	1	2	1	2	-	-	-
FEMALE--	2	2	2	1	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	1	-	-
BLACK---MALE----	1	1	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2988

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
WASHINGTON ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	26	-	-	1	-	-	-	-	-	2	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
WASHINGTON ----------	-	-	1	1	1	-	1	1	1	2	2	-
WHITE------MALE----	-	-	1	1	1	-	1	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	-	2	2	1	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	-	1	4	3	7	1	3	1	-	-
WHITE------MALE----	-	-	-	-	4	1	5	-	2	-	-	-
FEMALE--	1	1	-	1	-	2	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2989

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of male genital organs (N40-N50)												
UNITED STATES -	590	-	-	-	-	-	-	-	-	1	2	2
WHITE------MALE----	515	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	71	-	-	-	-	-	-	-	-	-	-	1
ALABAMA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	10	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	89	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	81	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
UNITED STATES -	10	11	20	31	51	79	130	134	80	29	10	-
WHITE------MALE----	4	7	14	25	40	74	116	122	73	28	8	-
ALL OTHER--MALE----	6	4	6	6	11	5	14	12	7	1	2	-
BLACK---MALE----	5	4	6	6	10	5	14	11	6	1	2	-
ALABAMA ----------	-	-	1	1	1	-	1	2	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	-	-	2	2	3	1	-	-	-
WHITE------MALE----	-	1	-	-	-	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	1	1	-	-	1	-	1	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA ----------	-	-	2	4	8	12	21	22	15	4	1	-
WHITE------MALE----	-	-	2	4	6	12	18	20	14	4	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	3	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	3	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2990

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of male genital organs (N40-N50)												
COLORADO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2990

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
COLORADO ----------	-	1	-	-	-	-	1	1	2	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	1	1	4	2	-	1	-	-
WHITE------MALE----	-	-	-	-	1	1	4	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	1	4	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	1	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FLORIDA ----------	1	1	-	5	3	3	8	4	4	2	-	-
WHITE------MALE----	-	-	-	2	2	2	8	4	3	2	-	-
ALL OTHER--MALE----	1	1	-	3	1	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	3	1	1	-	-	1	-	-	-
GEORGIA ----------	1	-	-	1	-	2	2	1	2	1	-	-
WHITE------MALE----	-	-	-	1	-	2	2	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of male genital organs (N40-N50)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	32	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
HAWAII ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	2	2	3	3	9	8	4	1	-	-
WHITE------MALE----	-	-	2	2	2	3	7	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	1	-	-	-	-
INDIANA ----------	1	-	1	-	1	5	4	3	-	1	1	-
WHITE------MALE----	1	-	1	-	1	5	4	3	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	1	1	4	4	4	-	3	-	-
WHITE------MALE----	-	-	1	1	1	4	4	4	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	1	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2992

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of male genital organs (N40-N50)												
KENTUCKY ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2992

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
KENTUCKY ----------	1	-	-	-	1	1	3	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	1	-	1	2	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	1	1	-	-	-
MAINE ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	2	-	1	-	2	4	2	-	-	-
WHITE------MALE----	-	-	2	-	1	-	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
MASSACHUSETTS ----------	-	-	-	1	1	-	3	3	-	2	-	-
WHITE------MALE----	-	-	-	1	1	-	3	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	1	1	4	1	2	2	4	4	2	-	-
WHITE------MALE----	1	-	-	3	1	1	2	4	4	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	1	1	1	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2993

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of male genital organs (N40-N50)												
MINNESOTA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
MINNESOTA ----------	-	-	-	-	2	1	1	3	4	1	-	-
WHITE------MALE----	-	-	-	-	2	1	1	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	1	-	1	1	2	2	2	1	-	-
WHITE------MALE----	-	-	1	-	1	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	-	-	-	-	-	1	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of male genital organs (N40-N50)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	1	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	-	-	1	2	5	3	-	-	-	-
WHITE------MALE----	-	-	-	-	1	2	5	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	1	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	3	-	3	6	2	6	6	2	1	2	-
WHITE------MALE----	-	3	-	3	4	2	5	5	2	1	2	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	1	-	-	-	-
NORTH CAROLINA ---------	1	-	1	-	-	1	4	7	3	-	-	-
WHITE------MALE----	1	-	1	-	-	1	2	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	2	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of male genital organs (N40-N50)												
OHIO ----------	32	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
OHIO ----------	-	1	2	-	1	6	9	4	7	2	-	-
WHITE------MALE----	-	1	-	-	-	5	9	4	7	2	-	-
ALL OTHER--MALE----	-	-	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	-	-	-	-	-
OKLAHOMA ----------	2	-	-	1	-	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	1	-	1	3	6	8	1	2	-	-
WHITE------MALE----	-	1	-	-	1	2	5	8	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	1	-	1	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-

Diseases of male genital organs (N40-N50)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
SOUTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	11	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	46	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	41	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
SOUTH DAKOTA ----------	-	-	-	-	-	1	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	1	2	2	2	1	2	-	-	-
WHITE------MALE----	-	-	-	1	2	2	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	-	1	1	3	5	9	8	9	5	-	3	-
WHITE------MALE----	-	-	1	3	4	9	7	8	5	-	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	1	-	-	1	-
BLACK---MALE----	-	1	-	-	1	-	1	1	-	-	1	-
UTAH ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	1	2	4	3	1	1	-	-
WHITE------MALE----	-	-	-	-	1	2	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of male genital organs (N40-N50)												
WASHINGTON ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
WASHINGTON ----------	1	-	1	2	2	4	4	4	2	-	-	-
WHITE------MALE----	-	-	1	2	2	4	4	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	1	1	2	1	2	4	1	1	-
WHITE------MALE----	-	-	-	1	1	2	1	2	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2998

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
UNITED STATES -	430	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	390	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	75	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	69	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2998

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
UNITED STATES -	1	4	9	15	32	59	101	109	67	24	9	-
WHITE------MALE----	1	3	6	12	28	56	91	99	63	24	7	-
ALL OTHER--MALE----	-	1	3	3	4	3	10	10	4	-	2	-
BLACK---MALE----	-	1	3	3	3	3	10	9	4	-	2	-
ALABAMA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	2	2	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	1	1	-	-	1	-	1	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA ----------	-	-	1	2	6	10	19	19	13	4	1	-
WHITE------MALE----	-	-	1	2	5	10	16	17	13	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	3	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	3	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2999

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
COLORADO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2999

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
COLORADO ----------	-	1	-	-	-	-	1	1	2	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	1	-	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	4	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FLORIDA ----------	-	-	-	1	2	3	5	2	4	1	-	-
WHITE------MALE----	-	-	-	-	2	2	5	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	1	-	-	-
GEORGIA ----------	-	-	-	-	-	2	1	1	2	1	-	-
WHITE------MALE----	-	-	-	-	-	2	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3000

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	25	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3000

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
HAWAII ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	1	1	1	3	7	8	3	1	-	-
WHITE------MALE----	-	-	1	1	1	3	6	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
INDIANA ----------	-	-	-	-	1	5	4	2	-	1	1	-
WHITE------MALE----	-	-	-	-	1	5	4	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	1	-	3	4	3	-	3	-	-
WHITE------MALE----	-	-	1	1	-	3	4	3	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3001

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
KENTUCKY ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
KENTUCKY ----------	-	-	-	-	-	1	3	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
MAINE ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	1	-	-	2	3	-	2	-	-
WHITE------MALE----	-	-	-	1	-	-	2	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	1	3	1	-	2	4	3	1	-	-
WHITE------MALE----	1	-	-	2	1	-	2	4	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3002

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
MINNESOTA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3002

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
MINNESOTA ----------	-	-	-	-	2	1	1	2	4	1	-	-
WHITE------MALE----	-	-	-	-	2	1	1	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	2	1	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	-	-	-	-	-	1	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	22	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	1	1	4	3	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	1	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	2	-	1	4	2	5	4	2	-	2	-
WHITE------MALE----	-	2	-	1	2	2	4	4	2	-	2	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	1	3	7	3	-	-	-
WHITE------MALE----	-	-	-	-	-	1	2	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	2	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
OHIO ----------	25	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3004

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
OHIO ----------	-	-	1	-	1	5	8	2	6	2	-	-
WHITE------MALE----	-	-	-	-	-	4	8	2	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	1	1	3	6	1	2	-	-
WHITE------MALE----	-	-	-	-	1	1	3	6	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
SOUTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	30	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	11	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
SOUTH DAKOTA ----------	-	-	-	-	-	1	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	1	1	-	1	1	2	-	-	-
WHITE------MALE----	-	-	-	1	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	-	1	1	1	2	7	6	8	2	-	2	-
WHITE------MALE----	-	-	1	1	2	7	6	7	2	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	1	-
UTAH ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	1	1	4	3	1	1	-	-
WHITE------MALE----	-	-	-	-	1	1	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3006

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
WASHINGTON ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
WASHINGTON ----------	-	-	1	1	2	2	4	4	2	-	-	-
WHITE------MALE----	-	-	1	1	2	2	4	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	1	1	2	-	2	4	1	1	-
WHITE------MALE----	-	-	-	1	1	2	-	2	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3007

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of male genital organs (N41-N50)												
UNITED STATES -	160	-	-	-	-	-	-	-	-	1	2	2
WHITE------MALE----	125	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	1
ALABAMA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
UNITED STATES -	9	7	11	16	19	20	29	25	13	5	1	-
WHITE------MALE----	3	4	8	13	12	18	25	23	10	4	1	-
ALL OTHER--MALE----	6	3	3	3	7	2	4	2	3	1	-	-
BLACK---MALE----	5	3	3	3	7	2	4	2	2	1	-	-
ALABAMA ----------	-	-	1	-	1	-	1	2	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	1	2	2	2	2	3	2	-	-	-
WHITE------MALE----	-	-	1	2	1	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of male genital organs (N41-N50)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	1	3	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	3	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA ----------	1	1	-	4	1	-	3	2	-	1	-	-
WHITE------MALE----	-	-	-	2	-	-	3	2	-	1	-	-
ALL OTHER--MALE----	1	1	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	2	1	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of male genital organs (N41-N50)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	1	1	2	-	2	-	1	-	-	-
WHITE------MALE----	-	-	1	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
INDIANA ----------	1	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3010

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of male genital organs (N41-N50)												
KENTUCKY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
KENTUCKY ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	1	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	2	-	1	-	1	2	1	-	-	-
WHITE------MALE----	-	-	2	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
MASSACHUSETTS ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	-	1	-	2	-	-	1	1	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of male genital organs (N41-N50)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
MINNESOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	1	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of male genital organs (N41-N50)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	-	2	2	-	1	2	-	1	-	-
WHITE------MALE----	-	1	-	2	2	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	1	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of male genital organs (N41-N50)												
OHIO ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
OHIO ----------	-	1	1	-	-	1	1	2	1	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	2	-	-	1	-	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	1	-	-	2	3	2	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of male genital organs (N41-N50)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	16	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	1	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	2	3	2	2	1	3	-	1	-
WHITE------MALE----	-	-	-	2	2	2	1	1	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of male genital organs (N41-N50)												
WASHINGTON ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
WASHINGTON ----------	1	-	-	1	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3016

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of breast (N60-N64)												
UNITED STATES -	41	-	-	-	-	-	1	1	-	-	1	3
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	1	-	-	-	1
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of breast (N60-N64)												
UNITED STATES -	1	1	2	-	3	6	5	8	5	4	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	2	-	1	3	4	8	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	-	1	1	-	-
ALABAMA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA ----------	-	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of breast (N60-N64)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of breast (N60-N64)												
COLORADO ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3018

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of breast (N60-N64)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3018

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of breast (N60-N64)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3019

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of breast (N60-N64)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3019

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of breast (N60-N64)												
KENTUCKY ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of breast (N60-N64)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3020

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of breast (N60-N64)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of breast (N60-N64)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NORTH CAROLINA ---------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3021

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of breast (N60-N64)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	1	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3022

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of breast (N60-N64)												
OHIO ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3022

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of breast (N60-N64)												
OHIO ----------	-	-	-	-	-	-	1	-	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of breast (N60-N64)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of breast (N60-N64)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	1	-	2	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	1	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3024

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of breast (N60-N64)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of breast (N60-N64)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of female genital organs (N70-N98)												
UNITED STATES -	307	15	1	-	2	1	2	3	7	8	13	11
WHITE------FEMALE--	239	8	1	-	2	1	1	1	4	3	8	5
ALL OTHER--FEMALE--	68	7	-	-	-	-	1	2	3	5	5	6
BLACK---FEMALE--	66	7	-	-	-	-	1	2	2	4	5	6
ALABAMA ----------	11	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	33	1	-	-	-	-	-	-	1	1	4	3
WHITE------FEMALE--	27	-	-	-	-	-	-	-	1	-	3	2
ALL OTHER--FEMALE--	6	1	-	-	-	-	-	-	-	1	1	1
BLACK---FEMALE--	6	1	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
UNITED STATES -	10	14	14	16	22	43	40	38	26	15	6	-
WHITE------FEMALE--	8	12	11	11	17	32	38	31	26	14	5	-
ALL OTHER--FEMALE--	2	2	3	5	5	11	2	7	-	1	1	-
BLACK---FEMALE--	2	2	3	5	5	11	2	7	-	1	1	-
ALABAMA ----------	2	-	-	-	4	2	1	1	-	-	-	-
WHITE------FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	3	2	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	3	2	-	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	1	1	-	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	2	2	1	6	2	7	1	-	1	-
WHITE------FEMALE--	1	-	2	2	1	6	1	6	1	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of female genital organs (N70-N98)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	19	-	-	-	-	1	1	-	1	2	1	-
WHITE------FEMALE--	13	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--FEMALE--	6	-	-	-	-	-	1	-	1	2	-	-
BLACK---FEMALE--	6	-	-	-	-	-	1	-	1	2	-	-
GEORGIA ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	2	-	3	2	3	-	1	2	-
WHITE------FEMALE--	-	-	-	1	-	3	2	3	-	1	1	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
GEORGIA ----------	-	-	1	1	1	-	1	-	-	-	-	-
WHITE------FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of female genital organs (N70-N98)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	9	-	-	-	-	-	-	-	1	-	-	1
WHITE------FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	1	-	1	1	1	-	-	-
WHITE------FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
INDIANA ----------	-	-	2	-	-	2	2	1	-	-	-	-
WHITE------FEMALE--	-	-	2	-	-	2	2	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	1	-	-	-	-	3	-	1	1	-	-
WHITE------FEMALE--	-	1	-	-	-	-	3	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	1	-	-	-	1	-	1	-	-
WHITE------FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of female genital organs (N70-N98)												
KENTUCKY ----------	4	-	1	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	13	1	-	-	-	-	1	1	-	-	-	1
WHITE------FEMALE--	11	1	-	-	-	-	1	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
KENTUCKY ----------	-	-	-	1	-	-	-	1	1	-	-	-
WHITE------FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	2	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	1	1	2	2	-	1	-	-	-
WHITE------FEMALE--	-	1	-	-	1	1	2	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	1	1	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	1	2	1	2	-	-	1	1	-
WHITE------FEMALE--	-	-	-	1	2	1	2	-	-	1	1	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3029

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of female genital organs (N70-N98)												
MINNESOTA ----------	5	1	-	-	-	-	-	-	1	1	-	-
WHITE------FEMALE--	4	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	14	-	-	-	-	-	-	-	-	-	1	1
WHITE------FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
MINNESOTA ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSOURI ----------	-	1	-	1	-	2	3	1	1	3	-	-
WHITE------FEMALE--	-	1	-	1	-	2	3	1	1	3	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3030

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of female genital organs (N70-N98)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	12	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	25	1	-	-	-	-	-	-	1	1	-	2
WHITE------FEMALE--	20	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	5	1	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	5	1	-	-	-	-	-	-	-	-	-	2
NORTH CAROLINA ---------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	2	1	2	3	-	-	-	-
WHITE------FEMALE--	2	-	-	-	2	1	2	3	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	3	-	-	4	4	4	1	1	1	-
WHITE------FEMALE--	1	1	2	-	-	4	4	3	1	1	1	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	3	2	2	2	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of female genital organs (N70-N98)												
OHIO ----------	15	1	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	1	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	4	1	-	-	-	-	-	-	-	-	-	1
OKLAHOMA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	17	-	-	-	-	-	-	-	-	1	1	1
WHITE------FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
OHIO ----------	-	2	-	-	1	3	3	-	1	3	-	-
WHITE------FEMALE--	-	2	-	-	-	3	3	-	1	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
OKLAHOMA ----------	-	-	-	1	-	-	-	-	2	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON ----------	-	1	-	-	-	-	-	2	-	-	-	-
WHITE------FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	1	1	1	3	2	5	-	-	-
WHITE------FEMALE--	-	1	-	-	1	-	3	1	5	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	1	-	-	2	1	2	1	-	-	-
WHITE------FEMALE--	-	-	1	-	-	-	1	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of female genital organs (N70-N98)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	8	1	-	-	-	-	-	1	-	-	-	1
WHITE------FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	12	-	-	-	-	-	-	-	1	-	2	-
WHITE------FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	16	1	-	-	-	-	-	1	1	-	2	-
WHITE------FEMALE--	11	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--FEMALE--	5	1	-	-	-	-	-	-	1	-	1	-
BLACK---FEMALE--	4	1	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
SOUTH DAKOTA ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	2	-	-	2	-	-	-	-
WHITE------FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
TEXAS ----------	-	3	1	1	1	2	-	-	1	-	-	-
WHITE------FEMALE--	-	2	1	1	1	1	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	2	-	1	1	3	1	-	1	1	-	-
WHITE------FEMALE--	1	2	-	1	-	2	1	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of female genital organs (N70-N98)												
WASHINGTON ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	1	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	7	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
WASHINGTON ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	1	2	-	-	1	1	-
WHITE------FEMALE--	-	-	-	-	-	1	2	-	-	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3034

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
UNITED STATES -	108	2	1	-	-	1	2	3	3	4	8	4
WHITE------FEMALE--	80	1	1	-	-	1	1	1	2	1	3	2
ALL OTHER--FEMALE--	28	1	-	-	-	-	1	2	1	3	5	2
BLACK---FEMALE--	26	1	-	-	-	-	1	2	-	2	5	2
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	15	-	-	-	-	-	-	-	1	-	3	2
WHITE------FEMALE--	12	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
UNITED STATES -	2	6	7	4	11	15	17	6	6	5	1	-
WHITE------FEMALE--	2	6	6	2	8	10	16	6	6	5	-	-
ALL OTHER--FEMALE--	-	-	1	2	3	5	1	-	-	-	1	-
BLACK---FEMALE--	-	-	1	2	3	5	1	-	-	-	1	-
ALABAMA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	2	-	-	3	1	2	-	-	-	-
WHITE------FEMALE--	1	-	2	-	-	3	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	8	-	-	-	-	1	1	-	-	1	-	-
WHITE------FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
BLACK---FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
GEORGIA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	2	-	1	-	1	-	-	1	-
WHITE------FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
GEORGIA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	6	-	-	-	-	-	-	-	1	-	-	1
WHITE------FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	1	-	-	1	2	-	-	-	-	-
WHITE------FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	3	-	1	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	3	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
KENTUCKY ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	-	-	-	-	-	1	1	-	-	-	1
WHITE------FEMALE--	4	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSOURI ----------	-	-	-	1	-	-	1	1	-	-	-	-
WHITE------FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7	1	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	1	-	1	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	1	-	-	1	2	1	-	-	-	-
WHITE------FEMALE--	-	-	1	-	-	1	2	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
OHIO ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
OHIO ----------	-	2	-	-	1	1	2	-	-	1	-	-
WHITE------FEMALE--	-	2	-	-	-	1	2	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	1	1	-	1	-	2	-	-	-
WHITE------FEMALE--	-	1	-	-	1	-	1	-	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	-	-	-	-	1	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	5	-	-	-	-	-	-	-	-	-	2	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	-	-	-	-	-	-	1	1	-	1	-
WHITE------FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	-	-	1	1	-	-	-	-	-	-
WHITE------FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	-	1	2	-	-	1	1	-	-
WHITE------FEMALE--	-	1	-	-	-	1	-	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	1	2	-	-	1	-	-
WHITE------FEMALE--	-	-	-	-	-	1	2	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Noninflammatory disorders of female genital tract (N80-N98)												
UNITED STATES -	199	13	-	-	2	-	-	-	4	4	5	7
WHITE------FEMALE--	159	7	-	-	2	-	-	-	2	2	5	3
ALL OTHER--FEMALE--	40	6	-	-	-	-	-	-	2	2	-	4
BLACK---FEMALE--	40	6	-	-	-	-	-	-	2	2	-	4
ALABAMA ----------	10	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	18	1	-	-	-	-	-	-	-	1	1	1
WHITE------FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
UNITED STATES -	8	8	7	12	11	28	23	32	20	10	5	-
WHITE------FEMALE--	6	6	5	9	9	22	22	25	20	9	5	-
ALL OTHER--FEMALE--	2	2	2	3	2	6	1	7	-	1	-	-
BLACK---FEMALE--	2	2	2	3	2	6	1	7	-	1	-	-
ALABAMA ----------	2	-	-	-	3	2	1	1	-	-	-	-
WHITE------FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	2	2	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	2	2	-	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	1	1	-	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	2	1	3	1	5	1	-	1	-
WHITE------FEMALE--	-	-	-	2	1	3	1	4	1	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3044

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Noninflammatory disorders of female genital tract (N80-N98)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	11	-	-	-	-	-	-	-	1	1	1	-
WHITE------FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
GEORGIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	2	2	2	-	1	1	-
WHITE------FEMALE--	-	-	-	-	-	2	2	2	-	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	1	1	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Noninflammatory disorders of female genital tract (N80-N98)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	1	-	1	1	1	-	-	-
WHITE------FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
INDIANA ----------	-	-	1	-	-	1	-	1	-	-	-	-
WHITE------FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	1	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Noninflammatory disorders of female genital tract (N80-N98)												
KENTUCKY ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	7	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
KENTUCKY ----------	-	-	-	1	-	-	-	1	1	-	-	-
WHITE------FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	2	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	1	1	1	2	-	1	-	-	-
WHITE------FEMALE--	-	1	-	-	1	1	2	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	1	1	-	2	-	-	1	1	-
WHITE------FEMALE--	-	-	-	1	1	-	2	-	-	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Noninflammatory disorders of female genital tract (N80-N98)												
MINNESOTA ----------	4	1	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	4	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	11	-	-	-	-	-	-	-	-	-	1	1
WHITE------FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
MINNESOTA ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	1	-	-	-	2	2	-	1	3	-	-
WHITE------FEMALE--	-	1	-	-	-	2	2	-	1	3	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Noninflammatory disorders of female genital tract (N80-N98)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	9	1	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	18	-	-	-	-	-	-	-	1	-	-	2
WHITE------FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
NORTH CAROLINA ---------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	-	-	1	1	1	3	-	-	-	-
WHITE------FEMALE--	1	-	-	-	1	1	1	3	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	2	-	-	3	2	3	1	1	1	-
WHITE------FEMALE--	1	1	1	-	-	3	2	2	1	1	1	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	3	2	1	2	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	1	-	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3049

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Noninflammatory disorders of female genital tract (N80-N98)												
OHIO ----------	8	1	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
OKLAHOMA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	11	-	-	-	-	-	-	-	-	1	1	1
WHITE------FEMALE--	9	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
OHIO ----------	-	-	-	-	-	2	1	-	1	2	-	-
WHITE------FEMALE--	-	-	-	-	-	2	1	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA ----------	-	-	-	1	-	-	-	-	1	1	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	1	2	2	3	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	2	1	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	1	-	-	1	1	2	1	-	-	-
WHITE------FEMALE--	-	-	1	-	-	-	1	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3050

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Noninflammatory disorders of female genital tract (N80-N98)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	1	-	-	-	-	-	-	-	-	-	1
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	7	-	-	-	-	-	-	-	1	-	-	-
WHITE------FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	7	1	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
SOUTH DAKOTA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	-	-	-	2	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
TEXAS ----------	-	2	1	1	-	1	-	-	1	-	-	-
WHITE------FEMALE--	-	1	1	1	-	1	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	1	-	1	-	1	1	-	-	-	-	-
WHITE------FEMALE--	1	1	-	1	-	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Noninflammatory disorders of female genital tract (N80-N98)												
WASHINGTON ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	1	-	-	1	-	-	-	-	-	-	-
WHITE------FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
WASHINGTON ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-